

B



Ann.

Summary
at end

WELLCOME INSTITUTE
LIBRARY

Coll.	WellMOmec
Coll.	Sur
No.	WA

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 1. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JAN. 6. [Price 1½*d.*

General Register Office, Somerset House,

January 8th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·3 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·0, 17·8, and 17·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 22·5 in Huddersfield, 23·3 in Burnley, 23·7 in Bootle, 23·9 in Liverpool, 24·2 in Smethwick, 24·9 in Bury, and 30·5 Preston; from *measles*, 1·7 in Leeds, 1·9 in Aston Manor, 2·1 in Wolverhampton and Gateshead, 2·2 in Swansea, and 4·9 in Preston; from *scarlet fever*, 1·0 in Sheffield, 1·1 in Liverpool, and 2·3 in Blackburn; from *diphtheria*, 1·0 in Hull and 1·4 in Merthyr Tydfil; and from *whooping-cough*, 1·1 in Salford, 1·3 in Gateshead, 1·5 in Warrington and in Burnley, 1·6 in Stockport, 1·9 in Aston Manor, and 2·0 in Leicester. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2788 BIRTHS and 1756 DEATHS were registered. Allowing for increase of population, the births were 64 below and the deaths 6 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate per 1000, from all causes, which had been 19·2, 19·4, and 17·8 per 1000 in the preceding three weeks, rose again last week to 19·4. The death-rate in the four weeks ended on Saturday last averaged 19·0 per 1000, being 0·2 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 1/06 D & S 3 23402 A

The 1756 deaths included 64 from measles, 9 from scarlet fever, 13 from diphtheria, 33 from whooping-cough, 6 from enteric fever, and 10 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 135 deaths were referred to these diseases in the aggregate, being equal to the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 58, 60, and 59 in the preceding three weeks, rose to 64 last week, and were 18 above the corrected average; 11 deaths belonged to the Borough of Southwark, 8 to Lambeth, 8 to Camberwell, and 6 each to Islington, Stepney, and Wandsworth. The deaths from *scarlet fever*, which had been 20, 18, and 12 in the preceding three weeks, further fell to 9 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 11, 18, and 17 in the preceding three weeks, fell to 13 last week, and were 5 below the corrected average; 3 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 28, 38, and 34 in the preceding three weeks, were 33 last week, and were 2 above the corrected average; 4 deaths belonged to Islington, 4 to Lambeth, and 3 each to Hammersmith, Stepney, and Greenwich. The fatal cases of *enteric fever*, which had been 2, 2, and 5 in the preceding three weeks, were 6 last week, the corrected average being 8. The deaths from *diarrhœa*, which had been 13, 18, and 19 in the preceding three weeks, fell to 10 last week, and were 3 below the corrected average; 4 deaths belonged to Poplar. Of the 10 deaths from diarrhœa, 9 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 other deaths at this age. The deaths attributed directly to *influenza* numbered 15, having been 13, 10, and 8 in the preceding three weeks. The death of a metal cutter, aged 64, was certified as due to *lead poisoning*, and that of a skin importer's warehouseman, aged 29, as due to *anthrax*.

Different forms of *violence* caused 76 deaths, concerning all but 1 of which inquests were held. Of these 76 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 64 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 12 to burns or scalds, 4 to drowning, 3 to the effects of anæsthetics administered for surgical purposes, and 15 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3299 cases of scarlet fever, 728 of diphtheria, and 87 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 291 cases, against 341, 295, and 295; of diphtheria, 92 cases, against 103, 98, and 108; and of enteric fever, 19 cases, against 11, 12, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended December 30th, 1905.

Greater London.

In Greater London 4238 births and 2438 deaths were registered. Allowing for increase of population, these numbers are 88 and 24 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 2 from diphtheria, 4 from whooping-cough, 1 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·60 inches, and that of the Thermometer 41°·3, the latter being 2°·9 above the week's average in the 50 years 1841–90. The general direction of the wind was Southerly, the horizontal movement of the air being 24 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 2·5 hours; the measured rainfall amounted to 0·95 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 16th Dec., 1905.	23rd Dec., 1905.	30th Dec., 1905.	6th Jan., 1906.	Rate from Diseases in Cols. 11–17. Week ended 6th January, 1906.	Registered during the Week ended 6th Jan., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**17·0**	**17·8**	**17·4**	**18·3**	**1·5**	**9055**	**5548**	**1234**	**1651**	**–**	**141**	**61**	**70**	**120**	**26**	**46**	**223**	**524**	**1270**	**67**	**76 Towns.**
London - - -	4,721,217	19·2	19·4	17·8	19·4	1·5	2788	1756	336	548	–	64	9	13	33	6	10	76	215	608	6	London.
Croydon - -	151,011	10·2	22·9	18·0	13·5	1·4	82	39	14	13	–	1	–	2	1	–	–	–	4	6	–	Croydon.
Willesden - -	143,622	14·0	13·2	13·2	20·0	1·5	92	55	14	18	–	3	–	–	1	–	–	1	3	6	1	Willesden.
Hornsey - -	86,935	9·3	9·9	8·1	10·2	1·8	30	17	3	5	–	1	1	–	–	–	1	1	2	–	–	Hornsey.
Tottenham - -	119,503	20·2	12·6	13·9	20·5	2·2	74	47	15	11	–	2	1	1	1	–	–	1	2	5	–	Tottenham.
West Ham - -	301,617	15·4	12·7	13·3	18·8	2·2	216	109	24	30	–	2	2	4	3	–	2	3	10	27	–	West Ham.
East Ham - -	129,886	12·7	14·8	13·1	9·6	–	86	24	3	9	–	–	–	–	–	–	–	2	3	3	–	East Ham.
Leyton - - -	118,287	15·9	12·7	13·7	15·9	0·9	78	36	6	16	–	–	–	1	1	–	–	1	2	5	–	Leyton.
Walthamstow -	121,334	12·6	11·2	12·1	9·0	0·4	77	21	3	8	–	–	–	–	–	–	1	1	2	5	–	Walthamstow.
Hastings - - -	67,144	10·9	8·6	13·3	12·4	–	20	16	1	7	–	–	–	–	–	–	–	1	1	1	1	Hastings.
Brighton - -	128,095	14·8	9·8	16·0	19·1	0·8	61	47	9	23	–	–	–	1	–	–	1	3	6	10	–	Brighton.
Portsmouth - -	205,118	13·7	18·3	14·7	16·8	0·5	127	66	17	25	–	–	–	1	1	–	–	3	4	14	1	Portsmouth.
Bournemouth -	67,702	9·5	10·2	12·6	16·9	–	32	22	5	9	–	–	–	–	–	–	–	1	7	4	–	Bournemouth.
Southampton -	117,312	14·1	18·2	14·1	15·6	0·4	65	35	5	17	–	–	–	1	–	–	–	3	3	9	–	Southampton.
Reading - - -	78,987	10·7	12·1	10·7	11·2	0·7	35	17	3	7	–	–	–	–	1	–	–	–	1	5	–	Reading.
Northampton -	93,749	17·5	11·8	14·7	11·1	0·6	27	20	3	7	–	–	–	–	1	–	–	1	3	2	–	Northampton.
Ipswich - - -	71,809	13·3	13·3	14·0	17·4	–	38	24	3	11	–	–	–	–	–	–	–	1	2	2	–	Ipswich.
Great Yarmouth -	52,613	14·9	16·9	19·9	16·8	1·0	29	17	7	4	–	–	–	–	–	–	1	–	–	5	–	Great Yarmouth.
Norwich - -	117,958	13·8	16·1	19·2	13·3	0·9	68	30	12	8	–	–	–	1	–	–	1	–	3	2	–	Norwich.
Plymouth - -	118,014	13·0	16·2	18·0	15·9	1·3	55	36	4	14	–	1	–	–	2	–	–	–	–	5	–	Plymouth.
Devonport -	78,405	13·6	17·6	16·3	16·0	1·3	50	24	3	14	–	–	–	–	1	–	1	1	1	1	–	Devonport.
Bristol - - -	363,223	17·0	19·1	18·5	20·5	2·2	237	143	32	37	–	5	1	3	5	1	–	7	22	37	–	Bristol.
Hanley‡ - - -	66,300	22·6	15·3	30·6	21·2	3·1	47	27	8	5	–	–	1	–	1	1	1	–	1	3	–	Hanley‡
Burton-on-Trent	52,922	9·0	9·0	11·9	16·7	–	28	17	8	4	–	–	–	–	–	–	–	–	–	1	1	Burton-on-Trent.
Wolverhampton -	100,729	16·8	21·0	17·3	17·6	2·1	56	34	7	11	–	4	–	–	–	–	–	3	4	5	1	Wolverhampton.
Walsall - - -	94,577	14·0	12·3	10·7	13·2	1·1	67	24	5	9	–	–	–	–	–	–	2	3	4	7	–	Walsall.
Handsworth -	63,819	15·2	13·5	15·2	14·7	2·5	20	18	2	7	–	1	–	–	1	1	–	–	–	1	–	Handsworth.
West Bromwich -	68,469	17·7	13·8	15·4	20·6	1·5	36	27	7	5	–	–	1	1	–	–	–	2	2	2	–	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 6th January, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 16th Dec., 1905.	23rd Dec., 1905.	30th Dec., 1905.	6th Jan., 1906.	Rate from Diseases in Cols. 11-17. Week ended 6th January, 1906.	Registered during the Week ended 6th Jan., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	19·1	20·3	18·9	17·9	1·3	347	188	44	55	-	2	-	2	7	1	2	8	13	43	8	BIRMINGHAM.
KINGS NORTON -	72,608	9·0	12·7	7·5	11·5	-	52	16	4	7	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK - -	64,531	15·8	13·3	17·5	24·2	-	51	30	7	11	-	-	-	-	-	-	-	2	3	2	3	SMETHWICK.
ASTON MANOR -	82,288	19·2	18·6	12·8	17·7	3·8	58	28	7	4	-	3	-	-	3	-	-	-	1	-	-	ASTON MANOR.
COVENTRY - -	76,374	14·6	13·2	18·7	15·0	-	49	22	7	5	-	-	-	-	-	-	-	1	1	3	-	COVENTRY.
LEICESTER - -	232,111	12·6	17·8	17·1	17·7	3·1	115	79	25	19	-	-	4	-	9	-	1	2	6	5	1	LEICESTER.
GRIMSBY - - -	69,359	13·8	11·5	14·5	16·5	1·5	33	22	4	7	-	-	-	1	-	1	-	-	2	2	-	GRIMSBY.
NOTTINGHAM - -	254,563	14·9	13·5	15·7	19·9	0·6	162	97	20	38	-	-	-	1	1	-	1	4	6	18	-	NOTTINGHAM.
DERBY - - -	123,981	17·5	16·6	11·5	14·7	0·8	60	35	1	19	-	-	-	2	-	-	-	4	8	6	-	DERBY.
STOCKPORT - -	99,646	18·6	17·5	15·9	16·7	2·6	54	32	9	9	-	1	-	1	3	-	-	1	1	5	-	STOCKPORT.
BIRKENHEAD - -	117,292	16·6	16·2	17·1	20·0	-	89	45	14	11	-	-	-	-	-	-	-	4	8	8	-	BIRKENHEAD.
WALLASEY - -	64,578	13·4	11·7	11·7	17·8	-	26	22	4	6	-	-	-	-	-	-	-	-	1	6	-	WALLASEY.
LIVERPOOL† - -	739,180	21·1	21·5	24·9	23·9	2·8	447	339	89	73	-	2	16	10	8	2	2	11	27	100	15	LIVERPOOL.†
BOOTLE† - - -	65,989	20·8	17·4	18·3	23·7	-	44	30	7	9	-	-	-	-	-	-	-	2	2	7	2	BOOTLE.†
ST. HELENS - -	91,153	9·9	23·2	15·1	15·4	-	61	27	9	4	-	-	-	-	-	-	-	3	3	7	2	ST. HELENS.
WIGAN - - -	87,588	19·9	19·3	16·9	19·1	-	70	32	7	7	-	-	-	-	-	-	-	1	1	4	1	WIGAN.
WARRINGTON - -	69,280	14·5	14·5	16·0	19·6	1·5	60	26	8	9	-	-	-	-	2	-	-	-	-	2	1	WARRINGTON.
BOLTON - - -	180,502	13·8	13·2	14·9	14·4	0·6	82	50	10	18	-	-	-	-	-	1	1	1	3	11	-	BOLTON.
BURY - - -	58,744	13·3	30·3	16·0	24·9	0·9	25	28	7	9	-	1	-	-	-	-	-		7	4	2	BURY.
MANCHESTER - -	637,126	15·9	21·0	19·4	17·4	1·2	369	212	43	62	-	5	2	1	4	2	1	13	17	52	1	MANCHESTER.
SALFORD - - -	234,077	16·4	15·1	16·7	18·0	1·6	130	81	20	20	-	1	1	-	5	-	-	3	9	16	-	SALFORD.
OLDHAM - - -	140,969	13·8	17·8	17·1	15·2	0·7	67	41	12	10	-	-	-	-	1	-	1	1	2	4	-	OLDHAM.
ROCHDALE - -	87,189	19·3	19·9	17·5	14·4	1·2	30	24	6	9	-	-	-	1	-	-	1	1	1	2	1	ROCHDALE.
BURNLEY - - -	102,808	17·4	22·6	21·5	23·3	2·0	55	46	10	13	-	-	-	1	3	-	-	2	4	11	1	BURNLEY.
BLACKBURN - -	134,015	17·6	15·3	17·2	17·5	4·3	57	45	11	11	-	3	6	1	-	-	1	-	2	8	2	BLACKBURN.
PRESTON - - -	116,399	27·0	28·8	24·8	30·5	5·4	64	68	18	17	-	11	-	1	-	-	-	1	1	4	3	PRESTON.
BARROW-IN-FURNESS.	60,967	11·2	17·3	13·8	17·1	0·9	37	20	7	4	-	-	1	-	-	-	-	-	-	2	2	BARROW-IN-FURNESS.

* See note † on first page of this return. † As enlarged in 1905.

TABLE I (*contd.*). TO GREATER LONDON, ETC., ended Saturday, 6th January, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 16th Dec., 1905.	23rd Dec., 1905.	30th Dec., 1905.	6th Jan., 1906.	Rate from Diseases in Cols. 11-17. Week ended 6th January 1906.	Registered during the Week ended 6th Jan., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	18·7	18·7	24·2	22·5	1·6	43	41	7	13	-	-	1	-	1	-	1	2	4	7	-	HUDDERSFIELD.
HALIFAX - - -	109,272	21·2	15·9	15·9	18·6	1·4	26	39	6	17	-	-	1	1	-	-	1	-	-	5	1	HALIFAX.
BRADFORD - -	288,544	13·8	12·7	16·0	19·9	0·7	108	110	21	38	-	1	1	-	-	2	-	4	13	15	-	BRADFORD.
LEEDS - - -	463,495	17·4	16·9	17·7	21·5	2·9	233	191	40	49	-	15	-	1	8	-	2	9	18	29	-	LEEDS.
SHEFFIELD - -	447,951	13·9	15·5	15·3	15·8	2·1	252	136	37	40	-	-	9	2	2	2	3	3	7	25	3	SHEFFIELD.
ROTHERHAM - -	61,098	14·8	18·3	13·1	17·9	0·9	43	21	9	5	-	-	1	-	-	-	-	-	1	1	1	ROTHERHAM.
YORK - - -	83,467	13·3	14·6	10·1	16·2	1·2	42	26	5	10	-	1	-	1	-	-	-	1	3	6	-	YORK.
HULL - - -	262,426	17·0	20·2	16·2	16·7	1·4	154	84	11	29	-	-	1	5	1	-	-	6	9	23	-	HULL.
MIDDLESBROUGH -	100,069	20·7	21·2	17·0	19·8	1·6	60	38	9	9	-	-	-	1	-	-	2	1	4	5	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	19·9	19·9	18·9	13·9	1·0	21	14	5	-	-	-	-	-	1	-	-	1	1	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	18·3	23·4	16·8	13·5	1·4	27	19	3	5	-	-	-	1	-	1	-	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	17·4	19·8	17·4	17·9	0·7	94	53	15	11	-	-	-	1	-	1	-	1	5	4	1	SUNDERLAND.
SOUTH SHIELDS -	111,402	14·8	15·7	19·5	16·9	0·5	66	36	8	8	-	-	-	-	-	1	-	-	2	7	-	SOUTH SHIELDS.
GATESHEAD - -	123,191	16·0	13·4	16·4	16·1	3·8	69	38	12	7	-	5	-	1	3	-	-	1	1	2	3	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	13·0	15·0	22·3	16·7	1·0	148	86	24	24	-	1	-	1	2	-	1	2	6	10	1	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	10·7	22·4	22·4	21·2	-	24	22	4	6	-	-	-	-	-	-	-	-	2	2	1	TYNEMOUTH.
NEWPORT (MON.) -	74,227	15·7	25·0	15·7	19·7	1·4	57	28	8	5	-	-	-	-	1	-	1	-	-	1	-	NEWPORT (MON.).
CARDIFF - - -	183,823	16·5	14·5	13·6	17·9	1·4	89	63	16	17	-	-	-	1	1	1	2	4	8	11	-	CARDIFF.
RHONDDA- - -	127,684	14·6	14·2	19·2	9·0	1·6	71	22	7	3	-	1	1	-	-	1	1	1	2	1	-	RHONDDA.
MERTHYR TYDFIL -	74,961	16·9	19·1	25·4	16·7	2·8	49	24	11	2	-	-	-	2	1	1	-	2	2	2	-	MERTHYR TYDFIL.
SWANSEA- - -	96,848	16·8	17·9	15·7	12·9	2·7	64	24	7	5	-	4	-	1	-	-	-	-	-	-	-	SWANSEA.
GREATER LONDON -	7,113,561	17·1	17·4	16·4	17·9	1·3	4238	2438	491	788	-	78	13	23	44	7	15	95	272	718	9	GREATER LONDON.
OUTER RING - -	2,392,344	12·8	13·2	13·7	14·9	1·0	1450	682	155	240	-	14	4	10	11	1	5	19	57	110	3	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	14·1	14·0	13·5	15·5	1·4	735	348	82	110	-	9	4	8	7	-	4	10	28	57	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	11·6	12·4	13·8	14·3	0·6	715	334	73	130	-	5	-	2	4	1	1	9	29	53	2	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	16·9	15·0	15·8	17·1	0·8	119	112	14	35	-	1	-	1	1	-	2	4	?	35	5	EDINBURGH.
GLASGOW - - -	835,625	18·4	15·5	18·5	20·9	2·3	471	335	82	62	-	18	-	6	2	-	11	18	?	106	12	GLASGOW.
DUBLIN† - - -	378,994	19·7	22·3	17·9	21·7	0·8	245	158	19	40	-	-	-	1	1	3	1	4	5	57	4	DUBLIN.†
BELFAST†- - -	358,680	18·5	21·2	18·0	21·4	1·0	224	147	34	36	-	-	-	1	1	2	3	6	6	28	6	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIRST Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2735	2717	3001	2893	2792	2983	2949	2661	2862	2720	2852·1	2788
Males - - -	1425	1359	1509	1437	1400	1482	1496	1367	1471	1370	1453·6	1424
Females - -	1310	1358	1492	1456	1392	1501	1453	1294	1391	1350	1398·5	1364
TOTAL **Deaths** -	1707	1580	1990	1666	3266	1593	1810	1660	1731	1665	1749·7	1756
Males - -	899	803	973	882	1512	801	920	805	861	863	878·9	885
Females - -	808	777	1017	784	1724	792	890	855	870	802	870·8	871

* The numbers in this column are the average weekly numbers in the first week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	13 Weeks.
TOTAL **Births** -	2386	2372	2362	2494	2485	2298	2366	2275	2462	2279	2488	1807	2788	30862
TOTAL **Deaths** -	1255	1331	1433	1494	1489	1552	1739	1623	1460	1725	1746	1602	1756	20205
Ages at Death: Under 1 year -	266	244	286	273	298	302	352	341	335	333	382	328	336	4076
1—5 years -	116	135	124	146	156	183	205	209	201	229	281	222	217	2424
5—20 ,, -	73	70	71	77	71	73	82	76	75	79	64	69	91	971
20—40 ,, -	173	178	206	177	197	197	197	174	159	184	147	151	208	2348
40—60 ,, -	267	283	280	320	315	344	361	316	266	365	343	309	356	4125
60 yrs. & upwds	360	421	466	501	452	453	542	507	424	535	529	523	548	6261
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	15	33	31	34	47	54	48	53	46	58	60	59	64	602
Scarlet Fever - -	9	16	13	17	13	8	6	18	13	20	18	12	9	172
Diphtheria - -	12	3	12	13	9	19	10	5	21	11	18	17	13	163
Whooping-cough -	11	19	7	19	13	20	24	25	25	28	38	34	33	296
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	10	8	4	5	7	8	3	3	4	2	2	5	6	67
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	55	31	34	21	27	13	11	16	14	13	18	19	10	282
All above Diseases -	112	110	101	109	116	122	102	120	123	132	154	146	135	1582
Dis. of Resp. System	101	112	157	177	209	187	282	245	192	274	254	241	225	2656
Pneumonia - -	90	136	129	163	174	214	208	233	184	186	262	185	229	2393
Phthisis - - -	151	121	174	129	145	136	161	130	132	191	151	150	168	1939
Dis. of Circ. System -	166	191	211	211	196	200	229	243	188	215	212	186	236	2684
Violence - - -	38	63	57	65	48	68	70	77	59	56	58	56	76	791
Inquest Cases - -	95	138	147	168	109	170	169	191	130	144	174	168	215	2018
Deaths in Institutions	512	540	573	551	591	606	636	606	509	612	610	577	608	7531
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	48·6	41·0	41·5	47·3	43·1	39·1	38·5	42·9	43·8	36·6	43·2	39·5	41·3	42·0
Mean of Highest -	54·9	50·0	48·9	53·8	50·2	42·8	44·4	47·6	48·2	41·6	46·2	43·5	45·2	47·5
Mean of Lowest -	42·7	32·2	33·0	41·1	36·1	35·7	30·9	35·9	39·1	32·4	38·7	33·7	38·0	36·1
Mean Humidity of the Air.	81	75	81	86	91	87	84	87	90	92	82	92	81	85
Rain-fall (in inches) -	0·16	0·13	0·05	1·60	0·65	0·64	0·17	0·61	0·31	0·02	0·00	0·24	0·95	5·53
Registered Sunshine (in hours).	6·6	34·6	18·4	15·5	16·9	9·3	17·9	6·8	9·5	4·0	4·7	4·3	2·5	151·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3954	4153	4222	4200	4154	4120	4127	4021	3888	3670	3409	3446	3299	3897
Diphtheria - -	781	797	799	804	786	790	755	725	727	713	670	701	728	752
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	167	161	157	160	157	154	132	115	102	92	82	78	87	126

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIRST Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 1st week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1749·7	1756	336	217	91	208	356	548
Small-pox*	7·6	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	45·6	64	11	50	3	-	-	-
Scarlet Fever	12·7	9	-	6	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	24·7	15	-	2	-	1	3	9
Whooping-cough	30·8	33	12	21	-	-	-	-
Diphtheria	17·6	13	3	6	4	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	7·9	6	-	-	3	3	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	2·0	5	4	1	-	-	-	-
Diarrhœa, Dysentery	11·2	5	4	-	-	1	-	-
Tetanus	0·3	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	1	-	-	-	1	-	-
Venereal Dis.	7·6	10	6	-	-	2	1	1
Puerperal Septicæmia	3·3	5	-	-	-	5	-	-
Puerperal Pyæmia	0·3	-	-	-	-	-	-	-
Puerperal Fever	0·3	-	-	-	-	-	-	-
Infective Endocarditis	2·8	1	-	-	1	-	-	-
Pneumonia: Lobar	15·8	18	1	-	-	7	4	6
Pneumonia: Broncho-	74·4	122	39	48	5	2	10	18
Pneumonia: Epidemic	0·5	-	-	-	-	-	-	-
Pneumonia: Not defined	78·0	89	10	16	4	15	21	23
Erysipelas	3·8	2	1	-	-	-	-	1
Septicæmia (not Puerperal)	1·3	1	-	-	-	-	1	-
Pyæmia (not Puerperal)	1·5	2	1	-	-	1	-	-
Other Infective Processes	7·1	4	2	-	-	1	-	1
Tuberculous Phthisis	68·0	95	2	4	5	42	34	8
"*Phthisis*"	80·5	73	-	1	7	37	25	3
Tuberculous Meningitis	16·3	23	4	8	7	3	1	-
Tuberculous Peritonitis	7·6	6	1	1	3	1	-	-
Tabes Mesenterica	3·6	-	-	-	-	-	-	-
Tuberculous Dis. (other)	17·1	19	4	6	5	2	2	-
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	15·5	11	-	-	-	4	5	2
Rheumatic Fever	6·6	9	-	-	5	2	2	-
Gout	2·5	2	-	-	-	-	1	1
Carcinoma	47·4	51	-	-	-	3	23	25
Sarcoma	6·6	7	-	-	1	-	4	2
Cancer (undefined)	37·7	45	-	-	-	4	15	26
Diabetes Mellitus	10·7	8	-	-	-	2	3	3
Premature Birth	63·7	68	68	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 1st week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	21·2	20	7	8	4	1	-	-
Insanity, Gen. Par. of Insane	16·3	20	-	-	-	4	11	5
Epilepsy	7·4	7	1	-	-	-	1	5
Convulsions	28·0	21	19	1	1	-	-	-
Locomotor Ataxy	3·1	3	-	-	-	-	2	1
Paraplegia, Dis. of Cord	9·2	11	-	1	-	1	2	7
Nervous Sys. (other dis.)	23·4	20	2	1	1	1	4	11
Valv. Dis., Endocarditis	48·4	62	-	1	9	7	16	29
Cerebr. Hæm. Thromb.	33·4	40	-	-	-	-	17	23
Apoplexy, Hemiplegia	30·8	20	-	-	-	-	6	14
Aneurysm	4·3	6	-	-	-	1	2	3
Embolism, Thrombosis (not cerebral)	1·8	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	107·5	108	-	-	4	4	34	66
Croup (not Spasm: nor Memb.)	0·5	1	-	1	-	-	-	-
Bronchitis	225·5	193	46	13	1	6	36	91
Asthma, Emphysema	12·5	18	-	-	-	1	6	11
Pleurisy	6·1	4	-	-	1	-	1	2
Respiratory Dis. (other)	16·3	9	3	2	1	-	1	2
Tonsillitis, Quinsy	0·8	-	-	-	-	-	-	-
Enteritis (not Epid.)	9·2	6	2	-	-	1	3	-
Gastro-Enteritis	4·1	2	1	1	-	-	-	-
Peritonitis (not Puerp.)	4·1	3	1	-	-	1	-	1
Cirrhosis of Liver	16·6	15	-	1	-	3	8	3
Liver Dis. (other)	4·8	1	-	-	-	-	1	-
Digestive Dis., Other	44·6	35	6	2	3	9	6	9
Nephritis, Acute	7·1	11	-	-	-	2	4	5
Bright's Dis., Albuminuria	41·8	53	-	-	-	6	21	26
Urinary Sys., Other Dis.	11·2	9	-	-	-	-	2	7
Generative Organs Dis.	5·6	4	-	-	-	2	1	1
Childbirth (Accid. of)	3·8	6	-	-	-	5	1	-
Old Age	68·8	66	-	-	-	-	-	66
Other Diseases	112·4	84	57	7	6	1	4	9
ACCIDENT.								
By Railways	2·5	-	-	-	-	-	-	-
By Vehicles and Horses	7·1	3	-	-	1	1	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	1	-	-	-	-	-	1
In Building Operations	0·5	-	-	-	-	-	-	-
In Conflagrations	0·5	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	12·0	12	-	5	3	-	1	3
By Drowning	4·3	4	1	-	-	2	1	-
By Suffocation in Bed	18·9	15	15	-	-	-	-	-
By Poisons or Poisonous Vapours	4·3	4	1	1	-	1	1	-
Other Deaths by Accident	17·3	25	-	2	-	4	4	15
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·8	1	1	-	-	-	-	-
Suicide	8·2	11	-	-	-	5	4	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th January, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,429	2788	1756	336	548	-	64	9	13	33	-	6	-	10	76	215	608	6
WEST DISTRICTS	805,311	374	287	40	90	-	7	-	2	6	-	1	-	1	15	36	104	-
NORTH DISTRICTS	1,056,070	607	394	76	136	-	9	5	1	8	-	1	-	2	18	54	127	-
CENTRAL DISTRICTS	209,465	132	77	12	20	-	2	-	-	1	-	-	-	-	3	7	32	-
EAST DISTRICTS	715,739	557	294	75	75	-	7	1	3	5	-	1	-	5	14	52	115	-
SOUTH DISTRICTS	1,749,844	1118	650	133	207	-	39	1	6	13	-	2	-	1	25	65	176	6
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	54	-	20	-	-	2	1	-	-	1	-	1	1	1	54	-
WEST DISTRICTS.																		
St. Mary Paddington *W,2H*	93,178	50	34	7	9	-	-	-	-	-	-	-	-	1	-	4	9	-
St. John Paddington *H*	33,617	4	11	1	3	-	-	-	-	1	-	-	-	-	2	2	7	-
North-West Paddington	17,181	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	57	55	4	23	-	2	-	-	-	-	-	-	-	3	6	25	-
Brompton *2H*	48,591	9	11	-	5	-	-	-	-	-	-	-	-	-	-	-	2	-
North Hammersmith *W,wH*	49,192	22	18	5	4	-	-	-	-	2	-	-	-	-	1	2	-	-
South Hammersmith *w,2H*	63,047	29	25	4	3	-	3	-	-	1	-	-	-	-	-	3	4	-
North-west Fulham *W*	45,180	46	22	6	6	-	1	-	-	-	-	-	-	-	-	1	12	-
North-east Fulham *F*	46,405	21	15	3	3	-	1	-	2	1	-	1	-	-	1	1	5	-
South Fulham *W*	45,704	35	11	2	6	-	-	-	-	-	-	-	-	-	1	3	-	-
Chelsea North *W,w,3H*	42,514	14	36	-	14	-	-	-	-	-	-	-	-	-	1	3	27	-
Chelsea South *W,2H*	31,328	15	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mayfair and Knightsbridge	28,743	5	4	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Belgrave *W,2H*	55,815	15	23	3	8	-	-	-	-	-	-	-	-	-	4	6	9	-
St. Margaret & St. John *4H*	43,698	23	13	1	3	-	-	-	-	1	-	-	-	-	1	2	4	-
St. James Westminster *W,H*	21,588	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *5H*	11,493	6	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	10	14	1	8	-	-	-	-	-	-	-	-	-	2	3	6	-
St. Mary Marylebone‡ *W,4H*	37,948	50	12	3	5	-	-	-	-	1	-	-	-	-	-	1	2	-
Christchurch Marylebone *H*	39,536	19	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *3H*	20,426	9	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Hampstead *W,F,8H*	81,942	24	23	6	7	-	-	2	-	-	-	-	-	-	2	3	6	-
West St. Pancras *2H*	60,562	30	13	4	1	-	-	-	-	-	-	-	-	-	-	2	4	-
Tottenham-court *w,7H*	21,258	13	17	2	6	-	-	-	-	-	-	-	-	-	2	3	12	-
Gray's Inn Lane *4H*	34,449	29	18	2	5	-	-	-	-	1	-	-	-	-	2	5	5	-
East St. Pancras *W,2H*	60,320	40	24	2	14	-	1	-	-	1	-	-	-	-	-	4	12	-
North St. Pancras *2W*	58,728	38	24	5	8	-	1	-	-	-	-	1	-	-	-	4	10	-
Tufnell *W*	31,995	19	22	2	9	-	1	-	-	-	-	-	-	-	-	1	16	-
Upper Holloway *2W,w,H*	33,978	21	28	4	8	-	1	-	-	-	-	-	-	-	3	5	20	-
Tollington *WH*	33,922	18	8	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Lower Holloway	41,424	27	17	5	5	-	1	-	-	1	-	-	-	2	-	2	-	-
Barnsbury	54,478	32	25	2	7	-	3	-	-	1	-	-	-	-	2	4	-	-
Islington South-east *F*	75,397	35	21	8	7	-	-	-	-	1	-	-	-	-	-	2	-	-
Highbury *2H*	63,797	46	26	7	9	-	-	-	-	-	-	-	-	-	1	4	2	-
Stoke Newington *H*	51,247	16	13	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	20	13	3	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Hackney *2w,F*	50,536	36	14	3	2	-	1	3	1	-	-	-	-	-	-	2	5	-
South-west Hackney *3H*	59,921	31	22	5	5	-	-	-	-	-	-	-	-	-	3	4	10	-
South-east Hackney *2W,w,H*	58,255	44	30	5	12	-	-	-	-	1	-	-	-	-	1	3	17	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December, 1905, the sub-district of Rectory Marylebone was united to the sub-district of St. Mary Marylebone.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th January, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury *W,2H* -	31,436	31	10	2	5	-	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W,4H* - - - - -	21,674	5	13	-	4	-	-	-	-	-	-	-	-	-	1	2	11	-
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W,6H* - - - - -	29,612	11	14	2	5	-	-	-	-	1	-	-	-	-	-	-	7	-
South Clerkenwell - - -	28,676	12	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
North Clerkenwell *H* - - -	35,028	37	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury *3H,L* - - - - -	36,116	29	7	2	-	-	2	-	-	-	-	-	-	-	-	2	1	-
Holborn Union Workhouse, Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph *H* - - - - -	10,299	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Sepulchre and Allhallows *W,2H*	16,624	3	14	2	2	-	-	-	-	-	-	-	-	-	2	2	10	-
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South *H* - - -	46,362	26	11	4	1	-	-	-	-	-	-	-	-	-	-	1	2	-
Shoreditch North-West *W,w,H* -	36,127	25	29	6	12	-	-	-	-	-	-	-	-	1	1	4	19	-
Shoreditch North-East - - -	36,148	37	10	2	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Shoreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North *2H* - -	51,514	41	22	6	2	-	1	-	3	-	-	-	-	-	-	1	10	-
Bethnal Green South - - -	33,472	33	8	1	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Bethnal Green East *2W,H,L* - -	44,694	35	18	4	7	-	-	-	-	1	-	-	-	-	-	3	9	-
Spitalfields - - - - -	27,969	22	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W,H* - -	28,718	34	38	8	6	-	1	-	-	-	-	1	-	-	3	12	31	-
Goodman's Fields - - - -	22,081	8	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John *2W* - -	49,068	42	19	6	5	-	1	-	-	1	-	-	-	-	1	1	3	-
Shadwell and Ratcliff *W,H* - -	25,568	14	18	9	2	-	1	-	-	-	-	-	-	1	2	3	6	
Limehouse *W* - - - - -	32,369	19	10	3	3	-	-	-	-	-	-	-	-	-	-	3	-	
Mile End Old Town South-Western *H* - - - -	63,698	62	15	4	3	-	-	-	-	1	-	-	-	-	2	7	-	-
Mile End Old Town North-Eastern *W,w* - - -	49,129	36	23	8	5	-	-	-	-	1	-	-	-	-	1	2	8	-
Bow *L* - - - - - - -	41,989	39	11	3	5	-	-	-	-	1	-	-	-	1	-	2	-	-
Bromley *3w,H* - - - - -	68,319	50	35	7	14	-	2	-	-	-	-	-	-	2	-	4	23	-
Poplar *W,w* - - - - -	58,514	34	20	4	4	-	-	1	-	-	-	-	-	-	3	5	4	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th January, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark W,H	11,263	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H	12,056	7	17	4	3	-	-	-	1	-	-	-	-	-	3	4	15	-
Kent-road	21,904	17	7	2	-	-	2	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West W,2H,L	39,094	28	15	5	1	-	2	-	-	-	-	-	-	-	1	2	2	-
Newington North	49,022	31	7	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-
Newington South W	72,841	44	29	5	9	-	2	-	-	-	-	-	-	-	1	8	2	-
St. Olave 2W	9,817	-	4	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Bermondsey W	82,483	56	10	4	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Rotherhithe W,F	38,460	31	21	3	7	-	-	-	-	1	-	-	-	-	1	2	12	-
Waterloo-road 2H	27,440	21	12	4	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Lambeth Church 1st H	18,423	12	24	3	3	-	3	-	-	-	-	-	-	-	1	1	22	-
Lambeth Church 2nd 2W	39,818	42	31	8	7	-	3	-	-	2	-	-	-	-	2	3	14	-
Kennington 1st H	53,198	40	24	1	13	-	-	-	-	1	-	-	-	-	-	2	-	-
Kennington 2nd H	42,896	19	7	1	2	-	1	-	-	-	-	-	-	-	-	1	1	-
Brixton F	84,232	40	33	1	16	-	3	1	-	-	-	1	-	-	1	3	4	1
Norwood W,H	35,888	10	6	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-
East Battersea H	72,203	54	12	6	2	-	-	-	-	-	-	-	-	1	1	4	-	-
North-west Battersea	49,656	36	13	4	4	-	-	-	-	-	-	-	-	-	1	3	-	-
South-west Battersea 2W,H	47,048	16	34	3	15	-	-	-	-	1	-	-	-	-	1	3	24	-
Clapham 2H	51,361	41	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Streatham W,2w,2F,2L	88,019	46	26	3	11	-	2	-	-	-	-	1	-	-	1	1	6	1
Springfield 2W,L	27,959	17	11	2	7	-	1	-	-	-	-	-	-	-	-	1	-	-
Southfields H	40,444	38	10	1	4	-	-	-	-	1	-	-	-	-	-	1	-	-
Putney	24,139	14	8	5	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Dulwich	13,359	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w	40,206	26	36	4	15	-	4	-	-	-	-	-	-	-	1	2	27	2
Camberwell North W,2L	65,584	37	38	9	13	-	6	-	-	-	-	-	-	-	4	4	15	-
St. George	47,331	27	15	-	6	-	-	-	-	1	-	-	-	-	1	3	-	-
Peckham North*	48,913	36	11	2	1	-	1	-	-	1	-	-	-	-	1	3	-	-
Peckham South* 2W,w	43,946	23	17	5	6	-	-	-	-	-	-	-	-	-	-	1	-	1
Deptford North	37,613	36	14	6	3	-	1	-	-	1	-	-	-	-	1	-	-	-
Deptford Central	45,481	39	16	2	7	-	1	-	-	1	-	-	-	-	-	-	-	-
Deptford South	34,625	21	11	2	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Greenwich West 2H	23,456	9	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W,H	43,859	21	16	3	6	-	-	-	-	2	-	-	-	-	-	-	10	-
Eltham w,H	7,226	3	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Lee wH	25,490	10	7	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham W w,F	58,352	33	22	6	6	-	-	-	3	-	-	-	-	-	1	1	10	-
Sydenham H	43,653	22	11	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Charlton F,2H	21,134	12	8	1	2	-	1	-	1	-	-	-	-	-	-	-	4	-
Woolwich 5H	41,625	39	15	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Plumstead West W	18,063	9	11	4	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East 2W,H	50,264	43	19	4	8	-	-	-	-	-	-	-	-	-	1	2	4	-
Workhouse:—																		
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	4	-	-	-	-	2	1	-	-	1	-	-	-	-	4	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	9	-	5	-	-	-	-	-	-	-	-	-	-	-	9	-
Darenth	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Leavesden	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Lunatic Asylums:—																		
Banstead	—	-	10	-	6	-	-	-	-	-	-	-	-	-	-	-	10	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-	9	-
Colney Hatch	—	-	5	-	3	-	-	-	-	-	-	-	-	-	1	1	5	-
Claybury	—	-	7	-	2	-	-	-	-	-	-	-	-	1	-	-	7	-

* On 1st December, 1905, the sub-district of Peckham was divided into two sub-districts entitled Peckham North and Peckham South, respectively

BLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 6th January, 1906.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,602	2,044,973	1450	682	155	240	-	14	4	10	11	1	5	19	57	110	3
0 : 1	Carshalton 2F,2H - -	12,228	32,997	25	9	-	3	-	-	-	-	-	-	-	-	-	3	-
2	Epsom, *part of** W,w,2F,H-	10,423	15,548	9	4	-	-	-	-	-	-	-	-	-	-	-	1	-
7 : 1	Godstone, *part of** W,F -	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 : 1	Coulsdon - - - -	11,069	8,166	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	25	11	4	5	-	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H -	2,168	42,888	34	19	4	9	-	-	-	2	-	-	-	1	3	9	-
4	North Croydon H - -	2,644	41,698	23	12	6	2	-	1	-	-	1	-	-	-	1	-	-
5	Penge w,H - - - -	770	22,465	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30,015	19	10	5	1	-	1	-	-	-	-	-	-	1	-	-
9 : 1	Wimbledon F,3H - -	3,221	41,652	21	15	10	3	-	-	-	-	-	-	-	1	5	-	-
2	Kingston 2W,H - -	6,224	42,068	15	15	3	7	-	-	-	-	-	-	-	-	4	4	-
3	Surbiton F,H - - -	3,046	15,017	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	9	2	-	-	-	-	-	-	-	-	-	-	1	-	-
5	Hampton H,F,L - - -	4,564	23,456	12	7	-	4	-	-	-	-	-	-	-	1	1	-	-
10 : 1	Richmond W,H - - -	2,162	28,865	6	11	1	6	-	-	-	-	-	-	-	1	1	2	-
2	Mortlake F - - -	2,847	20,628	19	7	1	3	-	-	-	1	-	-	-	-	-	1	-
11 : 1	Bromley F,2H - - -	4,703	27,354	14	5	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H - - -	7,825	28,497	22	2	-	1	-	-	-	-	-	-	-	-	-	1	-
3	Orpington *part of** W -	10,113	9,857	11	6	1	5	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H - - -	7,333	16,446	4	3	-	-	-	-	-	-	-	-	-	-	-	2	-
12 : 1	Bexley w F,H - - -	8,678	21,151	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - -	3,854	25,296	19	6	2	1	-	-	-	-	1	-	-	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 : 1	Sunbury w - - - -	11,054	18,683	14	5	3	1	-	1	-	-	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	16	11	1	7	-	-	-	-	-	-	1	-	-	7	-
15 : 1	Hillingdon W,F,H - -	6,035	13,661	7	8	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H - - -	12,757	8,984	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,F,H - - -	8,066	16,358	13	4	2	2	-	-	-	-	-	-	-	1	1	-	-
16 : 1	Isleworth 3W,2F,H - -	6,859	30,863	22	13	2	6	-	-	-	-	-	-	-	-	2	6	-
2	Twickenham F,H - -	2,421	20,991	23	6	4	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H,L - -	4,319	48,289	40	17	3	5	-	-	-	-	-	-	-	-	2	2	-
4	Chiswick H- - - -	1,249	29,809	15	11	1	4	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,3H - - -	6,132	48,914	40	18	2	6	-	-	-	-	-	1	-	-	-	1	-
17 : 1	Harrow F,H - - -	13,809	25,523	20	7	3	3	-	-	-	-	2	-	-	-	-	-	1
2	Edgware F,2H - - -	6,994	4,521	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,2F,2H - -	4,384	114,811	92	54	14	17	-	3	-	-	1	-	-	1	3	5	1
4	Hendon W,F - - -	8,382	22,450	13	5	3	1	-	-	-	-	-	-	-	-	1	1	-
18 : 1	South Mimms 2F,H - -	17,755	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	8	6	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	24	12	4	1	-	-	-	-	-	-	-	2	4	-	-
19 : 1	Hornsey F,H - - -	2,875	72,056	30	17	3	5	-	1	1	-	-	-	1	1	2	-	-
2	Wood Green H - - -	1,625	34,233	25	11	5	4	-	1	-	-	-	-	-	-	-	1	-
3	West Tottenham F - -	996	48,853	34	24	9	5	-	1	-	1	1	-	-	-	1	-	-
4	East Tottenham 2H - -	2,017	53,688	40	19	6	6	-	1	-	-	-	-	-	1	1	1	-
5	Edmonton W,w,2F - -	7,491	61,892	46	24	1	9	-	2	-	1	-	-	-	1	2	9	-
6	Enfield 2W,F,H - - -	12,601	42,738	33	9	3	3	-	-	-	-	-	-	-	-	1	1	-
7	Waltham Abbey F - -	11,017	6,549	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	11	4	2	1	-	-	-	-	-	-	-	1	1	-	-
15 : 1	Hatfield, *part of** W - -	3,305	664	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
17 : 1	Bushey H - - - -	9,333	9,173	10	6	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
18 : 1	Stratford H - - -	1,072	44,827	34	8	-	5	-	-	-	-	1	-	-	1	3	-	-
2	Plaistow F,2H - - -	1,249	90,921	77	32	10	5	-	2	2	2	-	-	1	2	2	2	-
3	Canning Town H - -	1,556	70,718	66	28	9	5	-	-	-	1	2	-	-	-	2	-	-
4	Forest Gate w - - -	806	60,892	39	16	3	7	-	-	-	1	-	-	-	-	1	-	-
5	North East Ham w H -	1,333	58,676	44	12	1	6	-	-	-	-	-	-	-	1	1	-	-
6	South East Ham 2F - -	1,993	37,342	42	9	2	2	-	-	-	-	-	-	-	1	1	-	-
7	Wanstead F - - -	1,679	9,179	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	36	17	2	10	-	-	-	1	-	-	-	1	1	6	-
9	North Leyton 2W,w,F -	1,963	48,445	42	46	7	17	-	-	-	-	1	-	1	-	4	26	-
10	Walthamstow 3H,L - -	6,504	108,929	90	19	2	6	-	-	-	-	-	-	1	1	2	1	-
17 : 1	Chigwell, *part of** 2F,3H -	11,778	16,397	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** - -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
19 : 1	Romford, *part of** W,2F -	6,556	6,091	10	2	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L - - - -	8,496	41,234	36	26	3	13	-	-	-	-	-	-	-	-	1	6	-
3	Barking Town F - -	3,803	21,547	21	6	2	1	-	-	-	-	1	-	-	-	-	1	-
	N.E. Hosp., Tottenham -	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	London County Asylum, Finchley.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ing are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher arish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting neydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious iseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases
LONDON - -	4,721,217	January 6	2788	1756	19·4	-	64	9	14	33	6	10
CALCUTTA - -	847,796	November 25	-	653	40·0	4	1	-	2	-	185†	166‡
BOMBAY - -	776,006	December 19	536	648	43·4	2	2	-	-	-	83†	79
MADRAS - -	509,346	" 8	394	556	56·7	3	10	?	?	?	134	144‡
PARIS - - -	2,660,559	" 30	994	1009	19·6	-	16	-	2	3	5	11
BRUSSELS - -	586,936	" 30	-	-	-	-	-	-	-	-	-	-
ANTWERP - -	286,695	" 30	-	-	-	-	-	-	-	-	-	-
AMSTERDAM -	554,240	" 23	313	145	13·6	-	7	1	2	1	-	4
COPENHAGEN -	426,000	" 30	219	115	13·9	-	-	-	-	2	-	5
STOCKHOLM -	309,496	" 23	132	94	15·4	-	-	-	1	-	-	4
CHRISTIANIA -	223,649	" 30	130	48	11·2	-	-	-	3	1	-	1
ST. PETERSBURG	1,248,122	" 16	944	623	23·2	1	12	22	12	9	26	59
MOSCOW - -	1,092,360	November 25	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,037,203	December 16	863	547	14·0	-	11	8	5	10	1	29
HAMBURG - -	772,852	" 30	-	265	17·8	-	1	-	1	10	-	22
BRESLAU - -	462,147	" 23	-	154	17·3	-	1	-	1	-	1	7
		" 30	-	200	22·5	-	1	-	-	7	-	13
MUNICH - -	528,000	" 30	-	-	-	-	-	-	-	-	-	-
VIENNA - -	1,897,630	" 30	-	-	-	-	-	-	-	-	-	-
PRAGUE - -	430,569	" 23	175	165	18·8	-	1	-	1	-	3	10
BUDA-PESTH -	836,267	" 23	445	290	18·0	-	10	4	8	-	3	9
TRIESTE - -	191,403	" 30	-	-	-	-	-	-	-	-	-	-
ROME - -	514,930	October 14	181	194	19·6	-	1	-	1	-	14§	15
VENICE - -	169,417	December 23	77	92	28·3	-	-	-	1	-	1	6
BUCHAREST -	282,071	" 30	132	143	26·4	-	-	-	1	1	1	2
NEW YORK -	3,948,191	" 23	2046	1373	17·8	-	12	6	39	5	9	43
CHICAGO - -	1,932,315	" 23	-	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,438,318	" 16	-	509	18·4	-	5	3	14	-	10	17
BOSTON - -	617,950	" 9	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	850,000	November 12	-	281	16·2	3	8	-	3	1	6†	?
		" 19	-	283	16·3	3	8	-	-	1	9†	?
		" 26	-	296	17·0	3	4	-	-	1	11†	?

* Excluding deaths from croup in the Indian Cities.
† Including 22 deaths from plague in Calcutta, 8 in Bombay, and 5, 5, and 9 in Rio de Janeiro.
‡ Including 86 deaths from cholera in Calcutta, and 8 in Madras.
§ Including 6 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 6th January, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	52·6	27·6	41·6	0·95	BRADFORD - -	47·8	26·4	36·4	1·26
BRIGHTON - -	50·1	32·3	43·2	1·86	LEEDS - - -	48·0	27·0	38·4	1·05
PORTSMOUTH - -	53·2	35·3	45·3	4·16	HULL - - -	48·0	30·0	39·7	0·73
NORWICH - -	50·4	30·0	39·4	1·36	TYNEMOUTH - -	47·0	31·0	39·1	0·76
PLYMOUTH - -	53·2	37·0	47·3	3·14	CARDIFF - -	52·7	30·0	42·4	2·54
BRISTOL - - -	53·8	29·0	42·8	1·55	EDINBURGH - -	46·7	28·0	38·2	0·49
BIRMINGHAM - -	49·3	28·0	38·9	1·69	GLASGOW - -	48·5	28·4	39·1	0·74
NOTTINGHAM - -	48·2	28·1	38·7	1·08	DUBLIN Phœnix Park.	54·6	34·6	43·4	0·86
LIVERPOOL OBSERVATORY.	48·0	30·0	39·0	1·38	DUBLIN Fitzwilliam Square.†	52·2	38·8	45·1	1·67
MANCHESTER -	47·0	29·5	38·4	1·24					
PRESTON - -	-	-	-	-					
HUDDERSFIELD -	45·7	26·4	35·5	1·12	BELFAST - -	50·0	36·2	42·4	0·94

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

DAILY METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 6th January, 1906.

[*Under the Superintendence of the Astronomer Royal.*]

1905–6. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	31	..	30·072	32·9	27·6	5·3	29·8	− 8·8	18·7	11·1	14·6	6·3	61	43·0	24·0	44·02	ESE. & SE.	ESE.	3·0	0·0	0·4	325	+ 16	0·00	6·0
JANUARY. MONDAY -	1	..	29·728	37·3	27·6	9·7	32·5	− 6·0	23·3	9·2	13·1	0·0	68	40·8	35·8	43·70	ESE. & E.	ESE. & SE.	2·4	0·0	0·3	304	− 7	0·00	0·0
TUESDAY -	2	In Eqr. First Qr.	29·583	41·6	37·3	4·3	39·9	+ 1·4	36·9	3·0	4·6	0·0	89	45·3	36·0	42·93	SE.	SE.	4·5	0·0	0·5	340	+ 27	0·01	2·5
WEDNESDAY	3	..	29·414	49·3	37·2	12·1	43·9	+ 5·4	42·8	1·1	2·1	0·4	96	49·3	41·8	42·76	SE. & ESE.	SSE., SSW. & S.	2·0	0·0	0·1	233	− 82	0·09	7·5
THURSDAY -	4	Apogee	29·487	51·2	46·0	5·2	48·7	+10·3	45·8	2·9	5·5	1·3	90	77·0	42·0	42·68	SW. & SSW.	SW. & SSW.	3·7	0·0	0·2	355	+ 39	0·36	0·0
FRIDAY -	5	..	29·678	51·3	46·8	4·5	48·5	+10·2	45·4	3·1	4·2	1·9	89	55·9	42·0	43·08	W. & WSW.	WSW. & SW.	4·6	0·0	0·4	407	+ 90	0·22	2·0
SATURDAY -	6	..	29·211	52·6	43·6	9·0	45·7	+ 7·5	38·0	7·7	9·7	2·8	75	52·6	40·5	43·66	S., SW. & WSW.	W.	17·0	0·0	2·2	767	+450	0·27	6·0
MEANS	-		29·596	45·2	38·0	7·2	41·3	+ 2·9	35·8	5·4	7·7	1·8	81	52·0	37·4	43·26	SE. & SW.		..	..	..	Sum 2731	Sum +533	Sum 0.95	3·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE.		Electricity. (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
DECEMBER.					
SUNDAY -	31	w. P. in morning; s. P. generally afterwards.	0·1	7·8	Very fine generally; partially cloudy. Solar halo observed at noon. Very cold.
JANUARY. MONDAY -	1	m. P. in morning; s. P. till evening; w. P. after 7h. P.M.	0·0	7·8	Generally overcast; cold.
TUESDAY -	2	No indication.	0·0	7·9	Overcast; occasional slight rain.
WEDNESDAY	3	No indication till 3h. P.M.; w. P. afterwards.	0·0	7·9	Generally overcast; occasional rain.
THURSDAY -	4	w. P. and w. N. till 11h. A.M.; w. P. afterwards.	1·4	7·9	Cloudy and showery till 11h. A.M.; fine till 4h. P.M.; overcast afterwards with slight rain after 7h. P.M.; very mild.
FRIDAY -	5	w. P. generally.	1·0	7·9	Generally cloudy; occasional rain. Lunar halo observed in evening. Very mild.
SATURDAY -	6	w. P. with occasional w. N. till 4h. P.M.; m P. afterwards.	0·0	8·0	Generally overcast; occasional rain; a gale of wind after 5h. A.M.; mild.
			Sum 2·5	Sum 55·2	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observation made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·15 in. at the beginning of the week to 29·36 in. by 7h. A.M. on Jan. 3rd; increased to 29·54 in. by 5h. P.M. on Jan. 4th; decreased to 29·44 in. by 11h. P.M. on the same day; increased to 29·78 in. by 8h. P.M. on Jan. 5th; decreased to 29·09 in. by 8h. A.M. on Jan. 6th; and increased to 29·47 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th December, 1905.*

BOROUGHS.	Estimated Population in the middle of 1905.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	147,935	-	3	-	-	2	-	-	2	-
Kensington	180,083	-	3	2	-	1	-	-	3	-
Hammersmith	119,037	-	4	2	-	1	-	-	3	-
Fulham	157,210	-	5	2	-	-	-	-	5	-
Chelsea	74,496	-	5	-	-	1	-	-	3	-
City of Westminster	175,606	-	11	3	-	3	-	-	1	-
NORTH.										
St. Marylebone	129,453	-	6	3	-	1	-	-	2	-
Hampstead	88,142	-	2	-	-	-	-	-	1	-
St. Pancras	236,183	-	20	6	-	2	-	-	5	-
Islington	342,994	-	25	4	-	-	-	-	6	-
Stoke Newington	52,828	-	2	1	-	-	-	-	1	-
Hackney	228,479	-	24	13	-	3	-	-	4	-
CENTRAL.										
Holborn	56,481	-	1	-	-	1	-	-	2	-
Finsbury	98,207	-	12	1	-	-	-	-	2	-
City of London	22,425	-	1	-	-	-	-	-	1	-
EAST.										
Shoreditch	116,565	-	7	2	-	1	-	-	2	-
Bethnal Green	130,401	-	12	6	-	-	-	-	5	-
Stepney	305,466	-	21	13	-	5	-	-	8	1
Poplar	170,280	-	23	8	-	1	-	-	10	-
SOUTH.										
Southwark	208,528	-	10	6	-	2	-	-	5	-
Bermondsey	129,006	-	16	4	-	-	-	-	6	-
Lambeth	313,045	-	14	11	-	-	-	-	5	1
Battersea	177,532	-	17	5	-	1	-	-	2	1
Wandsworth	265,392	-	15	6	-	3	-	-	6	-
Camberwell	271,240	-	18	5	-	-	-	-	5	-
Deptford	114,495	-	11	5	-	1	-	-	4	-
Greenwich	103,493	-	5	10	-	2	-	-	2	-
Lewisham	144,420	-	5	6	-	-	-	-	1	-
Woolwich	125,372	-	8	1	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,684,794**	-	**306**	**125**	-	**31**	-	-	**103**	**3**
Ages 0-1		-	4	5	-	-	-	-	7	-
" 1-5		-	100	51	-	-	-	-	6	-
" 5-		-	123	35	-	4	-	-	3	-
" 10-		-	49	11	-	4	-	-	2	-
" 15-		-	11	4	-	6	-	-	1	-
" 30-		-	10	7	-	4	-	-	4	2
" 25-		-	7	7	-	9	-	-	21	1
" 35-		-	1	4	-	3	-	-	20	-
" 45-		-	1	-	-	1	-	-	15	-
" 55-		-	-	1	-	-	-	-	19	-
" 65 and upwards		-	-	-	-	-	-	-	4	-
Age not stated		-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 30th DECEMBER, 1905.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia** (origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON -	18,974	-	553	170	158	279	-	63	-	324	1,824	3,949	130
West.													
PADDINGTON - - -	539	-	12	2	-	5	-	1	-	11	37	91	121
KENSINGTON - - -	636	-	18	7	1	4	-	3	-	10	67	103	127
HAMMERSMITH - -	444	-	7	3	4	8	-	1	-	9	46	104	134
FULHAM - - -	588	-	30	7	11	18	-	5	-	13	58	144	132
CHELSEA - - -	308	-	3	2	-	-	-	-	-	6	31	46	125
CITY OF WESTMINSTER -	619	-	9	5	2	4	-	1	-	4	75	89	129
North.													
ST. MARYLEBONE - -	527	-	-	5	-	1	-	-	-	10	45	83	90
HAMPSTEAD - - -	229	-	3	2	1	-	-	-	-	2	20	32	103
ST. PANCRAS - - -	1,032	-	22	12	5	35	-	2	-	16	97	198	138
ISLINGTON - - -	1,389	-	60	16	10	19	-	4	-	23	128	282	135
STOKE NEWINGTON - -	181	-	-	-	3	1	-	-	-	2	30	27	121
HACKNEY - - -	843	-	-	6	10	6	-	11	-	13	84	159	111
Central.													
HOLBORN - - -	257	-	1	-	-	-	-	2	-	4	50	24	66
FINSBURY - - -	486	-	1	7	3	5	-	3	-	9	62	90	104
CITY OF LONDON - -	96	-	-	1	-	1	-	-	-	2	6	9	134
East.													
SHOREDITCH - - -	568	-	2	6	5	12	-	-	-	7	51	139	150
BETHNAL GREEN - -	664	-	10	7	6	17	-	1	-	15	59	172	167
STEPNEY - - -	1,475	-	48	15	15	42	-	5	-	30	140	374	148
POPLAR - - -	757	-	4	10	12	22	-	2	-	18	60	205	145
South.													
SOUTHWARK - - -	1,089	-	118	5	11	3	-	6	-	19	117	221	146
BERMONDSEY - - -	679	-	17	9	6	10	-	3	-	17	64	176	169
LAMBETH - - -	1,241	-	75	9	16	16	-	1	-	16	102	229	107
BATTERSEA - - -	686	-	15	10	3	10	-	1	-	10	67	162	138
WANDSWORTH - -	926	-	25	3	11	15	-	3	-	16	86	193	116
CAMBERWELL - -	1,072	-	39	11	6	9	-	2	-	14	102	228	140
DEPTFORD - - -	450	-	7	7	4	5	-	2	-	8	29	103	122
GREENWICH - - -	364	-	3	1	6	2	-	2	-	8	33	87	137
LEWISHAM - - -	437	-	20	1	2	2	-	1	-	9	34	81	98
WOOLWICH - - -	392	-	4	1	5	7	-	1	-	3	44	98	112

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 620 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 664 cases the previous residence was outside London and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

Analysis of Metropolitan Water Supply during December, 1905.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th January, 1906.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of December.

Fourteen samples were taken in the Kent district, and eleven in all other districts, making a total of 91 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - - -	December 11th, Cab Rank, Victoria Street.	6·4	31·60	·234	·026	0	·251	·277	1·95	20·9
West Middlesex - -	December 11th, Cab Rank, by Turnham Green Station.	7·0	28·56	·221	·026	0	·213	·239	1·85	19·9
Southwark - - -	December 11th, Cab Rank, High Street, Peckham.	8·3	32·78	·238	·022	0	·247	·269	1·95	22·1
Grand Junction - -	December 11th, Cab Rank, Haymarket, near Charles Street.	6·9	28·66	·201	·027	0	·196	·223	1·85	19·9
Lambeth - - - -	December 11th, Cab Rank, Station Road, Brixton.	6·4	31·56	·239	·024	0	·268	·292	2·0	21·3
Lea, Wells, etc.										
New River - - -	December 11th, Cab Rank, by St. Clement Danes Church.	7·1	34·58	·089	·010	0	·278	·288	1·8	24·5
East London - - -	December 11th, Tap on main at Lea Bridge Works.	6·5	41·56	·176	·020	0	·278	·298	2·4	25·3
Deep Wells.										
Kent- - - - -	December 11th, Police Station, Blackheath Road.	11·5	38·70	·047	·005	0	·498	·503	1·95	28·0
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district of the Water Board, on the 11th December at the Cab Rank in Victoria Street, had a temperature of 6·4° C.; 100,000 lbs. of it contained 31·60 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·234 lb. of carbon and ·026 lb. of nitrogen. The above quantity of water also contained ·251 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·277 lb. The above weight of water also contained 1·95 lbs. of chlorine and 20·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 11th December were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several District Works was :— Kent 0·9, New River 1·7, East London 3·3, Grand Junction 3·9, West Middlesex 4·2, Chelsea and Southwark 4·4, and Lambeth 4·5.

With regard to the filtered Thames water, the samples representing the supplies of the five District Works all contained practically the same proportion of organic matter, and the average amount of impurity was almost identical with that found in the corresponding examination of the samples taken in November. The amount of organic matter was moderate for the time of year and the five supplies were clear and of good quality.

The filtered Lea and deep-well water supplied from the New River works was clear and of good quality. The East London district supply, consisting mainly of filtered Lea water, contained less organic impurity than any of the Thames-derived supplies and was clear and of good quality.

The deep-well water collected in the Kent district was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent water was colourless ; and that taken in the New River district nearly colourless ; the samples taken in the Chelsea, West Middlesex, Southwark, and Grand Junction districts were very pale yellow, and the Lambeth supply was pale yellow in colour.

In addition to the above analytical examination, the 91 samples of water, collected during December at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution) ; the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained :—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
elsea	·126	·112	·120	·138	·120	·130	0	0	0	·0105	·009	·0095
est Middlesex	·115	·092	·104	·122	·098	·112	0	0	0	·0105	·0095	·010
uthwark	·138	·082	·115	·149	·090	·124	0	0	0	·010	·007	·009
and Junction	·115	·075	·102	·123	·092	·110	0	0	0	·012	·0105	·011
mbeth	·135	·101	·127	·148	·109	·138	0	0	0	·0115	·0085	·010
LEA, WELLS, ETC.												
w River	·050	·025	·039	·055	·030	·043	0	0	0	·005	·0025	·0035
A, WELLS, THAMES, ETC.												
st London	·113	·021	·092	·123	·023	·099	·060	0	·012	·009	·002	·007
DEEP WELLS.												
nt	·011	·007	·009	·012	·009	·010	0	0	0	·002	·0015	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The less favourable condition of the Thames in November caused the proportion of organic matter in the filtered supplies to rise towards the end of that month, and the higher amounts of impurity were maintained in the waters in December until about the 22nd, when the proportion began to fall. The Grand Junction and West Middlesex district supplies were the best in quality; the Lambeth district water exhibited the highest mean proportion of organic impurity, and was a little inferior to the Chelsea and Southwark supplies. The average proportion of organic matter in the whole of the Thames-derived waters during the past month was the highest observed in 1905, but on the whole the general quality of the water was good for a winter month.

All the samples taken in the New River district were of good quality.

The East London district water contained, on the average, more organic matter than in November, but the proportion was distinctly less than in the Thames waters, and the supply was of good quality throughout the month.

The fourteen samples collected in the Kent district were all of high organic purity. In my report for October I called attention to some unsatisfactory samples drawn in the neighbourhood of the Plumstead well, and samples collected at the same place during November gave results which showed that the use of the well had been discontinued. However, during the past month the examination indicates that the Plumstead well water is being distributed again. As far as the data go they show that the quality of the water is returning to that observed in the district prior to October. The water was a little harder than in other parts of the Kent area, but with this exception the Kent district supply was of its usual good quality.

The whole of the samples examined during December were clear.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of December, 1905, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 194 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	DECEMBER, 1904.	DECEMBER, 1905.	DECEMBER, 1904.	DECEMBER, 1905.
TOTAL SUPPLY - - -	998,576	1,039,867	208,024,190	201,827,149
From Thames - - - - -	474,118	484,345	109,872,671	107,685,752
From Lea and from other Sources -	524,458	555,522	98,151,519	94,141,397
THAMES.				
Chelsea - - - - - -	39,922	39,984	11,713,226	11,462,258
West Middlesex - - - -	91,353	92,456	23,887,000	22,754,516
Southwark and Vauxhall - -	130,063	131,653	28,958,000	28,141,000
Grand Junction - - - -	78,060	81,151	16,160,868	15,287,912
Lambeth - - - - - -	134,720	139,101	29,153,577	30,040,066
LEA AND OTHER SOURCES.				
New River - - - - - -	182,214	206,871	39,133,924	38,398,776
East London - - - - -	231,034	234,990	41,403,000	38,084,903
Kent - - - - - - - -	111,210	113,661	17,614,595	17,657,718

Note.—The Return for December, 1905, as compared with that for the corresponding month of 1904, shows an increase of 41,291 services, and a decrease of 6,197,041 gallons of water supplied daily. Owing to changes of area, the returns for 1905 are not strictly comparable with those for 1904.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 2. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JAN. 13. [Price 1½*d*.

General Register Office, Somerset House,

January 15*th*, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·7 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·8, 17·4, and 18·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 22·0 in Preston, 22·1 in West Bromwich, 22·2 in Tynemouth, 23·5 in St. Helens, 24·3 in Merthyr Tydfil, and 25·9 in Burnley; from *measles*, 1·1 in Willesden and in Swansea, 1·2 in Blackburn, 1·3 in Gateshead, 1·8 in Leeds, 3·6 in Bury, and 5·4 in Preston; from *diphtheria*, 1·3 in Norwich, 1·4 in Merthyr Tydfil, and 1·7 in Barrow in Furness; from *whooping-cough*, 1·8 in Plymouth and in Leicester, and 3·3 in Handsworth (Staffs.); and from *diarrhœa*, 1·2 in Blackburn. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2705 BIRTHS and 1585 DEATHS were registered. Allowing for increase of population, the births were 110 above and the deaths 15 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 19·4, 17·8, and 19·4 per 1000 in the preceding three weeks, fell last week to 17·5. The death-rate in the four weeks ended on Saturday last averaged 18·5 per 1000, being 0·1 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 1/06 D & S 3 23464

The 1585 deaths included 53 from measles, 17 from scarlet fever, 11 from diphtheria, 32 from whooping-cough, 3 from enteric fever, and 11 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 127 deaths were referred to these diseases in the aggregate, being 6 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 60, 59, and 64 in the preceding three weeks, fell to 53 last week, but were 14 above the corrected average; 12 deaths belonged to the Borough of Stepney, 7 to Camberwell, 6 to Lambeth, and 4 each to Bethnal Green and Wandsworth. The deaths from *scarlet fever*, which had been 18, 12, and 9 in the preceding three weeks, rose to 17 last week, and were 6 above the corrected average. The deaths from *diphtheria*, which had been 18, 17, and 13 in the preceding three weeks, further fell to 11 last week, and were 6 below the corrected average. The deaths from *whooping-cough*, which had been 38, 34, and 33 in the preceding three weeks, were 32 last week, the corrected average being 31; 4 deaths belonged to Stepney, 4 to Bermondsey, and 3 each to Islington, Poplar and Battersea. The fatal cases of *enteric fever*, which had been 2, 5, and 6 in the preceding three weeks, fell to 3 last week, and were 5 below the corrected average. The deaths from *diarrhœa*, which had been 18, 19, and 10 in the preceding three weeks, were 11 last week, and were 3 below the corrected average; Of the 11 deaths from diarrhœa, 9 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 20, having been 10, 8, and 15 in the preceding three weeks.

Different forms of *violence* caused 63 deaths, concerning all of which inquests were held. Of these 63 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 54 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 3 to burns or scalds, 5 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 12 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3062 cases of scarlet fever, 748 of diphtheria, and 91 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 257 cases, against 295, 295, and 291; of diphtheria, 111 cases, against 98, 108, and 92; and of enteric fever, 11 cases, against 12, 16, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 6th, 1906.

Greater London.

In Greater London 4036 births and 2147 deaths were registered. Allowing for increase of population, these numbers are 48 above and 91 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 2 from diphtheria, 1 from "fever," and 7 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·53 inches, and that of the Thermometer 43°·1, the latter being 5°·2 above the week's average in the 50 years 1841–90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 41 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 17·5 hours; the measured rainfall amounted to 1·20 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 13th January, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 23rd Dec., 1905.	30th Dec., 1905.	6th Jan., 1906.	13th Jan., 1906.	Rate from Diseases in Cols. 11-17. Week ended 13th January, 1906.	Registered during the Week ended 13th Jan., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**17·8**	**17·4**	**18·3**	**16·7**	**1·3**	**9193**	**5052**	**1126**	**1528**	**-**	**124**	**42**	**66**	**101**	**17**	**39**	**181**	**434**	**1158**	**63**	**76 TOWNS.**
LONDON - - -	4,721,217	19·4	17·8	19·4	17·5	1·4	2705	1585	304	531	-	53	17	11	32	3	11	63	178	562	2	LONDON.
CROYDON - -	151,011	22·9	18·0	13·5	13·1	0·3	70	38	3	12	-	-	-	-	-	1	-	2	4	6	-	CROYDON.
WILLESDEN - -	143,622	13·2	13·2	20·0	11·6	1·1	96	32	7	11	-	3	-	-	-	-	-	-	1	3	-	WILLESDEN.
HORNSEY - -	86,935	9·9	8·1	10·2	7·8	1·8	26	13	4	3	-	1	-	1	-	-	1	-	1	2	-	HORNSEY.
TOTTENHAM - -	119,503	12·6	13·9	20·5	11·3	-	67	26	9	4	-	-	-	-	-	-	-	1	4	2	-	TOTTENHAM.
WEST HAM - -	301,617	12·7	13·3	18·8	14·2	1·2	193	82	21	23	-	2	1	2	2	-	-	7	12	20	-	WEST HAM.
EAST HAM - -	129,886	14·8	13·1	9·6	11·6	2·4	63	29	5	5	-	2	2	2	-	-	-	1	2	7	-	EAST HAM.
LEYTON - - -	118,287	12·7	13·7	15·9	10·1	1·3	65	23	6	8	-	2	-	-	1	-	-	-	1	4	-	LEYTON.
WALTHAMSTOW -	121,334	11·2	12·1	9·0	10·3	0·4	76	24	6	5	-	-	-	1	-	-	-	-	2	5	-	WALTHAMSTOW.
HASTINGS - - -	67,144	8·6	13·3	12·4	13·2	0·8	21	17	2	8	-	-	-	-	-	-	1	-	1	4	-	HASTINGS.
BRIGHTON - -	128,095	9·8	16·0	19·1	19·5	-	54	48	10	18	-	-	-	-	-	-	-	-	2	11	-	BRIGHTON.
PORTSMOUTH - -	205,118	18·3	14·7	16·8	13·7	0·3	106	54	10	25	-	-	-	1	-	-	-	1	2	17	1	PORTSMOUTH.
BOURNEMOUTH -	67,702	10·2	12·6	16·9	16·9	-	26	22	3	5	-	-	-	-	-	-	-	3	3	2	1	BOURNEMOUTH.
SOUTHAMPTON -	117,312	18·2	14·1	15·6	15·1	-	51	34	10	15	-	-	-	-	-	-	-	1	4	5	-	SOUTHAMPTON.
READING - - -	78,987	12·1	10·7	11·2	15·2	1·3	38	23	4	4	-	-	-	-	2	-	-	1	3	6	2	READING.
NORTHAMPTON -	93,749	11·8	14·7	11·1	6·1	0·6	29	11	3	3	-	-	-	-	1	-	-	-	-	1	-	NORTHAMPTON.
IPSWICH - - -	71,809	13·3	14·0	17·4	18·9	0·7	39	26	8	10	-	-	-	-	1	-	-	1	1	1	-	IPSWICH.
GREAT YARMOUTH -	52,613	16·9	19·9	16·8	16·8	-	31	17	2	10	-	-	-	-	-	-	-	1	4	4	-	GREAT YARMOUTH
NORWICH - -	117,958	16·1	19·2	13·3	15·9	1·8	53	36	10	9	-	-	-	3	1	-	-	-	1	13	-	NORWICH.
PLYMOUTH - -	118,014	16·2	18·0	15·9	15·0	2·7	58	34	4	15	-	-	-	1	4	1	-	-	3	6	-	PLYMOUTH.
DEVONPORT -	78,405	17·6	16·3	16·0	18·0	-	45	27	6	3	-	-	-	-	-	-	-	1	4	1	-	DEVONPORT.
BRISTOL - - -	363,223	19·1	18·5	20·5	19·1	1·7	192	133	37	46	-	4	1	1	4	1	1	4	10	21	-	BRISTOL.
HANLEY‡ - - -	66,360	15·3	30·6	21·2	15·7	-	42	20	2	6	-	-	-	-	-	-	-	1	1	1	1	HANLEY‡
BURTON-ON-TRENT	52,922	9·0	11·9	16·7	11·8	-	25	12	1	6	-	-	-	-	-	-	-	-	-	1	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	100,729	21·0	17·3	17·6	14·0	2·1	58	27	6	13	-	2	-	1	-	1	-	-	5	2	-	WOLVERHAMPTON.
WALSALL - - -	94,577	12·3	10·7	13·2	14·9	0·6	66	27	9	4	-	-	-	-	-	-	1	-	3	3	-	WALSALL.
HANDSWORTH -	63,819	13·5	15·2	14·7	13·1	3·3	36	16	1	5	-	-	-	-	4	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	68,469	13·8	15·4	20·6	22·1	0·8	49	29	13	3	-	-	1	-	-	-	-	1	1	2	2	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 13th January, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 23rd Dec., 1905.	30th Dec., 1905.	6th Jan., 1906	13th Jan., 1906.	Rate from Diseases in Cols. 11-17. Week ended 13th January, 1906.	Registered during the Week ended 13th Jan., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	20·3	18·9	17·9	16·6	1·5	344	174	46	44	-	5	-	2	8	-	1	4	4	24	7	BIRMINGHAM.
KINGS NORTON -	72,608	12·7	7·5	11·5	13·6	-	37	19	3	8	-	-	-	-	-	-	-	2	2	-	-	KINGS NORTON.
SMETHWICK - -	64,531	13·3	17·5	24·2	16·2	2·4	51	20	9	4	-	-	-	1	2	-	-	1	2	-	-	SMETHWICK.
ASTON MANOR -	82,288	18·6	12·8	17·7	19·6	1·3	45	31	8	11	-	-	-	-	1	-	1	1	1	1	-	ASTON MANOR.
COVENTRY - -	76,374	13·2	18·7	15·0	19·8	0·7	47	29	6	14	-	-	-	1	-	-	-	-	1	5	2	COVENTRY.
LEICESTER - -	232,111	17·8	17·1	17·7	17·7	2·9	115	79	23	22	-	-	1	1	8	-	3	1	6	9	-	LEICESTER.
GRIMSBY - - -	69,359	11·5	14·5	16·5	11·3	0·8	39	15	4	5	-	-	-	1	-	-	-	-	-	-	-	GRIMSBY.
NOTTINGHAM - -	254,563	13·5	15·7	19·9	18·2	1·0	119	89	16	31	-	-	-	1	3	-	1	1	7	10	-	NOTTINGHAM.
DERBY - - -	123,981	16·6	11·5	14·7	10·1	0·8	58	24	8	7	-	-	1	1	-	-	-	1	3	5	-	DERBY.
STOCKPORT - -	99,646	17·5	15·9	16·7	17·8	2·1	67	34	9	9	-	-	-	-	2	1	1	2	2	3	-	STOCKPORT.
BIRKENHEAD - -	117,292	16·2	17·1	20·0	14·7	0·9	90	33	8	14	-	-	-	-	-	1	1	-	1	6	-	BIRKENHEAD.
WALLASEY - -	64,578	11·7	11·7	17·8	9·7	-	28	12	3	3	-	-	-	-	-	-	-	-	-	3	-	WALLASEY.
LIVERPOOL† - -	739,180	21·5	24·9	23·9	21·2	1·8	506	300	75	74	-	6	8	6	4	-	1	18	29	102	18	LIVERPOOL.†
BOOTLE† - - -	65,989	17·4	18·3	23·7	11·9	-	42	15	5	6	-	-	-	-	-	-	-	-	-	2	1	BOOTLE.†
ST. HELENS - -	91,153	23·2	15·1	15·4	23·5	0·6	64	41	16	7	-	-	1	-	-	-	-	2	2	8	2	ST. HELENS.
WIGAN - - -	87,588	19·3	16·9	19·1	17·3	-	57	29	12	3	-	-	-	-	-	-	-	-	2	1	-	WIGAN.
WARRINGTON - -	69,280	14·5	16·0	19·6	19·6	-	42	26	5	7	-	-	-	-	-	-	-	4	4	4	2	WARRINGTON.
BOLTON - - -	180,502	13·2	14·9	14·4	13·9	0·6	93	48	11	9	-	-	-	-	-	2	-	4	5	5	1	BOLTON.
BURY - - -	58,744	30·3	16·0	24·9	19·5	3·6	35	22	6	4	-	4	-	-	-	-	-	1	2	-	1	BURY.
MANCHESTER - -	637,126	21·0	19·4	17·4	17·5	1·0	383	214	40	65	-	2	1	1	4	2	2	4	15	53	3	MANCHESTER.
SALFORD - - -	234,077	15·1	16·7	18·0	14·5	0·4	138	65	16	23	-	-	-	1	1	-	-	2	7	14	-	SALFORD.
OLDHAM - - -	140,969	17·8	17·1	15·2	14·4	0·7	72	39	13	10	-	-	-	-	2	-	-	1	1	2	-	OLDHAM.
ROCHDALE - -	87,189	19·9	17·5	14·4	16·7	1·2	36	28	2	9	-	-	1	-	1	-	-	1	2	6	-	ROCHDALE.
BURNLEY - - -	102,808	22·6	21·5	23·3	25·9	1·5	52	51	15	13	-	-	-	1	-	-	2	1	2	10	-	BURNLEY.
BLACKBURN - -	134,015	15·3	17·2	17·5	19·1	2·3	83	49	14	11	-	3	-	-	-	-	3	1	4	6	1	BLACKBURN.
PRESTON - - -	116,399	28·8	24·8	30·5	22·0	5·8	70	49	14	10	-	12	-	-	-	-	1	-	-	1	2	PRESTON.
BARROW-IN-FURNESS.	60,967	17·3	13·8	17·1	13·7	2·6	32	16	1	2	-	-	1	2	-	-	-	-	-	1	1	BARROW-IN-FURNESS.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 23rd Dec., 1905.	30th Dec., 1905.	6th Jan., 1906.	13th Jan., 1906.	Rate from Diseases in Cols. 11-17. Week ended 13th January, 1906.	Registered during the Week ended 13th Jan., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	18·7	24·2	22·5	17·6	1·1	50	32	5	15	-	-	-	-	2	-	-	-	3	2	1	Huddersfield.
Halifax	109,272	15·9	15·9	18·6	18·1	-	50	38	5	13	-	-	-	-	-	-	-	1	1	13	-	Halifax.
Bradford	288,544	12·7	16·0	19·9	15·7	0·7	125	87	15	28	-	-	1	2	-	1	-	4	8	17	-	Bradford.
Leeds	463,495	16·9	17·7	21·5	18·6	2·9	231	165	31	40	-	16	1	3	5	1	-	3	14	24	-	Leeds.
Sheffield	447,951	15·5	15·3	15·8	13·3	0·9	317	114	24	36	-	1	3	2	1	1	-	3	7	21	4	Sheffield.
Rotherham	61,098	18·3	13·1	17·9	13·7	1·7	41	16	6	5	-	-	-	1	-	-	1	1	1	4	1	Rotherham.
York	83,467	14·6	10·1	16·2	14·4	-	36	23	8	5	-	-	-	-	-	-	-	1	2	4	-	York.
Hull	262,426	20·2	16·2	16·7	14·3	1·6	142	72	13	17	-	-	-	4	3	-	1	4	8	14	-	Hull.
Middlesbrough	100,069	21·2	17·0	19·8	18·2	1·6	85	35	10	9	-	-	1	-	-	-	2	2	2	9	-	Middlesbrough.
Stockton-on-Tees	52,664	19·9	18·9	13·9	10·9	-	44	11	3	7	-	-	-	-	-	-	-	-	-	3	-	Stockton-on-Tees.
West Hartlepool	73,387	23·4	16·8	13·5	10·7	-	45	15	2	1	-	-	-	-	-	-	-	1	1	1	-	West Hartlepool.
Sunderland	154,385	19·8	17·4	17·9	21·3	1·0	115	63	15	16	-	-	-	2	1	-	-	3	5	10	2	Sunderland.
South Shields	111,402	15·7	19·5	16·9	21·1	0·9	80	45	14	13	-	-	-	1	-	-		2	4	8	4	South Shields.
Gateshead	123,191	13·4	16·4	16·1	17·4	2·1	97	41	10	7	-	3	-	1	-	-	1	1	2	5	-	Gateshead.
Newcastle-on-Tyne	268,721	15·0	22·3	16·7	16·5	1·0	171	85	22	21	-	1	-	2	1	-	1	4	5	9	1	Newcastle-on-Tyne.
Tynemouth	54,138	22·4	22·4	21·2	22·2	1·0	36	23	3	9	-	-	-	1	-	-	-	1	1	6	-	Tynemouth.
Newport (Mon.)	74,227	25·0	15·7	19·7	16·9	-	38	24	7	8	-	-	-	-	-	-	-	-	-	3	-	Newport (Mon.).
Cardiff	183,823	14·5	13·6	17·9	13·6	0·3	113	48	10	18	-	-	-	1	-	-	-	2	4	5	-	Cardiff.
Rhondda	127,684	14·2	19·2	9·0	13·5	0·8	125	33	11	4	-	-	-	1	-	1	-	5	6	2	-	Rhondda.
Merthyr Tydfil	74,961	19·1	25·4	16·7	24·3	1·4	55	35	11	12	-	-	-		-	-	-	1	1	1	-	Merthyr Tydfil.
Swansea	96,848	17·9	15·7	12·9	16·7	1·1	72	31	9	9	-	2	-	-	-	-	-	1	2	4	-	Swansea.
Greater London	7,113,561	17·4	16·4	17·9	15·7	1·2	4036	2147	442	695	-	70	20	19	35	5	19	87	231	661	3	Greater London.
Outer Ring	2,392,344	13·2	13·7	14·9	12·2	0·9	1331	562	138	164	-	17	3	8	3	2	8	24	53	99	1	Outer Ring.
8 Towns in Outer Ring	1,172,195	14·0	13·5	15·5	11·9	1·1	656	267	61	71	-	10	3	6	3	1	1	11	27	49	-	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	12·4	13·8	14·3	12·6	0·7	675	295	77	93	-	7	-	2	-	1	7	13	26	50	1	Remainder of Outer Ring.
Edinburgh	341,035	15·0	15·8	17·1	17·6	1·1	137	115	17	38	-	1	-	2	1	-	3	4	?	42	5	Edinburgh.
Glasgow	835,625	15·5	18·5	20·9	19·0	2·2	467	304	51	90	-	20	-	4	1	2	9	15	?	66	8	Glasgow.
Dublin†	378,994	22·3	17·9	21·7	21·7	1·0	192	158	31	35	-	-	2	1	3	-	1	3	3	62	5	Dublin.†
Belfast†	358,680	21·2	18·0	21·4	19·3	1·3	193	133	21	37	-	-	-	1	2	4	2	1	4	43	2	Belfast.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SECOND Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2454	2928	2703	2435	2766	2466	2690	2349	2589	2553	2594·5	2705
Males - - -	1218	1519	1382	1275	1396	1259	1351	1147	1339	1277	1303·3	1432
Females - -	1236	1409	1321	1160	1370	1207	1339	1202	1250	1276	1291·2	1273
TOTAL **Deaths** -	1540	1538	1982	1568	2930	1750	1633	1545	1677	1424	1600·1	1585
Males - -	767	765	997	808	1325	863	820	774	840	710	801·2	778
Females - -	773	773	985	760	1605	887	813	771	837	714	798·9	807

* The numbers in this column are the average weekly numbers in the second week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	13 Weeks.
TOTAL **Births** -	2372	2362	2494	2485	2298	2366	2275	2462	2279	2488	1807	2788	2705	31181
TOTAL **Deaths** -	1331	1433	1494	1489	1552	1739	1623	1460	1725	1746	1602	1756	1585	20535
Ages at Death: Under 1 year -	244	286	273	298	302	352	341	335	333	382	328	336	304	4114
1—5 years -	135	124	146	156	183	205	209	201	229	281	222	217	185	2493
5—20 ,, -	70	71	77	71	73	82	76	75	79	64	69	91	63	961
20—40 ,, -	178	206	177	197	197	197	174	159	184	147	151	208	195	2370
40—60 ,, -	283	280	320	315	344	361	316	266	365	343	309	356	307	4165
60 yrs. & upwds.	421	466	501	452	453	542	507	424	535	529	523	548	531	6432
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	33	31	34	47	54	48	53	46	58	60	59	64	53	640
Scarlet Fever - -	16	13	17	13	8	6	18	13	20	18	12	9	17	180
Diphtheria - -	3	12	13	9	19	10	5	21	11	18	17	13	11	162
Whooping-cough -	19	7	19	13	20	24	25	25	28	38	34	33	32	317
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	8	4	5	7	8	3	3	4	2	2	5	6	3	60
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	31	34	21	27	13	11	16	14	13	18	19	10	11	238
All above Diseases -	110	101	109	116	122	102	120	123	132	154	146	135	127	1597
Dis. of Resp. System	112	157	177	209	187	282	245	192	274	254	241	225	193	2748
Pneumonia - -	136	129	163	174	214	208	233	184	186	262	185	229	177	2480
Phthisis - - -	121	174	129	145	136	161	130	132	191	151	150	168	144	1932
Dis. of Circ. System -	191	211	211	196	200	229	243	188	215	212	186	236	217	2735
Violence - - -	63	57	65	48	68	70	77	59	56	58	56	76	63	816
Inquest Cases - -	138	147	168	109	170	169	191	130	144	174	168	215	178	2101
Deaths in Institutions	540	573	551	591	606	636	606	509	612	610	577	608	562	7581
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	41·0	41·5	47·3	43·1	39·1	38·5	42·9	43·8	36·6	43·2	39·5	41·3	43·1	41·6
Mean of Highest -	50·0	48·9	53·8	50·2	42·8	44·4	47·6	48·2	41·6	46·2	43·5	45·2	48·7	47·0
Mean of Lowest -	32·2	33·0	41·1	36·1	35·7	30·9	35·9	39·1	32·4	38·7	33·7	38 0	37·6	35·7
Mean Humidity of the Air.	75	81	86	91	87	84	87	90	92	82	92	81	82	85
Rain-fall (in inches) -	0·13	0·05	1·60	0·65	0·64	0·17	0·61	0·31	0·02	0·00	0·24	0·95	1·20	6·57
Registered Sunshine (in hours).	34·6	18·4	15·5	16·9	9·3	17·9	6·8	9·5	4·0	4·7	4·3	2·5	17·5	161·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	4153	4222	4200	4154	4120	4127	4021	3888	3670	3409	3446	3299	3062	3829
Diphtheria - -	797	799	804	786	790	755	725	727	713	670	701	728	748	749
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	161	157	160	157	154	132	115	102	92	82	78	87	91	121

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SECOND Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 2nd week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1600·1	1585	304	185	63	195	307	531
Small-pox*	12·0	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	38·7	53	11	36	4	2	-	-
Scarlet Fever	11·5	17	1	9	6	1	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	25·2	20	1	2	-	2	5	10
Whooping-cough	31·3	32	12	18	2	-	-	-
Diphtheria	17·1	11	4	6	1	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	0·3	-	-	-	-	-	-	-
Enteric Fever	7·9	3	-	-	-	3	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	3·1	3	2	1	-	-	-	-
Diarrhœa, Dysentery	11·2	8	5	1	-	2	-	-
Tetanus	0·3	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	8·7	5	4	-	-	1	-	-
Puerperal Septicæmia	3·8	3	-	-	-	3	-	-
Puerperal Pyæmia	0·3	-	-	-	-	-	-	-
Puerperal Fever	1·3	3	-	-	-	3	-	-
Infective Endocarditis	3·3	2	-	-	1	1	-	-
Pneumonia: Lobar	13·8	20	1	1	-	6	6	6
Pneumonia: Broncho-	66·5	90	38	32	-	2	7	11
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	71·1	67	8	12	2	9	15	21
Erysipelas	4·1	8	-	-	-	2	2	4
Septicæmia (not Puerperal)	1·0	2	-	1	-	1	-	-
Pyæmia (not Puerperal)	0·5	-	-	-	-	-	-	-
Other Infective Processes	6·6	4	-	-	-	1	3	-
Tuberculous Phthisis	67·3	80	1	5	3	40	27	4
"*Phthisis*"	89·9	64	1	1	5	23	27	7
Tuberculous Meningitis	18·9	15	3	10	2	-	-	-
Tuberculous Peritonitis	6·1	8	2	2	1	1	2	-
Tabes Mesenterica	3·8	4	4	-	-	-	-	-
Tuberculous Dis. (other)	17·6	17	3	6	3	1	2	2
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	12·2	15	-	-	-	4	9	2
Rheumatic Fever	5·1	4	-	1	2	1	-	-
Gout	2·8	2	-	-	-	-	1	1
Carcinoma	45·1	61	-	-	-	3	25	33
Sarcoma	4·1	6	-	-	1	2	3	-
Cancer (undefined)	36·4	28	-	-	1	2	10	15
Diabetes Mellitus	10·7	4	-	-	-	-	3	1
Premature Birth	52·7	54	54	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 2nd week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	12·5	17	5	5	1	1	2	-
Insanity, Gen. Par. of Insane	20·6	19	-	-	1	4	7	7
Epilepsy	8·7	4	-	-	1	1	2	-
Convulsions	27·3	16	15	1	-	-	-	-
Locomotor Ataxy	1·0	5	-	-	-	-	4	1
Paraplegia, Dis. of Cord	7·4	7	-	-	-	1	2	4
Nervous Sys. (other dis.)	22·2	25	2	1	2	1	6	13
Valv. Dis., Endocarditis	43·6	44	-	-	5	8	18	13
Cerebr. Hæm. Thromb.	31·1	60	-	-	-	3	15	42
Apoplexy, Hemiplegia	25·0	15	-	-	-	-	5	10
Aneurysm	3·1	5	-	-	-	1	1	3
Embolism, Thrombosis (not cerebral)	1·8	1	-	-	-	-	1	-
Heart & Blood Vessel Dis.	94·8	92	-	-	4	7	18	63
Croup (not Spasm: nor Memb.)	0·5	1	-	1	-	-	-	-
Bronchitis	169·2	170	31	15	-	2	23	99
Asthma, Emphysema	8·2	4	-	-	-	-	1	3
Pleurisy	4·3	1	1	-	-	-	-	-
Respiratory Dis. (other)	19·4	17	1	4	-	-	3	9
Tonsillitis, Quinsy	1·5	-	-	-	-	-	-	-
Enteritis (not Epid.)	8·2	13	6	3	-	1	1	2
Gastro-Enteritis	3·6	3	3	-	-	-	-	-
Peritonitis (not Puerp.)	3·3	4	-	-	2	-	1	1
Cirrhosis of Liver	14·0	20	-	-	-	3	12	5
Liver Dis. (other)	7·6	5	-	1	1	1	2	-
Digestive Dis., Other	41·8	29	6	2	3	8	2	8
Nephritis, Acute	8·2	7	1	-	1	-	3	2
Bright's Dis., Albuminuria	36·7	41	-	-	-	7	9	25
Urinary Sys., Other Dis.	8·2	9	-	-	-	-	4	5
Generative Organs Dis.	6·9	6	-	-	-	2	1	3
Childbirth (Accid. of)	6·4	5	-	-	1	3	1	-
Old Age	67·0	73	-	-	-	-	-	73
Other Diseases	100·4	91	58	8	5	7	4	9
ACCIDENT.								
By Railways	1·5	-	-	-	-	-	-	-
By Vehicles and Horses	5·4	4	-	-	1	1	-	2
In Ships, Boats, Docks, (exclusive of Drowning)	1·3	1	-	-	-	-	-	1
In Building Operations	0·5	1	-	-	-	-	-	1
In Conflagrations	-	1	-	-	-	1	-	-
By Burns, Scalds, Explosions	8·7	3	-	-	-	-	2	1
By Drowning	3·3	5	-	-	-	2	3	-
By Suffocation in Bed	16·3	12	12	-	-	-	-	-
By Poisons or Poisonous Vapours	3·1	2	-	-	-	-	2	-
Other Deaths by Accident	21·2	25	7	-	-	7	4	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·3	1	1	-	-	-	-	-
Suicide	10·4	8	-	-	1	4	1	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th January, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,429	2705	1585	304	531	-	53	17	11	32	-	3	-	11	63	178	562	2
WEST DISTRICTS	805,311	419	247	52	92	-	5	1	-	-	-	2	-	2	7	21	96	1
NORTH DISTRICTS	1,056,070	560	321	48	116	-	6	5	2	5	-	-	-	1	8	33	96	-
CENTRAL DISTRICTS	209,465	123	91	23	18	-	1	1	1	3	-	-	-	-	16	19	38	-
EAST DISTRICTS	715,739	545	278	62	82	-	16	-	1	10	-	1	-	3	16	49	123	-
SOUTH DISTRICTS	1,749,844	1058	605	119	207	-	25	9	7	14	-	-	-	5	16	56	166	1
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	43	-	16	-	-	1	-	-	-	-	-	-	-	-	43	-
WEST DISTRICTS.																		
St. Mary Paddington *W,2H*	93,178	56	29	10	7	-	1	-	-	-	-	-	-	-	-	1	11	-
St. John Paddington *H*	33,617	10	9	2	2	-	-	-	-	-	-	-	-	-	1	1	4	-
North-West Paddington	17,181	6	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	73	37	6	19	-	1	-	-	-	-	-	-	-	1	3	17	-
Brompton *2H*	48,591	10	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hammersmith *W,wH*	49,192	36	7	3	3	-	-	-	-	-	-	-	-	1	-	1	-	-
South Hammersmith *w,2H*	63,047	26	14	3	5	-	-	-	-	-	-	-	-	-	-	2	5	-
North-west Fulham *W*	45,180	30	29	6	8	-	2	-	-	-	-	2	-	-	-	2	16	-
North-east Fulham *F*	46,405	35	9	2	2	-	-	1	-	-	-	-	-	-	1	1	1	-
South Fulham *W*	45,704	38	7	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	13	34	3	11	-	-	-	-	-	-	-	-	-	-	1	25	-
Chelsea South *W,2H*	31,328	25	14	4	8	-	-	-	-	-	-	-	-	-	1	2	3	-
Mayfair and Knightsbridge	28,743	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	24	21	6	8	-	-	-	-	-	-	-	-	1	1	4	6	-
St. Margaret & St. John *4H*	43,698	22	15	3	5	-	-	-	-	-	-	-	-	-	1	1	5	-
St. James Westminster *W,H*	21,588	2	8	-	5	-	-	-	-	-	-	-	-	-	-	-	3	1
St. Anne Soho *5H*	11,493	8	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,991	14	13	-	5	-	-	-	1	-	-	-	-	-	2	4	8	-
St Mary Marylebone‡ *W,4H*	37,948	56	7	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Christchurch Marylebone *H*	39,536	10	7	3	2	-	1	-	-	-	-	-	-	1	-	1	-	-
St. John Marylebone *3H*	20,426	10	7	-	4	-	-	-	-	-	-	-	-	-	1	2	2	-
Hampstead *W,F,6H*	81,942	33	30	2	16	-	-	2	-	-	-	-	-	-	-	3	8	-
West St. Pancras *2H*	60,562	30	21	4	6	-	1	-	-	-	-	-	-	-	1	3	2	-
Tottenham-court *w,7H*	21,258	8	10	-	2	-	-	-	-	1	-	-	-	-	-	-	8	-
Gray's Inn Lane *4H*	34,449	12	10	1	4	-	-	-	-	-	-	-	-	-	-	1	1	-
East St. Pancras *W,2H*	60,320	36	27	3	13	-	-	-	-	1	-	-	-	-	-	-	14	-
North St. Pancras *2W*	58,728	28	14	1	7	-	-	-	-	-	-	-	-	-	-	-	7	-
Tufnell *W*	31,995	19	18	4	8	-	-	-	-	-	-	-	-	-	-	1	10	-
Upper Holloway *2W,w,H*	33,978	21	29	2	6	-	2	-	-	-	-	-	-	-	-	1	15	-
Tollington *WH*	33,922	15	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Lower Holloway	41,424	25	7	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Barnsbury	54,478	48	10	2	3	-	1	1	-	-	-	-	-	-	1	2	-	-
Islington South-east *F*	75,397	36	26	5	9	-	1	-	-	1	-	-	-	-	2	5	1	-
Highbury *2H*	63,797	20	13	2	7	-	-	-	-	1	-	-	-	-	-	1	1	-
Stoke Newington *H*	51,247	27	8	2	3	-	-	-	-	-	-	-	-	-	1	3	-	-
North Hackney	50,560	17	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	24	14	4	3	-	-	2	1	-	-	-	-	-	-	-	3	-
South-west Hackney *3H*	59,921	37	19	3	5	-	-	-	-	-	-	-	-	-	-	3	5	-
South-east Hackney *2W,w,H*	58,255	34	20	2	6	-	-	-	-	-	-	-	-	-	-	1	11	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December, 1905, the sub-district of Rectory Marylebone was united to the sub-district of St. Mary Marylebone.

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th January, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
. Giles and Bloomsbury *W,2H* -	31,436	27	7	3	1	-	-	-	-	-	-	-	-	-	1	2	1	-
rand *W,4H* - - - - - -	21,674	2	21	2	3	-	-	-	-	1	-	-	-	-	9	9	12	-
rand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn *W,6H* - - - - -	29,612	20	14	7	2	-	-	-	-	1	-	-	-	-	-	1	7	-
uth Clerkenwell - - -	28,676	16	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
orth Clerkenwell *H* - - -	35,028	15	6	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-
nsbury *3H,L* - - - - -	36,116	32	13	3	3	-	-	-	-	1	-	-	-	-	1	2	2	-
olborn Union Workhouse, Mitcham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. Botolph *H* - - - - - -	10,299	7	6	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
. Sepulchre and Allhallows *W,2H*	16,624	4	20	3	3	-	-	1	1	-	-	-	-	-	4	4	16	-
ty of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *H* - - -	46,362	32	10	3	4	-	-	-	-	1	-	-	-	-	1	2	-	-
oreditch North-West *W,w,H* -	36,127	24	32	7	15	-	-	-	-	-	-	-	-	1	-	3	22	-
oreditch North-East - - -	36,148	15	7	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-
oreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North *2H* - -	51,514	45	25	11	2	-	-	-	1	-	-	-	-	-	5	7	9	-
thnal Green South - - -	33,472	23	8	2	2	-	3	-	-	-	-	-	-	-	1	2	-	-
thnal Green East *2W,H,L* - -	44,694	27	26	6	6	-	2	-	-	2	-	-	-	-	1	1	13	-
italfields - - - - - -	27,969	22	7	2	2	-	3	-	-	-	-	-	-	-	1	2	-	-
le End New Town *W,H* - -	28,718	31	25	3	6	-	-	-	-	-	-	-	-	-	2	9	22	-
odman's Fields - - - -	22,081	15	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
. George and St. John *2W* - -	49,068	38	14	4	4	-	2	-	-	2	-	-	-	-	-	2	4	-
adwell and Ratcliff *W,H* - -	25,568	17	8	3	-	-	1	-	-	1	-	-	-	1	1	2	3	-
mehouse *W* - - - - - -	32,369	28	11	2	4	-	-	-	-	1	-	-	-	-	-	2	-	-
le End Old Town South-Western *H* - - - - -	63,698	67	9	2	2	-	-	-	-	1	-	-	-	-	1	2	-	-
le End Old Town North-Eastern *W,w* - - -	49,129	36	21	4	8	-	1	-	-	-	-	-	-	-	2	2	11	-
ow *L* - - - - - - -	41,989	29	10	-	4	-	-	-	-	-	-	-	-	-	-	2	1	-
omley *3w,H* - - - - -	68,319	47	46	6	14	-	4	-	-	2	-	1	-	1	1	4	34	-
plar *W,w* - - - - - -	58,514	49	17	3	7	-	-	-	-	-	-	-	-	-	-	5	4	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-PO MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., register in each SUB-DISTRICT during the Week ended Saturday, 13th January, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark W,H	11,263	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Saviour Southwark H	12,056	15	20	4	1	-	-	-	1	-	-	-	-	-	2	2	18
Kent-road	21,904	19	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr W W,2H,L	39,094	23	19	4	7	-		-	-	-	-	-	-	-	-	-	2
Newington North	49,022	32	14	6	3	-	-	-	-	-	-	-	-	1	-	3	-
Newington South W	72,841	52	12	4	4	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave 2W	9,817	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Bermondsey W	82,483	63	25	9	4	-	1	-	-	1	-	-	-	-	-	2	-
Rotherhithe W,F	38,460	20	31	6	8	-	-	-	-	3	-	-	-	-	1	2	14
Waterloo-road 2H	27,440	36	11	4	2	-	1	-	-	-	-	-	-	-	1	1	1
Lambeth Church 1st H	18,423	15	8	-	2	-	1	-	-	-	-	-	-	-	2	2	5
Lambeth Church 2nd 2W	39,818	30	34	8	10	-	1	-	-	-	-	-	-	-	1	5	18
Kennington 1st H	53,198	45	14	1	6	-	-	-	-	-	-	-	-	-	-	2	-
Kennington 2nd H	42,896	19	11	2	4	-	-	-	-	-	-	-	-	-	-	3	2
Brixton F	84,232	33	23	4	5	-	3	1	2	-	-	-	-	-	-	3	3
Norwood W,H	35,888	10	9	1	7	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea H	72,203	58	22	3	10	-	1	-	1	1	-	-	-	1	-	1	-
North-west Battersea	49,656	36	7	2	2	-	1	-	-	1	-	-	-	-	-	1	-
South-west Battersea 2W,H	47,048	26	20	2	8	-	1	-	-	-	-	-	-	-	-	3	12
Clapham 2H	51,361	31	19	3	9	-	-	-	-	-	-	-	-	-	-	-	-
Streatham W,2w,2F,2L	88,019	46	44	9	24	-	3	2	-	2	-	-	-	-	-	1	16
Springfield 2W,L	27,959	14	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Southfields H	40,444	20	9	1	7	-	1	-	-	-	-	-	-	-	-	1	1
Putney	24,139	11	7	2	2	-	-	-	-	1	-	-	-	-	1	1	-
Dulwich	13,359	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w	40,206	14	24	3	8	-	-	-	-	-	-	-	-	-	-	-	15
Camberwell North W,2L	65,584	29	27	2	9	-	4	-	1	1	-	-	-	-	2	3	9
St. George	47,331	29	11	3	4	-	1	-	-	-	-	-	-	-	-	-	-
Peckham North*	48,913	27	12	1	3	-	2	-	-	1	-	-	-	-	-	1	-
Peckham South* 2W,w	43,946	17	6	1	4	-	-	-	-	-	-	-	-	1	-	-	-
Deptford North	37,613	34	8	2	1	-	-	-	-	1	-	-	-	-	1	2	-
Deptford Central	45,481	32	9	3	3	-	-	-	-	-	-	-	-	-	1	2	-
Deptford South	34,625	25	5	1	3	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich West 2H	23,456	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W,H	43,859	28	22	3	10	-	1	-	-	-	-	-	-	-	-	3	15
Eltham w,H	7,226	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee wH	25,490	6	6	2	2	-	-	-	-	-	-	-	-	-	-	-	2
Lewisham W w,F	58,353	37	34	3	8	-	1	4	1	-	-	-	-	1	1	4	19
Sydenham H	43,653	21	10	3	2	-	2	-	-	-	-	-	-	-	-	-	1
Charlton F,2H	21,134	7	12	1	2	-	-	2	1	-	-	-	-	1	1	2	5
Woolwich 5H	41,625	24	14	2	6	-	-	-	-	-	-	-	-	-	-	1	3
Plumstead West W	18,063	13	5	3	1	-	-	-	-	2	-	-	-	-	-	-	-
Plumstead East 2W,H	50,264	33	20	7	7	-	-	-	-	-	-	-	-	-	1	3	4
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	2
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4
Darenth	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Leavesden	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
London County Lunatic Asylums:—																	
Banstead	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Horton	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Manor	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hanwell	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Colney Hatch	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5
Claybury	—	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	9

* On 1st December, 1905, the sub-district of Peckham was divided into two sub-districts entitled Peckham North an Peckham South respectively

BLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 13th January, 1906.

Registration District and Sub-District Number.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,602	2,044,973	1331	562	138	164	-	17	3	8	3	2	8	24	53	99	1
0 : 1	Carshalton 2F,2H - -	12,228	32,997	17	8	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	10	7	1	2	-	-	-	-	-	-	-	-	-	3	-
7 : 1	Godstone, *part of** W,F -	2,754	2,692	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8 : 1	Coulsdon - - - -	11,069	8,166	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	24	15	2	4	-	-	-	-	-	1	-	-	1	-	-
3	West Croydon 3W,F,H -	2,168	42,888	21	18	1	7	-	-	-	-	-	-	-	2	3	6	-
4	North Croydon H - -	2,644	41,698	25	5	-	1	-	-	-	-	-	-	-	-	-	1	-
5	Penge w,H - - -	770	22,465	9	1	-	1	-	-	-	-	-	-	-	1	1	-	-
6	Mitcham w - - -	11,711	30,015	30	9	3	1	-	-	-	-	-	-	-	-	-	-	-
9 : 1	Wimbledon F,3H - -	3,221	41,652	27	8	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H - -	6,224	42,068	29	8	2	5	-	-	-	-	-	-	1	1	2	2	-
3	Surbiton F,H - -	3,046	15,017	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L - -	4,564	23,456	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-
0 : 1	Richmond W,H - - -	2,162	28,865	12	7	1	3	-	-	-	-	-	-	-	1	1	3	-
2	Mortlake F - - -	2,847	20,628	21	10	3	3	-	-	-	-	-	-	-	2	3	-	-
1 : 1	Bromley F,2H - - -	4,703	27,354	10	6	-	3	-	-	-	-	-	-	-	-	-	3	-
2	Beckenham H - - -	7,825	28,497	15	6	2	2	-	-	-	-	-	1	-	-	1	1	-
3	Orpington *part of** W -	10,113	9,857	4	6	1	4	-	-	-	-	-	-	-	-	-	4	-
4	Chislehurst 2H - - -	7,333	16,446	9	7	2	3	-	-	-	-	-	-	2	-	-	1	-
2 : 1	Bexley w F,H - - -	8,678	21,151	9	7	2	4	-	-	-	-	-	-	-	-	3	-	-
2	Erith F,H - - -	3,854	25,296	14	3	2	-	-	-	-	-	-	-	1	-	1	-	-
3	Dartford W,F, *part of** -	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4	-
4 : 1	Sunbury w - - - -	11,054	18,683	15	7	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	4	2	-	1	-	1	-	-	-	-	-	-	-	-	-
5 : 1	Hillingdon W,F,H - -	6,035	13,661	5	6	2	1	-	-	-	-	-	-	-	-	-	3	-
2	Uxbridge H - - -	12,757	8,984	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,F,H - - -	8,066	16,358	14	7	-	1	-	-	-	-	-	-	-	-	-	-	-
6 : 1	Isleworth 3W,2F,H - -	6,859	30,863	24	12	4	5	-	-	-	-	-	-	-	-	1	5	-
2	Twickenham F,H - -	2,421	20,991	20	5	1	1	-	-	-	-	-	-	-	-	-	1	-
3	Brentford 3F,2H,L - -	4,319	48,289	32	10	5	1	-	-	-	1	-	-	1	-	-	1	1
4	Chiswick H- - - -	1,249	29,809	18	7	1	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,3H - - -	6,132	48,914	37	21	8	6	-	-	-	-	-	-	-	-	1	-	-
7 : 1	Harrow F,H - - -	13,809	25,523	15	4	1	1	-	-	-	-	-	-	-	-	1	-	-
2	Edgware F,2H - - -	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,2F,2H - -	4,384	114,811	96	30	7	10	-	3	-	-	-	-	-	-	1	1	-
4	Hendon W,F - - -	8,382	22,450	11	12	3	5	-	-	-	-	-	-	1	-	-	6	-
8 : 1	South Mimms 2F,H - -	17,755	7,308	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	19	8	2	1	-	-	-	-	-	-	-	1	1	-	-
9 : 1	Hornsey F,H - - -	2,875	72,056	26	12	4	3	-	1	-	1	-	-	1	-	1	1	-
2	Wood Green H - - -	1,625	34,233	23	7	2	1	-	-	-	-	-	-	-	1	1	-	-
3	West Tottenham F - -	996	48,853	34	8	5	2	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H - -	2,017	53,688	32	19	4	1	-	-	-	-	-	-	-	3	6	3	-
5	Edmonton W,w,2F - -	7,491	61,892	47	23	6	5	-	5	-	-	-	-	-	-	2	3	-
6	Enfield 2W,F,H - - -	12,601	42,738	29	7	1	3	-	-	-	-	-	-	-	-	1	-	-
7	Waltham Abbey F - -	11,017	6,549	3	3	1	1	-	-	-	-	-	-	-	1	1	-	-
8	Cheshunt F,H - - -	8,479	12,292	9	5	1	2	-	-	-	-	-	-	-	1	1	-	-
35 : 1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Bushey H - - - -	9,333	9,173	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36 1	Stratford H - - -	1,072	44,827	33	14	6	3	-	-	-	-	-	-	-	2	5	2	-
2	Plaistow F,2H - - -	1,249	90,921	65	26	7	6	-	1	-	2	1	-	-	-	-	2	-
3	Canning Town H - - -	1,556	70,718	63	21	5	3	-	1	1	-	-	-	-	2	4	2	-
4	Forest Gate w - - -	806	60,892	32	7	3	3	-	-	-	-	1	-	-	1	1	-	-
5	North East Ham w H -	1,333	58,676	32	11	2	1	-	-	-	1	-	-	-	1	2	1	-
6	South East Ham 2F - -	1,993	37,342	31	14	3	2	-	2	2	1	-	-	-	-	-	2	-
7	Wanstead F - - -	1,679	9,179	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
8	South Leyton 2W - -	631	50,467	27	18	5	10	-	-	-	-	-	-	-	-	-	9	-
9	North Leyton 2W,w,F -	1,963	48,445	38	25	2	6	-	2	-	-	1	-	-	2	3	15	-
10	Walthamstow 3H,L - -	6,504	108,929	86	25	8	5	-	-	-	1	-	-	1	-	2	1	-
37 : 1	Chigwell, *part of** 2F,3H -	11,778	16,397	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** - -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
39 : 1	Romford, *part of** W,2F -	6,556	6,091	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L - - - -	8,496	41,234	34	16	4	6	-	-	-	-	-	-	-	1	1	5	-
3	Barking Town F - -	3,803	21,547	20	4	3	-	-	-	-	-	-	-	-	1	1	-	-
	Western Hospital, Fulham -	—	--	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	5	-	3	-	-	-	-	-	-	-	-	-	5	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Cheydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
London - -	4,721,217	January 13	2705	1585	17·5	-	53	17	12	32	3	11
Calcutta - -	847,796	December 2	-	670	41·0	6	1	-	3	-	176†	177‡
Bombay - -	776,006	" 26	536	688	46·1	6	3	-	-	-	89†	87
Madras - -	509,346	" 15	417	625	63·8	5	5	?	?	?	186	132‡
Paris - - -	2,660,559	January 6	997	969	18·8	1	21	-	3	3	8	17
Brussels - -	598,467	" 6	243	193	16·8	-	1	1	3	6	1	4
Antwerp - -	291,949	" 6	125	93	16·6	-	-	-	1	-	1	7
Amsterdam -	554,240	December 30	347	148	12·1	-	12	1	1	7	1	3
Copenhagen -	426,000	January 6	226	113	13·7	-	-	-	-	4	-	4
Stockholm -	318,398	December 30	154	98	16·0	-	-	3	2	-	-	4
Christiania -	222,373	January 6	96	62	14·5	-	-	1	3	-	-	2
St. Petersburg	1,409,900	December 23	784	632	23·6	2	19	21	24	8	24	60
Moscow - -	1,092,360	November 25	-	591	28·2	-	8	17	6	6	8	62
		December 2	-	524	25·0	1	3	7	11	7	15	57
Berlin - -	2,038,722	" 23	944	626	16·0	-	6	8	4	18	-	37
Hamburg - -	786,860	January 6	-	289	19·4	-	1	-	1	7	-	15
Breslau - -	462,147	" 6	-	-	-	-	-	-	-	-	-	-
Munich - -	540,000	December 30	305	207	20·4	-	3	-	8	3	-	17
		January 6	-	204	19·6	-	7	1	4	2	-	22
Vienna - -	1,917,639	December 30	1037	651	17·7	-	4	4	9	7	2	28
		January 6	915	616	16·7	-	2	6	14	8	-	29
Prague - -	455,241	December 30	-	-	-	-	-	-	-	-	-	-
Buda-Pesth -	836,267	" 30	444	228	14·2	-	7	4	2	2	-	6
Trieste - -	195,369	" 30	-	-	-	-	-	-	-	-	-	-
Rome - -	516,580	October 21	207	194	19·6	-	1	-	2	-	10§	15
		" 28	193	214	21·6	-	-	-	2	-	17§	14
Venice - -	169,417	December 30	-	-	-	-	-	-	-	-	-	-
Bucharest -	282,071	January 6	-	-	-	-	-	-	-	-	-	-
New York -	3,948,191	December 30	-	-	-	-	-	-	-	-	-	-
Chicago - -	1,932,315	" 23	-	-	-	-	-	-	-	-	-	-
Philadelphia -	1,438,318	" 23	-	-	-	-	-	-	-	-	-	-
Boston - -	617,950	" 9	-	237	20·7	-	3	-	3	-	2	4
Rio de Janeiro	905,000	" 3	-	280	16·1	8	1	1	-	1	12†	?
		" 10	-	307	17·7	1	5	1	-	2	7†	3

* Excluding deaths from croup in the Indian Cities.
† Including 20 deaths from plague in Calcutta, 9 in Bombay, and 9 and 6 in Rio de Janeiro.
‡ Including 102 deaths from cholera in Calcutta, and 8 in Madras.
§ Including 2 and 7 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 13th January, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
London (Greenwich)	53·2	32·5	43·2	1·20	Bradford - -	47·0	34·4	41·3	1·34
Brighton - -	49·9	32·5	43·6	1·31	Leeds - - -	49·0	35·0	42·2	0·62
Portsmouth - -	53·0	34·0	45·6	1·46	Hull - - -	46·0	35·0	40·7	0·78
Norwich - -	47·0	33·6	40·5	1·11	Tynemouth - -	46·0	33·0	39·9	0·39
Plymouth - -	52·6	31·8	45·8	1·53	Cardiff - -	51·1	26·5	40·6	2·05
Bristol - - -	51·2	34·3	43·1	1·73	Edinburgh - -	44·2	34·2	38·5	0·84
Birmingham - -	47·2	33·2	40·7	0·95	Glasgow - -	47·4	33·0	39·9	1·36
Nottingham - -	46·9	33·3	40·6	0·84	Dublin: Phœnix Park.	49·7	34·1	41·5	0·86
Liverpool Observatory.	49·0	37·0	42·1	1·36	Dublin: Fitzwilliam Square.†	50·7	36·2	43·2	0·87
Manchester -	46·6	34·8	40·7	1·31					
Preston - -	?	?	?	?					
Huddersfield -	47·2	32·2	40·3	1·72	Belfast - -	46·9	32·5	40·0	1·47

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

TABLE 3.—METEOROLOGICAL OBSERVATIONS.

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	7	..	29·392	46·6	36·4	10·2	42·1	+ 4·0	38·1	4·0	6·8	0·6	86	65·6	32·0	44·07	W. & WSW.	SW., SSW. & SSE.	3·6	0·0	0·2	330	+ 12	0·17	0·0
MONDAY -	8	..	29·223	46·4	38·7	7·7	42·9	+ 4·9	37·4	5·5	7·8	0·8	81	55·9	33·7	44·11	W., WSW. & WNW.	NNW. WNW. & WSW.	5·0	0·0	0·6	477	+159	0·00	0·0
TUESDAY -	9	Greatest Dec. N.	29·270	52·2	35·7	16·5	43·9	+ 6·0	40·4	3·5	8·4	1·0	87	64·0	31·0	43·91	WSW. & SSW.	SW. & WSW.	11·0	0·0	0·8	504	+186	0·24	4·2
WEDNESDAY	10	Full	29·518	45·0	36·4	8·6	41·0	+ 3·1	34·0	7·0	10·8	4·5	76	54·2	28·2	43·92	WSW.	W. & WSW.	6·5	0·0	0·4	448	+129	0·01	0·8
THURSDAY-	11	..	29·976	45·8	32·5	13·3	39·9	+ 2·0	34·4	5·5	8·6	3·1	81	64·0	22·3	43·74	WSW.	SW.	12·0	0·0	0·4	390	+ 71	0·00	1·5
FRIDAY -	12	..	29·735	52·0	44·3	7·7	46·9	+ 9·0	42·9	4·0	5·9	0·2	86	61·0	42·1	43·50	SW. & WSW.	WSW., SW. & SSW.	16·0	0·0	0·8	429	+109	0·33	4·5
SATURDAY -	13	..	29·582	53·2	39·1	14·1	45·3	+ 7·3	39·1	6·2	9·2	2·6	79	67·1	32·3	43·42	SW., WSW. & W.	WSW. & SW.	12·5	0·0	1·1	567	+246	0·45	0·0
MEANS	-		29·523	48·7	37·6	11·2	43·1	+ 5·2	38·0	5·1	8·2	1·8	82	61·7	31·7	43·81	WSW.		..	..	..	Sum 3145	Sum +912	Sum 1·20	1·6
No. of Column	-		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	7	w.P. till 8h. A.M.; m. P. till 3h. P.M.; w. P. and v. N afterwards.	3·3	8·0	Very fine generally till afternoon; overcast with frequent rain after 4h. P.M.; slight hoar frost in morning.
MONDAY -	8	w. P. till 8h. A.M.; m. P. afterwards.	1·0	8·0	Overcast with slight rain till 2h. 30m. A.M.; fine and partially cloudy afterwards; brisk wind between 9h. A.M. and 2h. P.M.
TUESDAY -	9	w. P. generally; s. P. and s. N. between 2h. and 3h. P.M.	0·3	8·1	Fine generally; partially cloudy; sharp thunderstorm with squall and heavy rain and hail between 2h. and 2h. 30m. P.M.; strong gusty wind prevalent at times after 10h. A.M.
WEDNESDAY	10	w.P. till 9h. A.M.; s. P. generally afterwards.	5·2	8·1	Cloudy with small rain and brisk wind at times in early morning; very fine with small amounts of cloud till evening; cloudless at night.
THURSDAY-	11	m.P. till 8h. A.M.; s. P. till 1h. P.M.; m. P. till 9h. P.M.; w. P. afterwards.	5·2	8·1	Cloudless with hoar frost in morning; very fine with little cloud till afternoon; generally overcast afterwards; wind gradually rising to gale after 8h. P.M.
FRIDAY -	12	w. P. and v. N. till 3h. A.M.; w. P. till 9h. A.M.; m. P. till 7h. P.M.; w. P. and w. N. afterwards.	0·1	8·1	Overcast generally; occasional rain; a gale o wind till 6h. A.M.
SATURDAY-	13	w. P. with occasional w. N. till 11h. A.M.; m. P. afterwards.	2·4	8·2	Overcast with rain till 10h. A.M.; fine and partially cloudy afterwards; strong wind till 6h. A.M.; gusty wind at intervals afterwards.
			Sum 17·5	Sum 56·6	
No. of Col.	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·47 in. at the beginning of the week to 29·55 in. by 8h. A.M. on the 7th; decreased to 29·00 in. by midnight on the same day; increased to 29·52 in. by 2h. A.M. on the 9th; decreased to 29·18 in. by 3h. P.M. on the same day; increased to 30·03 in. by 11h. A.M. on the 11th; decreased to 29·67 in. by 5h. A.M. on the 12th; increased to 29·78 in. by 11h. A.M. on the same day; decreased to 29·45 in. by 6h. A.M. on the 13th; and increased to 29·73 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 6th January, 1906.*

BOROUGHS.	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	4	3	-	2	-	-	1	-
Kensington	180,952	-	3	3	-	3	-	-	2	-
Hammersmith	120,679	-	5	5	-	1	-	-	1	-
Fulham	161,965	-	10	7	-	2	-	-	3	1
Chelsea	74,672	-	2	1	-	-	-	-	3	1
City of Westminster	173,905	-	13	4	-	-	-	-	3	-
NORTH.										
St. Marylebone	128,580	-	5	4	-	2	-	-	1	-
Hampstead	89,633	-	2	2	-	-	-	-	1	-
St. Pancras	236,455	-	20	7	-	-	-	-	5	-
Islington	344,987	-	22	3	-	1	-	-	4	-
Stoke Newington	53,217	-	3	1	-	-	-	-	1	-
Hackney	230,721	-	9	11	-	1	-	-	6	-
CENTRAL.										
Holborn	55,805	-	-	-	-	-	-	-	3	-
Finsbury	97,466	-	11	2	-	-	-	-	2	-
City of London	21,367	-	2	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	9	3	-	2	-	-	2	-
Bethnal Green	130,609	-	14	8	-	-	-	-	5	-
Stepney	307,176	-	19	12	-	-	-	-	7	-
Poplar	170,673	-	31	7	-	-	-	-	3	-
SOUTH.										
Southwark	209,143	-	14	7	-	2	-	-	14	-
Bermondsey	128,629	-	31	4	-	2	-	-	8	-
Lambeth	315,773	-	26	1	-	-	-	-	9	1
Battersea	179,622	-	10	4	-	-	-	-	7	-
Wandsworth	273,381	-	16	12	-	2	-	-	5	1
Camberwell	274,132	-	20	5	-	1	-	-	12	-
Deptford	115,495	-	15	3	-	2	-	-	6	-
Greenwich	105,350	-	8	4	-	1	-	-	1	-
Lewisham	148,463	-	11	3	-	-	-	-	1	-
Woolwich	127,345	-	12	2	-	-	-	-	4	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,216	-	347	128	-	24	-	-	120	4
Ages 0-1		-	5	3	-	-	-	-	6	-
" 1-5		-	110	59	-	2	-	-	4	-
" 5-		-	117	33	-	-	-	-	4	-
" 10-		-	70	9	-	3	-	-	3	-
" 15-		-	17	9	-	3	-	-	3	-
" 20-		-	10	5	-	1	-	-	16	-
" 25-		-	13	8	-	8	-	-	18	3
" 35-		-	5	1	-	6	-	-	30	1
" 45-		-	-	-	-	1	-	-	14	-
" 55-		-	-	-	-	-	-	-	9	-
" 65 and upwards		-	-	1	-	-	-	-	11	-
Age not stated		-	-	-	-	-	-	-	2	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 3. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JAN. 20. [Price 1½*d*.

General Register Office, Somerset House,

January 22nd, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·8 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·4, 18·3, and 16·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 20·2 in Birmingham and in Liverpool, 21·1 in Newport (Mon.), 22·1 in Swansea, 24·3 in Sunderland, and 28·2 in Preston; from *measles*, 1·0 in Leeds, 1·1 in Swansea, 1·3 in Tottenham, 2·3 in Blackburn, and 4·9 in Preston; from *diphtheria*, 1·1 in St. Helens, 1·6 in Wallasey, and 2·0 in Stockton on Tees; from *whooping-cough*, 1·0 in Stockport, 1·3 in Reading, in Plymouth, and in Gateshead, 1·5 in West Bromwich, 1·9 in Aston Manor, and 2·5 in Handsworth (Staffs.); from "*fever*," 1·1 in Northampton; and from *diarrhœa*, 1·0 in Middlesbrough. One death from *small-pox* was registered in Bristol, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2390 BIRTHS and 1399 DEATHS were registered. Allowing for increase of population, the births were 183 and the deaths 250 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 17·8, 19·4, and 17·5 per 1000 in the preceding three weeks, fell last week to 15·5. The death-rate in the four weeks ended on Saturday last averaged 17·6 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 1/06 D & S 3 23511 C

The 1399 deaths included 52 from measles, 13 from scarlet fever, 12 from diphtheria, 21 from whooping-cough, 3 from enteric fever, and 8 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 109 deaths were referred to these diseases in the aggregate, being 42 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 59, 64, and 53 in the preceding three weeks, were 52 last week, and were 11 above the corrected average; 11 deaths belonged to the Borough of Islington, 9 to Camberwell, 6 to Lambeth, 5 to Wandsworth, and 4 to Hammersmith. The deaths from *scarlet fever*, which had been 12, 9, and 17 in the preceding three weeks, fell to 13 last week, but were 3 above the corrected average; 3 deaths belonged to Poplar. The deaths from *diphtheria*, which had been 17, 13, and 11 in the preceding three weeks, were 12 last week, and were 5 below the corrected average; 3 deaths belonged to Camberwell. The deaths from *whooping-cough*, which had been 34, 33, and 32 in the preceding three weeks, further fell to 21 last week, and were 22 below the corrected average; 3 deaths belonged to each of the following Boroughs, St. Pancras, Bethnal Green, Stepney, Bermondsey, and Lambeth. The fatal cases of *enteric fever*, which had been 5, 6, and 3 in the preceding three weeks, were 3 last week, and were 3 below the corrected average. The deaths from *diarrhœa*, which had been 19, 10, and 11 in the preceding three weeks, fell to 8 last week, and were 10 below the corrected average. Of the 8 deaths from diarrhœa, 5 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 other deaths at this age. The deaths attributed directly to *influenza* numbered 9, having been 8, 15, and 20 in the preceding three weeks.

Different forms of *violence* caused 61 deaths, concerning all but 1 of which inquests were held. Of these 61 deaths, 11 were cases of suicide, while the remaining 50 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 9 to burns or scalds, 3 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 9 (including 8 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3066 cases of scarlet fever, 800 of diphtheria, and 87 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 328 cases, against 295, 291, and 257; of diphtheria, 143 cases, against 108, 92, and 111; and of enteric fever, 15 cases, against 16, 19, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 13th, 1906.

Greater London.

In Greater London 3662 births and 1961 deaths were registered. Allowing for increase of population, these numbers are 240 and 347 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 3 from whooping-cough, and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·83 inches, and that of the Thermometer 42°·0, the latter being 3°·6 above the week's average in the 50 years 1841–90. The general direction of the wind was Westerly, the horizontal movement of the air being 55 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 23·7 hours; the measured rainfall amounted to 1·06 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SOUTHERN OF THESE TOWNS, DURING THE WEEK ended Saturday, 20th January, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 30th Dec., 1905.	6th Jan., 1906.	13th Jan., 1906.	20th Jan., 1906.	Rate from Diseases in Cols. 11–17. Week ended 20th January, 1906.	Registered during the Week ended 20th Jan., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**17·4**	**18·3**	**16·7**	**15·8**	**1·2**	**8084**	**4800**	**1054**	**1459**	**1**	**108**	**49**	**60**	**92**	**23**	**36**	**169**	**389**	**1120**	**54**	**76 TOWNS.**
LONDON	4,721,217	17·8	19·4	17·5	15·5	1·2	2390	1399	299	474	-	52	13	12	21	3	8	61	151	498	4	LONDON.
CROYDON	151,011	18·0	13·5	13·1	16·2	0·3	67	47	10	20	-	-	-	1	-	-	-	2	7	9	-	CROYDON.
WILLESDEN	143,622	13·2	20·0	11·6	9·4	1·8	78	26	4	6	-	2	2	1	-	-	-	1	1	6	-	WILLESDEN.
HORNSEY	86,935	8·1	10·2	7·8	9·6	1·2	19	16	4	6	-	1	-	-	-	-	1	-	-	2	-	HORNSEY.
TOTTENHAM	119,503	13·9	20·5	11·3	16·1	2·2	64	37	9	6	-	3	1	-	1	-	-	-	7	3	-	TOTTENHAM.
WEST HAM	301,617	13·3	18·8	14·2	13·7	0·9	188	79	19	17	-	-	1	2	1	-	1	3	9	20	-	WEST HAM.
EAST HAM	129,886	13·1	9·6	11·6	10·8	0·8	85	27	11	4	-	1	-	1	-	-	-	1	3	3	-	EAST HAM.
LEYTON	118,287	13·7	15·9	10·1	10·1	1·3	74	23	6	10	-	1	-	-	2	-	-	1	1	-	-	LEYTON.
WALTHAMSTOW	121,334	12·1	9·0	10·3	7·3	0·4	68	17	4	5	-	-	-	-	-	1	-	1	3	2	-	WALTHAMSTOW.
HASTINGS	67,144	13·3	12·4	13·2	19·4	-	18	25	4	11	-	-	-	-	-	-	-	-	-	5	-	HASTINGS.
BRIGHTON	128,095	16·0	19·1	19·5	13·8	1·2	52	34	2	12	-	-	1	1	1	-	-	-	2	15	-	BRIGHTON.
PORTSMOUTH	205,118	14·7	16·8	13·7	9·4	0·3	103	37	6	15	-	-	-	-	-	-	1	-	1	9	1	PORTSMOUTH.
BOURNEMOUTH	67,702	12·6	16·9	16·9	15·4	0·8	14	20	4	8	-	-	-	-	-	-	1	-	-	3	-	BOURNEMOUTH.
SOUTHAMPTON	117,312	14·1	15·6	15·1	13·3	0·4	42	30	6	9	-	-	-	-	-	-	1	2	5	6	-	SOUTHAMPTON.
READING	78,987	10·7	11·2	15·2	17·8	2·6	33	27	5	12	-	-	-	1	2	-	1	1	1	5	-	READING.
NORTHAMPTON	93,749	14·7	11·1	6·1	12·8	1·1	37	23	4	7	-	-	-	-	-	2	-	-	-	2	-	NORTHAMPTON.
IPSWICH	71,809	14·0	17·4	18·9	18·2	0·7	38	25	6	10	-	-	-	-	1	-	-	-	-	6	-	IPSWICH.
GREAT YARMOUTH	52,613	19·9	16·8	16·8	17·8	-	26	18	5	8	-	-	-	-	-	-	-	-	1	2	-	GREAT YARMOUTH.
NORWICH	117,958	19·2	13·3	15·9	12·8	0·4	49	29	4	16	-	-	-	-	-	-	1	-	1	5	-	NORWICH.
PLYMOUTH	118,014	18·0	15·9	15·0	17·2	1·8	53	39	4	17	-	-	-	-	3	1	-	-	1	1	-	PLYMOUTH.
DEVONPORT	78,405	16·3	16·0	18·0	17·3	1·3	47	26	6	10	-	-	-	1	-	-	1	1	1	4	-	DEVONPORT.
BRISTOL	363,223	18·5	20·5	19·1	17·2	1·6	182	120	26	41	1	2	-	5	3	-	-	3	9	23	-	BRISTOL.
HANLEY‡	66,300	30·6	21·2	15·7	14·9	0·8	45	19	6	5	-	-	-	-	-	1	-	-	-	5	-	HANLEY‡
BURTON-ON-TRENT	52,922	11·9	16·7	11·8	8·9	-	22	9	4	4	-	-	-	-	-	-	-	-	-	2	1	BURTON-ON-TRENT.
WOLVERHAMPTON	100,729	17·3	17·6	14·0	11·4	-	51	22	3	4	-	-	-	-	-	-	-	1	2	4	-	WOLVERHAMPTON.
WALSALL	94,577	10·7	13·2	14·9	12·7	-	47	23	5	9	-	-	-	-	-	-	-	2	2	-	1	WALSALL.
HANDSWORTH	63,819	15·2	14·7	13·1	14·7	2·5	34	18	4	5	-	-	-	-	3	-	-	-	-	2	-	HANDSWORTH.
WEST BROMWICH	68,469	15·4	20·6	22·1	15·2	2·3	50	20	5	3	-	-	-	-	2	1	-	-	1	2	1	WEST BROMWICH.

* See note † on first page of this return. † These towns are included within the area of Greater London. ‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 20th January, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 30th Dec., 1905.	6th Jan., 1906.	13th Jan., 1906.	20th Jan., 1906.	Rate from Diseases in Cols. 11-17. Week ended 20th January, 1906.	Registered during the Week ended 20th Jan., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	18·9	17·9	16·6	20·2	1·5	267	212	54	61	-	3	1	4	6	-	2	12	16	51	8	BIRMINGHAM.
KINGS NORTON -	72,608	7·5	11·5	13·6	8·6	-	53	12	4	2	-	-	-	-	-	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK - -	64,531	17·5	24·2	16·2	5·7	0·8	38	7	1	2	-	1	-	-	-	-	-	-	-	1	-	SMETHWICK.
ASTON MANOR -	82,288	12·8	17·7	19·6	12·7	1·9	35	20	7	4	-	-	-	-	3	-	-	1	1	2	-	ASTON MANOR.
COVENTRY - -	76,374	18·7	15·0	19·8	12·3	-	33	18	1	10	-	-	-	-	-	-	-	1	2	5	-	COVENTRY.
LEICESTER - -	232,111	17·1	17·7	17·7	13·7	1·3	118	61	27	12	-	-	2	-	4	-	-	1	6	5	1	LEICESTER.
GRIMSBY - - -	69,359	14·5	16·5	11·3	11·3	-	47	15	3	5	-	-	-	-	-	-	-	-	-	1	-	GRIMSBY.
NOTTINGHAM - -	254,563	15·7	19·9	18·2	16·6	1·4	110	81	18	21	-	-	-	2	1	1	3	2	9	28	-	NOTTINGHAM.
DERBY - - -	123,981	11·5	14·7	10·1	15·6	0·4	53	37	5	14	-	-	-	1	-	-	-	1	4	7	-	DERBY.
STOCKPORT - -	99,646	15·9	16·7	17·8	16·2	1·0	48	31	7	9	-	-	-	-	2	-	-	-	1	8	-	STOCKPORT.
BIRKENHEAD - -	117,292	17·1	20·0	14·7	14·2	0·4	75	32	9	10	-	-	1	-	-	-	-	1	1	6	-	BIRKENHEAD.
WALLASEY - -	64,578	11·7	17·8	9·7	18·6	1·6	27	23	6	10	-	-	-	2	-	-	-	-	-	2	-	WALLASEY.
LIVERPOOL† - -	739,180	24·9	23·9	21·2	20·2	1·8	437	287	63	72	-	4	6	1	9	2	4	10	18	72	13	LIVERPOOL.†
BOOTLE† - - -	65,989	18·3	23·7	11·9	17·4	0·8	45	22	4	4	-	-	1	-	-	-	-	1	2	4	-	BOOTLE.†
ST. HELENS - -	91,153	15·1	15·4	23·5	17·7	1·1	55	31	9	6	-	-	-	2	-	-	-	1	1	10	1	ST. HELENS.
WIGAN - - -	87,588	16·9	19·1	17·3	14·9	0·6	45	25	8	5	-	-	-	-	-	1	-	-	2	4	-	WIGAN.
WARRINGTON - -	69,280	16·0	19·6	19·6	18·8	1·5	43	25	6	7	-	-	-	1	1	-	-	-	-	1	-	WARRINGTON.
BOLTON - - -	180.502	14·9	14·4	13·9	12·7	0·3	95	44	7	11	-	-	-	-	1	-	-	1	3	3	-	BOLTON.
BURY - - -	58,744	16·0	24·9	19·5	15·1	0·9	31	17	6	5	-	1	-	-	-	-	-	1	1	3	-	BURY.
MANCHESTER - -	637,126	19·4	17·4	17·5	15·8	1·2	300	193	38	50	-	1	3	1	6	2	2	10	19	55	3	MANCHESTER.
SALFORD - - -	234,077	16·7	18·0	14·5	18·0	0·7	124	81	19	19	-	-	-	-	1	-	2	3	8	13	-	SALFORD.
OLDHAM - - -	140,969	17·1	15·2	14·4	18·9	0·7	63	51	8	12	-	-	-	1	1	-	-	3	4	5	-	OLDHAM.
ROCHDALE - -	87,189	17·5	14·4	16·7	13·2	0·6	31	22	4	6	-	-	-	-	1	-	-	1	2	-	2	ROCHDALE.
BURNLEY - - -	102,808	21·5	23·3	25·9	18·8	-	58	37	11	7	-	-	-	-	-	-	-	2	2	7	-	BURNLEY.
BLACKBURN - -	134,015	17·2	17·5	19·1	14·8	3·5	64	38	11	5	-	6	1	1	-	1	-	-	1	3	3	BLACKBURN.
PRESTON - - -	116,399	24·8	30·5	22·0	28·2	5·4	48	63	20	16	-	11	-	-	-	1	-	2	2	4	3	PRESTON.
BARROW-IN-FURNESS.	60,967	13·8	17·1	13·7	15·4	0·9	32	18	4	4	-	-	-	-	-	-	1	1	1	1	-	BARROW-IN-FURNESS.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 30th Dec., 1905.	6th Jan., 1906.	13th Jan., 1906.	20th Jan., 1906.	Rate from Diseases in Cols. 11-17. Week ended 20th January, 1906.	Registered during the Week ended 20th Jan., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	24·2	22·5	17·6	18·1	1·1	38	33	2	10	-	-	-	-	1	1	-	3	3	5	-	HUDDERSFIELD.
HALIFAX - - -	109,272	15·9	18·6	18·1	13·8	0·5	45	29	6	8	-	-	1	-	-	-	-	2	3	4	-	HALIFAX.
BRADFORD - -	288,544	16·0	19·9	15·7	15·2	0·7	83	84	5	40	-	1	1	1	-	1	-	-	6	16	-	BRADFORD.
LEEDS - - -	463,495	17·7	21·5	18·6	16·9	1·9	210	150	33	35	-	9	1	4	1	1	1	1	5	19	-	LEEDS.
SHEFFIELD - -	447,951	15·3	15·8	13·3	16·3	1·7	262	140	25	49	-	1	6	3	3	1	1	7	12	32	2	SHEFFIELD.
ROTHERHAM - -	61,098	13·1	17·9	13·7	10·2	0·9	33	12	-	7	-	-	1	-	-	-	-	-	1	3	1	ROTHERHAM.
YORK - - -	83,467	10·1	16·2	14·4	11·2	-	41	18	1	8	-	-	-	-	-	-	-	1	2	1	-	YORK.
HULL - - -	262,426	16·2	16·7	14·3	18·5	0·4	146	93	19	29	-	-	-	2	-	-	-	4	13	30	-	HULL.
MIDDLESBROUGH -	100,069	17·0	19·8	18·2	16·7	1·6	71	32	14	6	-	-	-	1	-	-	2	-	-	5	2	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	18·9	13·9	10·9	17·8	2·0	34	18	1	6	-	-	-	2	-	-	-	2	3	6	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	16·8	13·5	10·7	15·6	0·7	41	22	8	3	-	-	1	-	-	-	-	-	-	2	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	17·4	17·9	21·3	24·3	1·0	107	72	20	16	-	-	-	-	2	-	1	-	1	7	3	SUNDERLAND.
SOUTH SHIELDS -	111,402	19·5	16·9	21·1	14·0	0·5	66	30	11	7	-	-	-	-	-	-	1	1	1	3	-	SOUTH SHIELDS.
GATESHEAD - -	123,191	16·4	16·1	17·4	16·9	2·5	83	40	5	15	-	2	-	1	3	-	-	3	4	3	2	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	22·3	16·7	16·5	17·1	1·9	137	88	19	23	-	3	1	3	3	-	-	3	4	13	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	22·4	21·2	22·2	12·5	-	22	13	5	2	-	-	-	-	-	-	-	-	-	1	1	TYNEMOUTH.
NEWPORT (MON.) -	74,227	15·7	19·7	16·9	21·1	1·4	34	30	7	10	-	-	1	-	1	-	-	2	3	3	1	NEWPORT (MON.).
CARDIFF - - -	183,823	13·6	17·9	13·6	13·6	0·3	104	48	9	19	-	-	-	1	-	-	-	-	3	7	-	CARDIFF.
RHONDDA- - -	127,684	19·2	9·0	13·5	16·7	2·0	69	41	13	8	-	1	2	-	1	1	-	3	6	-	-	RHONDDA.
MERTHYR TYDFIL -	74,961	25·4	16·7	24·3	19·5	2·1	40	28	7	5	-	-	1	1	1	-	-	-	-	3	-	MERTHYR TYDFIL.
SWANSEA- - -	96,848	15·7	12·9	16·7	22·1	1·6	67	41	9	10	-	2	-	-	-	1	-	2	4	11	-	SWANSEA.
GREATER LONDON -	7,113,561	16·4	17·9	15·7	14·4	1·1	3662	1961	434	663	-	66	18	20	28	4	13	75	204	584	4	GREATER LONDON.
OUTER RING - -	2,392,344	13·7	14·9	12·2	12·2	0·9	1272	562	135	189	-	14	5	8	7	1	5	14	53	86	-	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	13·5	15·5	11·9	12·1	1·1	643	272	67	74	-	8	4	5	4	1	2	9	31	45	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	13·8	14·3	12·6	12·4	0·7	629	290	68	115	-	6	1	3	3	-	3	5	22	41	-	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	15·8	17·1	17·6	18·3	0·6	142	120	17	37	-	1	-	1	-	-	2	5	?	35	6	EDINBURGH.
GLASGOW - - -	835,625	18·5	20·9	19·0	18·7	1·7	478	299	58	72	-	19	3	-	1	-	5	10	?	79	8	GLASGOW.
DUBLIN† - - -	378,994	17·9	21·7	21·7	20·1	0·4	183	146	28	38	-	-	1	-	1	-	1	6	5	54	6	DUBLIN.†
BELFAST†- - -	358,680	18·0	21·4	19·3	19·6	1·3	196	135	30	27	-	-	2	-	1	4	2	4	7	31	4	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRD Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2491	2484	2631	2811	2533	2693	2580	2593	2515	2408	2572·8	2390
Males - - -	1310	1284	1322	1485	1288	1334	1360	1353	1288	1222	1331·0	1231
Females - -	1181	1200	1309	1326	1245	1359	1220	1240	1227	1186	1241·8	1159
TOTAL **Deaths** -	1621	1547	2021	1503	2365	1666	1583	1848	1549	1492	1649·3	1399
Males - -	820	800	1043	779	1128	799	802	930	791	757	835·9	716
Females - -	804	747	978	724	1237	867	781	918	758	735	813·4	683

* The numbers in this column are the average weekly numbers in the third week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	13 Weeks.
TOTAL **Births** -	2362	2494	2485	2298	2366	2275	2462	2279	2488	1807	2788	2705	2390	31199
TOTAL **Deaths** -	1433	1494	1489	1552	1739	1623	1460	1725	1746	1602	1756	1585	1399	20603
Ages at Death: Under 1 year -	286	273	298	302	352	341	335	333	382	328	336	304	299	4169
1—5 years -	124	146	156	183	205	209	201	229	281	222	217	185	170	2528
5—20 ,, -	71	77	71	73	82	76	75	79	64	69	91	63	56	947
20—40 ,, -	296	177	197	197	197	174	159	184	147	151	208	195	129	2321
40—60 ,, -	280	320	315	344	361	316	266	365	343	309	356	307	271	4153
60 yrs. & upwds.	466	501	452	453	542	507	424	535	529	523	548	531	474	6485
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	31	34	47	54	48	53	46	58	60	59	64	53	52	659
Scarlet Fever - -	13	17	13	8	6	18	13	20	18	12	9	17	13	177
Diphtheria - -	12	13	9	19	10	5	21	11	18	17	13	11	12	171
Whooping-cough -	7	19	13	20	24	25	25	28	38	34	33	32	21	319
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	5	7	8	3	3	4	2	2	5	6	3	3	55
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	34	21	27	13	11	16	14	13	18	19	10	11	8	215
All above Diseases -	101	109	116	122	102	120	123	132	154	146	135	127	109	1596
Dis. of Resp. System	157	177	209	187	282	245	192	274	254	241	225	193	148	2784
Pneumonia - -	129	163	174	214	208	233	184	186	262	185	229	177	151	2495
Phthisis - - -	174	129	145	136	161	130	132	191	151	150	168	144	128	1939
Dis. of Circ. System -	211	211	196	200	229	243	188	215	212	186	236	217	200	2744
Violence - - -	57	65	48	68	70	77	59	56	58	56	76	63	61	814
Inquest Cases - -	147	168	109	170	169	191	130	144	174	168	215	178	151	2114
Deaths in Institutions	573	551	591	606	636	606	509	612	610	577	608	563	498	7540
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	41·5	47·3	43·1	39·1	38·5	42·9	43·8	36·6	43·2	39·5	41·3	43·1	42·0	41·7
Mean of Highest -	48·9	53·8	50·2	42·8	44·4	47·6	48·2	41·6	46·2	43·5	45·2	48·7	46·5	46·7
Mean of Lowest -	33·0	41·1	36·1	35·7	30·9	35·9	39·1	32·4	38·7	33·7	38·0	37·6	37·2	36·1
Mean Humidity of the Air.	81	86	91	87	84	87	90	92	82	92	81	82	77	86
Rain-fall (in inches) -	0·05	1·60	0·65	0·64	0·17	0·61	0·31	0·02	0·00	0·24	0·95	1·20	1·06	7·50
Registered Sunshine (in hours).	18·4	15·5	16·9	9·3	17·9	6·8	9·5	4·0	4·7	4·3	2·5	17·5	23·7	151·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	4222	4200	4154	4120	4127	4021	3888	3670	3409	3446	3299	3062	3066	3745
Diphtheria - -	799	804	786	790	755	725	727	713	670	701	728	748	800	750
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	157	160	157	154	132	115	102	92	82	78	87	91	87	115

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Wittv, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRD Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 3rd week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 1-1.	1-5.	1-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES - - -	1649·3	1399	299	170	56	129	271	474
Small-pox* - - -	14·0	-	-	-	-	-	-	-
Cowpox - - - -	0·3	-	-	-	-	-	-	-
Measles (Morbilli) - -	41·3	52	12	40	-	-	-	-
Scarlet Fever - - -	10·2	13	1	10	2	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-
Influenza - - - -	26·5	9	-	-	-	2	1	6
Whooping-cough - -	43·3	21	14	7	-	-	-	-
Diphtheria - - -	17·3	12	-	10	2	-	-	-
Cerebro Spinal Fever -	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain) - - -	-	-	-	-	-	-	-	-
Enteric Fever - - -	6·1	3	-	-	2	-	1	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	3·1	4	3	-	-	-	-	1
Diarrhœa, Dysentery -	15·3	4	2	-	-	-	-	2
Tetanus - - - -	0·8	1	1	-	-	-	-	-
Rabies, *Hydrophobia* -	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-
Venereal Dis. - - -	9·7	3	1	1	-	-	1	-
Puerperal Septicæmia -	3·6	6	-	-	-	6	-	-
Puerperal Pyæmia -	0·3	-	-	-	-	-	-	-
Puerperal Fever - -	1·0	-	-	-	-	-	-	-
Infective Endocarditis -	3·3	2	-	-	2	-	-	-
Pneumonia: Lobar - -	12·5	12	-	2	-	3	5	2
Pneumonia: Broncho- -	67·5	78	35	27	-	1	4	11
Pneumonia: Epidemic -	-	-	-	-	-	-	-	-
Pneumonia: Not defined	55·6	61	9	10	2	7	15	18
Erysipelas - - -	4·6	3	1	-	-	1	1	-
Septicæmia (not Puerperal) - - -	1·5	2	1	-	-	-	1	-
Pyæmia (not Puerperal)	1·5	1	-	1	-	-	-	-
Other Infective Processes	5·4	11	2	3	-	-	3	3
Tuberculous Phthisis -	84·6	77	3	3	4	27	34	6
"*Phthisis*" - - -	88·2	51	-	-	3	18	23	7
Tuberculous Meningitis -	17·8	22	6	11	4	1	-	-
Tuberculous Peritonitis -	5·1	6	1	4	1	-	-	-
Tabes Mesenterica - -	4·8	1	-	1	-	-	-	-
Tuberculous Dis. (other)-	14·0	12	4	4	2	1	1	-
Scrofula - - - -	0·8	-	-	-	-	-	-	-
Alcoholism - - -	10·4	8	-	-	-	4	3	1
Rheumatic Fever - -	5·9	4	-	-	1	2	1	-
Gout - - - - -	2·3	2	-	-	-	-	-	2
Carcinoma - - -	53·8	39	-	-	-	5	17	17
Sarcoma - - - -	4·8	5	-	-	2	1	2	-
Cancer (undefined) - -	36·2	33	-	-	-	1	16	16
Diabetes Mellitus - -	7·6	13	-	-	-	1	4	8
Premature Birth - -	54·8	45	45	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 3rd week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 1-1.	1-5.	1-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	14·0	16	10	2	3	1	-	-
Insanity, Gen. Par. of Insane - - -	22·9	12	-	-	-	-	8	4
Epilepsy - - - -	6·9	3	-	1	-	1	-	1
Convulsions - - -	24·7	23	22	1	-	-	-	-
Locomotor Ataxy - -	2·5	4	-	-	-	-	2	2
Paraplegia, Dis. of Cord	6·1	6	-	-	-	3	1	2
Nervous Sys. (other dis.)	25·7	18	-	-	2	1	3	12
Valv. Dis., Endocarditis-	48·9	42	-	-	3	5	15	19
Cerebr. Hæm. Thromb. -	39·0	49	-	-	-	2	13	34
Apoplexy, Hemiplegia -	23·7	13	-	-	-	-	1	12
Aneurysm - - -	4·6	5	-	-	-	1	3	1
Embolism, Thrombosis (not cerebral) -	1·0	2	-	-	-	2	-	-
Heart & Blood Vessel Dis.	89·9	89	-	-	10	3	20	56
Croup (not Spasm : nor Memb.) - -	0·5	-	-	-	-	-	-	-
Bronchitis - - -	202·3	134	23	10	1	7	19	74
Asthma, Emphysema -	11·2	6	-	-	-	-	-	6
Pleurisy - - - -	5·6	1	-	-	-	-	1	-
Respiratory Dis. (other)	14·3	7	-	1	1	1	1	3
Tonsillitis, Quinsy - -	1·3	-	-	-	-	-	-	-
Enteritis (not Epid.) -	7·6	3	1	-	-	-	-	2
Gastro-Enteritis - -	4·6	8	7	-	-	-	-	1
Peritonitis (not Puerp.) -	2·5	2	-	-	1	-	1	-
Cirrhosis of Liver - -	14·0	8	-	-	-	-	3	5
Liver Dis. (other) - -	7·4	10	-	-	-	-	5	5
Digestive Dis., Other -	44·3	33	5	2	3	2	9	12
Nephritis, Acute - -	7·9	5	-	-	-	1	1	3
Bright's Dis., Albuminuria - - -	41·8	30	-	-	-	3	8	19
Urinary Sys., Other Dis.	8·9	13	-	-	-	1	4	8
Generative Organs Dis.-	4·3	6	-	-	-	-	2	4
Childbirth (Accid. of) -	3·3	3	-	-	-	2	1	-
Old Age - - - -	64·7	63	-	-	-	-	-	63
Other Diseases - -	101·0	108	78	11	2	4	5	8
ACCIDENT.								
By Railways - - -	1·8	-	-	-	-	-	-	-
By Vehicles and Horses-	2·8	8	-	-	1	3	2	2
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·3	-	-	-	-	-	-	-
In Building Operations -	0·3	-	-	-	-	-	-	-
In Conflagrations - -	0·3	1	1	-	-	-	-	-
By Burns, Scalds, Explosions - -	10·7	9	1	4	-	-	2	2
By Drowning - -	5·4	3	-	-	-	-	1	2
By Suffocation in Bed -	11·2	9	8	1	-	-	-	-
By Poisons or Poisonous Vapours - -	2·3	2	-	1	-	1	-	-
Other Deaths by Accident - - -	14·0	18	2	2	1	2	-	11
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	0·8	-	-	-	-	-	-	-
Suicide - - - -	5·9	11	-	-	1	2	7	1
Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th January, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2390	1399	299	474	-	52	13	12	21	-	3	-	8	61	151	498
WEST DISTRICTS - - -	805,311	377	222	50	83	-	7	1	2	-	-	1	-	4	6	22	68
NORTH DISTRICTS - - -	1,058,070	519	286	58	109	-	12	1	1	2	-	-	-	-	13	28	84
CENTRAL DISTRICTS - - -	209,465	117	71	16	22	-	-	-	1	6	-	-	-	-	3	6	39
EAST DISTRICTS - - - -	715,739	421	236	53	64	-	5	-	-	4	-	-	-	-	18	38	112
SOUTH DISTRICTS - - -	1,749,844	956	547	122	183	-	28	6	7	9	-	2	-	3	21	56	158
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	37	-	13	-	-	5	1	-	-	-	-	1	-	1	37
WEST DISTRICTS.																	
St. Mary Paddington *W,2H* - -	93,178	48	21	1	8	-	1	-	-	-	-	1	-	-	-	-	8
St. John Paddington *H* - - -	33,617	11	8	-	4	-	-	-	-	-	-	-	-	-	-	-	4
North-West Paddington - -	17,181	13	3	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Kensington Town *2W,w,2H* - -	128,037	57	43	12	22	-	-	-	-	-	-	-	-	1	1	5	16
Brompton *2H* - - - - -	48,591	17	7	-	4	-	1	-	-	-	-	-	-	-	-	-	-
North Hammersmith *W,wH* - -	49,192	19	13	2	8	-	2	-	-	-	-	-	-	-	-	-	-
South Hammersmith *w,2H* - -	63,047	32	19	6	5	-	2	-	-	-	-	-	-	-	3	4	3
North-west Fulham *W* - - -	45,180	42	21	5	9	-	-	-	1	-	-	-	-	-	-	1	13
North-east Fulham *F* - - -	46,405	20	10	2	2	-	-	1	1	-	-	-	-	-	-	3	3
South Fulham *W* - - - -	45,704	28	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H* - - -	42,514	19	19	4	7	-	-	-	-	-	-	-	-	1	1	2	11
Chelsea South *W,2H* - - -	31,328	17	5	1	3	-	-	-	-	-	-	-	-	1	-	1	1
Mayfair and Knightsbridge - -	28,743	3	6	-	2	-	-	-	-	-	-	-	-	-	1	2	-
Belgrave *W,2H* - - - -	55,815	18	21	4	7	-	-	-	-	-	-	-	-	-	-	2	6
St. Margaret & St. John *4H* - -	43,098	21	11	4	1	-	1	-	-	-	-	-	-	-	-	1	3
St. James Westminster *W,H* - -	21,588	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *5H* - - - -	11,493	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *8H* - -	35,391	7	9	2	1	-	-	-	-	1	-	-	-	-	1	1	6
St. Mary Marylebone‡ *W,4H* -	37,948	45	9	2	3	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - -	39,536	20	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *3H* - -	20,426	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H* - - -	81,942	23	22	3	11	-	-	1	-	-	-	-	-	-	-	1	8
West St. Pancras *2H* - - -	60,562	33	11	4	2	-	-	-	-	1	-	-	-	-	-	1	1
Tottenham-court *w,7H* - - -	21,258	7	16	1	3	-	-	-	-	-	-	-	-	-	2	2	14
Gray's Inn Lane *4H* - - -	34,449	14	10	2	4	-	-	-	-	-	-	-	-	-	-	1	5
East St. Pancras *W,2H* - - -	60,320	37	28	11	10	-	1	-	-	-	-	-	-	-	3	4	9
North St. Pancras *2W* - - -	58,728	30	20	3	10	-	-	-	-	-	-	-	-	-	-	2	7
Tufnell *W* - - - -	31,995	9	15	2	8	-	1	-	-	-	-	-	-	-	1	2	7
Upper Holloway *2W,w,H* - -	33,978	21	18	4	6	-	1	-	-	-	-	-	-	-	1	4	10
Tollington *WH* - - - -	33,922	10	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - -	41,424	24	12	3	2	-	3	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - - - -	54,478	35	16	7	4	-	2	-	-	-	-	-	-	-	-	1	-
Islington South-east *F* - - -	75,397	43	12	2	3	-	-	-	-	-	-	-	-	-	1	1	-
Highbury *2H* - - - - -	63,797	23	15	2	7	-	3	-	-	-	-	-	-	-	-	1	-
Stoke Newington *H* - - -	51,247	17	10	-	6	-	-	-	-	-	-	-	-	-	1	1	-
North Hackney - - - - -	50,560	11	11	-	6	-	-	-	-	-	-	-	-	-	2	3	-
Central Hackney *2w,F* - - -	50,536	21	13	2	6	-	-	-	1	-	-	-	-	-	-	-	2
South-west Hackney *3H* - -	59,921	40	12	5	4	-	-	-	-	-	-	-	-	-	-	1	3
South-east Hackney *2W,w,H* - -	58,255	38	15	1	8	-	-	-	-	-	-	-	-	-	1	2	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December, 1905, the sub-district of Rectory Marylebone was united to the sub-district of St. Mary Marylebone.

BLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th January, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyræmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
. Giles and Bloomsbury *W,2H* -	31,436	20	7	1	4	-	-	-	-	-	-	-	-	-	-	-	5	-
rand *W,4H* - - - - - -	21,674	3	14	2	1	-	-	-	-	-	-	-	-	-	-	-	10	-
rand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
olborn *W,6H* - - - - - -	29,612	15	12	7	2	-	-	-	1	4	-	-	-	-	-	-	8	-
uth Clerkenwell - - -	28,676	20	9	3	1	-	-	-	-	-	-	-	-	-	2	2	-	-
orth Clerkenwell *H* - - -	35,028	18	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
nsbury *3H,L* - - - - - -	36,116	36	6	1	2	-	-	-	-	1	-	-	-	-	-	1	1	-
olborn Union Workhouse, Mitcham - - - - - -	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
. Botolph *H* - - - - - -	10,299	4	3	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-
. Sepulchre and Allhallows *W,2H*	16,624	1	11	-	4	-	-	-	-	-	-	-	-	-	1	1	10	-
y of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *H* - - -	46,362	23	12	2	2	-	-	-	-	-	-	-	-	-	1	4	-	-
oreditch North-West *W,w,H* -	36,127	25	25	4	13	-	-	-	-	-	-	-	-	-	2	3	19	-
oreditch North-East - - -	36,148	15	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
oreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North *2H* - -	51,514	26	16	5	1	-	-	-	-	2	-	-	-	-	2	4	5	-
thnal Green South - - -	33,472	16	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green East *2W,H,L* - -	44,694	29	20	4	6	-	-	-	-	1	-	-	-	-	-	-	14	-
italfields - - - - - -	27,969	14	4	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-
le End New Town *W,H* - -	28,718	23	32	9	6	-	-	-	-	-	-	-	-	-	1	2	29	-
odman's Fields - - - -	22,081	7	5	1	-	-	1	-	-	-	-	-	-	-	-	3	-	-
. George and St. John *2W* - -	49,068	37	11	3	4	-	-	-	-	-	-	-	-	-	-	1	6	-
adwell and Ratcliff *W,H* - -	25,568	12	10	3	1	-	1	-	-	-	-	-	-	-	1	2	6	-
mehouse *W* - - - - - -	32,369	29	7	-	2	-	1	-	-	-	-	-	-	-	1	2	-	-
le End Old Town South-Western *H* - - - - -	63,698	49	12	1	3	-	-	-	-	-	-	-	-	-	1	3	-	-
le End Old Town North-Eastern *W,w* - - -	49,129	23	20	5	7	-	-	-	-	1	-	-	-	-	1	3	12	-
w *L* - - - - - - - -	41,989	25	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
omley *3w,H* - - - - - -	68,319	36	36	8	10	-	2	-	-	-	-	-	-	-	6	8	20	-
plar *W,w* - - - - - -	58,514	32	12	3	4	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis in each SUB-DISTRICT during the Week ended Saturday, 20th January, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Saviour Southwark *H*	12,056	7	13	-	4	-	-	-	-	-	-	-	-	-	-	-	13
Kent-road	21,904	15	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr *W,2H,L*	39,094	27	12	3	-	-		-	-	-	-	-	-	-	-	1	5
Newington North	49,022	27	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	46	13	2	5	-	-	-	-	-	-	-	-	-	-	-	1
St. Olave *2W*	9,817	8	5	-	5	-	-	-	-	-	-	-	-	-	-	2	2
Bermondsey *W*	82,483	40	18	6	3	-	-	-	-	-	-	-	-	-	-	2	-
Rotherhithe *W,F*	38,460	24	26	9	8	-	1	-	-	3	-	-	-	-	2	3	13
Waterloo-road *2H*	27,440	29	13	6	1	-	-	-	-	-	-	-	-	-	-	1	2
Lambeth Church 1st *H*	18,423	11	18	3	1	-	-	-	1	1	-	-	-	1	2	5	14
Lambeth Church 2nd *2W*	39,818	25	27	5	10	-	2	-	-	1	-	-	-	1	1	4	10
Kennington 1st *H*	53,198	35	17	4	5	-	2	-	-	-	-	-	-	-	1	1	2
Kennington 2nd *H*	42,896	17	16	7	5	-	-	-	-	-	-	-	-	-	-	-	3
Brixton *F*	84,232	38	20	5	4	-	2	1	-	-	-	1	-	-	1	1	3
Norwood *W,H*	35,888	16	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-
East Battersea *H*	72,203	49	13	6	3	-	-	-	-	-	-	-	-	1	-	-	-
North-west Battersea	49,656	34	13	7	3	-	1	-	-	-	-	-	-	-	-	1	-
South-west Battersea *2W,H*	47,048	13	18	3	9	-	-	-	-	-	-	-	-	-	3	3	10
Clapham *2H*	51,361	21	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	56	30	7	12	-	4	1	1	-	-	-	-	-	1	2	6
Springfield *2W,L*	27,959	22	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	24	8	-	4	-	1	-	-	-	-	-	-	-	-	-	1
Putney	24,139	4	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	12	27	-	15	-	2	-	-	-	-	1	-	-	2	2	22
Camberwell North *W,2L*	65,584	46	33	6	13	-	3	-	-	-	-	-	-	-	3	8	12
St. George	47,331	39	16	4	3	-	-	-	-	1	-	-	-	-	-	1	-
Peckham North*	48,913	23	21	4	6	-	6	-	-	-	-	-	-	-	1	3	-
Peckham South* *2W,w*	43,946	16	11	-	6	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	22	9	4	1	-	1	-	-	2	-	-	-	-	-	2	-
Deptford Central	45,481	25	5	3	1	-	-	-	-	-	-	-	-	-	1	3	-
Deptford South	34,625	15	10	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich West *2H*	23,456	11	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1
Greenwich East *2W,H*	43,859	21	21	3	10	-	-	-	-	-	-	-	-	-	-	-	13
Eltham *w,H*	7,226	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	5	5	2	1	-	-	-	-	-	-	-	-	-	1	1	1
Lewisham *W w,F*	58,352	42	26	7	10	-	2	1	3	-	-	-	-	-	-	3	13
Sydenham *H*	43,653	18	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *F,2H*	21,134	5	8	-	-	-	-	3	2	-	-	-	-	-	-	-	5
Woolwich *5H*	41,625	24	13	3	4	-	1	-	-	-	-	-	-	-	2	2	-
Plumstead West *W*	18,063	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	25	14	5	6	-	-	-	-	-	-	-	-	-	-	2	5
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	4	-	-	-	-	3	1	-	-	-	-	-	-	-	4
Northern	—	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	4
Darenth	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
London County Lunatic Asylums:—																	
Banstead	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7
Ewell (Epileptic Colony)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Horton	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Dartford Heath	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5
Colney Hatch	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Claybury	—	-	4	-	2	-	-	-	-	-	-	-	-	1	-	-	4

* On 1st December, 1905, the sub-district of Peckham was divided into two sub-districts entitled Peckham North and Peckham South respectively

BLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20th January, 1906.

Registration District and Sub-District Number.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,602	2,044,973	1272	562	135	189	-	14	5	8	7	1	5	14	53	86	-
30 : 1	Carshalton 2F,2H - -	12,228	32,997	19	11	5	1	-	-	-	-	-	-	-	-	2	1	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	8	5	3	2	-	-	-	-	-	-	1	-	-	1	-
37 : 1	Godstone, *part of** W,F -	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon - - - -	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	15	12	2	5	-	-	-	-	-	-	-	-	1	1	-
3	West Croydon 3W,F,H -	2,168	42,888	27	25	5	10	-	-	-	1	-	-	-	-	3	10	-
4	North Croydon H - -	2,644	41,698	25	13	4	6	-	-	-	-	-	-	-	2	4	1	-
5	Penge w,H - - - -	770	22,465	10	4	2	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30,015	35	10	3	2	-	1	-	1	1	-	-	-	2	-	-
39 : 1	Wimbledon F,3H - -	3,221	41,652	21	8	2	2	-	1	-	-	-	-	1	-	1	1	-
2	Kingston 2W,H - - -	6,224	42,068	26	20	3	5	-	-	-	-	-	-	-	-	3	6	-
3	Surbiton F,H - - -	3,046	15,017	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	12	2	1	-	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L - - -	4,564	23,456	8	3	1	-	-	-	-	-	-	-	-	-	1	-	-
40 : 1	Richmond W,H - - -	2,162	28,865	7	6	-	4	-	-	-	-	-	-	-	-	1	3	-
2	Mortlake F - - -	2,847	20,628	19	5	2	1	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,2H - - -	4,703	27,354	9	7	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H - - -	7,825	28,497	16	8	2	2	-	-	-	-	1	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	8	4	1	3	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H - - -	7,333	16,446	8	6	-	4	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w F,H - - -	8,678	21,151	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - - -	3,854	25,296	12	5	2	2	-	-	-	1	-	-	-	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
24 : 1	Sunbury w - - - -	11,054	18,683	9	8	1	4	-	-	-	-	-	-	-	-	1	-	-
2	Staines W,H - - -	13,277	15,178	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-
25 : 1	Hillingdon W,F,H - -	6,035	13,661	8	8	1	6	-	-	-	-	1	-	-	-	-	-	-
2	Uxbridge H - - -	12,757	8,984	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,F,H - - -	8,066	16,358	10	3	2	1	-	-	-	-	-	-	-	-	-	-	-
26 : 1	Isleworth 3W,2F,H - -	6,859	30,863	13	10	3	4	-	-	-	-	-	-	-	1	1	3	-
2	Twickenham F,H - -	2,421	20,991	15	6	2	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H,L - -	4,319	48,289	20	9	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H- - - -	1,249	29,809	22	9	3	4	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,3H - - -	6,132	48,914	51	21	7	7	-	-	-	-	-	-	-	1	1	1	-
27 : 1	Harrow F,H - - -	13,809	25,523	22	5	1	4	-	1	-	-	-	-	-	-	-	-	-
2	Edgware F,2H - - -	6,994	4,521	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,2F,2H - -	4,384	114,811	78	25	4	6	-	2	2	1	-	-	-	1	1	5	-
4	Hendon W,F - - -	8,382	22,450	10	14	-	5	-	2	1	-	-	-	-	-	-	5	-
28 : 1	South Mimms 2F,H - -	17,755	7,308	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	7	7	-	6	-	-	-	-	-	-	-	-	-	2	-
3	Finchley F,2H - - -	4,688	33,692	18	10	1	6	-	-	-	-	-	-	-	-	2	-	-
29 : 1	Hornsey F,H - - -	2,875	72,056	19	14	4	4	-	1	-	-	-	-	1	-	-	-	-
2	Wood Green H - - -	1,625	34,233	24	8	2	3	-	1	-	-	-	-	-	1	1	1	-
3	West Tottenham F - -	996	48,853	40	15	1	3	-	2	-	-	-	-	-	-	3	-	-
4	East Tottenham 2H - -	2,017	53,688	24	21	8	2	-	1	1	-	1	-	-	-	4	2	-
5	Edmonton W,w,2F - -	7,491	61,892	35	10	1	7	-	-	-	-	-	-	-	-	-	4	-
6	Enfield 2W,F,H - - -	12,601	42,738	24	9	2	2	-	-	-	-	-	-	-	1	2	-	-
7	Waltham Abbey F - -	11,017	6,549	-	2	-	2	-	-	-	-	-	-	1	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
35 : 1	Hatfield, *part of** W - -	3,305	664	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Bushey H - - - -	9,333	9,173	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
38 : 1	Stratford H - - -	1,072	44,827	28	8	4	1	-	-	1	-	-	-	-	-	1	1	-
2	Plaistow F,2H - - -	1,249	90,921	69	28	7	5	-	-	-	2	-	-	-	1	3	3	-
3	Canning Town H - -	1,556	70,718	64	18	6	2	-	-	-	-	1	-	1	2	3	-	-
4	Forest Gate w - - -	806	60,892	27	9	2	3	-	-	-	-	-	-	-	-	1	-	-
5	North East Ham w H -	1,333	58,676	48	9	5	1	-	-	-	-	-	-	-	-	-	-	-
6	South East Ham 2F - -	1,993	37,342	37	16	6	3	-	1	-	1	-	-	-	1	3	1	-
7	Wanstead F - - -	1,679	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	30	17	4	7	-	-	-	-	2	-	-	-	-	7	-
9	North Leyton 2W,w,F -	1,963	48,445	44	29	4	12	-	1	-	-	-	-	-	1	2	16	-
10	Walthamstow 3H,L - -	6,504	108,929	78	19	5	5	-	-	-	-	-	1	-	1	3	-	-
187 : 1	Chigwell, *part of** 2F,3H -	11,778	16,397	5	7	1	4	-	-	-	-	-	-	-	-	1	-	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F -	6,556	6,091	7	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L - - - -	8,496	41,234	31	6	3	3	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town F - -	3,803	21,547	16	4	1	1	-	-	-	1	-	-	-	-	1	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœa
LONDON - -	4,721,217	January 20	2390	1399	15·5	-	52	13	12	21	3	-
CALCUTTA - -	847,796	December 9	-	-	-	-	-	-	-	-	-	-
BOMBAY - -	776,006	January 2	595	621	41·6	7	6	-	-	-	76†	7
MADRAS - -	509,246	December 22	-	-	-	-	-	-	-	-	-	-
PARIS - - -	2,660,559	January 13	987	982	19·1	1	18	1	5	2	4	1
BRUSSELS - -	598,467	" 13	226	206	17·9	-	-	-	3	2	1	-
ANTWERP - -	291,949	" 13	119	73	13·0	-	2	-	-	-	1	-
AMSTERDAM -	557,614	" 6	206	155	16·9	-	5	1	1	3	2	-
COPENHAGEN -	426,000	" 13	211	125	15·2	-	2	-	1	4	-	-
STOCKHOLM -	318,398	" 6	128	93	15·2	-	-	2	-	3	1	-
CHRISTIANIA -	222,373	" 13	124	51	11·9	-	-	-	4	1	1	-
ST. PETERSBURG	1,409,900	December 30	553	640	23·9	3	24	21	15	4	24	6
MOSCOW - -	1,092,360	" 9	-	513	24·5	2	3	7	11	2	14	5
		" 16	-	601	28·7	-	1	7	12	5	8	6
BERLIN - -	2,039,145	" 30	922	595	15·3	-	7	5	4	14	-	2
HAMBURG - -	786,860	January 13	-	290	19·5	-	1	-	2	5	-	1
BRESLAU - -	462,147	" 6	245	151	17·0	-	1	-	2	4	-	9
		" 13	-	190	21·4	-	-	-	2	4	-	5
MUNICH - -	540,000	" 13	-	185	17·8	-	1	2	5	2	-	14
VIENNA - -	1,917,639	" 13	843	675	18·3	-	4	2	14	4	2	31
PRAGUE - -	455,241	December 30	189	173	19·8	-	1	-	1	1	1	10
BUDA-PESTH -	859,134	January 6	359	343	20·8	-	8	4	4	1	-	10
TRIESTE - -	194,749	December 31	152	117	35·6	-	1	-	1	2	1	-
		January 6	109	102	31·0	-	1	1	2	-	-	-
ROME - -	516,580	November 4	237	194	19·6	-	-	-	1	-	7§	16
		" 11	218	163	16·5	-	1	-	-	-	10§	8
VENICE - -	169,417	December 30	78	89	27·4	-	-	-	-	1	2	3
BUCHAREST -	282,071	January 6	122	144	26·6	-	-	-	3	-	1	4
NEW YORK -	4,152,860	December 30	2217	1391	18·0	-	12	6	38	5	7	44
		January 6	2255	1477	18·5	-	16	13	50	4	11	41
CHICAGO - -	1,932,315	December 30	-	525	13·5	-	3	8	14	2	14	2
PHILADELPHIA -	1,438,318	" 23	-	524	18·9	-	6	-	15	4	14	11
BOSTON - -	617,950	" 16	-	185	16·2	-	3	-	2	1	2	2
RIO DE JANEIRO	905,000	" 17	-	330	19·0	-	2	-	-	-	9†	?

* Excluding deaths from croup in the Indian Cities.
† Including 9 deaths from plague in Bombay, and 6 in Rio de Janeiro.
§ Including 2 and 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 20th January, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	49·6	29·1	41·9	1·06	BRADFORD - -	47·6	31·2	40·0	1·81
BRIGHTON - -	49·1	29·3	43·1	0·77	LEEDS - - -	49·0	31·0	41·0	1·06
PORTSMOUTH - -	51·0	31·0	44·0	0·99	HULL - - -	49·0	30·0	39·5	0·84
NORWICH - -	48·0	31·8	40·7	1·06	TYNEMOUTH - -	49·0	30·0	39·4	0·74
PLYMOUTH - -	52·7	31·4	44·6	1·26	CARDIFF - -	50·9	25·0	41·9	2·23
BRISTOL - - -	50·6	27·6	42·3	1·04	EDINBURGH - -	?	31·8	?	0·74
BIRMINGHAM - -	46·8	30·1	39·1	0·98	GLASGOW - -	49·6	31·8	39·7	0·95
NOTTINGHAM - -	48·6	27·8	39·9	0·75	DUBLIN Phœnix Park.	49·7	28·9	38·5	1·61
LIVERPOOL OBSERVATORY.	48·0	33·0	40·8	1·29	DUBLIN Fitzwilliam Square.†	51·5	31·9	40·6	1·46
MANCHESTER -	47·8	28·8	39·0	1·75					
PRESTON - -	48·2	31·5	39·9	1·72					
HUDDERSFIELD -	47·7	30·5	38·8	1·45	BELFAST - -	49·6	32·0	39·1	0·75

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
JANUARY.			in.	°	°	°	°		°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	14	..	29·968	49·1	37·1	12·0	43·6	+ 5·4	37·7	5·9	8·0	4·6	80	69·4	30·8	43·71	WSW.	WSW. & SW.	4·6	0·0	0·7	495	+173	0·00	7·0
MONDAY -	15	..	29·684	47·4	42·1	5·3	44·5	+ 6·2	38·4	6·1	9·0	3·2	79	80·0	36·0	43·61	SW. & SSW.	SSW. & SW.	11·0	0·0	1·0	523	+199	0·03	10·0
TUESDAY -	16	In Equator	29·674	48·8	38·1	10·7	44·5	+ 6·0	38·6	5·9	8·4	2·3	80	69·0	34·0	43·67	SW., WSW. & SSW.	SW. & SSW.	13·5	0·0	1·2	605	+279	0·61	6·0
WEDNESDAY	17	Last Quarter.	29·842	48·1	39·8	8·3	42·7	+ 4·2	35·0	7·7	11·2	2·1	74	64·2	36·0	43·57	WSW.	WSW., SW. & SSW.	7·0	0·0	0·5	447	+119	0·12	7·0
THURSDAY-	18	..	29·333	49·6	38·8	10·8	44·4	+ 5·9	38·8	5·6	11·6	2·2	81	59·2	34·2	43·57	SSW. & SW.	WSW. & WNW.	19·4	0·0	1·8	687	+357	0·29	3·0
FRIDAY -	19	..	30·017	42·9	35·4	7·5	39·4	+ 0·9	29·9	9·5	11·7	4·8	69	63·0	29·0	43·60	W. & NNW.	NNW. & N.	12·0	0·0	0·9	458	+127	0·00	0·0
SATURDAY -	20	Perigee	30·312	39·9	29·1	10·8	35·2	- 3·2	28·7	6·5	8·7	1·4	77	56·0	21·0	43·37	NNW., N. & WSW.	WSW. & SW.	5·0	0·0	0·4	349	+ 17	0·01	0·5
MEANS	-		29·833	46·5	37·2	9·3	42·0	+ 3·6	35·3	6·7	9·8	2·9	77	65·8	31·6	43·59	SW. & NNW.		..	..	..	Sum 3564	Sum +1271	Sum 1·06	4·8
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	14	w. P. generally; m. P. in afternoon.	5·8	8·2	Cloudless with slight hoar frost in morning; very fine with small amounts of cloud till evening; cloudy at night.
MONDAY -	15	w. P. generally till 7h. P.M.; v. N. till 9h. P.M.; w.P. afterwards.	4·1	8·2	Fine and partially cloudy till 2h. P.M.; generally overcast afterwards with slight rain in evening; gusty wind. Solar halo observed in afternoon.
TUESDAY -	16	w. P. generally till 10h A.M.; w.P. and w. N. afterwards.	2·6	8·3	Very fine generally till noon; generally overcast afterwards with frequent rain after 7h. P.M.; strong gusty wind prevalent after 10h. A.M.
WEDNESDAY	17	v.P. and v.N. till 3h. A.M.; w.P. till 8h.A.M.; m. P. afterwards.	5·3	8·4	Very fine generally; partially cloudy; occasional rain Solar halo observed in afternoon.
THURSDAY-	18	w.P. till 6h. A.M.; w. P. and w.N. till noon; v. P. and v. N. till 9h. P.M.; s.P. afterwards.	0·6	8·4	Generally overcast with occasional fine intervals; frequent heavy showers; a gale of wind prevalent between 8h. A.M. and 10h. P.M.
FRIDAY -	19	m. P. till 7h. A.M.; s. P. afterwards.	5·1	8·4	Very fine generally; the amount of cloud was usually small; gusty wind between 8h. A.M. and 4h. P.M.
SATURDAY-	20	m.P till 5h. A.M.; s. P. till 8h. P.M.; v. P. generally afterwards.	0·2	8·5	Cloudless with hoar frost in morning; generally cloudy afterwards; slight rain and brisk wind after 9h. P.M.
			Sum 23·7	Sum 58·4	
No. of Col -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and – "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·73 in. at the beginning of the week to 29·99 in. by 11h. A.M. on the 14th; decreased to 29·54 in. by 9h. P.M. on the 15th; increased to 29·78 in. by 9h. A.M. on the 16th; decreased to 29·52 in. by 11h. P.M. on the same day; increased to 29·92 in. by 6h. P.M. on the 17th; decreased to 29·19 in. by 3h. P.M. on the 18th; increased to 30·40 in. by 10h. A.M. on the 20th; and decreased to 30·06 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 13th January, 1906.*

BOROUGHS.	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	3	2	-	1	-	-	1	-
Kensington	180,952	-	2	5	-	1	-	-	1	-
Hammersmith	120,679	-	4	1	-	-	-	-	1	-
Fulham	161,965	-	4	10	-	-	-	-	3	1
Chelsea	74,672	-	1	5	-	-	-	-	-	-
City of Westminster	173,905	-	6	4	-	1	-	-	2	1
NORTH.										
St. Marylebone	128,580	-	2	-	-	-	-	-	3	-
Hampstead	89,633	-	3	2	-	-	-	-	2	-
St. Pancras	236,455	-	17	7	-	2	-	-	5	2
Islington	344,987	-	21	4	-	1	-	-	5	-
Stoke Newington	53,217	-	3	-	-	-	-	-	1	-
Hackney	230,721	-	20	6	-	1	-	-	9	1
CENTRAL.										
Holborn	55,805	-	3	-	-	-	-	-	2	-
Finsbury	97,466	-	3	2	-	-	-	-	1	-
City of London	21,367	-	3	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	9	2	-	-	-	-	2	-
Bethnal Green	130,609	-	5	8	-	1	-	-	3	-
Stepney	307,176	-	20	7	-	2	-	-	4	-
Poplar	170,673	-	13	7	-	1	-	-	6	-
SOUTH.										
Southwark	209,143	-	13	7	-	2	-	-	5	-
Bermondsey	128,629	1	25	6	-	1	-	-	1	-
Lambeth	315,774	-	18	6	-	-	-	-	4	-
Battersea	179,622	-	18	6	-	1	-	-	6	-
Wandsworth	273,381	-	26	5	-	3	-	-	5	-
Camberwell	274,132	-	21	5	-	1	-	-	10	-
Deptford	115,495	-	5	2	-	1	-	-	5	-
Greenwich	105,350	-	5	2	-	4	-	-	1	1
Lewisham	148,463	-	9	4	-	-	-	-	2	-
Woolwich	127,345	-	4	2	-	-	-	-	2	1
Port of London	—	-	-	-	-	-	-	-	1	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	1	286	117	-	24	-	-	93	7
Ages 0-1		-	3	1	-	-	-	-	6	-
" 1-5		-	80	42	-	2	-	-	4	-
" 5-		-	115	42	-	3	-	-	2	-
" 10-		-	44	14	-	4	-	-	2	-
" 15-		-	19	3	-	2	-	-	5	-
" 20-		-	14	5	-	3	-	-	5	2
" 25-		1	8	7	-	4	-	-	12	4
" 35-		-	2	3	-	4	-	-	16	1
" 45-		-	1	-	-	2	-	-	15	-
" 55-		-	-	-	-	-	-	-	12	-
" 65 and upwards		-	-	-	-	-	-	-	13	-
Age not stated		-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 4. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JAN. 27. [Price 1½*d.*

General Register Office, Somerset House,

January 29th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·9 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 18·3, 16·7, and 15·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·8 in Stockton on Tees, 21·1 in Liverpool, 21·5 in Stockport, 21·6 in Sunderland, 22·2 in Tynemouth, 23·8 in Great Yarmouth, and 24·6 in Preston; from *measles*, 1·3 in Aston Manor, 1·6 in Wolverhampton and in Leeds, and 2·7 in Preston; from *scarlet fever*, 1·4 in West Hartlepool; from *diphtheria*, 1·2 in Hornsey and 1·4 in Merthyr Tydfil; from *whooping-cough*, 1·2 in Birmingham, 1·5 in Burnley, 1·8 in Leicester, 1·9 in Aston Manor, and 2·1 in Stockport; and from "*fever*," 1·5 in West Bromwich. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2451 BIRTHS and 1382 DEATHS were registered. Allowing for increase of population, the births were 146 and the deaths 293 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 19·4, 17·5, and 15·5 per 1000 in the preceding three weeks, further fell last week to 15·3. The death-rate in the four weeks ended on Saturday last averaged 16·9 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 1/06 D & S 3 23563

The 1382 deaths included 44 from measles, 10 from scarlet fever, 22 from diphtheria, 37 from whooping-cough, 3 from enteric fever, and 19 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 135 deaths were referred to these diseases in the aggregate, being 8 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 64, 53, and 52 in the preceding three weeks, further fell to 44 last week, but were 4 above the corrected average; 8 deaths belonged to the Borough of Islington, 8 to Camberwell, 5 to Stepney, and 4 each to Southwark and Battersea. The deaths from *scarlet fever*, which had been 9, 17, and 13 in the preceding three weeks, fell to 10 last week, the corrected average being 9. The deaths from *diphtheria*, which had been 13, 11, and 12 in the preceding three weeks, rose to 22 last week, the corrected average being 21; 5 deaths belonged to Camberwell, and 3 each to Stepney and Wandsworth. The deaths from *whooping-cough*, which had been 33, 32, and 21 in the preceding three weeks, rose to 37 last week, but were 9 below the corrected average; 5 deaths belonged to Hackney, 4 to Stepney, and 3 each to St. Pancras, Shoreditch, and Bethnal Green. The fatal cases of *enteric fever*, which had been 6, 3, and 3 in the preceding three weeks, were 3 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 10, 11, and 8 in the preceding three weeks, rose to 19 last week, and were 4 above the corrected average. Of the 19 deaths from diarrhœa, 14 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 12, having been 15, 20, and 9 in the preceding three weeks.

Different forms of *violence* caused 56 deaths, concerning all but 1 of which inquests were held. Of these 56 deaths, 5 were cases of suicide, and 2 of homicide, while the remaining 49 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 6 to conflagrations, 4 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 10 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2983 cases of scarlet fever, 841 of diphtheria, and 84 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 322 cases, against 291, 257, and 328; of diphtheria, 135 cases, against 92, 111, and 143; and of enteric fever, 16 cases, against 19, 11, and 15. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 20th, 1906.

Greater London.

In Greater London 3716 births and 1943 deaths were registered. Allowing for increase of population, these numbers are 212 and 384 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 1 from scarlet fever, 7 from diphtheria, 3 from whooping-cough, and 4 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·08 inches, and that of the Thermometer 40°·4, the latter being 1°·7 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 4 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 5·8 hours; the measured rainfall amounted to 0·49 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 27th January, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 6th Jan., 1906.	13th Jan., 1906.	20th Jan., 1906.	27th Jan., 1906.	Rate from Diseases in Cols. 11-17. Week ended 27th January, 1906.	Registered during the Week ended 27th Jan., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**18·3**	**16·7**	**15·8**	**15·9**	**1·3**	**8891**	**4834**	**1079**	**1454**	**-**	**93**	**46**	**73**	**110**	**18**	**45**	**190**	**412**	**1228**	**48**	**76 TOWNS.**
LONDON - - -	4,721,217	19·4	17·5	15·5	15·3	1·5	2451	1382	257	430	-	44	10	22	37	3	19	56	130	554	3	LONDON.
CROYDON - -	151,011	13·5	13·1	16·2	13·5	0·7	66	39	8	12	-	-	1	-	1	-	-	1	7	13	-	CROYDON.
WILLESDEN - -	143,622	20·0	11·6	9·4	13·4	0·4	105	37	13	10	-	-	-	1	-	-	-	2	2	7	-	WILLESDEN.
HORNSEY - -	86,935	10·2	7·8	9·6	11·4	1·2	26	19	4	7	-	-	-	2	-	-	-	-	1	2	-	HORNSEY.
TOTTENHAM - -	119,503	20·5	11·3	16·1	15·3	1·3	75	35	9	9	-	2	1	-	-	-	-	1	7	5	-	TOTTENHAM.
WEST HAM - -	301,617	18·8	14·2	13·7	9·2	0·9	187	53	11	12	-	-	1	2	2	-	-	2	3	14	-	WEST HAM.
EAST HAM - -	129,886	9·6	11·6	10·8	13·2	1·6	54	33	8	7	-	1	2	1	-	-	-	1	5	2	-	EAST HAM.
LEYTON - - -	118,287	15·9	10·1	10·1	12·8	1·3	71	29	5	11	-	1	1	1	-	-	-	-	1	9	1	LEYTON.
WALTHAMSTOW -	121,334	9·0	10·3	7·3	12·9	0·9	70	30	11	6	-	-	-	1	-	-	1	1	3	8	-	WALTHAMSTOW.
HASTINGS - - -	67,144	12·4	13·2	19·4	18·6	-	22	24	5	9	-	-	-	-	-	-	-	1	1	5	-	HASTINGS.
BRIGHTON - -	128,095	19·1	19·5	13·8	15·9	-	43	39	4	15	-	-	-	-	-	-	-	-	-	8	-	BRIGHTON.
PORTSMOUTH - -	205,118	16·8	13·7	9·4	15·3	0·5	95	60	12	19	-	-	-	2	-	-	-	2	6	7	2	PORTSMOUTH.
BOURNEMOUTH -	67,702	16·9	16·9	15·4	10·8	-	18	14	1	6	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON -	117,312	15·6	15·1	13·3	15·6	0·4	50	35	5	10	-	-	-	-	1	-	-	1	5	7	-	SOUTHAMPTON.
READING - - -	78,987	11·2	15·2	17·8	14·5	1·3	27	22	3	10	-	-	-	-	1	-	1	-	-	4	-	READING.
NORTHAMPTON -	93,749	11·1	6·1	12·8	10·0	0·6	48	18	5	5	-	-	-	-	-	-	1	1	1	3	-	NORTHAMPTON.
IPSWICH - - -	71,809	17·4	18·9	18·2	13·1	-	38	18	7	6	-	-	-	-	-	-	-	1	1	3	-	IPSWICH.
GREAT YARMOUTH -	52,613	16·8	16·8	17·8	23·8	1·0	28	24	2	14	-	-	-	-	-	1	-	-	2	5	-	GREAT YARMOUTH.
NORWICH - -	117,958	13·3	15·9	12·8	15·0	-	73	34	4	19	-	-	-	-	-	-	-	1	2	9	-	NORWICH.
PLYMOUTH - -	118,014	15·9	15·0	17·2	16·8	1·3	50	38	11	15	-	-	-	1	2	-	-	1	5	2	-	PLYMOUTH.
DEVONPORT -	78,405	16·0	18·0	17·3	16·6	0·7	46	25	6	3	-	-	-	-	1	-	-	-	2	-	-	DEVONPORT.
BRISTOL - - -	363,223	20·5	19·1	17·2	15·2	0·9	164	106	22	45	-	2	-	1	3	-	-	3	9	24	-	BRISTOL.
HANLEY‡ - - -	66,300	21·2	15·7	14·9	16·5	1·6	49	21	5	6	-	-	-	1	-	-	1	2	3	5	-	HANLEY.‡
BURTON-ON-TRENT	52,922	16·7	11·8	8·9	17·7	-	26	18	5	7	-	-	-	-	-	-	-	-	1	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	100,729	17·6	14·0	11·4	15·0	2·1	55	29	8	7	-	3	-	-	1	-	-	-	3	3	1	WOLVERHAMPTON.
WALSALL - - -	94,577	13·2	14·9	12·7	15·4	0·6	64	28	6	8	-	-	-	-	-	1	-	3	3	7	-	WALSALL.
HANDSWORTH -	63,819	14·7	13·1	14·7	13·9	-	31	17	6	6	-	-	-	-	-	-	-	-	-	1	-	HANDSWORTH.
WEST BROMWICH -	68,469	20·6	22·1	15·2	16·0	2·3	43	21	3	7	-	-	-	1	-	2	-	3	3	5	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 27th January, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 6th Jan., 1906.	13th Jan., 1906.	20th Jan., 1906.	27th Jan., 1906.	Rate from Diseases in Cols. 11-17. Week ended 27th January, 1906.	Registered during the Week ended 27th Jan., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	17·9	16·6	20·2	17·9	1·9	359	188	47	52	-	1	1	3	13	1	1	7	12	44	2	BIRMINGHAM.
KINGS NORTON -	72,608	11·5	13·6	8·6	11·5	0·7	29	16	5	6	-	1	-	-	-	-	-	-	1	-	2	KINGS NORTON.
SMETHWICK - -	64,531	24·2	16·2	5·7	8·1	-	38	10	2	2	-	-	-	-	-	-	-	1	1	1	-	SMETHWICK.
ASTON MANOR -	82,288	17·7	19·6	12·7	11·4	3·2	42	18	6	4	-	2	-	-	3	-	-	-	-	1	1	ASTON MANOR.
COVENTRY - -	76,374	15·0	19·8	12·3	14·3	0·7	50	21	5	7	-	-	-	-	1	-	-	-	1	1	-	COVENTRY.
LEICESTER - -	232,111	17·7	17·7	13·7	14·8	2·5	105	66	22	12	-	-	1	2	8	-	-	3	7	8	-	LEICESTER.
GRIMSBY - - -	69,359	16·5	11·3	11·3	12·0	-	38	16	5	5	-	-	-	-	-	-	-	1	1	1	-	GRIMSBY.
NOTTINGHAM - -	254,563	19·9	18·2	16·6	17·6	0·6	133	86	27	25	-	-	-	-	-	1	2	3	4	17	-	NOTTINGHAM.
DERBY - - -	123,981	14·7	10·1	15·6	15·1	0·8	77	36	6	16	-	-	-	2	-	-	-	-	5	9	-	DERBY.
STOCKPORT - -	99,646	16·7	17·8	16·2	21·5	2·1	65	41	14	10	-	-	-	-	4	-	-	1	3	6	-	STOCKPORT.
BIRKENHEAD - -	117,292	20·0	14·7	14·2	15·6	0·9	76	35	7	10	-	-	1	-	-	-	1	-	2	7	-	BIRKENHEAD.
WALLASEY - -	64,578	17·8	9·7	18·6	13·7	-	37	17	2	3	-	-	-	-	-	-	-	2	2	3	-	WALLASEY.
LIVERPOOL† - -	739,180	23·9	21·2	20·2	21·1	1·9	518	299	81	87	-	9	5	3	6	-	4	12	21	92	5	LIVERPOOL.†
BOOTLE† - - -	65,989	23·7	11·9	17·4	19·0	1·6	41	24	12	3	-	-	-	1	1	-	-	1	1	5	1	BOOTLE.†
ST. HELENS - -	91,153	15·4	23·5	17·7	17·2	-	61	30	9	6	-	-	-	-	-	-	-	3	3	5	3	ST. HELENS.
WIGAN - - -	87,588	19·1	17·3	14·9	16·1	-	57	27	7	4	-	-	-	-	-	-	-	2	4	4	-	WIGAN.
WARRINGTON - -	69,280	19·6	19·6	18·8	18·1	-	50	24	8	7	-	-	-	-	-	-	-	-	-	2	3	WARRINGTON.
BOLTON - - -	180,502	14·4	13·9	12·7	15·6	0·6	101	54	9	20	-	-	-	-	-	1	1	2	4	7	-	BOLTON.
BURY - - -	58,744	24·9	19·5	15·1	18·6	0·9	27	21	3	8	-	1	-	-	-	-	-	1	1	3	1	BURY.
MANCHESTER - -	637,126	17·4	17·5	15·8	17·4	1·2	394	212	49	60	-	1	3	2	5	2	2	11	24	67	2	MANCHESTER.
SALFORD - - -	234,077	18·0	14·5	18·0	18·9	1·3	130	85	18	21	-	-	1	2	2	1	-	-	6	21	-	SALFORD.
OLDHAM - - -	140,969	15·2	14·4	18·9	14·4	1·5	71	39	7	6	-	-	2	1	1	-	-	1	2	5	-	OLDHAM.
ROCHDALE - -	87,189	14·4	16·7	13·2	12·6	0·6	34	21	6	7	-	-	-	-	1	-	-	-	-	6	1	ROCHDALE.
BURNLEY - - -	102,808	23·3	25·9	18·8	19·3	2·5	71	38	11	10	-	-	-	-	3	-	2	2	2	4	-	BURNLEY.
BLACKBURN - -	134,015	17·5	19·1	14·8	19·8	0·8	65	51	7	17	-	1	-	-	-	-	1	2	2	8	3	BLACKBURN.
PRESTON - - -	116,399	30·5	22·0	28·2	24·6	3·6	68	55	11	19	-	6	-	-	-	1	1	1	2	13	-	PRESTON.
BARROW-IN-FURNESS.	60,967	17·1	13·7	15·4	13·7	1·7	31	16	5	3	-	-	-	-	-	1	1	-	1	2	-	BARROW-IN-FURNESS.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 6th Jan., 1906.	13th Jan., 1906.	20th Jan., 1906.	27th Jan., 1906.	Rate from Diseases in Cols. 11-17. Week ended 27th January, 1906.	Registered during the Week ended 27th Jan., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	22·5	17·6	18·1	14·8	-	59	27	1	13	-	-	-	-	-	-	-	2	3	4	-	Huddersfield.
Halifax	109,272	18·6	18·1	13·8	17·2	1·0	32	36	4	15	-	-	1	1	-	-	-	-	2	11	-	Halifax.
Bradford	288,544	19·9	15·7	15·2	15·5	0·9	146	86	16	31	-	1	2	-	1	-	1	2	8	24	1	Bradford.
Leeds	463,495	21·5	18·6	16·9	17·0	2·6	256	151	43	33	-	14	-	5	3	-	1	4	9	20	-	Leeds.
Sheffield	447,951	15·8	13·3	16·3	14·3	1·4	260	123	27	44	-	-	8	2	1	-	1	7	8	23	3	Sheffield.
Rotherham	61,098	17·9	13·7	10·2	17·1	1·7	56	20	6	7	-	-	1	-	-	1	-	1	1	3	1	Rotherham.
York	83,467	16·2	14·4	11·2	13·1	1·2	45	21	5	7	-	-	1	-	-	1	-	-	2	6	-	York.
Hull	262,426	16·7	14·3	18·5	17·5	0·8	180	88	22	26	-	-	-	4	-	-	-	7	13	19	-	Hull.
Middlesbrough	100,069	19·8	18·2	16·7	19·3	0·5	74	37	10	8	-	-	-	1	-	-	-	4	5	6	-	Middlesbrough.
Stockton-on-Tees	52,664	13·9	10·9	17·8	20·8	2·0	47	21	6	6	-	-	-	1	1	-	-	1	5	2	-	Stockton-on-Tees.
West Hartlepool	73,387	13·5	10·7	15·6	15·6	2·1	36	22	3	6	-	-	2	-	1	-	-	1	3	4	-	West Hartlepool.
Sunderland	154,385	17·9	21·3	24·3	21·6	1·4	110	64	11	21	-	1	-	2	1	-	-	2	3	9	3	Sunderland.
South Shields	111,402	16·9	21·1	14·0	17·8	0·5	80	38	14	8	-	-	-	-	1	-	-	-	-	4	3	South Shields.
Gateshead	123,191	16·1	17·4	16·9	12·7	1·7	83	30	6	9	-	-	-	-	2	1	1	1	2	1	4	Gateshead.
Newcastle-on-Tyne	268,721	16·7	16·5	17·1	14·9	0·8	157	77	12	25	-	1	-	1	2	-	-	6	9	12	-	Newcastle-on-Tyne.
Tynemouth	54,138	21·2	22·2	12·5	22·2	1·0	46	23	8	5	-	-	-	-	-	-	1	3	4	2	-	Tynemouth.
Newport (Mon.)	74,227	19·7	16·9	21·1	19·0	1·4	62	27	8	5	-	-	1	1	-	-	-	2	3	4	-	Newport (Mon.).
Cardiff	183,823	17·9	13·6	13·6	13·9	-	106	49	13	11	-	-	-	-	-	-	-	1	4	8	-	Cardiff.
Rhondda	127,684	9·0	13·5	16·7	17·2	0·8	98	42	12	9	-	-	-	1	-	-	1	3	4	-	-	Rhondda.
Merthyr Tydfil	74,961	16·7	24·3	19·5	17·4	1·4	62	25	8	5	-	-	-	2	-	-	-	3	4	1	1	Merthyr Tydfil.
Swansea	96,848	12·9	16·7	22·1	17·8	0·5	53	33	7	9	-	1	-	-	-	-	-	1	2	7	-	Swansea.
Greater London	7,113,561	17·9	15·7	14·4	14·2	1·3	3716	1943	397	592	-	57	17	37	43	3	24	72	178	654	7	Greater London.
Outer Ring	2,392,344	14·9	12·2	12·2	12·2	1·0	1265	561	140	162	-	13	7	15	6	-	5	16	48	100	4	Outer Ring.
8 Towns in Outer Ring	1,172,195	15·5	11·9	12·1	12·2	1·0	654	275	69	74	-	4	6	8	3	-	1	8	29	60	1	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	14·3	12·6	12·4	12·2	1·0	611	286	71	88	-	9	1	7	3	-	4	8	19	40	3	Remainder of Outer Ring.
Edinburgh	341,035	17·1	17·6	18·3	20·3	0·8	152	133	16	47	-	1	-	2	1	-	1	7	?	49	7	Edinburgh.
Glasgow	835,625	20·9	19·0	18·7	18·5	2·9	466	296	63	59	-	25	1	8	4	2	7	13	?	90	12	Glasgow.
Dublin†	378,994	21·7	21·7	20·1	21·2	0·7	220	154	23	51	-	-	-	1	1	-	3	8	8	70	6	Dublin.†
Belfast†	358,680	21·4	19·3	19·6	23·3	1·3	236	160	31	36	-	-	1	-	3	2	3	1	4	31	4	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FOURTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2452	2715	2639	2686	2634	2713	2467	2652	2434	2637	2596·8	2451
Males - - -	1228	1419	1322	1360	1329	1355	1247	1343	1236	1287	1303·0	1243
Females - -	1224	1296	1317	1326	1305	1358	1220	1309	1198	1350	1293·8	1208
TOTAL **Deaths** -	1582	1702	1764	1381	1950	1568	1571	1569	1734	1700	1675·3	1382
Males - -	808	843	876	698	1009	777	808	801	853	857	845·8	713
Females - -	774	859	888	683	941	791	763	768	881	843	829·5	669

* The numbers in this column are the average weekly numbers in the fourth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	13 Weeks.
TOTAL **Births** -	2494	2485	2298	2366	2275	2462	2279	2488	1807	2788	2705	2390	2451	31288
TOTAL **Deaths** -	1494	1489	1552	1739	1623	1460	1725	1746	1602	1756	1585	1399	1382	20552
Ages at Death: Under 1 year -	273	298	302	352	341	335	333	382	328	336	304	299	257	4140
1—5 years -	146	156	183	205	209	201	229	281	222	217	185	170	171	2575
5—20 ,, -	77	71	73	82	76	75	79	64	69	91	63	56	87	963
20—40 ,, -	177	197	197	197	174	159	184	147	151	208	195	129	179	2285
40—60 ,, -	320	315	344	361	316	266	365	343	309	356	307	271	267	4140
60 yrs. & upwds.	501	452	453	542	507	424	535	529	523	548	531	474	430	6449
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	34	47	54	48	53	46	58	60	59	64	53	52	44	672
Scarlet Fever - -	17	13	8	6	18	13	20	18	12	9	17	13	10	174
Diphtheria - -	13	9	19	10	5	21	11	18	17	13	11	12	22	181
Whooping-cough -	19	13	20	24	25	25	28	38	34	33	32	21	37	349
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	7	8	3	3	4	2	2	5	6	3	3	3	54
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	21	27	13	11	16	14	13	18	19	10	11	8	19	200
All above Diseases -	109	116	122	102	120	123	132	154	146	135	127	109	135	1630
Dis. of Resp. System	177	209	187	282	245	192	274	254	241	225	193	148	174	2801
Pneumonia - -	163	174	214	208	233	184	186	262	185	229	177	151	119	2485
Phthisis - - -	129	145	136	161	130	132	191	151	150	163	144	128	147	1912
Dis. of Circ. System -	211	196	200	229	243	188	215	212	186	236	217	200	161	2694
Violence - - -	65	48	68	70	77	59	56	58	56	76	63	61	56	813
Inquest Cases - -	168	109	170	169	191	130	144	174	168	215	178	151	130	2097
Deaths in Institutions	551	591	606	636	606	509	612	610	577	608	563	498	554	7521
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	47·3	43·1	39·1	38·5	42·9	43·8	36·6	43·2	39·5	41·3	43·1	42·0	40·4	41·6
Mean of Highest -	53·8	50·2	42·8	44·4	47·6	48·2	41·6	46·2	43·5	45·2	48·7	46·5	44·3	46·4
Mean of Lowest -	41·1	36·1	35·7	30·9	35·9	39·1	32·4	38·7	33·7	38·0	37·6	37·2	35·3	36·3
Mean Humidity of the Air.	86	91	87	84	87	90	92	82	92	81	82	77	83	86
Rain-fall (in inches) -	1·60	0·65	0·64	0·17	0·61	0·31	0·02	0·00	0·24	0·95	1·29	1·06	0·49	7·94
Registered Sunshine (in hours).	15·5	16·9	9·3	17·9	6·8	9·5	4·0	4·7	4·3	2·5	17·5	23·7	5·8	138·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	4200	4154	4120	4127	4021	3888	3670	3409	3446	3299	3062	3066	2983	3650
Diphtheria - -	804	786	790	755	725	727	713	670	701	728	748	800	841	753
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	160	157	154	132	115	102	92	82	78	87	91	87	84	109

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FOURTH Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting

CAUSES OF DEATH.	Corrected Average for the 4th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1675·3	1382	257	171	87	170	267	430
Small-pox*	8·9	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	39·5	44	8	32	4	-	-	-
Scarlet Fever	8·9	10	-	7	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	20·1	12	-	1	2	2	1	6
Whooping-cough	45·9	37	16	19	2	-	-	-
Diphtheria	20·9	22	2	14	5	-	-	1
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·3	3	-	-	1	1	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	2·8	4	3	1	-	-	-	-
Diarrhœa, Dysentery	12·2	15	8	2	-	-	2	3
Tetanus	1·0	2	2	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	8·4	7	5	-	-	2	-	-
Puerperal Septicæmia	5·4	3	-	-	-	2	1	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	1·0	-	-	-	-	-	-	-
Infective Endocarditis	1·8	1	-	-	-	1	-	-
Pneumonia: Lobar	14·5	13	1	2	1	1	3	5
Pneumonia: Broncho-	67·8	57	20	18	1	1	6	11
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	75·7	49	5	8	3	9	8	16
Erysipelas	4·3	6	3	-	-	2	1	-
Septicæmia (not Puerperal)	0·3	1	-	-	-	-	1	-
Pyæmia (not Puerperal)	1·3	2	2	-	-	-	-	-
Other Infective Processes	8·9	9	-	1	-	2	-	6
Tuberculous Phthisis	78·0	80	1	3	6	27	32	9
"*Phthisis*"	82·8	67	-	-	6	39	19	3
Tuberculous Meningitis	23·2	30	6	22	2	-	-	-
Tuberculous Peritonitis	5·4	9	4	3	1	-	-	1
Tabes Mesenterica	3·3	2	1	1	-	-	-	-
Tuberculous Dis. (other)	16·8	14	3	6	3	1	-	1
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	12·0	10	-	-	-	6	4	-
Rheumatic Fever	7·1	3	-	-	2	1	-	-
Gout	3·3	-	-	-	-	-	-	-
Carcinoma	44·3	51	-	-	-	-	23	28
Sarcoma	5·9	7	-	-	1	-	5	1
Cancer (undefined)	30·6	27	-	-	-	1	15	11
Diabetes Mellitus	11·0	10	-	-	1	1	2	6
Premature Birth	41·8	37	37	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 4th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	13·3	13	2	5	4	1	-	1
Insanity, Gen. Par. of Insane	24·0	18	-	-	1	9	5	3
Epilepsy	6·4	3	-	-	-	1	1	1
Convulsions	23·7	16	14	2	-	-	-	-
Locomotor Ataxy	2·3	1	-	-	-	-	1	-
Paraplegia, Dis. of Cord	4·1	6	-	-	1	2	-	3
Nervous Sys. (other dis.)	24·5	24	1	-	3	2	6	12
Valv. Dis., Endocarditis	43·8	41	-	-	6	7	12	16
Cerebr. Hæm. Thromb.	32·6	30	-	-	-	3	4	23
Apoplexy, Hemiplegia	25·0	9	-	-	-	-	3	6
Aneurysm	6·4	1	-	-	-	1	-	-
Embolism, Thrombosis (not cerebral)	1·0	3	-	-	1	-	1	1
Heart & Blood Vessel Dis.	111·4	77	-	-	3	7	20	47
Croup (not Spasm : nor Memb.)	0·3	1	-	1	-	-	-	-
Bronchitis	222·0	152	27	6	2	7	30	80
Asthma, Emphysema	11·2	5	-	-	-	1	3	1
Pleurisy	4·6	6	-	1	1	2	1	1
Respiratory Dis. (other)	18·1	10	1	2	2	1	1	3
Tonsillitis, Quinsy	1·5	-	-	-	-	-	-	-
Enteritis (not Epid.)	7·9	6	3	-	-	-	2	1
Gastro-Enteritis	3·3	5	4	1	-	-	-	-
Peritonitis (not Puerp.)	3·6	6	3	-	-	-	2	1
Cirrhosis of Liver	12·0	13	-	-	-	1	8	4
Liver Dis. (other)	7·1	3	-	-	-	-	-	3
Digestive Dis., Other	43·6	28	5	-	3	5	6	9
Nephritis, Acute	8·4	7	-	-	1	1	3	2
Bright's Dis., Albuminuria	40·0	35	-	-	-	4	16	15
Urinary Sys., Other Dis.	11·0	11	-	-	-	1	2	8
Generative Organs Dis.	3·3	9	-	-	-	5	3	1
Childbirth (Accid. of)	4·3	4	-	-	1	2	1	-
Old Age	64·0	61	-	-	-	-	-	61
Other Diseases	100·5	78	57	6	2	3	1	9
ACCIDENT.								
By Railways	2·3	-	-	-	-	-	-	-
By Vehicles and Horses	5·4	5	-	1	1	-	3	-
In Ships, Boats, Docks, (exclusive of Drowning)	1·0	-	-	-	-	-	-	-
In Building Operations	0·8	1	-	-	-	1	-	-
In Conflagrations	1·0	6	1	3	2	-	-	-
By Burns, Scalds, Explosions	11·5	4	-	2	1	-	-	1
By Drowning	3·6	2	-	-	2	-	-	-
By Suffocation in Bed	15·5	10	10	-	-	-	-	-
By Poisons or Poisonous Vapours	1·5	2	1	-	-	1	-	-
Other Deaths by Accident	19·4	19	1	1	2	1	5	9
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·5	2	-	-	2	-	-	-
Suicide	8·9	5	-	-	-	2	3	-
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 27th January, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2451	1382	257	430	-	44	10	22	37	-	3	-	19	56	130	554
WEST DISTRICTS	805,311	380	243	48	79	-	2	-	4	6	-	1	-	3	12	23	106
NORTH DISTRICTS	1,056,070	484	284	43	102	-	9	3	1	7	-	1	-	3	10	20	101
CENTRAL DISTRICTS	209,465	110	73	12	15	-	-	-	1	4	-	-	-	1	4	5	40
EAST DISTRICTS	715,739	465	257	57	72	-	9	1	1	10	-	1	-	2	18	43	119
SOUTH DISTRICTS	1,749,844	1012	489	97	154	-	24	4	15	9	-	-	-	10	12	38	152
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	36	-	8	-	-	2	-	1	-	-	-	-	-	1	36
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	51	30	6	15	-	-	-	2	1	-	-	-	-	2	4	9
St. John Paddington *H*	33,617	9	12	2	3	-	-	-	-	1	-	-	-	-	-	-	8
North-West Paddington	17,181	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	59	46	11	22	-	-	-	1	2	-	-	-	-	2	3	27
Brompton *2H*	48,591	17	8	1	2	-	-	-	-	-	-	-	-	-	-	1	3
North Hammersmith *W,wH*	49,192	35	12	1	5	-	-	-	-	1	-	-	-	-	-	3	-
South Hammersmith *w,2H*	63,047	23	16	4	4	-	1	-	1	-	-	1	-	1	1	1	5
North-west Fulham *W*	45,180	43	31	10	5	-	1	-	-	-	-	-	-	1	1	3	19
North-east Fulham *F*	46,405	30	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
South Fulham *W*	45,704	23	5	2	-	-	-	-	-		-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	19	23	1	9	-	-	-	-	-	-	-	-	1	1	1	17
Chelsea South *W,2H*	31,328	23	13	3	4	-	-	-	-	-	-	-	-	-	-	-	3
Mayfair and Knightsbridge	28,743	1	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	16	17	4	3	-	-	-	-	-	-	-	-	-	-	1	8
St. Margaret & St. John *4H*	43,698	20	11	-	1	-	-	-	-	-	-	-	-	-	2	3	6
St. James Westminster *W,H*	21,588	5	5	-	-	-	-	-	-	-	-	-	-	-	3	3	1
St. Anne Soho *5H*	11,493	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	13	13	-	4	-	-	-	-		-	-	-	1	-	-	10
St. Mary Marylebone‡ *W,4H*	37,948	29	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H*	39,536	19	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *3H*	20,426	8	7	2	1	-	-	-	-	-	-	-	-	-	1	1	1
Hampstead *W,F,6H*	81,942	20	20	1	7	-	-	-	-	-	-	-	-	-	-	1	5
West St. Pancras *2H*	60,562	22	7	2	3	-	1	-	-	-	-	-	-	-	1	1	1
Tottenham-court *w,7H*	21,258	7	9	-	2	-	-	-	-	-	-	-	-	-	1	1	6
Gray's Inn Lane *4H*	34,449	12	11	7	1	-	-	-	-	-	-	-	-	-	2	2	6
East St. Pancras *W,2H*	60,320	31	24	3	10	-	-	-	1	1	-	-	-	-	2	4	13
North St. Pancras *2W*	58,728	21	11	3	3	-	-	-	-	1	-	-	-	-	-	2	5
Tufnell *W*	31,995	14	20	1	5	-	2	-	-	-	-	-	-	-	-	1	13
Upper Holloway *2W,w,H*	33,978	23	13	1	5	-	3	-	-	-	-	-	-	-	-	-	6
Tollington *WH*	33,922	19	6	-	5	-	1	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	18	6	1	4	-	1	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	33	16	4	2	-	1	-	-	-	-	-	-	-	-	1	-
Islington South-east *F*	75,397	33	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Highbury *2H*	63,797	21	12	5	3	-	-	-	-	1	-	-	-	1	-	-	1
Stoke Newington *H*	51,247	23	15	1	8	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	18	11	1	4	-	-	-	-	-	-	-	-	-	2	4	-
Central Hackney *2w,F*	50,536	25	17	1	6	-	-	3	-	-	-	1	-	1	1	1	4
South-west Hackney *3H*	59,921	36	17	1	9	-	-	-	-	1	-	-	-	-	-	-	7
South-east Hackney *2W,w,H*	58,255	39	33	4	15	-	-	-	-	3	-	-	-	-	-	1	22

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a s district contains more than one institution of either kind, the number is indicated by a figure prefixed to t letter.

* See also note * on first page of this return. † Formerly described as "Simple Continued Fever."

‡ On 1st December, 1905, the sub-district of Rectory Marylebone was united to the sub-district of St. Mary Marylebon

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th January, 1906—*continued.*

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
. Giles and Bloomsbury *W,2H* -	31,436	19	7	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-
rand *W,4H* - - - - -	21,674	3	14	2	3	-	-	-	-	-	-	-	-	-	1	1	11	-
rand Union Workhouse, Edmonton -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
olborn *W,6H* - - - - -	29,612	16	14	3	2	-	-	-	-	2	-	-	-	-	1	1	10	-
uth Clerkenwell - - -	28,676	14	5	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
orth Clerkenwell *H* - - -	35,028	23	7	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
nsbury *3H,L* - - - - -	36,116	27	4	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-
olborn Union Workhouse, Mitcham - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
. Botolph *H* - - - - -	10,299	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
. Sepulchre and Allhallows *W,2H*	16,624	6	17	4	1	-	-	-	1	-	-	-	-	-	2	2	15	-
ty of London Asylum, Stone -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
horeditch South *H* - - -	46,362	28	8	4	-	-	-	-	-	1	-	-	-	-	2	3	-	-
horeditch North-West *W,w,H* -	36,127	24	16	2	7	-	-	-	-	1	-	-	-	-	-	-	9	-
horeditch North-East - - -	36,148	21	7	1	4	-	-	-	-	-	-	-	-	-	1	2	-	-
horeditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ethnal Green North *2H* - -	51,514	34	20	10	3	-	1	-	-	-	-	-	-	1	-	4	7	1
ethnal Green South - - -	33,472	19	9	2	4	-	2	-	-	1	-	-	-	-	-	1	-	-
ethnal Green East *2W,H,L* - -	44,694	19	25	3	13	-	-	-	-	1	-	-	-	-	-	1	14	-
pitalfields - - - - -	27,969	19	5	-	1	-	-	-	-	-	-	-	-	-	3	3	-	-
file End New Town *W,H* - -	28,718	18	43	6	5	-	1	-	1	1	-	1	-	-	3	4	37	-
oodman's Fields - - - -	22,081	17	6	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-
t. George and St. John *2W* - -	49,068	35	19	3	8	-	1	-	-	2	-	-	-	-	-	2	8	-
hadwell and Ratcliff *W,H* - -	25,568	22	11	6	-	-	-	1	-	2	-	-	-	-	1	2	7	-
limehouse *W* - - - - -	32,369	15	5	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town South-Western *H* - - - -	63,698	52	7	4	2	-	2	-	-	-	-	-	-	-	-	1	1	-
Mile End Old Town North-Eastern *W,w* - - -	49,129	29	12	-	4	-	1	-	-	-	-	-	-	-	-	1	8	-
Bow *L* - - - - -	41,989	31	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley *3w,H* - - - - -	68,319	50	37	6	8	-	1	-	-	1	-	-	-	-	4	7	23	-
Poplar *W,w* - - - - -	58,514	32	19	5	8	-	-	-	-	-	-	-	-	1	4	8	5	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-P MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registe in each SUB-DISTRICT during the Week ended Saturday, 27th January, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H* -	11,263	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H* - -	12,056	2	15	3	1	-	-	-	1	-	-	-	-	-	1	1	15
Kent-road - - - - - -	21,904	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L* - - - - -	39,094	32	10	5	1	-	1	-	1	-	-	-	-	-	-	2	4
Newington North - - -	49,022	33	11	4	1	-	-	-	-	1	-	-	-	-	1	2	-
Newington South *W* - - -	72,841	38	13	1	3	-	1	-	-	-	-	-	-	-	1	1	1
St. Olave *2W* - - - - -	9,817	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W* - - - - -	82,483	47	16	6	3	-	-	-	1	-	-	-	-	2	-	1	-
Rotherhithe *W,F* - - - -	38,460	19	14	4	6	-	1	-	-	-	-	-	-	-	1	1	8
Waterloo-road *2H* - - - -	27,440	34	6	4	-	-	-	-	-	-	-	-	-	-	-	-	2
Lambeth Church 1st *H* - -	18,423	9	7	1	1	-	1	-	1	-	-	-	-	-	-	-	7
Lambeth Church 2nd *2W* - -	39,818	34	25	2	11	-	-	-	-	-	-	-	-	1	-	2	17
Kennington 1st *H* - - - -	53,198	31	7	-	3	-	-	-	-	1	-	-	-	-	-	-	-
Kennington 2nd *H* - - - -	42,896	20	7	3	-	-	-	-	-	-	-	-	-	-	-	-	2
Brixton *F* - - - - - -	84,232	43	22	5	6	-	1	1	1	-	-	-	-	-	-	-	2
Norwood *W,H* - - - - -	35,888	14	8	1	5	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea *H* - - - -	72,203	48	18	8	1	-	2	-	-	-	-	-	-	-	-	-	-
North-west Battersea - - -	49,656	31	11	2	5	-	1	-	-	-	-	-	-	1	1	1	-
South-west Battersea *2W,H* -	47,048	13	24	7	9	-	1	-	-	1	-	-	-	-	2	4	12
Clapham *2H* - - - - -	51,361	36	15	1	4	-	1	-	-	-	-	-	-	-	1	1	1
Streatham *W,2w,2F,2L* - -	88,019	50	30	6	16	-	2	1	2	2	-	-	-	-	-	2	12
Springfield *2W,L* - - - -	27,959	25	6	3	2	-	-	-	-	-	-	-	-	-	-	2	1
Southfields *H* - - - - -	40,444	21	12	3	2	-	-	-	-	-	-	-	-	2	-	2	-
Putney - - - - - - -	24,139	10	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dulwich - - - - - -	13,359	6	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w* - -	40,206	18	21	1	11	-	2	-	-	-	-	-	-	-	1	-	2
Camberwell North *W,2L* - -	65,584	51	28	2	8	-	4	-	1	-	-	-	-	-	2	4	14
St. George - - - - - -	47,331	31	8	1	1	-	1	-	-	1	-	-	-	-	-	-	16
Peckham North* - - - - -	48,913	25	13	2	7	-	1	-	-	-	-	-	-	1	-	1	-
Peckham South* *2W,w* - - -	43,946	23	13	-	6	-	-	-	-	-	-	-	-	-	-	1	-
Deptford North - - - - -	37,613	37	14	7	1	-	-	-	-	1	-	-	-	-	-	1	-
Deptford Central - - - - -	45,481	28	8	3	-	-	2	-	-	-	-	-	-	-	-	-	-
Deptford South - - - - -	34,625	14	11	2	5	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich West *2H* - - -	23,456	22	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H* - -	43,859	14	16	1	8	-	-	-	-	-	-	-	-	1	-	1	12
Eltham *w,H* - - - - -	7,226	10	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Lee *wH* - - - - - -	25,490	10	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F* - - - -	58,352	27	16	1	7	-	-	-	4	-	-	-	-	-	-	-	12
Sydenham *H* - - - - -	43,653	6	9	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *F,2H* - - - - -	21,134	7	6	1	-	-	-	2	2	2	-	-	-	-	-	1	4
Woolwich *5H* - - - - -	41,625	29	6	1	1	-	-	-	-	-	-	-	-	-	-	1	1
Plumstead West *W* - - - -	18,063	4	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead East *2W,H* - - -	50,264	34	17	4	5	-	-	-	-	-	-	-	-	-	1	1	8
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M. A. B. Small-pox Hospitals:—																	
Joyce Green - - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern - - - - -	—	-	3	-	-	-	-	2	-	1	-	-	-	-	-	-	3
Northern - - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham - - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Darenth - - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Leavesden - - - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
London County Lunatic Asylums:—																	
Banstead - - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Ewell (Epileptic Colony) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - - - - -	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5
Manor - - - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill - - - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Dartford Heath - - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Hanwell - - - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Colney Hatch - - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	1	5
Claybury - - - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4

* On 1st December, 1905, the sub-district of Peckham was divided into two sub-districts entitled Peckham North ar Peckham South, respectively

E 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nded Saturday, 27th January, 1906.

District No.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,602	2,044,973	1265	561	140	162	-	13	7	15	6	-	5	16	48	100	4
1	Carshalton 2F,2H - -	12,228	32,997	11	11	7	2	-	-	-	-	-	-	-	-	2	-	1
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	11	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Godstone, *part of** W,F -	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Coulsdon - - - -	11,069	8,166	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	21	15	5	6	-	-	-	-	1	-	-	1	3	-	-
3	West Croydon 3W,F,H -	2,168	42,888	17	24	2	7	-	-	1	-	-	-	-	-	2	16	-
4	North Croydon H - -	2,644	41,698	28	4	1	-	-	-	-	-	-	-	-	-	2	1	-
5	Penge w,H - - - -	770	22,465	12	2	-	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30,015	22	8	2	2	-	2	-	-	-	-	-	-	1	-	-
1	Wimbledon F,3H - -	3,221	41,652	29	13	2	6	-	-	-	-	1	-	-	1	1	1	-
2	Kingston 2W,H - - -	6,224	42,068	25	15	2	5	-	-	-	1	-	-	-	-	-	3	-
3	Surbiton F,H - - -	3,046	15,017	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L - - -	4,564	23,456	19	3	1	-	-	-	-	-	1	-	-	-	1	-	1
1	Richmond W,H - - -	2,162	28,865	11	8	-	4	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake F - - -	2,847	20,628	16	2	1	1	-	-	-	-	-	-	-	-	1	-	-
1	Bromley F,2H - - -	4,703	27,354	11	4	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H - - -	7,825	28,497	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	4	5	1	1	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H - - -	7,333	16,446	7	10	4	3	-	-	-	-	-	-	-	1	1	-	-
1	Bexley w F,H - - -	8,678	21,151	10	4	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - - -	3,854	25,296	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
1	Sunbury w - - - -	11,054	18,683	2	4	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	7	7	3	1	-	1	-	-	-	-	-	-	-	-	-
1	Hillingdon W,F,H - -	6,035	13,661	10	8	3	3	-	-	-	-	-	-	1	-	-	2	-
2	Uxbridge H - - -	12,757	8,984	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,F,H - - -	8,066	16,358	11	4	2	1	-	-	-	-	-	-	-	1	1	-	-
1	Isleworth 3W,2F,H - -	6,859	30,863	16	11	3	3	-	-	-	-	-	-	-	-	-	5	-
2	Twickenham F,H - -	2,421	20,991	19	7	2	3	-	-	-	-	-	-	1	-	-	-	-
3	Brentford 3F,2H,L - -	4,319	48,289	20	16	3	6	-	-	-	2	-	-	1	-	1	2	-
4	Chiswick H- - - -	1,249	29,809	17	6	1	1	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,3H - - -	6,132	48,914	36	9	1	3	-	-	-	-	-	-	-	1	1	1	-
1	Harrow F,H - - -	13,809	25,523	20	6	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware F,2H - - -	6,994	4,521	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
3	Willesden W,2F,2H - -	4,384	114,811	105	37	13	10	-	-	-	1	-	-	-	2	2	7	-
4	Hendon W,F - - -	8,382	22,450	11	3	1	-	-	1	-	-	-	-	-	-	-	-	-
1	South Mimms 2F,H - -	17,755	7,308	6	3	3	-	-	-	-	-	1	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	10	10	3	2	-	-	-	1	-	-	-	1	1	-	-
3	Finchley F,2H - - -	4,688	33,692	19	9	2	3	-	-	-	-	-	-	-	-	1	-	-
1	Hornsey F,H - - -	2,875	72,056	26	19	4	7	-	-	-	2	-	-	-	-	1	2	-
2	Wood Green H - - -	1,625	34,233	19	8	1	4	-	-	1	-	-	-	-	-	-	-	-
3	West Tottenham F - -	996	48,853	25	13	2	4	-	1	-	-	-	-	-	1	2	-	-
4	East Tottenham 2H - -	2,017	53,688	50	20	7	4	-	1	-	-	-	-	-	-	5	3	-
5	Edmonton W,w,2F - -	7,491	61,892	34	23	7	7	-	1	-	-	-	-	-	1	3	7	-
6	Enfield 2W,F,H - - -	12,601	42,738	26	6	1	2	-	-	-	-	-	-	1	-	-	1	-
7	Waltham Abbey F - -	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1
1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey H - - - -	9,333	9,173	3	2	1	1	-	-	-	-	-	-	-	1	1	-	-
2	Watford W,2F *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Stratford H - - -	1,072	44,827	29	15	2	1	-	-	-	1	-	-	-	2	2	3	-
2	Plaistow F,2H - - -	1,249	90,921	73	14	2	2	-	-	-	2	-	-	-	-	-	2	-
3	Canning Town H - -	1,556	70,718	58	8	3	-	-	-	-	-	1	-	-	-	1	-	-
4	Forest Gate w - - -	806	60,892	27	7	3	3	-	-	-	-	1	-	-	-	-	-	-
5	North East Ham w H -	1,333	58,676	29	18	4	4	-	1	2	-	-	-	-	-	-	-	-
6	South East Ham 2F - -	1,993	37,342	25	13	4	2	-	-	-	1	-	-	-	1	5	-	-
7	Wanstead F - - -	1,679	9,179	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	43	16	5	8	-	1	-	-	-	-	-	-	1	5	-
9	North Leyton 2W,w,F -	1,963	48,445	28	28	1	11	-	-	1	1	-	-	1	-	-	19	1
10	Walthamstow 3H,L - -	6,504	108,929	74	28	11	6	-	-	-	-	-	-	-	1	3	1	-
1	Chigwell, *part of** 2F,3H -	11,778	16,397	8	4	1	1	-	-	-	2	-	-	-	-	-	2	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** W,2F -	6,556	6,091	7	2	-	-	-	1	-	-	-	-	-	-	-	1	-
2	Ilford F,L - - - -	8,496	41,234	43	17	5	5	-	-	-	-	-	-	-	1	1	2	-
3	Barking Town F - -	3,803	21,547	15	7	1	-	-	3	-	1	-	-	-	-	-	1	-
	N.E. Hosp., Tottenham -	—	—	-	2	1	-	-	-	2	-	-	-	-	-	-	2	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer g are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher ish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting eydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	January 27	2451	1382	15·3	-	44	10	23	37	3
CALCUTTA - -	847,796	December 9	-	649	39·8	7	1	-	-	4	195†
BOMBAY - -	776,006	January 9	410	737	49·4	6	2	-	-	-	77†
MADRAS - -	509,346	December 22	379	557	56·8	9	5	?	?	?	136†
		" 29	428	640	65·3	6	7	?	?	?	147†
PARIS - - -	2,750,000	January 20	985	897	18·4	-	21	1	2	2	2
BRUSSELS - -	598,467	" 20	211	208	18·1	-	-	1	2	1	2
ANTWERP - -	291,949	" 20	130	80	15·9	-	1	1	-	-	1
AMSTERDAM -	557,614	" 13	313	174	16·3	-	5	-	3	3	1
COPENHAGEN -	430,000	" 20	230	123	14·9	-	-	-	2	1	-
STOCKHOLM -	318,398	" 13	169	84	13·7	-	-	1	2	-	-
CHRISTIANIA -	222,373	" 20	133	70	16·4	-	-	-	2	-	-
ST. PETERSBURG	1,409,900	" 6	562	663	24·8	2	21	22	19	8	23
MOSCOW - -	1,092,360	December 23	-	330	15·8	-	1	4	11	3	3
		" 30	-	789	37·7	2	2	10	12	2	7
BERLIN - -	2,039,277	January 6	826	573	17·1	-	13	6	9	9	1
HAMBURG - -	786,860	" 20	-	265	17·8	-	2	1	4	6	-
BRESLAU - -	463,283	" 20	-	-	-	-	-	-	-	-	-
MUNICH - -	540,000	" 20	-	187	18·0	-	1	-	3	2	-
VIENNA - -	1,917,639	" 20	882	621	16·8	-	4	5	8	8	2
PRAGUE - -	455 241	" 6	191	169	19·3	-	3	-	-	1	1
		" 13	171	153	17·5	-	1	-	1	1	-
BUDA-PESTH -	859,134	" 13	408	321	19·4	-	8	3	1	2	1
TRIESTE - -	194,749	" 13	130	106	28·3	-	1	-	1	2	1
ROME - -	516,580	November 18	193	149	15·0	-	-	-	-	-	9§
		" 25	223	158	15·9	-	1	-	-	1	8§
VENICE - -	169,417	January 6	103	106	32·6	-	-	-	2	-	-
BUCHAREST -	282,071	" 13	157	151	27·9	-	-	-	-	-	1
NEW YORK -	4,152,860	" 13	-	-	-	-	-	-	-	-	-
CHICAGO - -	2,049,185	" 6	-	562	14·3	-	1	3	11	-	4
PHILADELPHIA -	1,438,318	December 30	-	491	17·7	-	3	1	9	1	14
BOSTON - -	617,950	" 23	-	192	16·8	-	5	1	1	1	3
		" 30	-	213	18·6	-	4	2	2	-	-
RIO DE JANEIRO	905,000	" 24	-	230	13·2	1		-	-	-	4†

* Excluding deaths from croup in the Indian Cities.
† Including 27 deaths from plague in Calcutta, 17 in Bombay, 1 and 3 in Madras, and 1 in Rio de Janeiro.
‡ Including 86 deaths from cholera in Calcutta, and 5 and 5 in Madras.
§ Including 3 and 1 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 27th January, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	52·3	25·8	39·8	0·49	BRADFORD - -	51·0	31·4	42·3	0·
BRIGHTON - -	48·9	25·3	39·3	0·48	LEEDS - - -	56·0	33·0	42·5	0·
PORTSMOUTH - -	52·3	25·0	40·6	0·39	HULL - - -	53·0	30·0	41·9	0
NORWICH - -	52·0	26·8	39·4	0·37	TYNEMOUTH - -	53·0	32·0	42·1	0
PLYMOUTH - -	52·4	27·2	43·2	0·35	CARDIFF - -	54·1	24·4	39·7	0
BRISTOL - - -	55·0	25·0	39·2	0·30	EDINBURGH - -	50·0	30·0	41·9	0
BIRMINGHAM - -	51·9	29·1	40·3	0·25	GLASGOW - -	51·8	26·8	42·4	0
NOTTINGHAM - -	53·9	24·1	39·7	0·21	DUBLIN Phœnix Park.	53·6	25·1	43·1	0
LIVERPOOL OBSERVATORY.	52·0	33·0	42·3	0·27	DUBLIN Fitzwilliam Square.†	54·0	29·0	45·1	0
MANCHESTER -	49·8	28·8	40·9	0·38					
PRESTON - -	50·0	31·0	41·5	0·24					
HUDDERSFIELD -	49·2	29·5	40·9	0·44	BELFAST - -	53·0	25·8	41·2	0

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of its return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·3 Fahren. to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
JANUARY.																								
SUNDAY - 21	..	29·975	44·0	39·1	4·9	42·1	+ 3·8	38·5	3·6	4·6	3·0	87	53·6	35·9	43·00	WSW., NNW. & N.	N., NNE. & NE.	5·5	0·0	0·7	437	+105	0·12	2·0
MONDAY - 22	Greatest Dec. S.	30·348	39·2	31·9	7·3	36·0	- 2·3	30·0	6·0	8·5	4·4	79	55·0	23·0	42·61	NNE. & N.	NNE. & NE.	3·4	0·0	0·3	320	- 13	0·00	1·5
TUESDAY - 23	..	30·484	35·4	25·8	9·6	30·1	- 8·3	25·2	4·9	8·3	0·0	81	43·0	15·5	42·71	NE., calm & SSE.	W., SW & SSW.	0·1	0·0	0·0	107	-226	0·00	0·0
WEDNESDAY 24	New	30·255	39·0	26·6	12·4	34·0	- 4·5	28·2	5·8	8·1	2·8	79	50·2	17·4	42·34	SW.	SW. & SSW.	2·9	0·0	0·2	274	- 60	0·00	0·0
THURSDAY - 25	..	29·623	48·3	38·8	9·5	44·7	+ 5·9	40·6	4·1	7·6	2·7	85	58·0	35·3	41·98	SSW., SW. & W.	WNW., W. & WSW.	6·6	0·0	0·6	442	+107	0·37	0·0
FRIDAY - 26	..	29·843	52·1	40·3	11·8	47·3	+ 8·3	43·7	3·6	6·0	1·5	87	75·0	34·8	41·89	WSW.	WSW., WNW. & SW.	1·2	0·0	0·1	288	- 47	0·00	0·0
SATURDAY - 27	..	30·008	52·3	44·9	7·4	48·4	+ 9·1	42·5	5·9	9·0	2·9	80	70·4	41·0	42·12	SW. & WSW.	WSW. & SW.	2·7	0·0	0·4	387	+ 51	0·00	0·0
MEANS -		30·077	44·3	35·3	9·0	40·4	+ 1·7	35·5	4·8	7·4	2·5	83	57·9	29·0	42·38	NNE. & SW.		..	..	..	Sum 2255	Sum - 83	Sum 0·49	0·5
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.	Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 21	w.P. and v.N. generally.	0·0	8·5	Generally overcast; occasional rain; brisk wind after 5h. P.M.
MONDAY - 22	w. P. generally till 5h. A.M.; m.P. till 8h. A.M.; s.P. afterwards.	0·7	8·6	Fine and partially cloudy; hoar frost in morning.
TUESDAY - 23	s. P. generally.	0·0	8·6	Fine generally; overcast and gloomy in afternoon; hoar frost in morning and at night.
WEDNESDAY 24	s. P. generally.	1·0	8·7	Generally overcast till afternoon; fine afterwards; hoar frost in morning and at night.
THURSDAY - 25	w. P. generally; occasional w. N. in morning;	0·0	8·7	Generally overcast; fine with solar halo in afternoon; gusty wind till 10h. 30m. A.M.; mild.
FRIDAY - 26	Insulation defective.	0·8	8·7	Overcast generally in morning; fine and partially cloudy afterwards; very mild.
SATURDAY - 27	Insulation defective till 11h. A.M.; m. P. afterwards.	3·3	8·8	Overcast till 10h. A.M.; very fine generally till 3h. P.M.; overcast afterwards; very mild.
		Sum 5·8	Sum 60·6	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·06 in. at the beginning of the week to 29·88 in. by 6h. A.M. on the 21st; increased to 30·51 in. by 11h. A.M. on the 23rd; decreased to 29·59 in. by noon on the 25th; increased to 30·05 in. by 8h. P.M. on the 27th; and was 30·03 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 20th January, 1906.*

BOROUGHS.	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	4	5	-	-	-	-	2	-
Kensington	180,952	-	5	-	-	-	-	-	-	1
Hammersmith	120,679	-	5	2	-	-	1	-	2	-
Fulham	161,965	-	4	11	-	-	-	-	3	-
Chelsea	74,672	-	5	8	-	-	-	-	1	-
City of Westminster	173,905	-	10	7	-	1	-	-	4	-
NORTH.										
St. Marylebone	128,580	-	3	1	-	1	-	-	2	1
Hampstead	89,633	-	9	3	-	-	-	-	-	-
St. Pancras	236,455	-	8	3	-	1	-	-	7	-
Islington	344,987	-	39	7	-	2	-	-	6	-
Stoke Newington	53,217	-	-	-	-	-	-	-	1	-
Hackney	230,721	-	26	9	-	1	-	-	2	-
CENTRAL.										
Holborn	55,805	-	3	2	-	-	-	-	1	-
Finsbury	97,466	-	14	2	-	1	-	-	2	-
City of London	21,367	-	2	1	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	9	-	-	-	-	-	1	-
Bethnal Green	130,609	-	5	6	-	-	-	-	1	-
Stepney	307,176	-	18	16	-	-	-	-	7	-
Poplar	170,673	-	12	4	-	-	-	-	2	-
SOUTH.										
Southwark	209,143	-	17	5	-	1	-	-	10	1
Bermondsey	128,629	-	17	2	-	-	-	-	2	-
Lambeth	315,774	-	32	9	-	2	-	-	3	-
Battersea	179,622	-	20	6	-	-	-	-	2	-
Wandsworth	273,381	-	22	9	-	1	-	-	2	-
Camberwell	274,132	-	21	8	-	2	-	-	4	-
Deptford	115,495	-	7	1	-	1	-	-	2	-
Greenwich	105,350	-	4	21	-	-	-	-	-	-
Lewisham	148,463	-	7	4	-	1	-	-	2	-
Woolwich	127,345	-	17	11	-	2	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	345	163	-	17	1	-	72	3
Ages 0-1		-	3	3	-	-	-	-	2	-
" 1-5		-	106	61	-	-	-	-	4	-
" 5-		-	135	61	-	1	-	-	4	-
" 10-		-	57	15	-	1	-	-	4	-
" 15-		-	17	5	-	4	-	-	4	1
" 20-		-	9	8	-	6	-	-	3	-
" 25-		-	13	7	-	3	1	-	10	2
" 35-		-	5	3	-	2	-	-	13	-
" 45-		-	-	-	-	-	-	-	13	-
" 55-		-	-	-	-	-	-	-	5	-
" 65 and upwards		-	-	-	-	-	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 5. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, FEB. 3. [Price 1½*d.*

General Register Office, Somerset House,

February 5th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·5 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 16·7, 15·8, and 15·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·2 in Rhondda, 21·5 in Preston, 22·1 in West Bromwich, 23·2 in Newport (Mon.), 23·3 in Grimsby, and 25·7 in Merthyr Tydfil; from *measles*, 1·6 in Blackburn, 1·8 in Bury, and 3·6 in Preston; from *scarlet fever*, 1·2 in Blackburn and 1·6 in Hanley; from *diphtheria*, 1·3 in Aston Manor, 1·5 in Ipswich, 1·9 in Halifax, and 2·1 in Derby; and from *whooping-cough*, 1·5 in Burnley, 1·6 in Bootle, and 2·0 in Stockton on Tees. One death from *small-pox* was registered in South Shields, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2508 BIRTHS and 1337 DEATHS were registered. Allowing for increase of population, the births were 203 and the deaths 279 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 17·5, 15·5, and 15·3 per 1000 in the preceding three weeks, further fell last week to 14·8. The death-rate in the four weeks ended on Saturday last averaged 15·8 per 1000, being 2·3 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 2/06 D & S 3 23645 E

The 1337 deaths included 28 from measles, 5 from scarlet fever, 17 from diphtheria, 34 from whooping-cough, 1 from enteric fever, and 14 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 99 deaths were referred to these diseases in the aggregate, being 38 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 53, 52, and 44 in the preceding three weeks, further fell to 28 last week, and were 3 below the corrected average; 5 deaths belonged to the Borough of Deptford, 4 to Lambeth, and 3 to Camberwell. The deaths from *scarlet fever*, which had been 17, 13, and 10 in the preceding three weeks, further fell to 5 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 11, 12, and 22 in the preceding three weeks, fell to 17 last week, and were equal to the corrected average. The deaths from *whooping-cough*, which had been 32, 21, and 37 in the preceding three weeks, were 34 last week, and were 12 below the corrected average; 10 deaths belonged to Stepney, 6 to Deptford, and 3 to Lambeth. Only one fatal case of *enteric fever* was registered last week, the numbers in the preceding three weeks having been 3, 3, and 3, and the corrected average for the week being 7. The deaths from *diarrhœa*, which had been 11, 8, and 19 in the preceding three weeks, fell to 14 last week, and were 4 below the corrected average. Of the 14 deaths from diarrhœa, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of one other death at this age. The deaths attributed directly to *influenza* numbered 10, having been 20, 9, and 12 in the preceding three weeks.

Different forms of *violence* caused 38 deaths, concerning all of which inquests were held. Of these 38 deaths, 7 were cases of suicide, while the remaining 31 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 7 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 6 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2912 cases of scarlet fever, 873 of diphtheria, and 95 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 319 cases, against 257, 328, and 322; of diphtheria, 131 cases, against 111, 143, and 135; and of enteric fever, 17 cases, against 11, 15, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 27th, 1906.

Greater London.

In Greater London 3849 births and 1906 deaths were registered. Allowing for increase of population, these numbers are 237 and 341 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 1 from scarlet fever, 5 from diphtheria, and 10 from whooping-cough were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·99 inches, and that of the Thermometer 42°·8, the latter being 3°·1 above the week's average in the 50 years 1841–90. The general direction of the wind was Westerly, the horizontal movement of the air being 20 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 10·6 hours; the measured rainfall amounted to 0·10 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 3rd February, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 13th Jan., 1906.	20th Jan., 1906.	27th Jan., 1906.	3rd Feb., 1906.	Rate from Diseases in Cols. 11-17. Week ended 3rd February, 1906.	Registered during the Week ended 3rd Feb., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**16·7**	**15·8**	**15·9**	**15·5**	**1·2**	**8557**	**4708**	**1056**	**1464**	**1**	**81**	**35**	**85**	**110**	**12**	**42**	**151**	**353**	**1165**	**60**	**76 TOWNS.**
LONDON	4,721,217	17·5	15·5	15·3	14·8	1·1	2508	1337	260	440	-	28	5	17	34	1	14	38	127	519	4	LONDON.
CROYDON	151,011	13·1	16·2	13·5	13·5	0·3	82	39	12	11	-	-	-	1	-	-	-	-	4	7	-	CROYDON.
WILLESDEN	143,622	11·6	9·4	13·4	8·0	0·4	78	22	6	5	-	-	-	1	-	-	-	2	4	9	-	WILLESDEN.
HORNSEY	86,935	7·8	9·6	11·4	15·6	0·6	23	26	2	12	-	1	-	-	-	-	-	1	1	1	-	HORNSEY.
TOTTENHAM	119,503	11·3	16·1	15·3	15·3	1·3	79	35	10	6	-	2	-	-	-	-	1	-	-	5	-	TOTTENHAM.
WEST HAM	301,617	14·2	13·7	9·2	14·0	1·6	174	81	21	24	-	2	-	3	4	-	-	2	3	17	-	WEST HAM.
EAST HAM	129,886	11·6	10·8	13·2	9·2	2·0	81	23	13	2	-	-	-	2	2	-	1	1	1	3	-	EAST HAM.
LEYTON	118,287	10·1	10·1	12·8	11·0	1·3	67	25	9	7	-	1	-	-	2	-	-	1	1	3	1	LEYTON.
WALTHAMSTOW	121,334	10·3	7·3	12·9	10·7	1·3	82	25	5	8	-	1	1	-	-	-	1	-	1	5	-	WALTHAMSTOW.
HASTINGS	67,144	13·2	19·4	18·6	15·5	0·8	14	20	1	6	-	1	-	-	-	-	-	-	1	4	-	HASTINGS.
BRIGHTON	128,095	19·5	13·8	15·9	19·9	1·2	55	49	13	22	-	1	-	1	1	-	-	1	2	15	-	BRIGHTON.
PORTSMOUTH	205,118	13·7	9·4	15·3	11·9	0·5	121	47	9	14	-	-	-	1	1	-	-	1	5	11	2	PORTSMOUTH.
BOURNEMOUTH	67,702	16·9	15·4	10·8	16·2	1·5	23	21	7	5	-	-	-	1	1	-	-	2	5	3	-	BOURNEMOUTH.
SOUTHAMPTON	117,312	15·1	13·3	15·6	16·9	0·9	63	38	10	15	-	-	-	-	1	1	-	2	4	7	-	SOUTHAMPTON.
READING	78,987	15·2	17·8	14·5	11·9	0·7	30	18	2	9	-	-	-	-	1	-	-	1	-	1	1	READING.
NORTHAMPTON	93,749	6·1	12·8	10·0	9·5	0·6	40	17	6	7	-	-	-	-	-	-	1	-	-	4	-	NORTHAMPTON.
IPSWICH	71,809	18·9	18·2	13·1	18·9	1·5	43	26	6	8	-	-	-	2	-	-	-	-	1	3	-	IPSWICH.
GREAT YARMOUTH	52,613	16·8	17·8	23·8	11·9	-	20	12	3	7	-	-	-	-	-	-	-	-	-	1	-	GREAT YARMOUTH.
NORWICH	117,958	15·9	12·8	15·0	17·7	0·9	53	40	8	21	-	-	-	1	-	-	1	1	2	4	-	NORWICH.
PLYMOUTH	118,014	15·0	17·2	16·8	20·8	1·3	51	47	10	13	-	1	-	-	2	-	-	1	5	11	-	PLYMOUTH.
DEVONPORT	78,405	18·0	17·3	16·6	14·6	0·7	37	22	3	6	-	-	-	-	1	-	-	2	2	2	-	DEVONPORT.
BRISTOL	363,223	19·1	17·2	15·2	15·9	1·4	173	111	24	41	-	1	1	3	4	-	1	4	13	30	-	BRISTOL.
HANLEY‡	66,360	15·7	14·9	16·5	7·9	1·6	54	10	2	5	-	-	2	-	-	-	-	-	3	2	-	HANLEY.‡
BURTON-ON-TRENT	52,922	11·8	8·9	17·7	16·7	1·0	18	17	3	7	-	1	-	-	-	-	-	3	4	4	1	BURTON-ON-TRENT.
WOLVERHAMPTON	100,729	14·0	11·4	15·0	17·1	1·0	34	33	6	13	-	1	-	-	1	-	-	-	1	2	-	WOLVERHAMPTON.
WALSALL	94,577	14·9	12·7	15·4	14·9	-	57	27	13	3	-	-	-	-	-	-	-	1	1	4	3	WALSALL.
HANDSWORTH	63,819	13·1	14·7	13·9	8·2	-	30	10	3	6	-	-	-	-	-	-	-	-	1	-	1	HANDSWORTH.
WEST BROMWICH	68,469	22·1	15·2	16·0	22·1	-	39	29	8	10	-	-	-	-	-	-	-	1	2	3	3	WEST BROMWICH.

* See note † on first page of this return. † These towns are included within the area of Greater London. ‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 3rd February, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 13th Jan., 1906.	20th Jan., 1906.	27th Jan., 1906.	3rd Feb., 1906.	Rate from Diseases in Cols. 11-17. Week ended 3rd February, 1906.	Registered during the Week ended 3rd Feb., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	16·6	20·2	17·9	17·2	2·3	287	181	30	48	-	6	3	2	8	2	3	4	7	46	7	BIRMINGHAM.
KINGS NORTON -	72,608	13·6	8·6	11·5	10·8	0·7	39	15	3	8	-	1	-	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK - -	64,531	16·2	5·7	8·1	15·4	1·6	30	19	7	4	-	-	-	-	1	-	1	-	-	-	-	SMETHWICK.
ASTON MANOR -	82,288	19·6	12·7	11·4	15·8	1·9	39	25	5	8	-	1	-	2	-	-	-	-	3	3	-	ASTON MANOR.
COVENTRY - -	76,374	19·8	12·3	14·3	10·2	0·7	48	15	3	6	-	-	-	1	-	-	-	-	1	-	2	COVENTRY.
LEICESTER - -	232,111	17·7	13·7	14·8	11·2	1·1	104	50	12	16	-	-	-	-	4	-	1	1	3	5	2	LEICESTER.
GRIMSBY - - -	69,359	11·3	11·3	12·0	23·3	-	48	31	10	8	-	-	-	-	-	-	-	2	6	6	-	GRIMSBY.
NOTTINGHAM - -	254,563	18·2	16·6	17·6	19·3	0·8	138	94	26	32	-	-	-	2	2	-	-	1	2	26	2	NOTTINGHAM.
DERBY - - -	123,981	10·1	15·6	15·1	15·1	2·5	54	36	6	12	-	-	-	5	-	-	1	2	3	11	-	DERBY.
STOCKPORT - -	99,646	17·8	16·2	21·5	20·9	-	55	40	7	15	-	-	-	-	-	-	-	-	2	7	-	STOCKPORT.
BIRKENHEAD - -	117,292	14·7	14·2	15·6	12·9	-	74	29	1	9	-	-	-	-	-	-	-	1	3	5	-	BIRKENHEAD.
WALLASEY - -	64,578	9·7	18·6	13·7	10·5	-	33	13	6	1	-	-	-	-	-	-	-	1	1	2	1	WALLASEY.
LIVERPOOL† - -	739,180	21·2	20·2	21·1	19·8	1·0	498	281	69	66	-	3	2	4	4	-	1	13	17	82	13	LIVERPOOL.†
BOOTLE† - - -	65,989	11·9	17·4	19·0	15·8	2·4	34	20	4	4	-	-	1	-	2	-	-	2	2	4	2	BOOTLE.†
ST. HELENS - -	91,153	23·5	17·7	17·2	18·3	1·1	61	32	8	9	-	-	-	1	1	-	-	3	3	9	-	ST. HELENS.
WIGAN - - -	87,588	17·3	14·9	16·1	15·5	-	67	26	8	8	-	-	-	-	-	-	-	2	3	5	-	WIGAN.
WARRINGTON - -	69,280	19·6	18·8	18·1	18·1	0·8	38	24	8	5	-	-	-	-	1	-	-	1	2	3	-	WARRINGTON.
BOLTON - - -	180,502	13·9	12·7	15·6	15·0	0·9	83	52	14	15	-	-	-	1	-	-	2	-	1	6	-	BOLTON.
BURY - - -	58,744	19·5	15·1	18·6	13·3	2·7	19	15	4	5	-	2	-	-	1	-	-	-	-	1	1	BURY.
MANCHESTER - -	637,126	17·5	15·8	17·4	15·9	1·2	345	194	28	65	-	1	3	4	4	-	3	5	10	53	2	MANCHESTER.
SALFORD - - -	234,077	14·5	18·0	18·9	16·3	1·1	154	73	14	26	-	-	2	-	2	1	-	2	8	17	1	SALFORD.
OLDHAM - - -	140,969	14·4	18·9	14·4	20·7	1·8	65	56	9	18	-	-	2	-	2	-	1	1	4	11	-	OLDHAM.
ROCHDALE - -	87,189	16·7	13·2	12·6	15·0	1·8	37	25	3	11	-	-	1	-	-	1	1	1	3	4	1	ROCHDALE.
BURNLEY - - -	102,808	25·9	18·8	19·3	16·7	1·5	49	33	10	7	-	-	-	-	3	-	-	1	1	8	-	BURNLEY.
BLACKBURN - -	134,015	19·1	14·8	19·8	16·0	3·9	55	41	12	6	-	4	3	2	-	-	1	2	2	7	-	BLACKBURN.
PRESTON - - -	116,399	22·0	28·2	24·6	21·5	4·5	66	48	10	14	-	8	2	-	-	-	-	-	-	5	-	PRESTON.
BARROW-IN-FURNESS.	60,967	13·7	15·4	13·7	14·5	0·9	33	17	4	4	-	-	-	-	1	-	-	1	1	-	-	BARROW-IN-FURNESS.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 13th Jan., 1906.	20th Jan., 1906.	27th Jan., 1906.	3rd Feb., 1906.	Rate from Diseases in Cols. 11-17. Week ended 3rd February, 1906.	Registered during the Week ended 3rd Feb., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16	17.	18.	19.	20.	21.	Cols.
Huddersfield -	94,851	17·6	18·1	14·8	11·5	1·1	46	21	2	9	-	-	-	1	-	1	-	-	1	1	-	Huddersfield.
Halifax - - -	109,272	18·1	13·8	17·2	17·7	2·4	40	37	3	16	-	-	-	4	1	-	-	1	2	8	-	Halifax.
Bradford - -	288,544	15·7	15·2	15·5	11·7	1·1	103	65	10	28	-	1	1	2	1	1	-	1	6	13	-	Bradford.
Leeds - - -	463,495	18·6	16·9	17·0	15·5	1·6	244	138	33	37	-	8	-	2	2	2	-	3	11	13	-	Leeds.
Sheffield - -	447,951	13·3	16·3	14·3	15·8	1·6	254	136	37	42	-	1	4	3	2	-	4	6	8	33	2	Sheffield.
Rotherham - -	61,098	13·7	10·2	17·1	12·8	0·9	34	15	3	8	-	-	-	1	-	-	-	1	1	2	2	Rotherham.
York - - -	83,467	14·4	11·2	13·1	12·5	1·2	37	20	3	5	-	-	1	-	-	-	1	1	2	3	-	York.
Hull - - -	262,426	14·3	18·5	17·5	17·1	1·4	158	86	33	20	-	-	1	5	1	-	-	4	5	17	-	Hull.
Middlesbrough -	100,069	18·2	16·7	19·3	18·2	-	61	35	7	17	-	-	-	-	-	-	-	-	-	9	-	Middlesbrough.
Stockton-on-Tees	52,664	10·9	17·8	20·8	18·8	3·0	26	19	6	5	-	-	-	-	2	1	-	-	-	2	-	Stockton-on-Tees.
West Hartlepool	73,387	10·7	15·6	15·6	10·7	1·4	38	15	1	3	-	-	-	1	1	-	-	1	1	2	-	West Hartlepool.
Sunderland - -	154,385	21·3	24·3	21·6	12·2	0·7	105	36	8	9	-	-	-	1	1	-	-	1	4	4	1	Sunderland.
South Shields -	111,402	21·1	14·0	17·8	16·4	2·3	56	35	8	12	1	-	-	2	1	-	1	1	1	5	3	South Shields.
Gateshead - -	123,191	17·4	16·9	12·7	16·5	1·7	84	39	8	11	-	2	-	1	1	-	-	1	2	4	1	Gateshead.
Newcastle-on-Tyne	268,721	16·5	17·1	14·9	19·6	0·8	167	101	31	24	-	1	-	2	1	-	-	3	4	18	1	Newcastle-on-Tyne.
Tynemouth - -	54,138	22·2	12·5	22·2	18·3	1·9	42	19	9	6	-	-	-	1	-	-	1	2	3	1	-	Tynemouth.
Newport (Mon.) -	74,227	16·9	21·1	19·0	23·2	0·7	46	33	11	8	-	-	-	-	1	-	-	2	2	6	-	Newport (Mon.).
Cardiff - - -	183,823	13·6	13·6	13·9	11·1	0·3	112	39	9	12	-	-	-	-	1	-	-	3	6	8	-	Cardiff.
Rhondda- - -	127,684	13·5	16·7	17·2	21·2	1·2	118	52	19	11	-	1	-	1	1	-	-	5	6	2	-	Rhondda.
Merthyr Tydfil -	74,961	24·3	19·5	17·4	25·7	1·4	43	37	8	7	-	-	-	1	1	-	-	3	3	5	-	Merthyr Tydfil.
Swansea - - -	96,848	16·7	22·1	17·8	20·5	1·1	61	38	11	11	-	-	-	-	1	1	-	1	3	3	-	Swansea.
Greater London -	7,113,561	15·7	14·4	14·2	14·0	1·1	3849	1906	408	617	-	41	7	29	52	1	17	56	163	615	6	Greater London.
Outer Ring - -	2,392,344	12·2	12·2	12·2	12·4	1·0	1341	569	148	177	-	13	2	12	18	-	3	18	36	96	2	Outer Ring.
8 Towns in Outer Ring	1,172,195	11·9	12·1	12·2	12·3	1·2	666	276	78	75	-	7	1	7	8	-	3	7	15	50	1	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	12·6	12·4	12·2	12·5	0·9	675	293	70	102	-	6	1	5	10	-	-	11	21	46	1	Remainder of Outer Ring.
Edinburgh - -	341,035	17·6	18·3	20·3	16·7	0·8	144	109	15	42	-	-	-	1	-	-	4	3	?	34	7	Edinburgh.
Glasgow - - -	835,625	19·0	18·7	18·5	15·8	1·6	448	254	51	64	-	12	-	-	4	-	10	11	?	67	6	Glasgow.
Dublin† - - -	378,994	21·7	20·1	21·2	24·4	0·7	283	177	32	63	-	-	-	1	2	1	1	4	4	79	11	Dublin.†
Belfast†- - -	358,680	19·3	19·6	23·3	20·2	0·9	231	139	24	43	-	-	1	-	1	2	2	3	5	44	2	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2461	2582	2603	2696	2498	2410	2448	2765	2748	2676	2710·7	2508
Males - - -	1262	1279	1306	1342	1263	1254	1203	1422	1397	1374	1375·1	1273
Females - -	1199	1303	1297	1354	1235	1156	1245	1343	1351	1302	1335·6	1235
TOTAL **Deaths** -	1516	1764	1861	1690	1722	1438	1652	1558	1554	1576	1615·6	1337
Males - -	759	884	939	875	856	709	806	797	792	766	805·5	688
Females - -	757	880	922	815	866	729	846	761	762	810	810·1	649

* The numbers in this column are the average weekly numbers in the fifth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	13 Weeks.
TOTAL **Births** -	2485	2298	2366	2275	2462	2279	2488	1807	2788	2705	2390	2451	2508	31302
TOTAL **Deaths** -	1489	1552	1739	1623	1460	1725	1746	1602	1756	1585	1399	1382	1337	20395
Ages at Death: Under 1 year -	298	302	352	341	335	333	382	328	336	304	299	257	260	4127
Ages at Death: 1—5 years -	156	183	205	209	201	229	281	222	217	185	170	171	162	2591
Ages at Death: 5—20 ,, -	71	73	82	76	75	79	64	69	91	63	56	87	60	946
Ages at Death: 20—40 ,, -	197	197	197	174	159	184	147	151	208	195	129	170	150	2258
Ages at Death: 40—60 ,, -	315	314	361	316	266	365	343	309	356	307	271	267	265	4085
Ages at Death: 60 yrs. & upwds.	452	453	542	507	424	535	529	523	548	531	474	430	440	6388
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	47	54	48	53	46	58	60	59	64	53	52	44	28	666
Scarlet Fever - -	13	8	6	18	13	20	18	12	9	17	13	10	5	162
Diphtheria - -	9	19	10	5	21	11	18	17	13	11	12	22	17	185
Whooping-cough -	13	20	24	25	25	28	38	34	33	32	21	37	34	364
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	7	8	3	3	4	2	2	5	6	3	3	3	1	50
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	27	13	11	16	14	13	18	19	10	11	8	19	14	193
All above Diseases -	116	122	102	120	123	132	154	146	135	127	109	135	99	1620
Dis. of Resp. System	209	187	282	245	192	274	254	241	225	193	148	174	169	2793
Pneumonia - -	174	214	208	233	184	186	262	185	229	177	151	119	144	2466
Phthisis - - -	145	136	161	130	132	191	151	150	168	144	128	147	129	1912
Dis. of Circ. System -	196	200	229	243	188	215	212	186	236	217	200	161	162	2645
Violence - - -	48	68	70	77	59	56	58	56	76	63	61	56	38	786
Inquest Cases - -	109	170	169	191	130	144	174	168	215	178	151	130	127	2053
Deaths in Institutions	591	606	636	606	509	612	610	577	608	563	498	554	519	7489
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	43·1	39·1	38·5	42·9	43·8	36·6	43·2	39·5	41·3	43·1	42·0	40·4	42·8	41·3
Mean of Highest -	50·2	42·8	44·4	47·6	48·2	41·6	46·2	43·5	45·2	48·7	46·5	44·3	47·4	45·9
Mean of Lowest -	36·1	35·7	30·9	35·9	39·1	32·4	38·7	33·7	38·0	37·6	37·2	35·3	38·0	36·0
Mean Humidity of the Air.	91	87	84	87	90	92	82	92	81	82	77	83	80	85
Rain-fall (in inches) -	0·65	0·64	0·17	0·61	0·31	0·02	0·00	0·24	0·95	1·20	1·06	0·49	0·10	6·44
Registered Sunshine (in hours).	16·9	9·3	17·9	6·8	9·5	4·0	4·7	4·3	2·5	17·5	23·7	5·8	10·6	133·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	4154	4120	4127	4021	3888	3670	3409	3446	3299	3062	3066	2983	2912	3551
Diphtheria - -	786	790	755	725	727	713	670	701	728	748	800	841	873	758
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	157	154	132	115	102	92	82	78	87	91	87	84	95	104

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTH Week of the Year 1906

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 5th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1615·6	1337	260	162	60	150	265	440
Small-pox*	9·9	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	30·8	28	5	21	2	-	-	-
Scarlet Fever	8·4	5	-	5	-	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	24·0	10	-	-	-	1	3	6
Whooping-cough	45·6	34	17	16	1	-	-	-
Diphtheria	16·6	17	1	14	2	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	0·3	-	-	-	-	-	-	-
Enteric Fever	6·6	1	-	-	-	1	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	4·1	4	3	1	-	-	-	-
Diarrhœa, Dysentery	14·3	10	4	2	-	-	-	4
Tetanus	-	1	-	1	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	9·2	7	3	1	-	2	1	-
Puerperal Septicæmia	3·8	4	-	-	-	4	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	0·5	1	-	-	-	1	-	-
Infective Endocarditis	3·1	1	-	-	-	-	1	-
Pneumonia: Lobar	13·0	14	1	-	-	2	6	5
Pneumonia: Broncho-	65·2	72	24	27	1	5	6	9
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	68·6	58	10	12	3	8	9	16
Erysipelas	5·4	5	3	-	-	1	1	-
Septicæmia (not Puerperal)	1·3	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	1·5	1	1	-	-	-	-	-
Other Infective Processes	5·1	5	-	-	1	2	1	1
Tuberculous Phthisis	68·6	80	1	8	4	36	27	4
"*Phthisis*"	80·5	49	-	-	4	21	20	4
Tuberculous Meningitis	22·4	21	4	8	6	2	1	-
Tuberculous Peritonitis	8·7	7	1	1	2	1	2	-
Tabes Mesenterica	4·1	3	3	-	-	-	-	-
Tuberculous Dis. (other)	16·1	17	2	4	1	5	3	2
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	8·9	6	-	-	-	3	2	1
Rheumatic Fever	5·9	5	-	-	3	-	1	1
Gout	4·1	1	-	-	-	-	-	1
Carcinoma	46·1	47	-	-	-	3	23	21
Sarcoma	6·4	3	-	-	1	1	1	-
Cancer (undefined)	35·9	38	-	-	-	1	18	19
Diabetes Mellitus	9·2	9	-	-	1	-	4	4
Premature Birth	53·0	39	39	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 5th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	16·6	11	4	4	1	-	1	1
Insanity, Gen. Par. of Insane	17·1	14	-	-	-	1	7	6
Epilepsy	5·9	10	1	1	-	-	4	4
Convulsions	23·7	17	16	1	-	-	-	-
Locomotor Ataxy	2·0	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	6·4	10	-	1	-	2	2	5
Nervous Sys. (other dis.)	28·0	16	-	1	-	2	3	10
Valv. Dis., Endocarditis	45·4	43	-	-	6	3	22	12
Cerebr. Hæm. Thromb.	32·4	31	-	-	-	2	7	22
Apoplexy, Hemiplegia	21·2	15	-	-	-	-	6	9
Aneurysm	4·6	3	-	-	-	-	1	2
Embolism, Thrombosis (not cerebral)	1·5	2	-	-	-	-	1	1
Heart & Blood Vessel Dis.	107·3	68	-	2	1	7	17	41
Croup (not Spasm: nor Memb.)	1·5	1	-	-	1	-	-	-
Bronchitis	199·8	146	21	11	-	3	19	92
Asthma, Emphysema	9·2	4	-	-	-	-	1	3
Pleurisy	6·6	3	1	1	1	-	-	-
Respiratory Dis. (other)	14·0	15	1	2	2	-	2	8
Tonsillitis, Quinsy	0·3	-	-	-	-	-	-	-
Enteritis (not Epid.)	9·2	8	8	-	-	-	-	-
Gastro-Enteritis	4·3	2	1	-	-	1	-	-
Peritonitis (not Puerp.)	3·6	3	1	-	-	2	-	-
Cirrhosis of Liver	13·0	12	-	-	-	2	6	4
Liver Dis. (other)	4·3	9	-	-	-	-	4	5
Digestive Dis., Other	39·0	39	8	2	2	5	9	13
Nephritis, Acute	6·9	10	-	-	1	6	2	1
Bright's Dis., Albuminuria	33·9	35	-	-	-	5	10	20
Urinary Sys., Other Dis.	8·2	21	-	-	-	1	2	18
Generative Organs Dis.	4·6	4	-	-	-	1	2	1
Childbirth (Accid. of)	3·8	3	-	-	-	3	-	-
Old Age	61·7	50	-	-	-	-	-	50
Other Diseases	104·5	91	68	8	5	1	3	6
ACCIDENT.								
By Railways	1·8	3	-	-	1	1	1	-
By Vehicles and Horses	4·6	3	-	1	-	1	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·3	-	-	-	-	-	-	-
In Building Operations	0·5	-	-	-	-	-	-	-
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	9·4	7	-	4	3	-	-	-
By Drowning	5·1	-	-	-	-	-	-	-
By Suffocation in Bed	14·8	6	6	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	1	-	-	1	-	-	-
Other Deaths by Accident	17·1	11	2	2	2	-	-	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	2·3	-	-	-	-	-	-	-
Suicide	9·4	7	-	-	1	1	3	2
Execution	0·5	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd February, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2508	1337	260	440	-	28	5	17	34	-	1	-	14	38	127	519
WEST DISTRICTS - - -	805,311	343	226	34	83	-	-	1	4	1	-	-	-	4	6	18	95
NORTH DISTRICTS - - -	1,056,070	544	283	55	104	-	3	-	-	4	-	1	-	1	4	25	87
CENTRAL DISTRICTS - - -	209,465	113	68	15	18	-	1	-	-	3	-	-	-	1	2	6	37
EAST DISTRICTS - - - -	715,739	511	238	56	71	-	3	-	3	11	-	-	-	4	6	27	118
SOUTH DISTRICTS - - -	1,749,844	997	492	100	153	-	21	4	10	15	-	-	-	4	20	51	152
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	30	-	11	-	-	-	-	-	-	-	-	-	-	-	30
WEST DISTRICTS.																	
St. Mary Paddington *W,2H* - -	93,178	36	28	3	18	-	-	-	-	-	-	-	-	2	1	1	14
St. John Paddington *H* - - -	33,617	5	7	-	5	-	-	-	-	-	-	-	-	-	1	2	1
North-West Paddington - -	17,181	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* - -	128,037	50	41	2	22	-	-	-	-	-	-	-	-	1	1	5	17
Brompton *2H* - - - - -	48,591	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *W,wH* - -	49,192	39	10	3	2	-	-	-	-	1	-	-	-	-	-	1	1
South Hammersmith *w,2H* - -	63,047	36	23	6	4	-	-	-	-	-	-	-	-	-	1	3	8
North-west Fulham *W* - - -	45,180	40	18	2	7	-	-	-	-	-	-	-	-	1	-	-	10
North-east Fulham *F* - - -	46,405	25	15	3	2	-	-	1	4	-	-	-	-	-	-	2	5
South Fulham *W* - - - -	45,704	19	8	2	2	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *W,w,3H* - - -	42,514	10	25	2	9	-	-	-	-	-	-	-	-	-	-	1	21
Chelsea South *W,2H* - - -	31,328	12	14	2	2	-	-	-	-	-	-	-	-	-	1	1	4
Mayfair and Knightsbridge - -	28,743	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H* - - - -	55,815	28	13	5	2	-	-	-	-	-	-	-	-	-	1	1	6
St. Margaret & St. John *4H* - -	43,698	14	11	2	3	-	-	-	-	-	-	-	-	-	-	-	6
St. James and St. Anne‡ *W,6H* -	33,081	11	8	1	4	-	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone *8H* - -	35,391	10	7	1	3	-	-	-	-	-	-	-	-	-	1	1	3
St. Mary Marylebone *W,4H* -	37,948	54	13	2	7	-	-	-	-	-	-	-	-	-	-	1	3
Christchurch Marylebone *H* - -	39,536	24	8	4	3	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *3H* - -	20,426	7	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *W,F,6H* - - -	81,942	30	19	3	10	-	-	-	-	-	-	-	-	-	-	-	9
West St. Pancras *2H* - - -	60,562	28	12	1	3	-	-	-	-	-	-	-	-	-	1	2	2
Tottenham-court *w,7H* - - -	21,258	4	8	-	1	-	-	-	-	-	-	-	-	-	-	-	7
Gray's Inn Lane *4H* - - -	34,449	19	13	5	1	-	1	-	-	1	-	-	-	-	-	1	2
East St. Pancras *W,2H* - - -	60,320	26	22	3	8	-	-	-	-	-	-	-	-	-	-	2	7
North St. Pancras *2W* - - -	58,728	25	20	4	10	-	-	-	-	1	-	-	-	-	-	1	9
Tufnell *W* - - - -	31,995	25	20	1	10	-	-	-	-	-	-	-	-	-	-	1	17
Upper Holloway *2W,w,H* - -	33,978	16	22	-	8	-	-	-	-	-	-	1	-	-	1	1	17
Tollington *WH* - - - -	33,922	10	10	3	3	-	-	-	-	-	-	-	-	-	-	1	-
Lower Holloway - - - -	41,424	19	8	4	-	-	2	-	-	-	-	-	-	-	-	2	-
Barnsbury - - - - -	54,478	29	8	1	3	-	-	-	-	-	-	-	-	-	1	2	-
Islington South-east *F* - - -	75,397	37	14	5	3	-	-	-	-	-	-	-	-	-	-	1	-
Highbury *2H* - - - - -	63,797	41	12	2	4	-	-	-	-	1	-	-	-	-	-	-	-
Stoke Newington *H* - - -	51,247	19	9	1	4	-	-	-	-	1	-	-	-	-	-	1	-
North Hackney - - - - -	50,560	24	10	2	6	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F* - - -	50,536	25	10	5	1	-	-	-	-	-	-	-	-	-	-	3	-
South-west Hackney *3H* - -	59,921	38	20	5	7	-	-	-	-	-	-	-	-	1	-	3	5
South-east Hackney *2W,w,H* - -	58,255	34	12	2	7	-	-	-	-	-	-	-	-	-	-	1	5

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd February, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
iles and Bloomsbury *W,2H* -	31,436	20	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
nd *W,4H* - - - - -	21,674	6	18	2	7	-	-	-	-	-	-	-	-	-	1	2	13	-
nd Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oorn *W,6H* - - - - -	29,612	8	24	8	2	-	-	-	-	3	-	-	-	1	-	1	18	-
h Clerkenwell - - -	28,676	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ch Clerkenwell *H* - - -	35,028	27	6	-	5	-	1	-	-	-	-	-	-	-	-	1	-	-
bury *3H,L* - - - - -	36,116	32	5	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
orn Union Workhouse, tcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph *H* - - - - -	10,299	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
epulchre and Allhallows *W,2H*	16,624	2	5	1	1	-	-	-	-	-	-	-	-	-	-	-	5	-
of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *H* - - -	46,362	25	8	4	1	-	1	-	-	-	-	-	-	-	-	1	-	-
editch North-West *W,w,H* -	36,127	26	28	3	12	-	-	-	-	-	-	-	-	-	1	1	16	-
editch North-East - - -	36,148	20	7	3	1	-	-	-	-	1	-	-	-	-	-	2	-	-
editch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green North *2H* - -	51,514	30	11	4	1	-	-	-	-	-	-	-	-	-	1	2	6	-
nal Green South - - -	33,472	21	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
nal Green East *2W,H,L* - -	44,694	39	29	4	9	-	-	-	-	-	-	-	-	1	-	3	20	1
lfields - - - - -	27,969	18	5	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-
End New Town *W,H* - -	28,718	25	40	7	8	-	-	-	1	1	-	-	-	1	3	8	37	-
man's Fields - - - -	22,081	15	5	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-
eorge and St. John *2W* - -	49,068	49	18	5	6	-	-	-	-	3	-	-	-	1	-	-	5	
well and Ratcliff *W,H* - -	25,568	15	13	2	3	-	1	-	-	3	-	-	-	-	-	1	9	
house *W* - - - - -	32,369	17	5	-	2	-	-	-	-	-	-	-	-	1	-	-	-	
End Old Town South-stern *H* - - - -	63,698	58	11	5	3	-	-	-	1	-	-	-	-	-	-	-	1	-
End Old Town North-stern *W,w* - - -	49,129	35	12	2	5	-	-	-	-	1	-	-	-	-	-	2	7	-
L - - - - - -	41,989	29	5	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-
ley *3w,H* - - - - -	68,319	49	26	6	12	-	1	-	-	-	-	-	-	-	1	4	17	-
r *W,w* - - - - -	58,514	40	10	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-P MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 3rd February, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H* -	11,263	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H* - -	12,056	9	16	3	1	-	-	-	-	-	-	-	-	-	3	5	1
Kent-road - - - - -	21,904	19	7	2	2	-	1	-	-	-	-	-	-	-	1	1	-
St. George the Martyr West *W,2H,L* - - - -	39,094	31	11	4	2	-	-	-	1	-	-	-	-	-	-	-	4
Newington North - - -	49,022	40	6	2	1	-	-	-	-	1	-	-	-	-	1	2	-
Newington South *W* - - -	72,841	46	18	7	6	-	-	-	-	-	-	-	-	-	1	2	1
St. Olave *2W* - - - -	9,817	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W* - - - -	82,483	43	20	4	4	-	1	-	-	1	-	-	-	-	-	3	-
Rotherhithe *W,F* - - - -	38,460	10	12	2	2	-	1	-	-	1	-	-	-	-	1	2	1
Waterloo-road *2H* - - -	27,440	16	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H* - -	18,423	14	13	3	2	-	-	-	-	-	-	-	-	-	1	3	1
Lambeth Church 2nd *2W* - -	39,818	34	37	7	15	-	1	-	-	-	-	-	-	-	-	6	2
Kennington 1st *H* - - -	53,198	33	11	4	2	-	-	-	-	2	-	-	-	-	-	1	-
Kennington 2nd *H* - - -	42,896	13	10	2	3	-	-	-	1	-	-	-	-	-	1	1	-
Brixton *F* - - - - -	84,232	43	24	4	9	-	3	2	2	1	-	-	-	-	1	1	-
Norwood *W,H* - - - -	35,888	15	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H* - - -	72,203	47	9	3	2	-	-	-	-	-	-	-	-	1	-	-	-
North-west Battersea - - -	49,656	26	16	4	3	-	2	-	-	-	-	-	-	1	-	1	-
South-west Battersea *2W,H* - -	47,048	13	19	-	9	-	-	-	-	-	-	-	-	-	2	2	1
Clapham *2H* - - - -	51,361	25	12	-	4	-	1	-	1	1	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L* - -	88,019	62	23	5	13	-	-	-	1	-	-	-	-	1	1	1	-
Springfield *2W,L* - - - -	27,959	15	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Southfields *H* - - - -	40,444	21	6	2	2	-	-	-	-	-	-	-	-	-	1	4	-
Putney - - - - - -	24,139	11	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - -	13,359	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w* - -	40,206	18	21	1	11	-	-	-	-	-	-	-	-	-	-	1	1
Camberwell North *W,2L* - -	65,584	29	30	9	12	-	1	-	-	-	-	-	-	1	1	1	1
St. George - - - - -	47,331	27	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North - - - -	48,913	30	12	2	7	-	1	-	-	1	-	-	-	-	-	-	-
Peckham South *2W,w* - - -	43,946	16	7	1	2	-	1	-	-	-	-	-	-	-	-	-	-
Deptford North - - - -	37,613	22	8	1	2	-	-	-	-	3	-	-	-	-	-	-	-
Deptford Central - - - -	45,481	30	11	5	-	-	5	-	-	1	-	-	-	-	-	1	-
Deptford South - - - -	34,625	18	9	3	5	-	-	-	-	1	-	-	-	-	1	1	-
Greenwich West *2H* - - -	23,456	12	8	1	2	-	1	-	-	-	-	-	-	-	1	1	-
Greenwich East *2W,H* - -	43,859	29	23	5	5	-	-	-	-	1	-	-	-	-	2	3	1
Eltham *w,H* - - - -	7,226	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH* - - - - -	25,490	3	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F* - - -	58,352	38	19	3	5	-	-	1	1	1	-	-	-	-	1	1	1
Sydenham *H* - - - -	43,653	35	9	2	2	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *F,2H* - - - -	21,134	7	5	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Woolwich *5H* - - - -	41,625	26	5	1	1	-	1	-	2	-	-	-	-	-	-	1	-
Plumstead West *W* - - -	18,063	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H* - -	50,264	43	15	3	5	-	-	-	-	-	-	-	-	-	-	3	-
Workhouse:—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) -																	
M. A. B. Small-pox Hospitals:—																	
Joyce Green - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead - - - - -	—	-	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Manor - - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch - - - -	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury - - - - -	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-

E 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nded Saturday, 3rd February, 1906.

Division	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,602	2,044,973	1341	569	148	177	-	13	2	12	18	-	3	18	36	96	2
1	Carshalton 2F,2H - -	12,228	32,997	15	12	4	1	-	-	1	2	3	-	-	-	-	4	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	15	9	3	4	-	-	-	-	1	-	-	-	1	4	-
1	Godstone, *part of** W,F -	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Coulsdon - - - -	11,069	8,166	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	24	9	3	3	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H -	2,168	42,888	29	19	6	4	-	1	-	1	-	-	-	-	3	7	-
4	North Croydon H - -	2,644	41,698	29	11	3	3	-	-	-	-	-	-	-	-	1	-	-
5	Penge w,H - - - -	770	22,465	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30,015	20	17	3	4	-	3	-	-	-	-	-	1	1	-	-
1	Wimbledon F,3H - -	3,221	41,652	25	5	4	-	-	-	-	-	1	-	-	-	-	-	-
2	Kingston 2W,H - - -	6,224	42,068	20	21	5	10	-	-	-	-	-	-	-	-	2	9	-
3	Surbiton F,H - - -	3,046	15,017	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L - - -	4,564	23,456	19	3	1	2	-	-	-	-	-	-	-	-	-	-	-
1	Richmond W,H - - -	2,162	28,865	12	5	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F - - -	2,847	20,628	11	8	3	1	-	-	-	1	-	-	-	-	-	1	-
1	Bromley F,2H - - -	4,703	27,354	14	8	2	6	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham H - - -	7,825	28,497	18	4	2	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	9	5	-	2	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H - - -	7,333	16,446	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-
1	Bexley w F,H - - -	8,678	21,151	13	5	2	3	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - - -	3,854	25,296	17	4	1	2	-	-	-	-	-	-	-	1	1	1	-
3	Dartford W,F, *part of** -	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
1	Sunbury w - - - -	11,054	18,683	10	2	-	2	-	-	-	-	-	-	-	-	-	-	1
2	Staines W,H - - -	13,277	15,178	10	7	3	2	-	1	-	-	-	-	-	-	-	1	-
1	Hillingdon W,F,H - -	6,035	13,661	8	3	2	-	-	-	-	-	1	-	-	-	-	-	-
2	Uxbridge H - - -	12,757	8,984	4	4	1	1	-	-	-	-	1	-	-	-	1	-	-
3	Hayes w,F,H - - -	8,066	16,358	17	2	-	-	-	-	-	1	-	-	-	-	-	-	-
1	Isleworth 3W,2F,H - -	6,859	30,863	25	12	3	4	-	-	-	-	-	-	-	-	-	6	-
2	Twickenham F,H - -	2,421	20,991	15	7	2	1	-	-	-	-	1	-	-	1	2	-	-
3	Brentford 3F,2H,L - -	4,319	48,289	30	17	3	10	-	-	-	-	-	-	-	1	1	-	-
4	Chiswick H- - - -	1,249	29,809	16	8	1	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,3H - - -	6,132	48,914	48	14	4	4	-	-	-	-	1	-	-	1	2	-	-
1	Harrow F,H - - -	13,809	25,523	20	7	2	3	-	-	-	-	-	-	-	-	-	-	-
2	Edgware F,2H - - -	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,2F,2H - -	4,384	114,811	78	21	6	5	-	-	-	1	-	-	-	2	3	8	-
4	Hendon W,F - - -	8,382	22,450	13	3	1	-	-	-	-	-	-	-	-	-	-	1	-
1	South Mimms 2F,H - -	17,755	7,308	-	2	1	1	-	-	-	-	-	-	-	1	1	-	-
2	Barnet W,2H - - -	3,324	17,970	6	5	-	5	-	-	-	-	-	-	-	-	-	1	-
3	Finchley F,2H - - -	4,688	33,692	33	8	1	4	-	-	-	-	-	-	-	-	-	-	-
1	Hornsey F,H - - -	2,875	72,056	23	25	2	12	-	1	-	-	-	-	-	1	1	-	-
2	Wood Green H - - -	1,625	34,233	24	7	1	1	-	-	-	-	-	-	-	1	2	-	-
3	West Tottenham F - -	996	48,853	38	12	5	3	-	-	-	-	-	-	1	-	-	-	-
4	East Tottenham 2H - -	2,017	53,688	41	20	5	2	-	2	-	-	-	-	-	-	-	2	-
5	Edmonton W,w,2F - -	7,491	61,892	38	17	4	4	-	1	-	-	1	-	-	-	1	6	-
6	Enfield 2W,F,H - - -	12,601	42,738	21	5	-	2	-	-	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F - -	11,017	6,549	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
8	Cheshunt F,H - - -	8,479	12,292	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** W - -	3,305	664	-	2	-	1	-	-	-	-	-	-	-	-	1	1	-
1	Bushey H - - - -	9,333	9,173	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford H - - -	1,072	44,827	26	11	3	1	-	-	-	-	-	-	-	1	1	1	-
2	Plaistow F,2H - - -	1,249	90,921	67	30	11	7	-	2	-	2	1	-	-	-	1	2	-
3	Canning Town H - -	1,556	70,718	54	23	4	5	-	-	-	1	3	-	-	3	3	3	-
4	Forest Gate w - - -	806	60,892	27	6	2	3	-	-	-	-	-	-	-	-	-	-	-
5	North East Ham w H -	1,333	58,676	42	10	5	1	-	-	-	-	-	-	-	-	-	-	-
6	South East Ham 2F - -	1,993	37,342	39	12	8	-	-	-	-	2	2	-	1	1	1	2	-
7	Wanstead F - - -	1,679	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	34	20	8	6	-	-	-	-	1	-	1	-	-	7	-
9	North Leyton 2W,w,F -	1,963	48,445	33	23	3	12	-	1	-	-	1	-	-	1	1	14	1
10	Walthamstow 3H,L - -	6,504	108,929	87	23	4	8	-	1	-	-	-	-	-	-	1	1	-
1	Chigwell, *part of** 2F,3H -	11,778	16,397	10	4	-	1	-	-	1	-	-	-	-	-	-	1	-
2	Epping W,F, *part of** - -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1	Romford, *part of** W,2F -	6,556	6,091	2	3	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L - - - -	8,496	41,234	40	16	2	4	-	-	-	1	-	-	-	1	1	3	-
3	Barking Town F - -	3,803	21,547	15	6	2	2	-	-	-	-	-	-	-	-	1	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	1	2	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ng are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher rish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting eydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious eases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	February 3	2508	1337	14·8	-	28	5	18	34	1	-
CALCUTTA - -	847,796	December 16	-	701	42·9	20	4	-	-	1	194†	[illegible]
		" 23	-	675	41·4	20	1	-	1	-	187†	[illegible]
BOMBAY - -	776,006	January 16	406	739	49·5	2	7	-	-	1	110†	
MADRAS - -	509,346	" 5	364	638	65·1	21	14	-	-	-	166†	[illegible]
PARIS - - -	2,750,000	" 27	1016	951	18·5	2	22	1	4	1	4	
BRUSSELS - -	598,467	" 27	206	192	16·6	-	1	1	-	1	-	
ANTWERP - -	291,949	" 27	135	86	15·3	-	-	-	2	-	-	
AMSTERDAM -	557,614	" 20	284	146	13·6	-	4	1	4	1	1	
COPENHAGEN -	430,000	" 27	201	140	17·0	-	-	-	-	3	-	
STOCKHOLM -	318,398	" 20	168	86	14·0	-	1	3	1	-	-	
CHRISTIANIA -	222,373	" 27	150	73	17·1	-	-	1	3	-	-	
ST. PETERSBURG	1,429,000	" 13	825	707	25·7	3	26	14	18	8	27	
MOSCOW - -	1,092,360	" 6	-	662	31·6	1	8	6	5	5	7	
		" 13	-	686	32·7	1	2	12	15	4	8	
BERLIN - -	2,039,051	" 13	966	638	16·3	-	10	4	8	11	-	
HAMBURG - -	786,860	" 27	-	269	18·1	-	1	-	3	1	-	
BRESLAU - -	463,283	" 20	-	148	16·7	-	-	-	1	2	-	
MUNICH - -	540,000	" 27	-	-	-	-	-	-	-	-	-	
VIENNA - -	1,917,639	" 27	950	663	18·2	-	7	2	12	10	1	
PRAGUE - -	455 241	" 20	201	164	18·7	-	-	1	-	-	1	
		" 27	195	162	18·5	-	3	-	-	1	1	
BUDA-PESTH -	859,134	" 20	436	289	17·5	-	5	5	6	4	2	
TRIESTE - -	194,749	" 20	126	92	24·6	-	-	-	-	1	3	
ROME - -	516,580	December 2	252	178	18·0	-	2	-	1	-	3	
		" 9	271	167	16·9	-	-	-	3	2	4§	
VENICE - -	169,417	January 13	72	71	21·9	-	-	-	1	-	-	
BUCHAREST -	282,071	" 20	151	111	20·5	-	-	2	1	1	1	
NEW YORK -	4,152,860	" 13	2312	1525	19·2	-	15	7	62	3	6	
CHICAGO - -	2,049,185	" 13	-	582	14·8	-	-	8	11	1	9	
PHILADELPHIA -	1,469,126	" 6	-	536	19·0	-	10	3	24	1	19	
BOSTON - -	617,950	" 6	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	905,000	December 31	-	261	15·0	2	-	-	-	-	1	

* Excluding deaths from croup in the Indian Cities.
† Including 21 and 19 deaths from plague in Calcutta, 24 in Bombay, and 2 in Madras.
‡ Including 61 and 65 deaths from cholera in Calcutta, and 3 in Madras.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 3rd February, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	51·2	31·5	42·7	0·10	BRADFORD - -	50·6	37·0	44·1	0·[illegible]
BRIGHTON - -	48·7	34·7	43·5	0·26	LEEDS - - -	54·0	33·0	44·9	0·[illegible]
PORTSMOUTH - -	49·7	35·0	44·5	0·23	HULL - - -	54·0	33·0	42·8	0·[illegible]
NORWICH - -	50·0	33·6	42·5	0·30	TYNEMOUTH - -	53·0	30·0	42·8	0·[illegible]
PLYMOUTH - -	50·2	34·1	44·9	0·38	CARDIFF - -	51·1	29·8	43·6	0·[illegible]
BRISTOL - - -	50·0	36·0	44·1	0·10	EDINBURGH - -	50·1	31·9	41·1	0·[illegible]
BIRMINGHAM - -	49·9	35·2	42·5	0·15	GLASGOW - -	50·6	33·5	42·7	0·[illegible]
NOTTINGHAM - -	52·6	35·9	43·4	0·11	DUBLIN Phœnix Park.	53·3	34·7	44·3	0·[illegible]
LIVERPOOL OBSERVATORY.	51·0	38·0	44·7	0·23	DUBLIN Fitzwilliam Square.†	54·9	36·7	45·9	0·[illegible]
MANCHESTER -	50·7	34·8	42·6	0·74					
PRESTON - -	50·0	36·8	43·9	0·56					
HUDDERSFIELD -	50·4	35·6	42·4	0·25	BELFAST - -	54·0	36·5	45·0	0·[illegible]

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	28	..	29·999	50·1	45·2	4·9	47·7	+ 8·2	42·6	5·1	6·9	2·4	82	60·1	44·3	42·41	SW.	SW.	5·0	0·0	0·9	523	+187	0·00	0·7
MONDAY -	29	In Equator	29·972	51·2	41·3	9·9	46·7	+ 7·0	40·5	6·2	7·3	4·2	79	67·8	35·7	42·82	SW.	WSW. & NNW.	4·3	0·0	0·6	432	+ 95	0·02	2·3
TUESDAY -	30	..	30·210	47·8	33·3	14·5	41·1	+ 1·3	35·2	5·9	10·1	2·9	79	63·2	23·9	43·23	WSW. & SW.	W. & WSW.	2·8	0·0	0·1	294	- 43	0·00	0·0
WEDNESDAY	31	..	30·236	44·7	31·5	13·2	37·9	- 1·9	35·1	2·8	7·7	0·4	89	44·7	24·0	43·28	WSW. & W.	SW., NW. & WSW.	0·9	0·0	0·0	192	-146	0·00	1·0
FEBRUARY THURSDAY-	1	First Qr. Apogee.	30·085	46·2	39·3	6·9	43·3	+ 3·6	39·6	3·7	8·1	0·2	87	48·0	34·8	43·04	WSW. & SW.	W., NW. & WSW.	1·9	0·0	0·3	336	- 3	0·01	3·0
FRIDAY -	2	..	29·858	49·4	39·6	9·8	44·0	+ 4·3	35·9	8·1	12·2	5·1	73	79·4	35·0	43·04	WSW. & W.	W., WNW. & NW.	13·4	0·0	0·8	527	+187	0·02	0·0
SATURDAY-	3	..	29·548	42·3	36·1	6·2	39·1	- 0·6	30·5	8·6	14·7	3·2	71	50·5	32·1	43·05	NW., W. & NNW.	N. & NNW.	17·8	0·0	1·1	547	+206	0·05	2·5
MEANS -			29·987	47·4	38·0	9·3	42·8	+ 3·1	37·1	5·8	9·6	2·6	80	59·1	32·8	42·98	WSW. & NNW.		..	..	..	Sum 2851	Sum +483	Sum 0·10	1·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.		Electricity. (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	28	w. P. throughout.	0·4	8·9	Generally overcast; very mild; gusty wind at times.
MONDAY -	29	w. P. generally till 6h. P.M.; m. P. till 8h. P.M.; s.P. afterwards.	0·3	8·9	Overcast with brisk wind in morning; generally cloudy afterwards; light shower between 3h. and 4h. P.M.; very mild.
TUESDAY -	30	m. P. till 9h. A.M.; s. P. afterwards.	4·8	9·0	Cloudless with hoar frost in morning; very fine with variable amounts of cloud afterwards.
WEDNESDAY	31	m. P. in morning; s. P. generally afterwards.	0·0	9·0	Cloudless with hoar frost in morning; fine with slight fog in forenoon: generally overcast afterwards.
FEBRUARY. THURSDAY-	1	w. P. generally till noon; m. P. till 6h. P.M.; s.P. afterwards.	0·0	9·1	Generally overcast till 6h. P.M.; fine and partially cloudy afterwards; occasional light showers.
FRIDAY -	2	w. P. generally in morning; s. P. with occasional s.N. afterwards.	2·7	9·1	Generally cloudy; fine in forenoon; occasional light showers; gusty wind between 3h. and 6h. P.M.
SATURDAY-	3	m. P. with occasional s. N. till 11h. A.M.; s.P. afterwards.	2·4	9·2	Overcast and showery in morning; variable with occasional slight snow showers till afternoon; very fine generally at night; strong gusty wind prevalent after noon.
			Sum 10·6	Sum 63·2	
No. of Col.-	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·03 in. at the beginning of the week to 29·92 in. by 1h. P.M. on Jan. 29th; increased to 30·27 in. by 11h. A.M. on Jan. 31st; decreased to 29·48 in. by 1h. P.M. on Feb. 3rd; and increased to 29·68 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 27th January, 1906.*

BOROUGHS.	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	4	3	-	1	-	-	2	-
Kensington	180,952	-	1	3	-	2	-	-	6	-
Hammersmith	120,679	-	7	5	-	1	-	-	-	2
Fulham	161,965	-	8	15	-	1	-	-	4	-
Chelsea	74,672	-	-	3	-	-	-	-	1	-
City of Westminster	173,905	-	15	5	-	1	-	-	4	-
NORTH.										
St. Marylebone	128,580	-	-	1	-	1	-	-	3	-
Hampstead	89,633	-	5	1	-	-	-	-	1	-
St. Pancras	236,455	-	19	1	-	1	-	-	1	-
Islington	344,987	-	31	16	1	3	-	-	12	2
Stoke Newington	53,217	-	2	-	-	1	-	-	-	-
Hackney	230,721	-	30	9	-	1	-	-	6	1
CENTRAL.										
Holborn	55,805	-	3	-	-	-	-	-	-	-
Finsbury	97,466	-	8	3	-	1	-	-	4	-
City of London	21,367	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	15	-	-	-	-	-	-	-
Bethnal Green	130,609	-	11	10	-	-	-	-	2	-
Stepney	307,176	-	21	13	-	2	-	-	5	-
Poplar	170,673	-	19	3	-	2	-	-	7	-
SOUTH.										
Southwark	209,143	-	21	8	-	2	-	-	4	-
Bermondsey	128,629	-	15	3	-	-	-	-	-	-
Lambeth	315,774	-	26	6	-	1	-	-	3	1
Battersea	179,622	-	22	8	-	-	-	-	1	-
Wandsworth	273,381	-	22	15	-	3	-	-	3	-
Camberwell	274,132	-	13	11	-	1	-	-	4	3
Deptford	115,495	-	18	8	-	-	-	-	3	-
Greenwich	105,350	-	4	16	-	1	-	-	1	-
Lewisham	148,463	-	12	5	-	-	-	-	2	-
Woolwich	127,345	-	11	8	-	1	-	-	2	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	364	179	1	27	-	-	81	9
Ages 0-1		-	1	5	-	-	-	-	3	-
" 1-5		-	113	68	-	2	-	-	5	-
" 5-		-	164	72	-	6	-	-	2	-
" 10-		-	48	16	-	1	-	-	3	-
" 15-		-	9	7	1	5	-	-	4	-
" 20-		-	12	3	-	2	-	-	3	2
" 25-		-	13	6	-	2	-	-	15	2
" 35-		-	3	2	-	5	-	-	8	5
" 45-		-	1	-	-	3	-	-	9	-
" 55-		-	-	-	-	1	-	-	18	-
" 65 and upwards		-	-	-	-	-	-	-	11	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 6. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, FEB. 10. [Price 1½*d*.

General Register Office, Somerset House,

February 12th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·5 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 15·8, 15·9, and 15·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 20·0 in Rhondda, 20·5 in Coventry, 20·8 in Great Yarmouth, Plymouth, and Burnley, 21·1 in Warrington, 21·2 in Liverpool, 22·8 in Preston, and 24·2 in Swansea; from *measles*, 1·3 in Tottenham, 1·4 in Croydon, and 2·2 Preston; from *diphtheria*, 1·0 in Croydon and in Middlesbrough, 1·3 in Reading 1·4 in Hull, and 2·1 in Merthyr Tydfil; from *whooping-cough*, 1·5 in Warrington and in Burnley, 1·8 in Plymouth, and 2·7 in Leicester; and from *diarrhœa*, 1·8 in Rochdale. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2550 BIRTHS and 1346 DEATHS were registered. Allowing for increase of population, the births were 177 and the deaths 345 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 15·5, 15·3, and 14·8 per 1000 in the preceding three weeks, was 14·9 last week. The death-rate in the four weeks ended on Saturday last averaged 15·1 per 1000, being 3·2 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 2/06 D & S 3 23712 F

The 1346 deaths included 26 from measles, 11 from scarlet fever, 16 from diphtheria, 33 from whooping-cough, 4 from enteric fever, and 23 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 113 deaths were referred to these diseases in the aggregate, being 43 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 52, 44, and 28 in the preceding three weeks, further fell to 26 last week, and were 15 below the corrected average; 6 deaths belonged to the Borough of Lambeth, and 3 each to Camberwell and Deptford. The deaths from *scarlet fever*, which had been 13, 10, and 5 in the preceding three weeks, rose to 11 last week, and were 2 above the corrected average; 4 deaths belonged to Southwark. The deaths from *diphtheria*, which had been 12, 22, and 17 in the preceding three weeks, were 16 last week, and were 5 below the corrected average. The deaths from *whooping-cough*, which had been 21, 37, and 34 in the preceding three weeks, were 33 last week, and were 12 below the corrected average; 8 deaths belonged to Stepney, 4 to Camberwell, and 3 to Deptford. The fatal cases of *enteric fever*, which had been 3, 3, and 1 in the preceding three weeks, rose to 4 last week, but were 3 below the corrected average. The deaths from *diarrhœa*, which had been 8, 19, and 14 in the preceding three weeks, rose to 23 last week, and were 5 above the corrected average; 4 deaths belonged to Lambeth and 3 to Poplar. Of the 23 deaths from diarrhœa, 20 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 9 other deaths at this age. The deaths attributed directly to *influenza* numbered 10, having been 9, 12, and 10 in the preceding three weeks. The death of a house painter, aged 55 years, was certified as due to *lead colic*.

Different forms of *violence* caused 44 deaths, concerning all of which inquests were held. Of these 44 deaths, 5 were cases of suicide, while the remaining 39 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 7 to burns or scalds, and 8 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2839 cases of scarlet fever, 899 of diphtheria, and 79 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 283 cases, against 328, 322, and 319; of diphtheria, 128 cases, against 143, 135, and 131; and of enteric fever, 6 cases, against 15, 16, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 3rd, 1906.

Greater London.

In Greater London 3823 births and 1882 deaths were registered. Allowing for increase of population, these numbers are 271 and 453 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 3 from scarlet fever, 6 from diphtheria, 3 from whooping-cough, and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·77 inches, and that of the Thermometer 37°·0, the latter being 2°·3 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 23 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 17·5 hours; the measured rainfall amounted to 0·38 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Causes. Week ended 20th Jan., 1906.	27th Jan., 1906.	3rd Feb., 1906.	10th Feb., 1906.	Diseases in Cols. 11–17. Week ended 10th February, 1906.	Registered during the Week ended 10th Feb., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**15·8**	**15·9**	**15·5**	**15·5**	**1·3**	**8603**	**4711**	**1061**	**1419**	**-**	**69**	**44**	**76**	**130**	**22**	**58**	**177**	**384**	**1130**	**46**	**76 Towns.**
London - - -	4,721,217	15·5	15·3	14·8	14·9	1·2	2550	1346	272	439	-	26	11	16	33	4	23	44	132	493	3	London.
Croydon - -	151,011	16·2	13·5	13·5	16·2	3·1	83	47	6	20	-	4	1	3	1	-	-	-	3	18	-	Croydon.
Willesden - -	143,622	9·4	13·4	8·0	8·4	0·7	69	23	4	7	-	-	-	1	1	-	-	-	2	6	-	Willesden.
Hornsey - -	86,935	9·6	11·4	15·6	9·6	-	33	16	1	7	-	-	-	-	-	-	-	1	1	2	-	Hornsey.
Tottenham - -	119,503	16·1	15·3	15·3	14·4	2·2	76	33	9	5	-	3	-	-	1	-	1	3	7	8	1	Tottenham.
West Ham - -	301,617	13·7	9·2	14·0	12·6	1·0	208	73	11	29	-	1	1	1	1	1	1	2	9	20	-	West Ham.
East Ham - -	129,886	10·8	13·2	9·2	9·2	0·8	48	23	3	9	-	-	1	1	-	-	-	-	1	5	-	East Ham.
Leyton - - -	118,287	10·1	12·8	11·0	9·3	0·9	59	21	6	8	-	1	-	1	-	-	-	2	2	3	-	Leyton.
Walthamstow -	121,334	7·3	12·9	10·7	8·6	1·3	66	20	6	4	-	1	-	1	-	-	1	1	3	5	-	Walthamstow.
Hastings - - -	67,144	19·4	18·6	15·5	9·3	-	24	12	6	3	-	-	-	-	-	-	-	-	1	1	-	Hastings.
Brighton - -	128,095	13·8	15·9	19·9	17·9	0·8	65	44	10	22	-	1	1	-	-	-	-	2	5	12	-	Brighton.
Portsmouth - -	205,118	9·4	15·3	11·9	16·0	1·0	118	63	9	24	-	-	1	3	-	-	-	2	6	15	-	Portsmouth.
Bournemouth -	67,702	15·4	10·8	16·2	19·3	0·8	22	25	4	9	-	-	-	1	-	-	-	-	-	3	-	Bournemouth.
Southampton -	117,312	13·3	15·6	16·9	10·2	0·4	55	23	6	6	-	-	-	-	1	-	-	2	5	5	-	Southampton.
Reading - - -	78,987	17·8	14·5	11·9	9·2	2·0	39	14	3	4	-	-	-	2	1	-	-	1	2	4	-	Reading.
Northampton -	93,749	12·8	10·0	9·5	11·7	-	36	21	7	5	-	-	-	-	-	-	-	1	2	-	-	Northampton.
Ipswich - - -	71,809	18·2	13·1	18·9	18·9	0·7	34	26	7	10	-	-	-	-	1	-	-	-	2	3	-	Ipswich.
Great Yarmouth -	52,613	17·8	23·8	11·9	20·8	-	20	21	2	8	-	-	-	-	-	-	-	1	2	5	-	Great Yarmouth.
Norwich - -	117,958	12·8	15·0	17·7	15·0	0·4	55	34	8	15	-	-	-	-	-	-	1	1	3	3	-	Norwich.
Plymouth - -	118,014	17·2	16·8	20·8	20·8	2·7	52	47	2	18	-	-	-	2	4	-	-	1	1	9	-	Plymouth.
Devonport -	78,405	17·3	16·6	14·6	19·3	1·3	57	29	6	6	-	-	1	-	1	-	-	-	1	2	-	Devonport.
Bristol - - -	363,223	17·2	15·2	15·9	13·9	1·0	198	97	24	29	-	2	-	2	3	-	-	-	6	13	-	Bristol.
Hanley‡ - - -	66,360	14·9	16·5	7·9	18·1	0·8	43	23	7	9	-	-	-	1	-	-	-	-	1	2	-	Hanley‡
Burton-on-Trent	52,922	8·9	17·7	16·7	15·8	-	18	16	2	5	-	-	-	-	-	-	-	-	-	2	2	Burton-on-Trent.
Wolverhampton -	100,729	11·4	15·0	17·1	18·6	2·6	63	36	8	11	-	2	1	1	1	-	-	3	5	11	-	Wolverhampton.
Walsall - - -	94,577	12·7	15·4	14·9	16·0	0·6	55	29	11	5	-	-	-	-	-	-	1	1	1	3	1	Walsall.
Handsworth -	63,819	14·7	13·9	8·2	16·3	0·8	27	20	8	6	-	-	-	-	1	-	-	2	2	2	1	Handsworth.
West Bromwich -	68,469	15·2	16·0	22·1	17·5	1·5	51	23	10	2	-	-	-	-	1	1	-	3	4	2	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 10th February, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 20th Jan., 1906.	27th Jan., 1906.	3rd Feb., 1906.	10th Feb., 1906.	Rate from Diseases in Cols. 11-17. Week ended 10th February, 1906.	Registered during the Week ended 10th Feb., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	20·2	17·9	17·2	16·4	2·0	338	172	41	46	-	3	1	1	14	-	2	12	15	35	3	BIRMINGHAM.
KINGS NORTON -	72,608	8·6	11·5	10·8	13·6	1·4	48	19	8	7	-	-	-	-	2	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK - -	64,531	5·7	8·1	15·4	10·5	1·6	44	13	5	3	-	-	-	-	1	1	-	-	-	1	-	SMETHWICK.
ASTON MANOR -	82,288	12·7	11·4	15·8	15·8	1·9	49	25	7	10	-	-	-	-	2	-	1	2	2	-	-	ASTON MANOR.
COVENTRY - -	76,374	12·3	14·3	10·2	20·5	-	32	30	4	14	-	-	-	-	-	-	-	2	2	7	-	COVENTRY.
LEICESTER - -	232,111	13·7	14·8	11·2	18·0	2·9	126	80	33	18	-	-	1	-	12	-	-	2	7	4	1	LEICESTER.
GRIMSBY - - -	69,359	11·3	12·0	23·3	12·8	0·8	37	17	4	2	-	-	-	1	-	-	-	-	2	3	-	GRIMSBY.
NOTTINGHAM - -	254,563	16·6	17·6	19·3	19·7	0·8	131	96	32	31	-	-	-	1	1	-	2	-	2	14	3	NOTTINGHAM.
DERBY - - -	123,981	15·6	15·1	15·1	14·7	1·3	57	35	9	12	-	-	-	-	2	1	-	1	2	6	-	DERBY.
STOCKPORT - -	99,646	16·2	21·5	20·9	15·2	0·5	43	29	7	10	-	-	-	-	1	-	-	-	-	8	-	STOCKPORT.
BIRKENHEAD - -	117,292	14·2	15·6	12·9	14·2	0·4	77	32	4	9	-	-	-	-	-	1	-	2	4	8	-	BIRKENHEAD.
WALLASEY - -	64,578	18·6	13·7	10·5	11·3	0·8	31	14	2	1	-	-	-	1	-	-	-	1	1	2	-	WALLASEY.
LIVERPOOL† - -	739,180	20·2	21·1	19·8	21·2	1·9	438	300	65	80	-	3	10	3	8	2	1	14	21	98	11	LIVERPOOL.†
BOOTLE† - - -	65,989	17·4	19·0	15·8	12·6	0·8	35	16	2	6	-	-	1	-	-	-	-	1	1	8	-	BOOTLE.†
ST. HELENS - -	91,153	17·7	17·2	18·3	13·2	1·1	66	23	8	5	-	-	-	1	-	-	1	2	2	5	3	ST. HELENS.
WIGAN - - -	87,588	14·9	16·1	15·5	13·1	-	48	22	8	3	-	-	-	-	-	-	-	3	3	1	1	WIGAN.
WARRINGTON - -	69,280	18·8	18·1	18·1	21·1	1·5	37	28	8	6	-	-	-	-	2	-	-	-	-	4	3	WARRINGTON.
BOLTON - - -	180,502	12·7	15·6	15·0	13·3	0·6	66	46	12	15	-	-	-	1	-	-	1	-	-	6	-	BOLTON.
BURY - - -	58,744	15·1	18·6	13·3	12·4	-	39	14	1	6	-	-	-	-	-	-	-	2	2	1	-	BURY.
MANCHESTER - -	637,126	15·8	17·4	15·9	17·4	1·4	358	212	40	53	-	-	2	2	5	4	4	11	16	52	-	MANCHESTER.
SALFORD - - -	234,077	18·0	18·9	16·3	14·5	1·3	134	65	18	20	-	1	2	1	2	-	-	2	3	13	-	SALFORD.
OLDHAM - - -	140,969	18·9	14·4	20·7	13·3	0·7	61	36	6	10	-	1	-	-	1	-	-	1	6	4	-	OLDHAM.
ROCHDALE - -	87,189	13·2	12·6	15·0	15·5	3·0	38	26	4	8	-	-	-	-	2	-	3	-	-	1	-	ROCHDALE.
BURNLEY - - -	102,808	18·8	19·3	16·7	20·8	2·5	56	41	8	10	-	-	-	-	3	1	1	3	3	4	-	BURNLEY.
BLACKBURN - -	134,015	14·8	19·8	16·0	15·2	1·9	72	39	9	9	-	2	1	2	-	-	-	1	2	8	2	BLACKBURN.
PRESTON - - -	116,399	28·2	24·6	21·5	22·8	3·1	56	51	12	15	-	5	-	-	-	-	2	2	2	6	-	PRESTON.
BARROW-IN-	69,997	15·4	13·7	14·5	13·7	0·9	30	16	2	5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	BARROW-IN-

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 20th Jan., 1906.	27th Jan., 1906.	3rd Feb., 1906.	10th Feb., 1906.	Rate from Diseases in Cols. 11-17. Week ended 10th February, 1906.	Registered during the Week ended 10th Feb., 1906. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	18·1	14·8	11·5	13·7	0·5	40	25	3	10	-	-	-	-	-	-	1	-	1	7	-	Huddersfield.
Halifax	109,272	13·8	17·2	17·7	15·7	1·0	43	33	4	10	-	-	-	1	-	-	1	1	2	6	-	Halifax.
Bradford	288,544	15·2	15·5	11·7	14·8	1·4	111	82	13	34	-	-	4	1	-	2	1	2	10	15	-	Bradford.
Leeds	463,495	16·9	17·0	15·5	16·9	2·4	256	150	36	43	-	11	1	3	3	1	2	4	17	26	-	Leeds.
Sheffield	447,951	16·3	14·3	15·8	15·0	1·2	238	129	32	33	-	-	1	1	5	2	1	12	14	37	5	Sheffield.
Rotherham	61,098	10·2	17·1	12·8	14·5	-	33	17	2	4	-	-	-	-	-	-	-	-	1	3	-	Rotherham.
York	83,467	11·2	13·1	12·5	18·1	1·9	31	29	7	11	-	2	-	-	1	-	-	-	1	8	-	York.
Hull	262,426	18·5	17·5	17·1	14·7	1·8	149	74	16	23	-	-	-	7	2	-	-	4	6	15	-	Hull.
Middlesbrough	100,069	16·7	19·3	18·2	19·8	2·1	71	38	9	10	-	-	-	2	-	-	2	1	4	7	-	Middlesbrough.
Stockton-on-Tees	52,664	17·8	20·8	18·8	14·9	1·0	36	15	-	4	-	-	-	1	-	-	-	1	1	1	-	Stockton-on-Tees.
West Hartlepool	73,387	15·6	15·6	10·7	13·5	0·7	53	19	4	5	-	-	1	-	-	-	-	1	2	-	-	West Hartlepool.
Sunderland	154,385	24·3	21·6	12·2	18·6	1·4	112	55	15	14	-	-	-	-	2	1	1	1	2	10	3	Sunderland.
South Shields	111,402	14·0	17·8	16·4	15·0	1·4	55	32	5	8	-	-	-	2	-	-	1	1	1	8	1	South Shields.
Gateshead	123,191	16·9	12·7	16·5	12·3	1·7	74	29	11	6	-	-	-	1	3	-	-	-	-	1	1	Gateshead.
Newcastle-on-Tyne	268,721	17·1	14·9	19·6	13·6	0·4	157	70	15	23	-	-	-	1	1	-	-	3	4	11	-	Newcastle-on-Tyne.
Tynemouth	54,138	12·5	22·2	18·3	14·4	1·0	29	15	3	5	-	-	-	-	-	-	1	2	2	-	-	Tynemouth.
Newport (Mon.)	74,227	21·1	19·0	23·2	18·3	0·7	53	26	11	6	-	-	-	-	1	-	-	-	-	3	-	Newport (Mon.).
Cardiff	183,823	13·6	13·9	11·1	14·5	0·6	83	51	12	11	-	-	-	1	-	-	1	2	3	5	-	Cardiff.
Rhondda	127,684	16·7	17·2	21·2	20·0	0·8	94	49	26	4	-	-	-	1	1	-	-	2	2	1	-	Rhondda.
Merthyr Tydfil	74,961	19·5	17·4	25·7	18·1	3·5	46	26	10	2	-	-	1	3	1	-	-	1	1	4	-	Merthyr Tydfil.
Swansea	96,848	22·1	17·8	20·5	24·2	0·5	68	45	10	16	-	-	-	-	1	-	-	2	3	6	-	Swansea.
Greater London	7,113,561	14·4	14·2	14·0	13·8	1·2	3823	1882	381	618	-	40	17	30	40	5	29	66	184	605	6	Greater London.
Outer Ring	2,392,344	12·2	12·2	12·4	11·7	1·0	1273	536	109	179	-	14	6	14	7	1	6	22	52	112	3	Outer Ring.
8 Towns in Outer Ring	1,172,195	12·1	12·2	12·3	11·4	1·3	642	256	46	89	-	10	3	8	4	1	3	9	28	67	1	8 Towns in Outer Ring
Remainder of Outer Ring	1,220,149	12·4	12·2	12·5	12·0	0·8	631	280	63	90	-	4	3	6	3	-	3	13	24	45	2	Remainder of Outer Ring.
Edinburgh	341,035	18·3	20·3	16·7	16·2	0·6	129	106	17	31	-	1	-	-	-	-	3	4	?	25	11	Edinburgh.
Glasgow	835,625	18·7	18·5	15·8	16·5	1·9	491	265	45	66	-	14	3	2	3	2	6	9	?	65	11	Glasgow.
Dublin†	378,994	20·1	21·2	24·4	20·5	0·1	202	149	23	44	-	-	-	-	-	1	-	5	9	62	7	Dublin.†
Belfast†	358,680	19·6	23·3	20·2	21·2	1·3	189	146	29	35	-	-	-	-	2	6	1	1	8	36	3	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

Table 2. LONDON.—**Births** and **Deaths** Registered in the Sixth Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	190
Total **Births** -	2656	2917	2843	2802	2889	2687	2647	2696	2637	2722	2727·2	255
Males - - -	1370	1490	1488	1408	1516	1366	1359	1332	1290	1334	1354·4	128
Females - -	1286	1427	1355	1394	1373	1321	1288	1364	1347	1388	1372·8	126
Total **Deaths** -	1762	1588	1922	1991	1792	1668	1978	1504	1574	1580	1691·1	134
Males - -	936	816	954	989	905	843	1002	778	782	748	843·5	67
Females - -	826	772	968	1002	887	825	976	726	792	832	847·6	67

* The numbers in this column are the average weekly numbers in the sixth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

Table 3. LONDON.—Births, Deaths, Meteorology, and Cases of Infectious Sickness in Hospitals, in the Last Thirteen Weeks.

	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	13 Weeks
Total **Births** -	2298	2366	2275	2462	2279	2488	1807	2788	2705	2390	2451	2508	2550	3135
Total **Deaths** -	1552	1739	1623	1460	1725	1746	1602	1756	1585	1399	1382	1337	1346	2025
Ages at Death: Under 1 year -	302	352	341	335	333	382	328	336	304	299	257	260	272	410
1—5 years -	183	205	209	201	229	281	222	217	185	170	171	162	146	258
5—20 ,, -	73	82	76	75	79	64	69	91	63	56	87	60	79	95
20—40 ,, -	197	197	174	159	184	147	151	208	195	129	170	150	156	221
40—60 ,, -	344	361	316	266	365	343	309	356	307	271	267	265	254	402
60 yrs. & upwds.	453	542	507	424	535	529	523	548	531	474	430	440	439	637
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	54	48	53	46	58	60	59	64	53	52	44	28	26	64
Scarlet Fever - -	8	6	18	13	20	18	12	9	17	13	10	5	11	16
Diphtheria - -	19	10	5	21	11	18	17	13	11	12	22	17	16	19
Whooping-cough -	20	24	25	25	28	38	34	33	32	21	37	34	33	38
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	8	3	3	4	2	2	5	6	3	3	3	1	4	4
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	13	11	16	14	13	18	19	10	11	8	19	14	23	18
All above Diseases -	122	102	120	123	132	154	146	135	127	109	135	99	113	161
Dis. of Resp. System	187	282	245	192	274	254	241	225	193	148	174	168	146	272
Pneumonia - -	214	208	233	184	186	262	185	229	177	151	119	144	132	242
Phthisis - - -	136	161	130	132	191	151	150	163	144	128	147	129	133	190
Dis. of Circ. System -	200	229	243	188	215	212	186	236	217	200	161	162	177	262
Violence - - -	68	70	77	59	56	58	56	76	63	61	56	38	44	78
Inquest Cases - -	170	169	191	130	144	174	168	215	178	151	130	127	132	207
Deaths in Institutions	606	636	606	509	612	610	577	608	563	498	554	519	493	739
Temperature of the Air.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	39·1	38·5	42·9	43·8	36·6	43·2	39·5	41·3	43·1	42·0	40·4	42·8	37·0	40·8
Mean of Highest -	42·8	44·4	47·6	48·2	41·6	46·2	43·5	45·2	48·7	46·5	44·3	47·4	41·9	45·3
Mean of Lowest -	35·7	30·9	35·9	39·1	32·4	38·7	33·7	38·0	37·6	37·2	35·3	38·0	32·2	35·7
Mean Humidity of the Air.	87	84	87	90	92	82	92	81	82	77	83	80	80	84
Rain-fall (in inches) -	0·64	0·17	0·61	0·31	0·02	0·00	0·24	0·95	1·20	1·06	0·49	0·10	0·38	6·17
Registered Sunshine (in hours).	9·3	17·9	6·8	9·5	4·0	4·7	4·3	2·5	17·5	23·7	5·8	10·6	17·5	134·1
Cases of Infectious Sickness in Hospitals* at the end of each Week.														Means
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	4120	4127	4021	3888	3670	3409	3446	3299	3062	3066	2983	2912	2839	344
Diphtheria - -	790	755	725	727	713	670	701	728	748	800	841	873	899	76
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	154	132	115	102	92	82	78	87	91	87	84	95	79	9

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

Meteorological Observations.—(*See* Table **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SIXTH Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 6th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1691·1	1346	272	146	79	156	254	439
Small-pox*	16·6	-	-	-	-	-	-	-
Cowpox	-	1	1	-	-	-	-	-
Measles (Morbilli)	40·5	26	5	19	2	-	-	-
Scarlet Fever	8·9	11	-	7	4	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	27·5	10	1	-	1	-	6	2
Whooping-cough	44·6	33	14	18	1	-	-	-
Diphtheria	20·6	16	1	11	3	1	-	-
Cerebro Spinal Fever	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	0·3	-	-	-	-	-	-	-
Enteric Fever	6·6	4	-	-	2	2	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	4·8	8	7	-	-	-	-	1
Diarrhœa, Dysentery	12·7	15	11	2	-	-	-	2
Tetanus	1·5	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	0·3	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	8·7	4	3	1	-	-	-	-
Puerperal Septicæmia	2·8	6	-	-	-	6	-	-
Puerperal Pyæmia	0·3	1	-	-	-	1	-	-
Puerperal Fever	0·5	-	-	-	-	-	-	-
Infective Endocarditis	3·3	-	-	-	-	-	-	-
Pneumonia: Lobar	14·3	12	1	-	3	2	2	4
Pneumonia: Broncho-	69·6	55	15	22	4	1	5	8
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	72·4	65	5	10	4	8	17	21
Erysipelas	4·1	5	2	-	-	-	1	2
Septicæmia (not Puerperal)	1·5	2	1	-	-	-	-	1
Pyæmia (not Puerperal)	2·0	1	-	-	-	-	1	-
Other Infective Processes	5·6	6	1	-	1	1	1	2
Tuberculous Phthisis	61·4	77	-	-	13	27	32	5
"*Phthisis*"	92·5	56	-	-	2	30	18	6
Tuberculous Meningitis	20·9	13	4	8	1	-	-	-
Tuberculous Peritonitis	5·4	9	4	2	2	1	-	-
Tabes Mesenterica	4·8	3	3	-	-	-	-	-
Tuberculous Dis. (other)	17·6	19	3	1	4	6	2	3
Scrofula	1·0	-	-	-	-	-	-	-
Alcoholism	7·4	8	-	-	-	1	7	-
Rheumatic Fever	4·3	3	-	-	2	-	1	-
Gout	1·8	3	-	-	-	-	2	1
Carcinoma	51·5	50	-	-	-	5	22	23
Sarcoma	3·8	7	-	-	-	2	3	2
Cancer (undefined)	40·0	29	-	-	-	2	10	17
Diabetes Mellitus	6·1	4	-	-	-	2	1	1
Premature Birth	45·4	44	44	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 6th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	15·3	15	5	9	1	-	-	-
Insanity, Gen. Par. of Insane	22·9	15	-	1	1	2	8	3
Epilepsy	6·6	6	-	-	1	2	3	-
Convulsions	29·8	12	12	-	-	-	-	-
Locomotor Ataxy	1·5	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	5·4	7	-	-	-	1	2	4
Nervous Sys. (other dis.)	26·5	23	1	1	3	1	7	10
Valv. Dis., Endocarditis	49·2	50	-	-	4	6	18	22
Cerebr. Hæm. Thromb.	34·1	31	-	-	-	3	5	23
Apoplexy, Hemiplegia	25·7	9	-	-	-	-	1	8
Aneurysm	5·1	9	-	-	-	1	3	5
Embolism, Thrombosis (not cerebral)	2·0	1	-	-	-	-	-	1
Heart & Blood Vessel Dis.	113·7	77	-	-	5	5	23	44
Croup (not Spasm: nor Memb.)	0·8	1	-	1	-	-	-	-
Bronchitis	190·9	133	37	15	-	2	6	73
Asthma, Emphysema	8·2	8	-	-	-	1	3	4
Pleurisy	5·1	2	-	-	-	-	1	1
Respiratory Dis. (other)	15·0	2	-	-	-	-	-	2
Tonsillitis, Quinsy	0·5	3	1	2	-	-	-	-
Enteritis (not Epid.)	9·9	7	4	-	-	1	1	1
Gastro-Enteritis	4·3	9	9	-	-	-	-	-
Peritonitis (not Puerp.)	3·1	1	-	-	-	1	-	-
Cirrhosis of Liver	12·2	10	-	-	-	2	5	3
Liver Dis. (other)	8·4	4	-	-	-	-	1	3
Digestive Dis., Other	39·8	31	4	2	6	3	6	10
Nephritis, Acute	6·9	8	1	1	4	2	-	-
Bright's Dis., Albuminuria	40·0	45	-	-	1	4	16	24
Urinary Sys., Other Dis.	13·5	8	-	-	-	2	-	6
Generative Organs Dis.	6·4	4	-	-	-	1	2	1
Childbirth (Accid. of)	4·3	3	-	-	-	2	1	-
Old Age	64·2	74	-	-	-	-	-	74
Other Diseases	121·4	88	59	8	1	7	4	9
ACCIDENT.								
By Railways	1·3	1	-	-	-	-	1	-
By Vehicles and Horses	4·1	5	-	-	1	2	2	-
In Ships, Boats, Docks, (exclusive of Drowning)	1·3	-	-	-	-	-	-	-
In Building Operations	1·5	1		-	-	1	-	-
In Conflagrations	0·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	7·6	7	-	4	2	1	-	-
By Drowning	4·3	1	-	-	-	-	-	1
By Suffocation in Bed	12·2	8	8	-	-	-		-
By Poisons or Poisonous Vapours	1·8	-	-	-	-	-	-	-
Other Deaths by Accident	19·1	16	5	1	-	3	1	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·5	-	-	-	-	-	-	-
Suicide	8·7	5	-	-	-	2	3	-
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th February, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexiæ† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2550	1346	273	439	-	26	11	16	33	-	4	-	23	44	132	493
WEST DISTRICTS	805,311	333	202	41	67	-	6	1	3	1	-	3	-	7	7	17	72
NORTH DISTRICTS	1,056,070	575	266	50	107	-	3	2	4	5	-	-	-	-	11	27	90
CENTRAL DISTRICTS	209,465	106	62	9	15	-	-	-	1	-	-	-	-	1	8	13	30
EAST DISTRICTS	715,739	528	260	66	60	-	2	-	1	12	-	-	-	5	8	37	105
SOUTH DISTRICTS	1,749,844	1008	510	106	178	-	15	6	6	15	-	1	-	9	10	36	150
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	46	-	12	-	-	2	1	-	-	-	-	1	-	2	46
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	44	22	4	10	-	-	-	-	-	-	-	-	1	2	2	7
St. John Paddington *H*	33,617	6	10	1	3	-	-	-	-	-	-	2	-	-	2	2	4
North-West Paddington	17,181	9	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	49	38	10	13	-	1	-	-	-	-	-	-	2	2	3	20
Brompton *2H*	48,591	8	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *W,wH*	49,192	25	8	1	3	-	-	-	-	-	-	-	-	1	-	-	-
South Hammersmith *w,2H*	63,047	33	9	1	6	-	2	-	-	-	-	-	-	-	-	-	-
North-west Fulham *W*	45,180	28	19	3	1	-	1	-	-	-	-	1	-	2	-	1	14
North-east Fulham *F*	46,405	19	10	1	3	-	-	1	2	-	-	-	-	-	-	-	3
South Fulham *W*	45,704	28	12	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	16	21	4	10	-	-	-	-	-	-	-	-	1	-	2	13
Chelsea South *W,2H*	31,328	16	11	2	3	-	2	-	-	-	-	-	-	-	-	2	2
Mayfair and Knightsbridge	28,743	3	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Belgrave *W,2H*	55,815	25	14	4	4	-	-	-	-	-	-	-	-	-	1	1	5
St. Margaret & St. John *4H*	43,698	17	10	5	1	-	-	-	-	1	-	-	-	-	-	2	3
St. James and St. Anne‡ *W,6H*	33,081	7	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	5	14	1	2	-	-	-	1	1	-	-	-	-	-	-	7
St. Mary Marylebone *W,4H*	37,948	42	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H*	39,536	25	6	3	-	-	-	-	-	-	-	-	-	-	1	1	-
St. John Marylebone *3H*	20,426	8	5	1	3	-	-	-	-	-	-	-	-	-	1	2	-
Hampstead *W,F,6H*	81,942	27	17	2	8	-	-	1	1	-	-	-	-	-	-	-	6
West St. Pancras *2H*	60,562	40	12	3	4	-	1	-	-	-	-	-	-	-	-	-	2
Gottenham-court *w,7H*	21,258	9	8	1	2	-	-	-	-	-	-	-	-	-	-	1	7
Gray's Inn Lane *4H*	34,449	18	8	2	2	-	-	-	-	-	-	-	-	-	-	-	3
East St. Pancras *W,2H*	60,320	41	17	1	8	-	-	-	-	-	-	-	-	-	2	5	6
North St. Pancras *2W*	58,728	42	15	4	7	-	-	-	-	1	-	-	-	-	-	-	6
Hufnell *W*	31,995	13	25	5	11	-	1	-	-	1	-	-	-	-	1	4	18
Upper Holloway *2W,w,H*	33,978	24	22	3	5	-	-	-	-	-	-	-	-	-	1	1	13
Hollington *WH*	33,922	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	28	7	4	1	-	1	-	-	-	-	-	-	-	1	2	-
Barnsbury	54,478	38	12	3	7	-	-	-	-	-	-	-	-	-	1	3	-
Islington South-east *F*	75,397	33	14	4	4	-	-	-	-	-	-	-	-	-	-	3	-
Highbury *2H*	63,797	39	9	1	6	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	14	8	1	5	-	-	-	-	1	-	-	-	-	-	-	-
North Hackney	50,560	23	9	1	4	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney *2w,F*	50,536	28	12	2	3	-	-	1	2	-	-	-	-	-	-	-	3
South-west Hackney *3H*	59,921	39	15	4	6	-	-	-	-	-	-	-	-	-	1	2	7
South-east Hackney *2W,w,H*	58,255	28	25	4	15	-	-	-	-	1	-	-	-	-	1	2	12

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

BLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th February, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyræxia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
. Giles and Bloomsbury *W,2H* -	31,436	17	4	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
rand *W,4H* - - - - -	21,674	5	8	-	3	-	-	-	-	-	-	-	-	-	2	3	5	-
rand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn *W,6H* - - - - -	29,612	12	4	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
uth Clerkenwell - - -	28,676	18	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orth Clerkenwell *H* - - -	35,028	14	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nsbury *3H,L* - - - - -	36,116	28	8	3	3	-	-	-	-	-	-	-	-	-	2	3	-	-
olborn Union Workhouse, Mitcham - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
. Botolph *H* - - - - -	10,299	4	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
. Sepulchre and Allhallows *W,2H*	16,624	8	23	2	3	-	-	-	1	-	-	-	-	-	2	5	17	-
ty of London Asylum, Stone -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
oreditch South *H* - - -	46,362	36	15	3	1	-	1	-	-	1	-	-	-	1	-	3	-	-
oreditch North-West *W,w,H* -	36,127	24	18	2	9	-	1	-	-	-	-	-	-	-	1	3	12	-
oreditch North-East - - -	36,148	22	10	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-
oreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North *2H* - -	51,514	49	19	9	1	-	-	-	-	-	-	-	-	-	-	-	6	-
thnal Green South - - -	33,472	30	8	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
thnal Green East *2W,H,L* - -	44,694	41	25	6	9	-	-	-	-	1	-	-	-	-	-	2	13	-
italfields - - - - -	27,969	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ile End New Town *W,H* - -	28,718	18	41	11	5	-	-	-	1	1	-	-	-	1	3	8	33	-
odman's Fields - - - -	22,081	7	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
. George and St. John *2W* - -	49,068	37	21	8	4	-	-	-	-	4	-	-	-	-	-	3	10	-
adwell and Ratcliff *W,H* - -	25,568	12	14	5	-	-	-	-	-	1	-	-	-	-	1	3	8	-
mehouse *W* - - - - -	32,369	26	6	4	1	-	-	-	-	2	-	-	-	-	1	1	-	-
ile End Old Town South-Western *H* - - - -	63,698	58	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
ile End Old Town North-Eastern *W,w* - - -	49,129	31	19	4	7	-	-	-	-	-	-	-	-	-	-	4	5	-
ow *L* - - - - - - -	41,989	25	10	3	3	-	-	-	-	1	-	-	-	-	-	2	-	-
omley *3w,H* - - - - -	68,319	45	28	4	6	-	-	-	-	-	-	-	-	2	1	3	18	-
plar *W,w* - - - - -	58,514	51	10	2	7	-	-	-	-	-	-	-	-	1	-	2	-	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis in each SUB-DISTRICT during the Week ended Saturday, 10th February, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	[illegible]
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	6	2	-	2	-	-	-	-	-	-	-	-	-	-	1	
St. Saviour Southwark *H*	12,056	4	31	1	4	-	-	-	1	-	-	-	-	-	6	7	2
Kent-road	21,904	16	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr West *W,2H,L*	39,094	28	12	4	1	-	-	-	-	-	-	-	-	-	-	-	
Newington North	49,022	34	4	2	2	-	-	-	-	-	-	-	-	-	-	-	
Newington South *W*	72,841	55	10	2	4	-	-	-	-	-	-	-	-	-	-	-	
St. Olave *2W*	9,817	4	2	1	1	-	-	-	-	-	-	-	-	-	-	1	
Bermondsey *W*	82,483	47	12	4	4	-	-	-	-	-	-	-	-	-	-	2	
Rotherhithe *W,F*	38,460	22	11	2	5	-	-	-	-	-	-	-	-	-	-	-	
Waterloo-road *2H*	27,440	20	6	4	2	-	-	-	-	-	-	-	-	1	-	-	
Lambeth Church 1st *H*	18,423	12	15	4	1	-	3	-	1	-	-	-	-	1	1	2	1
Lambeth Church 2nd *2W*	39,818	26	20	2	10	-	-	-	-	1	-	-	-	-	-	-	1
Kennington 1st *H*	53,198	26	15	4	6	-	1	-	-	1	-	-	-	1	-	-	
Kennington 2nd *H*	42,896	14	10	3	2	-	-	-	1	-	-	-	-	1	-	-	
Brixton *F*	84,232	41	23	3	7	-	2	4	-	-	-	1	-	-	-	2	
Norwood *W,H*	35,888	11	6	-	3	-	-	-	-	-	-	-	-	-	-	-	
East Battersea *H*	72,203	38	14	6	3	-	-	-	-	1	-	-	-	1	-	3	
North-west Battersea	49,656	38	7	2	3	-	-	-	-	1	-	-	-	1	-	-	
South-west Battersea *2W,H*	47,048	20	17	4	6	-	-	-	-	-	-	-	-	-	-	-	
Clapham *2H*	51,361	26	11	3	5	-	-	-	-	-	-	-	-	-	-	1	
Streatham *W,2w,2F,2L*	88,019	39	21	2	11	-	1	-	-	-	-	-	-	1	1	2	1
Springfield *2W,L*	27,959	27	6	4	-	-	-	-	-	-	-	-	-	-	-	-	
Southfields *H*	40,444	22	10	2	2	-	-	-	-	-	-	-	-	-	-	2	
Putney	24,139	8	6	3	2	-	-	-	-	-	-	-	-	-	-	1	
Dulwich	13,359	8	5	-	4	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South *W,w*	40,206	18	22	1	13	-	1	-	-	-	-	-	-	-	1	2	1
Camberwell North *W,2L*	65,584	37	22	7	7	-	1	-	-	1	-	-	-	-	-	1	1
St. George	47,331	31	15	3	3	-	-	-	-	-	-	-	-	-	-	4	
Peckham North	48,913	26	13	3	4	-	1	-	-	2	-	-	-	-	-	-	
Peckham South *2W,w*	43,946	20	9	4	2	-	-	-	-	1	-	-	-	1	-	-	
Deptford North	37,613	35	12	7	-	-	1	-	-	2	-	-	-	-	-	-	
Deptford Central	45,481	30	10	-	2	-	2	-	-	1	-	-	-	-	-	-	
Deptford South	34,625	22	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West *2H*	23,456	16	7	1	2	-	-	-	-	1	-	-	-	-	-	-	
Greenwich East *2W,H*	43,859	29	23	3	11	-	-	-	-	-	-	-	-	-	-	1	1
Eltham *w,H*	7,226	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
Lee *wH*	25,490	12	5	-	4	-	-	-	-	-	-	-	-	-	-	-	
Lewisham *W w,F*	58,352	31	28	5	10	-	1	1	1	1	-	-	-	-	-	2	1
Sydenham *H*	43,653	14	12	1	9	-	-	-	-	-	-	-	-	1	-	1	
Charlton *F,2H*	21,134	11	9	1	1	-	1	1	2	-	-	-	-	-	-	-	
Woolwich *5H*	41,625	40	11	3	3	-	-	-	-	1	-	-	-	-	-	-	
Plumstead West *W*	18,063	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East *2W,H*	50,264	35	22	2	12	-	-	-	-	1	-	-	-	-	1	1	1
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
North-Eastern	—	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
Darenth	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leavesden	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Lunatic Asylums:—																	
Banstead	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Dartford Heath	—	-	9	-	4	-	-	-	-	-	-	-	-	1	-	-	
Hanwell	—	-	8	-	5	-	-	-	-	-	-	-	-	-	-	-	
Colney Hatch	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	
Claybury	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 10th February, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	1273	536	109	179	-	14	6	14	7	1	6	22	52	112	3
1 Carshalton 2F,2H	12,228	32,997	12	9	5	-	-	-	-	1	-	-	-	-	1	-	-
2 Epsom, *part of** W,w,2F,H	10,423	15,548	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Godstone, *part of** W,F	2,754	2,692	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon w	4,200	49,309	29	17	2	9	-	-	-	1	-	-	-	-	1	-	-
3 West Croydon 3W,F,H	2,168	42,888	32	24	3	10	-	4	1	1	1	-	-	-	2	18	-
4 North Croydon H	2,644	41,698	22	7	1	3	-	-	-	1	-	-	-	-	-	1	-
5 Penge w,H	770	22,465	5	8	5	-	-	-	-	-	1	-	1	-	1	-	-
6 Mitcham w	11,711	30,015	25	5	-	2	-	-	-	-	-	-	-	-	1	-	-
1 Wimbledon F,3H	3,221	41,652	21	11	1	7	-	-	-	-	-	-	-	1	2	-	-
2 Kingston 2W,H	6,224	42,068	18	20	1	10	-	-	-	-	-	-	-	2	3	9	-
3 Surbiton F,H	3,046	15,017	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-
4 Esher, *part of** H	5,402	13,100	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-
5 Hampton H,F,L	4,564	23,456	13	6	1	3	-	-	-	-	-	-	-	-	1	-	-
1 Richmond W,H	2,162	28,865	7	9	2	4	-	-	-	-	-	-	-	1	1	3	-
2 Mortlake F	2,847	20,628	11	7	1	1	-	-	-	2	-	-	-	-	-	3	-
1 Bromley F,2H	4,703	27,354	15	3	-	1	-	-	-	1	-	-	-	-	-	1	-
2 Beckenham H	7,825	28,497	10	9	3	4	-	-	-	-	-	-	-	-	-	-	-
3 Orpington *part of** W	10,113	9,857	4	6	1	2	-	-	-	-	-	-	-	-	-	1	-
4 Chislehurst 2H	7,333	16,446	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1 Bexley w F,H	8,678	21,151	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Erith F,H	3,854	25,296	17	7	2	1	-	-	-	-	-	-	-	-	-	-	-
3 Dartford W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Sunbury w	11,054	18,683	12	4	2	2	-	-	-	-	-	-	1	-	-	-	-
2 Staines W,H	13,277	15,178	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Hillingdon W,F,H	6,035	13,661	8	5	1	3	-	-	-	-	-	-	-	-	1	2	-
2 Uxbridge H	12,757	8,984	6	4	1	1	-	-	-	-	1	-	-	-	-	-	-
3 Hayes w,F,H	8,066	16,358	17	5	-	-	-	-	-	-	-	-	-	2	2	-	-
1 Isleworth 3W,2F,H	6,859	30,863	28	16	3	8	-	-	-	1	-	-	-	1	1	7	-
2 Twickenham F,H	2,421	20,991	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-
3 Brentford 3F,2H,L	4,319	48,289	23	9	4	2	-	-	-	-	-	-	1	-	-	-	-
4 Chiswick H	1,249	29,809	17	7	-	4	-	-	-	-	-	-	-	1	1	-	-
5 Acton w,3H	6,132	48,914	24	13	2	3	-	1	1	-	-	-	-	1	1	2	1
1 Harrow F,H	13,809	25,523	20	5	2	2	-	-	-	-	-	-	-	-	-	-	-
2 Edgware F,2H	6,994	4,521	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1
3 Willesden W,2F,2H	4,384	114,811	69	23	4	7	-	-	-	1	1	-	-	-	2	6	-
4 Hendon W,F	8,382	22,450	18	7	1	4	-	-	-	-	1	-	-	-	1	1	-
1 South Mimms 2F,H	17,755	7,308	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Barnet W,2H	3,324	17,970	11	6	2	-	-	1	-	-	-	-	-	-	1	-	-
3 Finchley F,2H	4,688	33,692	27	5	1	1	-	1	-	-	-	-	-	1	1	-	-
1 Hornsey F,H	2,875	72,056	33	14	1	6	-	-	-	-	-	-	-	1	1	-	-
2 Wood Green H	1,625	34,233	25	11	4	1	-	-	-	-	-	-	-	-	-	2	-
3 West Tottenham F	996	48,853	35	15	7	1	-	2	-	-	-	-	1	1	4	-	1
4 East Tottenham 2H	2,017	53,688	41	13	1	2	-	1	-	-	1	-	-	2	3	3	-
5 Edmonton W,w,2F	7,491	61,892	43	26	2	9	-	1	-	-	-	-	-	1	1	11	-
6 Enfield 2W,F,H	12,601	42,738	28	11	2	4	-	-	2	-	-	-	-	1	1	3	-
7 Waltham Abbey F	11,017	6,549	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt F,H	8,479	12,292	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Hatfield, *part of** W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey H	9,333	9,173	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
3 Watford W,2F *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Stratford H	1,072	44,827	38	11	2	5	-	-	-	1	-	1	-	-	1	2	-
2 Plaistow F,2H	1,249	90,921	78	25	5	8	-	1	1	1	-	-	-	1	4	3	-
3 Canning Town H	1,556	70,718	61	10	1	4	-	-	-	-	-	-	-	-	3	-	-
4 Forest Gate w	806	60,892	31	12	3	4	-	-	-	-	-	-	1	1	2	-	-
5 North East Ham w H	1,333	58,676	24	11	3	5	-	-	-	-	-	-	-	-	1	-	-
6 South East Ham 2F	1,993	37,342	24	9	-	2	-	-	1	1	-	-	-	-	-	2	-
7 Wanstead F	1,679	9,179	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
8 South Leyton 2W	631	50,467	29	13	3	8	-	-	-	1	-	-	-	-	-	4	-
9 North Leyton 2W,w,F	1,963	48,445	30	27	3	11	-	1	-	-	1	-	-	3	3	18	-
1 Walthamstow 3H,L	6,504	108,929	75	18	8	2	-	1	-	-	-	-	1	-	2	-	-
1 Chigwell, *part of** 2F,3H	11,778	16,397	7	5	1	1	-	-	-	1	-	-	-	1	1	1	-
2 Epping W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, *part of** W,2F	6,556	6,091	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Ilford F,L	8,496	41,234	31	11	3	4	-	-	-	-	-	-	-	-	-	4	-
3 Barking Town F	3,803	21,547	14	6	2	2	-	-	-	1	-	-	-	-	1	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asylum, Dartford Heath.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
City of London Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring, are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Hainault Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	February 10	2550	1346	14·9	-	26	11	17	33	4
CALCUTTA - -	910,117	December 30	-	641	39·3	35	2	-	-	2	161†
		January 6	-	677	41·5	61	1	-	-	1	187†
BOMBAY - -	776,006	" 23	438	741	49·6	5	11	-	-	-	109†
MADRAS - -	509,346	" 12	349	568	57·9	19	13	?	?	?	138†
PARIS - - -	2,750,000	February 3	1034	944	18·4	-	22	3	3	4	4
BRUSSELS - -	598,467	" 3	225	181	15·7	-	-	1	1	3	2
ANTWERP - -	291,949	" 3	157	72	12·8	-	1	-	-	2	-
AMSTERDAM -	557,614	January 27	308	173	16·2	-	4	1	3	1	1
COPENHAGEN -	430,000	February 3	241	139	16·9	-	1	-	1	-	-
STOCKHOLM -	318,398	January 27	121	101	16·5	-	-	1	-	-	-
CHRISTIANIA -	222,373	February 3	111	60	14·0	-	-	-	3	-	-
ST. PETERSBURG	1,429,000	January 20	604	739	26·9	2	18	33	32	1	20
MOSCOW - -	1,154,000	" 20	-	488	22·0	-	18	11	10	6	2
BERLIN - -	2,041,689	" 20	1014	629	16·1	-	17	3	10	10	2
HAMBURG - -	786,860	February 3	-	222	14·9	-	2	-	1	5	1
BRESLAU - -	463,283	January 27	250	163	18·3	-	-	-	-	3	-
		February 3	-	161	18·1	-	-	1	-	-	-
MUNICH - -	540,000	January 27	311	182	17·5	-	-	1	2	3	-
		February 3	-	183	17·6	-	5	-	1	3	-
VIENNA - -	1,917,639	" 3	980	639	17·3	-	7	7	5	6	3
PRAGUE - -	455 241	" 3	184	166	19·0	-	1	1	1	-	1
BUDA-PESTH -	859,134	January 27	395	307	18·6	-	6	8	4	1	3
TRIESTE - -	194,749	" 27	148	101	27·0	-	1	-	1	-	-
		February 3	129	114	30·4	-	-	-	1	-	-
ROME - -	526,170	December 16	262	167	16·5	-	3	-	1	-	2
		" 23	232	176	17·4	1	3	-	-	-	2
		" 30	236	218	21·6	-	-	-	1	1	28
VENICE - -	169,417	January 20	80	100	30·8	-	-	-	1	1	1
BUCHAREST -	282,071	" 27	169	131	24·2	-	-	1	-	-	-
NEW YORK -	4,152,860	" 20	2153	1514	19·0	-	17	10	46	5	5
		" 27	2049	1446	18·2	-	34	16	41	4	5
CHICAGO - -	2,049,185	" 20	-	611	15·5	-	3	6	9	1	5
PHILADELPHIA -	1,469,126	" 13	-	582	20·6	-	17	1	17	4	23
BOSTON - -	617,950	" 6	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	905,000	" 7	-	235	13·5	1	3	-	-	-	4†

* Excluding deaths from croup in the Indian Cities.
† Including 14 and 25 deaths from plague in Calcutta, 31 in Bombay, 1 in Madras, and 4 in Rio de Janeiro.
‡ Including 64 and 72 deaths from cholera in Calcutta, and 1 in Madras.
§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 10th February, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	49·7	30·4	37·1	0·38	BRADFORD - -	45·0	28 8	37·5	1
BRIGHTON - -	45 7	30·3	37·6	0·47	LEEDS - - -	50·0	30·0	38·9	0
PORTSMOUTH - -	49·3	32·0	39·3	0·40	HULL - - -	47·0	30·0	37·2	0
NORWICH - -	46·0	29·2	36·6	0·65	TYNEMOUTH - -	47·0	27·0	36·5	0
PLYMOUTH - -	49·0	29 8	39 8	0·40	CARDIFF - -	48·9	24·0	37·3	0
BRISTOL - - -	50·0	24·4	36·7	0 73	EDINBURGH - -	46·2	27·4	37·0	0
BIRMINGHAM - -	47·5	27·7	35·3	0·53	GLASGOW - -	47·8	23·3	36·9	0
NOTTINGHAM - -	47·9	23·0	36·1	0·57	DUBLIN Phœnix Park.	47·4	25·1	37·4	0
LIVERPOOL OBSERVATORY.	49·0	30·0	38·6	0·54	DUBLIN Fitzwilliam Square.†	48·9	30·1	39·5	0
MANCHESTER -	44·7	27·6	35·4	1·48					
PRESTON - -	44·2	28·0	36·6	1·29					
HUDDERSFIELD -	47·2	27·5	35·7	1·62	BELFAST - -	47·4	31·0	40·3	0

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·4 Fahrenheit, to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew Point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
February.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
Sunday	4	..	29·844	39·5	33·7	5·8	36·4	− 3·4	29·7	6·7	10·6	2·2	77	70·8	29·7	43·02	N.	N. & NNE.	13·5	0·0	1·8	568	+227	0·02	4·5
Monday	5	..	30·074	41·0	32·1	8·9	35·7	− 4·1	30·6	5·1	9·0	1·7	82	75·2	27·3	42·70	N. & NNE.	NE.	2·1	0·0	0·3	289	− 51	0·00	0·0
Tuesday	6	Greatest Dec. N.	30·103	36·0	32·2	3·8	34·2	− 5·5	25·7	8·5	10·7	1·4	71	49·5	26·2	42·35	ENE. & NE.	WSW.	0·5	0·0	0·0	155	−184	0·02	0·0
Wednesday	7	..	30·155	44·2	33·7	10·5	38·4	− 1·0	33·5	4·9	9·9	1·4	83	67·0	25·5	42·02	WNW., N. & NNW.	N., NNW. & WSW.	1·3	0·0	0·1	225	−112	0·00	1·0
Thursday	8	..	29·630	46·0	32·6	13·4	39·1	0·0	35·9	3·2	6·7	0·7	89	59·4	25·0	41·79	WSW. & SW.	WSW., NNW. & WNW.	14·7	0·0	1·0	529	+195	0·14	3·0
Friday	9	Full	29·659	36·7	30·4	6·3	33·3	− 5·4	23·9	9·4	11·3	0·8	67	64·0	27·5	41·59	WNW., NW. & NNW.	NW., W. & SW.	11·0	0·0	1·0	535	+205	0·00	1·0
Saturday	10	..	28·920	49·7	31·0	18·7	41·7	+ 3·3	39·7	2·0	10·0	0·0	92	54·6	27·1	41·37	SSW. & SW.	SSW. & SW.	13·3	0·0	1·1	586	+261	0·20	11·0
Means	-		29·769	41·9	32·2	9·6	37·0	− 2·3	31·3	5·7	9·7	1·2	80	62·9	26·9	42·12	Variable		..	..	..	Sum 2887	Sum +541	Sum 0·38	2·9
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. February.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.
Sunday	4	w. P. in morning; m. P. in afternoon; s. P. generally afterwards.	5·5	9·3
Monday	5	m. P. till 8h. A.M.; s. P. afterwards.	3·1	9·3
Tuesday	6	v P. till 9h. A.M.; s. P. till 9h. P.M.; v. P. and v. N. afterwards.	0·0	9·4
Wednesday	7	m. P. till 6h. A.M.; s. P. afterwards.	3·6	9·4
Thursday	8	m. P. generally till 3h. P.M.; s. P. and s. N. afterwards.	0·0	9·5
Friday	9	s. P. throughout.	5·3	9·5
Saturday	10	v. P. with occasional v. N. till 7h. P.M.; s. P. generally afterwards.	0·0	9·6
			Sum 17·5	Sum 66·0
No. of Col.	-	27	28	29

GENERAL REMARKS.

Very fine and partially cloudy with strong gusty wind till evening; overcast with light showers at night. Lunar halo observed in evening.

Overcast in morning; fine with variable amounts of cloud after 9h. A.M.

Cloudy with slight hoar frost in morning; generally overcast afterwards with slight snow and rain after 10h. P.M.

Very fine generally; hazy; the amount of cloud was usually small. Solar halo observed in forenoon and lunar halo at night; hoar frosts in morning and at night.

Generally overcast till 5h. P.M.; fine and partially cloudy with occasional light snow showers afterwards; thunderstorm with heavy rain and hail at 3h. P.M.; hoar frost at night; strong gusty wind prevalent after 9h. A.M.

Very fine with small amounts of cloud generally till 10h. P.M.; cloudy afterwards; slight hoar frost in morning.

Overcast till evening; fine and partially cloudy at night; strong gusty wind; snow at 2h. A.M. followed by frequent rain between 7h. A.M. and 6h. P.M. Lunar halo observed in evening.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·68 in. at the beginning of the week to 30·14 in. by 10h. A.M. on the 6th; decreased to 30·05 in. by midnight on the same day; increased to 30·18 in. by 11h. A.M. on the 7th; decreased to 29·45 in. by 3h. P.M. on the 8th; increased to 29·72 in. by 7h. P.M. on the 9th; and decreased to 28·70 in. by midnight on the 10th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 3rd February, 1906.*

BOROUGHS.	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	4	5	-	1	-	-	2	1
Kensington	180,952	-	11	3	-	1	-	-	2	3
Hammersmith	120,679	-	11	6	-	-	-	-	3	-
Fulham	161,965	-	5	13	-	1	-	-	2	1
Chelsea	74,672	-	6	1	-	-	-	-	-	1
City of Westminster	173,905	-	7	3	-	1	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	10	4	-	1	-	-	3	-
Hampstead	89,633	-	2	-	-	-	-	-	-	-
St. Pancras	236,455	-	28	6	-	1	-	-	5	-
Islington	344,987	-	19	8	-	2	-	-	4	-
Stoke Newington	53,217	-	3	3	-	-	-	-	-	-
Hackney	230,721	-	32	4	-	5	-	-	6	-
CENTRAL.										
Holborn	55,805	-	2	-	-	-	-	-	1	-
Finsbury	97,466	-	5	1	-	1	-	-	-	-
City of London	21,367	-	-	-	-	-	-	-	1	-
EAST.										
Shoreditch	116,108	-	8	6	-	-	-	-	1	-
Bethnal Green	130,609	-	7	7	-	1	-	-	5	-
Stepney	307,176	-	14	8	-	2	-	-	4	-
Poplar	170,673	-	18	6	-	2	-	-	8	-
SOUTH.										
Southwark	209,143	-	23	9	-	1	-	-	7	-
Bermondsey	128,629	-	25	4	-	-	-	-	6	-
Lambeth	315,774	-	25	9	-	1	-	-	7	-
Battersea	179,622	-	8	4	-	1	-	-	1	-
Wandsworth	273,381	-	25	9	-	2	-	-	3	-
Camberwell	274,132	-	24	3	-	2	-	-	7	-
Deptford	115,495	-	9	4	-	-	-	-	-	-
Greenwich	105,350	-	9	19	-	1	-	-	2	-
Lewisham	148,463	-	8	5	-	-	-	-	-	1
Woolwich	127,345	-	8	21	-	1	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	356	171	-	28	-	-	81	7
Ages 0-1		-	5	4	-	-	-	-	3	-
" 1-5		-	106	57	-	1	-	-	2	-
" 5-		-	157	63	-	10	-	-	3	-
" 10-		-	48	28	-	3	-	-	1	-
" 15-		-	18	6	-	2	-	-	3	-
" 20-		-	7	4	-	5	-	-	3	1
" 25-		-	12	5	-	4	-	-	9	5
" 35-		-	2	1	-	2	-	-	16	1
" 45-		-	1	1	-	1	-	-	17	-
" 55-		-	-	1	-	-	-	-	12	-
" 65 and upwards		-	-	1	-	-	-	-	12	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during January, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th February, 1906.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of January.

Sixteen samples were taken in the Kent district, fifteen in the Southwark and Eastern districts, and fourteen in each of the five remaining areas, making a total of 116 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea	January 8th, Cab Rank, Horse Guards, Whitehall.	6·4	33·12	·217	·021	0	·285	·306	1·9	22·0
	January 29th, Cab Rank, Horse Guards, Whitehall.	6·0	32·00	·333	·039	0	·271	·310	1·85	21·2
West Middlesex	January 8th, Cab Rank, Riding House Street.	7·1	31·04	·196	·022	0	·249	·271	1·8	20·6
Southwark	January 8th, Cab Rank, Bond Street, Vauxhall.	6·8	28·78	·228	·023	0	·181	·204	1·85	19·7
	January 22nd, Cab Rank, St. George's Church, Borough.	6·0	30·80	·372	·038	0	·252	·290	1·85	19·7
Grand Junction	January 8th, Cab Rank, Kensington Park Road.	6·0	29·16	178	·023	0	·206	·229	1·85	20·5
Lambeth	January 8th, Cab Rank, St. George's Road, Southwark.	6·1	32·52	·212	·023	0	·299	·322	1·85	22·7
	January 16th, Cab Rank Waterloo Rd., opposite St. John's Church.	6·0	32·74	·386	·037	0	·270	·307	1·85	20·9
Lea, Wells, etc.										
New River	January 8th, Cab Rank, Canonbury Place, N.	6·2	34·12	·059	·008	0	·296	·304	1·7	23·2
	January 22nd, Cab Rank, by St. Clement Danes Church.	6·0	31·74	·221	·022	0	·272	·294	1·85	20·9
Lea, Thames, Wells, etc.										
Eastern	January 8th, Cab Rank, Sidney Street.	6·0	42·32	·225	·022	0	·305	·327	2·2	27·2
	January 18th, Cab Rank, High Street, Shoreditch.	7·5	32·14	·383	·041	0	·478	·519	2·2	22·0
Deep Wells.										
Kent	January 8th, Cab Rank, New Cross Station, opposite Jerningham Road.	11·0	37·18	·046	·006	0	·507	·513	2·0	27·2
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district of the Water Board, on the 8th January at the Horse Guards Cab Rank, had a temperature of 6·4° C.; 100,000 lbs. of it contained 33·12 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·217 lb. of carbon and ·021 lb. of nitrogen. The above quantity of water also contained ·285 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·306 lb. The above weight of water also contained 1·9 lbs. of chlorine and 22·0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 8th January were all fully examined and later in the month five other samples were taken for full analysis. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several District Works was :—Kent 0·9, New River (January 8th) 1·1, Grand Junction 3·4, West Middlesex 3·7, Chelsea (January 8th) and Lambeth (January 8th) 4·0, New River (January 22nd) 4·1, Eastern (January 8th) 4·2, Southwark (January 8th) 4·3, Chelsea (January 29th) 6·3, Southwark (January 22nd) 6·9, and Lambeth (January 16th) and Eastern (January 18th) 7·2.

The five filtered Thames waters collected on January 8th, all contained about the same proportion of organic matter and were of good quality; but samples taken in the Lambeth, Southwark and Chelsea areas on the 16th, 22nd and 29th January, respectively, were of inferior quality owing to marked increase of organic impurity and high colour.

The filtered Lea and well water supplied from the New River works on 8th January was clear and of good quality; but a sample of the water collected on the 22nd contained more organic matter, and showed that the unfavourable condition of the Lea, owing to bad weather, had caused the supply to fall off from its usual quality.

The Eastern district water, representing the stored and filtered supply obtained chiefly from the Lea, was clear and of good quality. In the Eastern area, in which water obtained partly from the Thames at Sunbury is distributed, a sample taken on the 18th was slightly opalescent and of inferior quality.

The deep-well water collected in the Kent district was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent water was colourless, and the samples collected in all the other districts on January 8th were very pale yellow. The samples collected later in the month exhibited the following appearances in the two-foot tube :—New River (22nd) very pale yellow; Chelsea (29th) and Lambeth (16th) yellow; and Eastern (18th) and Southwark (22nd) pale brown.

In addition to the above analytical examination, the 116 samples of water, collected during January at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained :—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mea
THAMES.												
Chelsea	·174	·095	·125	·192	·104	·138	0	0	0	·0145	·008	·010
West Middlesex	·108	·087	·099	·120	·095	·108	0	0	0	·0115	·008	·009
Southwark	·210	·074	·129	·228	·080	·140	0	0	0	·014	·0065	·010
Grand Junction	·113	·090	·100	·124	·098	·108	0	0	0	·011	·0085	·010
Lambeth	·218	·090	·155	·247	·098	·166	·001	0	trace	·015	·008	·012
LEA, WELLS, ETC.												
New River	·111	·023	·072	·120	·024	·079	0	0	0	·0085	·002	·005
LEA, WELLS, THAMES, ETC.												
Eastern	·196	·067	·112	·214	·072	·121	0	0	0	·0145	·0075	·010
DEEP WELLS.												
Kent	·012	·006	·009	·014	·009	·011	0	0	0	·0015	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With regard to the Thames-derived supplies the data compared with those obtained in the December examination show that the West Middlesex and Grand Junction district supplies fairly maintained the nearly uniform proportion of organic matter recorded during that month, and these supplies were of good quality during the whole of January. This favourable result was certainly due to the extensive use of stored water, from the Staines reservoirs, which enabled these works to tide over the period while the Thames was in flood and bad condition. All the Thames supplies were of good quality in the early part of the month, but later the Lambeth, Southwark and Chelsea waters exhibited increasing quantities of organic impurity, and for some days were of inferior quality; the Chelsea water was slightly less affected than the other two supplies, but in all three cases the falling off in quality had evidently been brought about through insufficient storage.

The New River district water was of its usual good quality until the 8th January, but subsequently the proportion of organic matter rose, reaching a maximum on the 26th, the quality of the supply being then practically the same as that of the best of the Thames-derived waters.

The average amount of organic matter in the Eastern supply was nearly twice as much as that found in December; all the samples taken in the area supplied with stored and filtered Lea water were of good quality, but those taken in the districts partly furnished with filtered water from the Thames at Sunbury, were, on several occasions, of indifferent quality.

All the samples of deep well water drawn in the Kent district were of high organic purity and excellent quality.

All the samples examined during the month were clear, except two from the Southwark district and two from the Eastern (Thames) district, and these were slightly opalescent through imperfect filteration.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of January, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 197 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	JANUARY, 1905.	JANUARY, 1906.	JANUARY, 1905.	JANUARY, 1906.
TOTAL SUPPLY - - -	1,020,476	1,040,686	209,654,368	204,994,846
From Thames - - - - -	474,516	484,723	109,359,881	107,759,090
From Lea and from other Sources -	545,960	555,963	100,294,487	97,235,756
THAMES.				
Chelsea - - - - - -	39,856	39,998	11,585,161	11,463,871
West Middlesex - - - -	91,385	92,433	23,102,774	22,878,839
Southwark and Vauxhall - -	130,121	131,721	29,195,000	27,866,000
Grand Junction - - - -	78,184	81,278	16,421,572	15,447,086
Lambeth - - - - - -	134,970	139,293	29,055,374	30,103,294
LEA AND OTHER SOURCES.				
New River - - - - -	203,650	206,950	39,026,659	39,412,411
Eastern - - - - - -	230,814	235,209	43,275,000	39,884,000
Kent - - - - - - -	111,496	113,804	17,992,828	17,939,345

Note.—The Return for January, 1906, as compared with that for the corresponding month of 1905, shows an increase of 20,210 services, and a decrease of 4,659,522 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 7. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, FEB. 17. [Price 1½*d*.

General Register Office, Somerset House,

February 19th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·2 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 15·9, 15·5, and 15·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 21·8 in Warrington, 22·0 in Stockport, 22·3 in Merthyr Tydfil, 23·7 in Bootle, 24·2 in Preston, and 25·8 in Swansea; from *measles*, 1·6 in Leeds, 1·7 in Tottenham, 1·9 in York, 2·1 in Wolverhampton, 2·7 in Preston, and 5·3 in Bury; from *diphtheria*, 1·0 in Stockport and 1·1 in Oldham; from *whooping-cough*, 1·2 in Newcastle on Tyne, 1·3 in Plymouth, in Devonport, in Derby, and in Gateshead, 1·4 in Merthyr Tydfil, 1·5 in Bournemouth, in Warrington, and in Burnley, 2·0 in Reading, 2·2 in Leicester, and 2·3 in West Bromwich; and from *diarrhœa*, 1·5 in Burnley.

LONDON.*

In LONDON 2394 BIRTHS and 1517 DEATHS were registered. Allowing for increase of population, the births were 296 and the deaths 248 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 15·3, 14·8, and 14·9 per 1000 in the preceding three weeks, rose last week to 16·8. The death-rate in the four weeks ended on Saturday last averaged 15·5 per 1000, being 3·2 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 2,06 D & S 3 23826 G

The 1517 deaths included 43 from measles, 9 from scarlet fever, 13 from diphtheria, 45 from whooping-cough, 5 from enteric fever, and 13 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 128 deaths were referred to these diseases in the aggregate, being 27 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 44, 28, and 26 in the preceding three weeks, rose to 43 last week, and were 2 above the corrected average; 7 deaths belonged to the Borough of Camberwell, 6 each to Southwark and Lambeth, and 5 each to Islington and Deptford. The deaths from *scarlet fever*, which had been 10, 5, and 11 in the preceding three weeks, were 9 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 22, 17, and 16 in the preceding three weeks, further fell to 13 last week, and were 9 below the corrected average. The deaths from *whooping-cough*, which had been 37, 34, and 33 in the preceding three weeks, rose to 45 last week, the corrected average being 44; 4 deaths apiece belonged to Bethnal Green, Lambeth, Wandsworth, Camberwell and Deptford, and 3 apiece to St. Pancras, Shoreditch, and Stepney. The fatal cases of *enteric fever*, which had been 3, 1, and 4 in the preceding three weeks, were 5 last week, the corrected average being 6. The deaths from *diarrhœa*, which had been 19, 14, and 23 in the preceding three weeks, fell to 13 last week, the corrected average being 14; 3 deaths belonged to Battersea. Of the 13 deaths from diarrhœa, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 8 other deaths at this age. The deaths attributed directly to *influenza* numbered 9, having been 12, 10, and 10 in the preceding three weeks.

Different forms of *violence* caused 66 deaths, concerning all but 1 of which inquests were held. Of these 66 deaths, 10 were cases of suicide, and 2 of homicide, while the remaining 54 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 10 to burns or scalds, 4 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 13 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2734 of scarlet fever, 944 of diphtheria, and 81 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 0, 0, and 0; of scarlet fever, 281 cases, against 322, 319, and 283; of diphtheria, 151 cases, against 135, 131, and 128; and of enteric fever, 15 cases, against 16, 17, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 10th, 1906.

Greater London.

In Greater London 3676 births and 2103 deaths were registered. Allowing for increase of population, these numbers are 395 and 302 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 2 from scarlet fever, 2 from diphtheria, 5 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·36 inches, and that of the Thermometer 38°·2, the latter being 1°·0 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 8 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 13·0 hours; the measured rainfall amounted to 0·92 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE I.—76 GREAT TOWNS, GREATER LONDON, AND THE ADMINISTRATIVE COUNTIES OF ENGLAND: Population, Births, Deaths and Death-Rates in the Week ended Saturday, 17th February, 1906, and Death-Rates in each of the preceding three Weeks.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 27th Jan., 1906.	Week ended 3rd Feb., 1906.	Week ended 10th Feb., 1906.	Week ended 17th Feb., 1906.	Rate from Diseases in Cols. 11-17. Week ended 17th February, 1906.	Registered during the Week ended 17th Feb., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	15,818,360	15·9	15·5	15·5	17·2	1·5	8903	5214	1181	1562	-	117	43	61	149	23	53	193	422	1227	63	76 Towns.
London - - -	4,721,217	15·3	14·8	14·9	16·8	1·4	2394	1517	316	472	-	43	9	13	45	5	13	66	160	552	7	London.
† Croydon - -	151,011	13·5	13·5	16·2	14·8	0·3	64	43	8	19	-	-	-	1	-	-	-	1	2	13	-	Croydon.
† Willesden - -	143,622	13·4	8·0	8·4	10·9	-	103	30	10	6	-	-	-	-	-	-	-	1	2	5	2	Willesden.
† Hornsey - -	86,935	11·4	15·6	9·6	8·4	1·2	34	14	1	6	-	1	-	-	-	-	1	-	2	1	-	Hornsey.
† Tottenham - -	119,503	15·3	15·3	14·4	12·2	2·2	80	28	4	7	-	4	-	1	-	-	-	2	3	3	-	Tottenham.
† West Ham - -	301,617	9·2	14·0	12·6	16·6	1·6	199	96	26	26	-	2	1	1	5	-	-	2	5	26	-	West Ham.
† East Ham - -	129,886	13·2	9·2	9·2	10·4	0·8	87	26	9	5	-	-	-	1	-	-	1	1	2	5	-	East Ham.
† Leyton - - -	118,287	12·8	11·0	9·3	9·3	0·9	59	21	4	6	-	-	-	1	1	-	-	1	3	3	-	Leyton.
† Walthamstow -	121,334	12·9	10·7	8·6	15·5	0·9	65	36	8	10	-	-	-	-	1	1	-	2	4	10	-	Walthamstow.
Hastings - - -	67,144	18·6	15·5	9·3	21·0	-	23	27	6	9	-	-	-	-	-	-	-	-	1	-	1	Hastings.
Brighton - -	128,095	15·9	19·9	17·9	15·5	0·8	68	38	7	16	-	-	-	-	1	-	1	2	4	14	-	Brighton.
Portsmouth - -	205,118	15·3	11·9	16·0	11·9	0·3	107	47	9	21	-	-	-	1	-	-	-	1	1	11	1	Portsmouth.
Bournemouth -	67,702	10·8	16·2	19·3	15·4	1·5	31	20	5	7	-	-	-	-	2	-	-	-	2	1	-	Bournemouth.
Southampton -	117,312	15·6	16·4	10·2	18·7	0·9	50	42	7	14	-	-	-	-	2	-	-	1	1	5	-	Southampton.
Reading - - -	78,987	14·5	11·9	9·2	21·1	2·6	35	32	2	12	-	-	-	1	3	-	-	1	2	3	2	Reading.
Northampton -	93,749	10·0	9·5	11·7	12·8	-	39	23	3	10	-	-	-	-	-	-	-	3	4	4	-	Northampton.
Ipswich - - -	71,809	13·1	18·9	18·9	12·3	-	44	17	5	6	-	-	-	-	-	-	-	1	2	4	-	Ipswich.
Great Yarmouth -	52,613	23·8	11·9	20·8	16·8	-	26	17	3	9	-	-	-	-	-	-	-	-	-	5	-	Great Yarmouth.
Norwich - -	117,958	15·0	17·7	15·0	20·3	0·9	79	46	10	18	-	-	1	1	-	-	-	-	-	6	-	Norwich.
Plymouth - -	118,014	16·8	20·8	20·8	21·6	2·7	47	49	8	20	-	-	2	-	3	1	-	1	3	3	-	Plymouth.
Devonport -	78,405	16·6	14·6	19·3	14·6	1·3	38	22	4	10	-	-	-	-	2	-	-	-	3	2	-	Devonport.
Bristol - - -	363,223	15·2	15·9	13·9	18·5	2·0	207	129	36	41	-	4	-	3	5	-	2	5	11	23	-	Bristol.
Hanley‡ - - -	66,360	16·5	7·9	18·1	19·6	0·8	45	25	12	7	-	-	-	1	-	-	-	1	1	3	2	Hanley‡
Burton-on-Trent	52,922	17·7	16·7	15·8	10·8	-	29	11	1	5	-	-	-	-	-	-	-	-	-	1	2	Burton-on-Trent.
Wolverhampton -	100,729	15·0	17·1	18·6	21·2	2·6	48	41	11	11	-	4	-	-	1	-	-	1	5	5	-	Wolverhampton.
Walsall - - -	94,577	15·4	14·9	16·0	21·5	0·6	54	39	13	11	-	-	-	-	1	-	-	-	-	6	-	Walsall.
Handsworth -	63,819	13·9	8·2	16·3	11·4	-	37	14	3	7	-	-	-	-	-	-	-	-	-	-	-	Handsworth.
West Bromwich -	68,469	16·0	22·1	17·5	19·0	3·0	47	25	11	5	-	-	-	-	3	1	-	-	1	4	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday. 17th February, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 27th Jan., 1906.	3rd Feb., 1906.	10th Feb., 1906	17th Feb., 1906.	Rate from Diseases in Cols. 11-17. Week ended 17th February, 1906.	Registered during the Week ended 17th Feb., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM	548,022	17·9	17·2	16·4	19·7	2·6	353	207	54	48	-	9	1	-	9	1	7	9	12	49	5	BIRMINGHAM.
KINGS NORTON	72,608	11·5	10·8	13·6	9·3	-	33	13	4	3	-	-	-	-	-	-	-	-	1	-	-	KINGS NORTON.
SMETHWICK	64,531	8·1	15·4	10·5	15·4	-	49	19	7	5	-	-	-	-	-	-	-	1	2	-	1	SMETHWICK.
ASTON MANOR	82,288	11·4	15·8	15·8	12·0	0·6	46	19	5	3	-	-	-	-	1	-	-	2	3	1	-	ASTON MANOR.
COVENTRY	76,374	14·3	10·2	20·5	19·1	0·7	65	28	5	7	-	-	-	1	-	-	-	-	2	5	1	COVENTRY.
LEICESTER	232,111	14·8	11·2	18·0	16·2	2·9	124	72	28	15	-	-	-	1	10	-	2	2	5	5	-	LEICESTER.
GRIMSBY	69,359	12·0	23·3	12·8	9·0	-	36	12	3	1	-	-	-	-	-	-	-	-	2	2	-	GRIMSBY.
NOTTINGHAM	254,563	17·6	19·3	19·7	18·6	1·0	146	91	21	38	-	1	-	1	2	-	1	1	5	9	1	NOTTINGHAM.
DERBY	123,981	15·1	15·1	14·7	16·4	2·9	65	39	5	17	-	-	-	1	3	2	1	-	2	12	-	DERBY.
STOCKPORT	99,646	21·5	20·9	15·2	22·0	1·0	50	42	5	16	-	-	-	2	-	-	-	1	3	11	-	STOCKPORT.
BIRKENHEAD	117,292	15·6	12·9	14·2	17·3	-	65	39	9	16	-	-	-	-	-	-	-	-	-	12	-	BIRKENHEAD.
WALLASEY	64,578	13·7	10·5	11·3	17·0	0·8	33	21	3	10	-	-	1	-	-	-	-	4	4	4	-	WALLASEY.
LIVERPOOL†	739,180	21·1	19·8	21·2	20·7	2·3	529	293	59	71	-	5	7	5	10	2	3	8	20	93	14	LIVERPOOL.†
BOOTLE†	65,989	19·0	15·8	12·6	23·7	1·6	45	30	7	8	-	-	-	1	1	-	-	-	2	4	1	BOOTLE.†
ST. HELENS	91,153	17·2	18·3	13·2	18·3	0·6	54	32	10	7	-	-	-	1	-	-	-	-	-	7	3	ST. HELENS.
WIGAN	87,588	16·1	15·5	13·1	12·5	0·6	64	21	9	1	-	-	1	-	-	-	-	-	-	2	-	WIGAN.
WARRINGTON	69,280	18·1	18·1	21·1	21·8	1·5	48	29	10	7	-	-	-	-	2	-	-	-	-	3	2	WARRINGTON.
BOLTON	180,502	15·6	15·0	13·3	15·6	0·6	76	54	5	13	-	-	1	-	-	1	-	1	3	9	-	BOLTON.
BURY	58,744	18·6	13·3	12·4	20·4	5·3	17	23	3	6	-	6	-	-	-	-	-	-	-	-	-	BURY.
MANCHESTER	637,126	17·4	15·7	17·4	15·7	1·1	398	192	44	48	-	2	1	-	5	3	2	9	15	45	3	MANCHESTER.
SALFORD	234,077	18·9	16·3	14·5	17·2	1·3	146	77	17	28	-	-	1	1	1	1	2	6	12	21	-	SALFORD.
OLDHAM	140,969	14·4	20·7	13·3	19·2	3·0	82	52	9	16	-	1	2	3	2	-	-	2	3	5	-	OLDHAM.
ROCHDALE	87,189	12·6	15·0	15·5	15·5	1·2	50	26	5	7	-	-	1	-	1	-	-	1	2	4	1	ROCHDALE.
BURNLEY	102,808	19·3	16·7	20·8	18·3	3·6	68	36	11	8	-	-	-	-	3	1	3	-	1	5	-	BURNLEY.
BLACKBURN	134,015	19·8	16·0	15·2	19·8	2·7	75	51	9	21	-	2	2	2	-	-	1	2	4	10	-	BLACKBURN.
PRESTON	116,399	24·6	21·5	22·8	24·2	3·6	85	54	15	10	-	6	2	-	-	-	-	-	2	4	1	PRESTON.
BARROW-IN-FURNESS.	60,967	13·7	14·5	13·7	20·5	0·9	54	24	8	7	-	-	-	1	-	-	-	-	-	-	-	BARROW-IN-FURNESS.

TABLE 2 (contd.). — Scottish and Irish Towns. Births, Deaths and Death Rates in the Week ended Saturday, 17th February, 1906, and Death-Rates in each of the preceding three weeks.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 27th Jan., 1906.	3rd Feb., 1906.	10th Feb., 1906.	17th Feb., 1906.	Rate from Diseases in Cols. 11-17. Week ended 17th February, 1906.	Registered during the Week ended 17th Feb., 1906. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	14·8	11·5	13·7	14·3	0·5	51	26	2	11	-	-	-	1	-	-	-	1	1	6	-	Huddersfield.
Halifax	109,272	17·2	17·7	15·7	18·6	-	39	39	5	20	-	-	-	-	-	-	-	1	2	7	1	Halifax.
Bradford	288,544	15·5	11·7	14·8	15·5	0·7	120	86	12	32	-	1	-	1	-	-	2	1	3	16	1	Bradford.
Leeds	463,495	17·0	15·5	16·9	19·9	2·4	227	177	31	51	-	14	-	1	3	1	2	11	19	26	-	Leeds.
Sheffield	447,951	14·3	15·8	15·0	16·9	1·5	268	145	31	46	-	-	6	3	3	-	1	3	6	25	3	Sheffield.
Rotherham	61,098	17·1	12·8	14·5	18·8	0·9	42	22	5	7	-	-	-	1	-	-	-	1	1	1	1	Rotherham.
York	83,467	13·1	12·5	18·1	13·7	1·9	35	22	4	9	-	3	-	-	-	-	-	1	2	-	-	York.
Hull	262,426	17·5	17·1	14·7	17·3	1·2	126	87	12	26	-	-	-	4	1	-	1	9	15	19	-	Hull.
Middlesbrough	100,069	19·3	18·2	19·8	21·4	2·6	71	41	8	12	-	2	1	-	-	-	2	2	6	10	-	Middlesbrough.
Stockton-on-Tees	52,664	20·8	18·8	14·9	17·8	3·0	36	18	3	3	-	-	-	-	1	1	1	1	3	-	-	Stockton-on-Tees.
West Hartlepool	73,387	15·6	10·7	13·5	16·3	1·4	42	23	7	9	-	-	-	1	1	-	-	1	2	4	-	West Hartlepool.
Sunderland	154,385	21·6	12·2	18·6	14·9	0·7	107	44	12	10	-	-	2	-	-	-	-	1	2	11	2	Sunderland.
South Shields	111,402	17·8	16·4	15·0	21·5	0·9	84	46	14	13	-	-	-	-	-	-	2	2	2	10	1	South Shields.
Gateshead	123,191	12·7	16·5	12·3	19·0	2·5	86	45	16	10	-	1	-	1	3	-	1	-	-	3	3	Gateshead.
Newcastle-on-Tyne	268,721	14·9	19·6	13·6	18·0	2·5	180	93	23	22	-	4	1	2	6	-	-	5	8	18	1	Newcastle-on-Tyne.
Tynemouth	54,138	22·2	18·3	14·4	18·3	-	30	19	3	4	-	-	-	-	-	-	-	2	2	5	-	Tynemouth.
Newport (Mon.)	74,227	19·0	23·2	18·3	14·8	0·7	51	21	8	3	-	-	-	-	-	1	-	2	2	4	-	Newport (Mon.).
Cardiff	183,823	13·9	11·1	14·5	18·7	1·1	96	66	20	14	-	-	-	-	2	1	1	1	7	13	-	Cardiff.
Rhondda	127,684	17·2	21·2	20·0	17·6	1·2	99	43	18	11	-	-	-	1	2	-	-	2	2	2	-	Rhondda.
Merthyr Tydfil	74,961	17·4	25·7	18·1	22·3	1·4	62	32	13	6	-	-	-	-	2	-	-	3	3	2	-	Merthyr Tydfil.
Swansea	96,848	17·8	20·5	24·2	25·8	1·1	56	48	22	10	-	2	-	-	-	-	-	1	5	5	-	Swansea.
Greater London	7,113,561	14·2	14·0	13·8	15·4	1·2	3676	2103	452	675	-	56	12	20	57	6	17	84	203	672	10	Greater London.
Outer Ring	2,392,344	12·2	12·4	11·7	12·8	0·9	1282	586	136	203	-	13	3	7	12	1	4	18	43	120	3	Outer Ring.
8 Towns in Outer Ring	1,172,195	12·2	12·3	11·4	13·1	1·0	691	294	70	85	-	7	1	5	7	1	2	10	23	66	2	8 Towns in Outer Ring
Remainder of Outer Ring	1,220,149	12·2	12·5	12·0	12·5	0·7	591	292	66	118	-	6	2	2	5	-	2	8	20	54	1	Remainder of Outer Ring.
Edinburgh	341,035	20·3	16·7	16·2	17·3	1·2	146	113	11	31	-	5	1	1	-	-	1	-	?	32	6	Edinburgh.
Glasgow	835,625	18·5	15·8	16·5	18·0	2·4	489	288	44	84	-	25	-	5	2	2	4	5	?	76	8	Glasgow.
Dublin†	378,994	21·2	24·4	20·5	19·0	0·1	188	138	15	44	-	-	-	-	-	-	1	-	4	45	6	Dublin.†
Belfast†	358,680	23·3	20·2	21·2	26·0	1·9	246	179	31	47	-	1	-	2	6	1	3	6	11	42	5	Belfast.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SEVENTH Week of each of the Eleven Years, 1896-1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2575	2621	2527	2862	2439	2690	2691	2515	2737	2612	2689·8	2394
Males - - -	1336	1319	1244	1465	1232	1373	1372	1306	1375	1334	1372·8	1219
Females - -	1239	1302	1283	1397	1207	1317	1319	1209	1362	1278	1317·0	1175
TOTAL **Deaths** -	1727	1524	1856	1686	2013	1719	2277	1556	1589	1506	1765·5	1517
Males - -	869	787	918	803	1015	883	1103	798	781	766	878·7	771
Females - -	858	737	938	880	998	836	1174	758	808	740	886·8	746

* The numbers in this column are the average weekly numbers in the seventh week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	13 Weeks.
TOTAL **Births** -	2366	2275	2462	2279	2488	1807	2788	2705	2390	2451	2508	2550	2394	31463
TOTAL **Deaths** -	1739	1623	1460	1725	1746	1602	1756	1585	1399	1382	1337	1346	1517	20217
Ages at Death: Under 1 year -	352	341	335	333	382	328	336	304	299	257	260	272	316	4115
1—5 years -	205	209	201	229	281	222	217	185	170	171	162	146	156	2554
5—20 ,, -	82	76	75	79	64	69	91	63	56	87	60	79	104	985
20—40 ,, -	197	174	159	184	147	151	208	195	126	170	150	156	174	2194
40—60 ,, -	361	316	266	365	343	309	356	307	271	267	265	254	295	3975
60 yrs. & upwds.	542	507	424	535	529	523	548	531	474	430	440	439	472	6394
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	48	53	46	58	60	59	64	53	52	44	28	26	43	634
Scarlet Fever - -	6	18	13	20	18	12	9	17	13	10	5	11	9	161
Diphtheria - -	10	5	21	11	18	17	13	11	12	22	17	16	13	186
Whooping-cough -	24	25	25	28	38	34	33	32	21	37	34	33	45	409
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	3	4	2	2	5	6	3	3	3	1	4	5	44
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	11	16	14	13	18	19	10	11	8	19	14	23	13	189
All above Diseases -	102	120	123	132	154	146	135	127	109	135	99	113	128	1623
Dis. of Resp. System	282	245	192	274	254	241	225	193	148	174	168	146	160	2702
Pneumonia - -	208	233	184	186	262	185	229	177	151	119	144	132	129	2339
Phthisis - - -	161	130	132	191	151	150	163	144	128	147	129	133	141	1905
Dis. of Circ. System -	229	243	188	215	212	186	236	217	200	161	162	177	216	2642
Violence - - -	70	77	59	56	58	56	76	63	61	56	38	44	66	780
Inquest Cases - -	169	191	130	144	174	168	215	178	151	130	127	132	160	2069
Deaths in Institutions	636	606	509	612	610	577	608	563	498	554	519	493	552	7337
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	38·5	42·9	43·8	36·6	43·2	39·5	41·3	43·1	42·0	40·4	42·8	37·0	38·2	40·7
Mean of Highest -	44·4	47·6	48·2	41·6	46·2	43·5	45·2	48·7	46·5	44·3	47·4	41·9	44·8	45·4
Mean of Lowest -	30·9	35·9	39·1	32·4	38·7	33·7	38·0	37·6	37·2	35·3	38·0	32·2	32·6	35·5
Mean Humidity of the Air.	84	87	90	92	82	92	81	82	77	83	80	80	85	84
Rain-fall (in inches) -	0·17	0·61	0·31	0·02	0·00	0·24	0·95	1·20	1·06	0·49	0·10	0·38	0·92	6·45
Registered Sunshine (in hours).	17·9	6·8	9·5	4·0	4·7	4·3	2·5	17·5	23·7	5·8	10·6	17·5	13·0	137·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Scarlet Fever - -	4127	4021	3888	3670	3409	3446	3299	3062	3066	2983	2912	2839	2734	3343
Diphtheria - -	755	725	727	713	670	701	728	748	800	841	873	899	944	779
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	132	115	102	92	82	78	87	91	87	84	95	79	81	93

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. E. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SEVENTH Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 7th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
L CAUSES	1765·5	1517	316	156	104	174	295	472
nall-pox*	14·3	-	-	-	-	-	-	-
wpox	0·3	-	-	-	-	-	-	-
asles (Morbilli)	41·3	43	12	28	3	-	-	-
arlet Fever	13·0	9	1	5	3	-	-	-
phus	-	-	-	-	-	-	-	-
ague	-	-	-	-	-	-	-	-
fluenza	35·9	9	2	-	1	1	2	3
hooping-cough	44·1	45	18	25	2	-	-	-
phtheria	22·2	13	-	7	6	-	-	-
rebro Spinal Fever	-	-	-	-	-	-	-	-
rexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
teric Fever	6·1	5	-	-	3	2	-	-
iatic Cholera	-	-	-	-	-	-	-	-
idemic Diarrhœa (Infective Enteritis)	3·3	4	4	-	-	-	-	-
arrhœa, Dysentery	11·0	9	7	1	1	-	-	-
tanus	0·5	1	1	-	-	-	-	-
bies, *Hydrophobia*	-	-	-	-	-	-	-	-
anders	-	-	-	-	-	-	-	-
thrax (Splenic Fever)	-	-	-	-	-	-	-	-
nereal Dis.	6·6	9	7	-	-	-	1	1
erperal Septicæmia	1·8	2	-	-	-	2	-	-
erperal Pyæmia	0·5	2	-	-	1	1	-	-
erperal Fever	1·5	-	-	-	-	-	-	-
fective Endocarditis	3·3	2	-	-	-	1	1	-
eumonia: Lobar	12·2	8	-	1	2	2	-	3
eumonia: Broncho-	85·1	68	23	23	1	1	4	16
eumonia: Epidemic	-	-	-	-	-	-	-	-
eumonia: Not defined	71·5	53	10	9	3	8	13	10
ysipelas	3·8	2	1	-	-	-	-	1
pticæmia (not Puerperal)	2·3	-	-	-	-	-	-	-
æmia (not Puerperal)	1·3	-	-	-	-	-	-	-
her Infective Processes	5·6	3	-	-	-	1	2	-
berculous Phthisis	72·6	82	1	-	4	39	27	11
Phthisis"	88·4	59	-	-	6	26	24	3
berculous Meningitis	26·5	24	7	11	6	-	-	-
berculous Peritonitis	4·8	9	2	3	3	-	1	-
bes Mesenterica	3·3	2	1	1	-	-	-	-
berculous Dis. (other)	17·3	20	2	8	6	3	1	-
rofula	-	-	-	-	-	-	-	-
coholism	11·5	10	-	-	-	3	3	4
eumatic Fever	4·1	6	-	-	3	3	-	-
out	2·3	-	-	-	-	-	-	-
rcinoma	45·6	48	-	-	1	2	21	24
rcoma	4·3	7	-	3	-	1	2	1
ncer (undefined)	32·6	31	-	-	-	2	11	18
iabetes Mellitus	5·6	11	-	-	2	-	4	5
emature Birth	67·8	44	44	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 7th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	18·1	15	8	2	2	2	1	-
Insanity, Gen. Par. of Insane	21·9	17	-	-	-	5	6	6
Epilepsy	8·9	10	1	-	1	3	2	3
Convulsions	23·2	16	14	2	-	-	-	-
Locomotor Ataxy	2·3	4	-	-	-	1	2	1
Paraplegia, Dis. of Cord	6·6	9	-	-	-	2	-	7
Nervous Sys. (other dis.)	28·0	14	1	-	3	1	1	8
Valv. Dis., Endocarditis	47·9	48	-	-	7	9	12	20
Cerebr. Hæm. Thromb.	35·9	49	-	-	-	1	12	36
Apoplexy, Hemiplegia	20·4	19	-	-	-	-	8	11
Aneurysm	6·6	9	-	-	-	1	7	1
Embolism, Thrombosis (not cerebral)	2·0	4	-	-	-	1	2	1
Heart & Blood Vessel Dis.	107·8	87	-	1	4	8	28	46
Croup (not Spasm : nor Memb.)	0·5	1	-	-	1	-	-	-
Bronchitis	223·2	139	25	10	2	3	30	69
Asthma, Emphysema	10·4	6	-	-	-	-	2	4
Pleurisy	5·4	7	-	1	1	2	-	3
Respiratory Dis. (other)	20·1	7	2	-	-	-	-	5
Tonsillitis, Quinsy	1·8	1	1	-	-	-	-	-
Enteritis (not Epid.)	6·9	11	8	3	-	-	-	-
Gastro-Enteritis	2·8	9	8	-	-	-	-	1
Peritonitis (not Puerp.)	3·8	5	1	-	-	1	1	2
Cirrhosis of Liver	16·3	14	-	-	1	1	9	3
Liver Dis. (other)	5·9	2	-	-	-	-	-	2
Digestive Dis., Other	45·4	42	5	2	7	3	8	17
Nephritis, Acute	7·4	10	-	-	-	5	4	1
Bright's Dis., Albuminuria	42·6	45	-	1	2	8	16	18
Urinary Sys., Other Dis.	11·5	15	-	-	-	-	1	14
Generative Organs Dis.	5·9	8	-	-	-	3	-	5
Childbirth (Accid. of)	3·1	4	-	-	-	4	-	-
Old Age	61·9	77	-	-	-	-	1	76
Other Diseases	110·2	107	78	5	8	1	12	3
ACCIDENT.								
By Railways	1·5	1	-	-	-	1	-	-
By Vehicles and Horses	5·4	3	-	-	1	1	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	-	-	-	-	-	-	-
In Building Operations	1·0	1	-	-	-	-	1	-
In Conflagrations	13·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	7·6	10	1	3	3	1	-	2
By Drowning	3·6	4	-	-	-	1	3	-
By Suffocation in Bed	14·3	13	13	-	-	-	-	-
By Poisons or Poisonous Vapours	2·6	2	1	-	-	-	1	-
Other Deaths by Accident	17·3	20	5	1	3	3	3	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·5	2	1	-	-	1	-	-
Suicide	8·7	10	-	-	1	3	5	1
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

Table 5. LONDON *—Population; Births; Deaths from all Causes, and from Small-pox, Meas Scarlet Fever, Diphtheria, Whooping-cough, Fever, Diarrhœa, Violence, &c., regist in each Sub-district during the Week ended Saturday, 17th February, 1906.

Registration Sub-districts.	Enumerated Population, 1901.	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexiat Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2394	1517	316	472	–	43	9	13	45	–	5	–	13	66	160	552
West Districts	805,311	359	224	50	76	–	3	1	2	4	–	–	–	3	7	18	81
North Districts	1,056,070	485	307	52	102	–	9	1	3	3	–	2	–	–	17	37	94
Central Districts	209,465	89	78	13	21	–	–	–	–	3	–	–	–	1	6	16	37
East Districts	715,739	490	269	54	67	–	2	–	1	13	–	1	–	2	13	37	121
South Districts	1,749,844	971	589	147	183	–	29	5	6	22	–	2	–	7	22	51	169
Metropolitan Hospitals and Asylums outside Registration London*	—	–	50	–	23	–	–	2	1	–	–	–	–	–	1	1	50
West Districts.																	
St. Mary Paddington *W,2H*	93,178	51	20	2	11	–	–	–	–	–	–	–	–	–	3	4	6
St. John Paddington *H*	33,617	10	10	1	3	–	–	–	–	–	–	–	–	–	–	–	6
North-West Paddington	17,181	5	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H*	128,037	60	44	13	13	–	1	–	–	1	–	–	–	–	1	3	21
Brompton *2H*	48,591	13	9	–	3	–	–	–	–	–	–	–	–	–	–	–	2
North Hammersmith *W,wH*	49,192	30	11	5	4	–	–	–	–	–	–	–	–	–	–	1	–
South Hammersmith *w,2H*	63,047	28	18	5	4	–	1	–	–	–	–	–	–	1	–	–	3
North-west Fulham *W*	45,180	40	27	11	1	–	–	–	–	1	–	–	–	–	1	2	1
North-east Fulham *F*	46,405	24	5	2	–	–	1	1	1	–	–	–	–	–	–	–	5
South Fulham *W*	45,704	29	6	–	4	–	–	–	1	–	–	–	–	–	–	1	–
Chelsea North *W,w,3H*	42,514	14	20	2	14	–	–	–	–	–	–	–	–	–	–	1	16
Chelsea South *W,2H*	31,328	12	9	–	6	–	–	–	–	–	–	–	–	–	–	1	–
Mayfair and Knightsbridge	28,743	1	7	1	3	–	–	–	–	–	–	–	–	–	1	2	–
Belgrave *W,2H*	55,815	15	17	4	3	–	–	–	–	2	–	–	–	2	–	–	–
St. Margaret & St. John *4H*	43,698	16	10	2	5	–	–	–	–	–	–	–	–	–	–	1	–
St. James and St. Anne‡ *W,6H*	33,081	11	9	2	1	–	–	–	–	–	–	–	–	–	1	2	–
North Districts.																	
All Souls Marylebone *8H*	35,391	8	12	–	5	–	–	–	–	–	–	–	–	–	1	1	–
St. Mary Marylebone *W,4H*	37,948	42	8	–	3	–	–	–	–	–	–	–	–	–	–	2	–
Christchurch Marylebone *H*	39,536	22	7	1	1	–	–	–	–	–	–	–	–	–	–	–	–
St. John Marylebone *3H*	20,426	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hampstead *W,F,6H*	81,942	18	24	3	9	–	1	1	–	–	–	–	–	–	–	2	–
West St. Pancras *2H*	60,562	30	19	4	4	–	1	–	–	1	–	1	–	–	1	1	–
Tottenham-court *w,7H*	21,258	9	13	3	2	–	–	–	–	–	–	–	–	–	2	2	1
Gray's Inn Lane *4H*	34,449	16	10	2	4	–	–	–	–	–	–	–	–	–	1	4	–
East St. Pancras *W,2H*	60,320	35	19	3	7	–	–	–	–	1	–	–	–	–	1	2	–
North St. Pancras *2W*	58,728	28	18	3	7	–	–	–	–	–	–	–	–	–	1	2	–
Tufnell *W*	31,995	16	21	2	7	–	1	–	–	–	–	–	–	–	1	2	1
Upper Holloway *2W,w,H*	33,978	21	21	5	3	–	1	–	–	–	–	–	–	–	3	5	1
Pollington *WH*	33,922	7	9	3	2	–	–	–	–	–	–	–	–	–	1	1	–
Lower Holloway	41,424	25	9	–	5	–	–	–	–	–	–	–	–	–	–	2	–
Barnsbury	54,478	31	17	5	6	–	2	–	1	–	–	–	–	–	1	2	–
Islington South-east *F*	75,397	26	17	1	7	–	1	–	–	–	–	1	–	–	1	1	–
Highbury *2H*	63,797	17	7	1	3	–	–	–	–	–	–	–	–	–	–	–	–
Stoke Newington *H*	51,247	20	8	2	2	–	–	–	–	–	–	–	–	–	–	1	–
North Hackney	50,560	20	15	4	7	–	1	–	–	–	–	–	–	–	–	1	–
Central Hackney *2w,F*	50,536	29	12	3	1	–	–	–	2	1	–	–	–	–	–	–	–
South-west Hackney *3H*	59,921	32	17	5	6	–	1	–	–	–	–	–	–	–	–	2	–
South-east Hackney *2W,w,H*	58,255	29	21	2	10	–	–	–	–	–	–	–	–	–	3	4	1

Note.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the in namely: *W*—Work house belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dist than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a b district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Feve

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. J and St. Anne.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th February, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include — Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury *W,2H* -	31,436	10	10	2	3	-	-	-	-	1	-	-	-	-	1	3	2	-
Strand *W,4H* - - - - -	21,674	2	14	-	6	-	-	-	-	-	-	-	-	-	-	1	9	-
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W,6H* - - - - -	29,612	12	18	5	1	-	-	-	-	2	-	-	-	1	1	2	13	-
South Clerkenwell - - -	28,676	10	7	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-
North Clerkenwell *H* - - -	35,028	12	5	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Finsbury *3H,L* - - - - -	36,116	35	7	5	1	-	-	-	-	-	-	-	-	-	1	2	1	-
Holborn Union Workhouse, Mitcham - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H* - - - - -	10,299	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W,2H*	16,624	4	15	1	2	-	-	-	-	-	-	-	-	-	3	5	10	-
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *H* - - -	46,362	30	18	3	5	-	-	-	1	2	-	-	-	-	-	-	-	-
Shoreditch North-West *W,w,H* -	36,127	33	33	4	12	-	-	-	-	2	-	-	-	-	-	3	25	-
Shoreditch North-East - - -	36,148	19	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North *2H* - -	51,514	43	15	7	-	-	-	-	-	1	-	-	-	1	1	1	2	-
Bethnal Green South - - -	33,472	19	7	4	-	-	-	-	-	1	-	-	-	-	2	3	-	-
Bethnal Green East *2W,H,L* - -	44,694	29	30	5	13	-	-	-	-	2	-	-	-	-	3	5	20	-
Spitalfields - - - - -	27,969	21	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W,H* - -	28,718	26	37	4	4	-	-	-	-	1	-	1	-	-	2	5	36	-
Goodman's Fields - - - -	22,081	10	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George and St. John *2W* - -	49,068	40	10	5	-	-	-	-	-	1	-	-	-	1	-	3	3	-
Shadwell and Ratcliff *W,H* - -	25,568	13	12	4	1	-	1	-	-	-	-	-	-	-	1	3	4	-
Limehouse *W* - - - - -	32,369	25	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H* - - - -	63,698	54	12	-	3	-	-	-	-	1	-	-	-	-	-	3	-	-
Mile End Old Town North-Eastern *W,w* - - -	49,129	24	22	5	7	-	-	-	-	-	-	-	-	-	1	3	9	-
Bow *L* - - - - - - -	41,989	25	7	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Bromley *3w,H* - - - - -	68,319	55	37	5	16	-	1	-	-	-	-	-	-	-	2	4	21	-
Poplar *W,w* - - - - -	58,514	24	12	2	1	-	-	-	-	2	-	-	-	-	-	-	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th February, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *W,H*	11,263	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark *H*	12,056	5	15	4	2	-	1	-	-	-	-	-	-	1	3	3	13	
Kent-road	21,904	15	6	1	4	-	-	-	-	-	-	-	-	-	1	1	-	
St. George the Martyr West *W,2H,L*	39,094	29	10	5	-	-	3	-	-	1	-	-	-	1	1	2	5	
Newington North	49,022	32	10	1	4	-	1	-	-	-	-	-	-	-	-	2	-	
Newington South *W*	72,841	36	18	3	5	-	1	-	-	-	-	-	-	-	-	-	2	
St. Olave *2W*	9,817	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2	
Bermondsey *W*	82,483	43	19	4	4	-	-	-	-	1	-	-	-	-	1	2	-	
Rotherhithe *W,F*	38,460	23	16	4	6	-	-	-	-	1	-	-	-	-	-	2	7	
Waterloo-road *2H*	27,440	36	9	3	-	-	2	-	-	-	-	-	-	1	-	1	2	
Lambeth Church 1st *H*	18,423	14	19	3	1	-	1	-	-	1	-	-	-	-	1	1	13	
Lambeth Church 2nd *2W*	39,818	26	31	8	12	-	2	-	-	-	-	-	-	-	-	2	17	
Kennington 1st *H*	53,198	37	11	4	2	-	-	-	-	2	-	-	-	-	2	4	-	
Kennington 2nd *H*	42,896	18	7	4	1	-	1	-	-	1	-	1	-	-	-	-	1	
Brixton *F*	84,232	35	25	6	12	-	-	2	1	-	-	-	-	-	-	-	3	
Norwood *W,H*	35,888	16	9	2	4	-	-	-	-	-	-	-	-	-	-	-	1	
East Battersea *H*	72,203	49	19	6	5	-	1	-	-	-	-	-	-	-	1	3	1	
North-west Battersea	49,656	20	16	5	2	-	1	-	-	1	-	-	-	2	1	2	-	
South-west Battersea *2W,H*	47,048	23	32	5	15	-	-	-	1	2	-	-	-	-	3	3	14	
Clapham *2H*	51,361	20	7	3	2	-	-	-	-	2	-	-	-	-	-	-	-	
Streatham *W,2w,2F,2L*	88,019	51	44	8	23	-	1	1	1	-	-	-	-	1	-	2	15	
Springfield *2W,L*	27,959	11	5	4	-	-	-	-	-	1	-	-	-	-	-	1	-	
Southfields *H*	40,444	23	10	3	2	-	-	-	-	-	-	-	-	-	1	1	-	
Putney	24,139	10	6	2	1	-	1	-	-	-	-	-	-	-	1	1	-	
Dulwich	13,359	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South *W,w*	40,206	11	32	5	13	-	-	-	-	-	-	-	-	-	-	-	24	
Camberwell North *W,2L*	65,584	33	35	5	10	-	3	-	-	1	-	-	-	-	2	6	16	
St. George	47,331	38	8	4	1	-	-	-	-	-	-	-	-	-	1	1	-	
Peckham North	48,913	29	18	8	2	-	3	-	-	3	-	-	-	-	-	2	-	
Peckham South *2W,w*	43,946	13	8	2	4	-	1	-	-	-	-	-	-	-	-	-	-	
Deptford North	37,613	25	14	6	1	-	3	-	-	2	-	-	-	-	-	1	-	
Deptford Central	45,481	32	15	7	1	-	3	-	-	2	-	-	-	-	-	-	-	
Deptford South	34,625	23	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West *2H*	23,456	9	7	-	3	-	-	-	-	-	-	-	-	1	-	-	-	
Greenwich East *2W,H*	43,859	26	22	3	10	-	-	-	-	-	-	-	-	-	1	1	14	
Eltham *w,H*	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee *wH*	25,490	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham *W w,F*	58,352	31	27	5	13	-	-	1	1	-	-	-	-	-	2	4	12	
Sydenham *H*	43,653	17	12	2	5	-	-	-	1	-	-	-	-	-	-	1	-	
Charlton *F,2H*	21,134	8	12	3	2	-	-	1	1	1	-	1	-	-	-	1	4	
Woolwich *5H*	41,625	25	6	-	3	-	-	-	-	-	-	-	-	-	-	1	2	
Plumstead West *W*	18,063	9	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East *2W,H*	50,264	39	10	1	3	-	-	-	-	-	-	-	-	-	-	-	1	
Workhouse:—																		
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Small-pox Hospitals:—																		
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North-Eastern	—	-	3	-	-	-	-	2	1	-	-	-	-	-	-	-	3	
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	7	-	5	-	-	-	-	-	-	-	-	-	-	-	7	
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Leavesden	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	
London County Lunatic Asylums:—																		
Banstead	—	-	13	-	4	-	-	-	-	-	-	-	-	-	-	-	13	
Ewell (Epileptic Colony)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Horton	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	
Dartford Heath	—	-	3	-	1	-	-	-	-	-	-	-	-	-	1	1	3	
Hanwell	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	
Colney Hatch	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	
Claybury	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	

3. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ed Saturday, 17th February, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
ONDON—OUTER RING -	368,602	2,044,973	1282	586	136	203	-	13	3	7	12	1	4	18	43	120	3
Carshalton 2F,2H - -	12,228	32,997	13	7	2	-	-	-	-	-	1	-	-	1	1	1	-
Epsom, *part of** W,w,2F,H -	10,423	15,548	9	5	-	3	-	-	-	-	-	-	-	-	-	3	-
Godstone, *part of** W,F -	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon - - - -	11,069	8,166	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
South Croydon w - -	4,200	49,309	14	16	3	8	-	-	-	-	-	-	-	-	-	-	-
West Croydon 3W,F,H -	2,168	42,888	26	26	5	10	-	-	-	2	-	-	-	1	2	15	-
North Croydon H - -	2,644	41,698	24	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Penge w,H - - - -	770	22,465	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-
Mitcham w - - -	11,711	30,015	19	9	5	4	-	-	-	-	-	-	-	-	-	-	-
Wimbledon F,3H - -	3,221	41,652	18	12	2	3	-	-	-	-	-	-	-	1	2	1	-
Kingston 2W,H - - -	6,224	42,068	30	15	5	7	-	-	-	-	1	-	-	-	-	4	-
Surbiton F,H - - -	3,046	15,017	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** H -	5,402	13,100	9	3	-	1	-	-	-	-	1	-	-	-	-	-	-
Hampton H,F,L - - -	4,564	23,456	9	8	-	3	-	-	-	-	-	-	-	-	1	1	-
Richmond W,H - - -	2,162	28,865	11	7	1	5	-	-	-	-	-	-	-	-	-	1	-
Mortlake F - - -	2,847	20,628	13	8	3	2	-	-	-	-	-	-	-	-	2	-	-
Bromley F,2H - - -	4,703	27,354	16	5	2	1	-	-	-	1	-	-	-	-	-	1	-
Beckenham H - - -	7,825	28,497	14	5	1	2	-	-	-	-	-	-	-	-	-	1	-
Orpington *part of** W -	10,113	9,857	6	6	-	5	-	-	-	-	-	-	-	-	-	4	-
Chislehurst 2H - - -	7,333	16,446	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Bexley w F,H - - -	8,678	21,151	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Erith F,H - - - -	3,854	25,296	22	3	2	-	-	-	-	-	-	-	-	-	1	-	-
Dartford W,F, *part of** -	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
Sunbury w - - - -	11,054	18,683	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Staines W,H - - -	13,277	15,178	5	5	3	1	-	-	-	-	2	-	-	-	-	2	-
Hillingdon W,F,H - -	6,035	13,661	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Uxbridge H - - -	12,757	8,984	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes w,F,H - - -	8,066	16,358	17	4	2	1	-	-	-	-	-	-	-	1	1	-	-
Isleworth 3W,2F,H - -	6,859	30,863	18	15	2	5	-	-	-	-	-	-	-	1	1	7	-
Twickenham F,H - -	2,421	20,991	16	4	-	4	-	-	-	-	-	-	-	-	-	-	-
Brentford 3F,2H,L - -	4,319	48,289	21	21	5	8	-	-	-	-	-	-	-	-	-	2	-
Chiswick H - - - -	1,249	29,809	7	6	3	3	-	-	-	-	-	-	1	-	-	-	-
Acton w,3H - - -	6,132	48,914	45	18	4	5	-	3	1	-	-	-	-	-	2	1	-
Harrow F,H - - -	13,809	25,523	15	7	3	2	-	-	-	-	-	-	-	-	-	-	-
Edgware F,2H - - -	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,2F,2H - -	4,384	114,811	103	29	10	6	-	-	-	-	-	-	-	1	2	4	2
Hendon W,F - - -	8,382	22,450	14	3	1	1	-	-	-	-	-	-	-	-	-	1	-
South Mimms 2F,H - -	17,755	7,308	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Barnet W,2H - - -	3,324	17,970	12	8	3	5	-	1	-	-	-	-	-	-	-	-	-
Finchley F,2H - - -	4,688	33,692	11	8	-	5	-	-	-	-	-	-	-	-	-	1	-
Hornsey F,H - - -	2,875	72,056	34	13	1	5	-	1	-	-	-	-	1	-	2	-	-
Wood Green H - - -	1,625	34,233	17	7	-	4	-	-	-	-	-	-	-	-	-	1	-
West Tottenham F - -	996	48,853	39	11	2	3	-	2	-	-	-	-	-	-	1	-	-
East Tottenham 2H - -	2,017	53,688	41	18	3	3	-	2	-	1	-	-	-	2	2	4	-
Edmonton W,w,2F - -	7,491	61,892	46	22	4	9	-	1	-	-	-	-	-	1	3	6	-
Enfield 2W,F,H - - -	12,601	42,738	19	9	-	5	-	-	1	-	-	-	-	-	1	3	-
Waltham Abbey F - -	11,017	6,549	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H - - -	8,479	12,292	7	3	-	2	-	-	-	-	-	-	-	-	-	-	1
Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H - - - -	9,333	9,173	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H - - -	1,072	44,827	26	7	2	-	-	-	-	-	-	-	-	-	-	-	-
Plaistow F,2H - - -	1,249	90,921	71	28	10	4	-	-	1	1	2	-	-	-	-	5	-
Canning Town H - -	1,556	70,718	67	18	6	3	-	1	-	-	1	-	-	2	3	1	-
Forest Gate w - - -	806	60,892	35	23	6	9	-	1	-	-	1	-	-	-	1	-	-
North East Ham w H -	1,333	58,676	43	16	6	2	-	-	-	-	-	-	1	-	1	-	-
South East Ham 2F - -	1,993	37,342	44	6	3	1	-	-	-	1	-	-	-	1	1	1	-
Wanstead F - - -	1,679	9,179	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-
South Leyton 2W - -	631	50,467	30	9	-	4	-	-	-	1	1	-	-	-	1	2	-
North Leyton 2W,w,F -	1,963	48,445	29	41	8	14	-	-	-	-	2	-	-	2	4	30	-
Walthamstow 3H,L - -	6,504	108,929	73	31	6	9	-	-	-	-	-	1	-	1	3	1	-
Chigwell, *part of** 2F,3H -	11,778	16,397	8	6	2	4	-	-	-	-	-	-	-	1	1	-	-
Epping W,F, *part of** - -	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
Romford, *part of** W,2F -	6,556	6,091	1	6	1	4	-	-	-	-	-	-	1	-	-	4	-
Ilford F,L - - - -	8,496	41,234	31	11	3	2	-	-	-	-	-	-	-	-	1	3	-
Barking Town F - -	3,803	21,547	13	5	1	1	-	-	-	-	-	-	-	1	2	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-
City of London Asylum, Stone.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

e parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher ; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting don Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious ses Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and RATE of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	February 17	2394	1517	16·8	-	43	9	14	45	5
CALCUTTA - -	910,117	January 13	-	718	44·0	55	1	-	-	1	191†
BOMBAY - -	776,006	„ 30	410	825	55·3	10	8	-	-	-	128†
MADRAS - -	509,546	„ 19	413	541	55·2	12	23	?	?	?	139†
PARIS - - -	2,750,000	February 10	1049	984	19·1	-	23	3	3	8	5
BRUSSELS - -	598,467	„ 10	224	172	14·9	-	-	1	2	3	-
ANTWERP - -	291,949	„ 10	121	85	15·1	-	-	1	-	1	-
AMSTERDAM -	558,736	„ 3	268	139	13·0	-	7	-	1	2	1
COPENHAGEN -	430,000	„ 10	235	124	15·0	-	2	1	1	3	-
STOCKHOLM -	318,398	„ 3	149	80	13·1	-	-	1	-	-	-
CHRISTIANIA -	222,373	„ 10	123	55	18·9	-	-	1	5	1	-
ST. PETERSBURG	1,429,000	January 27	522	694	25·2	-	18	20	21	4	27
MOSCOW - -	1,154,000	„ 27	-	576	26·0	1	4	4	3	7	5
BERLIN - -	2,044,030	„ 27	971	600	15·3	-	10	10	7	10	2
HAMBURG - -	803,000	February 10	-	199	12·9	-	2	-	-	1	-
BRESLAU - -	463,283	„ 10	-	-	-	-	-	-	-	-	-
MUNICH - -	540,000	„ 10	-	216	20·8	-	3	-	4	4	-
VIENNA - -	1,917,639	„ 10	950	667	18·1	-	4	5	14	7	4
PRAGUE - -	455 241	„ 10	210	138	15·8	-	-	-	1	2	-
BUDA-PESTH -	859,134	„ 3	451	316	19·1	-	9	4	5	3	1
		„ 10	423	275	16·8	-	4	2	3	1	-
TRIESTE - -	194,749	„ -10	137	92	24·6	-	1	1	1	-	1
ROME - -	526,170	January 6	274	219	21·7	-	-	-	2	-	4
VENICE - -	171,709	„ 27	77	66	20·0	-	-	-	-	-	-
BUCHAREST -	282,071	February 3	-	-	-	-	-	-	-	-	-
NEW YORK -	4,152,860	„ 3	2117	1434	18·0	-	52	7	39	4	3
CHICAGO - -	2,049,185	January 27	-	504	12·8	-	2	4	15	-	7
PHILADELPHIA -	1,469,126	„ 20	-	633	22·4	-	28	-	21	6	16
		„ 27	-	583	20·6	-	15	-	14	4	17
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	905,000	January 14	-	261	15·0	-	1	-	-	-	8

* Excluding deaths from croup in the Indian Cities.
† Including 16 deaths from plague in Calcutta, 62 in Bombay, 4 in Madras, and 6 in Rio de Janeiro.
‡ Including 61 deaths from cholera in Calcutta, and 1 in Madras.
§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 17th February, 190

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	50·7	27·1	38·7	0·92	BRADFORD - -	44·6	30·2	37·0	51
BRIGHTON - -	46 5	27·3	39·1	1·04	LEEDS - - -	49·0	31·0	39·2	18
PORTSMOUTH - -	50·8	29·0	40·0	1·45	HULL - - -	46·0	30·0	36 7	26
NORWICH - -	47·6	27·4	37·9	0·84	TYNEMOUTH - -	48·0	29·0	36·2	03
PLYMOUTH - -	49·5	30·5	41 0	1·78	CARDIFF - -	48·9	25·0	37·9	35
BRISTOL - - -	49·5	29·4	38·5	0 77	EDINBURGH - -	45·1	27·8	36·3	08
BIRMINGHAM - -	46·0	29·0	36·9	0·47	GLASGOW - -	47·3	28·8	37·2	50
NOTTINGHAM - -	44·9	27·0	36·5	0·67	DUBLIN Phœnix Park.	46·0	27·1	36·4	10
LIVERPOOL OBSERVATORY.	45·0	32·0	38·5	0·20	DUBLIN Fitzwilliam Square.†	47·9	29·1	38·5	09
MANCHESTER -	45·7	28·8	36·8	0·60					
PRESTON - -	45·0	31·9	37·3	0·57					
HUDDERSFIELD -	44·4	29·0	36·0	0·36	BELFAST - -	44·4	28·4	36·6	94

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction appl by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·4 Fahr here to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.
ERRATA.—Week ended 10th February, 1906: Leeds—Highest Temperature should read 48°·0, and Mean Temperatu

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
FEBRUARY.																									
SUNDAY -	11	..	28·874	44·0	34·3	9·7	38·8	+ 0·5	33·0	5·8	9·0	2·7	80	61·4	30·0	41·16	SW.	NW, WNW. & W.	6·5	0·0	0·8	496	+176	0·03	6·0
MONDAY -	12	In Equator Perigee	29·356	40·7	28·0	12·7	33·5	- 5·0	28·3	5·2	10·1	0·0	81	59·2	17·3	41·10	WNW., WSW. & W.	WNW., WSW. & SW.	1·3	0·0	0·1	272	- 43	0·00	0·0
TUESDAY -	13		29·320	40·7	27·1	13·6	33·9	- 4·9	29·7	4·2	11·0	0·0	85	80·0	17·0	41·00	SSW. & S.	S., SSE. & WSW.	2·8	0·0	0·2	258	- 52	0·02	3·0
WEDNESDAY	14	..	29·494	46·2	30·1	16·1	37·8	- 1·4	32·1	5·7	10·3	1·4	80	91·0	24·0	40·67	WSW. & SW.	SW., SSW. & S.	1·6	0·0	0·1	261	- 44	0·00	0·5
THURSDAY -	15	..	29·514	43·2	32·4	10·8	37·3	- 2·3	34·7	2·6	6·1	1·6	90	66·0	24·2	40·48	S., SSE. & SW.	W., SSW. & S.	1·8	0·0	0·1	260	- 41	0·20	4·0
FRIDAY -	16	Last Quarter.	29·422	50·7	37·1	13·6	44·7	+ 4·9	39·9	4·8	13·4	1·7	83	73·0	33·1	40·43	S., SSW. & SW.	WSW., SW. & SSW.	4·9	0·0	0·6	433	+135	0·07	9·5
SATURDAY -	17	..	29·507	48·0	39·1	8·9	41·2	+ 1·4	39·6	1·6	4·6	1·3	94	48·0	38·0	40·52	SSW. & NNE.	NE. & NNE.	2·2	0·0	0·3	331	+ 35	0·60	0·0
MEANS -			29·355	44·8	32·6	12·2	38·2	- 1·0	33·9	4·3	9·2	1·2	85	68·4	26·2	40·77	Variable.		..	..	..	Sum 2311	Sum +166	Sum 0·92	3·3
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
FEBRUARY.					
SUNDAY -	11	w. P. and v. N. till 8h. A.M.; m. P. with occasional v.N. generally afterwards.	1·1	9·7	Generally cloudy; occasional light showers of rain, sleet or snow; brisk wind in morning.
MONDAY -	12	m. P. till 6h. A.M.; s. P. afterwards.	1·6	9·7	Fine with variable amounts of cloud till evening; cloudless at night; hoar frost in morning and at night.
TUESDAY -	13	s. P. generally; occasional m. P.	1·5	9·8	Cloudless with hoar frost in early morning; fine and partially cloudy all afternoon; overcast after 2h. P.M. with showers of snow and sleet till 10h. P.M. Solar halo observed in forenoon.
WEDNESDAY	14	s. P. generally.	7·9	9·8	Cloudy till 2h. A.M.; very fine with small amounts of cloud afterwards; hoar frost in morning and at night.
THURSDAY -	15	v.P. and s.N. till 11h. A.M.; s.P. afterwards.	0·5	9·9	Generally overcast with occasional rain till evening; cloudless between 6h. and 10h. P.M.; cloudy afterwards.
FRIDAY -	16	w. P. generally till 9h. A.M.; m.P. till 11h. A.M.; s.P. till 7h. P.M.; m. P. afterwards.	0·4	10·0	Generally overcast; occasional rain. Solar halo observed in afternoon; brisk wind at times.
SATURDAY -	17	w. P. generally till 9h. A.M.; v. N. till 6h. P.M.; v.P. till 9h. P.M.; m. P. afterwards.	0·0	10·0	Overcast throughout; nearly continuous rain till 7h. P.M.
			Sum 13·0	Sum 68·9	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 28·70 in. at the beginning of the week to 29·42 in. by 11h. P.M. on the 12th; decreased to 29·30 in. by 7h. P.M. on the 13th; increased to 29·51 in. by 8h. P.M. on the 14th; decreased to 29·42 in. by 7h. A.M. on the 15th; increased to 29·58 in. by 7h. P.M. on the same day; decreased to 29·36 in. by 5h. A.M. on the 17th; and increased to 29·67 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 10th February, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	4	5	-	-	-	-	2	-
Kensington	180,952	-	1	3	-	-	-	-	3	1
Hammersmith	120,679	-	4	2	-	-	-	-	-	1
Fulham	161,965	-	6	5	-	-	-	-	1	1
Chelsea	74,672	-	1	-	-	-	-	-	1	-
City of Westminster	173,905	-	9	7	-	1	-	-	4	1
NORTH.										
St. Marylebone	128,580	-	6	-	-	1	-	-	3	-
Hampstead	89,633	-	2	-	-	-	-	-	-	-
St. Pancras	236,455	-	19	2	-	2	-	-	7	-
Islington	344,987	-	20	9	-	2	-	-	3	-
Stoke Newington	53,217	-	2	-	-	-	-	-	-	-
Hackney	230,721	-	17	8	-	5	-	-	9	-
CENTRAL.										
Holborn	55,805	-	6	-	-	1	-	-	2	-
Finsbury	97,466	-	13	3	-	1	-	-	3	-
City of London	21,367	-	2	1	-	-	-	-	1	-
EAST.										
Shoreditch	116,108	-	3	1	-	1	-	-	2	-
Bethnal Green	130,609	-	7	5	-	1	-	-	2	-
Stepney	307,176	-	20	15	-	-	-	-	2	-
Poplar	170,673	-	12	10	-	2	-	-	1	-
SOUTH.										
Southwark	209,143	-	9	7	-	1	-	-	6	1
Bermondsey	128,629	-	16	4	-	-	-	-	4	-
Lambeth	315,774	-	23	7	-	1	-	-	4	1
Battersea	179,622	-	15	4	-	-	-	-	5	-
Wandsworth	273,381	-	21	24	-	2	-	-	6	-
Camberwell	274,132	-	11	6	-	-	-	-	4	-
Deptford	115,495	-	12	3	-	-	-	-	2	2
Greenwich	105,350	-	6	16	-	-	-	-	1	-
Lewisham	148,463	-	7	2	-	-	-	-	1	1
Woolwich	127,345	-	7	21	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	231	170	-	21	-	-	80	9
Ages 0-1		-	1	6	-	-	-	-	5	-
" 1-5		-	83	58	-	-	-	-	4	-
" 5-		-	116	71	-	1	-	-	4	-
" 10-		-	54	17	-	3	-	-	5	-
" 15-		-	12	4	-	5	-	-	2	-
" 20-		-	6	4	-	8	-	-	3	3
" 25-		-	8	6	-	3	-	-	9	6
" 35-		-	-	2	-	-	-	-	13	-
" 45-		-	1	1	-	1	-	-	12	-
" 55-		-	-	1	-	-	-	-	10	-
" 65 and upwards		-	-	-	-	-	-	-	13	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 8. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, FEB. 24. [Price 1½*d*.

General Register Office, Somerset House,

February 26th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 15·5, 15·5, and 17·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 23·0 in Stockport and in Merthyr Tydfil, 23·3 in Hastings, 24·5 in Middlesbrough, 28·2 in Preston, and 28·5 in Swansea; from *measles*, 1·1 in Swansea, 1·2 in Blackburn and in York, 1·3 in Tottenham, 2·7 in Bury, and 3·6 in Preston; from *scarlet fever*, 1·5 in Oldham; from *diphtheria*, 1·0 in Wolverhampton; and from *whooping-cough*, 1·1 in Leicester, 1·2 in York, 1·3 in Southampton, 1·4 in Kings Norton, 1·5 in Warrington, 1·6 in Handsworth (Staffs.) and in Stockport, 1·8 in Rochdale, 2·0 in Reading, 2·2 in Plymouth, and 2·3 in West Bromwich. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2500 BIRTHS and 1585 DEATHS were registered. Allowing for increase of population, the births were 5 and the deaths 177 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 14·8, 14·9, and 16·8 per 1000 in the preceding three weeks, further rose last week to 17·5. The death-rate in the four weeks ended on Saturday last averaged 16·0 per 1000, being 2·9 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 2/06 D & S 3 23905 H

The 1585 deaths included 52 from measles, 10 from scarlet fever, 18 from diphtheria, 35 from whooping-cough, 2 from enteric fever, and 13 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 130 deaths were referred to these diseases in the aggregate, being 20 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 28, 26, and 43 in the preceding three weeks, rose to 52 last week, and were 8 above the corrected average; 6 deaths belonged to the Borough of Southwark, 5 apiece to Islington, Stepney, and Camberwell, and 4 apiece to Kensington and Lambeth. The deaths from *scarlet fever*, which had been 5, 11, and 9 in the preceding three weeks, were 10 last week, and were 4 above the corrected average. The deaths from *diphtheria*, which had been 17, 16, and 13 in the preceding three weeks, rose to 18 last week, and were equal to the corrected average; 4 deaths belonged to Stepney and 3 to Islington. The deaths from *whooping-cough*, which had been 34, 33, and 45 in the preceding three weeks, fell to 35 last week, and were 6 below the corrected average; 5 deaths belonged to Poplar, 4 to Bethnal Green, and 3 each to Stepney and Lambeth. The fatal cases of *enteric fever*, which had been 1, 4, and 5 in the preceding three weeks, were 2 last week, and were 7 below the corrected average. The deaths from *diarrhœa*, which had been 14, 23, and 13 in the preceding three weeks, were again 13 last week, the corrected average being 15. Of the 13 deaths from diarrhœa, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 other deaths at this age. The deaths attributed directly to *influenza* numbered 15, having been 10, 10, and 9 in the preceding three weeks.

Different forms of *violence* caused 66 deaths, concerning all of which inquests were held. Of these 66 deaths, 11 were cases of suicide, and 2 of homicide, while the remaining 53 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 10 to burns, scalds, or explosions, 2 to the effects of anæsthetics administered for surgical purposes, and 10 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5 cases of small-pox, 2689 of scarlet fever, 953 of diphtheria, and 80 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 0, 0, and 2; of scarlet fever, 274 cases, against 319, 283, and 281; of diphtheria, 107 cases, against 131, 128, and 151; and of enteric fever, 11 cases, against 17, 6, and 15. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 17th, 1906.

Greater London.

In Greater London 3729 births and 2181 deaths were registered. Allowing for increase of population, these numbers are 41 and 252 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 10 deaths from measles, 3 from diphtheria, 4 from whooping-cough, 1 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·73 inches, and that of the Thermometer 37°·4, the latter being 2°·3 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 3 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 13·8 hours; the measured rainfall amounted to 0·27 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 3rd Feb., 1906.	10th Feb., 1906.	17th Feb., 1906.	24th Feb., 1906.	Rate from Diseases in Cols. 11–17. Week ended 24th February, 1906.	Registered during the Week ended 24th Feb., 1906. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**15·5**	**15·5**	**17·2**	**17·3**	**1·3**	**8623**	**5248**	**1179**	**1610**	**–**	**110**	**33**	**56**	**123**	**25**	**41**	**170**	**419**	**1285**	**71**	**76 Towns.**
London	4,721,217	14·8	14·9	16·8	17·5	1·4	2500	1585	317	512	–	52	10	18	35	2	13	66	168	650	4	London.
Croydon	151,011	13·5	16·2	14·8	12·8	0·7	68	37	8	18	–	2	–	–	–	–	–	–	2	10	–	Croydon.
Willesden	143,622	8·0	8·4	10·9	9·8	1·1	84	27	11	8	–	1	–	1	1	–	–	–	2	4	3	Willesden.
Hornsey	86,935	15·6	9·6	8·4	8·4	–	28	14	2	7	–	–	–	–	–	–	–	–	1	–	–	Hornsey.
Tottenham	119,503	15·3	14·4	12·2	17·5	1·7	60	40	7	8	–	3	–	1	–	–	–	1	7	10	–	Tottenham.
West Ham	301,617	14·0	12·6	16·6	15·4	2·1	165	89	29	26	–	3	–	3	5	–	1	1	3	15	–	West Ham.
East Ham	129,886	9·2	9·2	10·4	8·8	1·2	78	22	2	7	–	–	1	2	–	–	–	–	–	3	–	East Ham.
Leyton	118,287	11·0	9·3	9·3	10·1	–	43	23	7	5	–	–	–	–	–	–	–	–	–	1	–	Leyton.
Walthamstow	121,334	10·7	8·6	15·5	9·0	0·4	67	21	9	2	–	1	–	–	–	–	–	1	3	2	–	Walthamstow.
Hastings	67,144	15·5	9·3	21·0	23·3	–	26	30	6	13	–	–	–	–	–	–	–	–	–	3	–	Hastings.
Brighton	128,095	19·9	17·9	15·5	15·1	0·4	50	37	6	16	–	–	–	–	1	–	–	–	4	7	–	Brighton.
Portsmouth	205,118	11·9	16·0	11·9	20·6	1·0	114	81	11	26	–	–	–	1	2	1	–	2	9	12	2	Portsmouth.
Bournemouth	67,702	16·2	19·3	15·4	14·6	–	24	19	2	7	–	–	–	–	–	–	–	–	–	2	1	Bournemouth.
Southampton	117,312	16·4	10·2	18·7	15·1	1·8	68	34	6	11	–	–	–	–	3	1	–	1	7	4	–	Southampton.
Reading	78,987	11·9	9·2	21·1	14·5	2·0	42	22	7	12	–	–	–	–	3	–	–	–	1	3	1	Reading.
Northampton	93,749	9·5	11·7	12·8	11·1	0·6	40	20	7	9	–	–	1	–	–	–	–	–	1	6	1	Northampton.
Ipswich	71,809	18·9	18·9	12·3	21·8	0·7	44	30	8	9	–	–	–	–	–	–	1	2	2	3	–	Ipswich.
Great Yarmouth	52,613	11·9	20·8	16·8	10·9	3·0	30	11	4	1	–	1	–	–	–	–	2	–	1	2	–	Great Yarmouth.
Norwich	117,958	17·7	15·0	20·3	16·8	–	67	38	6	20	–	–	–	–	–	–	–	–	–	8	–	Norwich.
Plymouth	118,014	20·8	20·8	21·6	22·5	3·5	55	51	10	23	–	1	–	–	5	1	1	–	2	3	–	Plymouth.
Devonport	78,405	14·6	19·3	14·6	16·0	0·7	44	24	8	6	–	–	–	–	1	–	–	2	3	1	–	Devonport.
Bristol	363,223	15·9	13·9	18·5	18·9	0·7	184	132	28	45	–	3	1	–	–	–	1	2	15	21	–	Bristol.
Hanley‡	66,360	7·9	18·1	19·6	22·0	1·6	47	28	3	9	–	–	1	–	–	1	–	1	4	4	–	Hanley.‡
Burton-on-Trent	52,922	16·7	15·8	10·8	18·7	–	18	19	1	8	–	–	–	–	–	–	–	–	–	4	1	Burton-on-Trent.
Wolverhampton	100,729	17·1	18·6	21·2	18·6	1·6	56	36	4	16	–	1	–	2	–	–	–	–	–	4	–	Wolverhampton.
Walsall	94,577	14·9	16·0	21·5	21·0	0·6	55	38	12	7	–	–	–	–	–	–	1	5	7	4	–	Walsall.
Handsworth	63,819	8·2	16·3	11·4	12·3	1·6	37	15	5	7	–	–	–	–	2	–	–	1	1	1	–	Handsworth.
West Bromwich	68,469	22·1	17·5	19·0	18·3	3·0	37	24	11	5	–	–	–	–	3	1	–	–	–	1	1	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday 24th February, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 3rd Feb., 1906.	10th Feb., 1906.	17th Feb., 1906.	24th Feb., 1906.	Rate from Diseases in Cols. 11-17. Week ended 24th February, 1906.	Registered during the Week ended 24th Feb., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	17·2	16·4	19·7	17·5	1·5	297	184	36	61	-	-	1	1	10	-	4	4	4	42	6	BIRMINGHAM.
KINGS NORTON -	72,608	10·8	13·6	9·3	10·8	1·4	21	15	6	6	-	-	-	-	2	-	-	-	-	1	1	KINGS NORTON.
SMETHWICK - -	64,531	15·4	10·5	15·4	14·5	0·8	39	18	6	4	-	-	-	1	-	-	-	-	-	-	1	SMETHWICK.
ASTON MANOR -	82,288	15·8	15·8	12·0	12·0	1·3	41	19	1	7	-	-	-	-	1	1	-	1	2	-	-	ASTON MANOR.
COVENTRY - -	76,374	10·2	20·5	19·1	14·3	1·4	36	21	3	6	-	-	1	-	1	-	-	2	2	5	-	COVENTRY.
LEICESTER - -	232,111	11·2	18·0	16·2	15·1	1·1	128	67	23	17	-	-	-	-	5	-	-	3	7	3	1	LEICESTER.
GRIMSBY - - -	69,359	23·3	12·8	9·0	12·8	-	52	17	3	7	-	-	-	-	-	-	-	-	-	5	-	GRIMSBY.
NOTTINGHAM - -	254,563	19·3	19·7	18·6	18·8	1·0	150	92	36	23	-	-	-	2	1	-	2	3	8	16	-	NOTTINGHAM.
DERBY - - -	123,981	15·1	14·7	16·4	11·8	-	69	28	5	6	-	-	-	-	-	-	-	1	4	6	-	DERBY.
STOCKPORT - -	99,646	20·9	15·2	22·0	23·0	1·6	57	44	6	9	-	-	-	-	3	-	-	2	5	5	-	STOCKPORT.
BIRKENHEAD - -	117,292	12·9	14·2	17·3	14·7	0·9	73	33	7	11	-	-	1	-	-	-	1	-	5	2	-	BIRKENHEAD.
WALLASEY - -	64,578	10·5	11·3	17·0	11·3	-	38	14	4	5	-	-	-	-	-	-	-	-	2	-	1	WALLASEY.
LIVERPOOL† - -	739,180	19·8	21·2	20·7	19·3	1·8	442	274	60	71	-	10	6	-	8	-	2	10	15	78	9	LIVERPOOL.†
BOOTLE† - - -	65,989	15·8	12·6	23·7	12·6	0·8	40	16	5	1	-	-	-	-	1	-	-	1	1	2	1	BOOTLE.†
ST. HELENS - -	91,153	18·3	13·2	18·3	14·3	-	59	25	9	7	-	-	-	-	-	-	-	1	1	1	1	ST. HELENS.
WIGAN - - -	87,588	15·5	13·1	12·5	17·3	0·6	51	29	8	9	-	-	-	1	-	-	-	3	4	4	-	WIGAN.
WARRINGTON - -	69,280	18·1	21·1	21·8	19·6	2·3	50	26	6	3	-	-	-	-	2	1	-	1	2	2	-	WARRINGTON.
BOLTON - - -	180,502	15·0	13·3	15·6	14·2	0·3	85	49	13	14	-	-	-	-	1	-	-	1	4	2	1	BOLTON.
BURY - - -	58,744	13·3	12·4	20·4	22·2	2·7	33	25	5	4	-	3	-	-	-	-	-	1	3	4	1	BURY.
MANCHESTER - -	637,126	15·7	17·4	15·7	19·5	1·3	369	238	46	67	-	1	-	3	4	4	4	1	9	71	2	MANCHESTER.
SALFORD - - -	234,077	16·3	14·5	17·2	18·3	1·8	137	82	20	25	-	2	-	2	-	4	-	5	11	21	-	SALFORD.
OLDHAM - - -	140,969	20·7	13·3	19·2	16·3	1·8	70	44	7	12	-	-	4	-	1	-	-	-	-	8	-	OLDHAM.
ROCHDALE - -	87,189	15·0	15·5	15·5	16·7	2·4	39	28	9	8	-	-	-	-	3	-	1	-	-	6	1	ROCHDALE.
BURNLEY - - -	102,808	16·7	20·8	18·3	16·2	1·0	66	32	4	10	-	-	-	-	1	-	1	2	3	8	1	BURNLEY.
BLACKBURN - -	134,015	16·0	15·2	19·8	21·4	2·3	71	55	14	16	-	3	-	2	-	-	1	-	-	7	2	BLACKBURN.
PRESTON - - -	116,399	21·5	22·8	24·2	28·2	4·9	68	63	15	19	-	8	-	1	-	2	-	-	-	11	2	PRESTON.
BARROW-IN-FURNESS.	60,967	14·5	13·7	20·5	16·3	0·9	34	19	8	2	-	-	-	1	-	-	-	2	2	1	2	BARROW-IN-FURNESS.

Towns.	Population estimated to the middle of the Year 1906.*	Death-rates from all Causes. Week ended 3rd Feb., 1906.	10th Feb., 1906.	17th Feb., 1906.	24th Feb., 1906.	Rate from Diseases in Cols. 11-17. Week ended 24th February, 1906.	Registered during the Week ended 24th Feb., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	11·5	13·7	14·3	17·0	-	43	31	6	11	-	-	-	-	-	-	-	2	3	3	-	Huddersfield.
Halifax	109,272	17·7	15·7	18·6	19·6	1·4	49	41	7	15	-	-	-	1	1	-	1	-	4	11	-	Halifax.
Bradford	288,544	11·7	14·8	15·5	19·0	0·5	105	105	18	41	-	-	1	-	-	2	-	1	6	17	-	Bradford.
Leeds	463,495	15·5	16·9	19·9	17·2	1·7	244	153	36	44	-	7	-	2	4	1	1	4	9	22	1	Leeds.
Sheffield	447,951	15·8	15·0	16·9	16·4	0·9	232	141	32	42	-	-	4	3	-	1	-	5	7	33	7	Sheffield.
Rotherham	61,098	12·8	14·5	18·8	18·8	-	43	22	10	5	-	-	-	-	-	-	-	2	3	1	-	Rotherham.
York	83,467	12·5	18·1	13·7	16·2	2·5	52	26	4	9	-	2	-	-	2	-	-	3	5	5	-	York.
Hull	262,426	17·1	14·7	17·3	17·7	1·4	141	89	20	31	-	-	-	2	5	-	-	5	10	22	-	Hull.
Middlesbrough	100,069	18·2	19·8	21·4	24·5	2·1	62	47	9	13	-	-	-	1	2	1	-	1	8	7	1	Middlesbrough.
Stockton-on-Tees	52,664	18·8	14·9	17·8	22·8	-	49	23	9	8	-	-	-	-	-	-	-	2	3	4	-	Stockton-on-Tees.
West Hartlepool	73,387	10·7	13·5	16·3	15·6	0·7	48	22	5	3	-	-	-	1	-	-	-	-	-	4	-	West Hartlepool.
Sunderland	154,385	12·2	18·6	14·9	21·6	0·7	94	64	14	25	-	-	-	2	-	-	-	-	1	12	4	Sunderland.
South Shields	111,402	16·4	15·0	21·5	17·8	0·9	84	38	8	15	-	-	-	1	1	-	-	1	1	6	3	South Shields.
Gateshead	123,191	16·5	12·3	19·0	16·5	0·4	76	39	8	9	-	-	-	-	-	1	-	1	1	3	4	Gateshead.
Newcastle-on-Tyne	268,721	19·6	13·6	18·0	16·7	0·8	156	86	22	13	-	4	-	-	-	-	-	3	6	11	1	Newcastle-on-Tyne.
Tynemouth	54,138	18·3	14·4	18·3	18·3	-	36	19	6	3	-	-	-	-	-	-	-	1	2	3	2	Tynemouth.
Newport (Mon.)	74,227	23·2	18·3	14·8	14·0	-	47	20	3	7	-	-	-	-	-	-	-	1	1	5	-	Newport (Mon.).
Cardiff	183,823	11·1	14·5	18·7	12·5	-	101	44	14	12	-	-	-	-	-	-	-	2	3	4	-	Cardiff.
Rhondda	127,684	21·2	20·0	17·6	19·6	1·6	99	48	28	11	-	-	-	1	2	-	1	5	5	1	-	Rhondda.
Merthyr Tydfil	74,961	25·7	18·1	22·3	23·0	0·7	45	33	5	7	-	-	-	-	1	-	-	2	2	3	1	Merthyr Tydfil.
Swansea	96,848	20·5	24·2	25·8	28·5	2·7	71	53	13	13	-	2	1	-	-	-	2	-	2	9	-	Swansea.
Greater London	7,113,561	14·0	13·8	15·4	16·0	1·3	3729	2181	452	713	-	72	11	28	45	3	15	81	216	738	7	Greater London.
Outer Ring	2,392,344	12·4	11·7	12·8	13·0	1·0	1229	596	135	201	-	20	1	10	10	1	2	15	48	88	3	Outer Ring.
8 Towns in Outer Ring	1,172,195	12·3	11·4	13·1	12·1	1·1	593	273	75	81	-	10	1	7	6	-	1	3	18	45	3	8 Towns in Outer Ring
Remainder of Outer Ring	1,220,149	12·5	12·0	12·5	13·8	0·8	636	323	60	120	-	10	-	3	4	1	1	12	30	43	-	Remainder of Outer Ring.
Edinburgh	341,035	16·7	16·2	17·3	18·7	1·7	152	122	25	32	-	4	3	1	2	-	1	5	?	43	1	Edinburgh.
Glasgow	835,625	15·8	16·5	18·0	21·0	1·4	482	336	67	82	-	16	-	1	2	3	1	7	?	89	11	Glasgow.
Dublin†	378,994	24·4	20·5	19·0	24·4	0·8	169	177	27	50	-	-	1	1	1	1	2	4	5	78	8	Dublin.†
Belfast†	358,680	20·2	21·2	26·0	25·3	2·2	214	174	43	37	-	-	1	3	7	2	2	4	7	46	3	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the EIGHTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2497	2727	2644	2752	2805	2673	2723	2449	2456	2200	2504·5	2500
Males - - -	1345	1376	1345	1470	1379	1329	1391	1224	1213	1083	1251·5	1291
Females - -	1152	1351	1299	1282	1426	1344	1332	1225	1243	1117	1253·0	1209
TOTAL **Deaths** -	1705	1627	1889	1875	1894	1853	2569	1444	1467	1436	1762·4	1585
Males - -	858	821	942	976	992	916	1214	733	760	746	879·9	840
Females - -	847	806	947	899	902	937	1355	711	707	690	882·5	745

* The numbers in this column are the average weekly numbers in the eighth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	13 Weeks.
TOTAL **Births** -	2275	2462	2279	2488	1807	2788	2705	2390	2451	2508	2550	2394	2500	31597
TOTAL **Deaths** -	1623	1460	1725	1746	1602	1756	1585	1399	1382	1337	1346	1517	1585	20063
Ages at Death: Under 1 year -	341	335	333	382	328	336	304	299	257	260	272	316	317	4080
1—5 years -	209	201	229	281	222	217	185	170	171	162	146	156	187	2536
5—20 ,, -	76	75	79	64	69	91	63	56	87	60	79	104	85	988
20—40 ,, -	174	159	184	147	151	208	195	129	170	150	156	174	169	2166
40—60 ,, -	316	266	365	343	309	356	307	271	267	265	254	295	315	3929
60 yrs. & upwds.	507	424	535	529	523	548	531	474	430	440	439	472	512	6364
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	53	46	58	60	59	64	53	52	44	28	26	43	52	638
Scarlet Fever - -	18	13	20	18	12	9	17	13	10	5	11	9	10	165
Diphtheria - -	5	21	11	18	17	13	11	12	22	17	16	13	18	194
Whooping-cough -	25	25	28	38	34	33	32	21	37	34	33	45	35	420
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	4	2	2	5	6	3	3	3	1	4	5	2	43
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	16	14	13	18	19	10	11	8	19	14	23	13	13	191
All above Diseases -	120	123	132	154	146	135	127	109	135	99	113	128	130	1651
Dis. of Resp. System	245	192	274	254	241	225	193	148	174	168	146	160	176	2596
Pneumonia - -	233	184	186	262	185	229	177	151	119	144	132	129	152	2283
Phthisis - - -	130	132	191	151	150	163	144	128	147	129	133	141	135	1879
Dis. of Circ. System -	243	188	215	212	186	236	217	200	161	162	177	216	207	2620
Violence - - -	77	59	56	58	56	76	63	61	56	38	44	66	66	776
Inquest Cases - -	191	130	144	174	168	215	178	151	130	127	132	160	168	2068
Deaths in Institutions	606	509	612	610	577	608	563	498	554	519	493	552	650	7351
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	42·9	43·8	36·6	43·2	39·5	41·3	43·1	42·0	40·4	42·8	37·0	38·2	37·4	40·6
Mean of Highest -	47·6	48·2	41·6	46·2	43·5	45·2	48·7	46·5	44·3	47·4	41·9	44·8	43·5	45·3
Mean of Lowest -	35·9	39·1	32·4	38·7	33·7	38·0	37·6	37·2	35·3	38·0	32·2	32·6	32·2	35·6
Mean Humidity of the Air.	87	90	92	82	92	81	82	77	83	80	80	85	81	84
Rain-fall (in inches) -	0·61	0·31	0·02	0·00	0·24	0·95	1·20	1·06	0·49	0·10	0·38	0·92	0·27	6·55
Registered Sunshine (in hours).	6·8	9·5	4·0	4·7	4·3	2·5	17·5	23·7	5·8	10·6	17·5	13·0	13·8	133·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	2	5	1
Scarlet Fever - -	4021	3888	3670	3409	3446	3299	3062	3066	2983	2912	2839	2734	2689	3232
Diphtheria - -	725	727	713	670	701	728	748	800	841	873	899	944	953	794
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	115	102	92	82	78	87	91	87	84	95	79	81	80	89

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the EIGHTH Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 8th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
L CAUSES	1762·4	1585	317	187	85	169	315	512
nall-pox*	16·6	-	-	-	-	-	-	-
wpox	-	-	-	-	-	-	-	-
easles (Morbilli)	43·6	52	14	37	1	-	-	-
arlet Fever	6·4	10	-	9	1	-	-	-
yphus	-	-	-	-	-	-	-	-
ague	-	-	-	-	-	-	-	-
nfluenza	42·3	15	-	1	1	2	2	9
hooping-cough	41·0	35	17	17	1	-	-	-
iphtheria	18·3	18	2	12	4	-	-	-
erebro Spinal Fever	0·3	-	-	-	-	-	-	-
yrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
nteric Fever	8·9	2	-	-	1	1	-	-
iatic Cholera	-	-	-	-	-	-	-	-
pidemic Diarrhœa (Infective Enteritis)	4·6	5	5	-	-	-	-	-
arrhœa, Dysentery	10·7	8	5	-	-	1	-	2
tanus	0·3	3	2	-	-	1	-	-
abies, *Hydrophobia*	-	-	-	-	-	-	-	-
anders	0·3	-	-	-	-	-	-	-
nthrax (Splenic Fever)	0·3	-	-	-	-	-	-	-
onereal Dis.	6·1	8	7	-	-	-	-	1
erperal Septicæmia	1·8	4	-	-	-	4	-	-
erperal Pyæmia	-	-	-	-	-	-	-	-
uerperal Fever	0·8	-	-	-	-	-	-	-
fective Endocarditis	3·1	-	-	-	-	-	-	-
eumonia: Lobar	12·2	19	-	3	2	2	8	4
eumonia: Broncho-	85·1	63	22	28	4	1	2	6
eumonia: Epidemic	-	1	-	1	-	-	-	-
eumonia: Not defined	80·8	69	11	15	3	4	17	19
rysipelas	3·6	2	-	-	-	1	-	1
pticæmia (not Puerperal)	1·3	2	-	-	1	-	1	-
yæmia (not Puerperal)	1·5	-	-	-	-	-	-	-
ther Infective Processes	7·9	10	2	-	3	3	1	1
uberculous Phthisis	63·7	85	2	2	7	27	35	12
Phthisis"	94·8	50	1	1	3	26	13	6
uberculous Meningitis	19·6	20	5	11	3	-	1	-
uberculous Peritonitis	6·9	11	3	4	2	1	1	-
abes Mesenterica	4·1	1	1	-	-	-	-	-
uberculous Dis. (other)	18·3	20	1	6	6	4	2	1
rofula	-	-	-	-	-	-	-	-
lcoholism	12·7	9	-	-	-	1	8	-
heumatic Fever	6·4	10	-	-	5	2	3	-
out	2·5	-	-	-	-	-	-	-
arcinoma	52·0	49	-	-	-	1	28	20
arcoma	5·6	10	-	-	1	2	3	4
ancer (undefined)	34·4	34	-	-	-	3	15	16
iabetes Mellitus	13·3	12	-	-	1	2	3	6
remature Birth	54·3	62	62	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 8th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	13·8	15	9	2	4	-	-	-
Insanity, Gen. Par. of Insane	19·1	14	-	-	-	5	5	4
Epilepsy	6·9	10	-	-	1	4	4	1
Convulsions	30·6	17	16	1	-	-	-	-
Locomotor Ataxy	1·0	2	-	-	-	-	1	1
Paraplegia, Dis. of Cord	7·1	6	-	-	1	1	3	1
Nervous Sys. (other dis.)	22·2	29	1	2	2	2	6	16
Valv. Dis., Endocarditis	49·2	52	-	-	4	9	16	23
Cerebr. Hæm. Thromb.	32·1	32	-	-	-	2	7	23
Apoplexy, Hemiplegia	23·7	10	-	-	-	-	4	6
Aneurysm	6·6	7	-	-	-	-	4	3
Embolism, Thrombosis (not cerebral)	4·3	2	-	-	-	-	1	1
Heart & Blood Vessel Dis.	102·7	104	-	-	4	5	25	70
Croup (not Spasm : nor Memb.)	0·3	-	-	-	-	-	-	-
Bronchitis	252·3	153	24	12	-	3	22	92
Asthma, Emphysema	11·2	2	-	-	-	-	-	2
Pleurisy	4·8	2	1	-	-	1	-	-
Respiratory Dis. (other)	15·3	19	5	1	1	1	4	7
Tonsillitis, Quinsy	0·5	2	1	-	-	-	-	1
Enteritis (not Epid.)	5·6	10	4	1	-	1	1	3
Gastro-Enteritis	3·8	3	1	1	-	-	-	1
Peritonitis (not Puerp.)	1·0	3	2	-	1	-	-	-
Cirrhosis of Liver	14·0	13	-	-	-	1	7	5
Liver Dis. (other)	6·1	4	-	-	1	-	1	2
Digestive Dis., Other	39·0	46	4	2	5	9	12	14
Nephritis, Acute	6·4	11	-	2	-	4	2	3
Bright's Dis., Albuminuria	43·1	42	-	-	-	10	14	18
Urinary Sys., Other Dis.	14·5	26	-	-	-	2	6	18
Generative Organs Dis.	3·8	5	-	-	-	3	1	1
Childbirth (Accid. of)	3·3	6	-	-	-	4	2	-
Old Age	66·0	71	-	-	-	-	-	71
Other Diseases	101·9	102	75	8	4	6	5	4
ACCIDENT.								
By Railways	1·8	2	-	-	1	-	-	1
By Vehicles and Horses	5·6	6	-	-	2	1	-	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·3	3	-	-	1	1	1	-
In Building Operations	0·8	2	-	-	-	-	1	1
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	9·4	10	-	8	1	-	-	1
By Drowning	3·1	1	-	-	-	-	1	-
By Suffocation in Bed	12·5	10	10	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	2	-	-	-	-	2	-
Other Deaths by Accident	15·8	17	2	-	1	4	4	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·8	2	-	-	-	-	2	-
Suicide	9·9	11	-	-	1	1	8	1
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th February, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2500	1585	317	512	-	52	10	18	35	-	2	-	13	66	168	650
WEST DISTRICTS	805,311	361	246	39	86	-	12	2	1	1	-	-	-	-	10	18	90
NORTH DISTRICTS	1,056,070	505	352	79	115	-	9	4	3	5	-	-	-	1	24	48	125
CENTRAL DISTRICTS	209,465	125	85	12	19	-	3	-	1	4	-	-	-	2	3	8	45
EAST DISTRICTS	715,739	496	290	61	78	-	8	-	1	13	-	1	-	3	17	44	128
SOUTH DISTRICTS	1,749,844	1013	553	126	188	-	20	3	10	12	-	1	-	5	11	49	203
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	59	-	26	-	-	1	2	-	-	-	-	2	1	1	59
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	46	25	2	12	-	-	-	-	-	-	-	-	-	2	2	6
St. John Paddington *H*	33,617	16	13	1	4	-	-	-	-	-	-	-	-	-	1	1	8
North-West Paddington	17,181	4	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Kensington Town *2W,w,2H*	128,037	58	47	3	24	-	3	-	-	-	-	-	-	-	2	5	25
Brompton *2H*	48,591	7	10	1	3	-	-	-	-	-	-	-	-	-	-	-	4
North Hammersmith *W,wH*	49,192	28	21	6	4	-	3	-	-	1	-	-	-	-	-	-	-
South Hammersmith *w,2H*	63,047	32	16	6	5	-	-	-	-	-	-	-	-	-	-	1	2
North-west Fulham *W*	45,180	33	19	5	3	-	1	-	1	-	-	-	-	-	-	1	6
North-east Fulham *F*	46,405	31	13	2	6	-	1	2	-	-	-	-	-	-	1	1	4
South Fulham *W*	45,704	27	14	7	4	-	-	-	-	-	-	-	-	-	1	2	-
Chelsea North *W,w,3H*	42,514	15	22	-	10	-	1	-	-	-	-	-	-	-	-	-	18
Chelsea South *W,2H*	31,328	20	12	2	2	-	1	-	-	-	-	-	-	-	-	-	6
Mayfair and Knightsbridge	28,743	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	18	17	2	6	-	1	-	-	-	-	-	-	-	1	3	8
St. Margaret & St. John *4H*	43,698	21	9	1	-	-	1	-	-	-	-	-	-	-	1	1	2
St. James and St. Anne‡ *W,6H*	33,081	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	14	14	5	3	-	-	-	-	-	-	-	-	-	2	4	6
St. Mary Marylebone *W,4H*	37,948	47	10	4	3	-	-	-	-	-	-	-	-	1	1	2	4
Christchurch Marylebone *H*	39,536	12	7	1	2	-	1	-	-	1	-	-	-	-	-	1	-
St. John Marylebone *3H*	20,426	7	6	1	2	-	-	-	-	-	-	-	-	-	1	1	2
Hampstead *W,F,6H*	81,942	23	29	3	13	-	-	4	1	-	-	-	-	-	1	2	13
West St. Pancras *2H*	60,562	27	13	-	5	-	-	-	-	-	-	-	-	-	2	2	5
Tottenham-court *w,7H*	21,258	2	11	3	3	-	-	-	-	-	-	-	-	-	-	3	8
Gray's Inn Lane *4H*	34,449	24	11	3	-	-	-	-	-	-	-	-	-	-	2	4	4
East St. Pancras *W,2H*	60,320	30	27	11	9	-	-	-	-	-	-	-	-	-	2	5	9
North St. Pancras *2W*	58,728	25	24	5	10	-	1	-	-	-	-	-	-	-	-	-	10
Tufnell *W*	31,995	12	37	4	16	-	2	-	-	-	-	-	-	-	3	5	21
Upper Holloway *2W,w,H*	33,978	18	30	3	9	-	1	-	-	-	-	-	-	-	3	5	15
Tollington *WH*	33,922	21	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	19	10	4	3	-	1	-	-	-	-	-	-	-	-	1	-
Barnsbury	54,478	38	12	4	3	-	1	-	-	-	-	-	-	-	-	1	-
Islington South-east *F*	75,397	38	22	5	9	-	-	-	-	1	-	-	-	-	-	1	-
Highbury *2H*	63,797	18	12	1	3	-	1	-	-	-	-	-	-	-	-	-	3
Stoke Newington *H*	51,247	15	8	1	2	-	1	-	-	1	-	-	-	-	1	1	-
North Hackney	50,560	18	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	30	12	5	3	-	-	-	2	-	-	-	-	-	1	1	3
South-west Hackney *3H*	59,921	37	20	8	4	-	-	-	-	-	-	-	-	-	1	3	6
South-east Hackney *2W,w,H*	58,255	30	26	6	9	-	-	-	-	2	-	-	-	-	4	6	16

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub district contains more than one institution of either kind, the number is indicated by a figure prefixed to th letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. Jame and St. Anne.

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th February, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
tiles and Bloomsbury *W,2H* -	31,436	24	5	1	2	-	-	-	-	-	-	-	-	-	1	1	2	-
tand *W,4H* - - - - -	21,674	2	14	2	2	-	-	-	-	-	-	-	-	1	-	1	9	-
tand Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
loorn *W,6H* - - - - -	29,612	10	19	4	4	-	1	-	1	3	-	-	-	1	-	1	14	-
ch Clerkenwell - - -	28,676	20	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ch Clerkenwell *H* - - -	35,028	23	11	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
ibury *3H,L* - - - -	36,116	35	14	4	2	-	1	-	-	1	-	-	-	-	-	2	2	-
orn Union Workhouse, tcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph *H* - - - - -	10,299	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre and Allhallows *W,2H*	16,624	4	16	-	1	-	1	-	-	-	-	-	-	-	2	3	15	-
of London Asylum, Stone -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
ditch South *H* - - -	46,362	20	14	3	4	-	2	-	-	-	-	-	-	-	1	5	-	-
ditch North-West *W,w,H* -	36,127	29	28	5	9	-	-	-	-	1	-	-	-	2	1	1	16	-
ditch North-East - - -	36,148	30	11	1	2	-	-	-	-	-	-	-	-	-	2	2	-	-
ditch Union Workhouse, Wood een - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green North *2H* - -	51,514	39	12	4	-	-	-	-	-	1	-	-	-	-	1	1	8	-
nal Green South - - -	33,472	22	10	3	2	-	-	-	-	1	-	-	-	-	-	1	-	-
nal Green East *2W,H,L* - -	44,694	16	32	3	11	-	-	-	-	2	-	-	-	-	2	4	16	-
alfields - - - - -	27,969	17	4	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-
End New Town *W,H* - -	28,718	29	44	6	10	-	2	-	-	-	-	-	-	-	4	7	37	-
iman's Fields - - - -	22,081	14	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
eorge and St. John *2W* - -	49,068	43	13	3	3	-	-	-	-	-	-	-	-	-	1	2	5	-
well and Ratcliff *W,H* - -	25,568	22	17	8	1	-	-	-	1	3	-	-	-	-	-	1	13	-
ehouse *W* - - - - -	32,369	19	10	4	2	-	-	-	-	2	-	-	-	-	-	1	-	-
End Old Town South-estern *H* - - - -	63,698	53	10	2	3	-	1	-	-	-	-	-	-	-	-	1	-	-
End Old Town North-stern *W,w* - - -	49,129	32	18	2	8	-	-	-	-	-	-	-	-	-	-	3	13	-
L - - - - - - -	41,989	30	14	2	6	-	-	-	-	-	-	1	-	1	1	2	-	-
nley *3w,H* - - - - -	68,319	32	30	5	8	-	1	-	-	1	-	-	-	-	3	9	17	-
ar *W,w* - - - - -	58,514	49	20	7	7	-	1	-	-	2	-	-	-	-	-	2	3	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 24th February, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H*	12,056	2	23	3	3	-	1	-	-	-	-	-	-	1	-	2	23
Kent-road	21,904	14	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	19	14	5	1	-	2	-	-	-	-	-	-	1	1	4	7
Newington North	49,022	28	15	7	2	-	-	-	-	-	-	-	-	-	-	2	-
Newington South *W*	72,841	50	17	6	4	-	2	-	1	-	-	-	-	-	-	-	2
St. Olave *2W*	9,817	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Bermondsey *W*	82,483	62	12	8	1	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	21	15	5	2	-	-	-	1	1	-	-	-	-	1	2	8
Waterloo-road *2H*	27,440	28	4	1	-	-	-	1	-	-	-	-	-	-	1	1	1
Lambeth Church 1st *H*	18,423	9	20	8	3	-	1	-	1	-	-	-	-	-	1	2	16
Lambeth Church 2nd *2W*	39,818	27	36	8	15	-	2	-	-	1	-	-	-	-	1	4	22
Kennington 1st *H*	53,198	38	12	2	2	-	-	-	-	1	-	-	-	-	-	-	1
Kennington 2nd *H*	42,896	14	17	4	5	-	-	-	-	-	-	-	-	-	-	2	6
Brixton *F*	84,232	41	19	-	10	-	1	1	-	-	-	1	-	-	-	1	2
Norwood *W,H*	35,888	18	5	2	1	-	-	-	-	1	-	-	-	-	-	1	-
East Battersea *H*	72,203	36	17	7	5	-	-	-	-	-	-	-	-	-	-	2	-
North-west Battersea	49,656	33	12	4	4	-	-	-	-	1	-	-	-	-	-	3	-
South-west Battersea *2W,H*	47,048	15	22	2	10	-	-	-	-	-	-	-	-	-	-	2	17
Clapham *2H*	51,361	26	12	-	8	-	-	-	-	-	-	-	-	-	-	1	3
Streatham *W,2w,2F,2L*	88,019	55	39	5	24	-	1	-	1	1	-	-	-	-	-	-	12
Springfield *2W,L*	27,959	30	4	3	1	-	-	-	-	-	-	-	-	-	-	-	1
Southfields *H*	40,444	32	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Putney	24,139	11	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	19	23	2	10	-	2	-	-	-	-	-	-	-	-	-	18
Camberwell North *W,2L*	65,584	28	25	3	9	-	-	-	-	-	-	-	-	-	1	3	18
St. George	47,331	33	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	29	15	5	2	-	2	-	-	1	-	-	-	-	-	2	-
Peckham South *2W,w*	43,946	25	12	6	3	-	2	-	-	-	-	-	-	1	-	-	-
Deptford North	37,613	31	10	5	1	-	2	-	-	1	-	-	-	1	1	1	-
Deptford Central	45,481	24	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford South	34,625	17	9	2	3	-	-	-	-	1	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	12	4	1	2	-	-	-	-	-	-	-	-	-	2	3	1
Greenwich East *2W,H*	43,859	31	22	3	10	-	1	-	-	-	-	-	-	-	-	-	17
Eltham *w,H*	7,226	8	5	2	-	-	-	-	-	-	-	-	-	-	1	2	1
Lee *wH*	25,490	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F*	58,352	40	37	3	17	-	1	1	3	2	-	-	-	1	1	4	18
Sydenham *H*	43,653	21	13	3	5	-	-	-	1	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	11	5	1	1	-	-	-	2	-	-	-	-	-	-	-	2
Woolwich *5H*	41,625	19	6	-	3	-	-	-	-	-	-	-	-	-	-	2	-
Plumstead West *W*	18,063	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	25	18	3	8	-	-	-	-	1	-	-	-	-	-	2	6
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-	3
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6
Darenth	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Leavesden	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Ewell (Epileptic Colony)	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Horton	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Manor	—	-	3	-	3	-	-	-	-	-	-	-	-	1	-	-	3
Cane Hill	—	-	7	-	5	-	-	-	-	-	-	-	-	-	1	1	7
Dartford Heath	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6
Hanwell	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4
Colney Hatch	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
Claybury	—	-	4	-	2	-	-	-	-	-	-	-	-	1	-	-	4

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nded Saturday, 24th February, 1906.

		REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		LONDON—OUTER RING -	368 602	2,044,973	1229	596	135	201	-	20	1	10	10	1	2	15	48	88	3
3	1	Carshalton 2F,2H - -	12,228	32,997	25	9	1	3	-	-	-	-	-	-	-	-	-	-	-
	2	Epsom, *part of** W,w,2F,H -	10,423	15,548	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	1	Godstone, *part of** W,F -	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	Coulsdon - - - -	11,069	8,166	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	2	South Croydon *w* - -	4,200	49,309	22	7	3	3	-	-	-	-	-	-	-	-	-	-	-
	3	West Croydon 3W,F,H -	2,168	42,888	25	25	6	14	-	2	-	-	-	-	-	-	1	14	-
	4	North Croydon *H* - -	2,644	41,698	21	10	-	4	-	-	-	-	-	-	-	-	1	1	-
	5	Penge *w,H* - - - -	770	22,465	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	6	Mitcham *w* - - -	11,711	30.015	22	5	2	1	-	-	-	-	-	-	-	-	-	-	-
3	1	Wimbledon F,3H - -	3,221	41,652	28	19	4	6	-	-	-	-	-	-	-	5	7	-	-
	2	Kingston 2W,H - - -	6,224	42,068	23	13	2	8	-	-	-	-	1	-	-	-	2	6	-
	3	Surbiton F,H - - -	3,046	15,017	9	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	4	Esher, *part of** H -	5,402	13,100	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	5	Hampton H,F,L - - -	4,564	23,456	10	10	4	5	-	-	-	-	1	-	-	-	1	-	-
4	1	Richmond W,H - - -	2,162	28,865	6	6	-	1	-	-	-	-	-	1	-	-	1	2	-
	2	Mortlake F - - -	2,847	20,628	15	9	4	4	-	-	-	-	1	-	-	-	1	-	-
4	1	Bromley F,2H - - -	4,703	27,354	19	10	2	3	-	-	-	1	-	-	-	-	-	2	-
	2	Beckenham H - - -	7,825	28,497	14	7	1	3	-	-	-	-	-	-	-	-	-	-	-
	3	Orpington *part of** W -	10,113	9,857	8	5	2	2	-	-	-	-	-	-	-	-	-	-	-
	4	Chislehurst 2H - - -	7,333	16,446	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	Bexley *w* F,H - - -	8,678	21,151	11	11	2	5	-	-	-	-	-	-	-	-	-	-	-
	2	Erith F,H - - - -	3,854	25,296	17	6	1	1	-	-	-	-	1	-	-	-	-	-	-
	3	Dartford W,F, *part of** -	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
2	1	Sunbury *w* - - - -	11,054	18,683	10	5	1	1	-	-	-	1	-	-	-	-	1	-	-
	2	Staines W,H - - -	13,277	15,178	5	9	-	3	-	-	-	-	-	-	-	-	-	5	-
2	1	Hillingdon W,F,H - -	6,035	13,661	8	3	1	1	-	-	-	-	-	-	-	2	2	-	-
	2	Uxbridge H - - -	12,757	8,984	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	3	Hayes *w,F,H* - - -	8,066	16,358	15	7	2	1	-	-	-	-	-	-	-	-	-	-	-
2	1	Isleworth 3W,2F,H - -	6,859	30,863	21	24	4	11	-	-	-	-	-	-	-	1	2	9	-
	2	Twickenham F,H - -	2,421	20,991	16	5	2	1	-	-	-	-	-	-	-	-	1	1	-
	3	Brentford 3F,2H,L - -	4,319	48,289	36	9	1	5	-	-	-	-	-	-	-	-	-	-	-
	4	Chiswick H- - - -	1,249	29.809	16	8	1	2	-	-	-	-	-	-	-	-	-	1	-
	5	Acton *w*,3H - - -	6,132	48,914	35	17	4	4	-	3	-	-	-	-	-	-	-	-	-
2	1	Harrow F,H - - -	13,809	25,523	15	10	2	3	-	-	-	-	-	-	-	-	-	-	-
	2	Edgware F,2H - - -	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	Willesden W,2F,2H - -	4,384	114,811	84	27	11	8	-	1	-	1	1	-	-	-	2	4	3
	4	Hendon W,F - - -	8,382	22,450	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	1	South Mimms 2F,H - -	17,755	7,308	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-
	2	Barnet W,2H - - -	3,324	17,970	8	4	-	4	-	-	-	-	-	-	-	-	-	-	-
	3	Finchley F,2H - - -	4,688	33,692	16	8	2	4	-	-	-	-	-	-	-	-	-	-	-
2	1	Hornsey F,H - - -	2,875	72,056	28	14	2	7	-	-	-	-	-	-	-	-	1	-	-
	2	Wood Green H - - -	1,625	34,233	26	14	4	6	-	-	-	-	-	-	-	1	4	-	-
	3	West Tottenham F - -	996	48,853	28	16	4	3	-	2	-	-	-	-	-	1	3	-	-
	4	East Tottenham 2H - -	2,017	53,688	32	18	3	3	-	1	-	-	-	-	-	-	4	4	-
	5	Edmonton W,*w*,2F - -	7,491	61,892	44	25	7	6	-	3	-	-	-	-	-	1	5	6	-
	6	Enfield 2W,F,H - - -	12,601	42,738	24	10	1	4	-	2	-	-	-	-	-	-	-	1	-
	7	Waltham Abbey F - -	11,017	6,549	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	8	Cheshunt F,H - - -	8,479	12,292	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Bushey H - - - -	9,333	9,173	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-
	2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Stratford H - - -	1,072	44,827	15	12	6	2	-	-	-	-	1	-	-	1	3	-	-
	2	Plaistow F,2H - - -	1,249	90,921	64	30	8	7	-	1	-	3	2	-	-	-	-	2	-
	3	Canning Town H - -	1,556	70,718	64	20	11	4	-	2	-	-	-	-	-	-	-	-	-
	4	Forest Gate *w* - - -	806	60,892	22	14	3	6	-	-	-	-	2	-	-	-	-	-	-
	5	North East Ham *w* H -	1,333	58,676	35	10	-	4	-	-	-	-	-	-	-	-	-	-	-
	6	South East Ham 2F - -	1,993	37,342	43	10	2	3	-	-	1	2	-	-	-	-	-	1	-
	7	Wanstead F - - -	1,679	9,179	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	8	South Leyton 2W - -	631	50,467	25	11	1	4	-	-	-	-	-	-	-	-	-	3	-
	9	North Leyton 2W,*w*,F -	1,963	48,445	18	24	7	6	-	-	-	-	-	-	1	-	-	10	-
	10	Walthamstow 3H,L - -	6,504	108,929	76	24	9	3	-	1	-	-	-	-	1	1	4	1	-
1	1	Chigwell, *part of** 2F,3H -	11,778	16,397	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Romford, *part of** W,2F -	6,556	6,091	3	3	-	2	-	-	-	-	-	-	-	-	-	3	-
	2	Ilford F,L - - - -	8,496	41,234	26	10	-	5	-	-	-	-	-	-	-	1	1	5	-
	3	Barking Town F - -	3,803	21,547	21	6	1	2	-	1	-	1	-	-	-	-	-	1	-
		N.E. Hosp., Tottenham -	—	--	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
		Middlesex County Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ng are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher rish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting eydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious seases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	February 24	2500	1585	17·5	-	52	10	18	35	2
CALCUTTA - -	910,117	January 20	-	686	42·0	55	5	-	1	-	203†
BOMBAY - -	776,006	February 6	411	830	55·6	3	14	-	-	1	188†
MADRAS - -	509,346	January 26	315	487	49·7	22	13	?	?	?	121†
		February 2	335	531	54·2	27	22	?	?	?	122‡
PARIS - - -	2,750,000	" 17	1027	970	18·8	-	20	2	-	5	7
BRUSSELS - -	598,467	" 17	214	189	16·4	-	-	1	-	2	-
ANTWERP - -	291,949	" 17	139	68	12·1	-	-	-	-	1	-
AMSTERDAM -	558,736	" 10	284	159	14·8	-	4	1	2	2	2
COPENHAGEN -	430,000	" 17	221	118	14·3	-	2	-	1	3	-
STOCKHOLM -	318,398	" 10	152	85	13·9	-	1	3	-	-	-
CHRISTIANIA -	2[illegible]2,373	" 17	139	50	11·7	-	-	-	2	-	-
ST. PETERSBURG	1,429,000	" 3	571	669	24·3	3	18	7	8	3	27
		" 10	736	668	24·3	2	21	32	24	3	22
MOSCOW - -	1,154,000	" 3	-	545	24·6	-	5	4	7	4	2
		" 10	-	578	26·1	2	-	5	6	5	5
BERLIN - -	2,045,960	" 3	965	637	16·2	-	7	4	6	12	2
HAMBURG - -	803,000	" 17	-	241	15·6	-	2	1	1	3	1
BRESLAU - -	463,283	" 10	280	162	18·2	-	-	-	2	1	-
		" 17	-	200	22·5	-	-	1	-	5	1
MUNICH - -	540,000	" 17	-	212	20·4	-	1	-	4	3	1
VIENNA - -	1,917,639	" 17	951	620	16·8	-	5	5	11	2	1
PRAGUE - -	455 241	" 17	186	186	21·2	-	4	-	1	2	1
BUDA-PESTH -	859,134	" 17	-	-	-	-	-	-	-	-	-
TRIESTE - -	194,749	" 17	144	94	25·1	-	2	-	1	-	2
ROME - -	526,170	January 13	268	216	21·4	-	5	-	-	-	2
VENICE - -	171,709	February 3	82	106	32·2	-	-	-	-	-	-
BUCHAREST -	282,071	" 3	154	124	22·9	-	-	1	1	-	-
NEW YORK -	4,152,860	" 10	-	-	-	-	-	-	-	-	-
CHICAGO - -	2,049,185	" 3	-	557	14·2	-	-	7	12	-	4
PHILADELPHIA -	1,469,126	" 3	-	571	20·2	-	26	-	13	7	21
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	905,000	January 21	-	271	15·6	-	2	-	-	3	4

* Excluding deaths from croup in the Indian Cities.
† Including 32 deaths from plague in Calcutta, 81 in Bombay, and 3 and 12 in Madras.
‡ Including 43 deaths from cholera in Calcutta and 2 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 24th February, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	46·2	26·1	37·8	0·27	BRADFORD - -	45·0	28·6	36·5	0·8
BRIGHTON - -	46·7	28·1	39·5	0·40	LEEDS - - -	47·0	30·0	38·7	0·4
PORTSMOUTH - -	49·7	29·5	39·9	0·89	HULL - - -	46·0	23·0	36·5	0·4
NORWICH - -	49·0	27·6	37·9	0·60	TYNEMOUTH - -	45·0	27·0	36·0	0·2
PLYMOUTH - -	49·9	29·0	41·0	2·03	CARDIFF - -	47·5	25·5	37·8	1·1
BRISTOL - - -	49·0	27·0	38·3	0·71	EDINBURGH - -	44·5	25·9	36·0	0·4
BIRMINGHAM - -	43·6	30·9	37·0	0·39	GLASGOW - -	47·2	21·8	35·2	0·6
NOTTINGHAM - -	44·2	24·1	36·4	0·24	DUBLIN Phœnix Park.	47·1	23·1	36·3	0·6
LIVERPOOL OBSERVATORY.	45·0	29·0	36·8	0·50	DUBLIN Fitzwilliam Square.†	47·0	29·9	38·9	0·6
MANCHESTER -	44·4	25·7	36·0	0·65					
PRESTON - -	42·6	30·0	36·6	0·54					
HUDDERSFIELD -	43·2	26·4	35·0	0·48	BELFAST - -	46·9	26·5	37·6	0·[illegible]

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of t return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·5 Fahrenh to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
February.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
Sunday -	18	..	29·692	43·8	38·5	5·3	40·1	+ 0·4	39·2	0·9	2·8	0·0	96	42·7	37·4	41·12	NE. & ENE.	E. & SE.	1·5	0·0	0·1	255	- 40	0·19	0·5
Monday -	19	Greatest Dec. S.	29·574	46·2	38·0	8·2	41·8	+ 2·2	38·0	3·8	6·5	0·0	86	65·0	35·8	41·31	SSW., SW. & S.	S., SW. & WSW.	8·0	0·0	0·6	453	+157	0·07	4·5
Tuesday -	20	..	29·923	45·4	35·6	9·8	39·7	+ 0·2	30·3	9·4	13·3	2·9	69	80·0	30·7	41·50	W & WNW.	NW. & WNW.	6·2	0·0	0·9	527	+229	0·00	2·0
Wednesday	21	..	30·045	43·5	28·1	15·4	35·0	- 4·5	28·2	6·8	13·6	0·0	75	68·8	23·7	41·51	WSW., W. & NW.	NNW., N. & S.	0·7	0·0	0·0	176	-124	0·00	0·0
Thursday -	22	..	29·860	44·6	26·1	18·5	35·5	- 4·1	28·9	6·6	13·6	1·2	76	76·0	22·0	41·31	SSW., calm & SE.	SSE. & ESE.	1·0	0·0	0·0	146	-156	0·00	2·0
Friday -	23	New	29·441	38·2	31·0	7·2	34·7	- 5·1	29·4	5·3	7·9	3·5	81	50·5	20·4	40·83	ESE. & E.	E., NE. & N.	2·8	0·0	0·2	262	- 43	0·01	0·0
Saturday -	24	..	29·582	42·6	28·0	14·6	34·9	- 5·0	30·2	4·7	12·1	0·0	83	67·0	16·1	40·80	N. & SW.	SW.	1·8	0·0	0·1	217	- 92	0·00	2·5
Means -			29·731	43·5	32·2	11·3	37·4	- 2·3	32·0	5·4	10·0	1·1	81	64·3	26·6	40·20	Variable		..	..	..	Sum 2036	Sum - 69	Sum 0·27	1·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. February.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	18	w. P. with occasional v.N. generally.	0·0	10·1	Overcast; frequent rain after 9h. A.M.
Monday -	19	w. P. generally till 1h. P.M.; v. N. and m. P. afterwards.	0·1	10·1	Generally overcast; frequent slight rain. Solar halo observed at 9h. A.M.; gusty wind prevalent after 4h. P.M.
Tuesday -	20	m. P. till 5h. A.M.; s. P. afterwards.	4·9	10·2	Overcast in early morning; very fine afterwards and cloudless at night; brisk wind at times till evening. Solar halo observed in forenoon.
Wednesday	21	s. P. till 10h. P.M.; w. P. afterwards.	4·8	10·3	Very fine generally; hoar frost in morning and at night.
Thursday -	22	m. P. generally; occasional w. P.	1·5	10·4	Very fine generally till afternoon; overcast after 2h. P.M.; hoar frost in morning. Solar halo in forenoon.
Friday -	23	w. P. till 8h. A.M.; m. P. till 4h. P.M.; s. P. afterwards.	0·0	10·4	Overcast with frequent slight snow till evening; cloudless with hoar frost at night.
Saturday -	24	m. P. generally till 8h. P.M.; s. P. afterwards.	2·5	10·5	Fine with hoar frost in early morning; overcast between 2h. and 10h. A.M.; very fine till 2h. P.M.; generally overcast afterwards; a little rain and sleet during the afternoon.
			Sum 13·8	Sum 72·0	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·67 in. at the beginning of the week to 29·74 in. by 11h. A.M. on the 18th; decreased to 29·50 in. by 4h. P.M. on the 19th; increased to 30·07 in. by 11h. A.M. on the 21st; decreased to 29·41 in. by 2h. P.M. on the 23rd; increased to 29·60 in. by 11h. A.M. on the 24th; and decreased to 29·54 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 17th February, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	2	3	-	-	-	-	1	1
Kensington	180,952	-	6	8	-	-	-	-	3	-
Hammersmith	120,679	-	3	8	-	-	-	-	2	1
Fulham	161,965	-	3	9	-	-	-	-	2	-
Chelsea	74,672	-	7	5	-	-	-	-	2	-
City of Westminster	173,905	-	11	8	-	1	-	-	3	-
NORTH.										
St. Marylebone	128,580	-	7	4	-	-	-	-	4	-
Hampstead	89,633	-	1	-	-	-	-	-	-	-
St. Pancras	236,455	-	17	6	-	2	-	-	4	-
Islington	344,987	-	20	5	-	1	-	-	1	1
Stoke Newington	53,217	-	3	-	-	-	-	-	1	-
Hackney	230,721	2	17	9	-	3	-	-	5	-
CENTRAL.										
Holborn	55,805	-	6	1	-	-	-	-	1	-
Finsbury	97,466	-	7	4	-	-	-	-	-	-
City of London	21,367	-	1	-	-	-	-	-	1	-
EAST.										
Shoreditch	116,108	-	6	7	-	2	-	-	3	-
Bethnal Green	130,609	-	13	5	-	-	-	-	1	2
Stepney	307,176	-	14	7	-	2	-	-	7	-
Poplar	170,673	-	12	7	-	2	-	-	6	-
SOUTH.										
Southwark	209,143	-	24	2	-	-	-	-	13	3
Bermondsey	128,629	-	25	6	-	-	-	-	5	-
Lambeth	315,774	-	32	10	-	-	-	-	8	1
Battersea	179,622	-	9	5	-	-	-	-	1	-
Wandsworth	273,381	-	20	11	-	1	-	-	5	-
Camberwell	274,132	-	16	3	-	-	-	-	9	1
Deptford	115,495	-	16	2	-	-	-	-	4	-
Greenwich	105,350	-	8	24	-	1	-	-	3	-
Lewisham	148,463	-	1	7	-	2	-	-	3	-
Woolwich	127,345	-	14	21	-	-	-	-	4	-
Port of London	—	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	2	321	187	-	18	-	-	102	10
Ages 0-1		-	4	2	-	-	-	-	3	-
" 1-5		-	85	66	-	-	-	-	5	-
" 5-		-	155	73	-	4	-	-	7	-
" 10-		1	42	21	-	5	-	-	5	-
" 15-		1	14	3	-	1	-	-	2	-
" 20-		-	10	9	-	1	-	-	7	1
" 25-		-	9	8	-	4	-	-	16	4
" 35-		-	2	4	-	1	-	-	11	5
" 45-		-	-	1	-	1	-	-	17	-
" 55-		-	-	-	-	-	-	-	17	-
" 65 and upwards		-	-	-	-	-	-	-	12	-
Age not stated		-	-	-	-	1	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 9. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, MAR. 3. [Price 1½*d*.

General Register Office, Somerset House,

March 5th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·4 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 15·5, 17·2, and 17·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 23·3 in Warrington, 23·5 in Stockport, 23·7 in Merthyr Tydfil, 24·9 in Bury, 25·8 in Nottingham, and 27·7 in Bournemouth ; from *measles*, 1·3 in Tottenham and in Leeds, 1·4 in Liverpool, 1·9 in Blackburn, 2·2 in Preston, and 6·2 in Bury ; from *scarlet fever*, 2·1 in West Hartlepool ; from *diphtheria*, 1·1 in Huddersfield and 2·1 in Merthyr Tydfil ; and from *whooping-cough*, 1·1 in Birmingham, 1·2 in Brighton, in York, and in Rhondda, 1·3 in Gateshead, 1·4 in West Hartlepool, 1·6 in Leicester, 2·0 in Reading, 2·2 in Southampton, and 3·1 in Bournemouth. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2470 BIRTHS and 1501 DEATHS were registered. Allowing for increase of population, the births were 89 and the deaths 297 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 14·9, 16·8, and 17·5 per 1000 in the preceding three weeks, fell last week to 16·6. The death-rate in the four weeks ended on Saturday last averaged 16·5 per 1000, being 2·9 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 3/06 D & S 3 24051

The 1501 deaths included 55 from measles, 6 from scarlet fever, 18 from diphtheria, 29 from whooping-cough, 5 from enteric fever, and 14 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 127 deaths were referred to these diseases in the aggregate, being 52 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 26, 43, and 52 in the preceding three weeks, further rose to 55 last week, the corrected average being 54; 10 deaths belonged to the Borough of Deptford, 7 to Islington, and 4 apiece to Kensington, Hammersmith, and Finsbury. The deaths from *scarlet fever*, which had been 11, 9, and 10 in the preceding three weeks, fell to 6 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 16, 13, and 18 in the preceding three weeks, were again 18 last week, and were 8 below the corrected average; 3 deaths belonged to Hammersmith. The deaths from *whooping-cough*, which had been 33, 45, and 35 in the preceding three weeks, fell to 29 last week, and were 21 below the corrected average; 7 deaths belonged to St. Pancras, 5 to Stepney, and 4 to Shoreditch. The fatal cases of *enteric fever*, which had been 4, 5, and 2 in the preceding three weeks, rose to 5 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 23, 13, and 13 in the preceding three weeks, were 14 last week, the corrected average being 15. Of the 14 deaths from diarrhœa, 8 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 20, having been 10, 9, and 15 in the preceding three weeks. The death of a carman, aged 24, was certified as due to *cerebro-spinal fever*, and that of a plumber, aged 39, as due to *lead poisoning*.

Different forms of *violence* caused 52 deaths, concerning all of which inquests were held. Of these 52 deaths, 8 were cases of suicide, while the remaining 44 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 5 to burns or scalds, 5 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 8, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 6 cases of small-pox, 2628 of scarlet fever, 933 of diphtheria, and 79 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 2, and 3; of scarlet fever, 273 cases, against 283, 281, and 274; of diphtheria, 86 cases, against 128, 151, and 107; and of enteric fever, 11 cases, against 6, 15, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 24th, 1906.

Greater London.

In Greater London 3737 births and 2161 deaths were registered. Allowing for increase of population, these numbers are 128 and 335 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 18 deaths from measles, 3 from scarlet fever, 2 from diphtheria, 9 from whooping-cough, and 8 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·56 inches, and that of the Thermometer 41°·7, the latter being 1°·5 above the week's average in the 50 years 1841–90. The general direction of the wind was Westerly, the horizontal movement of the air being 21 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 21·7 hours; the measured rainfall amounted to 0·17 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE I.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH CITIES.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 10th Feb., 1906.	17th Feb., 1906.	24th Feb., 1906.	3rd Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 3rd March, 1906.	Registered during the Week ended 3rd March, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,818,360	15·5	17·2	17·3	17·4	1·4	8530	5288	1187	1590	-	133	35	67	130	13	42	166	392	1230	70	76 TOWNS.
LONDON	4,721,217	14·9	16·8	17·5	16·6	1·4	2470	1501	280	494	-	55	6	18	29	5	14	52	144	546	4	LONDON.
† CROYDON	151,011	16·2	14·8	12·8	15·2	1·4	76	44	12	13	-	1	1	1	-	-	1	2	7	9	-	CROYDON.
† WILLESDEN	143,622	8·4	10·9	9·8	13·8	0·7	77	38	12	9	-	1	-	-	-	-	1	3	4	6	1	WILLESDEN.
† HORNSEY	86,935	9·6	8·4	8·4	13·2	1·8	25	22	3	8	-	2	-	-	-	-	1	-	1	2	-	HORNSEY.
† TOTTENHAM	119,503	14·4	12·2	17·5	17·0	2·2	66	39	4	14	-	3	1	-	1	-	-	1	3	5	-	TOTTENHAM.
† WEST HAM	301,617	12·6	16·6	15·4	16·4	2·1	169	95	28	23	-	2	-	5	3	-	2	4	8	20	-	WEST HAM.
† EAST HAM	129,886	9·2	10·4	8·8	11·6	1·2	74	29	5	9	-	-	2	-	1	-	-	-	3	3	-	EAST HAM.
† LEYTON	118,287	9·3	9·3	10·1	12·3	0·9	68	28	9	7	-	1	-	1	-	-	-	1	2	4	-	LEYTON.
† WALTHAMSTOW	121,334	8·6	15·5	9·0	16·3	1·3	72	38	12	12	-	2	-	1	-	-	-	1	3	4	-	WALTHAMSTOW.
HASTINGS	67,144	9·3	21·0	23·3	15·5	0·8	19	20	7	5	-	-	-	-	-	-	1	1	1	-	-	HASTINGS.
BRIGHTON	128,095	17·9	15·5	15·1	18·7	1·2	61	46	4	19	-	-	-	-	3	-	-	-	4	13	-	BRIGHTON.
PORTSMOUTH	205,118	16·0	11·9	20·6	16·3	0·5	120	64	13	22	-	-	-	1	1	-	-	-	3	10	2	PORTSMOUTH.
BOURNEMOUTH	67,702	19·3	15·4	14·6	27·7	3·9	17	36	7	16	-	-	-	1	4	-	-	-	1	2	-	BOURNEMOUTH.
SOUTHAMPTON	117,312	10·2	18·7	15·1	13·8	2·2	55	31	10	9	-	-	-	-	5	-	-	1	3	7	-	SOUTHAMPTON.
READING	78,987	9·2	21·1	14·5	15·8	2·6	44	24	6	12	-	-	-	1	3	-	-	-	-	6	-	READING.
NORTHAMPTON	93,749	11·7	12·8	11·1	8·9	-	40	16	1	6	-	-	-	-	-	-	-	3	4	5	-	NORTHAMPTON.
IPSWICH	71,869	18·9	12·3	21·8	16·0	-	34	22	4	11	-	-	-	-	-	-	-	-	-	4	-	IPSWICH.
GREAT YARMOUTH	52,613	20·8	16·8	10·9	21·8	1·0	32	22	6	10	-	-	-	-	-	-	1	1	2	4	-	GREAT YARMOUTH.
NORWICH	117,958	15·0	20·3	16·8	19·0	-	55	43	11	15	-	-	-	-	-	-	-	-	1	6	-	NORWICH.
PLYMOUTH	118,014	20·8	21·6	22·5	19·4	1·3	45	44	14	14	-	-	1	-	2	-	-	-	4	5	-	PLYMOUTH.
DEVONPORT	78,405	19·3	14·6	16·0	14·0	0·7	63	21	6	4	-	-	-	1	-	-	-	-	2	2	-	DEVONPORT.
BRISTOL	363,223	13·9	18·5	18·9	16·7	1·0	177	116	32	40	-	2	-	2	3	-	-	3	13	31	1	BRISTOL.
HANLEY‡	66,360	18·1	19·6	22·0	18·9	1·6	41	24	5	10	-	-	-	1	-	-	1	1	1	8	2	HANLEY.‡
BURTON-ON-TRENT	52,922	15·8	10·8	18·7	13·8	-	20	14	5	3	-	-	-	-	-	-	-	-	1	1	-	BURTON-ON-TRENT.
WOLVERHAMPTON	100,729	18·6	21·2	18·6	16·0	1·6	56	31	9	8	-	1	-	-	1	-	1	2	3	4	1	WOLVERHAMPTON.
WALSALL	94,577	16·0	21·5	21·0	21·5	0·6	49	39	17	10	-	-	-	-	-	-	1	1	1	4	-	WALSALL.
HANDSWORTH	63,819	16·3	11·4	12·3	11·4	0·8	37	14	4	4	-	-	-	-	1	-	-	1	1	-	-	HANDSWORTH.
WEST BROMWICH	68,469	17·5	19·0	18·3	18·3	1·5	54	24	7	3	-	-	1	-	1	-	-	1	1	4	-	WEST BROMWICH.

* See note † on first page of this return

† These towns are included within the area of Greater London

‡ As enlarged in 1905.

TABLE 1 (*cont*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 3rd March, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 10th Feb., 1906.	17th Feb., 1906.	24th Feb., 1906.	3rd Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 3rd March, 1906.	Registered during the Week ended 3rd March, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	16·4	19·7	17·5	19·7	2·2	311	207	50	62	-	5	2	4	12	-	-	7	10	49	9	BIRMINGHAM.
KINGS NORTON -	72,608	13·6	9·3	10·8	10·8	0·7	44	15	3	7	-	-	1	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK - -	64,531	10·5	15·4	14·5	17·0	0·8	39	21	5	6	-	-	-	-	1	-	-	1	1	1	-	SMETHWICK.
ASTON MANOR -	82,288	15·8	12·0	12·0	17·7	1·3	40	28	5	9	-	-	-	-	1	-	1	-	-	3	2	ASTON MANOR.
COVENTRY - -	76,374	20·5	19·1	14·3	13·7	-	32	20	5	7	-	-	-	-	-	-	-	-	-	2	-	COVENTRY.
LEICESTER - -	232,111	18·0	16·2	15·1	21·3	1·6	124	95	35	24	-	-	-	-	7	-	-	3	6	1	-	LEICESTER.
GRIMSBY - - -	69,359	12·8	9·0	12·8	12·0	0·8	34	16	6	3	-	-	-	-	-	1	-	1	2	2	-	GRIMSBY.
NOTTINGHAM - -	254,563	19·7	18·6	18·8	25·8	0·8	123	126	35	41	-	-	-	-	2	2	-	4	8	24	-	NOTTINGHAM.
DERBY - - -	123,981	14·7	16·4	11·8	14·3	0·4	62	34	8	10	-	-	-	-	-	-	1	1	2	4	-	DERBY.
STOCKPORT - -	99,646	15·2	22·0	23·0	23·5	0·5	47	45	11	13	-	-	-	-	-	-	1	2	3	8	-	STOCKPORT.
BIRKENHEAD - -	117,292	14·2	17·3	14·7	17·8	1·3	73	40	11	10	-	-	-	1	1	-	1	4	5	10	-	BIRKENHEAD.
WALLASEY - -	64,578	11·3	17·0	11·3	9·7	1·6	35	12	1	-	-	-	1	1	-	-	-	-	-	2	-	WALLASEY.
LIVERPOOL† - -	739,180	21·2	20·7	19·3	22·2	2·8	488	314	65	80	-	20	6	3	7	-	4	9	19	85	18	LIVERPOOL.†
BOOTLE† - - -	65,989	12·6	23·7	12·6	13·4	-	40	17	4	7	-	-	-	-	-	-	-	-	1	6	-	BOOTLE.†
ST. HELENS - -	91,153	13·2	18·3	14·3	19·4	0·6	77	34	10	8	-	-	-	-	1	-	-	2	2	4	4	ST. HELENS.
WIGAN - - -	87,588	13·1	12·5	17·3	14·3	-	49	24	9	3	-	-	-	-	-	-	-	-	1	3	1	WIGAN.
WARRINGTON - -	69,280	21·1	21·8	19·6	23·3	0·8	44	31	5	8	-	-	-	-	1	-	-	2	2	8	1	WARRINGTON.
BOLTON - - -	180,502	13·3	15·6	14·2	20·8	0·3	79	72	8	30	-	-	-	1	-	-	-	-	4	11	-	BOLTON.
BURY - - -	58,744	12·4	20·4	22·2	24·9	6·2	27	28	4	6	-	7	-	-	-	-	-	-	1	3	-	BURY.
MANCHESTER - -	637,126	17·4	15·7	20·3	20·6	1·3	320	252	53	65	-	2	2	1	6	2	3	10	22	57	2	MANCHESTER.
SALFORD - - -	234,077	14·5	17·2	18·3	16·3	1·3	157	73	11	15	-	-	-	2	3	1	-	1	3	17	-	SALFORD.
OLDHAM - - -	140,969	13·3	19·2	16·3	21·5	1·8	64	53	10	10	-	1	2	-	1	-	1	-	3	14	-	OLDHAM.
ROCHDALE - -	87,189	15·5	15·5	16·7	13·2	-	47	22	7	6	-	-	-	-	-	-	-	-	1	1	-	ROCHDALE.
BURNLEY - - -	102,808	20·8	18·3	16·2	15·2	0·5	46	39	7	9	-	-	-	-	1	-	-	-	-	7	-	BURNLEY.
BLACKBURN - -	134,015	15·2	19·8	21·4	22·2	2·3	44	57	12	19	-	5	1	-	-	-	-	2	3	19	3	BLACKBURN.
PRESTON - - -	116,399	22·8	24·2	28·2	16·1	3·1	72	36	8	10	-	5	-	-	-	1	1	2	3	4	1	PRESTON.
BARROW-IN-	60,967	13·7	20·5	16·3	12·0	-	32	14	4	5	-	-	-	-	-	-	-	-	-	2	-	BARROW-IN-

FURNESS

ended Saturday, 3rd March, 1906, and DEATH-RATES in the

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 10th Feb., 1906.	17th Feb., 1906.	24th Feb., 1906.	3rd Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 3rd March, 1906.	Registered during the Week ended 3rd March, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	13·7	14·3	17·0	20·3	2·7	41	37	7	10	-	-	-	2	1	1	1	1	1	5	-	HUDDERSFIELD.
HALIFAX - - -	109,272	15·7	18·6	19·6	13·8	0·5	38	29	3	10	-	1	-	-	-	-	-	1	4	4	1	HALIFAX.
BRADFORD - -	288,544	14·8	15·5	19·0	16·1	1·1	110	89	16	30	-	-	1	4	-	-	1	1	4	11	-	BRADFORD.
LEEDS - - -	463,495	16·9	19·9	17·2	17·3	2·4	221	154	22	40	-	12	-	4	5	-	-	7	12	29	1	LEEDS.
SHEFFIELD - -	447,951	15·0	16·9	16·4	15·4	0·8	239	132	39	41	-	-	3	-	4	-	-	6	10	16	4	SHEFFIELD.
ROTHERHAM - -	61,098	14·5	18·8	18·8	13·7	0·9	39	16	1	3	-	-	-	-	1	-	-	-	-	2	1	ROTHERHAM.
YORK - - -	83,467	18·1	13 7	16·2	15·0	2·5	55	24	8	7	-	-	-	1	2	-	1	-	1	5	-	YORK.
HULL - - -	262,426	14·7	17·3	17·7	18·5	1·2	147	93	29	23	-	-	-	3	3	-	-	3	11	16	-	HULL.
MIDDLESBROUGH -	100,069	19·8	21·4	24·5	15·1	1·0	74	29	11	5	-	1	-	-	-	-	1	1	1	6	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	14·9	17·8	22·8	18·8	2·0	38	19	5	6	-	1	-	-	1	-	-	1	1	5	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	13·5	16·3	15·6	19·9	4·3	61	28	2	8	-	-	3	-	2	-	1	-	1	2	1	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	18·6	14·9	21·6	21·3	0·7	93	63	9	22	-	-	-	2	-	-	-	3	7	16	1	SUNDERLAND.
SOUTH SHIELDS -	111,402	15·0	21·5	17·8	12·6	0·5	74	27	12	6	-	-	-	1	-	-	-	2	2	4	1	SOUTH SHIELDS.
GATESHEAD - -	123,191	12·3	19·0	16·5	22·4	1·7	77	53	17	16	-	-	-	1	3	-	-	1	1	4	6	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	13·6	18·0	16·7	16·5	0·6	157	85	14	28	-	2	1	-	-	-	-	3	6	17	1	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	14·4	18·3	18·3	16·4	-	25	17	2	6	-	-	-	-	-	-	-	-	-	1	1	TYNEMOUTH.
NEWPORT (MON.) -	74,227	18·3	14·8	14·0	10·5	-	49	15	6	5	-	-	-	-	-	-	-	-	-	2	-	NEWPORT (MON.).
CARDIFF - - -	183,823	14·5	18·7	12 5	13·6	0·6	95	48	12	18	-	-	-	-	2	-	-	1	2	13	-	CARDIFF.
RHONDDA- - -	127,684	20·0	17·6	19 6	20·4	1·6	95	50	22	8	-	1	-	-	3	-	-	1	1	1	-	RHONDDA.
MERTHYR TYDFIL -	74,961	18·1	22·3	23 0	23·7	2·1	46	34	14	3	-	-	-	3	-	-	-	1	1	3	-	MERTHYR TYDFIL.
SWANSEA - - -	96,848	24·2	25·8	28 5	21·5	0 5	60	40	8	12	-	-	-	-	1	-	-	3	3	6	-	SWANSEA.
GREATER LONDON -	7,113,561	13·8	15·4	16·0	15·8	1·5	3737	2161	420	716	-	85	13	28	43	5	27	77	197	648	7	GREATER LONDON.
OUTER RING - -	2,392,344	11·7	12·8	13·0	14·4	1·6	1267	660	140	222	-	30	7	10	14	-	13	25	53	102	3	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	11·4	13·1	12·1	14·8	1·5	627	333	85	95	-	12	4	8	5	-	5	12	31	53	1	8 TOWNS IN OUTER RING
REMAINDER OF OUTER RING	1,220,149	12·0	12·5	13·8	14·0	1·7	640	327	55	127	-	18	3	2	9	-	8	13	22	49	2	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	16·2	17·3	18·7	17·9	0·9	153	117	17	43	-	2	-	1	1	1	1	7	?	38	3	EDINBURGH.
GLASGOW - - -	835,625	16·5	18·0	21·0	20·0	2·1	431	320	62	91	-	16	1	4	6	1	6	15	?	80	12	GLASGOW.
DUBLIN† - - -	378,994	20·5	19·0	24·4	24·8	0·8	252	180	22	55	-	-	-	-	4	1	1	10	9	61	4	DUBLIN.†
BELFAST† - - -	358,680	21·2	26·0	25·3	24·1	2·2	246	166	26	38	-	-	1	2	9	2	1	2	8	36	5	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the NINTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2628	2511	2585	2676	2561	2681	2567	2512	2364	2600	2559·3	2470
Males - - -	1343	1279	1356	1409	1335	1351	1308	1278	1237	1365	1322·1	1240
Females - -	1285	1232	1229	1267	1226	1330	1259	1234	1127	1235	1237·2	1230
TOTAL **Deaths** -	1729	1493	1805	1925	1638	1865	2477	1450	1594	1535	1798·1	1501
Males - -	868	768	925	984	865	918	1203	741	834	794	910·3	763
Females - -	861	725	880	941	803	947	1274	709	760	741	887·8	738

* The numbers in this column are the average weekly numbers in the ninth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	13 Weeks.
TOTAL **Births** -	2462	2279	2488	1807	2788	2705	2390	2451	2508	2550	2394	2500	2470	31792
TOTAL **Deaths** -	1460	1725	1746	1602	1756	1585	1399	1382	1337	1346	1517	1585	1501	19941
Ages at Death: Under 1 year -	335	333	382	328	336	304	299	257	260	272	316	317	280	4019
1—5 years -	201	229	281	222	217	185	170	171	162	146	156	187	183	2510
5—20 ,, -	75	79	64	69	91	63	56	87	60	79	104	85	69	981
20—40 ,, -	159	184	147	151	208	195	129	170	150	156	174	169	191	2183
40—60 ,, -	266	365	343	309	356	307	271	267	265	254	295	315	284	3897
60 yrs. & upwds.	424	535	529	523	548	531	474	430	440	439	472	512	494	6351
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	46	58	60	59	64	53	52	44	28	26	43	52	55	640
Scarlet Fever - -	13	20	18	12	9	17	13	10	5	11	9	10	6	153
Diphtheria - -	21	11	18	17	13	11	12	22	17	16	13	18	18	207
Whooping-cough -	25	28	38	34	33	32	21	37	34	33	45	35	29	424
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	2	2	5	6	3	3	3	1	4	5	2	5	45
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	14	13	18	19	10	11	8	19	14	23	13	13	14	189
All above Diseases -	123	132	154	146	135	127	109	135	99	113	128	130	127	1658
Dis. of Resp. System	192	274	254	241	225	193	148	174	168	146	160	176	190	2541
Pneumonia - -	184	186	262	185	229	177	151	119	144	132	129	152	153	2203
Phthisis - - -	132	191	151	150	163	144	128	147	129	133	141	135	136	1885
Dis. of Circ. System -	188	215	212	186	236	217	200	161	162	177	216	207	196	2573
Violence - - -	59	56	58	56	76	63	61	56	38	44	66	66	52	751
Inquest Cases - -	130	144	174	168	215	178	151	130	127	132	160	169	144	2022
Deaths in Institutions	509	612	610	577	608	563	498	554	519	493	552	650	546	7291
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	43·8	36·6	43·2	39·5	41·3	43·1	42·0	40·4	42·8	37·0	38·2	37·4	41·7	40·5
Mean of Highest -	48·2	41·6	46·2	43·5	45·2	48·7	46·5	44·3	47·4	41·9	44·8	43·5	48·6	45·4
Mean of Lowest -	39·1	32·4	38·7	33·7	38·0	37·6	37·2	35·3	38·0	32·2	32·6	32·2	35·7	35·6
Mean Humidity of the Air.	90	92	82	92	81	82	77	83	80	80	85	81	79	83
Rain-fall (in inches) -	0·31	0·02	0·00	0·24	0·95	1·20	1·06	0·49	0·10	0·38	0·92	0·27	0·17	6·11
Registered Sunshine (in hours).	9·5	4·0	4·7	4·3	2·5	17·5	23·7	5·8	10·6	17·5	13·0	13·8	21·7	148·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	-	-	-	-	-	2	5	6	1
Scarlet Fever - -	3888	3670	3409	3446	3299	3062	3066	2983	2912	2839	2734	2689	2628	3125
Diphtheria - -	727	713	670	701	728	748	800	841	873	899	944	953	933	810
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	102	92	82	78	87	91	87	84	95	79	81	80	79	86

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

Table 4. LONDON.—Deaths Registered in the Ninth Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting

Causes of Death.	Corrected Average for the 9th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
All Causes	1798·1	1501	280	183	69	191	284	494
Small-pox*	19·6	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	54·0	55	10	38	7	-	-	-
Scarlet Fever	9·2	6	2	3	1	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	43·6	20	1	1	-	3	4	11
Whooping-cough	50·2	29	11	18	-	-	-	-
Diphtheria	25·7	18	4	11	3	-	-	-
Cerebro Spinal Fever	-	1	-	-	-	1	-	-
Pyrexia,† (Origin uncertain)	0·3	-	-	-	-	-	-	-
Enteric Fever	5·1	5	-	-	1	3	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	4·3	6	4	1	-	-	1	-
Diarrhœa, Dysentery	10·2	8	3	-	-	1	1	3
Tetanus	0·3	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	0·5	-	-	-	-	-	-	-
Venereal Dis.	9·2	14	12	-	-	2	-	-
Puerperal Septicæmia	2·8	5	-	-	-	5	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	0·3	-	-	-	-	-	-	-
Infective Endocarditis	3·8	4	-	-	-	2	1	1
Pneumonia: Lobar	9·9	12	-	-	2	6	2	2
Pneumonia: Broncho-	84·9	78	35	26	4	1	4	8
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	77·2	63	5	12	5	12	11	18
Erysipelas	2·8	5	2	-	-	-	2	1
Septicæmia (not Puerperal)	0·8	1	-	-	1	-	-	-
Pyæmia (not Puerperal)	1·8	1	-	1	-	-	-	-
Other Infective Processes	6·9	4	-	-	-	-	1	3
Tuberculous Phthisis	68·8	78	1	6	9	33	23	6
"*Phthisis*"	89·2	58	-	-	2	34	18	4
Tuberculous Meningitis	19·6	23	6	12	4	1	-	-
Tuberculous Peritonitis	8·2	6	3	2	-	1	-	-
Tabes Mesenterica	5·1	3	1	1	1	-	-	-
Tuberculous Dis. (other)	24·7	13	4	1	4	2	2	-
Scrofula	0·3	1	-	-	1	-	-	-
Alcoholism	12·7	10	-	-	-	2	5	3
Rheumatic Fever	5·4	6	-	-	3	1	2	-
Gout	2·8	1	-	-	-	-	-	1
Carcinoma	50·2	69	-	-	1	2	27	39
Sarcoma	6·9	8	-	1	1	1	3	2
Cancer (undefined)	37·2	29	-	-	-	3	8	18
Diabetes Mellitus	9·2	11	-	-	2	1	4	4
Premature Birth	51·7	51	51	-	-	-	-	-

Causes of Death.	Corrected Average for the 9th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	20·6	14	5	7	1	1	-	-
Insanity, Gen. Par. of Insane	20·1	15	-	-	-	3	9	3
Epilepsy	8·4	8	-	1	1	5	-	1
Convulsions	29·8	19	15	4	-	-	-	-
Locomotor Ataxy	1·8	1	-	-	-	-	-	1
Paraplegia, Dis. of Cord	7·4	2	-	-	-	-	2	-
Nervous Sys. (other dis.)	25·5	19	1	-	-	1	6	11
Valv. Dis., Endocarditis	48·9	50	-	-	3	10	13	24
Cerebr. Hæm. Thromb.	31·3	35	-	-	-	-	10	25
Apoplexy, Hemiplegia	28·5	27	-	-	-	-	7	20
Aneurysm	5·4	4	-	-	-	1	2	1
Embolism, Thrombosis (not cerebral)	3·3	1	-	-	-	-	1	-
Heart & Blood Vessel Dis.	117·7	79	-	-	1	6	23	49
Croup (not Spasm: nor Memb.)	0·3	1	-	1	-	-	-	-
Bronchitis	231·9	167	21	11	-	2	31	102
Asthma, Emphysema	11·2	9	-	-	-	-	4	5
Pleurisy	6·1	5	-	1	2	1	1	-
Respiratory Dis. (other)	13·8	8	1	2	-	-	-	5
Tonsillitis, Quinsy	0·8	1	1	-	-	-	-	-
Enteritis (not Epid.)	9·2	8	4	-	1	1	-	2
Gastro-Enteritis	2·8	5	3	1	-	-	1	-
Peritonitis (not Puerp.)	2·0	2	-	-	-	1	1	-
Cirrhosis of Liver	12·5	16	-	-	-	5	6	5
Liver Dis. (other)	5·6	5	-	-	-	1	2	2
Digestive Dis., Other	35·4	31	2	4	2	9	7	7
Nephritis, Acute	9·4	9	2	-	-	1	4	2
Bright's Dis., Albuminuria	38·2	44	-	-	1	8	16	19
Urinary Sys., Other Dis.	15·5	8	-	-	-	1	-	7
Generative Organs Dis.	4·1	7	-	-	-	2	4	1
Childbirth (Accid. of)	3·8	1	-	-	-	1	-	-
Old Age	62·9	56	-	-	-	-	-	56
Other Diseases	109·9	90	58	11	-	7	5	9
Accident.								
By Railways	1·3	-	-	-	-	-	-	-
By Vehicles and Horses	3·6	3	-	-	2	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	-	-	-	-	-	-	-
In Building Operations	0·5	-	-	-	-	-	-	-
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	8·9	5	-	4	-	-	-	1
By Drowning	2·8	5	-	-	1	1	2	1
By Suffocation in Bed	15·0	8	8	-	-	-	-	-
By Poisons or Poisonous Vapours	2·5	1	-	-	-	-	-	1
Other Deaths by Accident	15·3	22	4	2	2	1	3	10
Violence other than Accidental.								
Homicide	0·8	-	-	-	-	-	-	-
Suicide	7·1	8	-	-	-	4	4	-
Execution	0·3	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd March, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexiat (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2470	1501	280	494	-	55	6	18	29	-	5	-	14	52	144	546
WEST DISTRICTS	805,311	376	274	54	88	-	11	3	7	-	-	-	-	5	9	22	112
NORTH DISTRICTS	1,056,070	489	324	47	120	-	10	-	1	10	-	-	-	1	13	32	111
CENTRAL DISTRICTS	209,465	120	78	14	20	-	5	-	-	2	-	1	-	-	3	10	41
EAST DISTRICTS	715,739	474	249	53	63	-	6	-	2	9	-	3	-	4	15	37	110
SOUTH DISTRICTS	1,749,844	1011	535	112	187	-	23	3	7	8	-	1	-	3	11	42	131
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	41	-	16	-	-	-	1	-	-	-	-	1	1	1	41
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	44	28	7	6	-	-	-	-	-	-	-	-	1	1	2	13
St. John Paddington *H*	33,617	8	13	1	1	-	-	-	-	-	-	-	-	-	1	2	7
North-West Paddington	17,181	9	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Kensington Town *2W,w,2H*	128,037	58	57	6	26	-	3	-	-	-	-	-	-	1	1	1	36
Brompton *2H*	48,591	7	10	1	4	-	1	-	-	-	-	-	-	-	-	-	-
North Hammersmith *W,wH*	49,192	32	14	6	3	-	3	-	-	-	-	-	-	-	1	1	-
South Hammersmith *w,2H*	63,047	36	23	6	5	-	1	-	-	-	-	-	-	-	2	4	5
North-west Fulham *W*	45,180	32	25	6	8	-	1	-	-	-	-	-	-	1	-	1	15
North-east Fulham *F*	46,405	29	22	7	7	-	2	3	5	-	-	-	-	-	1	3	8
South Fulham *W*	45,704	29	7	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Chelsea North *W,w,3H*	42,514	13	21	2	10	-	-	-	-	-	-	-	-	1	-	1	14
Chelsea South *W,2H*	31,328	18	13	2	6	-	-	-	1	-	-	-	-	-	-	2	2
Mayfair and Knightsbridge	28,743	6	5	1	1	-	-	-	-	-	-	-	-	-	2	3	-
Belgrave *W,2H*	55,815	19	12	1	4	-	-	-	1	-	-	-	-	-	-	-	5
St. Margaret & St. John *4H*	43,698	29	15	3	3	-	-	-	-	-	-	-	-	-	-	1	7
St. James and St. Anne‡ *W,6H*	33,081	7	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	12	13	-	4	-	-	-	-	-	-	-	-	-	1	2	6
St. Mary Marylebone *W,4H*	37,948	33	12	2	8	-	-	-	-	-	-	-	-	-	1	1	3
Christchurch Marylebone *H*	39,536	16	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *3H*	20,426	7	7	-	3	-	-	-	-	-	-	-	-	-	1	3	-
Hampstead *W,F,6H*	81,942	21	30	4	10	-	-	-	-	-	-	-	-	-	2	2	8
West St. Pancras *2H*	60,562	33	14	4	3	-	1	-	-	2	-	-	-	-	-	1	3
Tottenham-court *w,7H*	21,258	9	11	1	3	-	-	-	-	-	-	-	-	-	2	2	12
Gray's Inn Lane *4H*	34,449	12	12	-	3	-	-	-	-	-	-	-	-	-	1	1	5
East St. Pancras *W,2H*	60,320	35	23	4	12	-	-	-	-	3	-	-	-	-	-	-	8
North St. Pancras *2W*	58,728	23	19	3	5	-	-	-	-	2	-	-	-	-	1	3	9
Tufnell *W*	31,995	17	19	-	12	-	1	-	-	-	-	-	-	-	-	-	16
Upper Holloway *2W,w,H*	33,978	21	25	-	12	-	1	-	-	-	-	-	-	-	1	4	21
Tollington *WH*	33,922	8	6	2	1	-	-	-	-	-	-	-	-	-	1	1	-
Lower Holloway	41,424	19	11	2	2	-	2	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	23	11	5	2	-	-	-	-	-	-	-	-	-	-	1	-
Islington South-east *F*	75,397	36	22	3	9	-	4	-	-	-	-	-	-	-	-	4	-
Highbury *2H*	63,797	19	13	3	4	-	-	-	-	1	-	-	-	-	-	1	1
Stoke Newington *H*	51,247	13	8	-	4	-	-	-	-	1	-	-	-	-	-	1	-
North Hackney	50,560	15	9	2	3	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney *2w,F*	50,536	33	9	1	4	-	-	-	1	-	-	-	-	-	1	1	2
South-west Hackney *3H*	59,921	40	15	2	5	-	1	-	-	1	-	-	-	-	-	-	3
South-east Hackney *2W,w,H*	58,255	44	26	6	9	-	-	-	-	-	-	-	-	1	-	3	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd March, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury *W,2H* -	31,436	22	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W,4H* - - - - -	21,674	3	15	1	1	-	-	-	-	-	-	-	-	-	2	3	12	-
Strand Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Holborn *W,6H* - - - - -	29,612	15	14	3	6	-	2	-	-	1	-	-	-	-	-	-	8	-
Holborn Clerkenwell - - -	28,676	18	4	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
North Clerkenwell *H* - - -	35,028	16	7	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Finsbury *3H,L* - - - - -	36,116	43	10	3	4	-	-	-	-	-	-	-	-	-	-	3	2	-
Holborn Union Workhouse, Tottenham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras *H* - - - - - -	10,299	1	4	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W,2H*	16,624	2	17	2	4	-	-	-	-	-	-	1	-	-	1	1	15	-
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South *H* - - -	46,362	33	13	1	3	-	2	-	-	2	-	-	-	-	1	1	-	-
Shoreditch North-West *W,w,H* -	36,127	20	26	4	10	-	-	-	-	-	-	-	-	2	1	5	20	-
Shoreditch North-East - - -	36,148	15	7	3	2	-	-	-	-	1	-	-	-	-	1	1	-	-
Shoreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North *2H* - -	51,514	33	20	5	2	-	1	-	-	-	-	-	-	-	1	4	6	-
Bethnal Green South - - -	33,472	12	7	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Bethnal Green East *2W,H,L* - -	44,694	28	23	5	4	-	-	-	-	-	-	1	-	-	-	2	12	-
Bethnalfields - - - - -	27,969	16	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *W,H* - -	28,718	22	36	6	4	-	-	-	1	-	-	1	-	-	5	9	33	-
Bethnal Green Fieldman's Fields - - - -	22,081	10	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George and St. John *2W* - -	49,068	41	6	1	2	-	-	-	-	-	-	1	-	-	-	1	1	-
Shadwell and Ratcliff *W,H* - -	25,568	20	15	5	2	-	3	-	-	3	-	-	-	1	1	2	4	-
Limehouse *W* - - - - -	32,369	18	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Mile End Old Town South-eastern *H* - - - - -	63,698	57	12	6	1	-	-	-	-	-	-	-	-	1	-	2	-	-
Mile End Old Town North-eastern *W,w* - - -	49,129	27	21	1	12	-	-	-	-	1	-	-	-	-	-	1	13	-
Bow *L* - - - - - -	41,989	31	8	4	1	-	-	-	-	-	-	-	-	-	2	2	-	-
Bromley *3w,H* - - - - -	68,319	45	28	1	12	-	-	-	-	-	-	-	-	-	-	1	19	-
Poplar *W,w* - - - - -	58,514	46	20	6	4	-	-	-	1	1	-	-	-	-	2	3	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 3rd March, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H* -	11,263	5	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
St. Saviour Southwark *H* - -	12,056	7	19	4	3	-	2	-	-	-	-	-	-	1	1	3	15
Kent-road - - - - -	21,904	17	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L* - - - -	39,094	30	10	4	3	-	-	-	-	-	-	-	-	-	-	1	1
Newington North - - -	49,022	23	10	3	2	-	-	-	-	1	-	-	-	-	-	-	-
Newington South *W* - - -	72,841	46	26	6	12	-	-	-	-	-	-	-	-	-	-	4	2
St. Olave *2W* - - - -	9,817	11	4	-	3	-	-	-	-	-	-	-	-	-	-	1	1
Bermondsey *W* - - - -	82,483	49	13	2	2	-	-	-	-	-	-	-	-	1	-	3	-
Rotherhithe *W,F* - - - -	38,460	24	13	1	6	-	-	-	-	1	-	-	-	-	-	-	8
Waterloo-road *2H* - - -	27,440	33	11	1	4	-	-	-	-	-	-	-	-	-	1	1	1
Lambeth Church 1st *H* - -	18,423	15	17	1	2	-	1	-	1	-	-	-	-	-	1	1	14
Lambeth Church 2nd *2W* - -	39,818	30	16	5	6	-	-	-	-	-	-	-	-	-	-	-	8
Kennington 1st *H* - - -	53,198	43	15	5	6	-	-	-	-	1	-	-	-	-	-	-	-
Kennington 2nd *H* - - -	42,896	25	12	-	6	-	-	-	-	-	-	-	-	-	-	-	1
Brixton *F* - - - - -	84,232	32	19	2	10	-	1	-	-	-	-	1	-	-	-	-	-
Norwood *W,H* - - - -	35,888	18	12	4	3	-	-	-	-	-	-	-	-	-	1	1	1
East Battersea *H* - - -	72,203	52	17	5	5	-	2	-	-	2	-	-	-	-	1	4	-
North-west Battersea - - -	49,656	34	9	3	3	-	-	-	-	-	-	-	-	-	-	1	-
South-west Battersea *2W,H* - -	47,048	22	18	2	7	-	-	-	-	-	-	-	-	-	-	1	10
Clapham *2H* - - - -	51,361	23	12	1	4	-	-	-	-	1	-	-	-	-	-	1	1
Streatham *W,2w,2F,2L* - -	88,019	49	29	11	9	-	1	1	2	-	-	-	-	-	-	2	6
Springfield *2W,L* - - - -	27,959	16	6	2	2	-	-	-	-	-	-	-	-	-	-	2	-
Southfields *H* - - - -	40,444	27	11	4	6	-	-	-	-	-	-	-	-	-	1	1	-
Putney - - - - - -	24,139	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - - -	13,359	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w* - -	40,206	23	18	1	11	-	-	-	-	-	-	-	-	1	1	2	13
Camberwell North *W,2L* - -	65,584	19	31	6	10	-	-	-	-	-	-	-	-	-	-	1	15
St. George - - - - -	47,331	30	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North - - - -	48,913	28	13	2	3	-	3	-	-	-	-	-	-	-	-	1	-
Peckham South *2W,w* - - -	43,946	21	13	1	6	-	-	-	-	-	-	-	-	-	1	2	-
Deptford North - - - -	37,613	26	12	2	4	-	2	-	-	1	-	-	-	-	-	2	-
Deptford Central - - - -	45,481	34	22	7	2	-	8	-	-	-	-	-	-	-	1	2	-
Deptford South - - - -	34,625	8	9	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H* - - -	23,456	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H* - -	43,859	23	19	5	3	-	1	-	1	-	-	-	-	-	-	-	11
Eltham *w,H* - - - -	7,226	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH* - - - - -	25,490	7	7	-	6	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham *W w,F* - - -	58,352	25	25	5	12	-	-	1	1	1	-	-	-	-	2	2	16
Sydenham *W* - - - -	43,653	24	15	7	6	-	1	-	-	-	-	-	-	-	-	1	-
Charlton *F,2H* - - - -	21,134	16	7	2	-	-	-	1	2	-	-	-	-	-	-	-	-
Woolwich *5H* - - - - -	41,825	22	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W* - - -	18,063	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H* - -	50,264	32	15	1	8	-	-	-	-	-	-	-	-	-	-	-	-
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern - - - -	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Northern - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham - - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Darenth - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-
London County Lunatic Asylums:—																	
Banstead - - - - -	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor - - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath - - - -	—	-	8	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Hanwell - - - - -	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch - - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Claybury - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

BLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nded Saturday, 3rd March, 1906.

Registration District No.	Sub-District No.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		LONDON—OUTER RING -	368,302	2,044,973	1267	660	140	222	-	30	7	10	14	-	13	25	53	102	3
2	1	Carshalton 2F,2H - -	12,228	32,997	14	13	-	5	-	-	-	-	-	-	-	-	-	1	-
	2	Epsom, *part of** W,w,2F,H-	10,423	15,548	8	5	-	2	-	-	-	-	-	-	-	1	1	-	-
3	1	Godstone, *part of** W,F -	2,754	3,692	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	1	Coulsdon - - - -	11,069	8,166	3	5	-	3	-	-	-	-	-	-	-	1	1	-	-
	2	South Croydon *w* - -	4,200	49,309	22	5	1	2	-	-	-	-	-	-	-	-	1	-	-
	3	West Croydon 3W,F,H -	2,168	42,888	33	30	7	9	-	1	1	1	-	-	-	2	4	10	-
	4	North Croydon *H* - -	2,644	41,698	21	10	4	3	-	-	-	-	-	-	1	-	2	-	-
	5	Penge *w,H* - - - -	770	22,465	10	5	1	4	-	-	-	-	-	-	-	-	-	-	-
	6	Mitcham *w* - - -	11,711	30,015	28	9	2	2	-	2	-	-	1	-	-	-	-	-	-
3	1	Wimbledon *F,3H* - -	3,221	41,652	17	9	2	2	-	1	1	-	-	-	-	-	-	1	-
	2	Kingston 2W,H - - -	6,224	42,068	17	15	3	5	-	-	-	-	2	-	-	1	2	7	-
	3	Surbiton *F,H* - - -	3,046	15,017	4	4	1	3	-	-	-	-	-	-	-	-	-	-	-
	4	Esher, *part of** H -	5,402	13,100	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-
	5	Hampton *H,F,L* - - -	4,564	23,456	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-
4	1	Richmond *W,H* - - -	2,162	28,865	9	10	2	5	-	-	-	-	-	-	1	1	1	4	-
	2	Mortlake *F* - - -	2,847	20,628	10	5	-	2	-	-	-	-	-	-	-	-	-	-	-
4	1	Bromley *F,2H* - - -	4,703	27,354	9	6	1	4	-	-	-	-	-	-	-	1	1	1	-
	2	Beckenham *H* - - -	7,825	28,497	17	12	2	7	-	-	-	-	-	-	-	1	1	-	-
	3	Orpington *part of** W -	10,113	9,857	5	7	-	3	-	-	-	-	-	-	-	-	-	4	-
	4	Chislehurst 2H - - -	7,333	16,446	6	7	2	4	-	-	-	-	2	-	-	-	-	1	-
4	1	Bexley *w F,H* - - -	8,678	21,151	12	11	1	7	-	-	-	-	1	-	1	-	2	-	-
	2	Erith *F,H* - - - -	3,854	25,296	19	7	2	-	-	-	-	-	-	-	-	2	2	1	-
	3	Dartford *W,F, part of** -	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
12	1	Sunbury *w* - - - -	11,054	18,683	14	5	2	1	-	-	1	-	-	-	-	-	-	-	-
	2	Staines *W,H* - - -	13,277	15,178	5	4	1	2	-	1	-	-	-	-	-	-	-	-	-
12	1	Hillingdon *W,F,H* - -	6,035	13,661	11	4	-	1	-	-	-	-	-	-	-	-	-	3	-
	2	Uxbridge *H* - - -	12,757	8,984	6	3	-	3	-	-	-	-	-	-	-	-	-	-	-
	3	Hayes *w,F,H* - - -	8,066	16,358	18	8	2	2	-	-	-	1	-	-	-	-	-	-	-
12	1	Isleworth 3W,2F,H - -	6,859	30,863	21	16	-	8	-	-	-	-	-	-	-	-	-	12	-
	2	Twickenham *F,H* - -	2,421	20,991	21	5	-	4	-	-	-	-	-	-	-	-	-	-	-
	3	Brentford 3F,2H,L - -	4,319	48,289	55	16	5	3	-	1	-	-	-	-	1	-	-	-	1
	4	Chiswick *H*- - - -	1,249	29,809	13	6	2	1	-	-	-	-	-	-	-	-	-	-	-
	5	Acton *w,3H* - - -	6,132	48,914	43	26	7	7	-	5	1	-	1	-	1	1	1	1	-
12	1	Harrow *F,H* - - -	13,809	25,523	15	10	2	4	-	-	-	-	-	-	-	-	1	-	1
	2	Edgware *F,2H* - - -	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	Willesden *W,2F,2H* - -	4,384	114,811	77	38	12	9	-	1	-	-	-	-	1	3	4	6	1
	4	Hendon *W,F* - - -	8,382	22,450	11	5	1	2	-	-	-	-	1	-	-	-	1	-	-
12	1	South Mimms 2F,H - -	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	Barnet *W,2H* - - -	3,324	17,970	10	3	-	-	-	-	-	-	-	-	-	-	-	1	-
	3	Finchley *F,2H* - - -	4,688	33,692	16	9	2	3	-	-	-	-	-	-	-	-	-	-	-
12	1	Hornsey *F,H* - - -	2,875	72,056	25	20	3	6	-	2	-	-	-	-	1	-	1	-	-
	2	Wood Green *H* - - -	1,625	34,233	21	5	1	-	-	-	-	-	-	-	1	1	1	-	-
	3	West Tottenham *F* - -	996	48,853	36	16	2	6	-	1	-	-	1	-	-	-	1	-	-
	4	East Tottenham 2H - -	2,017	53,688	30	21	2	8	-	2	-	-	-	-	-	2	3	3	-
	5	Edmonton *W,w,2F* - -	7,491	61,892	51	16	2	5	-	2	-	-	-	-	2	-	3	6	-
	6	Enfield 2W,F,H - - -	12,601	42,738	25	15	2	6	-	2	-	-	-	-	1	-	-	1	-
	7	Waltham Abbey *F* - -	11,017	6,549	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	8	Cheshunt *F,H* - - -	8,479	12,292	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Hatfield, *part of** W -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Bushey *H* - - - -	9,333	9,173	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	2	Watford *W,2F part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Stratford *H* - - -	1,072	44,827	31	15	1	3	-	-	-	-	-	-	-	2	3	1	-
	2	Plaistow *F,2H* - - -	1,249	90,921	60	35	13	6	-	1	-	5	2	-	2	-	2	7	-
	3	Canning Town *H* - -	1,556	70,718	59	18	5	4	-	1	-	-	1	-	-	1	1	1	-
	4	Forest Gate *w* - - -	806	60,892	19	16	8	1	-	-	-	-	-	-	-	-	1	-	-
	5	North East Ham *w H* -	1,333	58,676	40	13	2	3	-	-	2	-	-	-	-	-	2	1	-
	6	South East Ham 2F - -	1,993	37,342	34	14	3	5	-	-	-	-	1	-	-	-	1	-	-
	7	Wanstead *F* - - -	1,679	9,179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	South Leyton 2W - -	631	50,467	31	19	6	7	-	-	-	1	-	-	-	1	2	6	-
	9	North Leyton 2W,w,F -	1,963	48,445	37	25	4	12	-	1	-	-	-	-	-	1	1	14	-
	10	Walthamstow 3H,L - -	6,504	108,929	79	40	12	14	-	3	-	-	-	-	-	1	3	1	-
1	1	Chigwell, *part of** 2F,3H -	11,778	16,397	4	6	1	1	-	1	-	1	1	-	-	1	1	1	-
	2	Epping *W,F, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Romford, *part of** W,2F -	6,556	6,091	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	2	Ilford *F,L* - - - -	8,496	41,234	36	8	2	3	-	-	-	-	-	-	-	1	1	1	-
	3	Barking Town *F* - -	3,803	21,547	21	5	2	-	-	2	-	1	-	-	-	-	-	1	-
		N.E. Hosp., Tottenham -	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
		Middlesex County Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
		London County Asylum. Hanwell.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ng are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher rish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting eydon Bois parish, and part of Epping parish; 139: 1. Dagenham parish. Deaths in Workhouses and Infectious seases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	March 3	2470	1501	16·6	-	55	6	19	29	5	1
CALCUTTA - -	910,117	January 27	-	646	39·6	102	5	-	-	1	175†	11
BOMBAY - -	776,006	February 13	386	906	60·7	9	12	-	-	-	210†	8
MADRAS - -	509,346	" 9	-	-	-	-	-	-	-	-	-	-
PARIS - - -	2,750,000	" 24	916	988	19·3	1	17	-	4	8	4	
BRUSSELS - -	598,467	" 24	256	170	14·8	-	-	1	2	3	1	
ANTWERP - -	291,949	" 24	147	78	14·0	-	-	-	1	-	-	
AMSTERDAM -	558,736	" 17	269	139	13·0	-	3	-	1	1	-	
COPENHAGEN -	430,000	" 24	223	141	17·1	-	-	-	-	1	-	
STOCKHOLM -	318,398	" 17	162	115	18·8	-	-	2	2	1	1	
CHRISTIANIA -	222,373	" 24	123	51	11·9	-	-	1	3	-	1	
ST. PETERSBURG	1,429,000	" 17	887	724	26·3	-	26	17	17	7	20	
MOSCOW - -	1,154,000	" 17	-	535	24·2	2	-	10	9	4	4	
BERLIN - -	2,046,985	" 10	972	575	14·6	-	10	3	14	7	-	
HAMBURG - -	803,000	" 24	-	229	14·8	-	1	1	3	1	-	
BRESLAU - -	463,283	" 24	-	-	-	-	-	-	-	-	-	
MUNICH - -	540,000	" 24	-	-	-	-	-	-	-	-	-	
VIENNA - -	1,917,639	" 24	991	686	18·6	-	9	4	15	3	2	
PRAGUE - -	455 241	" 24	199	156	17·8	-	3	-	3	-	-	
BUDA-PESTH -	859,134	" 17	433	322	19·5	-	4	2	2	4	2	
		" 24	434	304	18·4	-	5	1	4	5	2	
TRIESTE - -	194,749	" 24	123	126	33·6	-	4	-	5	-	-	
ROME - -	526,170	January 20	-	-	-	-	-	-	-	-	-	
VENICE - -	171,709	February 10	80	94	28·5	-	-	-	1	-	-	
BUCHAREST -	282,071	" 10	197	126	23·3	-	-	1	1	1	-	
NEW YORK -	4,152,860	" 10	2170	1498	18·8	-	48	16	50	3	7	
		" 17	2313	1561	19·6	-	37	11	62	2	10	
CHICAGO - -	2,049,185	" 10	-	566	14·3	-	1	7	11	-	4	
PHILADELPHIA -	1,469,126	" 10	-	-	-	-	-	-	-	-	-	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	905.000	January 28	-	282	16·2	1	-	-	-	-	3†	

* Excluding deaths from croup in the Indian Cities.
† Including 30 deaths from plague in Calcutta, 121 in Bombay, and 1 in Rio de Janeiro.
‡ Including 44 deaths from cholera in Calcutta.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 3rd March, 1906.

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rai In
	°	°	°			°	°	°	
LONDON (Greenwich)	50·1	27·4	42·1	0·17	BRADFORD - -	49 0	30 0	39·1	0
BRIGHTON - -	51 5	32·1	42·5	0 33	LEEDS - - -	50·0	31·0	39·6	0
PORTSMOUTH - -	53·6	30 0	42 8	0·45	HULL - - -	48·0	29 0	38·7	0
NORWICH - -	48·0	30·0	39 2	0·72	TYNEMOUTH - -	53·0	27 0	37 5	0
PLYMOUTH - -	52·2	34 8	45·0	0 55	CARDIFF - -	55·3	39·0	42 3	0
BRISTOL - - -	55·4	29·0	42·2	0·18	EDINBURGH - -	45·1	29 2	36 9	0
BIRMINGHAM - -	51 5	29·9	40·2	0 75	GLASGOW - -	48·0	21·9	37 2	
NOTTINGHAM - -	48 7	28·1	38·1	1·14	DUBLIN Phœnix Park.	52·4	27 7	40·6	
LIVERPOOL OBSERVATORY.	52·0	33 0	39·7	0 79	DUBLIN Fitzwilliam Square.†	53·9	39·2	42·4	2
MANCHESTER -	49·8	28·8	38·8	1 04					
PRESTON - -	47·0	31·0	38 9	0·83					
HUDDERSFIELD -	47·0	28·8	37 3	1 03	BELFAST - -	51·0	29 0	39 4	1

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page o return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applie the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·6 Fahre to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
February.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
Sunday -	25	..	29·314	49·7	37·5	12·2	43·6	+ 3·6	33·3	10·3	14·9	4·3	67	83·0	30·6	40·69	SSW. & W.	WNW., W. & SW	8·0	0·0	0·9	535	+221	0·06	8·0
Monday -	26	In Equator	29·261	50·1	38·2	11·9	43·6	+ 3·5	38·8	4·8	12·0	1·8	83	90·0	31·2	40·53	WSW. & SW.	WSW. & SW.	2·7	0·0	0·3	337	+ 19	0·00	1·5
Tuesday -	27	..	29·108	47·0	35·7	11·3	41·0	+ 0·9	35·3	5·7	10·1	0·9	80	80·6	32·1	40·61	SW., S. & WSW.	W., WNW. & NW.	6·2	0·0	0·5	394	+ 72	0·08	2·0
Wednesday	28	..	29·663	44·5	33·5	11·0	38·5	− 1·7	30·5	8·0	13·4	3·1	73	68·0	28·7	41·01	N. & NNW.	W. & WSW.	4·8	0·0	0·8	472	+140	0·01	3·0
March Thursday -	1	Apogee	29·561	49·8	43·7	6·1	46·2	+ 6·0	41·9	4·3	6·3	3·1	85	63·0	42·3	41·02	W. & WSW.	WSW.	7·0	0·0	0·7	493	+164	0·01	0·0
Friday -	2	..	29·754	50·1	33·7	16·4	40·8	+ 0·4	38·3	2·5	8·5	1·3	91	61·2	25·5	41·27	WSW. & N.	NE., NNE. & N.	1·5	0·0	0·2	298	− 33	0·01	0·0
Saturday -	3	First Qr.	30·284	48·9	27·4	21·5	38·1	− 2·4	30·3	7·8	16·0	0·0	73	83·0	19·4	41·50	N., SSW. & SW.	SW.	1·2	0·0	0·1	225	− 108	0·00	0·0
Means	-		29·564	48·6	35·7	12·9	41·7	+ 1·5	35·5	6·2	11·6	2·1	79	75·7	30·0	40·95	SW & NW.		..	..	..	Sum 2754	Sum +481	Sum 0·17	2·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. February.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	25	w.P. and w.N. generally till 8h. A.M.; m.P. till 7h. P.M.; s.P. afterwards.	5·0	10·5	Overcast with rain in morning; very fine after 7h. A.M.: brisk wind prevalent between 4h. A.M. and 4h. P.M.
Monday -	26	w. P. generally till 7h. A.M.: m. P. generally till 5h. P.M.; s. P. afterwards.	0·6	10·6	Very fine with little cloud till 3h. A.M.; generally overcast with occasional slight showers afterwards. Solar halo observed in forenoon.
Tuesday -	27	w. P. and v. N. till 9h. A.M.: v. P. till 3h. P.M.; s.P. till 8h. P.M.; s. N. and v. P. afterwards.	5·0	10·7	Overcast with occasional rain in morning; fine and partially cloudy with brisk wind at times till evening; overcast with slight rain at night.
Wednesday	28	v.P. and v.N. till 3h. A.M.; m.P. till 6h. A.M.; s.P. till 3h. P.M.; m.P. afterwards.	4·8	10·7	Overcast in morning with slight rain till 2h. A.M.; very fine generally till 4h. P.M.; overcast with occasional misty rain afterwards; hoar frost in morning. Solar halo in afternoon.
March Thursday -	1	m. P. generally; occasional w. N.	0·0	10·8	Overcast; occasional slight rain; gusty wind in afternoon; very mild.
Friday -	2	w P. till 9h. A.M.: m. P. generally till 9h. P.M.; s.P. afterwards.	0·0	10·8	Generally overcast till 8h. P.M.; very fine and nearly cloudless afterwards; slight rain in morning.
Saturday -	3	s. P. generally till 11h. A.M.; m.P. afterwards.	8·3	10·9	Very fine throughout and cloudless with slight exceptions; hoar frost in morning.
			Sum 21·7	Sum 75·0	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·54 in. at the beginning of the week to 29·24 in. by 8h. A.M. on Feb. 25th; increased to 29·42 in. by 1h. A.M. on Feb. 26th; decreased to 29·05 in. by 10h. A.M. on Feb. 27th; increased to 29·71 in. by 11h. A.M. on Feb. 28th; decreased to 29·48 in. by 5h. P.M. on March 1st; increased to 30·30 in. by noon on March 3rd; and was 30·26 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 24th February, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	8	4	-	-	-	-	2	-
Kensington	180,952	-	4	6	-	1	-	-	1	-
Hammersmith	120,679	-	3	5	-	2	-	-	2	-
Fulham	161,965	-	7	5	-	1	-	-	3	-
Chelsea	74,672	-	1	2	-	-	-	-	1	-
City of Westminster	173,905	-	8	5	-	4	-	-	5	2
NORTH.										
St. Marylebone	128,580	-	4	1	-	1	-	-	4	-
Hampstead	89,633	-	5	1	-	-	-	-	-	-
St. Pancras	236,455	-	9	5	-	2	-	-	1	-
Islington	344,987	-	25	10	-	1	-	-	3	2
Stoke Newington	53,217	-	1	1	-	-	-	-	1	-
Hackney	230,721	-	22	6	-	1	-	-	9	-
CENTRAL.										
Holborn	55,805	-	2	-	-	-	-	-	1	-
Finsbury	97,466	-	12	1	-	-	-	-	1	-
City of London	21,367	-	1	-	-	1	-	-	-	-
EAST.										
Shoreditch	116,108	-	1	2	-	-	-	-	1	-
Bethnal Green	130,609	1	3	3	-	1	-	-	4	-
Stepney	307,176	-	16	11	-	5	-	-	4	-
Poplar	170,673	-	7	4	-	1	-	-	2	1
SOUTH.										
Southwark	209,143	-	18	6	-	1	-	-	1	-
Bermondsey	128,629	-	22	5	-	-	-	-	1	-
Lambeth	315,774	-	23	11	-	2	-	-	2	1
Battersea	179,622	-	6	6	-	-	-	-	3	1
Wandsworth	273,381	-	24	12	-	3	-	-	3	-
Camberwell	274,132	-	17	2	-	-	-	-	2	-
Deptford	115,495	-	12	7	-	-	-	-	5	-
Greenwich	105,350	-	14	10	-	1	-	-	1	-
Lewisham	148,463	-	8	9	-	1	-	-	-	-
Woolwich	127,345	-	9	17	-	2	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	1	292	157	-	31	-	-	64	7
Ages 0-1		-	3	6	-	-	-	-	4	-
" 1-5		-	88	64	-	1	-	-	5	-
" 5-		-	115	53	-	1	-	-	3	-
" 10-		1	48	14	-	6	-	-	4	-
" 15-		-	13	7	-	4	-	-	6	-
" 20-		-	11	2	-	5	-	-	2	1
" 25-		-	10	6	-	6	-	-	7	6
" 35-		-	3	1	-	5	-	-	13	-
" 45-		-	-	4	-	3	-	-	11	-
" 55-		-	1	-	-	-	-	-	4	-
" 65 and upwards		-	-	-	-	-	-	-	5	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 10. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, MAR. 10. [Price 1½*d*.

General Register Office, Somerset House,

March 12th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·7 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·2, 17·3, and 17·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 21·1 in Newport (Mon.), 21·3 in Bootle, 21·6 in Merthyr Tydfil, 22·0 in Brighton and in Preston, 22·6 in Liverpool, 24·1 in Warrington, and 29·9 in Tynemouth ; from *measles*, 1·3 in Leyton and in Plymouth, 1·6 in Leeds and in Newcastle on Tyne, 1·7 in Walthamstow, 1·8 in Bury and in Preston, and 2·2 in Tottenham ; from *scarlet fever*, 1·4 in West Hartlepool ; from *whooping-cough*, 1·2 in Newcastle on Tyne, 1·3 in Reading, in Plymouth, and in Gateshead, 1·4 in Kings Norton, 1·6 in Handsworth (Staffs.), and 2·7 in Southampton ; from "*fever*," 1·2 in Wigan ; and from *diarrhœa*, 1·4 in Newport (Mon.), 1·6 in Middlesbrough, and 1·7 in Barrow in Furness. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2509 BIRTHS and 1468 DEATHS were registered. Allowing for increase of population, the births were 138 and the deaths 301 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 16·8, 17·5, and 16·6 per 1000 in the preceding three weeks, fell last week to 16·2. The death-rate in the four weeks ended on Saturday last averaged 16·8 per 1000, being 2·9 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 3/06 D & S 3 24156 K

The 1468 deaths included 56 from measles, 12 from scarlet fever, 12 from diphtheria, 34 from whooping-cough, 3 from enteric fever, and 19 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 136 deaths were referred to these diseases in the aggregate, being 39 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 43, 52, and 55 in the preceding three weeks, were 56 last week, the corrected average being 58; 9 deaths belonged to the Borough of Deptford, 6 to Camberwell, 5 to Islington, and 4 to Fulham. The deaths from *scarlet fever*, which had been 9, 10, and 6 in the preceding three weeks, rose to 12 last week, and were 5 above the corrected average. The deaths from *diphtheria*, which had been 13, 18, and 18 in the preceding three weeks, fell to 12 last week, and were 6 below the corrected average. The deaths from *whooping-cough*, which had been 45, 35, and 29 in the preceding three weeks, rose to 34 last week, but were 19 below the corrected average; 3 deaths belonged to St. Pancras, and 3 apiece to Islington, Stepney, Lambeth, and Camberwell. The fatal cases of *enteric fever*, which had been 5, 2, and 5 in the preceding three weeks, were 3 last week, the corrected average being 5. The deaths from *diarrhœa*, which had been 13, 13, and 14 in the preceding three weeks, further rose to 19 last week, and were 5 above the corrected average. Of the 19 deaths from diarrhœa, 16 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 31, having been 9, 15, and 20 in the preceding three weeks.

Different forms of *violence* caused 46 deaths, concerning all of which inquests were held. Of these 46 deaths, 7 were cases of suicide, while the remaining 39 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 6 to burns or scalds, 3 to drowning, and 8, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 6 cases of small-pox, 2545 of scarlet fever, 931 of diphtheria, 2 of typhus, and 73 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 2, 3, and 1; of scarlet fever, 268 cases, against 281, 274, and 273; of diphtheria, 119 cases, against 151, 107, and 86; of typhus, 2 cases, against 0, 0, and 0; and of enteric fever, 13 cases, against 15, 11, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 3rd, 1906.

Greater London.

In Greater London 3851 births and 2070 deaths were registered. Allowing for increase of population, these numbers are 164 and 357 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 12 deaths from measles, 3 from scarlet fever, 7 from diphtheria, 9 from whooping-cough, 2 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·95 inches, and that of the Thermometer 47°·2, the latter being 6°·4 above the week's average in the 50 years 1841–90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 19 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 35·0 hours; the measured rainfall amounted to 0·35 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 17th Feb., 1906.	24th Feb., 1906.	3rd Mar., 1906.	10th Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 10th March, 1906.	Registered during the Week ended 10th March, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,818,360	17·2	17·3	17·4	16·7	1·6	8849	5076	1115	1520	-	156	43	60	134	25	51	161	410	1229	67	76 TOWNS.
LONDON	4,721,217	16·8	17·5	16·6	16·2	1·5	2509	1468	296	455	-	56	12	12	34	3	19	46	141	548	3	LONDON.
† CROYDON	151,011	14·8	12·8	15·2	9·7	1·0	63	28	4	7	-	2	-	-	-	-	1	-	3	7	-	CROYDON.
† WILLESDEN	143,622	10·9	9·8	13·8	11·3	1·5	70	31	4	13	-	2	-	-	1	1	-	-	-	8	-	WILLESDEN.
† HORNSEY	86,935	8·4	8·4	13·2	9·6	0·6	27	16	2	8	-	1	-	-	-	-	-	2	3	-	-	HORNSEY.
† TOTTENHAM	119,503	12·2	17·5	17·0	18·8	3·1	78	43	9	13	-	5	-	1	-	-	1	-	2	7	-	TOTTENHAM.
† WEST HAM	301,617	16·6	15·4	16·4	14·5	2·2	201	84	18	14	-	5	1	1	4	1	1	3	11	21	-	WEST HAM.
† EAST HAM	129,866	10·4	8·8	11·6	11·6	2·8	81	29	7	7	-	2	2	2	-	1	-	-	2	5	-	EAST HAM.
† LEYTON	118,287	9·3	10·1	12·3	15·4	2·2	78	35	7	13	-	3	1	1	-	-	-	-	3	6	-	LEYTON.
† WALTHAMSTOW	121,334	15·5	9·0	16·3	13·3	2·1	69	31	8	7	-	4	-	-	1	-	-	1	2	2	-	WALTHAMSTOW.
HASTINGS	67,144	21·0	23·3	15·5	19·4	-	13	25	1	14	-	-	-	-	-	-	-	-	1	5	-	HASTINGS.
BRIGHTON	128,095	15·5	15·1	18·7	22·0	0·8	54	54	9	20	-	-	-	-	2	-	-	3	6	10	-	BRIGHTON.
PORTSMOUTH	205,118	11·9	20·6	16·3	15·0	1·0	132	59	17	17	-	-	-	-	3	-	1	3	8	15	1	PORTSMOUTH.
BOURNEMOUTH	67,702	15·4	14·6	27·7	15·4	0·8	29	20	1	8	-	-	-	-	1	-	-	-	-	5	-	BOURNEMOUTH.
SOUTHAMPTON	117,312	18·7	15·1	13·8	14·7	2·7	66	33	7	12	-	-	-	-	6	-	-	-	1	3	-	SOUTHAMPTON.
READING	78,987	21·1	14·5	15·8	13·9	1·3	36	21	3	5	-	-	-	-	2	-	-	-	2	-	1	READING.
NORTHAMPTON	93,749	12·8	11·1	8·9	13·3	1·7	50	24	1	11	-	-	1	1	1	-	-	1	3	4	1	NORTHAMPTON.
IPSWICH	71,809	12·3	21·8	16·0	10·9	0·7	37	15	5	7	-	-	-	-	-	-	1	1	3	1	-	IPSWICH.
GREAT YARMOUTH	52,613	16·8	10·9	21·8	18·8	2·0	31	19	6	9	-	1	-	-	-	-	1	-	1	1	-	GREAT YARMOUTH.
NORWICH	117,958	20·3	16·8	19·0	16·8	1·3	57	38	8	17	-	-	-	-	1	1	1	1	3	6	1	NORWICH.
PLYMOUTH	118,014	21·6	22·5	19·4	15·9	3·1	47	36	13	6	-	3	-	1	3	-	-	2	6	4	-	PLYMOUTH.
DEVONPORT	78,405	14·6	16·0	14·0	16·0	1·3	38	24	9	5	-	-	-	-	1	1	-	-	1	4	-	DEVONPORT.
BRISTOL	363,223	18·5	18·9	16·7	14·6	1·1	182	102	22	33	-	4	-	-	2	1	1	2	10	24	2	BRISTOL.
HANLEY‡	66,300	19·6	22·0	18·9	13·4	0·8	40	17	4	1	-	-	-	-	-	1	-	-	-	2	2	HANLEY‡
BURTON-ON-TRENT	52,922	10·8	18·7	13·8	15·8	-	34	16	3	4	-	-	-	-	-	-	-	-	1	2	2	BURTON-ON-TRENT.
WOLVERHAMPTON	100,729	21·2	18·6	16·0	18·1	2·1	57	35	3	18	-	-	2	-	-	1	1	1	2	9	-	WOLVERHAMPTON.
WALSALL	94,577	21·5	21·0	21·5	16·0	-	63	29	10	11	-	-	-	-	-	-	-	2	2	-	-	WALSALL.
HANDSWORTH	63,819	11·4	12·3	11·4	11·4	1·6	33	14	5	5	-	-	-	-	2	-	-	-	1	-	1	HANDSWORTH.
WEST BROMWICH	68,469	19·0	18·3	18·3	17·5	1·5	36	23	7	9	-	-	-	-	1	-	1	-	-	4	-	WEST BROMWICH.

* See note † on first page of this return

† These towns are included within the area of Greater London

‡ As enlarged in 1905.

TABLE 1 (*cont*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday 10th March, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 17th Feb., 1906.	24th Feb., 1906.	3rd Mar., 1906.	10th Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 10th March, 1906.	Registered during the Week ended 10th March, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	19·7	17·5	19·7	18·1	2·0	321	190	53	55	-	2	1	4	11	-	3	4	7	40	9	BIRMINGHAM.
KINGS NORTON -	72,608	9·3	10·8	10·8	11·5	1·4	40	16	4	4	-	-	-	-	2	-	-	1	2	2	-	KINGS NORTON.
SMETHWICK - -	64,531	15·4	14·5	17·0	16·2	0·8	46	20	7	5	-	-	-	-	1	-	-	-	1	-	1	SMETHWICK.
ASTON MANOR -	82,288	12·0	12·0	17·7	14·6	1·3	60	23	3	8	-	-	1	-	-	1	-	2	2	2	-	ASTON MANOR.
COVENTRY - -	76,374	19·1	14·3	13·7	16·4	0·7	35	24	5	10	-	-	-	-	1	-	-	1	1	2	1	COVENTRY.
LEICESTER - -	232,111	16·2	15·1	21·3	15·5	1·3	119	69	24	21	-	1	-	-	5	-	-	3	6	4	1	LEICESTER.
GRIMSBY - - -	69,359	9·0	12·8	12·0	17·3	1·5	41	23	8	5	-	-	-	1	1	-	-	-	-	7	2	GRIMSBY.
NOTTINGHAM - -	254,563	18·6	18·8	25·8	16·2	0·4	140	79	20	27	-	-	-	1	1	-	-	3	9	12	-	NOTTINGHAM.
DERBY - - -	123,981	16·4	11·8	14·3	13·0	2·5	63	31	8	9	-	1	1	2	2	-	-	1	1	4	-	DERBY.
STOCKPORT - -	99,646	22·0	23·0	23·5	16·2	0·5	49	31	10	9	-	-	-	-	1	-	-	1	3	5	-	STOCKPORT.
BIRKENHEAD - -	117,292	17·3	14·7	17·8	17·8	-	66	40	7	14	-	-	-	-	-	-	-	2	3	11	-	BIRKENHEAD.
WALLASEY - -	64,578	17·0	11·3	9·7	16·1	0·8	29	20	1	6	-	-	-	1	-	-	-	1	1	4	-	WALLASEY.
LIVERPOOL† - -	739,180	20·7	19·3	22·2	22·6	2·6	465	321	68	90	-	15	4	6	11	-	1	11	23	90	13	LIVERPOOL.†
BOOTLE† - - -	65,989	23·7	12·6	13·4	21·3	0·8	44	27	10	9	-	-	-	-	1	-	-	1	1	3	-	BOOTLE.†
ST. HELENS - -	91,153	18·3	14·3	19·4	15·4	0·6	58	27	2	10	-	-	-	-	-	1	-	1	1	7	4	ST. HELENS.
WIGAN - - -	87,588	12·5	17·3	14·3	12·5	1·2	68	21	7	6	-	-	-	-	-	2	-	1	3	6	-	WIGAN.
WARRINGTON - -	69,250	21·8	19·6	23·3	24·1	-	39	32	4	12	-	-	-	-	-	-	-	-	-	7	1	WARRINGTON.
BOLTON - - -	180,502	15·6	14·2	20·8	11·8	0·3	81	41	9	10	-	-	1	-	-	-	-	3	6	13	-	BOLTON.
BURY - - -	58,744	20·4	22·2	24·9	16·9	1·8	21	19	8	2	-	2	-	-	-	-	-	2	4	2	-	BURY.
MANCHESTER - -	637,126	15·7	20·3	20·6	20·0	2·1	360	244	58	68	-	7	5	3	7	1	3	12	20	66	5	MANCHESTER.
SALFORD - - -	234,077	16·9	18·3	16·3	14·9	1·6	150	67	9	21	-	1	2	1	1	2	-	-	6	20	-	SALFORD.
OLDHAM - - -	140,969	19·2	16·3	21·5	17·0	0·4	83	46	8	11	-	-	-	-	1	-	-	1	4	7	-	OLDHAM.
ROCHDALE - -	87,189	15·5	16·7	13·2	19·1	-	29	32	5	16	-	-	-	-	-	-	-	2	2	8	-	ROCHDALE.
BURNLEY - -	102,808	18·3	16·2	15·2	17·8	-	71	35	3	3	-	-	-	-	-	-	-	2	2	11	-	BURNLEY.
BLACKBURN - -	134,015	19·8	21·4	22·2	18·3	1·2	64	47	11	16	-	2	-	1	-	-	-	3	5	10	2	BLACKBURN.
PRESTON - - -	116,399	24·2	28·2	16·1	22·0	2·2	63	49	13	15	-	4	1	-	-	-	-	2	3	2	3	PRESTON.
BARROW-IN-FURNESS	69,087	20·5	16·3	12·0	6·0	1·7	33	7	1	2	-	-	-	-	-	-	2	-	-	2	-	BARROW-IN-FURNESS.

Towns.	Population estimated to the middle of the Year 1906.*	Death-rates from all Causes. Week ended 17th Feb., 1906.	24th Feb., 1906.	3rd Mar., 1906.	10th Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 10th March, 1906.	Registered during the Week ended 10th March, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	14·3	17·0	20·3	12·6	1·1	52	23	5	7	-	-	-	1	1	-	-	1	3	2	-	Huddersfield.
Halifax	109,272	18·6	19·6	13·8	18·1	1·0	36	38	5	17	-	1	-	-	-	-	1	2	3	8	-	Halifax.
Bradford	288,544	15·5	19·0	16·1	15·5	1·3	116	86	18	21	-	3	-	4	-	-	-	2	7	20	1	Bradford.
Leeds	463,495	19·9	17·2	17·3	18·2	2·2	281	162	31	52	-	14	-	3	2	1	-	3	11	12	-	Leeds.
Sheffield	447,951	16·9	16·4	15·4	16·3	1·3	277	140	28	42	-	2	1	2	5	1	-	3	4	23	3	Sheffield.
Rotherham	61,098	18·8	18·8	13·7	15·4	-	33	18	4	4	-	-	-	-	-	-	-	-	-	2	1	Rotherham.
York	83,467	13·7	16·2	15·0	17·5	1·9	49	28	5	7	-	1	1	1	-	-	-	-	1	5	-	York.
Hull	262,426	17·3	17·7	18·5	14·1	1·0	168	71	21	22	-	-	-	4	-	-	1	3	6	12	-	Hull.
Middlesbrough	100,069	21·4	24·5	15·1	18·8	2·6	80	36	13	4	-	2	-	-	-	-	3	1	1	7	-	Middlesbrough.
Stockton-on-Tees	52,664	17·8	22·8	18·8	15·8	2·0	34	16	-	4	-	-	1	-	-	-	1	-	-	4	-	Stockton-on-Tees.
West Hartlepool	73,387	16·3	15·6	19·9	10·7	2·1	32	15	3	3	-	-	2	-	1	-	-	1	1	6	-	West Hartlepool.
Sunderland	154,385	14·9	21·6	21·3	20·3	1·7	106	60	18	11	-	-	-	2	2	-	1	1	4	11	2	Sunderland.
South Shields	111,402	21·5	17·8	12·6	16·9	1·4	66	36	8	14	-	-	-	1	-	1	1	-	-	7	2	South Shields.
Gateshead	123,191	19·0	16·5	22·4	20·3	1·7	93	48	12	13	-	-	-	-	3	1	-	3	5	4	1	Gateshead.
Newcastle-on-Tyne	268,721	18·0	16·7	16·5	20·8	2·9	173	107	23	24	-	8	-	1	6	-	-	4	8	19	1	Newcastle-on-Tyne.
Tynemouth	54,138	18·3	18·3	16·4	29·9	1·0	28	31	4	13	-	-	-	1	-	-	-	-	3	5	-	Tynemouth.
Newport (Mon.)	74,227	14·8	14·0	10·5	21·1	2·1	56	30	11	8	-	-	-	-	1	-	2	-	5	4	-	Newport (Mon.).
Cardiff	183,823	18·7	12·5	13·6	19·0	1·4	101	67	10	14	-	-	-	-	2	2	1	4	8	16	-	Cardiff.
Rhondda	127,684	17·6	19·6	20·4	20·0	1·6	94	49	26	9	-	-	1	1	-	-	2	1	-	1	-	Rhondda.
Merthyr Tydfil	74,961	22·3	23·0	23·7	21·6	1·4	66	31	8	8	-	-	1	-	-	1	-	2	4	6	-	Merthyr Tydfil.
Swansea	96,848	25·8	28·5	21·5	18·3	1·6	59	34	7	10	-	2	1	-	-	-	-	2	2	5	-	Swansea.
Greater London	7,113,561	15·4	16·0	15·8	15·2	1·6	3851	2070	419	650	-	92	19	24	49	8	23	60	18	654	8	Greater London.
Outer Ring	2,392,344	12·8	13·0	14·4	13·1	1·7	1342	602	123	195	-	36	7	12	15	5	4	14	48	106	5	Outer Ring.
8 Towns in Outer Ring	1,172,195	13·1	12·1	14·8	13·2	2·0	667	297	59	82	-	24	4	5	6	3	3	6	26	56	-	8 Towns in Outer Ring
Remainder of Outer Ring	1,220,149	12·5	13·8	14·0	13·0	1·5	675	305	64	113	-	12	3	7	9	2	1	8	22	50	5	Remainder of Outer Ring.
Edinburgh	341,035	17·3	18·7	17·9	16·4	1·4	152	107	15	27	-	6	1	1	-	1	-	1	?	40	10	Edinburgh.
Glasgow	835,625	18·0	21·0	20·0	19·0	1·9	486	304	61	66	-	10	-	7	7	2	4	10	?	92	3	Glasgow.
Dublin†	378,994	19·0	24·4	24·8	24·6	0·8	214	179	25	58	-	-	-	2	1	-	3	1	2	78	6	Dublin.†
Belfast†	358,680	26·0	25·3	24·1	22·5	1·9	229	155	31	43	-	-	1	-	5	7	-	6	7	43	2	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TENTH Week of each of the Eleven Years, 1896-1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2534	2654	2736	2627	2841	2496	2680	2584	2712	2412	2647·2	2509
Males - - -	1241	1341	1362	1312	1458	1286	1382	1328	1376	1223	1352·9	1243
Females - -	1293	1313	1374	1315	1383	1210	1298	1256	1336	1189	1294·3	1266
TOTAL **Deaths** -	1846	1571	1854	1954	1652	1723	2159	1443	1796	1543	1768·8	1468
Males - -	948	808	946	943	831	893	1063	720	897	764	878·4	762
Females - -	898	763	908	1011	768	830	1093	723	899	779	890·4	706

* The numbers in this column are the average weekly numbers in the tenth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	13 Weeks.
TOTAL **Births** -	2279	2488	1807	2788	2705	2390	2451	2508	2550	2394	2500	2470	2509	31839
TOTAL **Deaths** -	1725	1746	1602	1756	1585	1399	1382	1337	1346	1517	1585	1501	1468	19949
Ages at Death: Under 1 year -	333	382	328	336	304	299	257	260	272	316	317	280	296	3980
1—5 years -	229	281	222	217	185	170	171	162	146	156	187	183	160	2469
5—20 ,, -	79	64	69	91	63	56	87	60	79	104	85	69	77	983
20—40 ,, -	184	147	151	208	195	129	170	150	156	174	169	191	171	2195
40—60 ,, -	365	343	309	356	307	271	267	265	254	295	315	284	309	3940
60 yrs. & upwds.	535	529	523	548	531	474	430	440	439	472	512	494	455	6382
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	58	60	59	64	53	52	44	28	26	43	52	55	56	650
Scarlet Fever - -	20	18	12	9	17	13	10	5	11	9	10	6	12	152
Diphtheria - -	11	18	17	13	11	12	22	17	16	13	18	18	12	198
Whooping-cough -	28	38	34	33	32	21	37	34	33	45	35	29	34	433
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	2	5	6	3	3	3	1	4	5	2	5	3	44
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	13	18	19	10	11	8	19	14	23	13	13	14	19	191
All above Diseases -	132	154	146	135	127	109	135	99	113	128	130	127	136	1671
Dis. of Resp. System	274	254	241	225	193	148	174	168	146	160	176	190	178	2527
Pneumonia - -	186	262	185	229	177	151	119	144	132	129	152	153	136	2155
Phthisis - - -	191	151	150	168	144	128	147	129	133	141	135	136	134	1887
Dis. of Circ. System -	215	212	186	236	217	200	161	162	177	216	207	196	177	2562
Violence - - -	56	58	56	76	63	61	56	38	44	66	66	52	46	738
Inquest Cases - -	144	174	168	215	178	151	130	127	132	160	169	144	141	2033
Deaths in Institutions	612	610	577	608	563	498	554	519	493	552	650	546	548	7330
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	36·6	43·2	39·5	41·3	43·1	42·0	40·4	42·8	37·0	38·2	37·4	41·7	47·2	40·8
Mean of Highest -	41·6	46·2	43·5	45·2	48·7	46·5	44·3	47·4	41·9	44·8	43·5	48·6	55·4	46·0
Mean of Lowest -	32·4	38·7	33·7	38·0	37·6	37·2	35·3	38·0	32·2	32·6	32·2	35·7	40·0	35·7
Mean Humidity of the Air.	92	82	92	81	82	77	83	80	80	85	81	79	75	82
Rain-fall (in inches) -	0·02	0·00	0·24	0·95	1·20	1·06	0·49	0·10	0·38	0·92	0·27	0·17	0·35	6·15
Registered Sunshine (in hours).	4·0	4·7	4·3	2·5	17·5	23·7	5·8	10·6	17·5	13·0	13·8	21·7	35·0	174·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	-	-	-	-	2	5	6	6	1
Scarlet Fever - -	3670	3109	3146	3299	3062	3066	2983	2912	2839	2734	2689	2628	2545	3022
Diphtheria - - -	713	670	701	728	748	800	841	873	899	944	953	933	931	826
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Enteric Fever - -	92	82	78	87	91	87	84	95	79	81	80	79	73	84

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst.C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., **Hull**; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TENTH Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting

CAUSES OF DEATH.	Corrected Average for the 10th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1768·8	1468	296	160	77	171	309	455
Small-pox*	20·6	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	57·6	56	9	44	3	-	-	-
Scarlet Fever	7·4	12	-	10	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	41·8	31	2	1	3	3	9	13
Whooping-cough	52·5	34	15	17	2	-	-	-
Diphtheria	17·8	12	2	8	2	-	-	-
Cerebro Spinal Fever	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	5·1	3	-	-	-	3	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	1·8	6	3	2	1	-	-	-
Diarrhœa, Dysentery	11·7	13	8	3	-	2	-	-
Tetanus	1·0	1	-	-	-	-	1	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	6·9	4	3	-	-	-	1	-
Puerperal Septicæmia	3·3	2	-	-	-	1	1	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	0·3	1	-	-	-	1	-	-
Infective Endocarditis	1·8	1	-	-	-	1	-	-
Pneumonia: Lobar	8·9	11	-	-	1	3	3	4
Pneumonia: Broncho-	81·5	58	24	19	-	3	3	9
Pneumonia: Epidemic	-	1	-	1	-	-	-	-
Pneumonia: Not defined	77·0	66	9	10	3	10	17	17
Erysipelas	3·6	3	-	-	-	1	1	1
Septicæmia (not Puerperal)	1·3	2	-	-	-	1	-	1
Pyæmia (not Puerperal)	1·0	1	-	-	-	-	1	-
Other Infective Processes	7·1	5	-	-	2	-	-	3
Tuberculous Phthisis	79·8	85	2	5	9	37	29	3
"*Phthisis*"	96·8	49	-	-	5	24	18	2
Tuberculous Meningitis	26·0	21	9	7	4	1	-	-
Tuberculous Peritonitis	5·9	10	4	1	4	-	-	1
Tabes Mesenterica	4·8	-	-	-	-	-	-	-
Tuberculous Dis. (other)	20·1	20	5	3	1	4	4	3
Scrofula	-	-	-	-	-	-	-	-
Alcoholism	11·5	16	-	-	-	5	8	3
Rheumatic Fever	5·6	3	-	-	-	1	2	-
Gout	3·6	2	-	-	-	-	1	1
Carcinoma	41·0	47	-	-	-	4	20	23
Sarcoma	7·1	7	-	-	-	1	3	3
Cancer (undefined)	34·9	39	-	-	-	2	20	17
Diabetes Mellitus	7·9	8	-	-	-	1	2	5
Premature Birth	50·7	40	40	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 10th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	19·4	15	6	5	3	1	-	-
Insanity, Gen. Par. of Insane	26·8	16	-	-	-	3	8	5
Epilepsy	7·6	11	-	1	1	3	2	4
Convulsions	26·0	25	24	1	-	-	-	-
Locomotor Ataxy	1·3	1	-	-	-	-	-	1
Paraplegia, Dis. of Cord	7·1	4	1	-	-	-	2	1
Nervous Sys. (other dis.)	21·4	20	2	2	2	-	4	10
Valv. Dis., Endocarditis	43·6	45	-	-	5	7	18	15
Cerebr. Hæm. Thromb.	36·7	40	-	-	-	2	15	23
Apoplexy, Hemiplegia	22·9	13	-	-	-	-	2	11
Aneurysm	4·1	4	-	-	-	1	3	-
Embolism, Thrombosis (not cerebral)	2·5	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	107·3	75	-	-	4	5	19	47
Croup (not Spasm: nor Memb.)	1·0	-	-	-	-	-	-	-
Bronchitis	215·3	154	29	5	-	2	26	92
Asthma, Emphysema	11·7	5	-	-	-	-	-	5
Pleurisy	4·3	4	-	-	1	1	-	2
Respiratory Dis. (other)	13·8	15	3	1	-	2	3	6
Tonsillitis, Quinsy	1·0	1	-	1	-	-	-	-
Enteritis (not Epid.)	6·9	9	6	-	-	1	2	-
Gastro-Enteritis	4·1	4	4	-	-	-	-	-
Peritonitis (not Puerp.)	3·1	1	1	-	-	-	-	-
Cirrhosis of Liver	12·7	16	-	-	-	3	9	4
Liver Dis. (other)	7·1	2	-	-	1	-	1	-
Digestive Dis., Other	46·6	39	6	-	7	5	11	10
Nephritis, Acute	8·4	5	-	-	-	2	2	1
Bright's Dis., Albuminuria	40·5	40	-	-	2	6	18	14
Urinary Sys., Other Dis.	10·2	12	-	-	-	2	4	6
Generative Organs Dis.	5·6	6	-	-	-	2	3	1
Childbirth (Accid. of)	2·8	3	-	-	-	2	1	-
Old Age	61·2	75	-	-	-	-	1	74
Other Diseases	113·3	92	70	7	4	2	3	6
ACCIDENT.								
By Railways	1·5	1	-	-	-	-	-	1
By Vehicles and Horses	6·6	7	-	-	2	2	2	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	-	-	-	-	-	-	-
In Building Operations	1·3	1	-	-	-	1	-	-
In Conflagrations	2·0	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	7·6	6	-	4	2	-	-	-
By Drowning	4·1	3	1	-	1	-	1	-
By Suffocation in Bed	15·3	8	8	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	2	-	-	-	-	1	1
Other Deaths by Accident	14·8	11	-	2	-	3	1	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·5	-	-	-	-	-	-	-
Suicide	9·2	7	-	-	-	4	3	-
Execution	0·3	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th March, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,429	2509	1468	296	455	–	56	12	12	34	–	3	–	19	46	141	548	–
WEST DISTRICTS	805,311	385	250	39	85	–	7	–	2	1	–	1	–	5	4	16	101	–
NORTH DISTRICTS	1,056,070	516	313	58	95	–	12	4	1	9	–	–	–	3	8	33	99	–
CENTRAL DISTRICTS	209,465	111	58	10	21	–	2	–	–	4	–	–	–	–	4	9	34	1
EAST DISTRICTS	715,739	510	264	71	66	–	4	1	–	7	–	–	–	3	11	42	114	–
SOUTH DISTRICTS	1,749,844	987	539	117	170	–	30	6	5	13	–	2	–	7	19	41	156	2
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	44	1	18	–	1	1	4	–	–	–	–	1	–	–	44	–
WEST DISTRICTS.																		
St. Mary Paddington *W,2H*	93,178	55	29	9	9	–	1	–	–	–	–	–	–	2	–	1	14	–
St. John Paddington *H*	33,617	5	15	2	6	–	–	–	–	1	–	–	–	–	–	1	9	–
North-West Paddington	17,181	8	6	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H*	128,037	50	48	6	17	–	–	–	–	–	–	1	–	–	1	4	23	–
Brompton *2H*	48,591	11	9	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
North Hammersmith *W,wH*	49,192	25	15	1	7	–	–	–	–	–	–	–	–	–	–	1	–	–
South Hammersmith *w,2H*	63,047	35	19	4	5	–	2	–	–	–	–	–	–	2	–	–	6	–
North-west Fulham *W*	45,180	51	23	2	6	–	2	–	–	–	–	–	–	1	1	2	15	–
North-east Fulham *F*	46,405	23	13	2	4	–	2	–	2	–	–	–	–	–	–	–	3	–
South Fulham *W*	45,704	37	12	3	3	–	–	–	–	–	–	–	–	–	–	2	–	–
Chelsea North *W,w,3H*	42,514	8	25	2	10	–	–	–	–	–	–	–	–	–	–	2	21	–
Chelsea South *W,2H*	31,328	16	7	1	2	–	–	–	–	–	–	–	–	–	–	–	3	–
Mayfair and Knightsbridge	28,743	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	29	14	1	5	–	–	–	–	–	–	–	–	–	1	2	3	–
St. Margaret & St. John *4H*	43,698	20	10	3	2	–	–	–	–	–	–	–	–	–	1	1	4	–
St. James and St. Anne‡ *W,6H*	33,081	9	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	10	18	1	3	–	–	–	–	–	–	–	–	–	2	4	10	–
St. Mary Marylebone *W,4H*	37,948	30	11	1	4	–	–	–	–	–	–	–	–	–	–	–	2	–
Christchurch Marylebone *H*	39,536	18	13	5	1	–	1	–	–	–	–	–	–	1	–	–	–	–
St. John Marylebone *3H*	20,426	3	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hampstead *W,F,8H*	81,942	33	18	2	7	–	1	1	–	–	–	–	–	–	–	–	8	–
West St. Pancras *2H*	60,562	33	9	3	4	–	1	–	–	1	–	–	–	–	1	1	3	–
Tottenham-court *w,7H*	21,258	6	4	–	–	–	–	–	1	–	–	–	–	–	–	–	4	–
Gray's Inn Lane *4H*	34,449	15	11	–	–	–	–	–	–	1	–	–	–	–	–	–	6	–
East St. Pancras *W,2H*	60,320	16	20	4	7	–	–	1	–	1	–	–	–	–	1	4	7	–
North St. Pancras *2W*	58,728	29	20	3	4	–	1	–	–	–	–	–	–	–	–	1	11	–
Tufnell *W*	31,995	18	16	1	9	–	1	–	–	–	–	–	–	–	–	1	12	–
Upper Holloway *2W,w,H*	33,978	23	22	8	5	–	–	–	–	1	–	–	–	–	–	2	12	–
Tollington *WH*	33,922	12	8	–	4	–	–	–	–	1	–	–	–	–	–	1	–	–
Lower Holloway	41,424	25	12	5	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Barnsbury	54,478	39	14	6	2	–	3	–	–	2	–	–	–	1	–	1	–	–
Islington South-east *F*	75,397	37	17	5	5	–	2	–	–	–	–	–	–	–	–	1	–	–
Highbury *2H*	63,797	31	11	1	5	–	1	–	–	–	–	–	–	–	–	1	1	–
Stoke Newington *H*	51,247	22	17	1	8	–	–	–	–	2	–	–	–	–	–	4	–	–
North Hackney	50,560	22	9	2	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Central Hackney *2w,F*	50,536	30	14	–	4	–	–	2	–	–	–	–	–	1	1	3	2	–
South-west Hackney *3H*	59,921	33	19	2	5	–	1	–	–	–	–	–	–	–	1	3	4	–
South-east Hackney *2W,w,H*	58,255	31	28	6	11	–	–	–	–	–	–	–	–	–	2	4	17	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

BLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th March, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyræmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
. Giles and Bloomsbury *W,2H* -	31,436	16	6	-	4	-	-	-	-	-	-	-	-	-	-	-	1	1
rand *W,4H* - - - - -	21,674	3	8	-	3	-	-	-	-	-	-	-	-	-	2	2	8	-
rand Union Workhouse, Edmonton -	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
olborn *W,6H* - - - - -	29,612	20	12	3	2	-	-	-	-	3	-	-	-	-	-	-	10	-
outh Clerkenwell - - -	28,676	20	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
orth Clerkenwell *H* - - -	35,028	14	6	2	3	-	1	-	-	-	-	-	-	-	-	1	-	-
nsbury *3H,L* - - - - -	36,116	29	6	3	3	-	-	-	-	1	-	-	-	-	-	1	2	-
olborn Union Workhouse, Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. Botolph *H* - - - - -	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. Sepulchre and Allhallows *W,2H*	16,624	7	10	1	2	-	-	-	-	-	-	-	-	-	2	5	7	-
ty of London Asylum, Stone -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
oreditch South *H* - - -	46,362	30	12	4	4	-	-	-	-	1	-	-	-	-	-	2	-	-
oreditch North-West *W,w,H* -	36,127	25	23	4	7	-	-	-	-	-	-	-	-	1	2	4	15	-
oreditch North-East - - -	36,148	31	10	5	2	-	-	-	-	-	-	-	-	-	1	1	-	-
oreditch Union Workhouse, Wood Green - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North *2H* - -	51,514	43	23	11	3	-	1	-	-	1	-	-	-	1	1	3	7	-
thnal Green South - - -	33,472	18	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
thnal Green East *2W,H,L* - -	44,694	22	22	4	10	-	-	-	-	-	-	-	-	-	2	3	13	-
pitalfields - - - - -	27,969	14	10	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-
ile End New Town *W,H* - -	28,718	39	45	6	5	-	-	-	-	-	-	-	-	-	-	5	41	-
oodman's Fields - - - -	22,081	24	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. George and St. John *2W* - -	49,068	39	19	3	4	-	1	-	-	1	-	-	-	-	-	5	9	-
adwell and Ratcliff *W,H* - -	25,568	16	10	5	2	-	-	-	-	1	-	-	-	-	-	1	5	-
imehouse *W* - - - - -	32,369	25	11	5	1	-	1	-	-	1	-	-	-	-	-	1	-	-
ile End Old Town South-Western *H* - - - -	63,698	55	11	5	2	-	-	-	-	-	-	-	-	1	3	5	-	-
ile End Old Town North-Eastern *W,w* - - -	49,129	31	20	5	9	-	-	1	-	-	-	-	-	-	1	4	12	-
ow *L* - - - - - -	41,989	31	4	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-
romley *3w,H* - - - - -	68,319	39	26	3	10	-	1	-	-	-	-	-	-	-	-	4	10	-
oplar *W,w* - - - - -	58,514	28	11	3	2	-	-	-	-	1	-	-	-	-	1	1	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-P[OX], MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registe[red] in each SUB-DISTRICT during the Week ended Saturday, 10th March, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyræxia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	8	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Saviour Southwark *H*	12,056	6	13	2	-	-	1	-	-	-	-	-	-	-	1	2	12
Kent-road	21,904	16	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-
St. George the Martyr West *W,2H,L*	39,094	18	9	2	2	-	-	-	-	1	-	-	-	-	1	2	3
Newington North	49,022	22	11	3	1	-	1	-	-	-	-	-	-	-	-	2	-
Newington South *W*	72,841	52	24	5	9	-	2	-	-	-	-	-	-	-	1	1	2
St. Olave *2W*	9,817	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1
Bermondsey *W*	82,483	47	19	4	4	-	-	-	-	1	-	-	-	-	1	1	-
Rotherhithe *W,F*	38,460	23	19	7	2	-	-	-	-	-	-	-	-	1	1	1	8
Waterloo-road *2H*	27,440	33	8	4	2	-	1	-	-	-	-	-	-	-	-	-	1
Lambeth Church 1st *H*	18,423	18	18	3	2	-	1	-	-	-	-	-	-	1	3	4	15
Lambeth Church 2nd *2W*	39,818	24	28	3	13	-	-	-	-	1	-	-	-	-	-	-	20
Kennington 1st *H*	53,198	34	14	3	4	-	-	-	-	1	-	-	-	-	2	2	-
Kennington 2nd *H*	42,896	16	11	5	4	-	1	-	-	-	-	-	-	-	-	-	6
Brixton *F*	84,232	38	21	3	10	-	-	4	-	-	-	-	-	-	-	3	4
Norwood *W,H*	35,888	16	13	2	3	-	1	-	-	1	-	-	-	-	-	-	2
East Battersea *H*	72,203	44	14	4	2	-	2	-	-	1	-	-	-	1	-	-	-
North-west Battersea	49,656	25	12	7	1	-	-	-	-	1	-	-	-	-	-	1	-
South-west Battersea *2W,H*	47,048	23	18	2	7	-	-	-	-	-	-	-	-	-	1	2	9
Clapham *2H*	51,361	25	9	1	5	-	1	-	-	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	48	33	3	16	-	2	2	1	-	-	-	-	2	1	2	15
Springfield *2W,L*	27,959	22	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	17	10	2	2	-	-	-	-	1	-	-	-	-	-	1	1
Putney	24,139	12	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	22	-	11	-	-	-	-	-	-	-	-	-	-	1	18
Camberwell North *W,2L*	65,584	28	18	2	6	-	3	-	-	-	-	-	-	-	-	-	7
St. George	47,331	33	5	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Peckham North	48,913	30	12	6	2	-	3	-	-	1	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	26	10	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Deptford North	37,613	23	15	7	3	-	1	-	-	1	-	-	-	-	-	1	-
Deptford Central	45,481	26	11	3	1	-	4	-	-	-	-	-	-	-	-	1	-
Deptford South	34,625	12	12	2	4	-	4	-	-	-	-	-	-	-	-	2	-
Greenwich West *2H*	23,456	8	10	1	4	-	1	-	-	-	-	-	-	-	1	1	1
Greenwich East *2W,H*	43,859	28	20	4	11	-	-	-	-	-	-	-	-	-	1	1	13
Eltham *w,H*	7,226	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F*	58,352	58	28	5	15	-	1	-	-	1	-	-	-	-	-	-	6
Sydenham *H*	43,653	21	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	7	8	-	1	-	-	-	3	-	-	2	-	-	1	1	6
Woolwich *5H*	41,625	25	12	5	1	-	-	-	-	-	-	-	-	-	1	3	2
Plumstead West *W*	18,063	13	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	27	20	6	8	-	-	-	-	1	-	-	-	-	3	3	4
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	6	1	-	-	1	1	4	-	-	-	-	-	-	-	6
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	6	-	4	-	-	-	-	-	-	-	-	1	-	-	6
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Manor	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Cane Hill	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Dartford Heath	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Hanwell	—	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4
Colney Hatch	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Claybury	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 10th March, 1906.

Registration District No.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,302	2,044,973	1342	602	123	195	-	36	7	12	15	5	4	14	68	106	5
3	1 Carshalton 2F,2H	12,228	32,997	21	12	2	5	-	-	-	1	1	-	-	-	-	1	-
	2 Epsom, *part of** W,w,2F,H	10,423	15,548	18	7	1	4	-	-	-	1	-	-	-	1	1	5	-
3	1 Godstone, *part of** W,F	2,754	2,692	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	1 Coulsdon	11,069	8,166	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2 South Croydon w	4,200	49,309	16	6	2	-	-	-	-	-	-	-	1	-	2	-	-
	3 West Croydon 3W,F,H	2,168	42,888	24	21	2	7	-	2	1	-	-	-	-	1	2	11	-
	4 North Croydon H	2,644	41,698	23	5	-	2	-	-	-	-	-	-	-	-	-	-	-
	5 Penge w,H	770	22,465	13	5	-	3	-	-	-	-	-	-	-	-	-	1	-
	6 Mitcham w	11,711	30,015	22	5	3	-	-	2	-	-	-	-	-	-	-	-	-
8	1 Wimbledon F,3H	3,221	41,652	23	16	4	4	-	3	-	-	-	1	-	2	3	2	-
	2 Kingston 2W,H	6,224	42,068	25	11	4	5	-	-	-	-	1	-	-	-	-	3	-
	3 Surbiton F,H	3,046	15,017	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-
	4 Esher, *part of** H	5,402	13,100	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-
	5 Hampton H,F,L	4,564	23,456	11	7	2	2	-	-	-	-	-	-	-	-	1	-	-
4	1 Richmond W,H	2,162	28,865	10	7	2	4	-	-	-	-	-	-	-	-	1	1	-
	2 Mortlake F	2,847	20,628	17	4	1	1	-	-	1	-	-	-	-	1	3	1	-
4	1 Bromley F,2H	4,703	27,354	16	8	1	5	-	-	-	1	-	-	-	-	-	1	-
	2 Beckenham H	7,825	28,497	11	8	-	3	-	-	-	-	-	-	-	-	-	1	1
	3 Orpington *part of** W	10,113	9,857	2	6	-	2	-	-	-	-	-	-	-	-	-	3	-
	4 Chislehurst 2H	7,333	16,446	13	7	1	4	-	-	-	-	-	-	-	-	-	3	-
4	1 Bexley w F,H	8,678	21,151	16	9	5	2	-	-	-	-	1	-	-	-	-	-	-
	2 Erith F,H	3,854	25,296	17	5	-	1	-	-	-	2	-	-	-	-	-	-	-
	3 Dartford W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1 Sunbury w	11,054	18,683	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-
	2 Staines W,H	13,277	15,178	8	4	1	2	-	-	-	-	-	-	-	-	-	1	-
2	1 Hillingdon W,F,H	6,035	13,661	7	10	2	3	-	-	-	-	-	-	-	-	1	2	-
	2 Uxbridge H	12,757	8,984	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	3 Hayes w,F,H	8,066	16,358	14	4	2	-	-	-	-	-	-	-	-	-	-	-	-
2	1 Isleworth 3W,2F,H	6,859	30,863	15	12	1	9	-	-	-	-	-	-	-	-	-	7	-
	2 Twickenham F,H	2,421	20,991	11	8	4	1	-	-	-	1	-	-	-	1	2	-	-
	3 Brentford 3F,2H,L	4,319	48,289	33	15	2	3	-	-	-	1	-	-	-	-	-	-	2
	4 Chiswick H	1,249	29,809	20	6	1	3	-	-	-	-	-	-	-	-	2	-	-
	5 Acton w,3H	6,132	48,914	35	14	3	5	-	1	1	-	-	-	1	-	-	1	1
2	1 Harrow F,H	13,809	25,523	23	7	2	3	-	-	-	-	-	-	-	-	-	-	-
	2 Edgware F,2H	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3 Willesden W,2F,2H	4,384	114,811	70	30	4	13	-	2	-	-	1	1	-	-	-	7	-
	4 Hendon W,F	8,382	22,450	10	6	-	6	-	-	-	-	-	-	-	-	-	2	-
2	1 South Mimms 2F,H	17,755	7,308	7	2	-	-	-	-	-	-	1	-	-	1	1	-	-
	2 Barnet W,2H	5,324	17,970	9	3	-	1	-	1	-	-	-	-	-	-	-	-	-
	3 Finchley F,2H	4,688	33,692	13	12	3	3	-	2	-	-	-	-	-	-	-	-	-
2	1 Hornsey F,H	2,875	72,056	27	17	2	8	-	1	-	-	-	1	-	2	3	1	-
	2 Wood Green H	1,625	34,233	32	7	3	-	-	-	-	-	3	-	-	-	-	-	-
	3 West Tottenham F	996	48,853	34	14	2	8	-	1	-	1	-	-	-	-	-	-	-
	4 East Tottenham 2H	2,017	53,688	44	25	7	2	-	4	-	-	-	-	1	-	2	3	-
	5 Edmonton W,w,2F	7,491	61,892	46	16	3	5	-	-	-	-	-	-	-	-	1	7	-
	6 Enfield 2W,F,H	12,601	42,738	27	13	4	6	-	1	-	-	-	-	-	1	4	-	-
	7 Waltham Abbey F	11,017	6,549	2	2	1	-	-	-	-	-	2	-	-	-	-	-	-
	8 Cheshunt F,H	8,479	12,292	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	1 Hatfield, *part of** W	3,305	664	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	1 Bushey H	9,333	9,173	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	2 Watford W,2F *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	1 Stratford H	1,072	44,827	36	13	3	-	-	-	1	-	2	-	-	2	4	1	-
	2 Plaistow F,2H	1,249	90,921	86	26	8	3	-	4	-	1	1	-	1	-	1	2	-
	3 Canning Town H	1,556	70,718	55	13	3	-	-	-	-	-	-	1	-	-	3	-	-
	4 Forest Gate w	806	60,892	24	14	3	5	-	1	-	-	-	-	-	1	1	-	-
	5 North East Ham w H	1,333	58,676	44	18	5	5	-	2	-	-	-	-	-	-	2	-	-
	6 South East Ham 2F	1,993	37,342	37	11	2	2	-	-	2	2	-	1	-	-	-	5	-
	7 Wanstead F	1,679	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 South Leyton 2W	631	50,467	37	17	5	8	-	-	-	-	-	-	-	-	1	2	-
	9 North Leyton 2W,w,F	1,963	48,445	41	34	3	10	-	3	1	1	1	-	-	-	4	20	-
	10 Walthamstow 3H,L	6,504	108,929	76	33	8	10	-	5	-	-	1	-	-	1	2	-	-
16	1 Chigwell, *part of** 2F,3H	11,778	16,397	10	5	1	2	-	-	-	-	-	-	-	-	-	-	-
	2 Epping W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	1 Romford, *part of** W,2F	6,556	6,091	5	3	-	2	-	-	-	-	-	-	-	-	-	3	-
	2 Ilford F,L	8,496	41,234	30	14	1	6	-	-	-	-	-	-	-	-	-	4	1
	3 Barking Town F	3,803	21,547	22	5	1	2	-	1	-	-	-	-	-	-	-	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
	City of London Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Cheydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	March 10	2509	1468	16·2	-	56	12	12	34	3
CALCUTTA - -	910,117	February 3	-	-	-	-	-	-	-	-	-
BOMBAY - -	776,096	" 20	424	929	62·2	11	17	-	-	-	226†
MADRAS - -	509,346	" 9	-	-	-	-	-	-	-	-	-
PARIS - - -	2,750,000	March 3	1248	1068	20·8	-	28	-	3	3	3
BRUSSELS - -	598,467	" 3	225	200	17·4	-	2	-	1	1	-
ANTWERP - -	291,949	" 3	156	82	14·6	-	-	-	1	2	-
AMSTERDAM -	558,736	February 24	349	157	14·6	-	1	-	-	3	-
COPENHAGEN -	430,000	March 3	238	105	12·7	-	2	-	-	1	-
STOCKHOLM -	318,398	February 24	158	96	15·7	-	-	4	-	1	-
CHRISTIANIA -	222,373	March 3	107	69	16·1	-	-	1	2	-	-
ST. PETERSBURG	1,429,000	February 24	-	667	24·3	2	9	6	3	7	16
MOSCOW - -	1,154,000	" 24	-	548	24·8	3	1	10	8	4	4
BERLIN - -	2,049,230	" 17	977	623	15·9	-	8	5	4	12	2
HAMBURG - -	803,000	March 3	-	225	14·6	-	1	-	1	4	-
BRESLAU - -	463,283	February 24	-	181	20·4	-	1	1	-	6	-
MUNICH - -	540,000	" 24	279	208	20·0	-	3	-	2	4	1
		March 3	-	209	20·1	-	-	1	2	2	-
VIENNA - -	1,917,639	" 3	958	674	18·3	-	6	5	14	2	1
PRAGUE - -	455 241	" 3	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	859,134	" 3	481	289	17·5	-	6	3	6	2	1
TRIESTE - -	194,749	" 3	-	-	-	-	-	-	-	-	-
ROME - -	526,170	January 20	285	189	18·7	-	3	-	3	-	1
VENICE - -	171,709	February 17	91	106	32·2	-	-	-	-	-	1
BUCHAREST -	282,071	" 17	176	118	21·8	-	-	-	-	-	1
NEW YORK -	4,152,860	" 24	1843	1656	19·8	-	34	8	77	4	9
CHICAGO - -	2,049,185	" 17	-	527	13·4	-	-	13	10	2	4
PHILADELPHIA -	1,469,126	" 10	-	584	20·7	-	20	4	11	8	29
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	905,000	February 4	-	271	15·6	2	1	-	-	2	3†

* Excluding deaths from croup in the Indian Cities.
† Including 139 deaths from plague in Bombay, and 2 in Rio de Janeiro.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 10th March, 1906

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	65·0	34·5	47 7	0·35	BRADFORD - -	56 4	36 4	45 7	1
BRIGHTON - -	52·6	35·5	44·4	0·47	LEEDS - - -	58·0	35·0	47 1	0
PORTSMOUTH - -	58·3	36·0	46·5	0·39	HULL - - -	61·0	31·0	46 0	0
NORWICH - -	67·0	31·6	47·0	0·25	TYNEMOUTH - -	58·0	29 0	43 8	0
PLYMOUTH - -	52·3	39·0	46·7	0·28	CARDIFF - -	63·6	31·8	43 0	1
BRISTOL - - -	63·3	32·5	46·7	0·97	EDINBURGH - -	52 1	30 1	42 7	0
BIRMINGHAM - -	62·8	34·4	45·7	0·37	GLASGOW - -	52 6	23 2	42 5	1
NOTTINGHAM - -	62·3	31·3	45·9	0·44	DUBLIN Phœnix Park.	57·7	35 9	46 3	0
LIVERPOOL OBSERVATORY.	55·0	34·0	44·8	0·51	DUBLIN Fitzwilliam Square.†	58·6	37·2	47·3	0
MANCHESTER -	61·8	33·8	45·2	1·40					
PRESTON - -	51·5	35·2	44·0	1·42					
HUDDERSFIELD -	55·4	33·0	44·5	1·32	BELFAST - -	55 5	29 2	44 4	0

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 3.—METEOROLOGICAL

[*Under the Superintendence of the Astronomer Royal.*]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
March.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
Sunday -	4	..	30·188	58·2	36·3	21·9	45·9	+ 5·2	36·5	9·4	15·2	1·5	70	103·2	24·5	41·60	SW.	WSW., SW. & SSW.	1·7	0·0	0·2	302	− 33	0·00	1·8
Monday -	5	Greatest Dec. N.	29·990	52·3	36·2	16·1	45·1	+ 4·2	40·8	4·3	7·8	2·1	85	85·1	22·0	41·72	S. & SSW.	SSW. & SW.	3·1	0·0	0·3	347	+ 11	0·00	5·2
Tuesday -	6	..	30·141	64·2	47·3	16·9	53·7	+12·6	45·3	8·4	17·6	3·8	73	103·5	37·5	41·89	SSW., SW. & WSW.	SSW. & SW	2·7	0·0	0·2	327	− 9	0·00	2·0
Wednesday	7	..	30·073	65·0	42·5	22·5	54·0	+13·0	41·9	12·1	19·6	2·2	64	107·0	29·9	42·32	SW.	SW. & SSW.	4·5	0·0	0·3	341	+ 0	0·00	7·5
Thursday -	8	..	29·695	50·9	44·0	6·9	47·2	+ 6·3	43·6	3·6	6·1	1·8	87	57·0	38·0	42·80	WSW. & SW.	SW. & WSW.	10·5	0·0	1·2	637	+304	0·11	8·5
Friday -	9	..	29·722	48·1	39·0	9·1	43·3	+ 2·5	31·7	11·6	14·9	5·5	64	77·6	32·2	43·20	WSW. & W.	W., WNW. & WSW.	9·0	0·0	1·1	619	+288	0·01	3·5
Saturday -	10	Full	29·813	48·8	34·5	14·3	41·4	+ 0·7	36·0	5·4	12·4	0·9	81	74·6	29·0	43·28	W. & SW.	SW., SE. & SSE.	1·2	0·0	0·0	198	−131	0·23	3·5
Means	-		29·946	55·4	40·0	15·4	47·2	+ 6·4	39·4	7·8	13·4	2·5	75	86·9	30·4	42·40	SW.		..	..	..	Sum 2771	Sum +436	Sum 0·35	4·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. March.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	4	m. P. till 3h. A.M.; w. P. generally afterwards.	9·5	11·0	Cloudless with hoar frost in morning; very fine with small amounts of cloud till noon; generally cloudless afterwards.
Monday -	5	w. P. generally; s.N. between 4h. and 5h. P.M.	3·3	11·0	Cloudless till 10h. A.M.; generally overcast with occasional slight rain till evening; fine and partially cloudy at night.
Tuesday -	6	w. P. generally.	7·4	11·1	Cloudy in early morning; very fine and nearly cloudless afterwards; very warm.
Wednesday	7	w. P. generally; m. P. in evening.	10·5	11·2	Cloudless with very slight exceptions; a very fine, warm day.
Thursday -	8	w. P. till 11h. A.M.; w.P. and w.N. till 3h. P.M.; w. P. generally afterwards.	0·0	11·2	Generally overcast till 10h. P.M., with frequent rain between 9h. A.M. and 4h. P.M.; fine afterwards; gusty wind. Lunar halo at night.
Friday -	9	w. P. till 8h. A.M.; s.P. generally afterwards.	4·3	11·3	Fine and partially cloudy: slight shower in early morning; brisk wind till evening.
Saturday -	10	m. P. generally till 3h. P.M.; s. N. till 9h. P.M.; w. P. generally afterwards.	0·0	11·4	Fine but cloudy in early morning; generally overcast afterwards with frequent rain after 1h. P.M. Solar halo observed at and about 9h. A.M.
			Sum 35·0	Sum 78·2	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·26 in. at the beginning of the week to 29·96 in. by 7h. A.M. on the 5th; increased to 30·19 in. by 10h. A.M. on the 6th; decreased to 29·63 in. by midnight on the 8th; increased to 29·90 in. by 9h. A.M. on the 10th; and decreased to 29·58 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 3rd March, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	1	2	-	-	-	-	4	-
Kensington	180,952	-	5	4	-	1	-	-	1	-
Hammersmith	120,679	-	-	5	-	1	-	-	2	-
Fulham	161,965	-	17	6	-	-	-	-	3	-
Chelsea	74,672	-	3	2	-	1	-	-	2	-
City of Westminster	173,905	-	8	3	-	-	-	-	2	-
NORTH.										
St. Marylebone	128,580	-	5	4	-	-	-	-	1	-
Hampstead	89,633	-	5	2	-	-	-	-	-	-
St. Pancras	236,455	-	15	3	-	1	-	-	2	-
Islington	344,987	-	24	7	-	-	-	-	3	1
Stoke Newington	53,217	-	1	1	-	-	-	-	2	-
Hackney	230,721	-	20	2	-	-	-	-	4	-
CENTRAL.										
Holborn	55,805	-	1	2	-	-	-	-	3	-
Finsbury	97,466	-	5	1	-	1	-	-	3	-
City of London	21,367	-	3	-	-	-	-	-	1	-
EAST.										
Shoreditch	116,108	-	3	5	-	1	-	-	3	-
Bethnal Green	130,609	-	4	3	-	1	-	-	4	-
Stepney	307,176	3	20	3	-	2	-	-	6	-
Poplar	170,673	-	11	6	-	1	-	-	6	-
SOUTH.										
Southwark	209,143	-	22	6	-	2	-	-	2	-
Bermondsey	128,629	-	15	5	-	-	-	-	5	-
Lambeth	315,774	-	35	6	-	2	-	-	5	1
Battersea	179,622	-	9	1	-	3	-	-	2	1
Wandsworth	273,381	-	40	5	-	-	-	-	8	-
Camberwell	274,132	-	18	5	-	1	-	-	5	-
Deptford	115,495	-	8	1	-	1	-	-	3	-
Greenwich	105,350	-	13	6	-	-	-	-	3	-
Lewisham	148,463	-	11	6	-	-	-	-	2	-
Woolwich	127,345	-	14	14	-	1	-	-	6	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	3	336	116	-	20	-	-	93	3
Ages 0-1		-	4	4	-	-	-	-	4	-
" 1-5		-	125	44	-	-	-	-	-	-
" 5-		-	129	37	-	4	-	-	2	-
" 10-		-	35	9	-	3	-	-	9	-
" 15-		-	20	7	-	2	-	-	1	-
" 20-		3	11	5	-	-	-	-	7	-
" 25-		-	10	7	-	5	-	-	9	3
" 35-		-	2	2	-	3	-	-	24	-
" 45-		-	-	1	-	3	-	-	14	-
" 55-		-	-	-	-	-	-	-	14	-
" 65 and upwards		-	-	-	-	-	-	-	9	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during February, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th March, 1906.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of February.

Twelve samples were taken in each of the eight districts, making a total of 96 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - - -	February 12th, Cab Rank, Fulham Road, near Hospital for Women.	4·1	33·50	·258	·027	trace	·306	·333	1·8	22·5
West Middlesex - -	February 12th, Cab Rank, Maida Vale, by St. John's Wood Road.	4·0	32·08	·219	·024	0	·268	·292	1·8	22·1
Southwark - - -	February 12th, Cab Rank, near "Swan" Public House, Stockwell Road.	5·0	34·18	·195	·020	0	·340	·360	1·85	23·4
Grand Junction - -	February 12th, Cab Rank, Shepherd's Bush Green.	3·9	29·04	·230	·025	0	·181	·206	1·8	19·7
Lambeth - - - -	February 12th, Cab Rank, Westminster Bridge Road.	4·2	34·04	·218	·024	0	·341	·3 5	1·9	23·4
Lea, Wells, etc.										
New River - - -	February 12th, Cab Rank, Tottenham Court Road.	4·2	34·36	·112	·012	0	·294	·306	1·85	23·9
Eastern - - - -	February 12th, Tap on main at Lea Bridge Works.	4·0	41·46	·268	·025	0	·348	·373	2·35	26·0
Deep Wells.										
Kent- - - - -	February 13th, Police Station, Blackheath Road.	12·5	39·94	·047	·009	0	·494	·503	2·3	27·8
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district of the Water Board, on the 12th February at the Cab Rank in Fulham Road, had a temperature of 4·1° C.; 100,000 lbs. of it contained 33·50 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·258 lb. of carbon and ·027 lb. of nitrogen. The above quantity of water also contained ·306 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·333 lb. The above weight of water also contained 1·8 lbs. of chlorine and 22·5 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples of the river-derived supplies collected on the 12th February, and of the Kent district water taken on the 13th, were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several District Works was:—Kent 0·9, New River 2·1, Southwark 3·6, West Middlesex and Lambeth 4·1, Grand Junction 4·3, Chelsea 4·8, and Eastern 5·0.

The supplies from the five District Works distributing filtered Thames water, examined on the 12th February, were all clear and of good quality.

Of the supplies chiefly obtained from the River Lea, that from the New River works was the better; it contained only about half the amount of organic impurity found in the Eastern district supply, in which the proportion of organic matter was slightly more than in the Thames-derived waters at the same time of the month. Both supplies were clear and of good quality.

The deep-well water from the Kent district was of its usual high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent water was colourless, and the supplies from all the other districts had a very pale yellow colour.

In addition to the above analytical examination, the 96 samples of water, collected during February at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed." 4 hours at 26·7° C. (80° F.)			"Oxygen consumed." 1 hour at 50° C. (122° F.)			Free Ammonia.			"Albuminoid Ammonia."		
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·158	·098	·122	·179	·105	·135	trace	0	0	·012	·010	·011
West Middlesex	·116	·099	·108	·127	·110	·118	0	0	0	·0115	·009	·0103
Southwark	·146	·083	·113	·166	·087	·123	0	0	0	·012	·007	·010
Grand Junction	·120	·105	·111	·132	·113	·123	0	0	0	·0115	·0095	·011
Lambeth	·171	·111	·137	·191	·117	·144	0	0	0	·0125	·008	·0105
LEA, WELLS, ETC.												
New River	·101	·043	·076	·112	·047	·084	0	0	0	·009	·004	·0065
LEA, WELLS, THAMES, ETC.												
Eastern	·131	·080	·115	·150	·087	·125	0	0	0	·011	·0095	·0105
DEEP WELLS.												
Kent	·010	·006	·009	·012	·008	·010	0	0	0	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With regard to the five filtered Thames waters, the above data, compared with those obtained in January, show that although the mean amounts of organic matter in the whole of the supplies were practically the same for the two months, the maximum proportion recorded in February was considerably less than in January. The West Middlesex and Grand Junction supplies exhibited least variations in organic matter, and were of good quality throughout the month; the Chelsea, Southwark, and Lambeth waters at times had a somewhat high colour, but were on the whole of fair quality for a winter month.

The New River district supply contained, on the average, more organic impurity than usual in January, and this was also the case during the past month; the quality of the water was, however, at no time inferior to that of the best of the Thames supplies.

The chemical quality of the Eastern district filtered water, obtained chiefly from the Lea, was very similar to that of the supplies drawn from the River Thames.

All the samples of deep well water collected in the Kent district were, as usual, of high organic purity and good quality.

All the samples collected in the Chelsea, West Middlesex, and New River districts were clear, but in the cases of the other supplies, on a few occasions, minute traces of rust stained suspended matters were observed.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of February, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 193 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	FEBRUARY, 1905.	FEBRUARY, 1906.	FEBRUARY, 1905.	FEBRUARY, 1906.
TOTAL SUPPLY - - -	1,021,885	1,041,805	205,269,511	200,933,263
From Thames - - - - -	475,238	485,274	107,836,382	105,224,427
From Lea and from other Sources -	546,647	556,531	97,433,129	95,708,836
THAMES.				
Chelsea - - - - - - -	39,871	40,006	11,433,929	11,533,214
West Middlesex - - - - -	91,467	92,442	22,607,500	22,485,357
Southwark and Vauxhall - -	130,221	131,837	28,825,000	28,243,000
Grand Junction - - - -	78,374	81,477	16,047,728	15,358,870
Lambeth - - - - - - -	135,305	139,512	28,922,225	27,603,986
LEA AND OTHER SOURCES.				
New River - - - - - -	203,824	207,088	38,160,633	38,587,634
Eastern - - - - - - -	231,154	235,434	41,583,321	39,334,357
Kent - - - - - - - -	111,669	114,009	17,689,175	17,786,845

Note.—The Return for February, 1906, as compared with that for the corresponding month of 1905 shows an increase of 19,920 services, and a decrease of 4,336,248 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 11. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, MAR. 17. [Price 1½*d.*

General Register Office, Somerset House,

March 19th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·2 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·3, 17·4, and 16·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 20·8 in Bournemouth, in Norwich, and in Middlesbrough, 21·2 in Liverpool, 21·7 in St. Helens, 22·0 in Hanley, and 23·2 in Wigan ; from *measles*, 1·3 in Preston, 1·9 in Newcastle on Tyne, and 2·7 in Bury ; from *scarlet fever*, 1·3 in Birkenhead ; from *diphtheria*, 1·4 in Coventry and in Merthyr Tydfil ; from *whooping-cough*, 1·1 in Cardiff, 1·2 in Rhondda, 1·3 in Plymouth, 1·6 in Handsworth (Staffs.), 1·7 in Rotherham, 3·0 in West Bromwich, and 4·0 in Smethwick ; and from *diarrhœa*, 1·3 in Reading. One death from *small-pox* was registered in Plymouth, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2499 BIRTHS and 1498 DEATHS were registered. Allowing for increase of population, the births were 135 and the deaths 168 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 17·5, 16·6, and 16·2 per 1000 in the preceding three weeks, was 16·5 last week. The death-rate in the four weeks ended last Saturday averaged 16·7 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 3/06 D & S 3 24216 L

The 1498 deaths included 70 from measles, 10 from scarlet fever, 14 from diphtheria, 38 from whooping-cough, 3 from enteric fever, and 17 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 152 deaths were referred to these diseases in the aggregate, being 25 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 52, 55, and 56 in the preceding three weeks, further rose to 70 last week, and were 6 above the corrected average; 11 deaths belonged to the Borough of Camberwell, 10 to Islington, 6 to Deptford, and 4 each to Hammersmith, Bermondsey, and Greenwich. The deaths from *scarlet fever*, which had been 10, 6, and 12 in the preceding three weeks, were 10 last week, and were 3 above the corrected average; 3 deaths belonged to Lambeth. The deaths from *diphtheria*, which had been 18, 18, and 12 in the preceding three weeks, were 14 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 35, 29, and 34 in the preceding three weeks, rose to 38 last week, but were 8 below the corrected average; 5 deaths belonged to Stepney, 5 each to Poplar and Greenwich, 4 to Shoreditch, and 3 apiece to Finsbury, Southwark, and Lambeth. The fatal cases of *enteric fever*, which had been 2, 5, and 3 in the preceding three weeks, were 3 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 13, 14, and 19 in the preceding three weeks, were 17 last week, the corrected average being 18; 6 deaths belonged to Stepney. Of the 17 deaths from diarrhœa, 14 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 other deaths at this age. The deaths attributed directly to *influenza* numbered 31, having been 15, 20, and 31 in the preceding three weeks.

Different forms of *violence* caused 64 deaths, concerning all of which inquests were held. Of these 64 deaths, 13 were cases of suicide, and 1 of homicide, while the remaining 50 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 8 to burns or scalds, 2 to drowning, 3 to the effects of anæsthetics administered for surgical purposes, and 9, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 7 cases of small-pox, 2485 of scarlet fever, 907 of diphtheria, 2 of typhus, and 69 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 3, 1, and 1; of scarlet fever, 252 cases, against 274, 273, and 268; of diphtheria, 104 cases, against 107, 86, and 119; and of enteric fever, 8 cases against 11, 11, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 10th, 1906.

Greater London.

In Greater London 3803 births and 2047 deaths were registered. Allowing for increase of population, these numbers are 172 and 272 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 12 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 15 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·67 inches, and that of the Thermometer 43°·5, the latter being 2°·4 above the week's average in the 50 years 1841–90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 58 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 22·1 hours; the measured rainfall amounted to 0·29 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 17th March, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 24th Feb., 1906.	3rd Mar., 1906.	10th Mar., 1906.	17th Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 17th March, 1906.	Registered during the Week ended 17th March, 1906 BIRTHS.	DEATHS.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,818,360	17·3	17·4	16·7	16·2	1·4	8476	4909	1039	1494	1	150	39	64	118	19	44	176	403	1197	39	76 TOWNS.
LONDON	4,721,217	17·5	16·6	16·2	16·5	1·7	2499	1498	303	467	-	70	10	14	38	3	17	64	152	532	2	LONDON.
CROYDON	151,011	12·8	15·2	9·7	11·4	1·4	84	33	7	13	-	3	-	-	-	-	1	1	6	7	-	CROYDON.
WILLESDEN	143,622	9·8	13·8	11·3	16·0	0·7	84	44	11	13	-	1	1	-	-	-	-	1	3	11	1	WILLESDEN.
HORNSEY	86,935	8·4	13·2	9·6	9·6	0·6	36	16	4	6	-	-	-	1	-	-	-	1	2	1	-	HORNSEY.
TOTTENHAM	119,503	17·5	17·0	18·8	9·2	0·9	83	21	7	5	-	1	1	-	-	-	-	-	2	4	-	TOTTENHAM.
WEST HAM	301,617	15·4	16·4	14·5	13·1	2·1	188	76	10	24	-	6	2	3	1	-	-	2	3	25	-	WEST HAM.
EAST HAM	129,886	8·8	11·6	11·6	12·4	0·4	62	31	6	7	-	-	-	-	1	-	-	-	2	2	-	EAST HAM.
LEYTON	118,287	10·1	12·3	15·4	12·8	1·3	72	29	6	9	-	1	-	1	-	-	1	-	1	4	-	LEYTON.
WALTHAMSTOW	121,334	9·0	16·3	13·3	10·7	1·7	68	25	6	5	-	1	1	2	-	-	-	2	4	5	-	WALTHAMSTOW.
HASTINGS	67,144	23·3	15·5	19·4	18·6	0·8	19	24	3	10	-	1	-	-	-	-	-	1	2	3	1	HASTINGS.
BRIGHTON	128,095	15·1	18·7	22·0	19·9	0·4	69	49	10	22	-	-	-	-	-	-	1	1	3	11	-	BRIGHTON.
PORTSMOUTH	205,118	20·6	16·3	15·0	14·2	0·5	125	56	11	25	-	-	-	1	-	1	-	1	2	10	1	PORTSMOUTH.
BOURNEMOUTH	67,702	14·6	27·7	15·4	20·8	-	25	27	7	11	-	-	-	-	-	-	-	-	3	-	-	BOURNEMOUTH.
SOUTHAMPTON	117,312	15·1	13·8	14·7	12·0	0·4	69	27	8	9	-	-	-	-	1	-	-	-	2	5	-	SOUTHAMPTON.
READING	78,987	14·5	15·8	13·9	18·5	1·3	38	28	4	17	-	-	-	-	-	-	2	-	-	11	-	READING.
NORTHAMPTON	93,749	11·1	8·9	13·3	11·1	0·6	31	20	4	7	-	-	-	-	1	-	-	-	3	3	-	NORTHAMPTON.
IPSWICH	71,809	21·8	16·0	10·9	8·7	-	37	12	2	5	-	-	-	-	-	-	-	-	-	1	-	IPSWICH.
GREAT YARMOUTH	52,613	10·9	21·8	18·8	18·8	-	18	19	2	9	-	-	-	-	-	-	-	-	1	4	-	GREAT YARMOUTH.
NORWICH	117,958	16·8	19·0	16·8	20·8	0·4	70	47	10	25	-	-	-	1	-	-	-	-	4	12	-	NORWICH.
PLYMOUTH	118,014	22·5	19·4	15·9	19·0	2·7	63	43	8	10	1	-	1	-	3	-	1	3	4	6	-	PLYMOUTH.
DEVONPORT	78,405	16·0	14·0	16·0	14·0	1·3	41	21	4	8	-	-	1	-	1	-	-	-	3	4	-	DEVONPORT.
BRISTOL	363,223	18·9	16·7	14·6	15·6	1·0	159	109	21	37	-	2	-	2	2	1	-	5	10	25	-	BRISTOL.
HANLEY‡	66,360	22·0	18·9	13·4	22·0	-	42	28	9	7	-	-	-	-	-	-	-	-	-	-	2	HANLEY‡
BURTON-ON-TRENT	52,922	18·7	13·8	15·8	5·9	-	21	6	-	3	-	-	-	-	-	-	-	-	-	1	-	BURTON-ON-TRENT.
WOLVERHAMPTON	100,729	18·6	16·0	18·1	20·7	0·5	68	40	9	14	-	1	-	-	-	-	-	2	3	9	-	WOLVERHAMPTON.
WALSALL	94,577	21·0	21·5	16·0	15·4	1·1	45	28	10	7	-	-	1	1	-	-	-	2	2	2	-	WALSALL.
HANDSWORTH	63,819	12·3	11·4	11·4	19·6	2·5	33	24	7	10	-	-	-	-	2	-	1	-	-	3	-	HANDSWORTH.
WEST BROMWICH	68,469	18·3	18·3	17·5	16·0	3·0	47	21	2	4	-	-	-	-	4	-	-	-	-	2	-	WEST BROMWICH.

* See note † on first page of this return

† These towns are included within the area of Greater London

‡ As enlarged in 1905.

TABLE 1 (*cont*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 17th March, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year, 1906.*	Death-Rates from all Causes. Week ended 24th Feb., 1906.	3rd Mar., 1906.	10th Mar., 1906.	17th Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 17th March, 1906.	Registered during the Week ended 17th March, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	17·5	19·7	18·1	13·7	1·3	283	144	35	47	-	1	1	2	8	-	2	8	10	31	3	BIRMINGHAM.
KINGS NORTON -	72,608	10·8	10·8	11·5	6·5	-	33	9	1	3	-	-	-	-	-	-	-	1	1	-	-	KINGS NORTON.
SMETHWICK - -	64,531	14·5	17·0	16·2	12·9	5·7	40	16	6	1	-	-	-	-	5	1	1	-	-	2	-	SMETHWICK.
ASTON MANOR -	82,288	12·0	17·7	14·6	7·0	0·6	53	11	4	3	-	-	-	-	-	-	1	-	1	-	-	ASTON MANOR.
COVENTRY - -	76,374	14·3	13·7	16·4	17·8	2·0	44	26	5	10	-	-	-	2	-	-	1	2	3	4	1	COVENTRY.
LEICESTER - -	232,111	15·1	21·3	15·5	12·1	0·9	94	54	11	12	-	-	-	1	2	-	1	4	6	5	1	LEICESTER.
GRIMSBY - - -	69,359	12·8	12·0	17·3	11·3	0·8	29	15	4	5	-	-	-	-	-	1	-	-	1	2	-	GRIMSBY.
NOTTINGHAM - -	254,563	18·8	25·8	16·2	18·0	1·0	129	88	12	34	-	-	1	1	1	2	-	-	-	19	2	NOTTINGHAM.
DERBY - - -	123,981	11·8	14·3	13·0	15·6	0·8	47	37	7	12	-	-	-	2	-	-	-	1	5	9	-	DERBY.
STOCKPORT - -	99,646	23·0	23·5	16·2	17·3	1·0	42	33	5	16	-	-	-	-	2	-	-	-	1	11	-	STOCKPORT.
BIRKENHEAD - -	117,292	14·7	17·8	17·8	18·7	1·3	56	42	8	14	-	-	3	-	-	-	-	2	4	12	-	BIRKENHEAD.
WALLASEY - -	64,578	11·3	9·7	16·1	10·5	-	40	13	2	2	-	-	-	-	-	-	-	1	1	3	-	WALLASEY.
LIVERPOOL† - -	739,180	19·3	22·2	22·6	21·2	2·5	422	301	58	67	-	15	4	2	14	-	1	10	17	89	10	LIVERPOOL.†
BOOTLE† - - -	65,989	12·6	13·4	21·3	15·8	1·6	48	20	6	5	-	-	1	-	1	-	-	-	1	1	-	BOOTLE.†
ST. HELENS - -	91,153	14·3	19·4	15·4	21·7	1·1	52	38	8	13	-	-	-	2	-	-	-	1	2	14	1	ST. HELENS.
WIGAN - - -	87,588	17·3	14·3	12·5	23·2	-	71	39	9	13	-	-	-	-	-	-	-	1	3	4	-	WIGAN.
WARRINGTON - -	69,280	19·6	23·3	24·1	9·8	-	49	13	5	4	-	-	-	-	-	-	-	2	2	1	1	WARRINGTON.
BOLTON - - -	180.502	14·2	20·8	11·8	14·2	1·2	95	49	8	14	-	-	-	1	-	2	1	-	5	1	-	BOLTON.
BURY - - -	58,744	22·2	24·9	16·9	17·8	2·7	21	20	-	8	-	3	-	-	-	-	-	-	-	2	-	BURY.
MANCHESTER - -	637,126	20·3	20·6	20·0	19·4	1·9	363	237	62	63	-	12	-	4	2	1	4	14	23	55	2	MANCHESTER.
SALFORD - - -	234,077	18·3	16·3	14·9	14·9	1·8	122	67	10	17	-	1	3	1	3	-	-	-	4	14	-	SALFORD.
OLDHAM - - -	140,969	16·3	21·5	17·0	18·5	1·1	79	50	15	6	-	-	2	-	-	-	1	2	4	7	-	OLDHAM.
ROCHDALE - -	87,189	16·7	13·2	19·1	15·5	0·6	38	26	4	10	-	-	1	-	-	-	-	1	4	7	-	ROCHDALE.
BURNLEY - - -	102,808	16·2	15·2	17·8	17·2	1·5	48	34	7	12	-	-	-	1	1	-	1	2	5	6	-	BURNLEY.
BLACKBURN - -	134,015	21·4	22·2	18·3	15·6	0·8	70	40	7	16	-	1	-	-	-	-	1	2	3	7	-	BLACKBURN.
PRESTON - - -	116,399	28·2	16·1	22·0	17·5	1·8	62	39	9	15	-	3	-	-	-	-	1	-	1	4	-	PRESTON.
BARROW-IN-FURNESS	60,967	16·3	12·0	6·0	9·4	-	26	11	2	3	-	-	-	-	-	-	-	-	-	3	-	BARROW-IN-FURNESS.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 24th Feb., 1906.	3rd Mar., 1906.	10th Mar., 1906.	17th Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 17th March, 1906.	Registered during the Week ended 17th March, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	17·0	20·3	12·6	12·6	0·5	54	23	4	7	-	-	-	-	1	-	-	1	1	2	-	Huddersfield.
Halifax	109,272	19·6	13·8	18·1	17·2	1·0	44	36	7	13	-	1	-	1	-	-	-	1	3	9	-	Halifax.
Bradford	288,544	19·0	16·1	15·5	20·6	1·1	119	114	20	44	-	2	2	1	1	-	-	4	10	20	1	Bradford.
Leeds	463,495	17·2	17·3	18·2	15·3	1·5	220	136	30	35	-	7	-	-	3	2	1	5	15	27	-	Leeds.
Sheffield	447,951	16·4	15·4	16·3	12·3	0·9	263	106	21	29	-	1	3	3	1	-	-	3	4	26	1	Sheffield.
Rotherham	61,098	18·8	13·7	15·4	19·6	1·7	48	23	7	5	-	-	-	-	2	-	-	1	1	2	-	Rotherham.
York	83,467	16·2	15·0	17 5	19·4	1·2	44	31	8	8	-	2	-	-	-	-	-	-	1	4	-	York.
Hull	262,426	17·7	18·5	14·1	15·3	1·4	162	77	19	20	-	-	-	5	2	-	-	2	10	16	-	Hull.
Middlesbrough	100,069	24·5	15·1	18·8	20·8	1·6	71	40	10	11	-	1	-	2	-	-	-	2	3	6	1	Middlesbrough.
Stockton-on-Tees	52,664	22·8	18·8	15·8	13·9	-	29	14	6	3	-	-	-	-	-	-	-	-	1	-	-	Stockton-on-Tees.
West Hartlepool	73,387	15·6	19·9	10·7	16·3	0·7	37	23	6	4	-	-	-	-	-	1	-	-	2	7	-	West Hartlepool.
Sunderland	154,385	21·6	21·3	20·3	20·6	2·0	78	61	14	11	-	1	-	1	3	1	-	2	3	16	1	Sunderland.
South Shields	111,402	17·8	12·6	16·9	13·1	0·5	66	28	7	7	-	-	-	-	-	1	-	-	1	9	1	South Shields.
Gateshead	123,191	16·5	22·4	20·3	13·5	0·8	83	32	5	10	-	-	-	1	1	-	-	1	2	1	3	Gateshead.
Newcastle-on-Tyne	268,721	16·7	16·5	20·8	18·8	2·9	148	97	26	20	-	10	-	1	3	-	1	1	6	11	1	Newcastle-on-Tyne.
Tynemouth	54,138	18·3	16·4	29·9	19·3	1·0	28	20	3	10	-	-	-	1	-	-	-	1	2	3	1	Tynemouth.
Newport (Mon.)	74,227	14·0	10·5	21·1	15·5	1·4	38	22	4	8	-	-	-	-	1	-	1	-	-	4	-	Newport (Mon.).
Cardiff	183,823	12·5	13·6	19·0	15·9	1·7	88	56	14	15	-	-	-	1	4	-	1	3	6	10	-	Cardiff.
Rhondda	127,684	19·6	20·4	20·0	17·2	1·2	92	42	16	8	-	-	-	-	3	-	-	5	5	-	1	Rhondda.
Merthyr Tydfil	74,961	23·0	23·7	21·6	20·2	2·1	60	29	7	8	-	-	-	2	-	1	-	-	-	3	-	Merthyr Tydfil.
Swansea	96,848	28·5	21·5	18·3	13·5	1·6	52	25	4	4	-	2	-	-	-	1	-	3	3	5	-	Swansea.
Greater London	7,113,561	16·0	15·8	15·2	15·0	1·6	3803	2047	417	650	-	95	16	24	55	3	20	78	197	626	5	Greater London.
Outer Ring	2,392,344	13·0	14·4	13·1	12·0	1·3	1304	549	114	183	-	25	6	10	17	-	3	14	45	94	3	Outer Ring.
8 Towns in Outer Ring	1,172,195	12·1	14·8	13·2	12·2	1·3	677	275	57	82	-	13	5	7	2	-	2	7	23	59	1	8 Towns in Outer Ring
Remainder of Outer Ring	1,220,149	13·8	14·0	13·0	11·7	1·4	627	274	57	101	-	12	1	3	15	-	1	7	22	35	2	Remainder of Outer Ring.
Edinburgh	341,035	18·7	17·9	16·4	15·6	0·8	152	102	19	26	-	3	-	-	-	-	2	4	?	26	4	Edinburgh.
Glasgow	835,625	21·0	20·0	19·0	20·9	2·7	479	335	72	77	-	18	1	5	5	3	12	14	?	82	14	Glasgow.
Dublin†	378,994	24·4	24·8	24·6	23·1	1·4	189	168	37	48	-	-	-	1	2	4	3	1	5	63	7	Dublin.†
Belfast†	358,680	25·3	24·1	22·5	27·8	2·8	229	191	32	52	-	-	1	1	9	7	1	1	7	37	4	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the ELEVENTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2806	2551	2576	2613	2628	2607	2628	2596	2577	2535	2634·0	2499
Males - - -	1435	1288	1332	1326	1315	1290	1352	1324	1301	1293	1343·0	1284
Females - -	1371	1263	1244	1287	1313	1317	1276	1272	1276	1242	1291·0	1215
TOTAL **Deaths** -	1752	1531	1869	2099	1659	1571	1936	1521	1680	1399	1665·6	1498
Males - -	898	806	934	1030	851	799	937	773	846	684	825·7	770
Females - -	854	725	935	1069	808	772	999	748	834	715	839·9	728

* The numbers in this column are the average weekly numbers in the eleventh week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	13 Weeks.
TOTAL **Births** -	2488	1807	2788	2705	2390	2451	2508	2550	2394	2500	2470	2509	2499	32059
TOTAL **Deaths** -	1746	1602	1756	1585	1399	1382	1337	1346	1517	1585	1501	1468	1498	19722
Ages at Death: Under 1 year -	382	328	336	304	299	257	260	272	316	317	280	296	303	3950
1—5 years -	281	222	217	185	170	171	162	146	156	187	183	160	190	2430
5—20 ,, -	64	69	91	63	56	87	60	79	104	85	69	77	72	976
20—40 ,, -	147	151	208	195	129	170	150	156	174	169	191	171	164	2175
40—60 ,, -	343	309	356	307	271	267	265	254	295	315	284	309	302	3877
60 yrs. & upwds.	529	523	548	531	474	430	440	439	472	512	494	455	467	6314
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	60	59	64	53	52	44	28	26	43	52	55	56	70	662
Scarlet Fever - -	18	12	9	17	13	10	5	11	9	10	6	12	10	142
Diphtheria - -	18	17	13	11	12	22	17	16	13	18	18	12	14	201
Whooping-cough -	38	34	33	32	21	37	34	33	45	35	29	34	38	443
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	5	6	3	3	3	1	4	5	2	5	3	3	45
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	18	19	10	11	8	19	14	23	13	13	14	19	17	198
All above Diseases -	154	146	135	127	109	135	99	113	128	130	127	136	152	1691
Dis. of Resp. System	254	241	225	193	148	174	168	146	160	176	190	178	173	2426
Pneumonia - -	262	185	229	177	151	119	144	132	129	152	153	136	161	2130
Phthisis - - -	151	150	163	144	128	147	129	133	141	135	136	134	132	1828
Dis. of Circ. System -	212	186	236	217	200	161	162	177	216	207	196	177	201	2548
Violence - - -	58	56	76	63	61	56	38	44	66	66	52	46	64	746
Inquest Cases - -	174	168	215	178	151	130	127	132	160	169	144	141	152	2041
Deaths in Institutions	610	577	608	563	498	554	519	493	552	650	546	548	532	7250
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	43·2	39·5	41·3	43·1	42·0	40·4	42·8	37·0	38·2	37·4	41·7	47·2	43·5	41·3
Mean of Highest -	46·2	43·5	45·2	48·7	46·5	44·3	47·4	41·9	44·8	43·5	48·6	55·4	49·9	46·6
Mean of Lowest -	38·7	33·7	38·0	37·6	37·2	35·3	38·0	32·2	32·6	32·2	35·7	40·0	37·3	36·0
Mean Humidity of the Air.	82	92	81	82	77	83	80	80	85	81	79	75	73	81
Rain-fall (in inches) -	0·00	0·24	0·95	1·20	1·06	0·49	0·10	0·38	0·92	0·27	0·17	0·35	0·29	6·42
Registered Sunshine (in hours).	4·7	4·3	2·5	17·5	23·7	5·8	10·6	17·5	13·0	13·8	21·7	35·0	22·1	192·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	-	-	-	2	5	6	6	7	2
Scarlet Fever - -	3110	3146	3299	3062	3066	2933	2912	2839	2734	2689	2628	2545	2485	2931
Diphtheria - -	670	701	728	748	890	841	873	899	944	953	933	931	907	841
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Enteric Fever - -	82	78	87	91	87	84	95	79	81	80	79	73	69	82

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Wittv, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the ELEVENTH Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 11th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1665·6	1498	303	190	72	164	302	467
Small-pox*	21·2	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	63·7	70	17	49	4	-	-	-
Scarlet Fever	6·6	10	-	7	3	-	-	-
Typhus	0·3	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	33·9	31	2	1	1	1	10	16
Whooping-cough	46·1	38	16	20	2	-	-	-
Diphtheria	16·8	14	-	7	5	2	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	3·6	3	-	-	-	3	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	2·8	5	5	-	-	-	-	-
Diarrhœa, Dysentery	15·5	12	9	-	-	-	-	3
Tetanus	0·5	2	2	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	0·3	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	5·6	12	8	1	2	-	1	-
Puerperal Septicæmia	2·8	3	-	-	-	2	1	-
Puerperal Pyæmia	0·3	-	-	-	-	-	-	-
Puerperal Fever	0·3	-	-	-	-	-	-	-
Infective Endocarditis	3·6	3	-	-	-	2	-	1
Pneumonia: Lobar	11·5	20	1	3	1	4	5	6
Pneumonia: Broncho-	79·0	69	32	20	3	2	7	5
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	73·6	72	8	11	2	14	20	17
Erysipelas	4·1	4	1	-	-	1	1	1
Septicæmia (not Puerperal)	0·8	1	1	-	-	-	-	-
Pyæmia (not Puerperal)	1·0	-	-	-	-	-	-	-
Other Infective Processes	7·6	3	1	-	-	-	1	1
Tuberculous Phthisis	75·4	79	1	4	6	31	26	11
"*Phthisis*"	84·4	53	-	-	4	26	18	5
Tuberculous Meningitis	24·7	31	7	22	2	-	-	-
Tuberculous Peritonitis	6·1	11	2	3	3	3	-	-
Tabes Mesenterica	2·8	2	2	-	-	-	-	-
Tuberculous Dis. (other)	19·4	21	5	3	5	5	2	1
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	10·2	10	-	-	-	3	6	1
Rheumatic Fever	8·9	6	-	-	3	1	1	1
Gout	2·5	3	-	-	-	-	2	1
Carcinoma	51·5	63	-	-	-	4	29	30
Sarcoma	6·1	3	-	-	1	1	1	-
Cancer (undefined)	31·3	26	-	-	-	1	12	13
Diabetes Mellitus	9·7	11	-	-	-	2	4	5
Premature Birth	51·5	33	33	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 11th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	19·4	20	10	6	2	-	2	-
Insanity, Gen. Par. of Insane	18·1	14	-	-	-	4	3	7
Epilepsy	9·4	4	-	-	1	-	1	2
Convulsions	22·4	17	16	1	-	-	-	-
Locomotor Ataxy	2·0	1	-	-	-	-	-	1
Paraplegia, Dis. of Cord	5·6	4	-	-	-	2	-	2
Nervous Sys. (other dis.)	20·9	16	1	-	-	2	4	9
Valv. Dis., Endocarditis	45·4	40	-	-	4	1	17	18
Cerebr. Hæm. Thromb.	30·8	44	-	-	-	1	15	28
Apoplexy, Hemiplegia	21·7	23	-	-	-	1	5	17
Aneurysm	5·1	3	-	-	-	-	2	1
Embolism, Thrombosis (not cerebral)	3·6	1	-	-	-	-	-	1
Heart & Blood Vessel Dis.	99·9	90	-	-	-	7	33	50
Croup (not Spasm: nor Memb.)	0·8	-	-	-	-	-	-	-
Bronchitis	182·2	147	28	11	1	2	20	85
Asthma, Emphysema	7·4	8	-	-	-	2	2	4
Pleurisy	4·1	-	-	-	-	-	-	-
Respiratory Dis. (other)	13·8	18	4	2	1	2	3	6
Tonsillitis, Quinsy	1·0	-	-	-	-	-	-	-
Enteritis (not Epid.)	4·6	6	4	-	1	-	1	-
Gastro-Enteritis	5·6	6	5	1	-	-	-	-
Peritonitis (not Puerp.)	3·1	4	-	-	1	2	-	1
Cirrhosis of Liver	17·1	13	-	-	-	2	6	5
Liver Dis. (other)	5·4	7	-	-	-	2	1	4
Digestive Dis., Other	43·6	23	8	2	1	4	5	3
Nephritis, Acute	5·9	5	-	-	-	3	1	1
Bright's Dis., Albuminuria	42·0	27	-	-	-	3	8	16
Urinary Sys., Other Dis.	9·7	12	-	-	-	1	2	9
Generative Organs Dis.	5·6	3	-	-	-	1	1	1
Childbirth (Accid. of)	3·8	1	-	-	-	1	-	-
Old Age	58·6	62	-	-	-	-	1	61
Other Diseases	98·2	91	59	12	4	3	8	5
ACCIDENT.								
By Railways	1·3	1	-	-	-	1	-	-
By Vehicles and Horses	4·8	6	1	1	1	1	2	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·3	1	-	-	-	1	-	-
In Building Operations	1·3	1	-	-	-	1	-	-
In Conflagrations	1·0	1	-	-	-	-	-	1
By Burns, Scalds, Explosions	7·1	8	2	2	1	2	-	1
By Drowning	1·8	2	-	-	1	-	1	-
By Suffocation in Bed	15·3	9	9	-	-	-	-	-
By Poisons or Poisonous Vapours	2·3	3	-	1	1	-	-	1
Other Deaths by Accident	15·5	18	2	-	4	-	5	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	1	1	-	-	-	-	-
Suicide	11·0	13	-	-	1	4	6	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th March, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2499	1498	303	467	–	70	10	14	38	–	3	–	17	64	152	532
WEST DISTRICTS	805,311	350	236	45	82	–	11	–	1	4	–	–	–	3	16	29	85
NORTH DISTRICTS	1,056,070	535	325	50	122	–	15	2	4	4	–	–	–	1	10	29	103
CENTRAL DISTRICTS	209,465	95	76	16	12	–	3	–	1	5	–	–	–	–	2	8	37
EAST DISTRICTS	715,739	485	271	68	66	–	7	–	1	11	–	1	–	8	11	38	121
SOUTH DISTRICTS	1,749,844	1034	553	124	171	–	34	8	5	14	–	2	–	5	24	47	149
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	37	–	14	–	–	–	2	–	–	–	–		1	1	37
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	49	25	1	8	–	–	–	–	–	–	–	–	–	3	6	10
St. John Paddington *H*	33,617	6	15	2	2	–	–	–	–	–	–	–	–	–	2	3	10
North-West Paddington	17,181	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H*	128,037	55	43	12	15	–	2	–	–	–	–	–	–	–	3	5	20
Brompton *2H*	48,591	6	11	–	8	–	–	–	–	–	–	–	–	1	1	1	–
North Hammersmith *W,wH*	49,192	16	10	2	2	–	3	–	–	2	–	–	–	–	–	–	–
South Hammersmith *w,2H*	63,047	36	15	5	6	–	1	–	–	–	–	–	–	–	2	3	3
North-west Fulham *W*	45,180	45	21	3	7	–	–	–	–	–	–	–	–	–	1	1	9
North-east Fulham *F*	46,405	16	13	3	7	–	1	–	1	–	–	–	–	–	–	2	1
South Fulham *W*	45,704	28	11	4	4	–	1	–	–	–	–	–	–	–	1	1	–
Chelsea North *W,w,3H*	42,514	12	23	2	12	–	–	–	–	1	–	–	–	2	–	1	16
Chelsea South *W,2H*	31,328	23	11	4	2	–	3	–	–	–	–	–	–	–	–	–	4
Mayfair and Knightsbridge	28,743	2	5	1	1	–	–	–	–	–	–	–	–	–	2	2	–
Belgrave *W,2H*	55,815	24	8	1	2	–	–	–	–	–	–	–	–	–	1	1	4
St. Margaret & St. John *4H*	43,698	19	14	4	4	–	–	–	–	–	–	–	–	–	–	1	7
St. James and St. Anne‡ *W,6H*	33,081	8	9	1	2	–	–	–	–	1	–	–	–	–	–	2	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	8	19	2	6	–	–	–	–	–	–	–	–	–	1	3	9
St. Mary Marylebone *W,4H*	37,948	47	6	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Christchurch Marylebone *H*	39,536	24	9	2	2	–	2	–	–	–	–	–	–	–	1	1	–
St. John Marylebone *2H*	20,426	7	7	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Hampstead *W,F,7H*	81,942	30	30	5	14	–	1	2	–	–	–	–	–	–	2	4	12
West St. Pancras *2H*	60,562	23	11	2	4	–	1	–	–	–	–	–	–	–	–	–	2
Tottenham-court *w,7H*	21,258	8	16	–	5	–	–	–	–	–	–	–	–	–	2	3	9
Gray's Inn Lane *4H*	34,449	12	11	4	2	–	–	–	–	1	–	–	–	–	–	1	4
East St. Pancras *W,2H*	60,320	26	21	2	8	–	–	–	–	1	–	–	–	–	–	1	11
North St. Pancras *2W*	58,728	31	16	4	9	–	1	–	–	–	–	–	–	1	–	–	8
Tufnell *W*	31,995	17	24	2	12	–	–	–	–	–	–	–	–	–	–	–	18
Upper Holloway *2W,w,H*	33,978	16	15	–	7	–	1	–	–	1	–	–	–	–	–	–	9
Tollington *WH*	33,922	20	7	1	4	–	–	–	1	–	–	–	–	–	–	–	–
Lower Holloway	41,424	25	17	4	3	–	3	–	–	–	–	–	–	–	–	1	–
Barnsbury	54,478	36	16	1	3	–	2	–	–	–	–	–	–	–	–	1	–
Islington South-east *F*	75,397	23	13	2	5	–	2	–	–	–	–	–	–	–	–	1	–
Highbury *2H*	63,797	37	7	–	1	–	1	–	–	–	–	–	–	–	–	1	–
Stoke Newington *H*	51,247	20	11	1	4	–	–	–	–	–	–	–	–	–	–	2	–
North Hackney	50,560	15	15	4	10	–	–	–	–	–	–	–	–	–	–	1	–
Central Hackney *2w,F*	50,536	28	12	–	4	–	–	–	3	–	–	–	–	–	–	2	2
South-west Hackney *3H*	59,921	35	15	4	4	–	–	–	–	1	–	–	–	–	2	3	5
South-east Hackney *2W,w,H*	58,255	47	27	9	11	–	–	–	–	–	–	–	–	–	2	4	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th March, 1906—*continued.*

ISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
les and Bloomsbury *W,2H* -	31,436	20	4	1	1	-	-	-	-	-	-	-	-	-	1	2	1	-
d *W,4H* - - - - -	21,674	2	7	2	1	-	-	-	-	-	-	-	-	-	-	1	7	-
d *Union Workhouse, Edmonton* -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
orn *W,6H* - - - - -	29,612	10	17	6	1	-	-	-	-	3	-	-	-	-	-	-	12	-
n Clerkenwell - - -	28,676	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n Clerkenwell *H* - - -	35,028	22	8	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
ury *3H,L* - - - - -	36,116	35	12	3	-	-	2	-	-	2	-	-	-	-	-	2	-	-
orn *Union Workhouse, Bicham* - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph *H* - - - - -	10,299	3	8	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
pulchre and Allhallows *W,2H*	16,624	2	17	-	3	-	-	-	1	-	-	-	-	-	1	2	15	-
of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *H* - - -	46,362	14	8	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
editch North-West *W,w,H* -	36,127	31	25	4	9	-	1	-	-	2	-	-	-	1	-	3	17	-
editch North-East - - -	36,148	22	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
editch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green North *2H* - -	51,514	35	18	6	1	-	1	-	-	-	-	-	-	1	-	1	7	-
nal Green South - - -	33,472	21	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green East *2W,H,L* - -	44,694	36	24	5	10	-	2	-	-	-	-	-	-	-	-	1	12	-
alfields - - - - -	27,969	14	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
End New Town *W,H* - -	28,718	25	43	12	8	-	1	-	1	-	-	-	-	1	3	5	37	-
dman's Fields - - - -	22,081	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge and St. John *2W* - -	49,068	40	18	3	4	-	-	-	-	1	-	-	-	2	1	3	5	-
lwell and Ratcliff *W,H* - -	25,568	16	13	6	-	-	-	-	-	-	-	-	-	1	1	3	7	-
ehouse *W* - - - - -	32,369	20	9	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-
End Old Town Southestern *H* - - - -	63,698	62	13	5	5	-	-	-	-	1	-	-	-	-	-	1	-	-
End Old Town Northstern *W,w* - - -	49,129	34	15	3	4	-	-	-	-	1	-	-	-	-	2	4	5	-
L - - - - - - -	41,989	27	8	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-
nsley *3w,H* - - - - -	68,319	35	43	6	14	-	-	-	-	2	-	1	-	-	2	9	28	-
lar *W,w* - - - - -	58,514	42	15	7	3	-	-	-	-	3	-	-	-	1	2	3	3	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis in each SUB-DISTRICT during the Week ended Saturday, 17th March, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia.* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H* -	11,263	5	4	2	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Saviour Southwark *H* - -	12,056	6	15	5	-	-	-	-	1	-	-	-	-	-	1	2	13
Kent-road - - - - -	21,904	14	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L* - - - -	39,094	17	7	3	1	-	-	-	-	-	-	-	-	-	1	1	1
Newington North - - -	49,022	33	12	6	-	-	1	-	-	1	-	-	-	-	-	2	-
Newington South *W* - - -	72,841	46	19	8	6	-	-	-	-	1	-	-	-	1	-	-	-
St. Olave *2W* - - - -	9,817	7	5	4	1	-	1	-	-	-	-	-	-	-	1	2	1
Bermondsey *W* - - - -	82,483	66	15	6	4	-	1	-	-	-	-	-	-	-	1	2	-
Rotherhithe *W,F* - - - -	38,460	23	18	2	4	-	1	-	-	-	-	-	-	1	1	1	11
Waterloo-road *2H* - - -	27,440	19	8	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Lambeth Church 1st *H* - -	18,423	19	16	3	2	-	1	-	-	1	-	-	-	-	1	5	1
Lambeth Church 2nd *2W* - -	39,818	42	23	8	8	-	-	-	-	1	-	-	-	1	1	4	1
Kennington 1st *H* - - -	53,198	46	13	4	4	-	1	-	-	1	-	-	-	-	-	-	-
Kennington 2nd *H* - - -	42,896	23	16	4	6	-	-	1	-	-	-	-	-	-	2	3	-
Brixton *F* - - - - -	84,232	31	28	4	6	-	1	2	2	-	-	1	-	-	1	1	-
Norwood *W,H* - - - -	35,888	12	10	-	7	-	-	-	1	-	-	-	-	-	-	-	-
East Battersea *H* - - -	72,203	35	15	4	2	-	2	-	-	-	-	-	-	-	1	3	-
North-west Battersea - - -	49,656	35	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* -	47,048	13	15	-	7	-	-	-	-	-	-	-	-	-	2	3	1
Clapham *2H* - - - -	51,361	25	17	3	7	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L* - -	88,019	57	31	5	16	-	-	3	-	1	-	1	-	-	-	-	-
Springfield *2W,L* - - - -	27,959	18	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H* - - - -	40,444	21	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney - - - - - -	24,139	12	4	-	3	-	1	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - -	13,359	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w* - -	40,206	18	34	2	13	-	3	-	-	-	-	-	-	1	2	3	2
Camberwell North *W,2L* - -	65,584	35	25	2	16	-	1	-	-	1	-	-	-	-	1	2	1
St. George - - - - -	47,331	26	11	3	1	-	2	-	-	-	-	-	-	-	1	1	-
Peckham North - - - -	48,913	28	13	7	3	-	2	-	-	-	-	-	-	-	2	2	-
Peckham South *2W,w* - - -	43,946	19	13	5	3	-	4	-	-	-	-	-	-	-	-	-	-
Deptford North - - - -	37,613	39	19	7	2	-	5	-	-	-	-	-	-	-	1	2	-
Deptford Central - - - -	45,481	30	13	2	4	-	3	-	-	-	-	-	-	-	1	1	-
Deptford South - - - -	34,625	22	7	-	4	-	-	-	-	1	-	-	-	-	-	1	-
Greenwich West *2H* - - -	23,456	10	12	-	4	-	2	-	-	1	-	-	-	-	-	1	-
Greenwich East *2W,H* - -	43,859	22	19	5	5	-	-	-	-	4	-	-	-	-	-	-	-
Eltham *w,H* - - - -	7,226	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH* - - - - -	25,490	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F* - - -	58,352	34	29	5	11	-	1	-	-	-	-	-	-	-	2	3	-
Sydenham *H* - - - -	43,653	15	9	2	3	-	-	-	1	-	-	-	-	-	-	-	-
Charlton *F,2H* - - - -	21,134	6	7	-	-	-	1	2	-	-	-	-	-	-	1	1	-
Woolwich *5H* - - - -	41,625	30	9	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West *W* - - -	18,063	13	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H* - -	50,264	43	15	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	1	1	
M. A. B. Small-pox Hospitals:—																	
Joyce Green - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern - - - -	—	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Northern - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham - - - - -	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Darenth - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor - - - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Claybury - - - - -	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 17th March, 1906.

Division of District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 602	2,044,973	1304	549	114	183	-	25	6	10	17	-	3	14	45	94	3
:1	Carshalton 2F,2H - -	12,228	32,997	16	12	3	4	-	-	-	-	-	-	-	-	1	1	-
2	Epsom, *part of** W,w,2F,H-	10,423	15,548	5	2	-	2	-	-	-	-	-	-	-	-	-	1	-
:1	Godstone, *part of** W,F -	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Coulsdon - - - -	11,069	8,166	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon *w* - -	4,200	49,309	27	9	1	6	-	-	-	-	-	-	1	-	-	-	-
3	West Croydon 3W,F,H -	2,168	42,888	32	15	6	3	-	2	-	-	-	-	-	2	4	7	-
4	North Croydon *H* - -	2,644	41,698	25	12	1	4	-	1	-	-	-	-	-	1	4	1	-
5	Penge *w,H* - - - -	770	22,465	10	8	1	6	-	-	-	-	1	-	-	-	-	-	-
6	Mitcham *w* - - -	11,711	30.015	29	10	2	3	-	-	-	-	3	-	-	-	-	-	-
:1	Wimbledon *F*,3H - -	3,221	41,652	25	5	1	-	-	-	-	-	1	-	-	-	-	-	-
2	Kingston 2W,*H* - - -	6,224	42,068	25	15	4	5	-	-	-	-	2	-	1	-	2	6	-
3	Surbiton *F,H* - - -	3,046	15,017	8	6	1	4	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* -	5,402	13,100	8	4	-	3	-	-	-	-	-	-	-	-	-	1	-
5	Hampton *H,F,L* - - -	4,564	23,456	11	10	-	6	-	-	-	-	-	-	-	1	2	-	-
:1	Richmond *W,H* - - -	2,162	28,865	6	4	1	1	-	-	-	-	1	-	-	-	-	1	-
2	Mortlake *F* - - -	2,847	20,628	16	7	1	4	-	-	-	-	1	-	-	-	1	-	-
:1	Bromley *F*,2H - - -	4,703	27,354	14	6	3	1	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H* - - -	7,825	28,497	11	5	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** *W* -	10,113	9,857	5	3	-	2	-	-	-	-	-	-	-	-	1	2	-
4	Chislehurst 2H - - -	7,333	16,446	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
:1	Bexley *w F,H* - - -	8,678	21,151	15	6	2	2	-	-	-	-	-	-	-	2	2	-	-
2	Erith *F,H* - - - -	3,854	25,296	14	7	2	3	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
1 :1	Sunbury *w* - - - -	11,054	18,683	14	6	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines *W,H* - - -	13,277	15,178	7	3	-	1	-	-	-	-	1	-	-	-	-	1	-
1 :1	Hillingdon *W,F,H* - -	6,035	13,661	7	2	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge *H* - - -	12,757	8,984	6	2	1	-	-	-	-	-	-	-	-	1	1	-	-
3	Hayes *w,F,H* - - -	8,066	16,358	14	3	-	3	-	-	-	-	-	-	-	-	-	-	-
1 :1	Isleworth 3W,2F,*H* - -	6,859	30,863	21	16	1	10	-	-	-	-	-	-	-	-	-	10	-
2	Twickenham *F,H* - -	2,421	20,991	15	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H,*L* - -	4,319	48,289	22	11	1	3	-	-	-	1	2	-	-	-	-	-	-
4	Chiswick *H*- - - -	1,249	29,809	19	4	2	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton *w*,3H - - -	6,132	48,914	40	14	3	5	-	2	-	-	1	-	-	-	-	-	-
:1	Harrow *F,H* - - -	13,809	25,523	17	2	1	-	-	-	-	-	-	-	-	-	-	-	1
2	Edgware *F*,2H - - -	6,994	4,521	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *W*,2F,2H - -	4,384	114,811	84	44	11	13	-	1	1	-	-	-	-	1	3	11	1
4	Hendon *W,F* - - -	8,382	22,450	8	6	2	2	-	-	-	-	-	-	-	-	1	-	-
:1	South Mimms 2F,*H* - -	17,755	7,308	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *W*,2H - - -	3,324	17,970	9	7	1	1	-	-	-	-	-	-	-	-	1	-	1
3	Finchley *F*,2H - - -	4,688	33,692	20	13	2	3	-	2	-	-	-	-	-	-	-	-	-
:1	Hornsey *F,H* - - -	2,875	72,056	36	17	4	7	-	-	-	2	-	-	-	1	2	2	-
2	Wood Green *H* - - -	1,625	34,233	31	9	4	1	-	1	-	-	-	-	-	1	2	-	-
3	West Tottenham *F* - -	996	48,853	45	13	5	2	-	1	-	-	-	-	-	-	2	-	-
4	East Tottenham 2*H* - -	2,017	53,688	38	4	2	2	-	-	-	-	-	-	-	-	-	-	-
5	Edmonton *W,w*,2F - -	7,491	61,892	53	12	4	2	-	1	-	-	1	-	-	-	1	3	-
6	Enfield 2W,*F,H* - - -	12,601	42,738	27	5	-	2	-	-	-	-	-	-	-	-	1	-	-
7	Waltham Abbey *F* - -	11,017	6,549	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt *F,H* - - -	8,479	12,292	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
5 :1	Hatfield, *part of** *W* - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 :1	Bushey *H* - - - -	9,333	9,173	2	4	1	2	-	-	-	-	-	-	-	-	1	-	-
2	Watford *W*,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 1	Stratford *H* - - -	1,072	44,827	23	8	2	3	-	-	-	-	-	-	-	-	-	1	-
2	Plaistow *F*,2H - - -	1,249	90,921	73	24	4	5	-	2	2	3	1	-	-	-	-	5	-
3	Canning Town *H* - -	1,556	70,718	63	13	2	5	-	3	-	-	-	-	-	2	3	-	-
4	Forest Gate *w* - - -	806	60,892	29	12	1	2	-	1	-	-	-	-	-	-	-	-	-
5	North East Ham *w H* -	1,333	58,676	26	16	3	5	-	-	-	-	1	-	-	-	1	-	-
6	South East Ham 2*F* - -	1,993	37,342	36	13	3	1	-	-	-	-	-	-	-	-	1	-	-
7	Wanstead *F* - - -	1,679	9,179	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2*W* - -	631	50,467	41	16	2	7	-	-	-	-	-	-	1	-	1	4	-
9	North Leyton 2*W,w,F* -	1,963	48,445	31	32	5	11	-	1	-	1	-	-	-	-	-	19	-
10	Walthamstow 3*H,L* - -	6,504	108,929	74	25	7	13	-	5	1	-	-	-	-	2	4	-	-
7 :1	Chigwell, *part of** 2F,3H -	11,778	16,397	6	6	1	1	-	1	-	2	-	-	-	-	-	2	-
2	Epping *W,F, part of** - -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
9 :1	Romford, *part of** *W*,2F -	6,556	6,091	6	3	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford *F,L* - - - -	8,496	41,234	22	13	2	7	-	-	1	1	-	-	-	-	1	7	-
3	Barking Town *F* - -	3,803	21,547	12	5	3	-	-	1	-	-	1	-	-	-	1	-	-
	N.E. Hosp., Tottenham -	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases
LONDON - -	4,721,217	March 17	2499	1498	16·5	-	70	10	14	38	3	17
CALCUTTA - -	910,117	February 3	-	729	44·7	143	5	-	1	2	181†	135‡
BOMBAY - -	776,006	" 27	401	1144	76·6	7	23	-	-	-	347†	84‡
MADRAS - -	509,346	" 9	-	-	-	-	-	-	-	-	-	-
PARIS - - -	2,750,000	March 10	1048	1029	20·0	-	23	-	3	4	8	16
BRUSSELS - -	598,467	" 10	220	163	14·2	-	1	1	-	1	3	7
ANTWERP - -	291,949	" 10	150	90	16·0	-	1	-	-	-	-	7
AMSTERDAM -	559,575	" 3	303	154	14·3	-	10	-	4	3	2	3
COPENHAGEN -	430,000	" 10	239	140	17·0	-	6	-	-	7	-	8
STOCKHOLM -	318,398	" 3	147	85	13·9	-	1	3	-	1	-	1
CHRISTIANIA -	222,373	" 10	117	54	12·6	-	-	-	3	-	2	2
ST. PETERSBURG	1,429,000	" 3	-	-	-	-	-	-	-	-	-	-
MOSCOW - -	1,154,000	" 10	-	570	25·8	3	4	5	6	4	4	42
BERLIN - -	2,051,262	February 24	1008	603	15·3	-	7	5	6	12	2	28
HAMBURG - -	803,000	March 10	-	244	15·8	-	2	-	2	3	-	14
BRESLAU - -	463,283	" 3	-	194	21·8	-	-	-	3	3	-	12
MUNICH - -	540,000	" 10	-	200	19·3	-	2	-	2	4	-	14
VIENNA - -	1,917,639	" 10	1072	636	17·2	-	7	13	16	4	2	40
PRAGUE - -	455 241	" 3	211	198	22·6	-	1	-	-	-	-	15
		" 10	237	186	21·2	-	3	-	3	2	-	14
BUDA-PESTH -	859,134	" 10	-	-	-	-	-	-	-	-	-	-
TRIESTE - -	194,749	" 3	-	-	-	-	-	-	-	-	-	-
ROME - -	526,170	January 27	275	201	19·9	-	4	-	4	-	2§	7
VENICE - -	171,709	February 24	76	106	32·2	-	-	-	-	1	-	2
BUCHAREST -	291,138	" 24	178	140	25·1	-	-	2	1	-	-	2
		March 3	177	171	30·6	-	-	3	3	-	-	6
NEW YORK -	4,152,860	" 3	2292	1648	20·7	-	45	6	61	4	7	37
CHICAGO - -	2,049,185	February 24	-	594	15·1	-	4	5	9	1	1	30
PHILADELPHIA -	1,469,126	" 17	-	612	21·7	-	14	1	21	5	37	28
		" 24	-	617	21·8	-	16	2	17	7	39	30
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	905,000	February 11	-	275	15·8	1	1	-	-	2	-	?

* Excluding deaths from croup in the Indian Cities.
† Including 31 deaths from plague in Calcutta, and 229 in Bombay.
‡ Including 57 deaths from cholera in Calcutta and 1 in Bombay.
§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 17th March, 1906

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	63·9	29·1	43·6	0·29	BRADFORD - -	55·4	25·0	40·8	0·65
BRIGHTON - -	51·3	31·3	42·7	0·41	LEEDS - - -	63·0	27·0	40·6	0·31
PORTSMOUTH - -	56·0	36·0	46·1	0·46	HULL - - -	61·0	19·0	40·4	0·37
NORWICH - -	64·0	27·0	42·7	0·45	TYNEMOUTH - -	58·0	18·0	33·5	0·18
PLYMOUTH - -	56·1	33·8	44·6	0·68	CARDIFF - -	59·0	29·8	42·9	1·39
BRISTOL - - -	60·7	27·7	43·2	1·14	EDINBURGH - -	51·1	19·4	36·6	1·09
BIRMINGHAM - -	61·0	26·2	41·5	0·42	GLASGOW - -	?	?	?	?
NOTTINGHAM - -	60·8	27·0	42·7	0·36	DUBLIN Phœnix Park.	57·7	23·7	43·3	0·43
LIVERPOOL OBSERVATORY.	54·0	27·0	42·0	0·90	DUBLIN Fitzwilliam Square.†	53·9	32·0	41·9	0·39
MANCHESTER -	57·7	25·9	41·3	1·26					
PRESTON - -	54·5	27·5	41·1	1·10					
HUDDERSFIELD -	55·6	24·3	39·5	1·34	BELFAST - -	55·0	21·0	39·3	1·49

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·0 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	11	..	29·151	52·7	39·7	13·0	46·8	+ 6·2	38·5	8·3	10·0	0·9	73	83·0	36·1	43·21	SW.	SW. & W.	18·0	0·0	1·7	677	+351	0·13	12·5
MONDAY -	12	In Equator	29·443	40·9	30·1	10·8	34·7	− 6·0	25·7	9·0	15·4	4·9	69	79·3	25·5	43·12	W., WSW. & NNW.	N., NNW. & NW.	17·0	0·0	1·5	605	+281	0·01	3·5
TUESDAY -	13	Perigee	29·723	38·1	29·1	9·0	32·6	− 8·3	23·8	8·8	16·1	1·4	69	76·2	25·2	43·04	W., WSW. & N.	N., SW. & SSE.	4·2	0·0	0·3	261	− 61	0·08	0·0
WEDNESDAY	14	..	29·866	43·0	31·1	11·9	37·0	− 4·2	29·0	8·0	13·6	0·0	73	91·9	30·2	42·58	E., ENE. & NE.	NNE., S. & SW.	2·8	0·0	0·1	235	− 84	0·02	1·8
THURSDAY -	15	..	29·744	55·1	39·1	16·0	48·7	+ 7·3	43·7	5·0	9·6	2·3	83	80·5	37·5	42·12	SSW., SW. & WSW.	SW. & WSW.	12·6	0·0	1·4	658	+341	0·02	11·4
FRIDAY -	16	..	29·847	55·3	48·1	7·2	51·8	+10·3	47·8	4·0	6·3	2·6	86	58·0	44·5	42·27	WSW. & SW.	WSW. & SW.	12·5	0·0	1·1	596	+281	0·00	4·8
SATURDAY -	17	Last Quarter.	29·884	63·9	44·1	19·8	53·1	+11·5	39·9	13·2	19·8	4·4	61	111·3	39·9	42·76	SW. & WSW.	WSW. & SW.	5·2	0·0	0·8	497	+184	0·03	7·0
MEANS	-		29·665	49·2	37·3	12·5	43·5	+ 2·4	35·5	8·0	13·0	2·4	73	82·9	34·1	42·73	SW.		..	..	..	Sum 3529	Sum +1293	Sum 0·29	5·9
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. March.		Electricity. (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	11	w.P. till 3h. P.M.; w. P. and occasional v. N. till 8h. P.M.; m. P. afterwards.	0·5	11·5	Generally overcast with occasional rain till evening; fine at night; strong wind prevalent after 7h. A.M., amounting to a gale in the evening.
MONDAY -	12	w. P. till 7h. A.M.; s. P. afterwards.	3·9	11·5	Generally cloudless till 7h. 30m. A.M.; overcast with frequent slight snow in forenoon; very fine afterwards and cloudless at night; strong gusty wind prevalent after 7h. A.M.
TUESDAY -	13	v. P. generally till 11h. A.M.; loss of Register till 3h. P.M.; v. P. afterwards.	1·0	11·6	Generally overcast; fine in afternoon; occasional snow.
WEDNESDAY	14	m. P. generally till 8h. A.M.; s. P. till 5h. P.M.; m. P. till 10h. P.M.; s. N. and w. P. afterwards.	5·8	11·7	Overcast in morning; very fine and partially cloudy till evening; overcast at night with occasional slight rain after 9h. P.M. Solar halo observed in afternoon.
THURSDAY -	15	w. P. throughout.	0·3	11·7	Generally overcast; occasional slight rain; strong gusty wind prevalent after 8h. A.M.; mild.
FRIDAY -	16	w. P. throughout.	0·0	11·8	Generally overcast; a little thin rain at times; strong gusty wind till 3h. A.M. brisk wind afterwards; very mild.
SATURDAY -	17	w. P. till 5h. P.M.; m. P. afterwards.	10·6	11·9	Partially cloudy in early morning; very fine afterwards and cloudless after 8h. A.M.; brisk wind at times till evening; very mild.
			Sum 22·1	Sum 81·7	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·58 in. at the beginning of the week to 28·88 in. by 7h. P.M. on the 11th; increased to 29·79 in. by 1h. A.M. on the 13th; decreased to 29·66 in. by 7h. A.M. on the same day; increased to 29·75 in. by noon on the same day; decreased to 29·63 in. by 4h. A.M. on the 14th; increased to 29·95 in. by 7h. P.M. on the same day; decreased to 29·70 in. by 8h. P.M. on the 15th; increased to 29·93 in. by 2h. A.M. on the 17th; and decreased to 29·84 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 10th March, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	5	3	-	-	-	-	3	-
Kensington	180,952	-	5	4	-	2	-	-	3	-
Hammersmith	120,679	-	5	2	-	1	-	-	4	2
Fulham	161,965	-	5	6	-	-	-	-	1	2
Chelsea	74,672	-	-	2	-	1	-	-	-	2
City of Westminster	173,905	-	3	4	-	-	-	-	3	-
NORTH.										
St. Marylebone	128,580	-	2	-	-	1	-	-	4	-
Hampstead	89,633	-	3	-	-	-	-	-	3	-
St. Pancras	236,455	-	13	6	-	1	-	-	6	1
Islington	344,987	-	10	15	-	2	-	-	4	-
Stoke Newington	53,217	-	3	1	-	-	-	-	-	-
Hackney	230,721	-	18	7	1	1	-	-	6	-
CENTRAL.										
Holborn	55,805	-	-	-	-	-	-	-	-	-
Finsbury	97,466	-	11	5	-	1	-	-	3	-
City of London	21,367	-	4	-	-	1	-	-	-	-
EAST.										
Shoreditch	116,108	-	3	6	-	1	-	-	-	-
Bethnal Green	130,609	-	4	2	-	-	-	-	5	-
Stepney	307,176	1	25	7	-	-	-	-	5	-
Poplar	170,673	-	8	5	-	6	-	-	4	-
SOUTH.										
Southwark	209,143	-	22	5	-	-	-	-	4	-
Bermondsey	128,629	-	13	8	1	1	-	-	2	-
Lambeth	315,774	-	20	9	-	2	-	-	5	1
Battersea	179,622	-	10	1	-	2	-	-	4	-
Wandsworth	273,381	-	20	8	-	2	-	-	4	-
Camberwell	274,132	-	30	11	-	2	-	-	6	-
Deptford	115,495	-	11	1	-	-	-	-	2	-
Greenwich	105,350	-	5	15	-	-	-	-	3	-
Lewisham	148,463	-	16	8	-	1	-	-	-	-
Woolwich	127,345	-	11	10	-	1	-	-	4	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	1	285	151	2	29	-	-	88	8
Ages 0-1		-	4	6	-	-	-	-	2	-
" 1-5		-	91	59	-	-	-	-	5	-
" 5-		-	125	42	-	3	-	-	5	-
" 10-		-	33	16	-	4	-	-	2	-
" 15-		-	13	6	-	5	-	-	4	-
" 20-		-	9	6	-	4	-	-	6	3
" 25-		-	6	9	-	7	-	-	14	4
" 35-		1	3	3	1	4	-	-	11	1
" 45-		-	-	4	1	1	-	-	21	-
" 55-		-	1	-	-	1	-	-	10	-
" 65 and upwards		-	-	-	-	-	-	-	8	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 12. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, MAR. 24. [Price 1½*d.*

General Register Office, Somerset House,
March 26th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·8 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·4, 16·7, and 16·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 19·1 in Coventry, 19·6 in Hanley, 19·7 in Newport (Mon.), 20·5 in Swansea, 20·8 in Plymouth, 21·6 in Liverpool, and 25·0 in Tynemouth; from *measles*, 1·1 in Bristol and in Liverpool, 1·2 in Hornsey and in Leeds, 1·4 in Croydon, 1·7 in Tottenham, 1·8 in Bury, and 2·3 in Newcastle on Tyne; from *diphtheria*, 1·1 in St. Helens, 1·4 in Merthyr Tydfil, and 1·9 in York; from *whooping-cough*, 1·3 in Plymouth and in Gateshead, 1·6 in Smethwick and in Rhondda, 2·0 in Coventry and in Leicester, 2·5 in Handsworth (Staffs.), and 3·0 in West Bromwich; from "*fever*," 1·0 in Burnley and 1·1 in St. Helens; and from *diarrhœa*, 1·0 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2243 BIRTHS and 1433 DEATHS were registered. Allowing for increase of population, the births were 350 and the deaths 129 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 16·6, 16·2, and 16·5 per 1000 in the preceding three weeks, fell last week to 15·8. The death-rate in the four weeks ended last Saturday averaged 16·3 per 1000, being 2·5 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 3/06 D & S 3 24291

The 1433 deaths included 65 from measles, 9 from scarlet fever, 16 from diphtheria, 34 from whooping-cough, 3 from enteric fever, and 6 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 133 deaths were referred to these diseases in the aggregate, being 36 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 55, 56, and 70 in the preceding three weeks, fell to 65 last week, but were 7 above the corrected average; 17 deaths belonged to the Borough of Islington, 7 to Camberwell, 5 to Finsbury, and 4 apiece to Hammersmith, St. Pancras, and Deptford. The deaths from *scarlet fever*, which had been 6, 12, and 10 in the preceding three weeks, were 9 last week, the corrected average being 10. The deaths from *diphtheria*, which had been 18, 12, and 14 in the preceding three weeks, were 16 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 29, 34, and 38 in the preceding three weeks, fell to 34 last week, and were 11 below the corrected average; 5 deaths belonged to St. Pancras, 5 to Stepney, and 3 each to Shoreditch and Battersea. The fatal cases of *enteric fever*, which had been 5, 3, and 3 in the preceding three weeks, were 3 last week, the corrected average being 5. The deaths from *diarrhœa*, which had been 14, 19, and 17 in the preceding three weeks, fell to 6 last week, and were 11 below the corrected average. Of the 6 deaths from diarrhœa, 5 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 other deaths at this age. The deaths attributed directly to *influenza* numbered 16, having been 20, 31, and 31 in the preceding three weeks. The death of a house painter, aged 57, was certified as due to *lead poisoning*, and that of a female, aged 55, wife of a carman, as due to *anthrax*.

Different forms of *violence* caused 66 deaths, concerning all of which inquests were held. Of these 66 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 56 were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, 10 to burns or scalds, 2 to the effects of anæsthetics administered for surgical purposes, and 5, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 10 cases of small-pox, 2434 of scarlet fever, 926 of diphtheria, 2 of typhus, and 65 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 5 cases, against 1, 1, and 1; of scarlet fever, 234 cases, against 273, 268, and 252; of diphtheria, 115 cases, against 86, 119, and 104; and of enteric fever, 11 cases against 11, 13, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 17th, 1906.

Greater London.

In Greater London 3428 births and 1982 deaths were registered. Allowing for increase of population, these numbers are 534 and 191 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 11 deaths from measles, 3 from diphtheria, 11 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·85 inches, and that of the Thermometer 37°·5, the latter being 4°·1 below the week's average in the 50 years 1841–90. The general direction of the wind was North-Easterly, the horizontal movement of the air being 20 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 18·0 hours; the measured rainfall amounted to 0·32 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, AND FOUR SCOTTISH OR IRISH TOWNS.—BIRTHS, DEATHS AND DEATH-RATES IN THE WEEK ended Saturday, 24th March, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 3rd Mar., 1906.	10th Mar., 1906.	17th Mar., 1906.	24th Mar., 1906.	Rate from Diseases in Cols. 11–17. Week ended 24th March, 1906.	Registered during the Week ended 24th March, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**17·4**	**16·7**	**16·2**	**15·8**	**1·4**	**8510**	**4808**	**1045**	**1468**	**-**	**147**	**34**	**61**	**121**	**24**	**27**	**199**	**430**	**1216**	**59**	**76 TOWNS.**
LONDON	4,721,217	16·6	16·2	16·5	15·8	1·5	2243	1433	273	475	-	65	9	16	34	3	6	66	165	523	1	LONDON.
† CROYDON	151,011	15·2	9·7	11·4	11·7	3·1	58	34	3	15	-	4	1	3	1	-	-	2	3	10	-	CROYDON.
† WILLESDEN	143,622	13·8	11·3	16·0	8·4	0·4	83	23	7	8	-	-	-	-	1	-	-	-	-	-	-	WILLESDEN.
† HORNSEY	86,935	13·2	9·6	9·6	9·6	1·8	20	16	2	9	-	2	-	-	-	1	-	-	1	-	-	HORNSEY.
† TOTTENHAM	119,503	17·0	18·8	9·2	14·0	1·7	66	32	9	8	-	4	-	-	-	-	-	-	1	4	-	TOTTENHAM.
† WEST HAM	301,617	16·4	14·5	13·1	15·4	1·4	158	89	22	26	-	-	1	2	3	-	2	7	13	19	-	WEST HAM.
† EAST HAM	129,886	11·6	11·6	12·4	11·2	-	62	28	3	10	-	-	-	-	-	-	-	2	3	7	-	EAST HAM.
† LEYTON	118,287	12·3	15·4	12·8	14·1	1·8	53	32	7	11	-	1	-	1	2	-	-	2	3	4	-	LEYTON.
† WALTHAMSTOW	121,334	16·3	13·3	10·7	9·9	1·3	63	23	8	4	-	1	1	-	1	-	-	1	2	4	-	WALTHAMSTOW.
HASTINGS	67,144	15·5	19·4	18·6	6·2	-	24	8	1	5	-	-	-	-	-	-	-	-	-	2	-	HASTINGS.
BRIGHTON	128,095	18·7	22·0	19·9	17·5	0·8	68	43	5	16	-	-	-	1	1	-	-	1	4	13	-	BRIGHTON.
PORTSMOUTH	205,118	16·3	15·0	14·2	15·5	0·3	101	61	14	21	-	-	-	-	1	-	-	-	2	10	1	PORTSMOUTH.
BOURNEMOUTH	67,702	27·7	15·4	20·8	16·2	-	10	21	-	12	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON	117,312	13·8	14·7	12·0	13·3	0·9	57	30	5	10	-	-	-	1	-	-	1	1	5	9	-	SOUTHAMPTON.
READING	78,987	15·8	13·9	18·5	9·9	-	37	15	2	7	-	-	-	-	-	-	-	-	-	3	1	READING.
NORTHAMPTON	93,749	8·9	13·3	11·1	12·8	0·6	42	23	4	12	-	-	-	-	-	1	-	2	2	3	1	NORTHAMPTON.
IPSWICH	71,809	16·0	10·9	8·7	13·1	-	32	18	3	8	-	-	-	-	-	-	-	-	1	3	-	IPSWICH.
GREAT YARMOUTH	52,613	21·8	18·8	18·8	14·9	1·0	34	15	4	3	-	1	-	-	-	-	-	2	2	2	-	GREAT YARMOUTH.
NORWICH	117,958	19·0	16·8	20·8	15·9	0·9	55	36	5	16	-	-	-	1	-	1	-	2	5	10	-	NORWICH.
PLYMOUTH	118,014	19·4	15·9	19·0	20·8	1·8	64	47	12	15	-	1	-	-	3	-	-	1	4	8	-	PLYMOUTH.
DEVONPORT	78,405	14·0	16·0	14·0	14·6	0·7	33	22	4	10	-	-	-	-	1	-	-	2	2	2	-	DEVONPORT.
BRISTOL	363,223	16·7	14·6	15·6	15·6	1·6	213	109	26	31	-	8	1	1	1	-	-	5	10	19	-	BRISTOL.
HANLEY‡	66,360	18·9	13·4	22·0	19·6	-	52	25	8	9	-	-	-	-	-	-	-	-	1	2	-	HANLEY.‡
BURTON-ON-TRENT	52,922	13·8	15·8	5·9	13·8	1·0	20	14	2	2	-	-	-	1	-	-	-	-	-	5	-	BURTON-ON-TRENT.
WOLVERHAMPTON	100,729	16·0	18·1	20·7	17·1	2·1	52	33	9	8	-	1	1	-	1	-	1	2	5	6	1	WOLVERHAMPTON.
WALSALL	94,577	21·5	16·0	15·4	18·2	0·6	53	33	13	10	-	-	-	-	-	-	1	-	1	1	-	WALSALL.
HANDSWORTH	63,819	11·4	11·4	19·6	10·6	2·5	28	13	2	4	-	-	-	-	3	-	-	-	1	1	-	HANDSWORTH.
WEST BROMWICH	68,469	18·3	17·5	16·0	11·4	3·0	51	15	9	3	-	-	-	-	4	-	-	-	-	-	1	WEST BROMWICH.

* See note † on first page of this return

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 24th March, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 3rd Mar., 1906.	10th Mar., 1906.	17th Mar., 1906.	24th Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 24th March, 1906.	Registered during the Week ended 24th March, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	19·7	18·1	13·7	18·7	1·2	351	197	46	64	-	4	2	1	4	2	-	8	11	57	5	BIRMINGHAM.
KINGS NORTON -	72,608	10·8	11·5	6·5	10·1	1·4	27	14	2	5	-	1	-	-	1	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK - -	64,531	17·0	16·2	12·9	15·4	1·6	49	19	3	9	-	-	-	-	2	-	-	-	-	-	1	SMETHWICK.
ASTON MANOR -	82,288	17·7	14·6	7·0	12·7	1·9	52	20	10	3	-	-	1	-	1	-	1	-	-	-	-	ASTON MANOR.
COVENTRY - -	76,374	13·7	16·4	17·8	19·1	2·0	57	28	10	12	-	-	-	-	3	-	-	-	-	2	2	COVENTRY.
LEICESTER - -	232,111	21·3	15·5	12·1	13·0	2·2	118	58	18	10	-	-	-	1	9	-	-	2	3	6	1	LEICESTER.
GRIMSBY - - -	69,359	12·0	17·3	11·3	18·8	-	37	25	9	7	-	-	-	-	-	-	-	1	5	4	1	GRIMSBY.
NOTTINGHAM - -	254,563	25·8	16·2	18·0	14·1	1·4	124	69	17	25	-	-	-	1	2	2	2	3	6	15	-	NOTTINGHAM.
DERBY - - -	123,981	14·3	13·0	15·6	15·1	1·3	62	36	5	9	-	-	-	2	-	-	1	-	1	16	-	DERBY.
STOCKPORT - -	99,646	23·5	16·2	17·3	15·7	0·5	48	30	9	13	-	-	-	-	-	-	1	2	4	10	-	STOCKPORT.
BIRKENHEAD - -	117,292	17·8	17·8	18·7	16·9	0·9	79	38	5	14	-	-	1	-	-	1	-	1	4	8	-	BIRKENHEAD.
WALLASEY - -	64,578	9·7	16·1	10·5	8·9	0·8	33	11	2	2	-	-	1	-	-	-	-	-	-	2	-	WALLASEY.
LIVERPOOL† - -	739,180	22·2	22·6	21·2	21·6	2·5	490	306	63	78	-	15	3	4	9	2	2	11	16	91	13	LIVERPOOL.†
BOOTLE† - - -	65,989	13·4	21·3	15·8	13·4	1·6	53	17	5	3	-	-	1	-	1	-	-	-	-	4	-	BOOTLE.†
ST. HELENS - -	91,153	19·4	15·4	21·7	17·7	2·9	54	31	8	6	-	-	-	2	-	2	1	1	1	10	2	ST. HELENS.
WIGAN - - -	87,588	14·3	12·5	23·2	18·5	-	53	31	8	11	-	-	-	-	-	-	-	3	4	2	-	WIGAN.
WARRINGTON - -	69,280	23·3	24·1	9·8	17·3	-	49	23	7	5	-	-	-	-	-	-	-	1	2	2	2	WARRINGTON.
BOLTON - - -	180,502	20·8	11·8	14·2	14·7	0·9	99	51	10	15	-	1	-	1	-	1	-	-	3	5	-	BOLTON.
BURY - - -	58,744	24·9	16·9	17·8	9·8	1·8	24	11	1	5	-	2	-	-	-	-	-	-	-	1	-	BURY.
MANCHESTER - -	637,126	20·6	19·9	19·4	16·8	1·4	380	205	55	56	-	7	1	2	6	1	-	14	18	74	2	MANCHESTER.
SALFORD - - -	234,077	16·3	14·9	14·9	17·8	1·6	143	80	12	24	-	1	2	2	1	-	1	5	8	26	1	SALFORD.
OLDHAM - - -	140,969	21·5	17·0	18·5	18·5	0·4	61	50	10	15	-	-	-	-	1	-	-	6	7	11	-	OLDHAM.
ROCHDALE - -	87,189	13·2	19·1	15·5	16·1	0·6	43	27	2	7	-	-	-	-	1	-	-	4	4	8	1	ROCHDALE.
BURNLEY - - -	102,808	15·2	17·8	17·2	15·2	1·5	67	30	9	7	-	-	-	-	-	2	1	1	3	6	-	BURNLEY.
BLACKBURN - -	134,015	22·2	18·3	15·6	12·1	0·4	63	31	5	8	-	1	-	-	-	-	-	-	-	3	2	BLACKBURN.
PRESTON - - -	116,399	16·1	22·0	17·5	17·9	-	72	40	9	10	-	-	-	-	-	-	-	2	3	7	-	PRESTON.
BARROW-IN-FURNESS.	60,967	12·0	6·0	9·4	15·4	-	42	18	4	5	-	-	-	-	-	-	-	2	2	2	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

† As enlarged in 1905.

TABLE 1 (*cont.*). ... ended Saturday, 24th March, 1906 ... LONDON AND FOUR SCOTTISH ...

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 3rd Mar., 1906.	10th Mar., 1906.	17th Mar., 1906	24th Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 24th March, 1906.	Registered during the Week ended 24th March, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD	94,851	20·3	12·6	12·6	17·6	0·5	60	32	3	11	-	-	-	-	1	-	-	4	5	4	1	HUDDERSFIELD.
HALIFAX	109,272	13·8	18·1	17·2	12·9	0·5	35	27	3	12	-	-	-	-	1	-	-	-	1	3	1	HALIFAX.
BRADFORD	288,544	16·1	15·5	20·6	18·3	1·1	123	101	19	36	-	2	1	3	-	-	-	1	13	20	1	BRADFORD.
LEEDS	463,495	17·3	18·2	15·3	16·1	1·9	248	143	44	34	-	11	-	3	2	1	-	4	13	30	-	LEEDS.
SHEFFIELD	447,951	15·4	16·3	12·3	15·6	1·2	271	134	22	38	-	1	6	2	1	-	-	5	11	31	3	SHEFFIELD.
ROTHERHAM	61,098	13·7	15·4	19·6	12·8	1·7	45	15	4	3	-	-	1	-	1	-	-	1	1	3	1	ROTHERHAM.
YORK	83,467	15·0	17·5	19·4	12·5	2·5	52	20	4	4	-	1	-	3	-	-	-	-	3	4	-	YORK.
HULL	262,426	18·5	14·1	15·3	14·9	0·6	152	75	17	25	-	-	-	1	2	-	-	3	6	7	1	HULL.
MIDDLESBROUGH	100,069	15·1	18·8	20·8	14·1	1·0	58	27	9	6	-	-	-	-	-	-	2	-	1	1	2	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	18·8	15·8	13·9	18·8	2·0	43	19	5	5	-	-	-	1	1	-	-	2	3	4	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	19·9	10·7	16·3	12·8	0·7	34	18	4	10	-	-	-	-	1	-	-	1	3	3	-	WEST HARTLEPOOL.
SUNDERLAND	154,385	21·3	20·3	20·6	14·5	1·0	102	43	14	9	-	-	-	-	1	-	2	1	3	13	3	SUNDERLAND.
SOUTH SHIELDS	111,402	12·6	16·9	13·1	15·4	1·4	71	33	6	9	-	-	-	1	1	1	-	4	5	8	1	SOUTH SHIELDS.
GATESHEAD	123,191	22·4	20·3	13·5	12·7	1·3	88	30	10	5	-	-	-	-	3	-	-	-	-	5	5	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	16·5	20·8	18·8	18·8	2·9	183	97	19	19	-	12	-	-	1	1	1	4	8	14	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	54,138	16·4	29·9	19·3	25·0	-	32	26	5	6	-	-	-	-	-	-	-	-	-	1	-	TYNEMOUTH.
NEWPORT (MON.)	74,227	10·5	21·1	15·5	19·7	0·7	34	28	6	5	-	-	-	-	1	-	-	-	2	1	-	NEWPORT (MON.).
CARDIFF	183,823	13·6	19·0	15·9	12·5	0·6	105	44	8	9	-	-	-	-	2	-	-	2	4	7	-	CARDIFF.
RHONDDA	127,684	20·4	20·0	17·2	18·4	2·5	91	45	15	6	-	-	-	1	4	1	-	-	1	2	-	RHONDDA.
MERTHYR TYDFIL	74,961	23·7	21·6	20·2	18·1	2·1	54	26	6	6	-	-	-	2	-	1	-	1	2	6	-	MERTHYR TYDFIL
SWANSEA	96,848	21·5	18·3	13·5	20·5	1·1	67	38	11	14	-	-	-	1	-	-	1	1	4	4	-	SWANSEA.
GREATER LONDON	7,113,561	15·8	15·2	15·0	14·5	1·4	3428	1982	387	667	-	88	12	25	53	4	10	89	209	622	2	GREATER LONDON.
OUTER RING	2,392,344	14·4	13·1	12·0	12·0	1·3	1185	549	114	192	-	23	3	9	19	1	4	23	44	99	1	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	14·8	13·2	12·2	12·3	1·4	563	277	61	91	-	12	3	6	8	1	2	14	26	48	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	14·0	13·0	11·7	11·6	1·2	622	272	53	101	-	11	-	3	11	-	2	9	18	51	1	REMAINDER OF OUTER RING.
EDINBURGH	341,035	17·9	16·4	15·6	17·0	1·1	142	111	14	43	-	3	-	-	2	-	2	2	?	35	4	EDINBURGH.
GLASGOW	835,625	20·0	19·0	20·9	18·3	2·1	504	293	60	52	-	14	-	1	9	1	8	5	?	89	8	GLASGOW.
DUBLIN†	378,994	24·8	24·6	23·1	25·6	0·6	211	186	30	64	-	-	-	1	-	-	3	4	5	72	6	DUBLIN.†
BELFAST†	358,680	24·1	22·5	27·8	22·1	1·7	221	152	37	42	-	-	-	2	5	3	2	-	2	38	3	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWELFTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2483	2707	2218	2480	2675	2424	2556	2585	2423	2611	2592·9	2243
Males - - -	1258	1393	1123	1249	1378	1233	1271	1276	1243	1321	1302·4	1202
Females - -	1225	1314	1095	1231	1297	1191	1285	1309	1180	1290	1290·5	1041
TOTAL **Deaths** -	1603	1534	1731	2025	1817	1583	1649	1461	1615	1376	1562·4	1433
Males - -	825	802	873	981	973	813	838	714	857	699	792·0	729
Females - -	778	732	858	1044	844	775	811	747	788	677	770·4	704

* The numbers in this column are the average weekly numbers in the twelfth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	13 Weeks.
TOTAL **Births** -	1807	2788	2705	2390	2451	2508	2550	2394	2500	2470	2509	2499	2243	31814
TOTAL **Deaths** -	1602	1756	1585	1399	1382	1337	1346	1517	1585	1501	1468	1498	1433	19409
Ages at Death: Under 1 year -	328	336	304	299	257	260	272	316	317	280	296	303	273	3841
1—5 years -	222	217	185	170	171	162	146	156	187	183	160	190	170	2319
5—20 ,, -	69	91	63	56	87	60	79	104	85	69	77	72	73	985
20—40 ,, -	151	208	195	129	170	150	156	174	169	191	171	164	165	2193
40—60 ,, -	309	356	307	271	267	265	254	295	315	284	309	302	277	3811
60 yrs. & upwds.	523	548	531	474	430	440	439	472	512	494	455	467	475	6260
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	59	64	53	52	44	28	26	43	52	55	56	70	65	667
Scarlet Fever - -	12	9	17	13	10	5	11	9	10	6	12	10	9	133
Diphtheria - -	17	13	11	12	22	17	16	13	18	18	12	14	16	199
Whooping-cough -	34	33	32	21	37	34	33	45	35	29	34	38	34	439
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	6	3	3	3	1	4	5	2	5	3	3	3	46
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	19	10	11	8	19	14	23	13	13	14	19	17	6	186
All above Diseases -	146	135	127	109	135	99	113	128	130	127	136	152	133	1670
Dis. of Resp. System	241	225	193	148	174	168	146	160	176	190	178	173	165	2337
Pneumonia - -	185	229	177	151	119	144	132	129	152	153	136	161	153	2021
Phthisis - - -	150	168	144	128	147	129	133	141	135	136	134	132	133	1810
Dis. of Circ. System -	186	236	217	200	161	162	177	216	207	196	177	201	173	2509
Violence - - -	56	76	63	61	56	38	44	66	66	52	46	64	66	754
Inquest Cases - -	168	215	178	151	130	127	132	160	169	144	141	152	165	2032
Deaths in Institutions	577	608	563	498	554	519	493	552	650	545	548	532	523	7162
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	39·5	41·3	43·1	42·0	40·4	42·8	37·0	38·2	37·4	41·7	47·2	43·5	37·5	40·9
Mean of Highest -	43·5	45·2	48·7	46·5	44·3	47·4	41·9	44·8	43·5	48·6	55·4	49·9	43·4	46·4
Mean of Lowest -	33·7	38·0	37·6	37·2	35·3	38·0	32·2	32·6	32·2	35·7	40·0	37·3	33·0	35·6
Mean Humidity of the Air.	92	81	82	77	83	80	80	85	81	79	75	73	79	81
Rain-fall (in inches) -	0·24	0·95	1·20	1·06	0·49	0·10	0·38	0·92	0·27	0·17	0·35	0·29	0·32	6·74
Registered Sunshine (in hours).	4·3	2·5	17·5	23·7	5·8	10·6	17·5	13·0	13·8	21·7	35·0	22·1	18·0	205·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	-	-	2	5	6	6	7	10	3
Scarlet Fever - -	3446	3299	3062	3066	2983	2912	2839	2734	2689	2623	2545	2485	2434	2856
Diphtheria - -	701	728	748	800	841	873	899	944	953	933	931	907	926	860
Typhus - - -	-	-	-	-	-	-	-	-	-	-	2	2	2	-
Enteric Fever - -	78	87	91	87	84	95	79	81	80	79	73	69	65	81

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWELFTH Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 12th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1562·4	1433	273	170	73	165	277	475
Small-pox*	14·3	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	58·1	65	12	50	3	-	-	-
Scarlet Fever	9·7	9	-	7	1	1	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	28·5	16	1	1	-	3	2	9
Whooping-cough	45·1	34	17	16	1	-	-	-
Diphtheria	19·6	16	-	11	4	1	-	-
Cerebro Spinal Fever	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	0·3	-	-	-	-	-	-	-
Enteric Fever	4·6	3	-	-	1	-	1	1
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	3·3	3	3	-	-	-	-	-
Diarrhœa, Dysentery	13·5	3	2	-	-	1	-	-
Tetanus	-	1	1	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	1	-	-	-	-	1	-
Venereal Dis.	8·7	7	6	-	-	1	-	-
Puerperal Septicæmia	3·1	4	-	-	-	4	-	-
Puerperal Pyæmia	0·3	-	-	-	-	-	-	-
Puerperal Fever	1·3	1	-	-	-	-	1	-
Infective Endocarditis	2·5	3	-	-	1	1	-	1
Pneumonia: Lobar	10·2	17	1	3	1	3	4	5
Pneumonia: Broncho-	75·7	57	28	17	3	1	4	4
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	71·1	79	5	7	7	13	23	24
Erysipelas	4·1	5	1	-	-	-	2	2
Septicæmia (not Puerperal)	0·5	3	2	-	-	1	-	-
Pyæmia (not Puerperal)	1·8	1	-	-	-	-	1	-
Other Infective Processes	6·1	5	1	1	-	-	-	3
Tuberculous Phthisis	70·1	80	2	2	5	34	32	5
"*Phthisis*"	77·2	53	-	2	2	26	19	4
Tuberculous Meningitis	19·4	21	5	12	3	1	-	-
Tuberculous Peritonitis	8·2	5	2	1	2	-	-	-
Tabes Mesenterica	4·1	2	2	-	-	-	-	-
Tuberculous Dis. (other)	18·9	17	4	7	4	2	-	-
Scrofula	0·5	-	-	-	-	-	-	-
Alcoholism	12·0	10	-	-	-	1	8	1
Rheumatic Fever	3·6	6	-	-	2	1	3	-
Gout	3·1	3	-	-	-	-	1	2
Carcinoma	45·4	49	-	-	-	2	17	30
Sarcoma	4·1	4	-	-	-	1	1	2
Cancer (undefined)	31·1	40	-	-	-	2	14	24
Diabetes Mellitus	9·2	17	-	-	2	2	6	7
Premature Birth	55·3	44	44	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 12th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	16·6	9	5	2	-	1	1	-
Insanity, Gen. Par. of Insane	13·0	9	-	-	-	2	2	5
	5·1	3	-	-	1	-	2	-
Epilepsy	24·7	18	15	3	-	-	-	-
Convulsions	1·5	-	-	-	-	-	-	-
Locomotor Ataxy	5·6	5	-	-	-	-	2	3
Paraplegia, Dis. of Cord	23·4	15	1	-	1	1	4	8
Nervous Sys. (other dis.)								
Valv. Dis., Endocarditis	41·8	52	-	-	6	11	17	18
Cerebr. Hæm. Thromb.	33·6	26	-	-	-	1	7	18
Apoplexy, Hemiplegia	17·8	13	-	-	-	-	5	8
Aneurysm	6·6	9	-	-	-	3	4	2
Embolism, Thrombosis (not cerebral)	2·0	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	97·3	73	-	-	7	2	19	45
Croup (not Spasm: nor Memb.)	0·8	-	-	-	-	-	-	-
Bronchitis	154·2	142	29	7	-	3	13	90
Asthma, Emphysema	7·1	8	-	-	-	-	5	3
Pleurisy	4·6	4	-	-	1	2	1	-
Respiratory Dis. (other)	14·5	11	2	1	-	1	-	7
Tonsillitis, Quinsy	1·0	2	1	-	-	-	-	1
Enteritis (not Epid.)	7·1	7	1	1	-	1	1	3
Gastro-Enteritis	4·6	4	1	1	-	-	-	2
Peritonitis (not Puerp.)	1·3	1	-	-	-	1	-	-
Cirrhosis of Liver	12·7	16	-	-	-	-	9	7
Liver Dis. (other)	6·6	3	-	-	-	1	-	2
Digestive Dis., Other	34·9	29	6	-	4	6	7	6
Nephritis, Acute	8·2	6	-	-	1	2	2	1
Bright's Dis., Albuminuria	40·8	35	-	-	-	4	14	17
Urinary Sys., Other Dis.	9·2	16	-	-	-	1	4	11
Generative Organs Dis.	4·3	5	1	-	1	-	1	2
Childbirth (Accid. of)	4·1	2	-	-	-	2	-	-
Old Age	57·6	66	-	-	-	-	1	65
Other Diseases	97·3	94	63	10	2	6	6	7
ACCIDENT.								
By Railways	1·8	6	-	-	-	2	2	2
By Vehicles and Horses	2·3	11	-	1	2	1	4	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	3	-	-	-	2	1	-
In Building Operations	0·8	-	-	-	-	-	-	-
In Conflagrations	0·5	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	6·6	10	1	6	2	-	-	1
By Drowning	4·8	1	-	-	-	1	-	-
By Suffocation in Bed	9·9	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours	2·3	2	-	-	-	2	-	-
Other Deaths by Accident	16·1	18	2	1	2	1	1	11
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·5	1	1	-	-	-	-	-
Suicide	11·2	9	-	-	1	3	2	3
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

Table 5. LONDON *—Population; Births; Deaths from all Causes, and from Small-pox, Measles, Scarlet Fever, Diphtheria, Whooping-cough, Fever, Diarrhœa, Violence, &c., registered in each Sub-district during the Week ended Saturday, 24th March, 1906.

Registration Sub-districts.	Enumerated Population, 1901.	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,429	2243	1433	273	475	–	65	9	16	34	–	3	–	6	66	165	523	1
West Districts	805,311	307	201	26	75	–	10	–	4	1	–	1	–	1	13	27	79	–
North Districts	1,056,070	502	311	70	102	–	24	5	2	7	–	–	–	1	17	38	89	–
Central Districts	209,465	91	80	10	27	–	4	–	2	4	–	–	–	–	6	10	47	–
East Districts	715,739	455	246	65	61	–	5	–	–	10	–	–	–	2	9	33	113	–
South Districts	1,749,844	888	552	102	189	–	22	4	7	12	–	1	–	1	21	57	152	1
Metropolitan Hospitals and Asylums outside Registration London*	—	–	43	–	21	–	–	–	1	–	–	1	–	1	–	–	43	–
West Districts.																		
St. Mary Paddington *W,2H*	93,178	33	19	1	7	–	–	–	–	–	–	–	–	–	–	–	7	–
St. John Paddington *H*	33,617	3	11	–	4	–	–	–	–	–	–	–	–	–	4	5	5	–
North-West Paddington	17,181	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H*	128,037	48	37	3	17	–	3	–	1	–	–	1	–	–	1	1	18	–
Brompton *2H*	48,591	16	6	2	3	–	–	–	–	–	–	–	–	–	1	2	–	–
North Hammersmith *2W,wH*	49,192	33	12	2	3	–	4	–	–	–	–	–	–	–	–	1	–	–
South Hammersmith *w,2H*	63,047	29	10	1	4	–	–	–	–	–	–	–	–	–	–	2	1	–
North-west Fulham *W*	45,180	35	18	5	5	–	–	–	–	1	–	–	–	–	–	2	10	–
North-east Fulham *F*	46,405	23	12	3	3	–	1	–	1	–	–	–	–	–	2	4	1	–
South Fulham *W*	45,704	26	9	1	3	–	1	–	1	–	–	–	–	–	1	2	–	–
Chelsea North *W,w,3H*	42,514	17	25	–	14	–	–	–	1	–	–	–	–	–	–	2	19	–
Chelsea South *W,2H*	31,328	10	6	2	2	–	1	–	–	–	–	–	–	–	1	1	1	–
Mayfair and Knightsbridge	28,743	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	11	17	4	3	–	–	–	–	–	–	–	–	1	2	3	10	–
St. Margaret & St. John *4H*	43,698	10	12	–	6	–	–	–	–	–	–	–	–	–	1	2	5	–
St. James and St. Anne‡ *W,6H*	33,081	6	3	1	1	–	–	–	–	–	–	–	–	–	–	–	2	–
North Districts.																		
All Souls Marylebone *8H*	35,391	9	10	–	3	–	–	–	–	–	–	–	–	–	–	–	2	–
St. Mary Marylebone *W,4H*	37,948	47	5	1	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Christchurch Marylebone *H*	39,536	19	8	2	3	–	1	–	–	–	–	–	–	–	1	1	–	–
St. John Marylebone *2H*	20,426	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hampstead *W,F,7H*	81,942	18	16	2	6	–	–	2	1	–	–	–	–	–	–	–	6	–
West St. Pancras *2H*	60,562	24	20	7	6	–	4	–	–	1	–	–	–	–	–	2	2	–
Tottenham-court *w,7H*	21,258	7	3	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Gray's Inn Lane *4H*	34,449	18	9	–	3	–	–	–	–	1	–	–	–	–	–	–	4	–
East St. Pancras *W,2H*	60,320	48	23	7	9	–	–	–	–	1	–	–	–	–	2	3	6	–
North St. Pancras *2W*	58,728	27	19	8	4	–	–	–	–	1	–	–	–	–	2	3	6	–
Tufnell *W*	31,995	13	19	4	11	–	–	–	–	–	–	–	–	–	–	3	11	–
Upper Holloway *2W,w,H*	33,978	18	22	5	5	–	1	–	–	–	–	–	–	–	1	3	16	–
Tollington *WH*	33,922	16	6	2	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Lower Holloway	41,424	28	20	6	2	–	7	–	–	–	–	–	–	–	1	2	–	–
Barnsbury	54,478	32	17	5	4	–	5	–	–	1	–	–	–	–	–	–	–	–
Islington South-east *F*	75,397	24	18	3	4	–	4	–	–	1	–	–	–	–	2	3	–	–
Highbury *2H*	63,797	18	16	1	8	–	1	–	–	–	–	–	–	–	–	1	1	–
Stoke Newington *H*	51,247	22	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney	50,560	13	15	2	6	–	–	–	–	–	–	–	–	–	2	4	–	–
Central Hackney *2w,F*	50,536	20	11	2	2	–	–	3	1	1	–	–	–	–	2	3	6	–
South-west Hackney *3H*	59,921	37	20	5	4	–	–	–	–	–	–	–	–	1	1	4	8	–
South-east Hackney *2W,w,H*	58,265	37	31	7	15	–	1	–	–	–	–	–	–	–	3	5	18	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th March, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
iles and Bloomsbury 2*W*,2*H* -	31,436	18	8	-	4	-	-	-	-	-	-	-	-	-	-	1	2	-
nd *W*,4*H* - - - - -	21,674	-	13	-	5	-	-	-	1	-	-	-	-	-	2	2	9	-
nd Union Workhouse, Edmonton -	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
oorn *W*,6*H* - - - - -	29,612	9	12	3	-	-	-	-	1	3	-	-	-	-	1	1	10	-
h Clerkenwell - - -	28,676	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
h Clerkenwell *H* - - -	35,028	16	8	2	4	-	2	-	-	1	-	-	-	-	-	-	-	-
bury 3*H*,*L* - - - - -	36,116	31	7	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
oorn Union Workhouse, Isham - - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
otolph *H* - - - - -	10,299	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre and Allhallows *W*,2*H*	16,624	-	21	2	5	-	1	-	-	-	-	-	-	-	3	5	19	-
of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
heditch South *H* - - -	46,362	19	13	5	2	-	1	-	-	1	-	-	-	-	-	3	-	-
heditch North-West *W*,*w*,*H* -	36,127	17	24	4	8	-	2	-	-	1	-	-	-	-	-	1	17	-
heditch North-East - - -	36,148	30	10	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
heditch Union Workhouse, Wood Green - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green North 2*H* - -	51,514	42	8	2	-	-	-	-	-	-	-	-	-	-	-	1	3	-
nal Green South - - -	33,472	28	7	1	3	-	-	-	-	-	-	-	-	-	1	2	-	-
nal Green East 2*W*,*H*,*L* - -	44,694	27	24	6	6	-	-	-	-	1	-	-	-	-	1	2	16	-
lfields - - - - -	27,969	20	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
End New Town *W*,*H* - -	28,718	20	36	5	4	-	-	-	-	1	-	-	-	-	3	8	34	-
man's Fields - - - -	22,081	14	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
eorge and St. John 2*W* - -	49,068	37	15	2	5	-	-	-	-	1	-	-	-	-	1	3	7	-
well and Ratcliff *W*,*H* - -	25,568	8	14	5	1	-	-	-	-	2	-	-	-	-	1	1	8	-
house *W* - - - - -	32,369	25	10	5	2	-	-	-	-	-	-	-	-	1	-	2	-	-
End Old Town South-stern *H* - - - -	63,698	44	11	8	1	-	-	-	-	1	-	-	-	-	1	1	-	-
End Old Town North-stern *W*,*w* - - -	49,129	26	17	4	8	-	-	-	-	-	-	-	-	-	-	-	11	-
L - - - - - -	41,989	22	13	5	5	-	-	-	-	-	-	-	-	-	-	1	-	-
ley 3*w*,*H* - - - - -	68,319	40	25	5	11	-	1	-	-	-	-	-	-	1	1	3	16	-
r *W*,*w* - - - - -	58,514	36	15	6	4	-	-	-	-	2	-	-	-	-	-	3	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-P[illegible] MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registe[illegible] in each SUB-DISTRICT during the Week ended Saturday, 24th March, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H*	12,056	6	11	-	2	-	-	-	-	-	-	-	-	-	2	5	9
Kent-road	21,904	13	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	23	9	1	2	-	-	-	-	-	-	-	-	-	-	-	2
Newington North	49,022	28	13	4	3	-	2	-	-	-	-	-	-	-	-	3	-
Newington South *W*	72,841	35	22	4	6	-	-	-	-	1	-	-	-	-	2	6	4
St. Olave *2W*	9,817	6	5	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	45	13	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	21	12	2	4	-	-	-	-	-	-	-	-	-	1	2	5
Waterloo-road *2H*	27,440	27	5	3	1	-	1	-	-	-	-	-	-	-	-	2	1
Lambeth Church 1st *H*	18,423	8	18	-	6	-	-	-	-	-	-	-	-	-	3	5	16
Lambeth Church 2nd *2W*	39,818	30	27	4	12	-	-	-	-	-	-	-	-	-	-	1	19
Kennington 1st *H*	53,198	34	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd *H*	42,896	21	10	3	5	-	-	-	-	-	-	-	-	-	2	2	-
Brixton *F*	84,232	32	22	6	6	-	-	2	1	1	-	-	-	-	1	1	3
Norwood *W,H*	35,888	13	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
East Battersea *H*	72,203	41	19	9	5	-	-	-	-	2	-	-	-	-	1	2	1
North-west Battersea	49,656	28	14	3	5	-	-	-	-	1	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	21	29	3	14	-	-	-	-	-	-	-	-	-	1	4	18
Clapham *2H*	51,361	16	14	2	7	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	45	37	5	15	-	2	2	1	1	-	1	-	-	-	2	13
Springfield *2W,L*	27,959	18	8	2	1	-	-	-	1	-	-	-	-	-	-	2	-
Southfields *H*	40,444	23	12	2	5	-	-	-	-	-	-	-	-	-	-	2	-
Putney	24,139	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	5	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	14	25	1	10	-	1	-	-	-	-	-	-	-	-	-	1
Camberwell North *W,2L*	65,584	26	25	4	1	-	2	-	1	-	-	-	-	-	3	3	1
St. George	47,331	24	11	2	4	-	2	-	-	-	-	-	-	1	-	1	-
Peckham North	48,913	22	12	2	4	-	2	-	-	-	-	-	-	-	-	1	-
Peckham South *2W,w*	43,946	21	15	5	6	-	-	-	-	1	-	-	-	-	-	-	-
Deptford North	37,613	26	9	4	-	-	2	-	-	-	-	-	-	-	-	1	-
Deptford Central	45,481	26	12	4	6	-	1	-	-	1	-	-	-	-	-	-	-
Deptford South	34,625	9	13	2	7	-	1	-	-	-	-	-	-	-	1	1	-
Greenwich West *2H*	23,456	17	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	23	24	2	10	-	1	-	-	2	-	-	-	-	1	2	1
Eltham *w,H*	7,226	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	6	4	-	3	-	-	-	-	-	-	-	-	-	1	1	-
Lewisham *W w,F*	58,352	34	21	4	8	-	-	-	-	-	-	-	-	-	1	3	1
Sydenham *H*	43,653	27	9	1	6	-	1	-	-	-	-	-	-	-	1	1	-
Charlton *F,2H*	21,154	8	13	3	1	-	1	-	3	-	-	-	-	-	-	-	-
Woolwich *5H*	41,625	23	8	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West *W*	18,063	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	19	15	3	5	-	-	-	-	2	-	-	-	-	-	1	-
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	7	-	4	-	-	-	-	-	-	-	-	1	-	-	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 24th March, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	365 602	2,044,973	1185	549	114	192	-	23	3	9	19	1	4	23	44	99	1
Carshalton 2F,2H	12,228	32,997	10	13	1	1	-	-	-	1	1	-	1	-	-	1	-
Epsom, part of* W,w,2F,H	10,423	15,548	10	4	-	2	-	-	-	-	-	-	-	-	-	3	-
Godstone, part of* W,F	2,754	2,692	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	21	7	-	5	-	1	-	-	-	-	-	-	-	-	-
West Croydon 3W,F,H	2,168	42,888	22	22	2	8	-	3	1	3	1	-	-	2	2	10	-
North Croydon H	2,644	41,698	15	5	1	2	-	-	-	-	-	-	-	-	1	-	-
Penge w,H	770	22,465	3	4	-	2	-	-	-	-	-	-	-	-	-	1	-
Mitcham w	11,711	30,015	30	11	5	3	-	2	-	-	-	-	-	-	1	-	-
Wimbledon F,3H	3,221	41,652	25	8	2	-	-	2	-	-	-	-	-	-	-	1	-
Kingston 2W,H	6,224	42,068	19	16	2	7	-	-	-	-	2	-	-	-	1	6	-
Surbiton F,H	3,046	15,017	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Esher, part of* H	5,402	13,100	8	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L	4,564	23,456	17	3	-	2	-	-	-	-	-	-	-	-	1	1	-
Richmond W,H	2,162	28,865	10	9	-	3	-	-	-	-	1	-	-	-	-	-	-
Mortlake F	2,847	20,628	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Bromley F,2H	4,703	27,354	14	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Beckenham H	7,825	28,497	16	5	1	3	-	-	-	-	-	-	-	-	-	1	1
Orpington part of* W	10,113	9,857	6	5	1	3	-	-	-	-	1	-	-	-	-	2	-
Chislehurst 2H	7,333	16,446	5	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Bexley w F,H	8,678	21,151	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Erith F,H	3,854	25,296	21	9	2	4	-	-	-	-	-	-	-	2	2	-	-
Dartford W,F, part of*	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
Sunbury w	11,054	18,683	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Staines W,H	13,277	15,178	11	5	3	2	-	1	-	-	-	-	-	-	-	-	-
Hillingdon W,F,H	6,035	13,661	11	6	-	2	-	-	-	-	-	-	-	-	-	2	-
Uxbridge H	12,757	8,984	4	3	3	-	-	-	-	-	1	-	-	-	-	-	-
Hayes w,F,H	8,066	16,358	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Isleworth 3W,2F,H	6,859	30,863	21	13	2	7	-	-	-	-	1	-	-	1	1	4	-
Twickenham F,H	2,421	20,991	16	6	2	2	-	-	-	-	1	-	-	-	-	-	-
Brentford 3F,2H,L	4,319	48,289	30	15	3	5	-	1	-	1	-	-	-	-	-	-	-
Chiswick H	1,249	29,809	11	3	1	1	-	1	-	-	1	-	-	-	-	-	-
Acton w,3H	6,132	48,914	32	11	2	4	-	1	-	-	-	-	1	-	-	-	-
Harrow F,H	13,809	25,523	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Edgware F,2H	6,994	4,521	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden W,2F,2H	4,384	114,811	83	24	8	8	-	-	-	-	1	-	-	-	-	1	-
Hendon W,F	8,382	22,450	15	5	-	3	-	-	-	-	-	-	-	1	1	1	-
South Mimms 2F,H	17,755	7,308	3	2	-	1	-	-	-	-	-	-	-	1	1	-	-
Barnet W,2H	3,324	17,970	6	2	-	2	-	-	-	-	-	-	-	-	-	1	-
Finchley F,2H	4,688	33,692	26	8	2	3	-	-	-	-	-	-	-	-	-	-	-
Hornsey F,H	2,875	72,056	20	16	2	9	-	2	-	-	-	1	-	-	1	-	-
Wood Green H	1,625	34,233	27	7	2	2	-	-	-	-	-	-	-	1	1	-	-
West Tottenham F	996	48,853	30	13	4	2	-	2	-	-	-	-	-	-	-	-	-
East Tottenham 2H	2,017	53,688	36	24	4	6	-	2	-	-	-	-	-	-	1	9	-
Edmonton W,w,2F	7,491	61,892	46	16	6	2	-	-	-	-	-	-	-	-	4	4	-
Enfield 2W,F,H	12,601	42,738	26	12	3	4	-	2	-	-	-	-	-	1	1	1	-
Waltham Abbey F	11,017	6,549	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F part of*	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	28	13	3	5	-	-	-	-	-	-	-	2	4	1	-
Plaistow F,2H	1,249	90,921	52	29	5	6	-	-	1	3	2	-	-	2	5	5	-
Canning Town H	1,556	70,718	55	21	7	6	-	-	-	-	-	-	-	2	3	-	-
Forest Gate w	806	60,892	23	13	5	5	-	-	-	-	1	-	-	1	1	-	-
North East Ham w H	1,333	58,676	35	14	2	3	-	-	-	-	-	-	-	2	3	1	-
South East Ham 2F	1,993	37,342	27	8	1	5	-	-	-	-	-	-	-	-	-	-	-
Wanstead F	1,679	9,179	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	33	20	5	9	-	-	-	1	2	-	-	2	2	4	-
North Leyton 2W,w,F	1,963	48,445	20	33	4	8	-	1	-	-	-	-	2	-	2	21	-
Walthamstow 3H,L	6,504	108,929	68	25	8	5	-	1	-	-	1	-	-	2	3	3	-
Chigwell, part of* 2F,3H	11,778	16,397	9	3	1	1	-	-	1	-	-	-	-	-	-	2	-
Epping W,F, part of*	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Romford, part of* W,2F	6,556	6,091	3	9	1	5	-	-	-	-	1	-	-	-	-	7	-
Ilford F,L	8,496	41,234	30	10	2	4	-	-	-	-	-	-	-	1	2	2	-
Barking Town F	3,803	21,547	17	3	2	-	-	1	-	-	1	-	-	-	-	-	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer g are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher ish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 136: 1, Northaw parish; 137: 1, excepting eydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious eases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	March 24	2243	1433	15·8	-	65	9	16	34	3
CALCUTTA - -	910,117	February 10	-	702	43·0	141	5	-	-	1	171†
BOMBAY - -	776,006	March 6	402	1335	89·4	13	33	-	-	1	463†
MADRAS - -	509,346	February 9	314	495	50·5	22	12	?	?	?	134†
		" 16	319	488	49·8	36	13	?	?	?	106†
PARIS - - - -	2,750,000	March 17	978	984	19·1	-	25	1	2	6	5
BRUSSELS - -	598,467	" 17	274	173	15·0	-	1	-	-	-	3
ANTWERP - -	291,949	" 17	130	99	17·7	-	1	-	1	1	-
AMSTERDAM -	559,575	" 10	310	160	14·9	-	7	-	-	2	-
COPENHAGEN -	430,000	" 17	260	135	16·4	-	1	1	-	1	-
STOCKHOLM -	318,398	" 10	161	86	14·1	-	1	1	-	2	-
CHRISTIANIA -	222,373	" 17	118	46	10·7	-	-	1	2	-	-
ST. PETERSBURG	1,429,000	" 3	501	823	29·9	1	39	39	21	4	24
MOSCOW - -	1,154,000	" 17	-	-	-	-	-	-	-	-	-
BERLIN - -	2,052,827	" 3	1013	610	15·5	-	6	3	4	8	1
HAMBURG - -	803,000	" 17	-	234	15·2	-	1	-	2	2	-
BRESLAU - -	463,283	" 10	-	192	21·1	-	1	1	1	2	-
MUNICH - -	540,000	" 17	-	174	16·8	-	2	-	-	1	1
VIENNA - -	1,917,639	" 17	1080	718	19·5	-	11	9	8	10	1
PRAGUE - -	455 241	" 17	190	170	19·4	-	6	-	1	-	-
BUDA-PESTH -	859,134	" 10	465	292	17·1	-	6	3	1	2	-
TRIESTE - -	194,749	" 3	149	104	27·8	-	1	-	1	1	1
ROME - -	526,170	February 3	261	251	24·9	-	5	-	1	-	2
VENICE - -	171,709	March 3	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	" 10	208	148	26·5	-	-	2	1	-	-
NEW YORK -	4,152,860	" 10	2223	1634	20·5	-	55	13	62	5	3
CHICAGO - -	2,049,185	" 3	-	563	14·3	-	2	11	10	3	8
PHILADELPHIA -	1,469,126	" 3	-	670	23·7	-	16	2	12	10	43
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	905,000	February 18	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.
† Including 30 deaths from plague in Calcutta, 345 in Bombay and 13 and 9 in Madras.
‡ Including 83 deaths from cholera in Calcutta.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 24th March, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	48·4	28·4	38·2	0·32	BRADFORD - -	49·4	31·0	39·6	[illegible]
BRIGHTON - -	46·5	29·9	39·3	0·30	LEEDS - - -	52·0	33·0	40·9	[illegible]
PORTSMOUTH - -	48·2	29·0	39·2	0·32	HULL - - -	50·0	29·0	39·2	[illegible]
NORWICH - -	49·2	28·4	38·5	0·68	TYNEMOUTH - -	49·0	32·0	39·7	[illegible]
PLYMOUTH - -	49·0	29·7	40·0	0·01	CARDIFF - -	52·4	28·7	39·3	[illegible]
BRISTOL - - -	51·3	27·0	39·3	0·15	EDINBURGH - -	50·1	33·1	39·7	[illegible]
BIRMINGHAM - -	49·0	28·4	37·9	0·02	GLASGOW - -	53·7	28·8	41·1	[illegible]
NOTTINGHAM - -	?	?	?	?	DUBLIN Phœnix Park.	50·6	30·7	40·3	[illegible]
LIVERPOOL OBSERVATORY.	46·0	32·0	40·2	0·12	DUBLIN Fitz-william Square.†	51·0	33·4	42·5	[illegible]
MANCHESTER -	52·8	27·8	39·2	0·02					
PRESTON - -	49·2	32·5	41·1	0·04					
HUDDERSFIELD -	49·8	29·5	38·1	0·23	BELFAST - -	53·5	30·0	42·3	[illegible]

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page [illegible] this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction appl[illegible] by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·1 Fahr [illegible] to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit)	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs	Miles.	Miles	in.	
SUNDAY -	18	Greatest Dec. S.	29·760	48·4	38·1	10·3	44·1	+ 2·5	38·0	6·1	12·8	1·5	79	51·5	32·8	43·38	WSW.	NNW. & N.	2·3	0·0	0·2	277	− 35	0·03	0·2
MONDAY -	19	..	29·982	44·6	36·3	8·3	39·3	− 2·2	33·3	6·0	10·6	2·2	79	94·0	31·6	43·68	N.	N.	16·0	0·0	1·2	485	+174	0·09	0·8
TUESDAY -	20	..	29·983	46·3	35·8	10·5	39·4	− 2·0	34·3	5·1	13·4	2·4	82	80·8	32·7	43·60	N.	N., NNW. & NE.	4·5	0·0	0·6	391	+ 81	0·07	0·5
WEDNESDAY	21	..	29·934	43·2	31·7	11·5	36·8	− 4·6	31·4	5·4	7·9	2·9	81	101·2	27·0	43·34	N., NNE. & NE.	NE. & ENE.	4·4	0·0	0·4	380	+ 71	0·03	5·0
THURSDAY-	22	..	29·984	41·8	30·2	11·6	35·2	− 6·3	25·7	9·5	12·5	0·8	68	92·0	21·2	43·09	NNE. & NE.	NE.	6·3	0·0	0·6	419	+112	0·00	5·5
FRIDAY -	23	..	29·754	40·0	28·4	11·6	33·5	− 8·3	26·0	7·5	11·3	2·6	73	97·0	18·1	42·66	NNE. & NE.	NE. & NNE.	4·5	0·0	0·4	374	+ 70	0·03	0·0
SATURDAY -	24	New	29·530	39·8	30·8	9·0	34·3	− 7·8	31·6	2·7	5·8	0·8	90	60·0	30·0	42·22	NNE. & N.	N.	6·7	0·0	0·3	268	− 34	0·07	0·0
MEANS -			29·847	43·4	33·0	10·4	37·5	− 4·1	31·5	6·0	10·6	1·9	79	82·4	27·6	43·14	NNE.		..	..	..	Sum 2594	Sum + 439	Sum 0·32	1·7
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	18	w. P. till 11h. A.M.; m.P. generally afterwards; s.N. at 1h. P.M.	0·0	11·9	Fine but cloudy till 7h. A.M.; overcast with occasional slight rain till evening; generally cloudless at night.
MONDAY -	19	m. P. with occasional m. N. till 9h. A.M.; s.P. and s.N. till 5h. P.M.; s. P. afterwards.	3·6	12·0	Variable; frequent showers of rain, hail, and granular snow; gusty wind after 7h. A.M.
TUESDAY -	20	s.P. till 2h. P.M.; v.P. and v.N. till 10h. P.M.; m. P. afterwards.	1·0	12·1	Generally overcast; frequent rain after 1h. P.M.
WEDNESDAY	21	m.P. till 9h. A.M.; s.P. and s.N. till 4h. P.M.; s. P. afterwards.	4·3	12·1	Variable; occasional slight snow after 9h. 30m. A.M.
THURSDAY-	22	m. P. till 8h. A.M.; s. P. afterwards.	6·5	12·2	Partially cloudy with hoar frost in morning; very fine generally with occasional slight snow till evening; cloudless with hoar frost at night.
FRIDAY -	23	s. P. generally; occasional s.N. between 3h. and 6h. P.M.	2·4	12·3	Generally cloudy; occasional fine intervals; frequent snow showers.
SATURDAY-	24	s. P. generally; s. N. at 3h. P.M.	0·2	12·3	Generally overcast; frequent snow sleet, and rain; gloomy intervals in forenoon.
			Sum 18·0	Sum 84·9	
No. of Col.-	-	2	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·84 in. at the beginning of the week to 29·73 in. by 7h. P.M. on the 18th; increased to 30·11 in. by 1h. A.M. on the 20th; decreased to 29·86 in. by 5h. A.M. on the 21st; increased to 30·04 in. by 9h. A.M. on the 22nd; and decreased to 29·48 in. by midnight on the 24th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 17th March, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	3	3	-	1	-	-	4	-
Kensington	180,952	-	2	-	-	1	-	-	9	-
Hammersmith	120,679	-	5	2	-	-	-	-	1	1
Fulham	161,965	-	2	3	-	1	-	-	2	-
Chelsea	74,672	-	4	5	-	1	-	-	-	-
City of Westminster	173,905	-	7	3	-	-	-	-	2	-
NORTH.										
St. Marylebone	128,580	-	5	4	-	-	-	-	1	-
Hampstead	89,633	-	2	4	-	-	-	-	-	-
St. Pancras	236,455	-	11	4	-	-	-	-	3	-
Islington	344,987	-	16	8	-	1	-	-	2	-
Stoke Newington	53,217	-	-	1	-	1	-	-	-	-
Hackney	230,721	-	16	10	-	-	-	-	7	-
CENTRAL.										
Holborn	55,805	-	2	2	-	1	-	-	-	-
Finsbury	97,466	-	10	1	-	1	-	-	5	-
City of London	21,367	-	2	1	-	-	-	-	2	-
EAST.										
Shoreditch	116,108	-	4	6	-	-	-	-	1	-
Bethnal Green	130,609	-	9	1	-	-	-	-	3	-
Stepney	307,176	-	28	5	-	2	-	-	3	1
Poplar	170,673	-	6	-	-	3	-	-	6	-
SOUTH.										
Southwark	209,143	-	23	3	-	1	-	-	1	-
Bermondsey	128,629	-	17	7	-	-	-	-	3	-
Lambeth	315,774	-	13	4	-	2	-	-	2	-
Battersea	179,622	-	16	2	-	1	-	-	1	-
Wandsworth	273,381	-	13	9	-	-	-	-	8	1
Camberwell	274,132	-	17	5	-	1	-	-	7	-
Deptford	115,495	1	12	3	-	-	-	-	1	-
Greenwich	105,350	-	2	12	-	1	-	-	-	-
Lewisham	148,463	-	12	2	-	-	-	-	2	1
Woolwich	127,345	-	9	9	-	1	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	1	268	119	-	20	-	-	77	4
Ages 0-1		-	2	3	-	-	-	-	1	-
" 1-5		-	94	54	-	-	-	-	3	-
" 5-		1	105	34	-	1	-	-	2	-
" 10-		-	39	9	-	3	-	-	6	-
" 15-		-	7	6	-	3	-	-	3	-
" 20-		-	13	2	-	1	-	-	2	2
" 25-		-	5	7	-	8	-	-	13	1
" 35-		-	2	4	-	2	-	-	9	1
" 45-		-	1	-	-	2	-	-	17	-
" 55-		-	-	-	-	-	-	-	13	-
" 65 and upwards		-	-	-	-	-	-	-	8	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 13. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, MAR. 31. [Price 1½*d.*

General Register Office, Somerset House,
April 2nd, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·0 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 16·7, 16·2, and 15·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 21·4 in Huddersfield, 22·1 in Liverpool, 22·2 in Blackburn, 22·8 in Hanley, 23·3 in Warrington, and 24·5 in Middlesbrough; from *measles*, 2·0 in Great Yarmouth, 2·2 in Tottenham, 2·7 in Blackburn and in Preston, and 3·6 in Bury; from *diphtheria*, 1·1 in St. Helens; from *whooping-cough*, 2·3 in Warrington, 2·5 in Aston Manor, 3·0 in West Bromwich, 3·3 in Handsworth (Staffs.), and 4·0 in Smethwick; and from *diarrhœa*, 1·0 in Burnley and 1·1 in Oldham. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2663 BIRTHS and 1674 DEATHS were registered. Allowing for increase of population, the births were 189 and the deaths 138 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 16·2, 16·5, and 15·8 per 1000 in the preceding three weeks, rose last week to 18·5. The death-rate in the four weeks ended last Saturday averaged 16·8 per 1000, being 1·3 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 90 4/06 D & S 3 24363

The 1674 deaths included 76 from measles, 8 from scarlet fever, 15 from diphtheria, 53 from whooping-cough, 4 from enteric fever, and 7 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 163 deaths were referred to these diseases in the aggregate, being 16 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 56, 70, and 65 in the preceding three weeks, rose to 76 last week, and were 13 above the corrected average; 14 deaths belonged to the Borough of Islington, 8 to Finsbury, 7 to Hammersmith, 6 to Shoreditch, and 5 to Deptford. The deaths from *scarlet fever*, which had been 12, 10, and 9 in the preceding three weeks, were 8 last week, and were 2 above the corrected average. The deaths from *diphtheria*, which had been 12, 14, and 16 in the preceding three weeks, were 15 last week, and were 3 below the corrected average; 3 deaths belonged to Chelsea. The deaths from *whooping-cough*, which had been 34, 38, and 34 in the preceding three weeks, rose to 53 last week, but were 3 below the corrected average; 7 deaths belonged to Poplar, 6 to St. Pancras, 5 each to Stepney and Deptford, and 4 apiece to Islington, Shoreditch and Camberwell. The fatal cases of *enteric fever*, which had been 3, 3, and 3 in the preceding three weeks, were 4 last week, and were equal to the average. The deaths from *diarrhœa*, which had been 19, 17, and 6 in the preceding three weeks, were 7 last week, and were 8 below the corrected average. Of the 7 deaths from diarrhœa, 3 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 other deaths at this age. The deaths attributed directly to *influenza* numbered 23, having been 31, 31, and 16 in the preceding three weeks.

Different forms of *violence* caused 68 deaths, concerning all but 1 of which inquests were held. Of these 68 deaths, 11 were cases of suicide, while the remaining 57 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 11 to burns or scalds, 2 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, 1 to poisoning by "carbon monoxide gas," and 12, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 8 cases of small-pox, 2386 of scarlet fever, 930 of diphtheria, 1 of typhus, and 63 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 1, 1, and 5; of scarlet fever, 223 cases, against 268, 252, and 234; of diphtheria, 110 cases, against 119, 104, and 115; and of enteric fever, 13 cases against 13, 8, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 24th, 1906.

Greater London.

In Greater London 4064 births and 2212 deaths were registered. Allowing for increase of population, these numbers are 323 and 89 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 8 deaths from measles, 2 from scarlet fever, 5 from diphtheria, 5 from whooping-cough, 1 from "fever," and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·86 inches, and that of the Thermometer 38°·2, the latter being 5°·5 below the week's average in the 50 years 1841–90. The general direction of the wind was North-Easterly, the horizontal movement of the air being 8 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 18·0 hours; the measured rainfall amounted to 0·14 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE I.—76 GREAT TOWNS, [illegible] ended Saturday, 31st March, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 10th Mar., 1906.	17th Mar., 1906.	24th Mar., 1906.	31st Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 31st March, 1906.	Registered during the Week ended 31st March, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**16·7**	**16·2**	**15·8**	**17·0**	**1·6**	**8933**	**5150**	**1159**	**1519**	**-**	**197**	**32**	**46**	**158**	**20**	**39**	**171**	**389**	**1289**	**57**	**76 TOWNS.**
LONDON	4,721,217	16·2	16·5	15·8	18·5	1·8	2663	1674	296	530	-	76	8	15	53	4	7	68	168	655	2	LONDON.
† CROYDON	151,011	9·7	11·4	11·7	14·5	1·4	93	42	5	19	-	3	-	1	-	-	-	2	8	13	-	CROYDON.
† WILLESDEN	143,622	11·3	16·0	8·4	9·4	0·4	101	26	5	11	-	-	1	-	-	-	-	-	2	5	1	WILLESDEN.
† HORNSEY	86,935	9·6	9·6	9·6	9·0	0·6	36	15	3	7	-	1	-	-	-	-	-	1	1	-	-	HORNSEY.
† TOTTENHAM	119,503	18·8	9·2	14·0	15·3	2·2	80	35	4	10	-	5	-	-	-	-	-	1	3	5	-	TOTTENHAM.
† WEST HAM	301,617	14·5	13·1	15·4	10·7	1·6	200	62	18	16	-	4	1	-	3	1	-	2	4	12	-	WEST HAM.
† EAST HAM	129,886	11·6	12·4	11·2	11·6	1·2	74	29	7	3	-	1	-	1	-	-	1	-	1	6	-	EAST HAM.
† LEYTON	118,287	15·4	12·8	14·1	9·7	1·8	73	22	6	9	-	1	-	-	1	-	2	1	2	2	-	LEYTON.
† WALTHAMSTOW	121,334	13·3	10·7	9·9	11·2	0·9	66	26	10	5	-	1	-	1	-	-	-	-	1	4	-	WALTHAMSTOW.
HASTINGS	67,144	19·4	18·6	6·2	17·1	0·8	32	22	4	8	-	-	-	-	1	-	-	-	2	7	-	HASTINGS.
BRIGHTON	128,095	22·0	19·9	17·5	16·7	0·4	46	41	6	21	-	-	-	1	-	-	-	-	1	11	-	BRIGHTON.
PORTSMOUTH	205,118	15·0	14·2	15·5	15·8	1·0	119	62	16	22	-	-	-	1	1	2	-	1	2	10	1	PORTSMOUTH.
BOURNEMOUTH	67,702	15·4	20·8	16·2	16·9	-	22	22	5	8	-	-	-	-	-	-	-	-	-	5	-	BOURNEMOUTH.
SOUTHAMPTON	117,312	14·7	12·0	13·3	16·4	2·2	67	37	12	8	-	-	-	1	4	-	-	-	3	4	-	SOUTHAMPTON.
READING	78,987	13·9	18·5	9·9	11·9	-	29	18	5	8	-	-	-	-	-	-	-	-	2	6	-	READING.
NORTHAMPTON	93,749	13·3	11·1	12·8	16·1	1·1	43	29	4	12	-	-	-	1	-	1	-	2	2	7	-	NORTHAMPTON.
IPSWICH	71,809	10·9	8·7	13·1	16·0	-	46	22	7	7	-	-	-	-	-	-	-	2	3	2	-	IPSWICH.
GREAT YARMOUTH	52,613	18·8	18·8	14·9	17·8	3·0	22	18	3	8	-	2	-	1	-	-	-	-	-	2	-	GREAT YARMOUTH.
NORWICH	117,958	16·8	20·8	15·9	15·5	-	59	35	7	16	-	-	-	-	-	-	-	2	4	7	-	NORWICH.
PLYMOUTH	118,014	15·9	19·0	20·8	18·6	-	66	42	11	13	-	-	-	-	-	-	-	3	3	3	-	PLYMOUTH.
DEVONPORT	78,405	16·0	14·0	14·6	13·3	0·7	46	20	7	4	-	-	-	-	-	1	-	1	2	3	-	DEVONPORT.
BRISTOL	363,223	14·6	15·6	15·6	15·5	2·3	185	108	29	33	-	12	-	-	3	-	1	1	9	21	-	BRISTOL.
HANLEY‡	66,300	13·4	22·0	19·6	22·8	1·6	47	29	7	8	-	-	1	-	-	-	1	2	2	4	-	HANLEY ‡
BURTON-ON-TRENT	52,922	15·8	5·9	13·8	13·8	1·0	37	14	3	7	-	-	-	-	1	-	-	1	1	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON	100,729	18·1	20·7	17·1	17·6	3·6	46	34	9	11	-	2	1	1	3	-	-	-	1	9	-	WOLVERHAMPTON.
WALSALL	94,577	16·0	15·4	18·2	11·0	0·6	52	20	6	4	-	-	-	-	-	-	1	1	2	3	-	WALSALL.
HANDSWORTH	63,819	11·4	19·6	10·6	10·6	3·3	36	13	5	3	-	-	-	-	4	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH	68,469	17·5	16·0	11·4	19·0	3·0	46	25	8	5	-	-	-	-	4	-	-	-	-	2	-	WEST BROMWICH.

* See note † on first page of this return

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 31st March, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 10th Mar., 1906.	17th Mar., 1906.	24th Mar., 1906.	31st Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 31st March, 1906.	Registered during the Week ended 31st March, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM	548,022	18·1	13·7	18·7	21·3	2·2	314	224	52	53	-	4	1	4	12	1	1	7	9	43	8	BIRMINGHAM.
KINGS NORTON	72,608	11·5	6·5	10·1	10·1	-	19	14	3	4	-	-	-	-	-	-	-	-	-	2	-	KINGS NORTON.
SMETHWICK	64,531	16·2	12·9	15·4	17·0	4·0	41	21	4	8	-	-	-	-	5	-	-	-	1	-	-	SMETHWICK.
ASTON MANOR	82,288	14·6	7·0	12·7	14·6	2·5	46	23	4	6	-	-	-	-	4	-	-	1	1	1	1	ASTON MANOR.
COVENTRY	76,374	16·4	17·8	19·1	15·0	1·4	40	22	3	11	-	-	1	-	1	-	-	2	3	3	-	COVENTRY.
LEICESTER	232,111	15·5	12·1	13·0	13·5	2·2	102	60	20	12	-	1	1	4	4	-	-	1	1	11	1	LEICESTER.
GRIMSBY	69,359	17·3	11·3	18·8	8·3	-	42	11	4	3	-	-	-	-	-	-	-	1	1	2	-	GRIMSBY.
NOTTINGHAM	254,563	16·2	18·0	14·1	21·1	1·2	130	103	26	35	-	-	-	1	2	2	1	4	6	22	-	NOTTINGHAM.
DERBY	123,981	13·0	15·6	15·1	13·9	0·4	54	33	8	11	-	-	-	-	1	-	-	2	2	9	-	DERBY.
STOCKPORT	99,646	16·2	17·3	15·7	11·5	-	51	22	5	5	-	-	-	-	-	-	-	-	1	4	-	STOCKPORT.
BIRKENHEAD	117,292	17·8	18·7	16·9	12·9	0·4	73	29	7	8	-	-	-	-	1	-	-	1	1	4	-	BIRKENHEAD.
WALLASEY	64,578	16·1	10·5	8·9	11·3	0·8	28	14	8	4	-	-	-	-	-	-	1	-	1	2	-	WALLASEY.
LIVERPOOL†	739,180	22·6	21·2	21·6	22·1	3·1	477	313	87	66	-	23	5	2	10	-	4	11	20	89	15	LIVERPOOL.†
BOOTLE†	65,989	21·3	15·8	13·4	21·3	-	35	27	6	12	-	-	-	-	-	-	-	-	-	5	-	BOOTLE.†
ST. HELENS	91,153	15·4	21·7	17·7	21·2	1·1	62	37	4	12	-	-	-	2	-	-	-	2	3	9	1	ST. HELENS.
WIGAN	87,588	12·5	23·2	18·5	18·5	-	49	31	8	7	-	-	-	-	-	-	-	-	1	3	1	WIGAN.
WARRINGTON	69,280	24·1	9·8	17·3	23·3	3·0	39	31	9	2	-	-	-	-	3	-	1	1	1	3	2	WARRINGTON.
BOLTON	180,502	11·8	14·2	14·7	15·0	0·3	88	52	14	15	-	-	-	-	-	1	-	1	1	6	-	BOLTON.
BURY	58,744	16·9	17·8	9·8	21·3	4·4	32	24	7	6	-	4	-	-	-	1	-	1	2	5	2	BURY.
MANCHESTER	637,126	19·9	19·4	16·8	19·5	2·5	358	238	68	58	-	17	-	1	8	-	4	9	20	63	6	MANCHESTER.
SALFORD	234,077	14·9	14·9	17·8	16·3	1·3	154	73	15	22	-	1	-	-	3	1	1	3	7	18	-	SALFORD.
OLDHAM	140,969	17·0	18·5	18·5	19·6	3·0	86	53	12	17	-	-	1	-	4	-	3	1	4	4	-	OLDHAM.
ROCHDALE	87,189	19·1	15·5	16·1	13·2	-	36	22	3	4	-	-	-	-	-	-	-	1	2	4	1	ROCHDALE.
BURNLEY	102,808	17·8	17·2	15·2	16·2	2·0	45	32	9	9	-	1	-	1	-	-	2	1	2	5	2	BURNLEY.
BLACKBURN	134,015	18·3	15·6	12·1	22·2	3·9	55	57	8	16	-	7	2	-	-	1	-	1	2	7	1	BLACKBURN.
PRESTON	116,399	22·0	17·5	17·9	17·5	3·1	55	39	12	9	-	6	-	-	-	1	-	1	2	3	-	PRESTON.
BARROW-IN-FURNESS.	60,967	6·0	9·4	15·4	13·7	0·9	31	16	9	4	-	-	-	-	-	-	1	-	-	2	1	BARROW-IN-FURNESS.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 10th Mar., 1906.	17th Mar., 1906.	24th Mar., 1906.	31st Mar., 1906.	Rate from Diseases in Cols. 11-17. Week ended 31st March, 1906.	Registered during the Week ended 31st March, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	12·6	12·6	17·6	21·4	1·1	44	39	7	15	-	-	-	-	1	-	1	3	3	3	-	Huddersfield.
Halifax	109,272	18·1	17·2	12·9	20·0	1·9	47	42	4	14	-	3	-	-	-	-	1	1	3	7	2	Halifax.
Bradford	288,544	15·5	20·6	18·3	11·7	1·1	130	65	11	18	-	3	2	-	-	-	1	1	5	7	-	Bradford.
Leeds	463,495	18·2	15·3	16·1	15·0	1·6	240	133	32	33	-	7	1	3	2	1	-	1	9	18	-	Leeds.
Sheffield	447,951	16·3	12·3	15·6	15·5	1·3	247	133	29	39	-	2	4	2	3	-	-	1	4	29	3	Sheffield.
Rotherham	61,098	15·4	19·6	12·8	13·7	-	38	16	4	3	-	-	-	-	-	-	-	1	1	4	-	Rotherham.
York	83,467	17·5	19·4	12·5	20·6	1·2	45	33	5	12	-	-	1	-	1	-	-	1	6	8	-	York.
Hull	262,426	14·1	15·3	14·9	13·9	0·2	180	70	11	31	-	-	-	-	1	-	-	3	7	10	-	Hull.
Middlesbrough	100,069	18·8	20·8	14·1	24·5	0·5	59	47	10	10	-	-	-	1	-	-	-	4	5	8	2	Middlesbrough.
Stockton-on-Tees	52,664	15·8	13·9	18·8	10·9	-	38	11	4	2	-	-	-	-	-	-	-	-	-	-	-	Stockton-on-Tees.
West Hartlepool	73,387	10·7	16·3	12·8	16·3	2·1	50	23	7	4	-	-	1	-	1	-	1	1	1	3	-	West Hartlepool.
Sunderland	154,385	20·3	20·6	14·5	18·9	0·3	103	56	11	13	-	-	-	-	-	1	-	2	3	14	-	Sunderland.
South Shields	111,402	16·9	13·1	15·4	14·5	-	68	31	5	14	-	-	-	-	-	-	-	-	-	4	2	South Shields.
Gateshead	123,191	20·3	13·5	12·7	15·7	0·8	79	37	14	12	-	-	-	-	2	-	-	-	-	3	2	Gateshead.
Newcastle-on-Tyne	268,721	20·8	18·8	18·8	16·7	2·7	189	86	27	23	-	9	-	-	5	-	-	3	6	15	-	Newcastle-on-Tyne.
Tynemouth	54,138	29·9	19·3	25·0	13·5	-	45	14	3	4	-	-	-	-	-	-	-	-	1	-	-	Tynemouth.
Newport (Mon.)	74,227	21·1	15·5	19·7	15·5	2·1	54	22	5	6	-	-	-	-	2	-	1	1	1	4	-	Newport (Mon.).
Cardiff	183,823	19·0	15·9	12·5	14·2	0·3	79	50	15	11	-	-	-	-	1	-	-	3	8	6	-	Cardiff.
Rhondda	127,684	20·0	17·2	18·4	12·7	2·0	113	31	18	4	-	-	-	1	2	1	1	-	-	1	-	Rhondda.
Merthyr Tydfil	74,961	21·6	20·2	18·1	11·1	0·7	55	16	5	5	-	-	-	-	1	-	-	1	2	2	-	Merthyr Tydfil.
Swansea	96,848	18·3	13·5	20·5	17·2	1·1	56	32	9	11	-	1	-	-	-	-	1	1	1	4	-	Swansea.
Greater London	7,113,561	15·2	15·0	14·5	16·2	1·6	4064	2212	397	716	-	100	12	23	62	6	12	87	218	745	3	Greater London.
Outer Ring	2,392,344	13·1	12·0	12·0	11·7	1·1	1401	538	101	186	-	24	4	8	9	2	5	19	50	90	1	Outer Ring.
8 Towns in Outer Ring	1,172,195	13·2	12·2	12·3	11·4	1·3	723	257	58	80	-	16	2	3	4	1	3	7	22	47	1	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	13·0	11·7	11·6	12·0	1·0	678	281	43	106	-	8	2	5	5	1	2	12	28	43	-	Remainder of Outer Ring.
Edinburgh	341,035	16·4	15·6	17·0	16·5	2·0	163	108	20	23	-	7	2	1	1	-	2	3	33	10	1	Edinburgh.
Glasgow	835,625	19·0	20·9	18·3	19·1	2·0	476	306	49	51	-	14	2	3	7	1	5	13	82	8	2	Glasgow.
Dublin†	378,994	24·6	23·1	25·6	26·1	1·4	230	190	40	54	-	-	-	3	2	3	2	3	4	87	12	Dublin.†
Belfast†	358,680	22·5	27·8	22·1	29·2	3·9	248	201	46	36	-	-	2	1	21	2	1	2	5	44	2	Belfast.†

* See note † on first page of this return

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

Table 2. LONDON.—Births and Deaths Registered in the Thirteenth Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
Total **Births** -	2780	2533	2860	2609	2736	2634	2383	2465	2240	2619	2473·7	2663
Males - - -	1401	1320	1458	1338	1407	1349	1234	1287	1134	1330	1270·4	1347
Females - -	1379	1213	1402	1271	1329	1285	1149	1178	1106	1289	1203·3	1316
Total **Deaths** -	1526	1505	1883	1922	1785	1645	1614	1386	1672	1357	1536·4	1674
Males - -	778	778	948	936	933	846	836	763	828	706	798·4	869
Females - -	748	727	935	986	852	799	778	623	844	651	738·0	805

* The numbers in this column are the average weekly numbers in the thirteenth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

Table 3. LONDON.—Births, Deaths, Meteorology, and Cases of Infectious Sickness in Hospitals, in the Last Thirteen Weeks.

	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	13 Weeks.
Total **Births** -	2788	2705	2390	2451	2508	2550	2394	2500	2470	2509	2499	2243	2663	32670
Total **Deaths** -	1756	1585	1399	1382	1337	1346	1517	1585	1501	1468	1498	1433	1674	19481
Ages at Death: Under 1 year -	336	304	299	257	260	272	316	317	280	296	303	273	296	3809
1—5 years -	217	185	170	171	162	146	156	187	183	160	190	170	228	2325
5—20 ,, -	91	63	56	87	60	79	104	85	69	77	72	73	76	992
20—40 ,, -	208	195	129	170	150	156	174	169	191	171	164	165	201	2243
40—60 ,, -	356	307	271	267	265	254	295	315	284	309	302	277	343	3845
60 yrs. & upwds.	548	531	474	430	440	439	472	512	494	455	467	475	530	6267
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	64	53	52	44	28	26	43	52	55	56	70	65	76	684
Scarlet Fever - -	9	17	13	10	5	11	9	10	6	12	10	9	8	129
Diphtheria - -	13	11	12	22	17	16	13	18	18	12	14	16	15	197
Whooping-cough -	33	32	21	37	34	33	45	35	29	34	38	34	53	458
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	6	3	3	3	1	4	5	2	5	3	3	3	4	45
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	10	11	8	19	14	23	13	13	14	19	17	6	7	174
All above Diseases -	135	127	109	135	99	113	128	130	127	136	152	133	163	1687
Dis. of Resp. System	225	193	148	174	168	146	160	176	190	178	173	165	165	2261
Pneumonia - -	229	177	151	119	144	132	129	152	153	136	161	153	172	2008
Phthisis - - -	168	144	128	147	129	133	141	135	136	134	132	133	169	1829
Dis. of Circ. System -	236	217	200	161	162	177	216	207	196	177	201	173	238	2561
Violence - - -	76	63	61	56	38	44	66	66	52	46	64	66	68	766
Inquest Cases - -	215	178	151	130	127	132	160	169	144	141	152	165	168	2032
Deaths in Institutions	608	563	498	554	519	493	552	650	545	548	532	523	655	7240
Temperature of the Air.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	41·3	43·1	42·0	40·4	42·8	37·0	38·2	37·4	41·7	47·2	43·5	37·5	38·2	40·8
Mean of Highest -	45·2	48·7	46·5	44·3	47·4	41·9	44·8	43·5	48·6	55·4	49·9	43·4	46·0	46·6
Mean of Lowest -	38·0	37·6	37·2	35·3	38·0	32·2	32·6	32·2	35·7	40·0	37·3	33·0	32·6	35·5
Mean Humidity of the Air.	81	82	77	83	80	80	85	81	79	75	73	79	73	79
Rain-fall (in inches) -	0·95	1·20	1·06	0·49	0·10	0·38	0·92	0·27	0·17	0·35	0·29	0·32	0·14	6·64
Registered Sunshine (in hours).	2·5	17·5	23·7	5·8	10·6	17·5	13·0	13·8	21·7	35·0	22·1	18·0	18·0	219·2
Cases of Infectious Sickness in Hospitals* at the end of each Week.														Means.
Small-pox - -	-	-	-	-	-	-	2	5	6	6	7	10	8	3
Scarlet Fever - -	3299	3062	3066	2983	2912	2839	2734	2689	2628	2545	2485	2434	2386	2774
Diphtheria - -	728	748	800	841	873	899	944	953	933	931	907	926	930	878
Typhus - - -	-	-	-	-	-	-	-	-	-	2	2	2	1	1
Enteric Fever - -	87	91	87	84	95	79	81	80	79	73	69	65	63	79

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

Meteorological Observations.—(*See* Table 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTEENTH Week of the Year 1906.

e terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting

CAUSES OF DEATH.	Corrected Average for the 13th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1536·4	1674	296	228	76	201	343	530
Small-pox*	16·3	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	63·2	76	11	62	3	-	-	-
Scarlet Fever	6·4	8	-	6	1	1	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	21·9	23	2	1	1	4	7	8
Whooping-cough	56·3	53	25	28	-	-	-	-
Diphtheria	17·8	15	1	12	2	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·1	4	-	1	-	1	2	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	2·5	1	-	-	1	-	-	-
Diarrhœa, Dysentery	12·2	6	3	-	-	-	1	2
Tetanus	0·3	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	7·6	9	3	2	-	2	2	-
Puerperal Septicæmia	2·0	7	-	-	-	7	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	0·3	-	-	-	-	-	-	-
Infective Endocarditis	2·0	1	-	-	-	1	-	-
Pneumonia: Lobar	13·3	18	-	2	1	-	7	8
Pneumonia: Broncho-	72·9	90	31	35	1	4	7	12
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	61·7	64	5	8	3	10	18	20
Erysipelas	3·3	4	1	-	-	1	1	1
Septicæmia (not Puerperal)	1·0	2	1	-	1	-	-	-
Pyæmia (not Puerperal)	0·8	-	-	-	-	-	-	-
Other Infective Processes	9·9	9	-	1	1	4	-	3
Tuberculous Phthisis	79·0	111	1	5	9	51	37	8
"*Phthisis*"	75·2	58	-	1	3	22	23	9
Tuberculous Meningitis	20·6	19	3	12	4	-	-	-
Tuberculous Peritonitis	6·4	6	1	1	1	1	1	1
Tabes Mesenterica	4·1	4	3	1	-	-	-	-
Tuberculous Dis. (other)	22·2	33	3	8	7	6	7	2
Scrofula	-	-	-	-	-	-	-	-
Alcoholism	9·2	6	-	-	-	2	3	1
Rheumatic Fever	3·6	7	-	-	4	1	1	1
Gout	2·0	3	-	-	-	-	1	2
Carcinoma	40·8	67	-	-	-	6	29	32
Sarcoma	4·8	5	-	-	-	1	2	2
Cancer (undefined)	37·5	28	-	-	-	3	16	9
Diabetes Mellitus	9·4	4	-	-	-	1	2	1
Premature Birth	45·6	56	56	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 13th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	17·3	22	9	7	4	1	1	-
Insanity, Gen. Par. of Insane	15·5	13	-	-	-	-	1	12
Epilepsy	8·9	7	-	-	-	2	2	3
Convulsions	22·4	21	18	3	-	-	-	-
Locomotor Ataxy	0·8	1	-	-	-	-	1	-
Paraplegia, Dis. of Cord	9·2	9	-	-	1	2	1	5
Nervous Sys. (other dis.)	21·7	24	2	1	1	2	3	15
Valv. Dis., Endocarditis	40·8	71	-	-	8	11	25	27
Cerebr. Hæm. Thromb.	32·9	38	-	-	-	2	15	21
Apoplexy, Hemiplegia	19·4	18	-	-	-	1	4	13
Aneurysm	4·8	6	-	-	-	1	3	2
Embolism, Thrombosis (not cerebral)	1·0	3	-	-	-	2	1	-
Heart & Blood Vessel Dis.	88·4	102	-	-	1	6	29	66
Croup (not Spasm: nor Memb.)	0·5	-	-	-	-	-	-	-
Bronchitis	145·3	140	17	9	-	5	23	86
Asthma, Emphysema	6·4	5	-	-	-	-	3	2
Pleurisy	4·8	4	1	-	1	1	-	1
Respiratory Dis. (other)	11·5	16	4	2	1	-	4	5
Tonsillitis, Quinsy	0·3	-	-	-	-	-	-	-
Enteritis (not Epid.)	4·8	5	3	-	-	-	1	1
Gastro-Enteritis	4·1	2	2	-	-	-	-	-
Peritonitis (not Puerp.)	3·6	4	-	-	-	-	2	2
Cirrhosis of Liver	11·7	16	-	-	-	-	12	4
Liver Dis. (other)	8·9	4	1	-	-	-	2	1
Digestive Dis., Other	36·2	46	4	2	6	10	8	16
Nephritis, Acute	7·9	8	-	1	2	3	-	2
Bright's Dis., Albuminuria	32·6	30	-	-	3	4	11	12
Urinary Sys., Other Dis.	12·2	18	-	-	-	3	1	14
Generative Organs Dis.	4·8	3	1	-	-	1	-	1
Childbirth (Accid. of)	3·3	2	-	-	-	1	1	-
Old Age	57·3	76	-	-	-	-	-	76
Other Diseases	101·1	95	68	9	1	3	6	8
ACCIDENT.								
By Railways	2·8	5	-	-	1	4	-	-
By Vehicles and Horses	7·6	6	-	-	2	1	2	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	1	-	-	-	1	-	-
In Building Operations	1·0	1	-	-	-	1	-	-
In Conflagrations	0·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	7·9	11	3	6	-	-	1	1
By Drowning	4·3	2	-	-	-	-	2	-
By Suffocation in Bed	9·9	12	12	-	-	-	-	-
By Poisons or Poisonous Vapours	1·3	4	-	1	-	1	1	1
Other Deaths by Accident	12·0	15	1	1	1	3	3	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·8	-	-	-	-	-	-	-
Suicide	10·4	11	-	-	-	-	7	4
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st March, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2663	1674	296	530	-	76	8	15	53	-	4	-	7	68	168	655
WEST DISTRICTS	805,311	404	279	37	106	-	15	-	4	2	-	-	-	1	7	23	114
NORTH DISTRICTS	1,056,070	568	353	66	116	-	24	-	4	16	-	-	-	-	14	32	131
CENTRAL DISTRICTS	209,465	132	83	16	24	-	6	-	-	1	-	-	-	-	6	14	39
EAST DISTRICTS	715,739	503	282	69	68	-	10	-	-	16	-	-	-	2	20	48	130
SOUTH DISTRICTS	1,749,844	1056	631	107	194	-	21	6	7	18	-	4	-	2	21	50	195
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	46	1	22	-	-	2	-	-	-	-	-	2	-	1	46
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	42	33	5	12	-	1	-	-	-	-	-	-	-	1	4	10
St. John Paddington *H*	33,617	6	11	1	3	-	-	-	-	-	-	-	-	1	-	-	7
North-West Paddington	17,181	16	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	69	52	5	32	-	2	-	-	-	-	-	-	-	2	4	28
Brompton *2H*	48,591	13	8	-	6	-	-	-	-	-	-	-	-	-	1	1	1
North Hammersmith *2W,wH*	49,192	38	14	3	5	-	3	-	-	-	-	-	-	-	-	-	-
South Hammersmith *w,2H*	63,047	35	17	5	3	-	4	-	1	-	-	-	-	-	1	3	5
North-west Fulham *W*	45,180	40	27	3	8	-	-	-	-	1	-	-	-	-	-	2	12
North-east Fulham *F*	46,405	28	8	1	1	-	1	-	2	-	-	-	-	-	-	-	2
South Fulham *W*	45,704	27	10	2	4	-	2	-	-	-	-	-	-	-	-	1	-
Chelsea North *W,w,3H*	42,514	18	50	2	22	-	1	-	1	1	-	-	-	-	1	4	33
Chelsea South *W,2H*	31,328	10	16	6	3	-	1	-	-	-	-	-	-	-	1	2	1
Mayfair and Knightsbridge	28,743	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	25	17	3	3	-	-	-	-	-	-	-	-	-	-	1	9
St. Margaret & St. John *4H*	43,698	19	10	-	-	-	-	-	-	-	-	-	-	-	-	1	5
St. James and St. Anne‡ *W,6H*	33,081	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	9	16	-	7	-	-	-	-	-	-	-	-	-	-	-	8
St. Mary Marylebone *W,4H*	37,948	48	6	1	3	-	1	-	-	-	-	-	-	-	1	1	1
Christchurch Marylebone *H*	39,536	20	6	3	1	-	1	-	-	1	-	-	-	-	1	1	-
St. John Marylebone *2H*	20,426	6	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,7H*	81,942	33	18	3	6	-	-	-	1	-	-	-	-	-	-	1	7
West St. Pancras *2H*	60,562	26	19	5	3	-	4	-	-	2	-	-	-	-	-	-	2
Tottenham-court *w,7H*	21,258	9	14	2	6	-	-	-	-	-	-	-	-	-	1	1	13
Gray's Inn Lane *4H*	34,449	19	12	3	1	-	-	-	-	1	-	-	-	-	2	2	7
East St. Pancras *W,2H*	60,320	25	24	5	11	-	-	-	-	2	-	-	-	-	-	2	14
North St. Pancras *2W*	58,728	39	26	6	9	-	-	-	-	1	-	-	-	-	-	1	9
Tufnell *W*	31,995	18	24	4	13	-	-	-	-	2	-	-	-	-	1	1	20
Upper Holloway *2W,w,H*	33,978	24	26	2	8	-	2	-	-	-	-	-	-	-	2	2	17
Tollington *WH*	33,922	26	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	20	6	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	29	20	8	3	-	6	-	-	2	-	-	-	-	-	1	-
Islington South-east *F*	75,397	34	18	3	3	-	5	-	-	-	-	-	-	-	-	2	-
Highbury *2H*	63,797	32	11	1	6	-	1	-	-	-	-	-	-	-	-	1	-
Stoke Newington *H*	51,247	24	17	2	3	-	1	-	-	3	-	-	-	-	2	3	-
North Hackney	50,560	19	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	26	17	5	5	-	-	-	3	-	-	-	-	-	1	5	3
South-west Hackney *3H*	59,921	45	26	6	6	-	-	-	-	2	-	-	-	-	2	4	12
South-east Hackney *2W,w,H*	58,255	37	31	5	13	-	1	-	-	-	-	-	-	-	1	3	19

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st March, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
. Giles and Bloomsbury 2*W*,2*H* -	31,436	22	5	1	3	-	-	-	-	-	-	-	-	-	-	-	2	-
rand *W*,4*H* - - - - -	21,674	4	14	2	4	-	-	-	-	-	-	-	-	-	2	2	12	-
rand Union Workhouse, Edmonton -	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	3	-
olborn *W*,6*H* - - - - -	29,612	18	17	5	2	-	-	-	-	1	-	-	-	-	1	1	10	-
uth Clerkenwell - - -	28,676	24	6	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-
orth Clerkenwell *H* - - -	35,028	19	9	3	3	-	3	-	-	-	-	-	-	-	-	2	-	-
nsbury 3*H*,*L* - - - - -	36,116	41	15	2	3	-	3	-	-	-	-	-	-	-	-	3	1	-
olborn *Union Workhouse, Mitcham* - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
. Botolph *H* - - - - -	10,299	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
. Sepulchre and Allhallows *W*,2*H*	16,624	1	12	2	3	-	-	-	-	-	-	-	-	-	3	3	10	-
ty of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *H* - - -	46,362	28	15	4	1	-	2	-	-	2	-	-	-	-	-	2	-	-
oreditch North-West *W*,*w*,*H* -	36,127	26	25	3	13	-	3	-	-	-	-	-	-	-	2	4	20	-
oreditch North-East - - -	36,148	31	7	2	1	-	1	-	-	1	-	-	-	-	-	1	-	-
oreditch Union Workhouse, Wood Green - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North 2*H* - -	51,514	32	15	9	4	-	-	-	-	-	-	-	-	-	1	2	6	-
thnal Green South - - -	33,472	24	7	4	-	-	-	-	-	1	-	-	-	-	2	3	-	-
thnal Green East 2*W*,*H*,*L* - -	44,694	22	28	4	15	-	-	-	-	-	-	-	-	-	-	1	21	-
pitalfields - - - - -	27,969	15	4	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-
ile End New Town *W*,*H* - -	28,718	24	47	5	6	-	-	-	-	1	-	-	-	-	7	12	42	-
oodman's Fields - - - -	22,081	11	4	-	1	-	1	-	-	-	-	-	-	-	-	4	-	-
t. George and St. John 2*W* - -	49,068	44	13	5	5	-	-	-	-	1	-	-	-	1	1	4	6	-
adwell and Ratcliff *W*,*H* - -	25,568	12	10	2	1	-	-	-	-	-	-	-	-	-	-	-	6	-
imehouse *W* - - - - -	32,369	22	5	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-
ile End Old Town South-Western *H* - - - -	63,698	62	14	6	2	-	1	-	-	2	-	-	-	-	-	1	-	-
ile End Old Town North-Eastern *W*,*w* - - -	49,129	35	16	1	5	-	-	-	-	1	-	-	-	-	1	3	9	-
ow *L* - - - - - -	41,989	34	8	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-
romley 3*w*,*H* - - - - -	68,319	43	43	7	10	-	1	-	-	-	-	-	-	1	2	4	19	-
oplar *W*,*w* - - - - -	58,514	38	21	11	1	-	-	-	-	7	-	-	-	-	2	4	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES and from SMALL-P[illegible] MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registe[illegible] in each SUB-DISTRICT during the Week ended Saturday, 31st March, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H*	12,056	10	19	2	1	-	1	-	-	-	-	1	-	-	3	3	17
Kent-road	21,904	14	6	3	1	-	1	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	28	12	3	-	-	-	-	-	1	-	-	-	-	-	2	6
Newington North	49,022	22	16	2	5	-	2	-	-	-	-	-	-	-	-	3	-
Newington South *W*	72,841	41	18	5	6	-	1	-	-	-	-	-	-	-	-	-	3
St. Olave *2W*	9,817	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	58	22	2	4	-	-	-	-	1	-	-	-	-	1	1	-
Rotherhithe *W,F*	38,460	22	17	1	7	-	-	-	-	-	-	-	-	-	-	-	9
Waterloo-road *2H*	27,440	27	10	3	1	-	-	-	-	-	-	-	-	-	2	3	1
Lambeth Church 1st *H*	18,423	11	29	5	6	-	-	-	-	-	-	-	-	-	3	5	24
Lambeth Church 2nd *2W*	39,818	33	32	3	9	-	1	-	-	1	-	-	-	-	-	1	15
Kennington 1st *H*	53,198	33	17	3	8	-	-	-	-	-	-	-	-	-	1	2	-
Kennington 2nd *H*	42,896	24	10	1	2	-	-	-	1	1	-	-	-	-	-	-	-
Brixton *F*	84,232	38	18	2	6	-	1	2	-	-	-	1	-	-	1	1	5
Norwood *W,H*	35,888	13	7	2	2	-	-	-	1	-	-	-	-	-	-	-	1
East Battersea *H*	72,203	44	17	4	3	-	1	-	-	1	-	-	-	-	-	3	-
North-west Battersea	49,656	20	6	2	2	-	-	-	-	1	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	22	17	2	6	-	1	-	-	-	-	-	-	-	1	1	13
Clapham *2H*	51,361	29	20	8	6	-	-	-	-	1	-	-	-	-	-	1	2
Streatham *W,2w,2F,2L*	88,019	46	34	3	21	-	-	-	1	-	-	-	-	1	2	2	15
Springfield *2W,L*	27,959	18	6	1	1	-	-	-	-	-	-	1	-	-	-	1	-
Southfields *H*	40,444	32	15	5	7	-	-	-	1	-	-	-	-	-	-	-	-
Putney	24,139	15	10	1	4	-	-	-	-	-	-	-	-	-	1	3	-
Dulwich	13,359	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	23	31	1	12	-	1	-	-	-	-	-	-	-	-	-	18
Camberwell North *W,2L*	65,584	33	29	3	12	-	-	-	-	-	-	-	-	-	-	2	18
St. George	47,331	27	9	3	2	-	2	-	-	-	-	-	-	1	-	-	-
Peckham North	48,913	34	16	2	6	-	-	-	-	1	-	-	-	-	-	1	-
Peckham South *2W,w*	43,946	23	14	1	5	-	1	-	-	3	-	-	-	-	1	2	-
Deptford North	37,613	24	16	2	3	-	2	-	-	3	-	-	-	-	-	1	-
Deptford Central	45,481	26	12	4	1	-	2	-	-	2	-	-	-	-	2	2	-
Deptford South	34,625	14	7	2	-	-	1	-	-	1	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	15	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	31	31	3	11	-	-	-	-	-	-	-	-	-	-	-	24
Eltham *w,H*	7,226	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	16	8	3	1	-	1	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F*	58,352	57	22	4	9	-	1	1	1	-	-	-	-	-	1	1	11
Sydenham *H*	43,653	23	13	4	5	-	-	-	-	-	-	-	-	-	-	2	1
Charlton *F,2H*	21,134	11	14	-	2	-	1	3	2	-	-	1	-	-	-	1	8
Woolwich *5H*	41,625	36	11	4	1	-	-	-	-	1	-	-	-	-	-	-	1
Plumstead West *W*	18,063	7	9	2	2	-	-	-	-	-	-	-	-	-	1	1	-
Plumstead East *2W,H*	50,264	28	17	3	7	-	-	-	-	-	-	-	-	-	1	5	3
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	7	1	5	-	-	-	-	-	-	-	-	-	-	-	7
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Northern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Darenth	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Leavesden	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Dartford Heath	—	-	3	-	2	-	-	-	-	-	-	-	-	1	-	-	3
Hanwell	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5
Colney Hatch	—	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-	3
Claybury	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	1	8

ABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 31st March, 1906.

Registration District No.		REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		LONDON—OUTER RING -	366,602	2,044,973	1401	538	101	186	-	24	4	8	9	2	5	19	50	90	1
3	1	Carshalton 2F,2H - -	12,228	32,997	16	10	1	5	-	-	-	1	1	-	-	-	1	1	-
	2	Epsom, *part of** W,w,2F,H -	10,423	15,548	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	1	Godstone, *part of** W,F -	2,754	2,692	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	Coulsdon - - - -	11,069	8,166	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	2	South Croydon w - -	4,200	49,309	22	15	1	5	-	1	-	-	-	-	-	1	3	-	-
	3	West Croydon 3W,F,H -	2,168	42,888	33	22	3	11	-	2	-	2	-	-	-	-	1	15	-
	4	North Croydon H - -	2,644	41,698	38	8	2	4	-	-	-	-	-	-	-	1	4	1	-
	5	Penge w,H - - - -	770	22,465	8	6	-	3	-	-	-	-	-	-	-	-	2	-	-
	6	Mitcham w - - -	11,711	30,015	35	14	2	5	-	-	-	-	-	-	-	1	1	-	-
3	1	Wimbledon F,3H - -	3,221	41,652	24	10	1	5	-	-	1	-	-	-	-	1	3	2	-
	2	Kingston 2W,H - - -	6,224	42,068	20	7	-	4	-	-	-	-	-	-	-	-	1	3	-
	3	Surbiton F,H - - -	3,046	15,017	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	4	Esher, *part of** H -	5,402	13,100	4	4	-	-	-	-	-	-	-	-	-	1	1	-	-
	5	Hampton H,F,L - - -	4,564	23,456	15	6	2	2	-	-	-	1	-	-	-	-	-	2	-
4	1	Richmond W,H - - -	2,162	28,865	16	14	1	8	-	1	-	-	-	-	-	-	-	3	-
	2	Mortlake F - - -	2,847	20,628	16	10	2	4	-	-	-	-	1	-	-	1	3	-	-
4	1	Bromley F,2H - - -	4,703	27,354	17	4	1	2	-	-	-	-	-	-	-	-	-	-	-
	2	Beckenham H - - -	7,825	28,497	17	5	-	4	-	-	-	-	-	-	-	-	-	1	-
	3	Orpington *part of** W -	10,113	9,857	7	3	-	3	-	-	-	-	-	-	-	-	-	3	-
	4	Chislehurst 2H - - -	7,333	16,446	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	1	Bexley w F,H - - -	8,678	21,151	12	6	1	2	-	-	-	-	-	-	-	-	-	-	-
	2	Erith F,H - - - -	3,854	25,296	11	6	-	2	-	-	-	-	-	-	1	-	1	-	-
	3	Dartford W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	1	Sunbury w - - - -	11,054	18,683	13	3	-	1	-	-	-	-	-	-	-	-	1	-	-
	2	Staines W,H - - -	13,277	15,178	15	1	-	-	-	-	-	-	-	-	-	1	1	-	-
12	1	Hillingdon W,F,H - -	6,035	13,661	10	11	2	6	-	-	-	1	-	-	-	-	-	1	-
	2	Uxbridge H - - -	12,757	8,984	4	5	1	-	-	-	-	-	-	-	-	-	1	-	-
	3	Hayes w,F,H - - -	8,066	16,358	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	1	Isleworth 3W,2F,H - -	6,859	30,863	19	14	3	6	-	-	-	-	-	-	-	-	-	5	-
	2	Twickenham F,H - -	2,421	20,991	14	5	-	2	-	-	-	-	-	-	-	-	-	-	-
	3	Brentford 3F,2H,L - -	4,319	48,289	31	13	4	2	-	3	-	-	1	-	-	2	3	2	-
	4	Chiswick H- - - -	1,249	29,809	23	6	1	1	-	-	-	-	-	-	-	-	-	-	-
	5	Acton w,3H - - -	6,132	48,914	49	16	4	5	-	3	-	-	-	-	-	-	-	-	-
12	1	Harrow F,H - - -	13,809	25,523	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-
	2	Edgware F,2H - - -	6,994	4,521	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	3	Willesden W,2F,2H - -	4,384	114,811	101	25	5	11	-	-	1	-	-	-	-	-	2	4	1
	4	Hendon W,F - - -	8,382	22,450	12	9	-	4	-	-	-	-	1	-	-	1	2	1	-
12	1	South Mimms 2F,H - -	17,755	7,308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	Barnet W,2H - - -	3,324	17,970	10	2	-	-	-	-	-	-	-	-	-	-	-	1	-
	3	Finchley F,2H - - -	4,688	33,692	18	6	3	3	-	-	-	-	-	-	-	-	1	-	-
12	1	Hornsey F,H - - -	2,875	72,056	36	15	3	7	-	1	-	-	-	-	-	1	1	-	-
	2	Wood Green H - - -	1,625	34,233	25	6	1	2	-	-	-	-	-	-	-	-	1	-	-
	3	West Tottenham F - -	996	48,853	40	12	2	2	-	1	-	-	-	-	-	-	2	-	-
	4	East Tottenham 2H - -	2,017	53,688	40	22	3	6	-	3	-	-	-	-	-	1	1	4	-
	5	Edmonton W,w,2F - -	7,491	61,892	42	11	2	3	-	-	-	-	-	-	-	-	-	5	-
	6	Enfield 2W,F,H - - -	12,601	42,738	25	12	1	4	-	-	-	-	-	1	-	1	1	2	-
	7	Waltham Abbey F - -	11,017	6,549	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	Cheshunt F,H - - -	8,479	12,292	6	2	-	1	-	1	-	-	-	-	-	-	-	-	-
12	1	Hatfield, *part of** W -	3,305	664	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
13	1	Bushey H - - - -	9,333	9,173	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	Watford W,2F *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
13	1	Stratford H - - -	1,072	44,827	45	8	4	2	-	-	-	-	-	-	-	2	2	4	-
	2	Plaistow F,2H - - -	1,249	90,921	71	21	5	6	-	2	1	-	3	-	-	-	1	2	-
	3	Canning Town H - -	1,556	70,718	51	19	5	4	-	2	-	-	-	1	-	-	1	-	-
	4	Forest Gate w - - -	806	60,892	33	8	4	1	-	-	-	-	-	-	-	1	1	-	-
	5	North East Ham w H -	1,333	58,676	40	11	2	2	-	1	-	1	-	-	-	-	1	-	-
	6	South East Ham 2F - -	1,993	37,342	34	12	5	-	-	-	-	-	-	-	-	-	-	-	-
	7	Wanstead F - - -	1,679	9,179	8	1	-	-	-	-	-	-	-	-	-	1	1	-	-
	8	South Leyton 2W - -	631	50,467	35	10	4	5	-	-	-	-	1	-	1	-	-	2	-
	9	North Leyton 2W,w,F -	1,963	48,445	38	30	2	13	-	1	-	-	-	-	2	1	2	18	-
	10	Walthamstow 3H,L - -	6,504	108,929	76	27	11	3	-	1	-	-	1	-	-	1	2	-	-
13	1	Chigwell, *part of** 2F,3H -	11,778	16,397	6	3	-	1	-	-	-	1	-	-	-	-	-	1	-
	2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	1	Romford, *part of** W,2F -	6,556	6,091	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	2	Ilford F,L - - - -	8,496	41,234	41	16	4	3	-	-	-	1	-	-	1	-	1	-	-
	3	Barking Town F - -	3,803	21,547	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-
		Western Hosp., Fulham -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
		London Fever Hospital, Islington.	—	—	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-
		Northern Fever Hospital, Winchmore Hill.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
		Middlesex County Asylum, Wandsworth.	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Leydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	March 31	2663	1674	18·5	-	76	8	15	53	4	
CALCUTTA - -	910,117	February 17	-	668	40·9	118	4	-	-	-	171†	1
BOMBAY - -	776,006	March 13	366	1441	96·6	8	38	-	-	3	525†	1
MADRAS - -	509,346	February 23	318	516	52·6	20	17	?	?	?	110†	1
PARIS - - -	2,750,000	March 24	994	1036	20·0	1	21	1	6	6	3	
BRUSSELS - -	598,467	" 24	248	165	14·3	-	2	2	-	1	1	
ANTWERP - -	291,949	" 24	135	74	13·2	-	1	-	-	-	2	
AMSTERDAM -	559,575	" 17	300	168	15·6	-	5	4	3	3	-	
COPENHAGEN -	430,000	" 24	233	161	19·5	-	6	-	-	8	-	
STOCKHOLM -	318,398	" 17	149	85	13·9	-	1	4	3	1	1	
CHRISTIANIA -	222,373	" 24	89	48	11·2	-	-	-	2	-	-	
ST. PETERSBURG	1,429,000	" 10	765	723	26·3	-	25	16	17	10	28	
MOSCOW - -	1,154,000	" 10	-	672	30·4	-	1	8	16	3	9	
BERLIN - -	2,052,267	" 10	965	666	16·9	-	12	3	7	7	1	
HAMBURG - -	803,050	" 24	-	235	15·2	-	7	-	2	5	-	
BRESLAU - -	463,283	" 17	-	180	19·8	-	-	-	5	3	-	
MUNICH - -	540,000	" 24	-	200	19·3	-	-	2	-	1	-	
VIENNA - -	1,917,639	" 24	1055	742	20·1	-	9	9	9	3	1	
PRAGUE - -	455 241	" 24	221	185	21·1	-	4	1	-	-	1	
BUDA-PESTH -	859,134	" 17	479	299	18·1	-	9	6	4	-	2	
TRIESTE - -	194,749	" 10	128	112	29·9	-	1	1	-	2	-	
ROME - -	526,170	February 10	302	241	23·9	-	7	-	3	-	2§	
		" 17	307	267	26·5	-	2	-	1	-	5§	
VENICE - -	171,709	March 3	-	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	" 17	155	141	25·3	-	-	2	-	-	-	
NEW YORK -	4,152,860	" 17	2086	1543	19·4	-	43	15	50	7	6	
CHICAGO - -	2,049,185	" 10	-	607	15·4	-	-	13	14	1	7	
PHILADELPHIA -	1,469,126	" 10	-	634	22·4	-	12	1	16	7	35	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	February 18	-	288	16·4	-	-	-	-	-	3†	1

* Excluding deaths from croup in the Indian Cities.
† Including 32 deaths from plague in Calcutta, 411 in Bombay, 1 in Madras, and 1 in Rio de Janeiro.
‡ Including 79 deaths from cholera in Calcutta, and 2 in Bombay.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 31st March, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	52·1	29·1	39·3	0·14	BRADFORD - -	51·0	28·0	39·1	0
BRIGHTON - -	51·9	29·3	40·0	0·18	LEEDS - - -	54·0	31·0	41·3	0
PORTSMOUTH - -	53·0	29·0	40·9	0·02	HULL - - -	51·0	30·0	39 5	0
NORWICH - -	51·4	29·8	38·7	0·23	TYNEMOUTH - -	51·0	31·0	39 1	0
PLYMOUTH - -	51·9	30·3	40·4	0·00	CARDIFF - -	51·4	24·0	38 7	0
BRISTOL - - -	53·0	27·0	39·2	0·10	EDINBURGH - -	52·5	29 0	39 3	0
BIRMINGHAM - -	49·8	27·0	37·7	0·11	GLASGOW - -	-	-	-	
NOTTINGHAM - -	49·3	27·2	38·3	0·10	DUBLIN Phœnix Park.	50·3	26 5	39·4	0
LIVERPOOL OBSERVATORY.	48·0	29·0	39·3	0·00	DUBLIN Fitzwilliam Square.†	51·2	33·1	41·8	0
MANCHESTER -	50·8	27·8	38·9	0·03					
PRESTON - - -	50·0	29·2	39·2	0·00					
HUDDERSFIELD -	48·0	28·0	37·6	0·18	BELFAST - -	52·5	24 0	39 4	0

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
March.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
Sunday	25	In Equator	29·471	42·0	31·8	10·2	36·7	− 5·7	30·6	6·1	9·0	0·0	78	80·0	26·9	41·76	N. & NNE	N., NE. & NNE.	2·7	0·0	0·3	302	+ 1	0·10	2·0
Monday	26	..	29·621	44·0	30·2	13·8	34·7	− 8·2	30·5	4·2	13·0	3·1	85	92·9	25·1	41·69	N., NNE. & NE.	ENE. & NE.	6·6	0·0	0·6	411	+111	0·04	6·8
Tuesday	27	..	29·798	44·3	32·8	11·5	37·2	− 6·1	27·1	10·1	13·6	6·1	67	106·0	30·1	41·38	NE. & ENE.	ENE., E. & NE.	9·0	0·0	1·1	559	+259	0·00	2·2
Wednesday	28	..	29·917	46·4	31·8	14·6	37·8	− 5·9	28·8	9·0	15·5	3·8	70	109·0	23·2	41·27	NE., ENE & E.	NE., NNE. & N.	2·9	0·0	0·3	330	+ 31	0·00	0·0
Thursday	29	Apogee	29·978	46·5	33·9	12·6	39·0	− 5·1	28·1	10·9	16·1	7·3	65	98·7	23·8	41·12	N. & NNE.	NNE.	3·9	0·0	0·5	342	+ 43	0·00	0·0
Friday	30	..	30·097	47·0	29·1	17·9	38·2	− 6·4	30·0	8·2	15·1	7·0	72	54·6	16·9	41·23	N. & Variable	W., NNW. & N.	0·8	0·0	0·0	168	−130	0·00	0·0
Saturday	31	..	30·144	52·1	38·3	13·8	44·1	− 0·9	37·3	6·8	13·1	1·8	77	74·0	30·2	41·33	NW. & WSW.	N., NNE. & ENE.	0·2	0·0	0·0	149	−149	0·00	0·0
Means	-		29·861	46·0	32·6	13·5	38·2	− 5·5	30·3	7·9	13·6	4·2	73	87·9	25·2	41·40	NNE.		..	..	..	Sum 2261	Sum + 166	Sum 0·14	1·6
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. March.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday	25	m. P. generally till noon; v. P. and s. N. till 6h. P.M.; s. P. afterwards.	1·0	12·4	Overcast in morning; generally cloudy afterwards; occasional showers of snow, rain, and sleet.
Monday	26	s. P. generally; occasional s. N. in afternoon.	3·1	12·5	Generally cloudy; fine at times; occasional snow showers.
Tuesday	27	w. P. till 4h. A.M.; m. P. till 9h. A.M.; s. P. afterwards.	2·2	12·5	Generally cloudy; brisk wind till afternoon.
Wednesday	28	s. P. generally.	5·6	12·6	Cloudy in early morning; very fine till afternoon; generally cloudy afterwards; slight hoar frost at night.
Thursday	29	s. P. throughout.	6·1	12·7	Overcast in morning; fine and partially cloudy till evening; cloudless with hoar frost at night.
Friday	30	s. P. throughout.	0·0	12·7	Cloudless with hoar frost in morning; overcast after 7h. A.M.
Saturday	31	s. P. generally; occasional m. P.	0·0	12·8	Generally overcast till evening; cloudy at night.
			Sum 18·0	Sum 88·2	
No. of Col.	-	2	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·48 in. at the beginning of the week to 29·44 in. by 5h. A.M. on the 25th; increased to 29·94 in. by 10h. A.M. on the 28th; decreased to 29·86 in. by 3h. A.M. on the 29th; and increased to 30·22 in. by midnight on the 31st.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 24th March, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	1	1	-	-	-	-	2	1
Kensington	180,952	-	6	3	-	-	-	-	3	-
Hammersmith	120,679	-	7	10	-	-	-	-	3	-
Fulham	161,965	-	7	7	-	-	-	-	5	1
Chelsea	74,672	-	3	6	-	-	-	-	3	-
City of Westminster	173,905	-	8	2	-	-	-	-	5	-
NORTH.										
St. Marylebone	128,580	-	-	1	-	1	-	-	-	-
Hampstead	89,633	-	5	1	-	-	-	-	-	-
St. Pancras	236,455	-	20	4	-	-	-	-	1	-
Islington	344,987	-	15	11	-	1	-	-	5	-
Stoke Newington	53,217	-	-	1	-	1	-	-	-	-
Hackney	230,721	5	19	7	-	-	-	-	4	-
CENTRAL.										
Holborn	55,805	-	2	-	-	1	-	-	-	-
Finsbury	97,466	-	3	4	-	2	-	-	3	1
City of London	21,367	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	3	3	-	-	-	-	3	-
Bethnal Green	130,609	-	11	3	-	-	-	-	1	-
Stepney	307,176	-	22	17	-	2	-	-	7	-
Poplar	170,673	-	7	4	-	1	-	-	4	1
SOUTH.										
Southwark	209,143	-	7	9	-	-	-	-	6	-
Bermondsey	128,629	-	7	13	-	-	-	-	5	-
Lambeth	315,774	-	26	8	-	1	-	-	5	-
Battersea	179,622	-	13	-	-	-	-	-	3	-
Wandsworth	273,381	-	20	15	-	5	-	-	3	2
Camberwell	274,132	-	20	8	-	-	-	-	6	-
Deptford	115,495	-	15	2	-	1	-	-	1	-
Greenwich	105,350	-	6	9	-	-	-	-	3	-
Lewisham	148,463	-	9	6	-	-	-	-	1	-
Woolwich	127,345	-	8	9	-	1	-	-	1	-
Port of London	—	-	2	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	5	273	164	-	17	-	-	83	6
Ages 0-1		-	7	2	-	-	-	-	-	-
" 1-5		-	82	84	-	-	-	-	3	-
" 5-		1	102	44	-	5	-	-	1	-
" 10-		3	43	10	-	2	-	-	3	-
" 15-		-	16	9	-	1	-	-	6	-
" 20-		-	9	3	-	1	-	-	6	2
" 25-		-	9	6	-	4	-	-	13	2
" 35-		1	4	5	-	-	-	-	16	1
" 45-		-	-	1	-	2	-	-	14	1
" 55-		-	1	-	-	2	-	-	11	-
" 65 and upwards		-	-	-	-	-	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 14. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, APRIL 7. [Price 1½*d*.

General Register Office, Somerset House,

April 9th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·0 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 16·2, 15·8, and 17·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 22·0 in Sunderland, 22·5 in Plymouth, 22·7 in Liverpool, 23·8 in Reading, 25·4 in Burnley, 27·1 in Warrington, and 28·1 in Middlesbrough; from *measles*, 1·1 in Leeds, 1·3 in Bradford, 1·4 in Croydon, 1·6 in Liverpool and in Blackburn, 1·7 in Newcastle on Tyne, 2·1 in Walthamstow, and 2·4 in Hornsey; from *whooping-cough*, 1·1 in Bristol, 1·5 in West Bromwich, 1·6 in Handsworth (Staffs.) and in Smethwick, 2·2 in Plymouth, and 2·3 in Warrington; and from *diarrhœa*, 1·2 in Rochdale, and 1·6 in Smethwick. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2594 BIRTHS and 1525 DEATHS were registered. Allowing for increase of population, the births were 71 above and the deaths 3 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 16·5, 15·8, and 18·5 per 1000 in the preceding three weeks, fell last week to 16·8. The death-rate in the four weeks ended last Saturday averaged 16·9 per 1000, being 0·5 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

670 Wt 71 4/06 D & S 3 24448 O1

The 1525 deaths included 68 from measles, 8 from scarlet fever, 9 from diphtheria, 42 from whooping-cough, 2 from enteric fever, and 13 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 142 deaths were referred to these diseases in the aggregate, being 28 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 70, 65, and 76 in the preceding three weeks, fell to 68 last week, but were 5 above the corrected average; 8 deaths belonged to the Borough of Islington, 8 to Finsbury, 6 to Chelsea, and 5 each to Hackney and Shoreditch. The deaths from *scarlet fever*, which had been 10, 9, and 8 in the preceding three weeks, were 8 last week, and were equal to the corrected average. The deaths from *diphtheria*, which had been 14, 16, and 15 in the preceding three weeks, fell to 9 last week, and were 8 below the corrected average; 3 deaths belonged to Wandsworth. The deaths from *whooping-cough*, which had been 38, 34, and 53 in the preceding three weeks, fell to 42 last week, and were 5 below the corrected average; 7 deaths belonged to Greenwich, and 3 apiece to Finsbury, Lambeth, Battersea, and Deptford. The fatal cases of *enteric fever*, which had been 3, 3, and 4 in the preceding three weeks, were 2 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 17, 6, and 7 in the preceding three weeks, rose to 13 last week, but were 3 below the corrected average; 5 deaths belonged to Stepney. The 13 deaths from diarrhœa were all of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 other deaths at this age. The deaths attributed directly to *influenza* numbered 21, having been 31, 16, and 23 in the preceding three weeks.

Different forms of *violence* caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 6 were cases of suicide, while the remaining 50 were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, 7 to burns or scalds, 3 to the effects of anæsthetics administered for surgical purposes, and 13 (including 12 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 8 cases of small-pox, 2322 of scarlet fever, 908 of diphtheria, and 68 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 1, 5, and 0; of scarlet fever, 292 cases, against 252, 234, and 223; of diphtheria, 120 cases, against 104, 115, and 110; and of enteric fever, 13 cases, against 8, 11, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 31st, 1906.

Greater London.

In Greater London 4004 births and 2128 deaths were registered. Allowing for increase of population, these numbers are 165 and 18 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 2 from scarlet fever, 1 from diphtheria, 9 from whooping-cough, 1 from "fever," and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·15 inches, and that of the Thermometer 45°·6, the latter being 0°·4 below the week's average in the 50 years 1841–90. The general direction of the wind was Easterly, the horizontal movement of the air being 27 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 55·7 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE I.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 7th April, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 17th Mar., 1906.	24th Mar., 1906.	31st Mar., 1906.	7th April, 1906.	Rate from Diseases in Cols. 11–17. Week ended 7th April, 1906.	Registered during the Week ended 7th April, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**16·2**	**15·8**	**17·0**	**17·0**	**1·5**	**8943**	**5157**	**1088**	**1596**	**–**	**177**	**31**	**49**	**133**	**19**	**48**	**169**	**413**	**1215**	**54**	**76 TOWNS.**
LONDON	4,721,217	16·5	15·8	18·5	16·8	1·6	2594	1525	269	504	–	68	8	9	42	2	13	56	154	556	–	LONDON.
CROYDON†	151,011	11·4	11·7	14·5	18·3	2·1	86	53	15	16	–	4	–	–	–	1	1	3	4	14	–	CROYDON.
WILLESDEN†	143,622	16·0	8·4	9·4	8·4	–	80	23	1	8	–	–	–	–	–	–	–	–	–	4	–	WILLESDEN.
HORNSEY†	86,935	9·6	9·6	9·0	12·0	2·4	30	20	2	6	–	4	–	–	–	–	–	–	1	–	–	HORNSEY.
TOTTENHAM†	119,503	9·2	14·0	15·3	13·1	1·7	88	30	7	8	–	1	–	1	–	–	2	–	4	8	–	TOTTENHAM.
WEST HAM†	301,617	13·1	15·4	10·7	13·7	1·6	210	79	26	17	–	4	1	1	1	–	2	3	11	11	–	WEST HAM.
EAST HAM†	129,886	12·4	11·2	11·6	9·6	1·2	85	24	7	6	–	–	–	2	–	–	1	–	2	3	–	EAST HAM.
LEYTON†	118,287	12·8	14·1	9·7	9·3	2·6	73	21	11	6	–	1	2	–	2	–	1	1	3	5	–	LEYTON.
WALTHAMSTOW†	121,334	10·7	9·9	11·2	12·5	3·0	77	29	10	5	–	5	–	2	–	–	–	1	5	4	–	WALTHAMSTOW.
HASTINGS	67,144	18·6	6·2	17·1	14·8	–	22	19	–	8	–	–	–	–	–	–	–	–	1	1	–	HASTINGS.
BRIGHTON	128,095	19·9	17·5	16·7	19·5	0·4	58	48	9	18	–	–	–	–	1	–	–	–	6	11	–	BRIGHTON.
PORTSMOUTH	205,118	14·2	15·5	15·8	16·8	1·3	119	66	8	23	–	–	–	2	2	1	–	–	5	21	2	PORTSMOUTH.
BOURNEMOUTH	67,702	20·8	16·2	16·9	14·6	–	35	19	1	12	–	–	–	–	–	–	–	–	–	6	–	BOURNEMOUTH.
SOUTHAMPTON	117,312	12·0	13·3	16·4	16·4	0·9	44	37	8	13	–	–	–	–	1	1	–	–	8	7	–	SOUTHAMPTON.
READING	78,987	18·5	9·9	11·9	23·8	0·7	37	36	8	15	–	–	–	1	–	–	–	1	3	9	2	READING.
NORTHAMPTON	93,749	11·1	12·8	16·1	13·3	0·6	48	24	2	12	–	–	–	–	1	–	–	1	1	4	1	NORTHAMPTON.
IPSWICH	71,809	8·7	13·1	16·0	13·8	–	36	19	3	9	–	–	–	–	–	–	–	–	–	2	–	IPSWICH.
GREAT YARMOUTH	52,613	18·8	14·9	17·8	14·9	–	27	15	5	6	–	–	–	–	–	–	–	1	1	1	–	GREAT YARMOUTH.
NORWICH	117,958	20·8	15·9	15·5	18·6	–	77	42	7	23	–	–	–	–	–	–	–	1	2	13	–	NORWICH.
PLYMOUTH	118,014	19·0	20·8	18·6	22·5	2·2	64	51	5	27	–	–	–	–	5	–	–	1	2	6	–	PLYMOUTH.
DEVONPORT	78,405	14·0	14·6	13·3	14·6	0·7	40	22	10	3	–	–	–	–	1	–	–	–	3	1	–	DEVONPORT.
BRISTOL	363,223	15·6	15·6	15·5	17·1	2·6	174	119	26	39	–	7	1	1	8	–	1	3	10	17	1	BRISTOL.
HANLEY‡	66,360	22·0	19·6	22·8	21·2	1·6	45	27	9	10	–	–	1	–	–	–	1	2	3	5	–	HANLEY.‡
BURTON-ON-TRENT	52,922	5·9	13·8	13·8	9·9	3·0	37	10	1	3	–	1	–	1	–	1	–	–	1	2	–	BURTON-ON-TRENT.
WOLVERHAMPTON	100,729	20·7	17·1	17·6	18·6	2·1	62	36	7	8	–	1	–	–	2	–	1	1	3	6	1	WOLVERHAMPTON.
WALSALL	94,577	15·4	18·2	11·0	15·4	1·1	57	28	4	10	–	–	–	2	–	–	–	1	2	4	–	WALSALL.
HANDSWORTH	63,819	19·6	10·6	10·6	11·4	1·6	34	14	5	2	–	–	–	–	2	–	–	–	1	–	–	HANDSWORTH.
WEST BROMWICH	68,469	16·0	11·4	19·0	21·3	2·3	47	28	6	8	–	–	–	–	2	1	–	2	2	4	1	WEST BROMWICH.

* See note † on first page of this return

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 7th April, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 17th Mar., 1906.	24th Mar., 1906.	31st Mar., 1906.	7th April, 1906.	Rate from Diseases in Cols. 11-17. Week ended 7th April, 1906.	Registered during the Week ended 7th April, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	OWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	13·7	18·7	21·3	17·3	1·5	337	182	42	57	-	6	-	1	6	-	3	1	2	30	4	BIRMINGHAM.
KINGS NORTON -	72,608	6·5	10·1	10·1	9·3	1·4	56	13	3	2	-	-	-	-	1	-	1	-	-	1	1	KINGS NORTON.
SMETHWICK - -	64,531	12·9	15·4	17·0	17·8	3·2	40	22	4	4	-	-	-	-	2	-	2	1	-	-	-	SMETHWICK.
ASTON MANOR -	82,288	7·0	12·7	14·6	8·9	0·6	50	14	7	4	-	-	-	-	1	-	-	-	1	-	-	ASTON MANOR.
COVENTRY - -	76,374	17·8	19·1	15·0	17·8	1·4	42	26	7	9	-	-	-	-	1	-	1	-	3	3	-	COVENTRY.
LEICESTER - -	232,111	12·1	13·0	13·5	13·9	1·8	139	62	18	15	-	-	3	1	3	1	-	1	5	9	-	LEICESTER.
GRIMSBY - - -	69,359	11·3	18·8	8·3	12·8	0·8	48	17	5	7	-	-	-	1	-	-	-	-	-	2	2	GRIMSBY.
NOTTINGHAM - -	254,563	18·0	14·1	21·1	16·2	0·8	140	79	20	26	-	1	-	-	3	-	-	3	3	15	-	NOTTINGHAM.
DERBY - - -	123,981	15·6	15·1	13·9	15·6	0·8	79	37	6	18	-	-	-	1	1	-	-	-	1	7	-	DERBY.
STOCKPORT - -	99,646	17·3	15·7	11·5	18·3	-	45	35	11	12	-	-	-	-	-	-	-	-	3	10	-	STOCKPORT.
BIRKENHEAD - -	117,292	18·7	16·9	12·9	15·6	0·9	78	35	9	6	-	-	1	-	1	-	-	-	1	7	-	BIRKENHEAD.
WALLASEY - -	64,578	10·5	8·9	11·3	12·9	-	36	16	3	6	-	-	-	-	-	-	-	1	2	2	-	WALLASEY.
LIVERPOOL† - -	739,180	21·2	21·6	22·1	22·7	3 0	485	322	89	67	-	23	1	3	10	3	3	11	14	83	8	LIVERPOOL.†
BOOTLE† - - -	65,989	15·8	13·4	21·3	18·2	1·6	44	23	4	4	-	-	1	-	1	-	-	2	2	8	-	BOOTLE.†
ST. HELENS - -	91,153	21·7	17·7	21·2	14·3	0·6	69	25	6	5	-	1	-	-	-	-	-	1	1	2	1	ST. HELENS.
WIGAN - - -	87,588	23·2	18·5	18·5	16·1	-	66	27	2	6	-	-	-	-	-	-	-	-	1	2	-	WIGAN.
WARRINGTON - -	69,280	9·8	17·3	23·3	27·1	4·5	51	36	10	9	-	-	1	1	3	-	1	-	-	4	-	WARRINGTON.
BOLTON - - -	180.502	14·2	14·7	15·0	18·5	0·3	89	64	15	21	-	-	-	-	1	-	-	1	5	8	-	BOLTON.
BURY - - -	58,744	17·8	9·8	21·3	13·3	0·9	22	15	2	5	-	-	-	-	-	1	-	-	1	6	-	BURY.
MANCHESTER - -	637,126	19·4	16·8	19·5	21·8	2·3	336	266	58	75	-	11	-	2	9	2	4	13	21	58	2	MANCHESTER.
SALFORD - - -	234,077	14·9	17·8	16·3	19·2	1·6	138	86	19	23	-	3	2	1	-	-	1	3	6	19	-	SALFORD.
OLDHAM - - -	140,969	18·5	18·5	19·6	15·5	0·7	66	42	6	11	-	-	1	-	-	-	1	-	1	3	-	OLDHAM.
ROCHDALE - -	87,189	15·5	16·1	13·2	15·5	1·8	35	26	3	8	-	-	-	-	-	1	2	1	2	5	-	ROCHDALE.
BURNLEY - - -	102,808	17·2	15·2	16·2	25·4	2·0	53	50	10	14	-	-	1	2	1	-	-	3	5	12	1	BURNLEY.
BLACKBURN - -	134,015	15·6	12·1	22·2	19·5	2·3	55	50	10	16	-	4	1	-	1	-	-	4	4	5	3	BLACKBURN.
PRESTON - - -	116,399	17·5	17·9	17·5	13·9	0·9	52	31	9	8	-	-	-	-	-	2	-	1	1	4	2	PRESTON.
BARROW-IN-FURNESS.	60,967	9·4	15·4	13·7	13·7	-	40	16	3	7	-	-	-	-	-	-	-	1	1	2	2	BARROW-IN-FURNESS.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, AND FOUR SCOTTISH OR IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 17th Mar., 1906	24th Mar., 1906.	31st Mar., 1906.	7th April, 1906.	Rate from Diseases in Cols. 11-17. Week ended 7th April, 1906.	Registered during the Week ended 7th April 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	12·6	17·6	21·4	15·9	0·5	36	29	5	14	-	-	-	-	1	-	-	-	-	1	1	HUDDERSFIELD.
HALIFAX - - -	109,272	17·2	12·9	20·0	17·7	1·4	37	37	6	13	-	1	-	1	-	-	1	1	3	9	-	HALIFAX.
BRADFORD - -	288,544	20·6	18·3	11·7	19·5	2·3	133	108	21	41	-	7	-	5	1	-	-	4	12	24	1	BRADFORD.
LEEDS - - -	463,495	15·3	16·1	15·0	14·4	1·6	239	128	28	43	-	10	1	-	3	-	-	5	12	16	-	LEEDS.
SHEFFIELD - -	447,951	12·3	15·6	15·5	17·6	1·2	244	151	38	44	-	1	3	1	3	1	1	7	13	38	6	SHEFFIELD.
ROTHERHAM - -	61,098	19·6	12·8	13·7	16·2	1·7	23	19	5	5	-	-	1	1	-	-	-	1	2	1	1	ROTHERHAM.
YORK - - -	83,467	19·4	12·5	20·6	10·6	-	41	17	2	9	-	-	-	-	-	-	-	-	1	2	-	YORK.
HULL - - -	262,426	15·3	14·9	13·9	14·1	0·8	146	71	14	25	-	-	-	2	1	-	1	4	7	15	1	HULL.
MIDDLESBROUGH -	100,069	20·8	14·1	24·5	28·1	1·6	72	54	10	14	-	1	-	-	-	1	1	1	3	14	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	13·9	18·8	10·9	16·8	1·0	36	17	2	6	-	-	-	1	-	-	-	1	3	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	16·3	12·8	16·3	14·2	2·1	39	20	6	5	-	1	1	-	1	-	-	-	1	2	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	20·6	14·5	18·9	22·0	0·7	100	65	13	18	-	-	-	1	1	-	-	5	6	10	2	SUNDERLAND.
SOUTH SHIELDS -	111,402	13·1	15·4	14·5	19·7	0·5	60	42	8	13	-	-	-	1	-	-	-	1	1	8	5	SOUTH SHIELDS.
GATESHEAD - -	123,191	13·5	12·7	15·7	14·0	0·8	67	33	11	7	-	1	-	-	1	-	-	-	-	2	2	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	18·8	18·8	16·7	18·2	2·1	197	94	17	24	-	9	-	1	1	-	-	3	6	11	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	19·3	25·0	13·5	20·2	-	29	21	2	7	-	-	-	-	-	-	-	1	3	5	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	15·5	19·7	15·5	19·0	0·7	49	27	4	6	-	-	-	-	1	-	-	2	4	5	-	NEWPORT (MON.).
CARDIFF - - -	183,823	15·9	12·5	14·2	16·5	1·1	105	58	13	13	-	-	-	-	3	-	1	2	5	9	-	CARDIFF.
RHONDDA- - -	127,684	17·2	18·4	12·7	14·7	-	106	36	14	10	-	-	-	-	-	-	-	3	4	2	-	RHONDDA.
MERTHYR TYDFIL -	74,961	20·2	18·1	11·1	13·9	0·7	49	20	10	3	-	-	-	-	1	-	-	2	3	1	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	13·5	20·5	17·2	15·6	1·1	58	29	6	6	-	1	-	-	-	-	1	-	-	5	-	SWANSEA.
GREATER LONDON -	7,113,561	15·0	14·5	16·2	15·6	1·5	4004	2128	405	693	-	96	13	16	54	4	22	76	212	654	-	GREATER LONDON.
OUTER RING - -	2,392,344	12·0	12·0	11·7	13·1	1·4	1410	603	136	189	-	28	5	7	12	2	9	20	58	98	-	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	12·2	12·3	11·4	12·4	1·7	729	279	79	72	-	19	3	6	3	1	7	8	30	55	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	11·7	11·6	12·0	13·8	1·0	681	324	57	117	-	9	2	1	9	1	2	12	28	43	-	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	15·6	17·0	16·5	20·2	1·1	154	132	22	52	-	4	1	-	-	-	2	4	?	41	7	EDINBURGH.
GLASGOW - - -	835,625	20·9	18·3	19·1	17·9	1·4	497	287	49	63	-	8	-	1	8	-	5	15	?	75	9	GLASGOW.
DUBLIN† - - -	378,994	23·1	25·6	26·1	21·1	0·6	207	153	22	47	-	1	-	-	2	-	1	2	4	62	9	DUBLIN.†
BELFAST†- - -	358,680	27·8	22·1	29·2	24·6	3·2	240	169	35	25	-	1	1	1	12	5	2	7	6	51	1	BELFAST.†

* See note † on first page of this return

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FOURTEENTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2629	2577	2415	2554	2580	2538	2611	2439	2539	2310	2522·6	2594
Males - - -	1322	1259	1230	1289	1289	1307	1334	1240	1304	1151	1281·6	1321
Females - -	1307	1318	1185	1265	1291	1231	1277	1199	1235	1159	1241·0	1273
TOTAL **Deaths** -	1522	1501	1691	1816	1932	1573	1571	1345	1659	1419	1527·5	1525
Males - -	767	787	881	908	1006	836	852	710	845	730	799·4	719
Females - -	755	714	810	908	926	737	719	635	814	689	728·1	806

* The numbers in this column are the average weekly numbers in the fourteenth week of the four years 1902-1906, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	13 Weeks.
TOTAL **Births** -	2705	2390	2451	2508	2550	2394	2500	2470	2509	2499	2243	2663	2594	32476
TOTAL **Deaths** -	1585	1399	1382	1337	1346	1517	1585	1591	1468	1498	1433	1674	1525	19250
Ages at Death: Under 1 year -	304	299	257	260	272	316	317	280	296	303	273	296	269	3742
1—5 years -	185	170	171	162	146	156	187	183	160	190	170	228	225	2333
5—20 " -	63	56	87	60	79	104	85	69	77	72	73	76	83	984
20—40 " -	195	129	170	150	156	174	169	191	171	164	165	201	174	2209
40—60 " -	307	271	267	265	254	295	315	284	309	302	277	343	270	3759
60 yrs. & upwds.	531	474	430	440	439	472	512	494	455	467	475	530	504	6223
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	53	52	44	28	26	43	52	55	56	70	65	76	68	688
Scarlet Fever - -	17	13	10	5	11	9	10	6	12	10	9	8	8	128
Diphtheria - -	11	12	22	17	16	13	18	18	12	14	16	15	9	193
Whooping-cough -	32	21	37	34	33	45	35	29	34	38	34	53	42	467
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	3	3	1	4	5	2	5	3	3	3	4	2	41
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	11	8	19	14	23	13	13	14	19	17	6	7	13	177
All above Diseases -	127	109	135	99	113	128	130	127	136	152	133	163	142	1694
Dis. of Resp. System	193	148	174	168	146	160	176	190	178	173	165	165	175	2211
Pneumonia - -	177	151	119	144	132	129	152	153	136	161	153	172	157	1936
Phthisis - - -	144	128	147	129	133	141	135	136	134	132	133	169	142	1803
Dis. of Circ. System -	217	200	161	162	177	216	207	196	177	201	173	238	213	2538
Violence - - -	63	61	56	38	44	66	66	52	46	64	66	68	53	716
Inquest Cases - -	178	151	130	127	132	160	169	144	141	152	165	168	154	1971
Deaths in Institutions	563	498	554	519	493	552	650	545	548	532	523	655	556	7188
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	43·1	42·0	40·4	42·8	37·0	38·2	37·4	41·7	47·2	43·5	37·5	38·2	45·6	41·1
Mean of Highest -	48·7	46·5	44·3	47·4	41·9	44·8	43·5	48·6	55·4	49·9	43·4	46·0	56·7	47·5
Mean of Lowest -	37·6	37·2	35·3	38·0	32·2	32·6	32·2	35·7	40·0	37·3	33·0	32·6	34·5	35·2
Mean Humidity of the Air.	82	77	83	80	80	85	81	79	75	73	79	73	63	78
Rain-fall (in inches) -	1·20	1·06	0·49	0·10	0·38	0·92	0·27	0·17	0·35	0·29	0·32	0·14	0·00	5·69
Registered Sunshine (in hours).	17·5	23·7	5·8	10·6	17·5	13·0	13·8	21·7	35·0	22·1	18·0	18·0	55·7	272·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	-	-	-	-	-	2	5	6	6	7	10	8	8	4
Scarlet Fever - -	3062	3066	2983	2912	2839	2734	2689	2628	2545	2485	2434	2386	2322	2699
Diphtheria - -	748	800	841	873	899	944	953	933	931	907	926	929	908	892
Typhus - - -	-	-	-	-	-	-	-	-	2	2	2	1	-	1
Enteric Fever - -	91	87	84	95	79	81	80	79	73	69	65	63	68	78

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

Table 4. LONDON.—Deaths Registered in the Fourteenth Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

Causes of Death.	Corrected Average for the 14th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
All Causes	1527·5	1525	269	225	83	174	270	504
Small-pox*	14·8	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	63·2	68	13	52	3	-	-	-
Scarlet Fever	7·9	8	-	5	2	1	-	-
Typhus	-	-	-	-	-	-	-	-
Enteric Fever	-	-	-	-	-	-	-	-
Influenza	20·4	21	-	2	1	1	6	11
Whooping-cough	47·4	42	17	24	1	-	-	-
Diphtheria	16·6	9	-	6	3	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	0·3	-	-	-	-	-	-	-
Puerperal Fever	3·8	2	-	-	-	2	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	4·1	7	7	-	-	-	-	-
Diarrhœa, Dysentery	12·2	6	6	-	-	-	-	-
Tetanus	1·0	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	8·2	2	2	-	-	-	-	-
Puerperal Septicæmia	2·3	3	-	-	-	3	-	-
Puerperal Pyæmia	-	1	-	-	-	1	-	-
Puerperal Fever	1·0	1	-	-	-	1	-	-
Infective Endocarditis	4·1	3	-	-	1	2	-	-
Pneumonia: Lobar	17·8	23	1	2	2	8	4	6
Pneumonia: Broncho-	70·3	69	19	38	-	1	1	10
Pneumonia: Epidemic	0·3	-	-	-	-	-	-	-
Pneumonia: Not defined	61·2	65	10	13	6	3	16	17
Erysipelas	2·3	6	2	-	-	1	-	3
Septicæmia (not Puerperal)	1·3	2	1	1	-	-	-	-
Pyæmia (not Puerperal)	0·5	1	-	-	-	1	-	-
Other Infective Processes	6·9	5	-	-	-	2	-	3
Tuberculous Phthisis	63·0	83	-	6	7	32	32	6
"*Phthisis*"	74·2	59	-	2	4	26	24	3
Tuberculous Meningitis	24·0	23	4	15	3	1	-	-
Tuberculous Peritonitis	8·2	14	4	4	3	2	1	-
Tabes Mesenterica	4·8	-	-	-	-	-	-	-
Other Tuberculous Dis. (other)	20·9	27	5	4	9	5	2	2
Scrofula	1·3	-	-	-	-	-	-	-
Alcoholism	9·9	9	-	-	-	4	4	1
Rheumatic Fever	3·1	7	-	1	5	-	-	1
Gout	2·5	2	-	-	-	-	2	-
Cancer: Carcinoma	55·6	43	-	-	-	2	21	20
Cancer: Sarcoma	5·9	5	-	-	1	3	-	1
Cancer (undefined)	35·2	33	-	1	-	1	15	16
Diabetes Mellitus	7·9	8	-	-	-	2	3	3
Premature Birth	56·6	44	44	-	-	-	-	-

Causes of Death.	Corrected Average for the 14th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	16·8	15	4	6	2	2	1	-
Insanity, Gen. Par. of Insane	14·8	21	-	-	-	4	8	9
Epilepsy	6·4	5	-	-	1	4	-	-
Convulsions	26·3	26	25	1	-	-	-	-
Locomotor Ataxy	1·5	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	3·8	9	-	1	-	2	2	4
Nervous Sys. (other dis.)	21·7	20	1	-	2	1	8	8
Valv. Dis., Endocarditis	37·0	47	-	-	3	7	11	26
Cerebr. Hæm. Thromb.	35·7	33	-	-	-	2	10	21
Apoplexy, Hemiplegia	20·4	17	-	-	-	-	5	12
Aneurysm	5·4	6	-	-	-	-	4	2
Embolism, Thrombosis (not cerebral)	1·3	2	-	-	-	-	-	2
Heart & Blood Vessel Dis.	79·0	108	-	-	5	5	29	69
Croup (not Spasm : nor Memb.)	0·5	1	-	1	-	-	-	-
Bronchitis	135·3	156	28	14	-	3	15	96
Asthma, Emphysema	3·8	5	-	-	-	-	3	2
Pleurisy	5·4	2	-	-	-	-	-	2
Respiratory Dis. (other)	10·2	11	-	2	2	1	-	6
Tonsillitis, Quinsy	0·3	1	-	-	-	-	1	-
Enteritis (not Epid.)	6·9	6	3	-	1	-	1	1
Gastro-Enteritis	3·8	2	-	2	-	-	-	-
Peritonitis (not Puerp.)	2·5	2	1	-	1	-	-	-
Cirrhosis of Liver	15·3	12	-	-	-	1	7	4
Liver Dis. (other)	7·1	7	-	-	1	1	-	5
Digestive Dis., Other	40·3	38	6	3	4	7	4	14
Nephritis, Acute	8·2	12	2	-	1	3	4	2
Bright's Dis., Albuminuria	37·7	35	-	-	1	7	12	15
Urinary Sys., Other Dis.	10·2	12	-	-	-	1	1	10
Generative Organs Dis.	3·6	2	-	1	-	1	-	-
Childbirth (Accid. of)	3·3	3	-	-	-	3	-	-
Old Age	51·5	72	-	-	-	-	-	72
Other Diseases	101·9	80	50	7	5	6	6	6
ACCIDENT.								
By Railways	1·8	1	-	-	-	-	1	-
By Vehicles and Horses	5·4	11	-	2	3	1	2	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	1	-	-	-	-	-	1
In Building Operations	1·5	1	-	-	-	-	1	-
In Conflagrations	0·5	1	-	1	-	-	-	-
By Burns, Scalds, Explosions	5·9	7	-	5	-	-	-	2
By Drowning	3·3	-	-	-	-	-	-	-
By Suffocation in Bed	17·6	13	12	1	-	-	-	-
By Poisons or Poisonous Vapours	2·0	4	1	-	-	1	1	1
Other Deaths by Accident	18·1	11	1	2	-	4	1	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	-	-	-	-	-	-	-
Suicide	10·4	6	-	-	-	2	1	3
Execution	0·3	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th April, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
LONDON	4,536,429	2594	1525	269	504	-	68	8	9	42	-	2	-	13	56	154	556	-
WEST DISTRICTS	805,311	395	244	34	87	-	13	1	-	5	-	-	-	2	12	26	97	-
NORTH DISTRICTS	1,056,070	565	317	50	101	-	19	-	1	3	-	1	-	4	7	31	109	-
CENTRAL DISTRICTS	209,465	109	69	11	15	-	9	-	1	3	-	-	-	-	2	5	36	-
EAST DISTRICTS	715,739	488	273	60	84	-	11	-	1	6	-	-	-	5	17	50	110	-
SOUTH DISTRICTS	1,749,844	1037	577	114	197	-	16	6	6	25	-	1	-	2	18	42	159	-
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	45	-	20	-	-	1	-	-	-	-	-	-	-	-	45	
WEST DISTRICTS.																		
St. Mary Paddington *W,2H*	93,178	42	32	4	12	-	-	-	-	1	-	-	-	1	1	7	11	
St. John Paddington *H*	33,617	8	11	1	2	-	-	-	-	-	-	-	-	-	3	4	6	
North-West Paddington	17,181	9	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	
Kensington Town *2W,w,2H*	128,037	70	53	10	15	-	2	-	-	-	-	-	-	-	1	2	29	
Brompton *2H*	48,591	18	14	1	5	-	-	-	-	-	-	-	-	-	-	1	5	
North Hammersmith *2W,wH*	49,192	25	12	1	7	-	1	-	-	-	-	-	-	-	-	1	-	
South Hammersmith *w,2H*	63,047	36	14	1	6	-	-	-	-	1	-	-	-	-	1	2	2	
North-west Fulham *W*	45,180	52	18	5	4	-	1	-	-	1	-	-	-	-	1	1	10	
North-east Fulham *F*	46,405	28	12	1	7	-	-	1	-	1	-	-	-	-	2	2	1	
South Fulham *W*	45,704	23	7	1	2	-	3	-	-	-	-	-	-	-	-	-	-	
Chelsea North *W,w,3H*	42,514	14	25	-	16	-	3	-	-	-	-	-	-	-	-	1	18	
Chelsea South *W,2H*	31,328	20	14	4	2	-	3	-	-	1	-	-	-	-	2	2	3	
Mayfair and Knightsbridge	28,743	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave *W,2H*	55,815	23	9	-	2	-	-	-	-	-	-	-	-	-	-	1	4	
St. Margaret & St. John *4H*	43,698	13	13	2	5	-	-	-	-	-	-	-	-	-	1	2	6	
St. James and St. Anne‡ *W,6H*	33,081	11	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2	
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	10	17	-	8	-	-	-	-	-	-	-	-	-	-	1	8	
St. Mary Marylebone *W,4H*	37,948	56	12	3	4	-	2	-	-	-	-	-	-	-	-	-	5	
Christchurch Marylebone *H*	39,536	23	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone *2H*	20,426	7	8	3	3	-	-	-	-	-	-	-	-	-	-	2	-	
Hampstead *W,F,7H*	81,942	28	30	1	8	-	-	-	1	-	-	-	-	-	2	2	11	
West St. Pancras *2H*	60,562	23	9	2	5	-	-	-	-	-	-	-	-	-	1	2	2	
Tottenham-court *w,7H*	21,258	7	17	2	2	-	-	-	-	-	-	-	-	-	1	2	12	
Gray's Inn Lane *4H*	34,449	13	10	1	1	-	2	-	-	-	-	-	-	-	-	1	2	
East St. Pancras *W,2H*	60,320	32	18	1	7	-	-	-	-	-	-	-	-	-	-	2	6	
North St. Pancras *2W*	58,728	30	23	2	11	-	-	-	-	-	-	-	-	-	-	4	8	
Tufnell *W*	31,995	17	14	2	6	-	-	-	-	-	-	-	-	-	-	1	13	
Upper Holloway *2W,w,H*	33,978	25	22	3	8	-	2	-	-	-	-	-	-	-	-	-	15	
Tollington *WH*	33,922	13	6	2	2	-	-	-	-	-	-	-	-	1	-	-	-	
Lower Holloway	41,424	21	8	3	2	-	2	-	-	-	-	-	-	-	-	3	-	
Barnsbury	54,478	40	9	3	2	-	-	-	-	1	-	-	-	-	-	2	-	
Islington South-east *F*	75,397	51	21	4	5	-	5	-	-	-	-	-	-	1	-	3	1	
Highbury *2H*	63,797	24	5	2	-	-	-	-	-	-	-	-	-	2	-	-	1	
Stoke Newington *H*	51,247	18	12	3	4	-	1	-	-	-	-	-	-	-	-	1	-	
North Hackney	50,560	19	7	1	4	-	-	-	-	-	-	-	-	-	1	1	-	
Central Hackney *2w,F*	50,536	39	13	4	2	-	2	-	-	1	-	1	-	-	-	1	2	
South-west Hackney *3H*	59,921	34	18	4	2	-	1	-	-	1	-	-	-	-	1	1	5	
South-east Hackney *2W,w,H*	58,255	35	32	3	14	-	2	-	-	-	-	-	-	-	1	2	18	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th April, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
S Giles and Bloomsbury 2*W*,2*H* -	31,436	14	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Sand *W*,4*H* - - - - -	21,674	1	11	1	1	-	-	-	-	-	-	-	-	-	-	1	10	-
Sand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elborn *W*,6*H* - - - - -	29,612	10	14	5	2	-	2	-	1	-	-	-	-	-	-	-	8	-
Sith Clerkenwell - - -	28,676	16	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Nrth Clerkenwell *H* - - -	35,028	26	6	-	2	-	3	-	-	1	-	-	-	-	-	-	-	-
Esbury 3*H*,*L* - - - - -	36,116	32	7	3	-	-	3	-	-	2	-	-	-	-	-	1	-	-
Elborn Union Workhouse, Hitcham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S Botolph *H* - - - - -	10,299	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S Sepulchre and Allhallows *W*,2*H*	16,624	7	21	1	5	-	1	-	-	-	-	-	-	-	2	3	15	-
City of London Asylum, Stone -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
Soreditch South *H* - - -	46,362	35	13	1	3	-	2	-	-	-	-	-	-	-	-	2	-	-
Soreditch North-West *W*,*w*,*H* -	36,127	28	29	8	11	-	1	-	-	2	-	-	-	-	1	5	16	-
Soreditch North-East - - -	36,148	28	11	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Soreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North 2*H* - -	51,514	43	15	4	2	-	-	-	-	1	-	-	-	-	1	4	3	-
thnal Green South - - -	33,472	26	8	2	3	-	1	-	-	-	-	-	-	-	1	3	-	-
thnal Green East 2*W*,*H*,*L* - -	44,694	30	28	6	15	-	1	-	-	-	-	-	-	-	3	8	18	-
Sitalfields - - - - -	27,969	10	5	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
le End New Town *W*,*H* - -	28,718	15	42	8	9	-	1	-	-	-	-	-	-	1	4	6	36	-
Sodman's Fields - - - -	22,081	7	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
George and St. John 2*W* - -	49,068	29	17	4	3	-	-	-	-	-	-	-	-	1	-	3	5	-
adwell and Ratcliff *W*,*H* - -	25,568	15	16	4	4	-	-	-	-	1	-	-	-	1	-	1	9	-
mehouse *W* - - - - -	32,369	30	10	4	2	-	-	-	1	-	-	-	-	-	2	3	-	-
le End Old Town South-Western *H* - - - -	63,698	50	10	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
le End Old Town North-Eastern W,*w* - - -	49,129	29	18	2	4	-	2	-	-	-	-	-	-	-	-	4	6	-
w *L* - - - - - -	41,989	32	12	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
omley 3*w*,*H* - - - - -	68,319	41	26	6	11	-	-	-	-	-	-	-	-	1	4	9	15	-
plar *W*,*w* - - - - -	58,514	40	12	2	5	-	-	-	-	1	-	-	-	-	1	1	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th April, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	5	2	–	1	–	–	–	–	–	–	–	–	–	–	1	1
St. Saviour Southwark *H*	12,056	1	18	2	2	–	1	–	–	–	–	–	–	–	3	3	17
Kent-road	21,904	12	8	1	1	–	–	–	–	–	–	–	–	–	–	–	–
St. George the Martyr West *W,2H,L*	39,094	25	23	4	6	–	1	–	–	–	–	–	–	–	–	–	5
Newington North	49,022	23	13	4	–	–	3	–	–	–	–	–	–	–	1	1	–
Newington South *W*	72,841	43	21	5	9	–	–	–	–	2	–	–	–	–	2	3	–
St. Olave *2W*	9,81	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bermondsey *W*	82,483	64	12	2	4	–	–	–	–	–	–	–	–	–	–	–	–
Rotherhithe *W,F*	38,460	24	25	4	8	–	1	–	–	2	–	–	–	1	–	2	13
Waterloo-road *2H*	27,440	28	10	5	3	–	–	–	–	–	–	–	–	–	–	2	4
Lambeth Church 1st *H*	18,423	4	11	1	–	–	1	–	–	–	–	–	–	–	1	2	9
Lambeth Church 2nd *2W*	39,818	29	27	7	11	–	–	–	–	1	–	–	–	–	2	2	13
Kennington 1st *H*	53,198	35	20	4	11	–	–	–	–	1	–	–	–	–	–	1	1
Kennington 2nd *H*	42,896	14	9	1	4	–	–	–	–	–	–	–	–	–	–	1	–
Brixton *F*	84,232	52	30	5	14	–	1	3	1	1	–	–	–	–	–	2	4
Norwood *W,H*	35,888	10	5	1	2	–	–	–	–	–	–	–	–	–	1	1	–
East Battersea *H*	72,203	47	14	4	1	–	–	–	–	1	–	–	–	–	2	3	1
North-west Battersea	49,656	31	8	3	1	–	–	–	–	2	–	–	–	–	–	1	–
South-west Battersea *2W,H*	47,048	21	26	1	13	–	–	–	–	–	–	–	–	–	–	2	16
Clapham *2H*	51,361	30	12	2	4	–	–	–	–	–	–	–	–	–	1	1	2
Streatham *W,2w,2F,2L*	88,019	65	34	4	18	–	1	1	3	–	–	1	–	–	–	1	13
Springfield *2W,L*	27,959	29	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Southfields *H*	40,444	30	6	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Putney	24,139	11	9	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Dulwich	13,359	3	5	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Camberwell South *W,w*	40,206	15	28	–	16	–	1	–	1	–	–	–	–	–	–	–	17
Camberwell North *W,2L*	65,584	36	36	3	12	–	–	–	–	–	–	–	–	–	1	4	18
St. George	47,331	27	7	2	3	–	–	–	–	–	–	–	–	–	–	1	–
Peckham North	48,913	38	12	5	3	–	–	–	–	–	–	–	–	–	1	1	–
Peckham South *2W,w*	43,946	16	9	6	2	–	1	–	–	1	–	–	–	–	–	–	–
Deptford North	37,613	26	16	3	1	–	1	–	–	1	–	–	–	1	–	–	–
Deptford Central	45,481	33	10	4	2	–	1	–	–	1	–	–	–	–	1	1	–
Deptford South	34,625	13	7	3	2	–	1	–	–	–	–	–	–	–	–	–	–
Greenwich West *2H*	23,456	16	8	2	3	–	–	–	–	1	–	–	–	–	–	–	–
Greenwich East *2W,H*	43,859	29	23	6	10	–	–	–	–	6	–	–	–	–	2	2	14
Eltham *w,H*	7,226	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *wH*	25,490	9	5	–	4	–	1	–	–	–	–	–	–	–	–	–	–
Lewisham *W w,F*	58,352	37	27	6	9	–	1	2	1	–	–	–	–	–	–	2	10
Sydenham *H*	43,653	20	5	2	3	–	–	–	–	1	–	–	–	–	–	–	–
Charlton *F,2H*	21,134	14	3	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Woolwich *5H*	41,625	23	10	4	2	–	–	–	–	–	–	–	–	–	–	1	–
Plumstead West *W*	18,063	13	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *2W,H*	50,264	26	13	4	5	–	–	–	–	1	–	–	–	–	–	1	1
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Long Reach	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North-Eastern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Northern	—	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
M. A. B. Imbecile Asylums:—																	
Caterham	—	–	4	–	3	–	–	–	–	–	–	–	–	–	–	–	4
Darenth	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Leavesden	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Lunatic Asylums:—																	
Banstead	—	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	5
Ewell (Epileptic Colony)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4
Manor	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2
Cane Hill	—	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3
Dartford Heath	—	–	5	–	3	–	–	–	–	–	–	–	–	–	–	–	5
Hanwell	—	–	9	–	5	–	–	–	–	–	–	–	–	–	–	–	9
Colney Hatch	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2
Claybury	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ded Saturday, 7th April, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
ONDON—OUTER RING	368,302	2,014,973	1410	603	136	189	–	28	5	7	12	2	9	20	58	98	–
Carshalton 2F,2H	12,228	32,997	15	13	1	5	–	–	1	–	–	1	–	–	3	3	–
Epsom, part of* W,w,2F,H	10,423	15,548	10	4	–	1	–	–	–	–	1	–	–	–	–	2	–
Godstone, part of* W,F	2,754	2,692	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Coulsdon	11,069	8,166	9	3	1	1	–	–	–	–	–	–	–	–	–	–	–
South Croydon w	4,200	49,309	20	14	4	4	–	1	–	–	–	–	–	–	1	–	–
West Croydon 3W,F,H	2,168	42,888	30	31	9	8	–	3	–	–	–	1	–	3	3	18	–
North Croydon H	2,644	41,698	36	13	3	6	–	–	–	–	–	–	1	1	1	1	–
Penge w,H	770	22,465	10	5	–	2	–	–	–	–	–	–	–	–	–	–	–
Mitcham w	11,711	30,015	26	16	1	5	–	1	–	–	1	–	–	1	1	–	–
Wimbledon F,3H	3,221	41,652	17	19	4	7	–	3	–	–	–	–	–	3	5	–	–
Kingston 2W,H	6,224	42,068	16	12	2	6	–	–	–	–	–	–	–	–	1	3	–
Surbiton F,H	3,046	15,017	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Esher, part of* H	5,402	13,100	3	5	2	3	–	–	–	–	–	–	–	–	–	–	–
Hampton H,F,L	4,564	23,456	10	4	2	2	–	–	–	–	–	–	–	–	–	1	–
Richmond W,H	2,162	28,865	8	8	1	2	–	–	–	–	–	–	–	1	1	2	–
Mortlake F	2,847	20,628	21	11	–	4	–	1	–	–	1	–	–	1	1	–	–
Bromley F,2H	4,703	27,354	13	5	–	4	–	–	–	–	–	–	–	–	–	1	–
Beckenham H	7,825	28,497	13	7	2	4	–	–	–	–	–	–	–	–	1	–	–
Orpington part of* W	10,113	9,857	5	3	1	1	–	–	–	–	–	–	–	1	1	1	–
Chislehurst 2H	7,333	16,446	10	7	2	3	–	–	–	–	1	–	–	–	–	–	–
Bexley w F,H	8,678	21,151	19	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Erith F,H	3,854	25,296	22	8	4	1	–	–	–	–	–	–	–	–	1	–	–
Dartford W,F, part of*	—	—	–	4	–	4	–	–	–	–	–	–	–	–	–	4	–
Sunbury w	11,054	18,683	16	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Staines W,H	13,277	15,178	9	5	–	3	–	–	–	–	1	–	–	1	1	1	–
Hillingdon W,F,H	6,035	13,661	15	4	–	2	–	–	–	–	–	–	–	–	–	–	–
Uxbridge H	12,757	8,984	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hayes w,F,H	8,066	16,358	8	5	2	2	–	–	–	–	–	–	–	–	–	–	–
Isleworth 3W,2F,H	6,859	30,863	18	7	2	1	–	–	–	–	–	–	–	–	–	1	–
Twickenham F,H	2,421	20,991	19	5	3	–	–	–	–	–	1	–	–	–	–	–	–
Brentford 3F,2H,L	4,319	48,289	30	14	2	5	–	–	–	1	–	–	–	1	1	2	–
Chiswick H	1,249	29,809	15	5	2	2	–	–	–	–	2	–	–	–	–	–	–
Acton w,3H	6,132	48,914	47	21	3	8	–	2	–	–	–	–	–	–	–	1	–
Harrow F,H	13,809	25,523	16	13	2	6	–	–	–	–	–	–	–	–	2	–	–
Edgware F,2H	6,994	4,521	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Willesden W,2F,2H	4,384	114,811	80	24	1	8	–	–	–	–	–	–	–	–	–	5	–
Hendon W,F	8,382	22,450	11	8	–	3	–	–	–	–	–	–	–	1	1	1	–
South Mimms 2F,H	17,755	7,308	8	3	1	–	–	–	–	–	–	–	–	–	–	1	–
Barnet W,2H	3,324	17,970	13	3	1	1	–	–	–	–	–	–	1	–	1	–	–
Finchley F,2H	4,688	33,692	25	8	2	–	–	1	–	–	–	–	–	–	1	1	–
Hornsey F,H	2,875	72,056	30	20	2	6	–	4	–	–	–	–	–	–	1	–	–
Wood Green H	1,625	34,233	27	5	1	3	–	–	–	–	–	–	–	–	1	–	–
West Tottenham F	996	48,853	34	12	3	3	–	1	–	–	–	–	1	–	3	–	–
East Tottenham 2H	2,017	53,688	54	16	4	4	–	–	–	–	–	–	1	–	1	6	–
Edmonton W,w,2F	7,491	61,892	43	20	3	8	–	–	–	–	–	–	–	–	1	7	–
Enfield 2W,F,H	12,601	42,738	28	14	1	7	–	–	–	–	–	–	–	–	2	4	–
Waltham Abbey F	11,017	6,549	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cheshunt F,H	8,479	12,292	10	2	–	2	–	–	–	–	–	–	–	–	–	–	–
Hatfield, part of* W	3,305	664	2	3	2	–	–	–	–	–	–	–	–	1	1	–	–
Bushey H	9,333	9,173	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Watford W,2F part of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stratford H	1,072	44,827	26	16	6	6	–	–	–	–	1	–	–	–	–	1	–
Plaistow F,2H	1,249	90,921	79	26	10	3	–	2	–	1	–	–	1	–	4	5	–
Canning Town H	1,556	70,718	64	18	7	2	–	1	1	–	–	–	–	3	6	–	–
Forest Gate w	806	60,892	41	14	3	5	–	1	–	–	–	–	–	–	1	–	–
North East Ham w H	1,333	58,676	49	13	3	4	–	–	–	1	–	–	1	–	2	–	–
South East Ham 2F	1,993	37,342	36	9	4	1	–	–	–	1	–	–	–	–	–	1	–
Wanstead F	1,679	9,179	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South Leyton 2W	631	50,467	23	10	5	3	–	–	1	–	2	–	–	1	2	3	–
North Leyton 2W,w,F	1,963	48,445	50	23	7	8	–	1	1	–	–	–	2	–	1	14	–
Walthamstow 3H,L	6,504	108,929	86	29	10	4	–	5	–	1	1	–	–	1	5	2	–
Chigwell, part of* 2F,3H	11,778	16,397	11	3	–	–	–	1	–	1	–	–	–	–	–	1	–
Epping W,F, part of*	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Romford, part of* W,2F	6,556	6,091	11	4	1	–	–	–	–	–	–	–	–	–	–	1	–
Ilford F,L	8,496	41,234	27	8	–	2	–	–	1	–	–	–	–	–	–	2	–
Barking Town F	3,803	21,547	11	6	3	1	–	–	–	–	–	–	1	–	–	–	–
N.E. Hosp., Tottenham	—	—	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–
Middlesex County Asylum, Wandsworth.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

ne parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher h; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting don Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious se Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases
LONDON - -	4,721,217	April 7	2594	1525	16·8	-	68	8	10	42	2	13
CALCUTTA - -	910,117	February 24	-	723	44·3	173	4	-	1	2	164†	136
BOMBAY - -	776,006	March 20	454	1601	107·3	18	47	-	1	4	675†	123
MADRAS - -	509,346	" 2	334	502	51·2	50	27	?	?	?	101†	95
		" 9	258	503	51·3	48	27	?	?	?	102†	99
PARIS - - -	2,750,000	" 31	1045	1068	20·8	1	27	5	6	4	2	21
BRUSSELS - -	598,467	" 31	240	165	15·3	-	1	-	1	5	1	6
ANTWERP - -	291,949	" 31	137	89	15·9	-	2	-	1	-	-	10
AMSTERDAM -	559,575	" 24	300	172	16·0	-	8	2	1	1	1	4
COPENHAGEN -	430,000	" 31	195	148	17·9	-	4	-	-	8	-	1
STOCKHOLM -	318,398	" 24	132	87	14·2	-	2	1	-	2	-	[illegible]
CHRISTIANIA -	222,373	" 31	105	64	14·8	-	1	-	2	3	-	[illegible]
ST. PETERSBURG	1,429,000	" 17	794	710	25·9	1	27	22	19	4	22	98
MOSCOW - -	1,154,000	" 17	-	593	26·8	-	8	6	10	4	5	66
BERLIN - -	2,057,387	" 17	934	641	16·2	-	16	4	6	4	-	26
HAMBURG - -	803,050	" 31	-	207	13·4	-	3	-	3	2	-	15
BRESLAU - -	463,283	" 24	-	178	19·6	-	-	1	5	-	1	[illegible]
MUNICH - -	540,000	" 31	-	215	20·7	-	-	-	3	3	-	28
VIENNA - -	1,917,639	" 31	899	702	19·0	-	13	5	10	10	-	36
PRAGUE - -	455 241	" 31	213	187	21·4	-	4	-	1	2	2	10
BUDA-PESTH -	859,134	" 24	469	331	20·0	-	10	3	3	1	2	[illegible]
TRIESTE - -	194,749	" 17	147	98	26·2	-	-	-	-	1	-	[illegible]
ROME - -	526,170	February 24	286	210	20·8	-	6	-	-	-	2	[illegible]
VENICE - -	171,709	March 3	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	" 24	172	164	29·4	-	-	-	1	1	1	[illegible]
NEW YORK -	4,152,860	" 24	2129	1555	19·5	-	47	8	50	2	5	36
CHICAGO - -	2,049,185	" 17	-	555	14·1	-	1	9	9	2	4	36
PHILADELPHIA -	1,469,126	" 17	-	591	20·9	-	19	3	19	4	26	3
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	February 25	-	257	14·7	2	-	-	-	1	3†	?

* Excluding deaths from croup in the Indian Cities.
† Including 31 deaths from plague in Calcutta, 572 in Bombay, 5 and 4 in Madras, and 1 in Rio de Janeiro.
‡ Including 65 deaths from cholera in Calcutta, and 2 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 7th April, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	61·6	30·3	45·6	0·00	BRADFORD - -	61·6	32·0	45·8	0·01
BRIGHTON - -	61·8	34·7	47·6	0·16	LEEDS - - -	62·0	34·0	47·2	0·00
PORTSMOUTH - -	60·2	36·0	47·3	0·36	HULL - - -	61·0	29·0	44·5	0·00
NORWICH - -	61·4	30·0	45·0	0·02	TYNEMOUTH - -	63·0	30·0	43·0	0·02
PLYMOUTH - -	61·6	36·3	46·2	0·00	CARDIFF - -	60·6	30·0	46·5	0·16
BRISTOL - - -	61·8	30·2	46·4	0·33	EDINBURGH - -	60·3	32·5	46·5	0·03
BIRMINGHAM - -	60·6	34·3	46·1	0·00	GLASGOW - -	59·5	28·5	45·7	0·00
NOTTINGHAM - -	60·0	31·1	46·0	0·00	DUBLIN Phœnix Park.	63·0	27·4	42·9	0·19
LIVERPOOL OBSERVATORY	59·0	34·0	46·3	0·00	DUBLIN Fitz-william Square.†	62·1	34·7	45·8	0·15
MANCHESTER -	61·6	29·8	46·6	0·02					
PRESTON - -	58·8	33·3	47·7	0·03					
HUDDERSFIELD -	61·8	28·6	44·2	0·01	BELFAST - -	54·2	30·2	44·3	0·02

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, R.A., M.D., Dublin.

[Under the Superintendence of Mr. G. J. Symons, F.R.S.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
April.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
Sunday	1	Greatest Dec. N.	30·299	51·2	37·5	13·7	44·1	− 1·3	34·3	9·8	17·8	1·0	69	73·3	28·8	41·60	Calm & NNE.	NNE., NE. & E.	1·2	0·0	0·1	154	−144	0·00	0·0
Monday	2	First Qr.	30·341	48·1	33·2	14·9	40·2	− 5·5	32·0	8·2	15·3	0·3	73	101·0	25·5	41·91	E., ENE. & NE.	ENE., E. & NE.	3·2	0·0	0·1	213	− 84	0·00	0·0
Tuesday	3	..	30·225	59·3	34·2	25·1	45·7	− 0·3	34·9	10·8	21·3	1·4	66	116·2	23·2	42·20	NE., E. & SE.	E. & ESE.	6·2	0·0	0·4	293	− 4	0·00	0·5
Wednesday	4	..	29·962	56·5	33·5	23·0	45·7	− 0·5	28·1	17·6	25·0	3·8	50	118·9	13·2	42·32	ESE., SE. & SSE.	SSE. & SE.	3·3	0·0	0·3	253	− 44	0·00	1·5
Thursday	5	..	29·724	61·6	36·3	25·3	42·5	+ 3·3	35·0	14·5	23·2	4·6	57	117·3	19·0	42·52	SSE. & SE.	SSE., SE. & E.	1·6	0·0	0·2	239	− 57	0·00	6·0
Friday	6	..	30·189	59·6	36·6	23·0	47·7	+ 1·5	33·8	13·9	21·8	2·5	59	118·0	20·0	42·74	NE. & ENE.	E., ESE. & SE.	2·0	0·0	0·2	238	− 57	0·00	0·0
Saturday	7	..	30·279	60·9	30·3	30·6	46·3	+ 0·2	34·8	11·5	20·3	0·4	64	115·7	17·2	43·10	NE & NNE	SE., ESE. & variable	0·8	0·0	0·0	126	−167	0·00	3·0
Means	-		30·146	56·7	34·5	22·2	45·6	− 0·4	33·3	12·3	20·7	2·0	63	108·6	21·7	42·34	NE. & SE.		..	..	..	Sum 1516	Sum − 557	Sum 0·00	1·6
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. April.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday	1	m.P. generally; occasional s. P.	0·0	12·8	Generally overcast.
Monday	2	m. P. generally	3·7	12·9	Fine but generally cloudy.
Tuesday	3	w. P. in morning; m. P. afterwards.	11·4	13·0	Cloudless throughout; a very fine day; hoar frost in morning.
Wednesday	4	w. P. generally till 5h. P.M.; m. P. afterwards.	12·2	13·0	Very fine; cloudless till evening; light clouds prevalent after 9h. P.M.; hoar frost in morning.
Thursday	5	w. P. till 5h. P.M.; m. P. afterwards.	7·6	13·1	Very fine generally; variable amounts of light cloud. Hoar frost and lunar halo in morning.
Friday	6	m. P. generally; w. P. in afternoon.	11·0	13·2	Very fine throughout and cloudless after 3h. P.M.; hoar frosts in morning and at night.
Saturday	7	v. P. till noon; w. P. afterwards.	9·8	13·2	Cloudless with hoar frost in morning; very fine with small amounts of cloud generally afterwards.
			Sum 55·7	Sum 91·2	
No. of Col.	-	2	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·22 in. at the beginning of the week to 30·37 in. by 10h. A.M. on April 2nd; decreased to 29·69 in. by noon on April 5th; increased to 30·32 in. by 11h. P.M. on April 6th; decreased to 30·24 in. by 6h. P.M. on April 7th; and was 30·27 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 31st March, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	4	5	-	-	-	-	-	-
Kensington	180,952	-	6	1	-	-	-	-	-	-
Hammersmith	120,679	-	7	6	-	-	-	-	1	-
Fulham	161,965	-	8	6	-	-	-	-	-	-
Chelsea	74,672	-	7	7	-	-	-	-	-	-
City of Westminster	173,905	-	7	-	-	-	-	-	4	1
NORTH.										
St. Marylebone	128,580	-	4	3	-	1	-	-	2	-
Hampstead	89,633	-	3	2	-	-	-	-	-	-
St. Pancras	236,455	-	11	5	-	1	-	-	4	-
Islington	344,987	-	18	14	-	-	-	-	2	-
Stoke Newington	53,217	-	-	-	-	-	-	-	1	-
Hackney	230,721	-	15	3	-	3	-	-	2	4
CENTRAL.										
Holborn	55,805	-	3	-	-	1	-	-	-	-
Finsbury	97,466	-	4	3	-	-	-	-	4	-
City of London	21,367	-	-	-	-	-	-	-	1	-
EAST.										
Shoreditch	116,108	-	4	4	-	-	-	-	5	-
Bethnal Green	130,609	-	2	5	-	-	-	-	1	-
Stepney	307,176	-	17	5	-	1	-	-	2	-
Poplar	170,673	-	9	7	-	4	-	-	1	1
SOUTH.										
Southwark	209,143	-	11	7	-	-	-	-	8	-
Bermondsey	128,629	-	12	7	-	1	-	-	4	-
Lambeth	315,774	-	24	2	-	3	-	-	4	2
Battersea	179,622	-	12	4	-	1	-	-	1	-
Wandsworth	273,381	-	17	16	-	-	-	-	3	-
Camberwell	274,132	-	12	5	-	2	-	-	4	-
Deptford	115,495	-	13	2	-	2	-	-	4	1
Greenwich	105,350	-	4	7	-	-	-	-	2	-
Lewisham	148,463	-	4	5	-	-	-	-	3	1
Woolwich	127,345	-	7	2	-	1	-	-	4	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	245	133	-	21	-	-	67	10
Ages 0-1		-	1	2	-	-	-	-	1	-
" 1-5		-	77	58	-	2	-	-	5	-
" 5-		-	95	38	-	2	-	-	1	-
" 10-		-	34	13	-	3	-	-	-	-
" 15-		-	12	5	-	3	-	-	6	-
" 20-		-	16	5	-	4	-	-	4	2
" 25-		-	9	10	-	3	-	-	5	6
" 35-		-	1	2	-	1	-	-	15	2
" 45-		-	-	-	-	3	-	-	14	-
" 55-		-	-	-	-	-	-	-	8	-
" 65 and upwards		-	-	-	-	-	-	-	8	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during March, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.
5th April, 1906.

Sir,

I have to report to you the results of the chemical and physical examinations of the water supplied to London by the Water Board during the month of March.

Fourteen samples were taken in both the Chelsea and Lambeth districts, and thirteen samples in each of the six other districts, making a total of 106 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - - -	March 12th, Cab Rank, Victoria Street, near Christ Church.	6·8	32·52	·231	·026	0	·271	·297	1·8	22·4
West Middlesex - -	March 12th, Cab Rank, Albert Road, N.W.	6·9	30·50	·228	·026	0	·230	·256	1·8	21·2
Southwark - - -	March 12th, Cab Rank, St George's Church, Borough.	8·3	32·68	·200	·021	0	·271	·292	1·75	22·8
Grand Junction - -	March 12th, Cab Rank, Pickering Place, Westbourne Grove	6·8	30·48	·218	·025	0	·224	·249	1·75	20·9
Lambeth - - - -	March 12th, Cab Rank, Waterloo Road, opposite St. John's Church.	7·4	32·96	·230	·022	0	·290	·312	1·8	23·0
Lea, Wells, etc.										
New River - - -	March 12th, Cab Rank, Gray's Inn Road, by King's Cross Station.	7·2	32·62	·149	·013	0	·277	·290	1·85	22·4
Eastern - - - -	March 12th, Cab Rank, Police Station, Poplar.	7·0	41·20	·249	·022	0	·363	385	2·25	27·2
Deep Wells.										
Kent - - - - -	March 12th, Cab Rank, Woolwich Arsenal Station.	10·0	48·86	·054	·009	0	·656	·665	2·0	31·3
Lambeth - - -	March 15th, Post Office, Compton Road, Wimbledon.	8·4	30·76	·018	·005	0	·042	·047	1·5	22·7
Column 1.	2.	3.	4.	5.	6.	7	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of waters. The Table is to be read thus:—The water collected in the Chelsea district of the Water Board, on the 12th March at the Cab Rank in Victoria Street, had a temperature of 6·8° C.; 100,000 lbs. of it contained 33·52 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·231 lb. of carbon and ·026 lb. of nitrogen. The above quantity of water also contained ·271 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·297 lb. The above weight of water also contained 1·8 lbs. of chlorine and 22·4 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness into the Table of degrees of hardness on Clark's scale.

Samples of all the district supplies collected on the 12th, and a special sample taken in the Lambeth area on 15th March, were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the District Works was :—Lambeth deep-well (15th March) 0·4, Kent 1·1, New River 2·7, Southwark 3·7, Grand Junction 4·1, West Middlesex and Lambeth (12th March) 4·3, Chelsea 4·4, and Eastern 4·6.

The supplies, sampled on March 12th, from the five District Works which distribute filtered Thames water, all contained approximately the same proportion of organic matter, and the mean amount was almost identical with that found in the corresponding examination in the previous month ; all the samples were clear and of good quality.

The New River district water, obtained chiefly from the Lea and wells, contained a smaller amount of organic impurity than the filtered Thames water supplies, and was clear and of good quality. The Eastern district supply, derived chiefly from the Lea, was clear, and in general quality closely resembled the Thames-derived water.

The deep-well water from the Kent district was of high organic purity and good quality. The sample of water collected in the Lambeth district, at Compton Road, Wimbledon, was derived from the deep-well at Streatham. From a plan prepared by the Metropolitan Water Board it appears that this water is now being distributed in a limited area, approximately about one-third of a square mile, in Wimbledon. The water is of excellent quality, indeed, on account of its lower degree of hardness and greater freedom from organic matter, it even surpasses many of the supplies obtained from the Kent district wells.

Seen through a stratum two feet deep the Kent and Streatham deep-well waters were colourless, and all the river-derived supplies had a very pale yellow colour.

In addition to the above analytical examination, the 106 samples of water, collected during March at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution) ; the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has, also, been recorded. The following results were obtained :—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Album Ammo	
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)							
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min
THAMES.											
Chelsea	·116	·096	·107	·126	·108	·117	0	0	0	·010	·008
West Middlesex	·113	·101	·109	·124	·111	·117	0	0	0	·011	·009
Southwark	·159	·089	·116	·173	·096	·124	0	0	0	·011	·006
Grand Junction	·109	·093	·105	·122	·106	·115	0	0	0	·010	·008
Lambeth	·152	·108	·126	·161	·114	·134	0	0	0	·0105	·009
LEA, WELLS, THAMES, ETC.											
New River	·090	·035	·064	·095	·039	·070	0	0	0	·007	·004
Eastern	·119	·082	·103	·126	·090	·112	0	0	0	·0105	·008
DEEP WELLS.											
Kent	·011	·007	·009	·012	·009	·010	0	0	0	·0015	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The results show that of the five filtered Thames water supplies, those from the Chelsea, West Middlesex, and Grand Junction district works exhibited least variations in organic impurities, and were of good quality throughout the month. The Southwark and Lambeth waters had about the same variations in organic matter as in February, but the supplies were of fair quality for the time of the year.

The mean amount of organic impurity in the New River district water was slightly less than in the previous month, and all the samples examined were of good quality.

The Eastern district water throughout the month was very similar in quality to the best of the filtered Thames supplies.

All the samples of deep-well water drawn in the Kent district were of high organic purity and good quality.

All the samples collected in the Chelsea, Grand Junction, and New River districts were clear; in the cases of the other district supplies, on a few occasions, minute traces of rust stained suspended matter were observed.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of March, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 195 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	MARCH, 1905.	MARCH, 1906.	MARCH, 1905.	MARCH, 1906.
TOTAL SUPPLY - - -	1,024,007	1,043,293	204,647,123	203,285,721
From Thames - - - - - -	476,349	486,257	106,919,878	108,796,802
From Lea and from other Sources -	547,658	557,036	97,727,245	94,488,919
THAMES.				
SOUTHERN { Southwark and Vauxhall	130,440	132,044	28,800,000	29,061,000
SOUTHERN { Lambeth - - - - -	135,768	139,945	27,925,416	29,508,498
WESTERN { West Middlesex - -	91,575	92,552	22,615,516	22,347,308
WESTERN { Grand Junction - -	78,677	81,776	16,000,881	16,220,319
WESTERN { Chelsea - - - - -	39,889	39,940	11,578,065	11,659,677
LEA AND OTHER SOURCES.				
New River - - - - - - -	204,308	207,371	38,262,837	38,926,833
Eastern - - - - - - - -	231,535	235,506	41,919,097	37,756,484
Kent - - - - - - - -	111,815	114,159	17,545,311	17,805,602

Note.—The Return for March, 1906, as compared with that for the corresponding month of 1905, shows an increase of 19,286 services, and a decrease of 1,361,402 gallons of water supplied daily.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 31st MARCH, 1906.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia** (origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON -	18,834	-	680	129	193	456	-	44	-	169	1,783	3,743	115
West.													
PADDINGTON - - -	471	-	4	2	3	4	-	3	-	8	46	70	86
KENSINGTON - - -	609	-	21	2	5	4	-	2	-	5	52	95	108
HAMMERSMITH - -	462	-	35	-	8	7	-	-	-	7	42	102	129
FULHAM - - -	545	-	23	4	8	6	-	3	-	5	46	140	116
CHELSEA - - -	328	-	10	1	7	2	-	-	-	5	43	44	109
CITY OF WESTMINSTER -	606	-	3	3	5	6	-	-	-	4	59	84	118
North.													
ST. MARYLEBONE - -	502	-	9	3	1	7	-	1	-	4	53	85	82
HAMPSTEAD - - -	245	-	1	1	1	-	-	-	-	-	19	33	99
ST. PANCRAS - - -	1,012	-	23	10	3	40	-	2	-	2	105	194	129
ISLINGTON - - -	1,394	-	95	10	9	22	-	1	-	5	119	270	122
STOKE NEWINGTON - -	168	-	4	-	2	9	-	-	-	-	22	21	83
HACKNEY - - -	817	-	6	5	3	13	-	1	-	4	87	153	99
Central.													
HOLBORN - - -	257	-	1	1	1	3	-	-	-	3	33	36	86
FINSBURY - - -	492	-	30	3	6	11	-	2	-	4	70	81	91
CITY OF LONDON - -	88	-	-	3	1	2	-	-	-	-	9	12	125
East.													
SHOREDITCH - - -	618	-	17	3	5	28	-	1	-	8	59	141	144
BETHNAL GREEN - -	655	-	13	7	6	24	-	2	-	3	71	173	151
STEPNEY - - -	1,388	-	44	10	24	61	-	5	-	18	121	318	111
POPLAR - - -	743	-	11	8	8	30	-	3	-	13	58	174	120
South.													
SOUTHWARK - - -	998	-	46	13	8	10	-	1	-	6	105	207	124
BERMONDSEY - - -	621	-	14	5	8	16	-	-	-	9	54	139	134
LAMBETH - - -	1,330	-	54	12	11	30	-	5	-	12	137	257	111
BATTERSEA - - -	638	-	21	4	3	19	-	1	-	13	67	154	125
WANDSWORTH - -	883	-	27	4	14	16	-	3	-	8	81	178	104
CAMBERWELL - -	1,098	-	81	4	15	25	-	3	-	10	82	198	113
DEPTFORD - - -	546	-	55	7	3	28	-	2	-	4	35	115	128
GREENWICH - - -	374	-	17	2	11	18	-	-	-	3	36	78	113
LEWISHAM - - -	494	-	13	2	7	6	-	-	-	4	33	97	113
WOOLWICH - - -	452	-	2	-	7	9	-	3	-	2	39	94	99

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 607 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 647 cases the previous residence was outside London and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 15. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, APRIL 14. [Price 1½*d*.

General Register Office, Somerset House,
April 17th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·1 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 15·8, 17·0, and 17·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 21·1 in Oldham, 21·4 in Manchester, 21·5 in Birmingham, 21·9 in Middlesbrough, 22·1 in West Bromwich, 22·6 in Smethwick, 23·1 in Tynemouth, and 25·6 in Liverpool ; from *measles*, 1·3 in Leyton, in Bristol, in Preston, and in Bradford, 1·8 in Bury, 2·0 in Manchester, 2·6 in Liverpool, and 3·0 in Great Yarmouth ; from *scarlet fever*, 2·6 in Rotherham ; from *whooping-cough*, 1·1 in Leicester, 1·2 in Hornsey, 1·3 in Birmingham and in Birkenhead, 1·4 in Cardiff, 1·5 in Bournemouth, 1·8 in Leyton, 2·4 in Smethwick, and 3·0 in West Bromwich ; and from *diarrhœa*, 1·6 in Middlesbrough and 1·9 in Tynemouth. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2087 BIRTHS and 1578 DEATHS were registered. Allowing for increase of population, the births were 522 below and the deaths 80 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 15·8, 18·5, and 16·8 per 1000 in the preceding three weeks, rose last week to 17·4. The death-rate in the four weeks ended last Saturday averaged 17·1 per 1000, being 0·2 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 4/06 D & S 3 24517 P

The 1578 deaths included 68 from measles, 7 from scarlet fever, 17 from diphtheria, 37 from whooping-cough, 2 from enteric fever, and 14 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 145 deaths were referred to these diseases in the aggregate, being 34 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 65, 76, and 68 in the preceding three weeks, were again 68 last week, and were 1 above the corrected average; 12 deaths belonged to the Borough of Islington, 9 to St. Pancras, 6 to Finsbury, and 5 to Hackney. The deaths from *scarlet fever*, which had been 9, 8, and 8 in the preceding three weeks, were 7 last week, and were 1 below the corrected average; 4 deaths belonged to Paddington. The deaths from *diphtheria*, which had been 16, 15, and 9 in the preceding three weeks, rose to 17 last week, and were 1 above the corrected average; 3 deaths belonged to Chelsea. The deaths from *whooping-cough*, which had been 34, 53, and 42 in the preceding three weeks, fell to 37 last week, and were 15 below the corrected average; 6 deaths belonged to Deptford, 4 to Bethnal Green, and 3 apiece to St. Pancras, Stepney, Poplar, Camberwell and Greenwich. The fatal cases of *enteric fever*, which had been 3, 4, and 2 in the preceding three weeks, were again 2 last week, and were 3 below the corrected average. The deaths from *diarrhœa*, which had been 6, 7, and 13 in the preceding three weeks, further rose last week to 14, and were 1 above the corrected average; 3 deaths belonged to Battersea. Of the 14 deaths from diarrhœa, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 42, having been 16, 23, and 21 in the preceding three weeks.

Different forms of *violence* caused 47 deaths, concerning all of which inquests were held. Of these 47 deaths, 5 were cases of suicide, while the remaining 42 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 7 to burns or scalds, 6 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 5, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 7 cases of small-pox, 2301 of scarlet fever, 910 of diphtheria, and 61 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 5, 0, and 0; of scarlet fever, 270 cases, against 234, 223, and 292; of diphtheria, 108 cases, against 115, 110, and 120; and of enteric fever, 9 cases, against 11, 13, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 7th, 1906.

Greater London.

In Greater London 3302 births and 2158 deaths were registered. Allowing for increase of population, these numbers are 695 below and 71 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 18 deaths from measles, 1 from scarlet fever, 1 from diphtheria, 5 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·16 inches, and that of the Thermometer 51°·5, the latter being 5°·7 above the week's average in the 50 years 1841–90. The general direction of the wind was Easterly, the horizontal movement of the air being 8 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 64·4 hours; the measured rainfall amounted to 0·03 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 24th Mar., 1906.	31st Mar., 1906.	7th April, 1906.	14th April, 1906.	Rate from Diseases in Cols. 11–17. Week ended 14th April, 1906.	Registered during the Week ended 14th April, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**15·8**	**17·0**	**17·0**	**17·1**	**1·7**	**8055**	**5200**	**1082**	**1559**	**-**	**198**	**42**	**51**	**147**	**26**	**54**	**164**	**372**	**1242**	**60**	**76 Towns.**
London - - -	4,721,217	15·8	18·5	16·8	17·4	1·6	2087	1578	288	532	-	68	7	17	37	2	14	47	148	577	2	London.
Croydon - -	151,011	11·7	14·5	18·3	17·6	0·7	69	51	13	15	-	-	-	-	-	-	2	-	2	9	-	Croydon.
Willesden - -	143,622	8·4	9·4	8·4	8·0	-	78	22	8	7	-	-	-	-	-	-	-	1	1	1	-	Willesden.
Hornsey - -	86,935	9·6	9·0	12·0	12·0	1·2	27	20	6	8	-	-	-	-	2	-	-	1	4	-	-	Hornsey.
Tottenham - -	119,503	14·0	15·3	13·1	9·2	0·4	67	21	7	11	-	-	1	-	-	-	-	-	2	3	-	Tottenham.
West Ham - -	301,617	15·4	10·7	13·7	11·6	1·6	169	67	16	16	-	2	1	-	3	1	2	1	4	12	-	West Ham.
East Ham - -	129,886	11·2	11·6	9·6	8·8	1·6	71	22	10	2	-	1	-	-	2	-	1	2	3	2	-	East Ham.
Leyton - - -	118,287	14·1	9·7	9·3	11·9	3·5	58	27	4	5	-	3	-	-	4	-	1	-	1	5	-	Leyton.
Walthamstow -	121,234	9·9	11·2	12·5	12·9	0·9	64	30	8	7	-	1	-	1	-	-	-	2	3	7	-	Walthamstow.
Hastings - - -	67,144	6·2	17·1	14·8	17·9	-	28	23	1	13	-	-	-	-	-	-	-	1	2	6	-	Hastings.
Brighton - -	128,095	17·5	16·7	19·5	13·4	0·4	69	33	5	16	-	-	-	-	1	-	-	-	1	10	-	Brighton.
Portsmouth - -	205,118	15·5	15·8	16·8	9·7	0·8	126	38	4	11	-	-	-	-	3	-	-	2	3	7	-	Portsmouth.
Bournemouth -	67,702	16·2	16·9	14·6	14·6	2·3	17	19	1	9	-	-	-	1	2	-	-	-	4	2	-	Bournemouth.
Southampton -	117,312	13·3	16·4	16·4	17·3	0·9	49	39	8	16	-	-	-	-	2	-	-	2	4	6	-	Southampton.
Reading - - -	78,987	9·9	11·9	23·8	19·8	-	37	30	8	14	-	-	-	-	-	-	-	1	2	8	-	Reading.
Northampton -	93,749	12·8	16·1	13·3	15·0	0·6	46	27	7	12	-	-	-	-	1	-	-	-	-	8	-	Northampton.
Ipswich - - -	71,809	13·1	16·0	13·8	13·8	0·7	31	19	4	6	-	-	-	-	-	1	-	1	2	4	-	Ipswich.
Great Yarmouth -	52,613	14·9	17·8	14·9	18·8	4·0	22	19	7	3	-	3	-	-	1	-	-	1	1	1	-	Great Yarmouth.
Norwich - -	117,958	15·9	15·5	18·6	15·5	-	79	35	11	16	-	-	-	-	-	-	-	-	2	4	1	Norwich.
Plymouth - -	118,014	20·8	18·6	22·5	15·9	1·3	52	36	7	14	-	1	1	-	1	-	-	-	2	4	-	Plymouth.
Devonport - -	78,405	14·6	13·3	14·6	10·0	0·7	43	15	-	5	-	-	-	-	-	1	-	1	1	2	-	Devonport.
Bristol - - -	363,223	15·6	15·5	17·1	15·8	2·7	188	110	25	30	-	9	1	1	6	1	1	4	10	25	-	Bristol.
Hanley‡ - - -	66,300	19·6	22·8	21·2	17·3	-	45	22	7	6	-	-	-	-	-	-	-	-	1	4	-	Hanley‡
Burton-on-Trent	52,922	13·8	13·8	9·9	12·8	1·0	20	13	1	5	-	-	-	-	1	-	-	2	3	7	-	Burton-on-Trent.
Wolverhampton -	100,729	17·1	17·6	18·6	11·9	1·6	40	23	7	4	-	1	1	-	1	-	-	1	1	4	-	Wolverhampton.
Walsall - - -	94,577	18·2	11·0	15·4	17·1	2·2	68	31	11	7	-	-	-	1	1	-	2	-	-	3	-	Walsall.
Handsworth -	63,819	10·6	10·6	11·4	10·6	1·6	23	13	4	3	-	-	-	1	1	-	-	-	-	1	-	Handsworth.
West Bromwich -	68,469	11·4	19·0	21·3	22·1	3·1	41	29	3	11	-	-	-	-	4	-	-	1	1	3	1	West Bromwich.

* See note † on first page of this return

‡ These towns are included within the areas of County Boroughs

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 14th April, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 24th Mar., 1906.	31st Mar., 1906.	7th April, 1906.	14th April, 1906.	Rate from Diseases in Cols. 11-17. Week ended 14th April, 1906.	Registered during the Week ended 14th April, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	18·7	21·3	17·3	21·5	2·3	294	226	56	62	-	6	-	2	14	1	1	3	6	44	5	BIRMINGHAM.
KINGS NORTON -	72,608	10·1	10·1	9·3	12·2	1·4	22	17	2	8	-	1	1	-	-	-	-	1	1	3	-	KINGS NORTON.
SMETHWICK - -	64,531	15·4	17·0	17·8	22·6	2·4	39	28	10	6	-	-	-	-	3	-	-	-	-	1	1	SMETHWICK.
ASTON MANOR -	82,288	12·7	14·6	8·9	10·1	0·6	47	16	3	7	-	-	-	-	1	-	-	-	-	3	-	ASTON MANOR.
COVENTRY - -	76,374	19·1	15·0	17·8	15·7	1·4	54	23	4	7	-	1	-	-	1	-	-	1	1	1	1	COVENTRY.
LEICESTER - -	232,111	13·0	13·5	13·9	14·4	2·2	119	64	14	14	-	-	4	-	5	-	1	2	4	9	1	LEICESTER.
GRIMSBY - - -	69,359	18·8	8·3	12·8	14·3	1·5	36	19	7	4	-	-	-	1	-	1	-	-	-	3	-	GRIMSBY.
NOTTINGHAM - -	254,563	14·1	21·1	16·2	14·1	0·8	145	69	12	24	-	-	2	1	1	-	-	5	5	14	-	NOTTINGHAM.
DERBY - - -	123,981	15·1	13·9	15·6	16·0	0·4	53	38	8	8	-	-	-	-	-	-	1	1	2	4	-	DERBY.
STOCKPORT - -	99,646	15·7	11·5	18·3	12·0	1·0	33	23	5	6	-	1	-	-	1	-	-	1	1	2	-	STOCKPORT.
BIRKENHEAD - -	117,292	16·9	12·9	15·6	18·7	1·3	61	42	7	15	-	-	-	-	3	-	-	1	1	13	-	BIRKENHEAD.
WALLASEY - -	64,578	8·9	11·3	12·9	12·9	-	40	16	4	7	-	-	-	-	-	-	-	-	-	2	-	WALLASEY.
LIVERPOOL† - -	739,180	21·6	22·1	22·7	25·6	4·8	491	363	86	75	-	37	7	7	13	1	3	10	18	111	12	LIVERPOOL.†
BOOTLE† - - -	65,989	13·4	21·3	18·2	18·2	0·8	32	23	4	3	-	1	-	-	-	-	-	1	2	4	-	BOOTLE.†
ST. HELENS - -	91,153	17·7	21·2	14·3	16·0	1·1	62	28	5	9	-	-	-	1	-	1	-	-	-	10	2	ST. HELENS.
WIGAN - - -	87,588	18·5	18·5	16·1	17·9	0·6	49	30	7	8	-	1	-	-	-	-	-	2	2	3	-	WIGAN.
WARRINGTON - -	69,280	17·3	23·3	27·1	16·6	-	46	22	3	6	-	-	-	-	-	-	-	2	2	7	-	WARRINGTON.
BOLTON - - -	180,502	14·7	15·0	18·5	15·3	1·4	70	53	12	14	-	-	-	-	2	2	1	1	3	6	1	BOLTON.
BURY - - -	58,744	9·8	21·3	13·3	18·6	1·8	19	21	5	8	-	2	-	-	-	-	-	-	2	1	-	BURY.
MANCHESTER - -	637,126	16·8	19·5	21·8	21·4	3·3	331	262	60	52	-	24	2	3	8	-	3	10	16	54	-	MANCHESTER.
SALFORD - - -	234,077	17·8	16·3	19·2	18·5	0·9	139	83	25	19	-	-	-	-	1	1	2	2	8	18	-	SALFORD.
OLDHAM - - -	140,969	18·5	19·6	15·5	21·1	1·8	69	57	7	19	-	-	2	1	1	-	1	1	2	5	-	OLDHAM.
ROCHDALE - -	87,189	16·1	13·2	15·5	14·4	0·6	40	24	5	9	-	-	-	-	-	-	1	2	2	3	1	ROCHDALE.
BURNLEY - - -	102,808	15·2	16·2	25·4	19·8	1·0	42	39	11	6	-	2	-	-	-	-	-	-	-	8	2	BURNLEY.
BLACKBURN - -	134,015	12·1	22·2	19·5	18·7	1·2	64	48	14	12	-	2	-	-	-	-	1	1	3	3	-	BLACKBURN.
PRESTON - - -	116,399	17·9	17·5	13·9	19·3	2·7	74	43	9	10	-	3	1	2	-	-	-	3	3	2	4	PRESTON.
FURNESS.																						BARROW-IN-

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 24th Mar., 1906.	31st Mar., 1906.	7th April, 1906.	14th April, 1906.	Rate from Diseases in Cols. 11-17. Week ended 14th April, 1906.	Registered during the Week ended 14th April 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	17·6	21·4	15·9	19·8	0·5	38	36	1	23	-	-	-	-	1	-	-	-	1	5	-	Huddersfield.
Halifax	109,272	12·9	20·0	17·7	18·6	1·4	40	39	4	18	-	1	-	1	-	-	1	1	1	3	1	Halifax.
Bradford	288,544	18·3	11·7	19·5	20·1	2·5	113	111	20	33	-	7	2	2	1	2	-	5	8	29	-	Bradford.
Leeds	463,495	16·1	15·0	14·4	19·6	1·9	244	174	32	48	-	8	-	3	2	3	1	10	25	32	-	Leeds.
Sheffield	447,951	15·6	15·5	17·6	15·4	1·7	278	132	27	46	-	4	3	2	5	-	1	4	5	28	7	Sheffield.
Rotherham	61,098	12·8	13·7	16·2	13·7	3·4	32	16	4	2	-	-	3	-	-	1	-	-	-	4	-	Rotherham.
York	83,467	12·5	20·6	10·6	15·6	2·5	48	25	6	8	-	1	-	1	-	-	2	-	-	2	-	York.
Hull	262,426	14·9	13·9	14·1	14·9	1·8	127	75	14	23	-	-	2	1	4	1	1	2	3	14	4	Hull.
Middlesbrough	100,069	14·1	24·5	28·1	21·9	1·6	68	42	12	11	-	-	-	-	-	-	3	2	2	6	-	Middlesbrough.
Stockton-on-Tees	52,664	18·8	10·9	16·8	19·8	1·0	35	20	-	5	-	-	-	-	-	1	-	1	1	1	-	Stockton-on-Tees.
West Hartlepool	73,387	12·8	16·3	14·2	12·1	-	39	17	3	3	-	-	-	-	-	-	-	-	1	2	-	West Hartlepool.
Sunderland	154,385	14·5	18·9	22·0	15·5	0·3	100	46	7	16	-	-	-	-	1	-	-	2	4	5	2	Sunderland.
South Shields	111,402	15·4	14·5	19·7	18·7	0·5	68	40	9	13	-	1	-	-	-	-	-	2	2	9	3	South Shields.
Gateshead	123,191	12·7	15·7	14·0	15·2	1·3	78	36	11	5	-	1	-	-	-	-	2	-	-	6	2	Gateshead.
Newcastle-on-Tyne	268,721	18·8	16·7	18·2	16·5	1·4	152	85	14	21	-	4	-	1	-	2	-	2	6	9	-	Newcastle-on-Tyne.
Tynemouth	54,138	25·0	13·5	20·2	23·1	2·9	28	24	3	6	-	1	-	-	-	-	2	2	3	5	-	Tynemouth.
Newport (Mon.)	74,227	19·7	15·5	19·0	12·6	-	38	18	4	7	-	-	-	-	-	-	-	1	2	1	-	Newport (Mon.).
Cardiff	183,823	12·5	14·2	16·5	16·5	1·4	94	58	11	16	-	-	-	-	5	-	-	5	8	11	1	Cardiff.
Rhondda	127,684	18·4	12·7	14·7	18·0	1·6	81	44	11	8	-	-	-	-	1	2	1	1	2	4	1	Rhondda.
Merthyr Tydfil	74,961	18·1	11·1	13·9	16·7	2·1	63	24	9	6	-	-	1	-	-	1	1	1	2	3	-	Merthyr Tydfil
Swansea	96,848	20·5	17·2	15·6	15·1	-	62	28	10	9	-	-	-	-	-	-	-	-	2	1	-	Swansea.
Greater London	7,113,561	14·5	16·2	15·6	15·8	1·5	3302	2158	418	728	-	93	10	19	53	3	21	63	186	673	3	Greater London.
Outer Ring	2,392,344	12·0	11·7	13·1	12·6	1·2	1215	580	130	196	-	25	3	2	16	1	7	16	38	96	1	Outer Ring.
8 Towns in Outer Ring	1,172,195	12·3	11·4	12·4	11·6	1·2	603	260	72	71	-	7	2	1	11	1	6	7	20	39	-	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	11·6	12·0	13·8	13·7	1·1	612	320	58	125	-	18	1	1	5	-	1	9	18	57	1	Remainder of Outer Ring.
Edinburgh	341,035	17·0	16·5	20·2	19·9	1·7	143	130	23	49	-	6	-	2	2	-	1	3	?	38	10	Edinburgh.
Glasgow	835,625	18·3	19·1	17·9	20·9	1·9	476	335	63	66	-	12	-	5	6	1	7	9	?	96	10	Glasgow.
Dublin†	378,994	25·6	26·1	21·1	23·4	0·8	181	170	21	53	-	1	-	-	3	1	1	3	6	71	7	Dublin.†
Belfast†	358,680	22·1	29·2	24·6	24·1	2·5	212	166	35	30	-	-	-	-	13	4	-	4	6	44	1	Belfast.†

* See note † on first page of this return

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTEENTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2082	2250	2623	2875	2292	2358	2624	2468	2676	2469	2608·7	2087
Males - - -	1414	1144	1336	1526	1131	1223	1322	1252	1405	1252	1333·0	1081
Females - -	1268	1106	1287	1349	1161	1135	1302	1216	1271	1217	1275·7	1006
TOTAL **Deaths** -	1727	1418	1648	1624	1844	1633	1523	1422	1490	1443	1497·9	1578
Males - -	888	752	863	865	932	847	782	749	746	736	767·8	793
Females - -	839	666	785	759	912	786	741	673	744	707	730·1	785

* The numbers in this column are the average weekly numbers in the fifteenth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	13 Weeks.
TOTAL **Births** -	2390	2451	2508	2550	2394	2500	2470	2509	2499	2243	2663	2594	2087	31858
TOTAL **Deaths** -	1399	1382	1337	1346	1517	1585	1501	1468	1498	1433	1674	1525	1578	19243
Ages at Death: Under 1 year -	299	257	260	272	316	317	280	296	303	273	296	269	288	3726
1—5 years -	170	171	162	146	156	187	183	160	190	170	228	225	192	2340
5—20 " -	56	87	60	79	104	85	69	77	72	73	76	83	76	997
20—40 " -	129	170	150	156	174	169	191	171	164	165	201	174	193	2207
40—60 " -	271	267	265	254	295	315	284	309	302	277	343	270	297	3749
60 yrs. & upwds	474	430	440	439	472	512	494	455	467	475	530	504	532	6224
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	52	44	28	26	43	52	55	56	70	65	76	68	68	703
Scarlet Fever - -	13	10	5	11	9	10	6	12	10	9	8	8	7	118
Diphtheria - -	12	22	17	16	13	18	18	12	14	16	15	9	17	199
Whooping-cough -	21	37	34	33	45	35	29	34	38	34	53	42	37	472
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	3	1	4	5	2	5	3	3	3	4	2	2	40
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	8	19	14	23	13	13	14	19	17	6	7	13	14	180
All above Diseases -	109	135	99	113	128	130	127	136	152	133	163	142	145	1712
Dis. of Resp. System	148	174	168	146	160	176	190	178	173	165	165	175	173	2191
Pneumonia - -	151	119	144	132	129	152	153	136	161	153	172	157	186	1945
Phthisis - - -	128	147	129	133	141	135	136	134	132	133	169	142	161	1820
Dis. of Circ. System -	200	161	162	177	216	207	196	177	201	173	238	213	180	2501
Violence - - -	61	56	38	44	66	66	52	46	64	66	68	56	47	730
Inquest Cases - -	151	130	127	132	160	169	144	141	152	165	168	154	148	1941
Deaths in Institutions	498	554	519	493	552	650	545	548	532	523	655	556	577	7202
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	42·0	40·4	42·8	37·0	38·2	37·4	41·7	47·2	43·5	37·5	38·2	45·6	51·5	41·8
Mean of Highest -	46·5	44·3	47·4	41·9	44·8	43·5	48·6	55·4	49·9	43·4	46·0	56·7	64·7	48·7
Mean of Lowest -	37·2	35·3	38·0	32·2	32·6	32·2	35·7	40·0	37·3	33·0	32·6	34·5	39·4	35·4
Mean Humidity of the Air.	77	83	80	80	85	81	79	75	73	79	73	63	62	76
Rain-fall (in inches) -	1·06	0·49	0·10	0·38	0·92	0·27	0·17	0·35	0·29	0·32	0·14	0·00	0·03	4·52
Registered Sunshine (in hours).	23·7	5·8	10·6	17·5	13·0	13·8	21·7	35·0	22·1	18·0	18·0	55·7	64·4	319·3

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

														Means.
Small-pox - -	-	-	-	-	2	5	6	6	7	10	8	8	7	5
Scarlet Fever - -	3066	2983	2912	2839	2734	2689	2628	2545	2485	2434	2386	2322	2301	2640
Diphtheria - -	800	841	873	899	944	953	933	931	907	926	929	908	910	904
Typhus - - -	-	-	-	-	-	-	-	2	2	2	1	-	-	1
Enteric Fever - -	87	84	95	79	81	80	79	73	69	65	63	68	61	76

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTEENTH Week of the Year 1906.

he terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 15th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES - - -	1497·9	1578	288	192	76	193	297	532
Small-pox* - - -	18·6	-	-	-	-	-	-	-
Cowpox - - - -	-	-	-	-	-	-	-	-
Measles (Morbilli) - -	66·5	68	19	48	1	-	-	-
Scarlet Fever - - -	7·9	7	-	4	2	1	-	-
Typhus - - - -	0·5	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-
Influenza - - - -	12·5	42	2	1	1	10	8	20
Whooping-cough - -	51·5	37	11	26	-	-	-	-
Diphtheria - - -	16·1	17	2	6	9	-	-	-
Cerebro Spinal Fever -	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain) - - -	-	-	-	-	-	-	-	-
Enteric Fever - - -	4·6	2	-	-	1	1	-	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	3·8	4	3	1	-	-	-	-
Diarrhœa, Dysentery -	9·4	10	7	2	-	-	-	1
Tetanus - - - -	0·3	-	-	-	-	-	-	-
Rabies, *Hydrophobia* -	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-
Venereal Dis. - - -	8·4	7	4	-	-	2	1	-
Puerperal Septicæmia -	2·8	3	-	-	-	3	-	-
Puerperal Pyæmia -	-	-	-	-	-	-	-	-
Puerperal Fever - -	0·8	-	-	-	-	-	-	-
Infective Endocarditis -	2·8	3	-	-	-	1	2	-
Pneumonia — Lobar - -	11·7	23	1	1	-	5	6	10
Pneumonia — Broncho- -	69·6	74	25	25	4	1	6	13
Pneumonia — Epidemic -	-	-	-	-	-	-	-	-
Pneumonia — Not defined	61·4	89	6	10	2	13	25	33
Erysipelas - - -	1·3	3	-	-	-	2	-	1
Septicæmia (not Puerperal) - - -	1·5	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	1·8	1	-	-	-	1	-	-
Other Infective Processes	9·2	4	-	-	-	2	-	2
Tuberculous Phthisis -	72·1	94	2	5	4	43	32	8
"*Phthisis*" - - -	79·5	67	-	-	2	34	27	4
Tuberculous Meningitis -	21·2	15	1	8	5	1	-	-
Tuberculous Peritonitis -	6·6	11	4	4	3	-	-	-
Tabes Mesenterica - -	3·6	1	1	-	-	-	-	-
Tuberculous Dis. (other)-	20·1	25	5	6	6	4	3	1
Scrofula - - - -	-	-	-	-	-	-	-	-
Alcoholism - - -	11·2	6	-	-	-	-	3	3
Rheumatic Fever - -	4·8	7	-	-	4	-	3	-
Gout - - - - -	2·3	-	-	-	-	-	-	-
Carcinoma - - -	49·7	65	-	-	-	4	32	29
Sarcoma - - - -	5·1	4	1	-	2	-	1	-
Cancer (undefined) - -	31·9	32	-	-	-	1	9	22
Diabetes Mellitus - -	6·4	8	-	-	-	-	3	5
Premature Birth - -	50·2	42	42	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 15th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1	1-5.	5-20.			
Meningitis (not tuberc.)	14·0	25	10	11	3	-	-	1
Insanity, Gen. Par. of Insane - - -	15·8	16	-	-	-	2	5	9
Epilepsy - - - -	6·4	12	1	-	1	4	3	3
Convulsions - - -	20·4	20	17	3	-	-	-	-
Locomotor Ataxy - -	1·5	2	-	-	-	-	1	1
Paraplegia, Dis. of Cord	5·6	4	-	-	-	-	4	-
Nervous Sys. (other dis.)	18·4	19	2	1	1	1	4	10
Valv. Dis., Endocarditis-	37·5	45	-	-	6	8	10	21
Cerebr. Hæm. Thromb. -	35·7	24	-	-	1	1	5	17
Apoplexy, Hemiplegia -	20·4	18	-	-	-	-	3	15
Aneurysm - - -	4·6	4	-	-	-	2	1	1
Embolism, Thrombosis (not cerebral) -	1·3	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	94·3	89	-	1	2	6	26	54
Croup (not Spasm : nor Memb.) - -	0·5	1	-	1	-	-	-	-
Bronchitis - - -	128·9	150	26	7	2	3	16	96
Asthma, Emphysema -	5·9	7	-	-	1	-	1	5
Pleurisy - - - -	3·1	3	-	1	-	-	-	2
Respiratory Dis. (other)	14·8	12	4	-	-	-	1	7
Tonsillitis, Quinsy - -	0·8	-	-	-	-	-	-	-
Enteritis (not Epid.) -	6·6	16	11	2	1	-	1	1
Gastro-Enteritis - -	3·6	6	5	-	-	-	-	1
Peritonitis (not Puerp.) -	2·8	3	1	-	-	1	1	-
Cirrhosis of Liver - -	12·7	14	-	-	-	1	8	5
Liver Dis. (other) - -	5·9	4	-	-	-	2	1	1
Digestive Dis., Other -	34·4	37	6	1	3	9	10	8
Nephritis, Acute - -	6·9	9	1	-	1	4	1	2
Bright's Dis., Albuminuria - - -	36·7	43	-	-	-	5	11	27
Urinary Sys., Other Dis.	6·9	9	-	-	-	-	4	5
Generative Organs Dis.-	4·1	2	-	-	-	1	-	1
Childbirth (Accid. of) -	3·1	5	-	-	-	4	1	-
Old Age - - - -	53·0	67	-	-	-	-	-	67
Other Diseases - -	106·3	94	61	8	2	3	9	11
ACCIDENT.								
By Railways - - -	1·8	3	-	-	-	1	1	1
By Vehicles and Horses-	5·6	5	-	2	2	-	-	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·5	-	-	-	-	-	-	-
In Building Operations -	1·3	1	-	-	-	-	-	1
In Conflagrations - -	0·8	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	5·9	7	-	6	1	-	-	-
By Drowning - - -	2·8	6	-	-	1	4	1	-
By Suffocation in Bed -	8·4	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·0	4	1	1	-	2	-	-
Other Deaths by Accident - - -	14·5	11	1	-	2	-	4	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	1·0	-	-	-	-	-	-	-
Suicide - - - -	12·7	5	-	-	-	-	3	2
Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th April, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	*Pyrexia*† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,429	2087	1578	288	532	-	68	7	17	37	-	2	-	14	47	148	577	2
WEST DISTRICTS	805,311	319	277	42	93	-	10	2	3	2	-	-	-	1	9	22	105	1
NORTH DISTRICTS	1,056,070	460	338	52	112	-	29	5	3	5	-	1	-	-	9	33	109	-
CENTRAL DISTRICTS	209,465	83	74	18	14	-	6	-	-	2	-	-	-	1	5	11	29	-
EAST DISTRICTS	715,739	391	272	55	79	-	7	-	3	12	-	-	-	2	10	31	124	-
SOUTH DISTRICTS	1,749,844	834	576	121	214	-	16	-	7	16	-	-	-	10	14	51	169	-
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	41	-	20	-	-	-	1	-	-	1	-	-	-	-	41	-
WEST DISTRICTS.																		
St. Mary Paddington *W,2H*	93,178	37	35	4	9	-	-	1	-	-	-	-	-	-	1	3	5	
St. John Paddington *H*	33,617	8	19	2	4	-	-	-	-	-	-	-	-	-	1	1	9	
North-West Paddington	17,181	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town *2W,w,2H*	128,037	59	40	6	18	-	3	-	-	-	-	-	-	-	-	2	19	
Brompton *2H*	48,591	9	13	1	4	-	-	-	1	-	-	-	-	-	1	2	1	
North Hammersmith *2W,wH*	49,192	38	15	5	7	-	-	-	-	-	-	-	-	-	-	2	1	
South Hammersmith *w,2H*	63,047	17	24	3	6	-	3	-	-	-	-	-	-	-	2	5	7	
North-west Fulham *W*	45,180	31	15	2	6	-	-	-	-	-	-	-	-	-	-	-	11	
North-east Fulham *F*	46,405	20	9	2	4	-	-	1	-	-	-	-	-	-	-	-	1	
South Fulham *W*	45,704	28	10	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
Chelsea North *W,w,3H*	42,514	14	32	2	21	-	1	-	-	1	-	-	-	-	1	2	24	
Chelsea South *W,2H*	31,328	7	16	3	3	-	2	-	1	-	-	-	-	-	-	1	2	
Mayfair and Knightsbridge	28,743	4	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-	
Belgrave *W,2H*	55,815	20	24	5	5	-	-	-	1	1	-	-	-	-	3	3	15	
St. Margaret & St. John *4H*	43,698	13	15	1	2	-	-	-	-	-	-	-	-	-	-	-	8	
St. James and St. Anne‡ *W,6H*	33,081	3	4	1	2	-	-	-	-	-	-	-	-	-	-	1	2	
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	4	12	1	5	-	-	-	-	-	-	-	-	-	2	3	4	
St. Mary Marylebone *W,4H*	37,948	46	14	2	6	-	-	-	-	-	-	-	-	-	-	-	6	
Christchurch Marylebone *H*	39,536	14	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	
St. John Marylebone *2H*	20,426	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead *W,F,7H*	81,942	29	39	3	17	-	-	5	1	-	-	-	-	-	-	-	13	
West St. Pancras *2H*	60,562	25	18	2	5	-	4	-	-	1	-	-	-	-	-	1	2	
Tottenham-court *w,7H*	21,258	7	16	2	3	-	1	-	-	-	-	-	-	-	1	1	11	
Gray's Inn Lane *4H*	34,449	13	7	-	2	-	-	-	-	-	-	-	-	-	-	2	3	
East St. Pancras *W,2H*	60,320	42	20	2	5	-	1	-	-	1	-	1	-	-	-	4	6	
North St. Pancras *2W*	58,728	27	19	4	6	-	3	-	-	1	-	-	-	-	-	-	10	
Tufnell *W*	31,995	11	19	1	10	-	1	-	-	-	-	-	-	-	1	1	15	
Upper Holloway *2W,w,H*	33,978	24	15	1	6	-	1	-	-	-	-	-	-	-	-	1	11	
Tollington *WH*	33,922	16	7	2	3	-	-	-	-	-	-	-	-	-	1	2	-	
Lower Holloway	41,424	13	8	3	1	-	2	-	-	-	-	-	-	-	-	1	-	
Barnsbury	54,478	21	15	3	3	-	4	-	-	-	-	-	-	-	1	3	-	
Islington South-east *F*	75,397	36	30	8	9	-	6	-	1	-	-	-	-	-	1	3	1	
Highbury *2H*	63,797	21	9	4	2	-	-	-	-	1	-	-	-	-	-	1	1	
Stoke Newington *H*	51,247	11	14	4	2	-	1	-	-	1	-	-	-	-	-	-	-	
North Hackney	50,560	20	8	2	4	-	-	-	-	-	-	-	-	-	-	1	-	
Central Hackney *2w,F*	50,536	24	15	5	4	-	3	-	1	-	-	-	-	-	-	1	1	
South-west Hackney *3H*	59,921	15	14	1	2	-	-	-	-	-	-	-	-	-	1	4	5	
South-east Hackney *2W,w,H*	58,255	33	32	2	13	-	2	-	-	-	-	-	-	-	1	3	20	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

L 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, EASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 14th April, 1906—*continued.*

STRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
es and Bloomsbury 2*W*,2*H* -	31,436	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
al *W*,4*H* - - - - -	21,674	1	13	-	2	-	-	-	-	-	-	-	-	-	1	1	12	-
a Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn *W*,6*H* - - - - -	29,612	11	12	4	2	-	1	-	-	-	-	-	-	1	-	-	5	-
n Clerkenwell - - -	28,676	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
r Clerkenwell *H* - - -	35,028	15	8	3	-	-	2	-	-	1	-	-	-	-	-	2	-	-
sbury 3*H*,*L* - - - - -	36,116	32	13	6	1	-	3	-	-	1	-	-	-	-	2	2	3	-
ton Union Workhouse, Islington - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rolph *H* - - - - - -	10,299	7	7	1	5	-	-	-	-	-	-	-	-	-	-	2	-	-
Sepulchre and Allhallows *W*,2*H*	16,624	2	13	2	1	-	-	-	-	-	-	-	-	-	2	4	8	-
W London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
ldgate South *H* - - -	46,362	32	11	2	2	-	-	-	-	-	-	-	-	-	1	3	-	-
ldgate North-West *W*,*w*,*H* -	36,127	32	31	4	15	-	1	-	-	-	-	-	-	-	2	2	24	-
ldgate North-East - - -	36,148	24	11	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-
ldgate Union Workhouse, Wood Green - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tbnal Green North 2*H* - -	51,514	24	18	7	3	-	-	-	-	1	-	-	-	-	1	1	7	-
tbnal Green South - - -	33,472	22	8	3	4	-	-	-	-	1	-	-	-	-	1	2	-	-
tbnal Green East 2*W*,*H*,*L* - -	44,694	34	25	4	5	-	-	-	-	2	-	-	-	-	-	1	13	-
ldfields - - - - -	27,969	8	5	1	1	-	1	-	-	1	-	-	-	-	1	1	-	-
End New Town *W*,*H* - -	28,718	17	36	3	3	-	-	-	2	-	-	-	-	-	-	-	33	-
man's Fields - - - -	22,081	9	7	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
orge and St. John 2*W* - -	49,068	30	19	4	8	-	-	-	-	1	-	-	-	1	-	5	8	-
well and Ratcliff *W*,*H* - -	25,568	7	10	2	2	-	-	-	1	2	-	-	-	-	-	2	7	-
house *W* - - - - -	32,369	18	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
End Old Town South-Eastern *H* - - - -	63,698	29	7	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
End Old Town North-Eastern *W*,*w* - - -	49,129	17	15	3	6	-	1	-	-	-	-	-	-	-	-	-	4	-
L - - - - - - -	41,989	24	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ley 3*w*,*H* - - - - -	68,319	32	37	8	11	-	2	-	-	-	-	-	-	1	2	5	19	-
ar *W*,*w* - - - - -	58,514	32	26	3	12	-	-	-	-	2	-	-	-	-	2	7	9	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMA MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., reg in each SUB-DISTRICT during the Week ended Saturday, 14th April, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *W,H* -	11,263	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H* - -	12,056	5	16	4	2	-	1	-	-	-	-	-	-	-	-	-
Kent-road - - - - -	21,904	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L* - - - -	39,094	16	11	4	3	-	-	-	-	-	-	-	-	-	-	-
Newington North - - -	49,022	31	16	3	5	-	-	-	-	1	-	-	-	1	-	2
Newington South *W* - - -	72,841	33	27	6	7	-	1	-	-	-	-	-	-	1	1	5
St. Olave *2W* - - - -	9,81	5	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Bermondsey *W* - - - -	82,483	47	15	5	3	-	3	-	-	-	-	-	-	-	1	1
Rotherhithe *W,F* - - - -	38,460	19	15	2	6	-	-	-	-	1	-	-	-	-	2	2
Waterloo-road *2H* - - -	27,440	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H* - -	18,423	10	17	3	1	-	-	-	-	-	-	-	-	-	2	4
Lambeth Church 2nd *2W* - -	39,818	33	25	4	11	-	-	-	-	1	-	-	-	-	-	1
Kennington 1st *H* - - -	53,198	28	16	5	6	-	-	-	-	-	-	-	-	-	-	3
Kennington 2nd *H* - - -	42,896	21	6	5	1	-	-	-	-	-	-	-	-	2	-	-
Brixton *F* - - - - -	84,232	31	17	3	10	-	-	-	2	-	-	-	-	-	-	-
Norwood *W,H* - - - -	35,888	14	10	1	6	-	1	-	-	-	-	-	-	-	-	-
East Battersea *H* - - -	72,203	43	17	3	5	-	-	-	-	-	-	-	-	1	-	2
North-west Battersea - - -	49,656	26	17	7	6	-	-	-	-	1	-	-	-	2	1	4
South-west Battersea *2W,H* - -	47,048	17	31	-	15	-	-	-	-	-	-	-	-	-	3	4
Clapham *2H* - - - -	51,361	28	14	3	6	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L* - -	88,019	48	29	6	16	-	-	-	3	-	-	-	-	-	-	4
Springfield *2W,L* - - - -	27,959	18	5	2	2	-	-	-	-	-	-	-	-	-	-	1
Southfields *H* - - - -	40,444	15	13	2	8	-	-	-	-	-	-	-	-	-	1	1
Putney - - - - - -	24,139	8	7	3	3	-	-	-	-	-	-	-	-	-	1	1
Dulwich - - - - -	13,359	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w* - -	40,206	17	25	1	13	-	-	-	-	1	-	-	-	-	-	-
Camberwell North *W,2L* - -	65,584	15	33	3	13	-	-	-	-	1	-	-	-	-	1	3
St. George - - - - -	47,331	32	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Peckham North - - - -	48,913	20	24	7	7	-	1	-	-	-	-	-	-	-	-	2
Peckham South *2W,w* - - -	43,946	26	14	4	5	-	2	-	-	1	-	-	-	1	-	1
Deptford North - - - -	37,613	24	18	5	5	-	-	-	-	3	-	-	-	1	-	-
Deptford Central - - - -	45,481	19	11	5	2	-	-	-	-	4	-	-	-	-	-	1
Deptford South - - - -	34,625	14	5	-	3	-	-	-	-	-	-	-	-	-	-	1
Greenwich West *2H* - - -	23,456	10	7	2	4	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H* - -	43,859	19	34	3	12	-	2	-	-	1	-	-	-	-	-	-
Eltham *w,H* - - - -	7,226	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH* - - - - -	25,490	9	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F* - - -	58,352	24	16	4	6	-	1	-	-	-	-	-	-	-	-	-
Sydenham *H* - - - -	43,653	16	7	3	4	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H* - - - -	21,134	11	6	1	2	-	-	-	2	1	-	-	-	-	-	1
Woolwich *5H* - - - -	41,625	15	8	2	-	-	-	-	-	-	-	-	-	-	-	3
Plumstead West *W* - - -	18,063	5	3	-	2	-	-	-	-	-	-	-	-	-	-	1
Plumstead East *2W,H* - -	50,264	31	22	7	4	-	4	-	-	-	-	-	-	-	1	2
Workhouse:—																
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																
Joyce Green - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																
Gore Farm (temporary) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern - - - -	—	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-
Northern - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																
Caterham - - - - -	—	-	11	-	9	-	-	-	-	-	-	-	-	-	-	-
Darenth - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																
Banstead - - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor - - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - - -	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Hanwell - - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Claybury - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nded Saturday, 14th April, 1906.

Is-on ict 1 p- ict u-s.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	365.602	2,044,973	1215	580	130	196	-	25	3	2	16	1	7	16	38	96	1
:1	Carshalton 2F,3H - -	12,228	32,997	16	5	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	9	4	-	-	-	1	-	-	-	-	-	-	-	-	-
:1	Godstone, *part of** W,F -	2,754	2,692	5	1	-	1	-	-	-	-	-	-	-	-	1	-	-
:1	Coulsdon - - - -	11,069	8,166	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-
2	South Croydon w - -	4,200	49,309	23	15	5	6	-	-	-	-	-	-	-	-	-	10	-
3	West Croydon 3W,F,H -	2,168	42,888	25	24	5	6	-	-	-	-	-	-	1	-	2	-	-
4	North Croydon H - -	2,644	41,698	21	13	3	4	-	-	-	-	-	-	-	-	-	2	-
5	Penge w,H - - - -	770	22,465	10	10	3	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30.015	15	4	-	1	-	-	-	-	-	-	-	-	1	-	-
:1	Wimbledon F,3H - -	3,221	41,652	23	17	2	6	-	3	-	-	-	-	-	-	1	8	-
2	Kingston 2W,H - - -	6,224	42,068	19	18	1	11	-	-	-	-	-	-	-	-	-	-	-
3	Surbiton F,H - - -	3,046	15,017	10	5	1	3	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-
5	Hampton H,F,L - - -	4,564	23,456	3	5	-	3	-	-	-	-	-	-	-	-	-	1	-
:1	Richmond W,H - - -	2,162	28,865	14	6	2	2	-	1	-	-	-	-	-	2	3	-	-
2	Mortlake F - - -	2,847	20,628	23	11	1	3	-	2	-	-	-	-	-	-	-	1	-
:1	Bromley F,2H - - -	4,703	27,354	13	6	2	3	-	-	-	-	-	-	-	-	-	5	-
2	Beckenham H - - -	7,825	28,497	8	6	-	3	-	1	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	6	7	-	4	-	-	-	-	1	-	-	-	-	-	-
4	Chislehurst 2H - - -	7,333	16,446	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley w F,H - - -	8,678	21,151	9	6	-	3	-	-	-	-	-	-	-	1	1	-	-
2	Erith F,H - - - -	3,854	25,296	24	6	2	1	-	-	-	-	-	-	-	-	1	1	-
3	Dartford W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Sunbury w - - - -	11,054	18,683	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	7	4	-	2	-	-	-	-	-	-	-	-	-	1	-
:1	Hillingdon W,F,H - -	6,035	13,661	4	6	2	2	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H - - -	12,757	8,984	2	3	3	-	-	-	-	-	1	-	-	-	-	-	-
3	Hayes w2F,H - - -	8,066	16,358	17	7	1	3	-	-	-	-	-	-	-	1	1	-	-
:1	Isleworth 3W,2F,H - -	6,859	30,863	23	25	3	14	-	-	-	-	-	-	-	-	-	15	-
2	Twickenham F,H - -	2,421	20,991	16	4	2	-	-	-	-	-	-	-	-	-	-	1	-
3	Brentford 3F,2H - - -	4,319	48,289	33	15	6	6	-	-	-	-	1	-	-	-	-	-	-
4	Chiswick H- - - -	1,249	29,809	23	7	1	2	-	1	-	-	1	-	-	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	32	12	-	6	-	-	-	-	-	-	-	-	1	-	-
:1	Harrow F,H - - -	13,809	25,523	10	6	-	4	-	-	-	-	-	-	-	1	1	-	-
2	Edgware 2F,2H - - -	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	78	22	8	7	-	-	-	-	-	-	-	1	1	1	-
4	Hendon W,F - - -	8,382	22,450	17	5	1	3	-	-	-	-	-	-	-	1	1	2	-
:1	South Mimms 2F,H - -	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	15	4	3	-	-	1	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	14	13	2	6	-	1	-	-	-	-	-	-	-	-	-
:1	Hornsey F,H - - -	2,875	72,056	27	20	6	8	-	-	-	-	2	-	-	1	4	-	-
2	Wood Green H - - -	1,625	34,233	18	12	3	3	-	-	-	-	1	-	-	1	2	2	-
3	West Tottenham F - -	996	48,853	29	12	5	5	-	-	-	-	-	-	-	-	1	-	-
4	East Tottenham 2H - -	2,017	53,688	38	10	2	4	-	-	1	-	-	-	-	1	2	4	-
5	Edmonton W,w,2F - -	7,491	61,892	41	19	3	8	-	1	-	-	-	-	-	-	1	5	-
6	Enfield 2W,F,H - - -	12,601	42,738	23	13	3	3	-	1	-	1	-	-	-	-	-	1	-
7	Waltham Abbey F - -	11,017	6,549	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1
35:1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37:1	Bushey H - - - -	9,333	9,173	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36 1	Stratford H - - -	1,072	44,827	22	12	3	5	-	-	-	-	-	-	2	-	-	-	-
2	Plaistow F,2H - - -	1,249	90,921	65	25	7	4	-	-	1	-	2	-	-	1	3	2	-
3	Canning Town H - -	1,556	70,718	56	12	4	3	-	2	-	-	-	-	-	1	1	1	-
4	Forest Gate w - - -	806	60,892	26	9	2	1	-	-	-	-	-	-	-	-	1	-	-
5	North East Ham w H -	1,333	58,676	33	13	6	1	-	1	-	-	1	-	-	1	2	-	-
6	South East Ham 2F - -	1,993	37,342	38	7	3	1	-	-	-	-	1	-	-	1	1	-	-
7	Wanstead F - - -	1,679	9,179	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	32	17	3	5	-	-	-	-	3	-	-	-	-	3	-
9	North Leyton 2W,w,F -	1,963	48,445	26	24	4	4	-	3	-	-	2	1	2	-	1	16	-
10	Walthamstow 3H,L - -	6,504	108,929	71	28	8	6	-	2	-	-	-	-	-	2	3	2	-
87:1	Chigwell, *part of** 2F,3H -	11,778	16,397	9	5	-	2	-	-	-	1	-	-	1	-	-	2	-
2	Epping W,F, *part of** - -	—	—	-	3	1	1	-	-	-	-	-	-	-	-	-	3	-
89:1	Romford, *part of** W,2F -	6,556	6,091	3	3	2	-	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L - - -	8,496	41,234	34	13	3	4	-	3	1	-	-	-	-	-	1	2	-
3	Barking Town F - -	3,803	21,547	17	6	3	-	-	1	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1 Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœa
LONDON - -	4,721,217	April	14	2087	1578	17·4	-	68	7	18	37	2	
CALCUTTA - -	910,117	March	3	-	761	46·6	189	13	-	-	1	194‡	1
BOMBAY - -	776,006	"	27	435	1845	123·6	22	51	-	-	3	922†	1
MADRAS - -	509,346	"	16	366	476	48·5	39	24	?	?	?	94	
PARIS - - -	2,750,000	April	7	1008	1117	21·7	-	30	5	8	3	3	
BRUSSELS - -	598,467	"	7	226	179	15·4	-	-	-	4	2	1	
ANTWERP - -	291,949	"	7	114	80	14·2	-	1	-	-	1	2	
AMSTERDAM -	559,575	March	31	293	185	17·2	-	6	1	3	5	1	
COPENHAGEN -	430,000	April	7	187	144	17·5	-	5	-	1	3	1	
STOCKHOLM -	318,398	March	31	154	93	15·2	-	-	1	3	4	-	
CHRISTIANIA -	222,373	April	7	138	53	12·4	-	-	-	3	-	-	
ST. PETERSBURG	1,429,000	March	24	806	803	29·2	1	37	29	21	9	27	
MOSCOW - -	1,154,000	"	24	-	595	26·9	1	5	10	5	3	4	
BERLIN - -	2,057,043	"	24	923	599	15·2	-	11	3	6	12	1	
HAMBURG - -	803,050	April	7	-	227	14·7	-	4	1	3	2	1	
BRESLAU - -	463,283	March	31	298	162	17·8	-	-	-	2	1	-	
MUNICH - -	540,000	April	7	-	189	18·2	-	2	-	1	-	-	
VIENNA - -	1,917,639	"	7	961	768	20·6	-	17	8	10	8	2	
PRAGUE - -	455 241	"	7	217	208	23·8	-	4	-	1	-	-	
BUDA-PESTH -	859,134	March	31	412	324	19·5	-	8	6	3	4	4	
TRIESTE - -	194,749	"	24	134	112	29·9	-	-	-	1	-	-	
		"	31	126	112	29·9	-	-	-	3	1	-	
ROME - -	526,170	"	3	-	-	-	-	-	-	-	-	-	
VENICE - -	171,709	"	3	-	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	"	31	195	153	27·4	-	-	1	-	-	1	
NEW YORK -	4,152,860	"	31	1935	1658	21·2	-	62	11	52	4	8	4
CHICAGO - -	2,049,185	"	24	-	533	13·5	-	-	9	9	2	10	3
PHILADELPHIA -	1,469,126	"	24	-	586	20·7	-	18	-	7	3	27	2
BOSTON - -	617,950	—		-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	March	4	-	257	14·7	1	-	-	-	1	4†	?
		"	11	-	303	17·3	-	1	-	2	-	3†	?

* Excluding deaths from croup in the Indian Cities.
† Including 59 deaths from plague in Calcutta, 802 in Bombay, and 3 and 1 in Rio de Janeiro.
‡ Including 50 deaths from cholera in Calcutta, and 10 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 14th April, 1906.

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	73·2	35·6	52·1	0·03	BRADFORD - -	-	-	-	-
BRIGHTON - -	67·2	39·3	51·7	0·00	LEEDS - - -	68·0	36·0	51·3	0·03
PORTSMOUTH - -	67·0	38·5	51·7	0·00	HULL - - -	60·0	30·0	45·8	0·11
NORWICH - -	72·2	35·8	50·2	0·03	TYNEMOUTH - -	66·0	31·0	43·2	0·02
PLYMOUTH - -	66·1	39·0	52·7	0·00	CARDIFF - -	67·6	34·8	50·0	0·00
BRISTOL - - -	67·7	34·1	50·8	0·12	EDINBURGH - -	65·8	34·7	48·1	0·00
BIRMINGHAM - -	68·0	34·0	49·8	0·12	GLASGOW - -	69·2	30·0	48·2	0·00
NOTTINGHAM - -	69·7	36·2	49·3	0·00	DUBLIN Phœnix Park.	63·6	27·9	44·2	0·06
LIVERPOOL OBSERVATORY.	60·0	36·0	48·9	0·05	DUBLIN Fitz-william Square.†	63·5	34·6	46·9	0·03
MANCHESTER -	68·9	31·8	49·5	0·07					
PRESTON - -	64·6	36·0	49·5	0·00					
HUDDERSFIELD -	66·5	30·0	46·7	0·14	BELFAST - -	64·0	29·5	43·4	0·10

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·4 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 3. METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, [Under the Superintendence of ...]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	8	In Equator	30·337	59·5	39·7	19·8	49·1	+ 3·2	39·3	9·8	15·8	3·0	69	107·6	27·0	43·33	WSW., SW. & N.	NNE. & NE.	4·5	0·0	0·4	319	+ 27	0·00	3·5
MONDAY -	9	Full	30·388	60·1	38·4	21·7	48·1	+ 2·5	35·9	12·2	20·5	3·0	63	117·0	29·0	43·50	NE.	ENE. & NE.	3·4	0·0	0·4	368	+ 78	0·00	3·5
TUESDAY -	10	Perigee	30·189	63·2	35·6	27·6	50·0	+ 4·5	38·9	11·1	21·7	1·8	66	117·8	24·6	44·00	NE. & ENE.	E., ESE. & calm.	3·0	0·0	0·2	276	- 13	0·00	0·0
WEDNESDAY	11	..	30·057	69·3	39·0	30·3	53·1	+ 7·6	39·5	13·6	27·0	2·1	60	119·9	27·5	44·20	Calm & SE.	SSE. & S.	0·9	0·0	0·0	161	-127	0·00	0·0
THURSDAY-	12	..	29·931	73·2	40·1	33·1	57·8	+12·1	40·5	17·3	27·9	1·6	53	129·7	27·5	44·57	S., SSE. & SW.	WSW., SW. & N.	1·8	0·0	0·1	152	-136	0·00	0·0
FRIDAY -	13	..	29·922	73·0	47·3	25·7	58·3	+12·3	43·1	15·2	28·2	2·5	57	123·9	35·4	45·18	N. & NNE	NNE., NE. & ENE.	1·8	0·0	0·1	199	- 89	0·00	0·2
SATURDAY-	14	Greatest Dec. S.	30·325	54·8	35·8	19·0	43·8	- 2·6	32·5	11·3	19·8	5·3	64	112·7	21·6	45·82	NE. & NNE	E., ESE. & SE.	3·8	0·0	0·6	381	+ 92	0·03	0·8
MEANS -			30·164	64·7	39·4	25·3	51·5	+ 5·7	38·5	12·9	23·0	2·8	62	118·4	27·5	44·57	NE. & SE.		..	..	..	Sum 1856	Sum - 168	Sum 0·03	1·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.		Electricity. (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours
SUNDAY -	8	w. P. generally; w. P. and w. N. between noon and 1h. P.M.	3·9	13·3
MONDAY -	9	w. P. till 8h. A.M.; m.P. generally afterwards with s. P. between 5h. and 9h. P.M.	10·5	13·4
TUESDAY -	10	m. P. generally till 11h. A.M.; w. P. generally with occasional m. P. afterwards.	11·0	13·4
WEDNESDAY	11	m. P. generally till noon; w. P. till 6h. P.M.; m.P. afterwards.	10·3	13·5
THURSDAY-	12	m. P. till 8h. A.M.; w. P. generally afterwards.	10·7	13·5
FRIDAY -	13	w. P. till 6h. P.M.; m. P. afterwards.	9·9	13·6
SATURDAY-	14	w. P. generally till 9h. A.M.; m. P. till 7h. P.M.; s.P. afterwards; s. N. at 2h. A.M.	8·1	13·7
			Sum 64·4	Sum 94·4
No. of Col.-	-	2	28	29

GENERAL REMARKS.

Fine and partially cloudy till evening; overcast at night.

Cloudy in early morning; very fine with little cloud till evening; cloudless at night.

Very fine; cloudless with slight exceptions; hoar frost in morning.

Generally cloudless till afternoon; fine and partially cloudy afterwards. Solar halo observed at 5h. P.M.

Very fine generally; variable amounts of cloud: very warm.

Fine but cloudy in early morning; very fine with small amounts of cloud afterwards; very warm.

Cloudy in morning with light shower at 2h. A.M.; very fine after 9h. A.M., and cloudless at night.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·27 in. at the beginning of the week to 30·45 in. by 8h. A.M. on the 9th; decreased to 29·88 in. by 5h. A.M. on the 13th; and increased to 30·42 in. by midnight on the 14th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 7th April, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	9	-	-	-	-	-	2	-
Kensington	180,952	-	6	9	-	-	-	-	1	-
Hammersmith	120,679	-	8	4	-	1	-	-	4	-
Fulham	161,965	-	5	10	-	3	-	-	2	1
Chelsea	74,672	-	4	3	-	-	-	-	-	1
City of Westminster	173,905	-	6	1	-	1	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	9	1	-	1	-	-	1	-
Hampstead	89,633	-	5	1	-	-	-	-	-	-
St. Pancras	236,455	-	14	3	-	4	-	-	6	-
Islington	344,987	-	16	7	-	2	-	-	4	-
Stoke Newington	53,217	-	1	-	-	-	-	-	-	-
Hackney	230,721	-	15	13	-	1	-	-	2	-
CENTRAL.										
Holborn	55,805	-	9	-	-	-	-	-	1	-
Finsbury	97,466	-	3	1	-	1	-	-	2	-
City of London	21,367	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	10	1	-	-	-	-	1	-
Bethnal Green	130,609	-	4	10	-	-	-	-	6	-
Stepney	307,176	-	18	11	-	1	-	-	5	-
Poplar	170,673	-	10	5	-	1	-	-	2	-
SOUTH.										
Southwark	209,143	-	15	2	-	-	-	-	5	-
Bermondsey	128,629	-	14	10	-	2	-	-	1	-
Lambeth	315,774	-	22	5	-	1	-	-	2	-
Battersea	179,622	-	17	3	-	-	-	-	2	2
Wandsworth	273,381	-	26	11	-	1	-	-	4	3
Camberwell	274,132	-	8	5	-	-	-	-	2	-
Deptford	115,495	-	11	3	-	1	-	-	3	-
Greenwich	105,350	-	3	5	-	-	-	-	-	-
Lewisham	148,463	-	14	5	-	1	-	-	2	-
Woolwich	127,345	-	10	4	-	-	-	-	2	-
Port of London	—	-	1	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	293	133	-	23	-	-	63	7
Ages 0-1		-	3	5	-	-	-	-	4	-
" 1-5		-	95	47	-	2	-	-	4	-
" 5-		-	116	49	-	2	-	-	2	-
" 10-		-	39	12	-	4	-	-	4	-
" 15-		-	11	8	-	3	-	-	2	-
" 20-		-	12	4	-	3	-	-	3	3
" 25-		-	12	6	-	4	-	-	6	3
" 35-		-	4	1	-	3	-	-	13	1
" 45-		-	-	1	-	-	-	-	4	-
" 55-		-	1	-	-	1	-	-	9	-
" 65 and upwards		-	-	-	-	-	-	-	12	-
Age not stated		-	-	-	-	1	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 16. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, APRIL 21. [Price 1½*d.*

General Register Office, Somerset House,

April 23rd, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 16·9, 17·0, and 17·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 23·1 in Tynemouth, 23·2 in Coventry, 23·4 in Middlesbrough, 23·6 in Liverpool, and 25·9 in Burnley; from *measles*, 1·7 in Bristol, 1·8 in Bury, 1·9 in Newcastle on Tyne, 2·0 in Great Yarmouth, 2·4 in Liverpool, 2·7 in Preston, 3·0 in Walthamstow, and 4·6 in Burnley; from *scarlet fever*, 1·0 in Middlesbrough and 1·2 in Sheffield; from *diphtheria*, 1·3 in Walthamstow and 1·4 in Halifax; from *whooping-cough*, 1·3 in Bristol and in Aston Manor, 1·4 in Merthyr Tydfil, 1·5 in West Bromwich and in Burnley, and 2·0 in Coventry; and from *diarrhœa*, 1·5 in Warrington. One death from *small-pox* was registered in Plymouth, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2459 BIRTHS and 1742 DEATHS were registered. Allowing for increase of population, the births were 71 below and the deaths 254 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 18·5, 16·8, and 17·4 per 1000 in the preceding three weeks, rose last week to 19·2. The death-rate in the four weeks ended last Saturday averaged 18·0 per 1000, being 1·3 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 4/06 D & S 3 24582

The 1742 deaths included 85 from measles, 19 from scarlet fever, 13 from diphtheria, 37 from whooping-cough, 2 from enteric fever, and 18 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 174 deaths were referred to these diseases in the aggregate, being 10 above the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 76, 68, and 68 in the preceding three weeks, rose to 85 last week, and were 17 above the corrected average; 13 deaths belonged to the Borough of Chelsea, 10 to Islington, 7 to Finsbury, and 6 each to Kensington, Bermondsey, and Camberwell. The deaths from *scarlet fever*, which had been 8, 8, and 7 in the preceding three weeks, rose to 19 last week, and were 9 above the corrected average; 3 deaths belonged to Bermondsey. The deaths from *diphtheria*, which had been 15, 9, and 17 in the preceding three weeks, fell to 13 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 53, 42, and 37 in the preceding three weeks, were 37 last week, and were 6 below the corrected average; 7 deaths belonged to Deptford, 5 to Poplar, and 3 each to Islington, Shoreditch, Southwark, and Wandsworth. The fatal cases of *enteric fever*, which had been 4, 2, and 2 in the preceding three weeks, were 2 last week, the corrected average being 2. The deaths from *diarrhœa*, which had been 7, 13, and 14 in the preceding three weeks, further rose to 18 last week, and were 4 above the corrected average; 3 deaths belonged to Camberwell. Of the 18 deaths from diarrhœa, 15 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 other deaths at this age. The deaths attributed directly to *influenza* numbered 43, having been 23, 21, and 42 in the preceding three weeks.

Different forms of *violence* caused 70 deaths, concerning all of which inquests were held. Of these 70 deaths, 12 were cases of suicide, and 1 of homicide, while the remaining 57 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 5 to burns, scalds, or explosions, 4 to drowning, 3 to a conflagration, 1 to the effects of an anæsthetic administered for surgical purposes, and 7, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 7 cases of small-pox, 2225 of scarlet fever, 881 of diphtheria, and 60 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 0, and 0; of scarlet fever, 288 cases, against 223, 292, and 270; of diphtheria, 94 cases, against 110, 120, and 108; and of enteric fever, 11 cases, against 13, 13, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 14th, 1906.

Greater London.

In Greater London 3725 births and 2304 deaths were registered. Allowing for increase of population, these numbers are 154 below and 256 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 3 from diphtheria, 8 from whooping-cough, 2 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·85 inches, and that of the Thermometer 45°·7, the latter being 2°·2 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 21 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 42·0 hours; the measured rainfall amounted to 0·05 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 31st Mar., 1906.	7th April, 1906.	14th April, 1906.	21st April, 1906.	Rate from Diseases in Cols. 11-17. Week ended 21st April, 1906.	Registered during the Week ended 21st April, 1906. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**16·9**	**17·0**	**17·1**	**17·3**	**1·7**	**8332**	**5250**	**997**	**1566**	**1**	**214**	**47**	**58**	**133**	**18**	**48**	**205**	**446**	**1262**	**51**	**76 Towns.**
London - - -	4,721,217	18·5	16·8	17·4	19·2	1·9	2459	1742	305	552	-	85	19	13	37	2	18	70	170	654	3	London.
Croydon - -	151,011	14·5	18·3	17·6	11·0	1·0	75	32	8	16	-	2	-	1	-	-	-	1	3	7	-	Croydon.
Willesden - -	143,622	9·4	8·4	8·0	13·8	0·7	85	38	7	9	-	1	-	1	-	-	-	3	4	6	-	Willesden.
Hornsey - -	86,935	9·0	12·0	12·0	10·8	0·6	28	18	4	9	-	-	-	-	-	-	1	-	1	-	-	Hornsey.
† Tottenham - -	119,503	15·3	13·1	9·2	9·6	0·9	60	22	2	8	-	1	-	-	-	-	1	2	4	1	-	Tottenham.
West Ham - -	301,617	10·7	13·7	11·6	13·7	0·7	157	79	13	26	-	-	-	2	2	-	-	4	10	22	-	West Ham.
East Ham - -	129,886	11·6	9·6	8·8	10·8	0·8	66	27	9	6	-	1	-	-	1	-	-	3	3	6	-	East Ham.
Leyton - - -	118,287	9·7	9·3	11·9	12·8	1·8	71	29	8	11	-	-	-	1	1	1	1	1	2	4	-	Leyton.
Walthamstow -	121,334	11·2	12·5	12·9	15·9	4·3	72	37	5	9	-	7	-	3	-	-	-	1	2	6	-	Walthamstow.
Hastings - - -	67,144	17·1	14·8	17·9	17·1	-	29	22	1	10	-	-	-	-	-	-	-	-	1	3	-	Hastings.
Brighton - -	128,095	16·7	19·5	13·4	10·6	-	64	26	3	16	-	-	-	-	-	-	-	-	4	7	-	Brighton.
Portsmouth - -	205,118	15·8	16·8	9·7	12·2	0·3	92	48	14	10	-	-	1	-	-	-	-	2	9	10	-	Portsmouth.
Bournemouth -	67,702	16·9	14·6	14·6	6·9	-	21	9	1	6	-	-	-	-	-	-	-	-	-	1	-	Bournemouth.
Southampton -	117,312	16·4	16·4	17·3	9·3	-	72	21	3	9	-	-	-	-	-	-	-	-	1	2	-	Southampton.
Reading - - -	78,987	11·9	23·8	19·8	10·6	-	38	16	4	5	-	-	-	-	-	-	-	-	-	4	-	Reading.
Northampton -	93,749	16·1	13·3	15·0	14·5	-	52	26	6	15	-	-	-	-	-	-	-	-	2	3	1	Northampton.
Ipswich - - -	71,809	16·0	13·8	13·8	16·0	-	36	22	2	10	-	-	-	-	-	-	-	-	2	8	1	Ipswich.
Great Yarmouth -	52,613	17·8	14·9	18·8	17·8	2·0	31	18	-	9	-	2	-	-	-	-	-	-	-	3	-	Great Yarmouth.
Norwich - -	117,958	15·5	18·6	15·5	19·4	0·4	55	44	13	11	-	-	-	1	-	-	-	1	4	5	1	Norwich.
Plymouth - -	118,014	18·6	22·5	15·9	20·3	2·2	62	46	9	14	1	2	-	-	2	-	-	1	2	2	-	Plymouth.
Devonport - -	78,405	13·3	14·6	10·0	12·6	-	49	19	-	4	-	-	-	-	-	-	-	1	1	-	-	Devonport.
Bristol - - -	363,223	15·5	17·1	15·8	16·9	3·6	157	118	21	28	-	12	-	2	9	1	1	7	15	25	-	Bristol.
Hanley‡ - - -	66,360	22·8	21·2	17·3	19·6	1·6	44	25	5	12	-	-	-	1	-	-	1	-	-	8	-	Hanley.‡
Burton-on-Trent	52,922	13·8	9·9	12·8	18·7	2·0	25	19	6	5	-	-	-	1	1	-	-	-	-	3	2	Burton-on-Trent.
Wolverhampton -	100,729	17·6	18·6	11·9	7·8	0·5	50	15	3	5	-	-	-	-	-	-	1	2	1	3	-	Wolverhampton.
Walsall - - -	94,577	11·0	15·4	17·1	12·1	1·1	47	22	7	6	-	-	-	-	2	-	-	1	2	2	-	Walsall.
Handsworth -	63,819	10·6	11·4	10·6	9·8	0·8	26	12	-	4	-	-	-	-	1	-	-	-	-	1	-	Handsworth.
West Bromwich -	68,469	19·0	21·3	22·1	17·5	2·3	39	23	7	7	-	-	-	-	2	-	1	1	1	2	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 21st April, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 31st Mar., 1906.	7th April, 1906.	14th April, 1906.	21st April, 1906.	Rate from Diseases in Cols. 11-17. Week ended 21st April, 1906.	Registered during the Week ended 21st April, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	19·9	17·3	21·5	18·9	1·7	280	199	55	43	-	4	1	-	12	-	1	10	14	29	7	BIRMINGHAM.
KINGS NORTON -	72,608	10·1	9·3	12·2	10·1	-	45	14	3	6	-		-	-	-	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK - -	64,531	17·0	17·8	22·6	14·5	0·8	45	18	8	5	-	-	-	-	-	-	1	-	2	-	-	SMETHWICK.
ASTON MANOR -	82,288	14·6	8·9	10·1	13·3	1·3	36	21	4	6	-	-	-	-	2	-	-	-	1	-	-	ASTON MANOR.
COVENTRY - -	76,374	15·0	17·8	15·7	23·2	2·0	45	34	5	12	-	-	-	-	3	-	-	1	2	6	3	COVENTRY.
LEICESTER - -	232,111	13·5	13·9	14·4	12·8	0·9	92	57	10	12	-	-	2	-	2	-	-	1	5	2	-	LEICESTER.
GRIMSBY - - -	69,359	8·3	12·8	14·3	13·5	-	22	18	3	7	-	-	-	-	-	-	-	-	3	1	-	GRIMSBY.
NOTTINGHAM - -	254,563	21·1	16·2	14·1	11·3	0·2	129	55	10	21	-	-	-	1	-	-	-	3	6	12	-	NOTTINGHAM.
DERBY - - -	123,981	13·9	15·6	16·0	16·8	0·4	75	40	9	22	-	-	-	1	-	-	-	2	4	9	-	DERBY.
STOCKPORT - -	99,646	11·5	18·3	12·0	17·3	0·5	65	33	9	13	-	-	-	-	1	-	-	3	6	1	-	STOCKPORT.
BIRKENHEAD - -	117,292	12·9	15·6	18·7	16·9	1·3	74	38	9	9	-	-	-	-	2	1	-	1	3	11	-	BIRKENHEAD.
WALLASEY - -	64,578	11·3	12·9	12·9	17·8	-	34	22	1	9	-	-	-	-	-	-	-	1	2	5	-	WALLASEY.
LIVERPOOL† - -	739,180	22·1	22·7	25·6	23·6	4·1	429	335	64	76	-	34	4	3	9	1	7	10	15	107	10	LIVERPOOL.†
BOOTLE† - - -	65,989	21·3	18·2	18·2	22·9	1·6	47	29	5	4	-	1	-	-	1	-	-	-	-	9	-	BOOTLE.†
ST. HELENS - -	91,153	21·2	14·3	16·0	16·6	0·6	64	29	6	4	-	-	-	-	-	1	-	3	4	1	-	ST. HELENS.
WIGAN - - -	87,588	18·5	16·1	17·9	15·5	0·6	71	26	8	3	-	-	-	1	-	-	-	2	2	4	-	WIGAN.
WARRINGTON - -	69,280	23·3	27·1	16·6	21·1	1·5	55	28	7	7	-	-	-	-	-	-	2	-	-	2	1	WARRINGTON.
BOLTON - - -	180,502	15·0	18·5	15·3	17·0	0·6	123	59	9	19	-	-	-	-	1	1	-	5	9	8	-	BOLTON.
BURY - - -	58,744	21·3	13·3	18·6	12·4	2·7	20	14	-	5	-	2	-	1	-	-	-	-	-	-	-	BURY.
MANCHESTER - -	637,126	19·5	21·8	21·4	19·4	1·8	342	237	47	68	-	10	-	2	4	1	5	7	17	60	4	MANCHESTER.
SALFORD - - -	234,077	16·3	19·2	18·5	22·9	1·3	133	103	20	28	-	2	-	2	2	-	-	3	7	23	-	SALFORD.
OLDHAM - - -	140,969	19·6	15·5	21·1	15·9	2·2	77	43	6	14	-	1	2	1	1	1	-	3	5	4	-	OLDHAM.
ROCHDALE - -	87,189	13·2	15·5	14·4	19·7	0·6	40	33	2	13	-	-	-	-	1	-	-	2	2	5	-	ROCHDALE.
BURNLEY - - -	102,808	16·2	25·4	19·8	25·9	7·6	68	51	9	9	-	9	1	2	3	-	-	3	3	6	1	BURNLEY.
BLACKBURN - -	134,015	22·2	19·5	18·7	12·5	1·2	65	32	6	10	-	2	-	-	-	1	-	3	4	1	-	BLACKBURN.
PRESTON - - -	116,399	17·5	13·9	19·3	18·4	3·6	55	41	8	7	-	6	1	-	-	-	1	2	2	2	2	PRESTON.
BARROW-IN-	60,967	13·7	13·7	18·0	14·5	1·7	33	17	3	4	-	-	-	1	1	-	-	-	-	1	1	BARROW-IN-

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	Death-rate per 1000 from all Causes. Week ended 31st Mar., 1906.	7th April, 1906.	14th April, 1906.	21st April, 1906.	Diseases in Cols. 11-17. Week ended 21st April, 1906.	Registered during the Week ended 21st April 1906. BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	21·4	15·9	19·8	17·0	0·5	46	31	6	13	-	-	-	-	1	-	-		1	5	-	HUDDERSFIELD.
HALIFAX - - -	109,272	20·0	17·7	18·6	14·8	2·4	39	31	8	13	-	1	-	3	1	-	-	1	3	9	-	HALIFAX.
BRADFORD - -	288,544	11·7	19·5	20·1	18·6	3·4	93	103	16	36	-	7	3	4	2	2	1	4	10	14	-	BRADFORD.
LEEDS - - -	463,495	15·0	14·4	19·6	17·1	2·5	204	152	24	35	-	11	-	3	7	-	1	8	21	13	1	LEEDS.
SHEFFIELD - -	447,951	15·5	17·6	15·4	15·0	2·1	244	129	24	40	-	1	10	2	3	2	-	2	3	31	4	SHEFFIELD.
ROTHERHAM - -	61,098	13·7	16·2	13·7	11·1	0·9	33	13	1	4	-	-	-	-	1	-	-	-	-	1	-	ROTHERHAM.
YORK - - -	83,467	20·6	10·6	15·6	12·5	1·2	50	20	4	10	-	-	-	-	1	1	-	1	1	2	-	YORK.
HULL - - -	262,426	13·9	14·1	14·9	14·9	1·0	133	75	13	25	-	-	-	-	4	1	-	4	12	11	-	HULL.
MIDDLESBROUGH -	100,069	24·5	28·1	21·9	23·4	2·1	47	45	5	10	-	-	2	-	1	-	1	4	7	7	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	10·9	16·8	19·8	13·9	1·0	42	14	6	3	-	-	-	-	1	-	-	1	1	3	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	16·3	14·2	12·1	11·4	-	57	16	6	4	-	-	-	-	-	-	-	-	1	1	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	18·9	22·0	15·5	20·3	1·7	105	60	15	15	-	-	-	1	2	1	1	1	3	16	3	SUNDERLAND.
SOUTH SHIELDS -	111,402	14·5	19·7	18·7	14·0	0·5	55	30	5	9	-	-	-	1	-	-	-	3	3	4	1	SOUTH SHIELDS.
GATESHEAD - -	123,191	15·7	14·0	15·2	18·6	0·8	61	44	7	13	-	-	1	1	-	-	-	1	1	5	3	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	16·7	18·2	16·5	16·9	2·3	146	87	19	23	-	10	-	-	2	-	-	2	8	6	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	13·5	20·2	23·1	23·1	1·0	40	24	4	10	-	-	-	1	-	-	-	-	1	1	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	15·5	19·0	12·6	9·8	0·7	31	14	4	2	-	-	-	-	-	-	1	1	1	3	-	NEWPORT (MON.).
CARDIFF - - -	183,823	14·2	16·5	16·5	16·7	0·6	76	59	10	11	-	-	-	-	1	-	1	2	4	7	-	CARDIFF.
RHONDDA- - -	127,684	12·7	14·7	18·0	13·5	-	89	33	15	4	-	-	-	-	-	-	-	2	2	3	-	RHONDDA.
MERTHYR TYDFIL -	74,961	11·1	13·9	16·7	21·6	2·1	62	31	7	8	-	-	-	1	2	-	-	1	1	6	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	17·2	15·6	15·1	20·5	0·5	53	38	6	10	-	-	-	-	1	-	-	-	-	6	-	SWANSEA.
GREATER LONDON -	7,113,561	16·2	15·6	15·8	16·9	1·6	3725	2304	410	749	-	99	19	24	49	5	22	96	219	755	4	GREATER LONDON.
OUTER RING - -	2,392,344	11·7	13·1	12·6	12·2	1·0	1266	562	105	197	-	14	-	11	12	3	4	26	49	101	1	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	11·4	12·4	11·6	12·5	1·2	614	282	56	94	-	12	-	8	4	1	3	15	29	52	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	12·0	13·8	13·7	12·0	0·7	652	280	49	103	-	2	-	3	8	2	1	11	20	49	1	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	16·5	20·2	19·9	17·9	1·4	178	117	12	39	-	3	1	1	1	-	3	5	?	38	3	EDINBURGH.
GLASGOW - - -	835,625	19·1	17·9	20·9	18·5	1·7	557	296	51	66	-	8	-	4	10	1	5	13	?	83	7	GLASGOW.
DUBLIN† - - -	378,994	26·1	21·1	23·4	28·1	0·8	202	204	25	78	-	3	-	-	-	2	1	4	9	87	6	DUBLIN.†
BELFAST†- - -	358,680	29·2	24·6	24·1	24·9	3·5	232	171	39	42	-	-	-	-	21	2	1	3	4	44	3	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

Table 2. LONDON.—Births and Deaths Registered in the Sixteenth Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
Total **Births** -	2836	2499	2769	2759	2610	2835	2557	2753	2489	2129	2530·0	2459
Males - - -	1430	1255	1425	1388	1298	1415	1277	1425	1229	1027	1263·5	1284
Females - -	1406	1244	1344	1371	1312	1420	1280	1328	1260	1102	1266·5	1175
Total **Deaths** -	1653	1500	1546	1499	1811	1564	1587	1483	1429	1342	1488·5	1742
Males - -	900	790	805	789	985	812	841	766	752	697	778·8	894
Females - -	753	710	741	710	826	752	746	717	677	645	709·7	848

* The numbers in this column are the average weekly numbers in the sixteenth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

Table 3. LONDON.—Births, Deaths, Meteorology, and Cases of Infectious Sickness in Hospitals, in the Last Thirteen Weeks.

	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	13 Weeks.
Total **Births** -	2451	2508	2550	2394	2500	2470	2509	2499	2243	2663	2594	2087	2459	31927
Total **Deaths** -	1382	1337	1346	1517	1585	1501	1468	1498	1433	1674	1525	1578	1742	19586
Ages at Death: Under 1 year -	257	260	272	316	317	280	296	303	273	296	269	288	305	3732
1—5 years -	171	162	146	156	187	183	160	190	170	228	225	192	238	2408
5—20 ,, -	87	60	79	104	85	69	77	72	73	76	83	76	85	1026
20—40 ,, -	170	150	156	174	169	191	171	164	165	201	174	193	198	2276
40—60 ,, -	267	265	254	295	315	284	309	302	277	343	270	297	364	3842
60 yrs. & upwds	430	440	439	472	512	494	455	467	475	530	504	532	552	6302
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	44	28	26	43	52	55	56	70	65	76	68	68	85	736
Scarlet Fever - -	10	5	11	9	10	6	12	10	9	8	8	7	19	124
Diphtheria - -	22	17	16	13	18	18	12	14	16	15	9	17	13	200
Whooping-cough -	37	34	33	45	35	29	34	38	34	53	42	37	37	488
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	1	4	5	2	5	3	3	3	4	2	2	2	39
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	19	14	23	13	13	14	19	17	6	7	13	14	18	190
All above Diseases -	135	99	113	128	130	127	136	152	133	163	142	145	174	1777
Dis. of Resp. System	174	168	146	160	176	190	178	173	165	165	175	173	177	2220
Pneumonia - -	119	144	132	129	152	153	136	161	153	172	157	186	222	2016
Phthisis - - -	147	129	133	141	135	136	134	132	133	169	142	161	165	1857
Dis. of Circ. System -	161	162	177	216	207	196	177	201	173	238	213	180	207	2508
Violence - - -	56	38	44	66	66	52	46	64	66	68	56	47	70	739
Inquest Cases - -	130	127	132	160	169	144	141	152	165	168	154	148	170	1960
Deaths in Institutions	554	519	493	552	650	545	548	532	523	655	556	577	654	7358
Temperature of the Air.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	40·4	42·8	37·0	38·2	37·4	41·7	47·2	43·5	37·5	38·2	45·6	51·5	45·7	42·1
Mean of Highest -	44·3	47·4	41·9	44·8	43·5	48·6	55·4	49·9	43·4	46·0	56·7	64·7	57·3	49·5
Mean of Lowest -	35·3	38·0	32·2	32·6	32·2	35·7	40·0	37·3	33·0	32·6	34·5	39·4	34·0	35·1
Mean Humidity of the Air.	83	80	80	85	81	79	75	73	79	73	63	62	66	75
Rain-fall (in inches) -	0·49	0·10	0·38	0·92	0·27	0·17	0·35	0·29	0·32	0·14	0·00	0·03	0·05	3·51
Registered Sunshine (in hours).	5·8	10·6	17·5	13·0	13·8	21·7	35·0	22·1	18·0	18·0	55·7	64·4	42·0	337·6
Cases of Infectious Sickness in Hospitals* at the end of each Week.														Means.
Small-pox - -	-	-	-	2	5	6	6	7	10	8	8	7	7	5
Scarlet Fever - -	2983	2912	2839	2734	2689	2628	2545	2485	2434	2386	2322	2302	2225	2576
Diphtheria - -	841	873	899	944	953	933	931	907	926	929	908	909	881	910
Typhus - - -	-	-	-	-	-	-	2	2	2	1	-	-	-	1
Enteric Fever - -	84	95	79	81	80	79	73	69	65	63	68	61	60	74

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

Meteorological Observations.—(*See* Table 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. E. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SIXTEENTH Week of the Year 1906.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 16th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1488·5	1742	305	238	85	198	364	552
Small-pox*	11·0	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	67·8	85	17	66	2	-	-	-
Scarlet Fever	9·7	19	1	10	8	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	16·6	43	1	-	-	8	16	18
Whooping-cough	42·8	37	10	25	2	-	-	-
Diphtheria	15·8	13	1	6	6	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	0·3	-	-	-	-	-	-	-
Enteric Fever	1·8	2	-	-	-	2	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	3·1	3	2	1	-	-	-	-
Diarrhœa, Dysentery	11·2	15	12	-	-	1	1	1
Tetanus	1·0	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	8·4	7	2	1	-	1	3	-
Puerperal Septicæmia	2·3	-	-	-	-	-	-	-
Puerperal Pyæmia	0·3	-	-	-	-	-	-	-
Puerperal Fever	0·3	1	-	-	-	1	-	-
Infective Endocarditis	3·6	2	-	-	-	1	1	-
Pneumonia: Lobar	16·1	32	-	-	1	6	16	9
Pneumonia: Broncho-	59·9	89	25	46	-	2	4	12
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	67·0	101	7	8	4	12	31	39
Erysipelas	3·8	6	3	-	-	-	-	3
Septicæmia (not Puerperal)	1·3	1	-	-	-	-	1	-
Pyæmia (not Puerperal)	1·0	-	-	-	-	-	-	-
Other Infective Processes	7·6	-	-	-	-	-	-	-
Tuberculous Phthisis	76·2	112	2	5	6	46	41	12
Phthisis"	80·3	53	1	1	3	21	21	6
Tuberculous Meningitis	30·6	26	6	14	4	1	1	-
Tuberculous Peritonitis	8·2	7	3	3	1	-	-	-
Tabes Mesenterica	2·3	2	2	-	-	-	-	-
Tuberculous Dis. (other)	16·1	27	5	9	6	5	1	1
Scrofula	-	-	-	-	-	-	-	-
Alcoholism	12·2	14	-	-	-	4	8	2
Rheumatic Fever	4·8	6	-	-	2	4	-	-
Gout	3·1	3	-	-	-	-	2	1
Carcinoma	51·7	61	-	-	-	3	31	27
Sarcoma	6·4	3	-	-	2	1	-	-
Cancer (undefined)	34·7	30	-	-	-	2	16	12
Diabetes Mellitus	7·9	12	-	-	1	2	2	7
Premature Birth	45·9	53	53	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 16th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	17·1	15	7	3	4	1	-	-
Insanity, Gen. Par. of Insane	16·6	12	-	-	-	-	9	3
Epilepsy	10·4	8	-	-	-	2	4	2
Convulsions	26·2	18	18	-	-	-	-	-
Locomotor Ataxy	0·8	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	5·4	6	-	-	-	1	1	4
Nervous Sys. (other dis.)	19·6	21	-	3	1	4	3	10
Valv. Dis., Endocarditis	36·7	42	-	-	1	6	11	24
Cerebr. Hæm. Thromb.	31·1	49	-	-	-	2	10	37
Apoplexy, Hemiplegia	20·1	12	-	-	-	-	1	11
Aneurysm	5·6	8	-	-	-	-	7	1
Embolism, Thrombosis (not cerebral)	1·0	1	-	-	-	1	-	-
Heart & Blood Vessel Dis.	77·7	95	-	1	7	10	27	50
Croup (not Spasm: nor Memb.)	0·3	-	-	-	-	-	-	-
Bronchitis	121·0	153	23	5	1	1	23	100
Asthma, Emphysema	5·6	5	-	-	-	-	4	1
Pleurisy	4·6	8	-	-	2	1	2	3
Respiratory Dis. (other)	12·2	11	2	3	-	1	2	3
Tonsillitis, Quinsy	0·3	-	-	-	-	-	-	-
Enteritis (not Epid.)	6·6	14	8	1	-	2	1	2
Gastro-Enteritis	4·3	7	7	-	-	-	-	-
Peritonitis (not Puerp.)	3·3	4	1	-	1	1	-	1
Cirrhosis of Liver	14·3	12	-	-	-	1	6	5
Liver Dis. (other)	4·6	2	-	-	-	1	-	1
Digestive Dis., Other	37·2	45	5	2	6	14	8	10
Nephritis, Acute	7·1	10	-	-	1	2	2	5
Bright's Dis., Albuminuria	39·0	48	-	-	-	6	16	26
Urinary Sys., Other Dis.	9·9	6	-	-	-	-	1	5
Generative Organs Dis.	4·6	6	-	-	-	1	4	1
Childbirth (Accid. of)	3·6	4	-	-	-	3	1	-
Old Age	51·5	72	-	-	-	-	-	72
Other Diseases	100·5	113	70	14	4	3	6	16
ACCIDENT.								
By Railways	2·3	2	-	-	-	1	1	-
By Vehicles and Horses	5·1	9	-	2	4	1	2	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	2	-	-	1	1	-	-
In Building Operations	1·8	3	-	-	-	-	3	-
In Conflagrations	-	3	-	2	1	-		-
By Burns, Scalds, Explosions	4·6	5	1	1	-	2	1	-
By Drowning	5·9	4	-	-	1	-	2	1
By Suffocation in Bed	7·4	7	7	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	3	-	1	-	1	1	-
Other Deaths by Accident	15·5	19	2	5	2	2	4	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·5	1	1	-	-	-	-	-
Suicide	10·2	12	-	-	-	3	5	4
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis in each SUB-DISTRICT during the Week ended Saturday, 21st April, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include. Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	
LONDON - - -	4,536,429	2459	1742	305	552	-	85	19	13	37	-	2	-	18	70	170	65
WEST DISTRICTS - - -	805,311	375	301	46	104	-	26	3	3	4	-	-	-	2	20	32	11
NORTH DISTRICTS - - -	1,056,070	510	364	53	116	-	23	5	2	4	-	1	-	1	13	33	12
CENTRAL DISTRICTS - - -	209,465	124	87	14	26	-	6	-	1	1	-	-	-	-	6	10	4
EAST DISTRICTS - - - -	715,739	484	313	73	79	-	7	-	-	11	-	-	-	2	17	40	12
SOUTH DISTRICTS - - -	1,749,844	966	617	119	209	-	22	8	6	17	-	-	-	11	14	55	17
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	60	-	18	-	1	3	1	-	-	1	-	2	-	-	6
WEST DISTRICTS.																	
St. Mary Paddington *W,2H* - -	93,178	50	24	2	14	-	1	-	-	-	-	-	-	-	-	1	
St. John Paddington *H* - - -	33,617	12	22	2	5	-	-	-	-	-	-	-	-	-	7	8	1
North-West Paddington - -	17,181	9	4	-	2	-	-	-	-	-	-	-	-	-	-	1	
Kensington Town *2W,w,2H* - -	128,037	59	52	5	22	-	6	-	-	1	-	-	-	-	-	-	1
Brompton *2H* - - - - -	48,591	12	13	1	5	-	-	-	-	-	-	-	-	-	-	-	
North Hammersmith *2W,wH* -	49,192	32	18	5	3	-	2	-	-	-	-	-	-	-	3	4	
South Hammersmith *w,2H* - -	63,047	22	19	5	4	-	-	-	-	-	-	-	-	-	4	5	1
North-west Fulham *W* - - -	45,180	30	17	5	6	-	1	-	-	-	-	-	-	-	-	2	1
North-east Fulham *F* - - -	46,405	32	25	5	7	-	2	3	3	-	-	-	-	1	-	-	
South Fulham *W* - - - -	45,704	28	13	2	4	-	1	-	-	-	-	-	-	-	-	-	
Chelsea North *W,w,3H* - - -	42,514	25	42	2	15	-	4	-	-	1	-	-	-	-	-	1	2
Chelsea South *W,2H* - - -	31,328	15	20	6	5	-	9	-	-	1	-	-	-	1	-	2	
Mayfair and Knightsbridge - -	28,743	3	2	-	1	-	-	-	-	-	-	-	-	-	1	1	
Belgrave *W,2H* - - - -	55,815	22	15	3	6	-	-	-	-	-	-	-	-	-	3	4	
St. Margaret & St. John *4H* - -	43,698	13	10	2	2	-	-	-	-	1	-	-	-	-	1	2	
St. James and St. Anne‡ *W,6H* -	33,081	11	5	1	3	-	-	-	-	-	-	-	-	-	1	1	
NORTH DISTRICTS.																	
All Souls Marylebone *8H* - -	35,391	9	20	1	7	-	-	-	1	-	-	-	-	-	1	1	
St. Mary Marylebone *W,4H* -	37,948	44	10	-	6	-	-	-	-	-	-	-	-	-	1	1	
Christchurch Marylebone *H* - -	39,536	26	9	3	2	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone *2H* - -	20,426	8	7	1	4	-	-	-	-	-	-	-	-	-	-	1	
Hampstead *W,F,7H* - - -	81,942	28	28	2	5	-	2	3	1	-	-	-	-	-	2	2	1
West St. Pancras *2H* - - -	60,562	32	10	1	1	-	3	-	-	-	-	-	-	-	-	1	
Tottenham-court *w,7H* - - -	21,258	6	16	1	4	-	-	-	-	-	-	-	-	-	2	3	1
Gray's Inn Lane *4H* - - -	34,449	9	12	1	2	-	-	-	-	-	-	-	-	-	2	3	
East St. Pancras *W,2H* - - -	60,320	31	19	5	7	-	-	-	-	-	-	-	-	-	2	3	
North St. Pancras *2W* - - -	58,728	22	19	2	4	-	1	-	-	-	-	-	-	-	-	1	1
Tufnell *W* - - - - -	31,995	14	20	3	6	-	-	-	-	-	-	-	-	-	-	1	1
Upper Holloway *2W,w,H* - -	33,978	23	30	4	10	-	1	-	-	1	-	-	-	-	-	1	2
Tollington *WH* - - - -	33,922	15	7	-	3	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - - - -	41,424	28	15	3	7	-	3	-	-	-	-	-	-	-	-	1	
Barnsbury - - - - - -	54,478	36	17	4	1	-	4	-	-	2	-	-	-	-	-	1	
Islington South-east *F* - - -	75,397	40	25	4	7	-	3	-	-	-	-	-	-	-	1	3	
Highbury *2H* - - - - -	63,797	23	10	-	5	-	-	-	-	-	-	-	-	-	-	1	
Stoke Newington *H* - - -	51,247	25	19	4	9	-	2	-	-	-	-	-	-	-	1	3	
North Hackney - - - - -	50,560	24	10	-	9	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney *2w,F* - - -	50,536	19	14	3	2	-	4	2	-	-	-	-	-	-	-	2	
South-west Hackney *3H* - -	59,921	22	19	6	3	-	-	-	-	-	-	1	-	-	1	2	1
South-east Hackney *2W,w,H* - -	58,255	26	28	5	12	-	-	-	-	1	-	-	-	1	-	2	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated th in namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dis than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a ib- district contains more than one institution of either kind, the number is indicated by a figure prefixed to he letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Feve

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. J es and St. Anne.

5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st April, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2W,2H -	31,436	28	9	-	5	-	-	-	-	-	-	-	-	-	-	-	5	-
Strand W,4H - - - - -	21,674	7	12	2	3	-	-	-	-	-	-	-	-	-	2	3	7	-
Strand Union Workhouse, Edmonton -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Holborn W,6H - - - - -	29,612	9	18	4	3	-	-	-	-	-	-	-	-	-	1	2	11	-
St. John Clerkenwell - - -	28,676	18	6	1	2	-	1	-	-	-	-	-	-	-	1	1	-	-
St. Luke Clerkenwell H - - -	35,028	28	9	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Finsbury 3H,L - - - - -	36,116	25	10	2	5	-	1	-	-	1	-	-	-	-	-	2	1	-
Holborn Union Workhouse, Totteridge - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras H - - - - -	10,299	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows W,2H	16,624	7	18	2	2	-	1	-	1	-	-	-	-	-	2	2	16	-
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Whitechapel South H - - -	46,362	20	10	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Whitechapel North-West W,w,H -	36,127	18	30	5	11	-	3	-	-	2	-	-	-	-	1	2	18	-
Whitechapel North-East - - -	36,148	15	13	4	2	-	1	-	-	1	-	-	-	-	1	1	-	-
Whitechapel Union Workhouse, Wood Green - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North 2H - -	51,514	35	16	5	2	-	-	-	-	-	-	-	-	1	1	1	9	-
Bethnal Green South - - -	33,472	22	13	3	2	-	1	-	-	1	-	-	-	-	1	2	-	2
Bethnal Green East 2W,H,L - -	44,694	27	29	1	13	-	-	-	-	-	-	-	-	-	-	2	21	-
Spitalfields - - - - -	27,969	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town W,H - -	28,718	24	48	8	8	-	-	-	-	-	-	-	-	-	4	6	46	-
Glasshouse Fields - - - -	22,081	14	6	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-
St. George and St. John 2W - -	49,068	61	15	6	6	-	-	-	-	-	-	-	-	-	1	4	4	-
Shoreditch and Ratcliff W,H - -	25,568	12	12	8	-	-	-	-	-	1	-	-	-	-	1	4	5	-
Limehouse W - - - - -	32,369	21	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-eastern H - - - -	63,698	70	17	8	3	-	-	-	-	-	-	-	-	-	1	2	2	-
Mile End Old Town North-eastern W,w - - -	49,129	33	24	5	9	-	1	-	-	-	-	-	-	-	1	3	10	-
Bethnal Green L - - - - -	41,989	15	11	3	3	-	-	-	-	2	-	-	-	-	2	2	-	-
Bermondsey 3w,H - - - -	68,319	43	42	5	11	-	-	-	-	-	-	-	-	1	3	7	21	-
Poplar W,w - - - - -	58,514	34	21	3	5	-	-	-	-	3	-	-	-	-	-	3	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st April, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *W,H*	11,263	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Saviour Southwark *H*	12,056	7	15	3	2	-	-	-	-	-	-	-	-	-	-	1
Kent-road	21,904	8	7	1	2	-	2	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	12	14	4	4	-	-	-	-	-	-	-	-	-	1	7
Newington North	49,022	28	16	3	5	-	-	-	-	3	-	-	-	1	1	3
Newington South *W*	72,841	58	16	5	5	-	-	-	-	-	-	-	-	1	1	1
St. Olave *2W*	9,81	6	5	1	3	-	-	-	-	-	-	-	-	-	1	3
Bermondsey *W*	82,483	36	32	7	9	-	5	-	-	2	-	-	-	-	-	2
Rotherhithe *W,F*	38,460	23	18	4	7	-	1	-	-	-	-	-	-	-	1	2
Waterloo-road *2H*	27,440	31	7	-	2	-	-	-	-	-	-	-	-	-	1	2
Lambeth Church 1st *H*	18,423	7	25	1	4	-	-	-	1	-	-	-	-	-	-	1
Lambeth Church 2nd *2W*	39,818	27	33	6	12	-	2	-	-	-	-	-	-	-	1	3
Kennington 1st *H*	53,198	36	11	2	5	-	-	-	-	-	-	-	-	-	1	1
Kennington 2nd *H*	42,896	19	8	2	3	-	-	-	-	-	-	-	-	-	-	1
Brixton *F*	84,232	37	19	2	9	-	-	-	-	-	-	-	-	-	1	2
Norwood *W,H*	35,888	8	6	1	4	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	41	18	6	6	-	-	-	-	-	-	-	-	2	-	3
North-west Battersea	49,656	32	7	1	3	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	20	27	3	8	-	-	-	-	-	-	-	-	-	1	3
Clapham *2H*	51,361	30	19	3	7	-	-	-	-	2	-	-	-	1	-	1
Streatham *W,2w,2F,2L*	88,019	51	20	4	6	-	-	1	2	1	-	-	-	-	-	1
Springfield *2W,L*	27,959	26	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	27	14	5	6	-	-	-	-	-	-	-	-	-	-	1
Putney	24,139	14	7	2	3	-	1	-	-	-	-	-	-	1	-	2
Dulwich	13,359	4	4	1	-	-	-	-	-	1	-	-	-	-	-	1
Camberwell South *W,w*	40,206	16	31	3	12	-	3	-	-	-	-	-	-	-	-	1
Camberwell North *W,2L*	65,584	34	32	2	14	-	-	-	-	-	-	-	-	1	1	1
St. George	47,331	24	13	8	4	-	1	-	-	-	-	-	-	2	-	1
Peckham North	48,913	30	15	6	5	-	-	-	-	-	-	-	-	-	-	1
Peckham South *2W,w*	43,946	26	15	6	4	-	3	-	-	-	-	-	-	-	-	-
Deptford North	37,613	23	15	5	3	-	1	-	-	3	-	-	-	2	-	1
Deptford Central	45,481	29	12	4	3	-	-	-	-	3	-	-	-	-	-	-
Deptford South	34,625	15	6	1	4	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	11	8	-	4	-	1	-	-	-	-	-	-	-	1	2
Greenwich East *2W,H*	43,859	29	27	2	11	-	1	-	-	1	-	-	-	-	-	1
Eltham *w,H*	7,226	7	7	1	2	-	-	-	-	-	-	-	-	-	1	3
Lee *wH*	25,490	14	6	-	3	-	-	-	-	-	-	-	-	-	-	1
Lewisham *W w,F*	58,352	28	26	3	9	-	-	5	1	1	-	-	-	-	-	1
Sydenham *H*	43,653	28	15	3	5	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	5	12	3	2	-	-	2	2	-	-	-	-	-	-	-
Woolwich *5H*	41,625	28	10	2	1	-	-	-	-	-	-	-	-	-	1	1
Plumstead West *W*	18,063	8	6	2	2	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	20	10	-	5	-	1	-	-	-	-	-	-	-	-	-
Workhouse:—																
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
M. A. B. Small-pox Hospitals:—																
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																
Gore Farm (temporary)	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1
North-Eastern	—	-	6	-	-	-	1	3	-	-	-	-	-	-	-	6
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																
Caterham	—	-	14	-	4	-	-	-	-	-	-	-	-	-	-	14
Darenth	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2
London County Lunatic Asylums:—																
Banstead	—	-	7	-	1	-	-	-	-	-	-	1	-	-	-	7
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
Dartford Heath	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	7
Hanwell	—	-	4	-	4	-	-	-	-	-	-	-	-	-	-	4
Colney Hatch	—	-	5	-	2	-	-	-	-	-	-	-	-	1	-	5
Claybury	—	-	3	-	1	-	-	-	-	-	-	-	-	1	-	3

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 21st April, 1906.

Registration District Number.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1266	562	105	197	-	14	-	11	12	3	4	26	49	101	1
36 1	Carshalton 2F,3H - -	12,228	32,997	23	9	4	1	-	-	-	-	1	1	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
37 1	Godstone, *part of** W,F -	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 1	Coulsdon - - - -	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	20	8	1	6	-	1	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H -	2,168	42,888	35	21	6	7	-	1	-	1	-	-	-	-	2	9	-
4	North Croydon H - -	2,644	41,698	20	8	1	5	-	-	-	-	-	-	-	1	1	3	-
5	Penge w,H - - - -	770	22,465	11	7	1	4	-	-	-	-	-	1	-	-	-	-	-
6	Mitcham w - - -	11,711	30.015	34	15	4	2	-	-	-	-	2	-	-	-	2	-	-
39 1	Wimbledon F,3H - -	3,221	41,652	15	8	2	2	-	-	-	-	-	-	-	-	1	-	-
2	Kingston 2W,H - - -	6,224	42,068	22	13	3	4	-	-	-	-	1	-	-	-	1	4	-
3	Surbiton F,H - - -	3,046	15,017	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L - - -	4,564	23,456	12	9	1	3	-	-	-	-	-	-	-	-	-	1	-
40 1	Richmond W,H - - -	2,162	28,865	5	5	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F - - -	2,847	20,628	14	7	-	3	-	-	-	1	-	-	-	-	-	-	-
41 1	Bromley F,2H - - -	4,703	27,354	12	3	-	1	-	-	-	1	-	-	1	-	-	2	-
2	Beckenham H - - -	7,825	28,497	13	5	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	8	5	-	4	-	-	-	-	-	-	-	-	-	5	-
4	Chislehurst 2H - - -	7,333	16,446	9	5	-	1	-	-	-	-	1	-	-	-	-	3	-
42 1	Bexley w F,H - - -	8,678	21,151	13	5	1	2	-	-	-	-	-	-	-	1	1	1	-
2	Erith F,H - - - -	3,854	25,296	17	7	1	2	-	-	-	-	-	-	-	1	1	1	-
3	Dartford W,F, *part of** -	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
26 1	Sunbury w - - - -	11,054	18,683	8	4	1	2	-	-	-	-	-	-	-	-	1	-	-
2	Staines W,H - - -	13,277	15,178	4	4	-	4	-	-	-	-	-	-	-	-	-	3	-
36 1	Hillingdon W,F,H - -	6,035	13,661	11	6	3	1	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H - - -	12,757	8,984	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2 F,H - - -	8,066	16,358	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-
26 1	Isleworth 3W,2F,H - -	6,859	30,863	26	15	4	4	-	-	-	-	-	-	-	3	3	8	-
2	Twickenham F,H - -	2,421	20,991	11	5	-	4	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H - - -	4,319	48,289	30	15	2	7	-	-	-	-	-	-	-	1	1	1	-
4	Chiswick H- - - -	1,249	29,809	20	5	-	2	-	-	-	-	-	-	-	1	1	-	-
5	Acton w,F,3H - - -	6,132	48,914	40	20	4	7	-	1	-	-	2	-	-	1	1	-	-
27 1	Harrow F,H - - -	13,809	25,523	14	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H - - -	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	85	36	7	9	-	1	-	1	-	-	-	3	4	4	-
4	Hendon W,F - - -	8,382	22,450	14	4	2	2	-	-	-	-	-	-	-	-	-	1	-
28 1	South Mimms 2F,H - -	17,755	7,308	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	11	5	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	15	6	-	5	-	-	-	-	-	-	-	-	-	1	-
29 1	Hornsey F,H - - -	2,875	72,056	28	19	4	9	-	-	-	1	-	-	1	-	1	1	-
2	Wood Green H - - -	1,625	34,233	22	9	1	2	-	-	-	-	-	-	-	1	2	-	-
3	West Tottenham F - -	996	48,853	30	11	-	5	-	1	-	-	-	-	-	-	1	-	-
4	East Tottenham 2H - -	2,017	53,688	30	12	2	3	-	-	-	-	-	-	1	2	3	2	-
5	Edmonton W,w,2F - -	7,491	61,892	50	17	2	6	-	-	-	-	-	-	-	1	3	3	-
6	Enfield 2W,F,H - - -	12,601	42,738	34	10	-	2	-	1	-	-	-	-	-	-	1	1	-
7	Waltham Abbey F - -	11,017	6,549	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1
13 1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 1	Bushey H - - - -	9,333	9,173	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 1	Stratford H - - -	1,072	44,827	24	14	3	5	-	-	-	-	1	-	-	2	3	1	-
2	Plaistow F,2H - - -	1,249	90,921	50	27	8	8	-	-	-	1	1	-	-	-	3	3	-
3	Canning Town H - -	1,556	70,718	56	9	1	1	-	-	-	-	-	-	-	2	2	1	-
4	Forest Gate w - - -	806	60,892	27	12	1	7	-	-	-	1	-	-	-	-	1	-	-
5	North East Ham w H -	1,333	58,676	36	14	4	2	-	1	-	-	1	-	-	2	2	1	-
6	South East Ham 2F - -	1,993	37,342	30	8	4	1	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F - - -	1,679	9,179	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	30	12	2	8	-	-	-	-	1	-	-	-	-	6	-
9	North Leyton 2W,w,F -	1,963	48,445	41	40	7	12	-	-	-	1	-	1	1	2	3	21	-
10	Walthamstow 3H,L - -	6,504	108,929	82	33	5	6	-	7	-	3	-	-	-	1	2	1	-
18 1	Chigwell, *part of** 2F,3H -	11,778	16,397	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19 1	Romford, *part of** W,2F -	6,556	6,091	7	4	1	3	-	-	-	-	1	-	-	-	-	2	-
2	Ilford F,L - - - -	8,496	41,234	26	9	-	5	-	-	-	-	-	-	-	-	-	2	-
3	Barking Town F - -	3,803	21,547	14	6	1	1	-	-	-	-	-	-	-	1	1	-	-
	West Ham Workhouse, Hackney.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
	London County Asylum, Claybury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Croydon Bois parish, and part of Epping parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	April 21	2359	1742	19·2	-	85	19	13	37	2
CALCUTTA - -	910,117	March 10	-	702	43·0	102	8	-	2	1	230†
BOMBAY - -	776,006	April 3	434	1860	124·6	16	73	-	-	1	926†
MADRAS - -	509,246	March 23	307	502	51·2	40	25	?	?	?	102†
PARIS - - -	2,750,000	April 14	-	-	-	-	-	-	-	-	-
BRUSSELS - -	598,467	" 14	246	207	17·6	-	9	-	-	3	2
ANTWERP - -	291,949	" 14	121	110	19·6	-	4	-	-	1	-
AMSTERDAM -	559,575	" 7	301	184	17·1	-	5	1	3	1	1
COPENHAGEN -	430,000	" 14	183	144	17·7	-	6	1	-	1	-
STOCKHOLM -	318,398	" 7	154	106	17·3	-	-	-	-	-	-
CHRISTIANIA -	222,373	" 14	117	39	9·1	-	-	-	-	-	-
ST. PETERSBURG	1,429,000	March 31	759	810	29·5	2	38	21	14	5	30
MOSCOW - -	1,154,000	" 31	-	552	24·9	3	3	5	11	2	5
BERLIN - -	2,055,759	" 31	877	611	15·5	-	11	6	4	7	-
HAMBURG - -	803,050	April 14	-	267	17·3	-	1	-	1	10	-
BRESLAU - -	463,283	" 7	-	192	21·1	-	1	-	2	-	-
MUNICH - -	540,000	" 14	-	191	18·4	-	3	-	1	2	-
VIENNA - -	1,917,639	" 14	937	884	23·7	-	24	7	9	10	3
PRAGUE - -	455 241	" 14	189	182	20·8	-	3	1	1	1	-
BUDA-PESTH -	859,134	" 7	465	296	17·9	-	7	6	2	2	-
TRIESTE - -	194,749	" 7	124	101	26·7	-	1	-	1	1	2
ROME - -	526,170	March 3	290	216	21·4	-	9	-	3	-	-
		" 10	262	191	18·9	-	6	-	1	-	2§
VENICE - -	171,709	" 3	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	April 7	203	132	23·6	-	-	1	1	1	-
NEW YORK -	4,152,860	" 7	2049	1579	19·8	-	72	8	39	4	6
CHICAGO - -	2,049,185	March 31	-	582	14·8	-	5	10	8	3	7
PHILADELPHIA -	1,469,126	" 31	-	625	22·2	-	10	8	12	-	33
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	March 18	-	283	16·2	-	-	-	-	-	2‡

* Excluding deaths from croup in the Indian Cities.
† Including 83 deaths from plague in Calcutta, 821 in Bombay, 1 in Madras, and 1 in Rio de Janeiro.
‡ Including 44 deaths from cholera in Calcutta, and 13 in Bombay.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 21st April, 1906.

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	66·0	28·1	45·7	0·05	BRADFORD - -	58·2	32·0	45·0	0
BRIGHTON - -	56·2	31·3	44·1	0·34	LEEDS - - -	60·0	34·0	47·1	0
PORTSMOUTH - -	59·3	32·2	45·7	0·02	HULL - - -	61·0	29·0	45·5	0
NORWICH - -	?	?	?	?	TYNEMOUTH - -	63·0	31·0	44·4	0
PLYMOUTH - -	61·8	32·8	46·3	0·00	CARDIFF - -	57·9	26·0	41·2	0
BRISTOL - - -	58·8	31·0	44·6	0·08	EDINBURGH - -	55·9	28·5	43·1	0
BIRMINGHAM - -	62·8	29·8	45·6	0·18	GLASGOW - -	55·2	23·8	43·1	0
NOTTINGHAM - -	60·2	29·0	44·3	0·09	DUBLIN Phœnix Park.	61·0	25·9	41·3	0
LIVERPOOL OBSERVATORY.	60·0	31·0	45·3	0·09	DUBLIN Fitzwilliam Square.†	62·7	32·0	46·5	0
MANCHESTER -	60·6	28·8	44·5	0·33					
PRESTON - -	55·8	32·5	45·0	0·16					
HUDDERSFIELD -	58·2	30·5	43·9	0·34	BELFAST - -	57·0	27·5	45·0	0

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·5 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
April.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
Sunday	15	Last Quarter.	30·386	58·8	28·3	30·5	44·2	− 2·7	28·1	16·1	25·7	6·0	53	122·8	15·2	46·22	NE. & NNE	E., ESE. & SE.	1·2	0·0	0·0	116	−174	0·00	0·0
Monday	16	..	30·072	66·0	29·3	36·7	49·0	+ 1·7	33·0	16·0	28·8	4·5	54	121·9	16·0	46·24	WSW., SW. & W.	W., SSW. & WSW.	0·6	0·0	0·0	172	−119	0·00	0·0
Tuesday	17	..	29·678	60·3	37·4	22·9	48·4	+ 0·7	39·8	8·6	18·0	2·2	72	87·6	27·0	46·18	WSW.	N., NNE. & NE.	2·4	0·0	0·2	243	− 49	0·00	0·0
Wednesday	18	..	29·541	47·1	37·3	9·8	41·6	− 6·5	31·5	10·1	16·0	2·6	67	68·0	36·0	46·22	NE. & NNE.	NE. & NNE.	16·9	0·0	1·5	655	+343	0·02	0·5
Thursday	19	..	29·591	49.6	35·7	13·9	41·8	− 6·5	31·7	10·1	17·6	3·4	68	91·2	24·7	46·21	NNE.	N. & NNE.	13·5	0·0	1·3	532	+239	0·03	5·5
Friday	20	..	29·842	56·4	28·1	28·3	43·5	− 5·0	36·7	6·8	13·7	0·0	77	93·3	16·6	46·07	SW. & WSW.	WSW. & SW.	2·0	0·0	0·2	315	+ 22	0·00	1·2
Saturday	21	In Equator	29·810	63·0	42·0	21·0	51·6	+ 3·1	42·3	9·3	18·7	4·2	71	128·0	36·9	45·92	WSW.	WSW. & SW.	4·8	0·0	0·6	457	+165	0·00	4·3
Means	-		29·846	57·3	34·0	23·3	45·7	− 2·2	34·7	11·0	19·8	3·3	66	101·8	24·6	46 15	NNE. & WSW.		..	..	..	Sum 2470	Sum + 427	Sum 0·05	1·6
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. April.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday	15	s. P. till 3h. A.M.; m. P. generally till 10h. A.M.; w. P. till 9h. P.M.; m. P. afterwards.	11·1	13·8	Very fine throughout and cloudless in morning and at night; hoar frost in morning.
Monday	16	m. P. generally with occasional w. P.; a little w. N. between 3h. and 5h. P.M.	11·4	13·8	Cloudless with very slight exceptions; very fine; hoar frost in morning.
Tuesday	17	m. P. till 9h. A.M.; s. P. till 5h. P.M.; v. P. till 11h. P.M.; w. N. afterwards.	7·6	13·9	Cloudless with hoar frost in morning; fine but hazy in forenoon; generally cloudy afterwards.
Wednesday	18	w. P. and w. N. till 2h. A.M.; w. P. generally till noon; w. P. and v. N. till 8h. P.M.; v. P. afterwards.	0·0	13 9	Generally overcast; strong wind prevalent after 9h. A.M.; light showers at 11h. P.M.
Thursday	19	v. P. generally till 5h. P.M.; s. P. afterwards.	3·1	14·0	Generally overcast with gusty wind till afternoon; fine and partially cloudy till evening: cloudless at night; light showers early in morning.
Friday	20	m. P. generally.	2·9	14·1	Very fine with hoar frost in morning; generally cloudy with occasional fine intervals after 8h. A.M.
Saturday	21	w. P. till 6h. A.M.; m. P. generally afterwards.	5·9	14·1	Very fine generally till 1h. P.M.; cloudy with occasional fine intervals afterwards.
			Sum 42·0	Sum 97·6	
No. of Col.	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·42 in. at the beginning of the week to 30·44 in. by 9h. A.M. on the 15th; decreased to 29·50 in. by 5h. A.M. on the 19th; increased to 29·89 in. by midnight on the 20th; and decreased to 29·72 in. by midnight on the 21st.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 14th April, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	15	2	-	1	-	-	1	-
Kensington	180,952	-	6	5	-	1	-	-	-	-
Hammersmith	120,679	-	3	12	-	-	-	-	2	-
Fulham	161,965	-	10	3	-	1	-	-	4	-
Chelsea	74,672	-	11	7	-	-	-	-	-	1
City of Westminster	173,905	-	1	4	-	2	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	3	2	-	1	-	-	2	-
Hampstead	89,633	-	7	-	-	1	-	-	2	-
St. Pancras	236,455	-	7	11	-	-	-	-	1	-
Islington	344,987	-	18	7	-	2	-	-	2	1
Stoke Newington	53,217	-	4	3	-	-	-	-	-	-
Hackney	230,721	-	11	8	-	2	-	-	5	-
CENTRAL.										
Holborn	55,805	-	-	3	-	-	-	-	-	-
Finsbury	97,466	-	5	2	-	-	-	-	5	-
City of London	21,367	-	3	1	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	5	3	-	-	-	-	-	-
Bethnal Green	130,609	-	14	3	-	-	-	-	5	-
Stepney	307,176	-	14	9	-	1	-	-	7	1
Poplar	170,673	-	6	1	-	-	-	-	3	1
SOUTH.										
Southwark	209,143	-	8	9	-	-	-	-	3	-
Bermondsey	128,629	-	9	3	-	-	-	-	-	-
Lambeth	315,774	-	20	3	-	1	-	-	4	-
Battersea	179,622	-	15	2	-	-	-	-	4	-
Wandsworth	273,381	-	10	11	-	2	-	-	6	-
Camberwell	274,132	-	18	9	-	-	-	-	2	1
Deptford	115,495	-	5	-	-	1	-	-	1	-
Greenwich	105,350	-	2	4	-	-	-	-	-	-
Lewisham	148,463	-	12	3	-	-	-	-	1	-
Woolwich	127,345	-	4	5	-	-	-	-	2	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	246	135	-	16	-	-	63	5
Ages 0-1		-	2	5	-	-	-	-	3	-
" 1-5		-	72	53	-	-	-	-	4	-
" 5-		-	90	36	-	2	-	-	4	-
" 10-		-	50	15	-	3	-	-	-	-
" 15-		-	9	6	-	2	-	-	2	-
" 20-		-	15	10	-	-	-	-	3	2
" 25-		-	7	10	-	6	-	-	10	1
" 35-		-	-	-	-	2	-	-	9	1
" 45-		-	-	-	-	1	-	-	13	1
" 55-		-	1	-	-	-	-	-	6	-
" 65 and upwards		-	-	-	-	-	-	-	9	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 17. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, APRIL 28. [Price 1½*d*.

General Register Office, Somerset House,

April 30th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·7 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·0, 17·1, and 17·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·2 in Tynemouth, 20·3 in Huddersfield and in Middlesbrough, 20·9 in Stockport, 21·1 in Oldham, 22·3 in Birmingham, 22·8 in Great Yarmouth and in Hanley, and 23·4 in Liverpool; from *measles*, 1·9 in Bristol and in Tynemouth, 2·0 in Burnley, 2·1 in Liverpool and in Middlesbrough, 4·4 in Bury, and 5·0 in Great Yarmouth; from *scarlet fever*, 1·3 in Tottenham; from *diphtheria*, 1·3 in Walthamstow; from *whooping-cough*, 1·3 in Reading, 1·4 in Birmingham and in Cardiff, 1·5 in West Bromwich and in Warrington, and 1·6 in Wallasey; and from *diarrhœa*, 1·1 in Oldham. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2717 BIRTHS and 1562 DEATHS were registered. Allowing for increase of population, the births were 78 and the deaths 64 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 16·8, 17·4, and 19·2 per 1000 in the preceding three weeks, fell last week to 17·3. The death-rate in the four weeks ended last Saturday averaged 17·7 per 1000, being 1·1 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 4/06 D & S 3 24700

The 1562 deaths included 73 from measles, 6 from scarlet fever, 14 from diphtheria, 43 from whooping-cough, 3 from enteric fever, 1 from ill-defined pyrexia, and 14 from diarrhœa, but not one death from small-pox or from typhus; thus, 154 deaths were referred to these diseases in the aggregate, being 13 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 68, 68, and 85 in the preceding three weeks, fell to 73 last week, but were 15 above the corrected average; 8 deaths belonged to the Borough of Chelsea, 8 to Finsbury, 7 each to Islington and Bermondsey, and 6 each to Kensington and Hackney. The deaths from *scarlet fever*, which had been 8, 7, and 19 in the preceding three weeks, fell to 6 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 9, 17, and 13 in the preceding three weeks, were 14 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 42, 37, and 37 in the preceding three weeks, rose to 43 last week, but were 6 below the corrected average; 5 deaths belonged to Shoreditch, and 4 each to Lambeth and Battersea. The fatal cases of *enteric fever*, which had been 2, 2, and 2 in the preceding three weeks, were 3 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 13, 14, and 18 in the preceding three weeks, fell to 14 last week, and were 4 below the corrected average. Of the 14 deaths from diarrhœa, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 8 other deaths at this age. The deaths attributed directly to *influenza* numbered 35, having been 21, 42, and 43 in the preceding three weeks. The death of a house painter, aged 39 years, was certified after inquest as due to *lead poisoning*.

Different forms of *violence* caused 63 deaths, concerning all but 1 of which inquests were held. Of these 63 deaths, 14 were cases of suicide, and 1 of homicide, while the remaining 48 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 7 to burns or scalds, 5 to drowning, 2 to poisoning by coal gas, and 5, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 6 cases of small-pox, 2240 of scarlet fever, 862 of diphtheria, and 56 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 0, 0, and 1; of scarlet fever, 314 cases, against 292, 270, and 288; of diphtheria, 88 cases, against 120, 108, and 94; and of enteric fever, 10 cases, against 13, 9, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 21st, 1906.

Greater London.

In Greater London 4134 births and 2169 deaths were registered. Allowing for increase of population, these numbers are 118 and 88 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 8 deaths from measles, 3 from scarlet fever, 3 from diphtheria, 13 from whooping-cough, and 4 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·64 inches, and that of the Thermometer 42°·0 the latter being 6°·5 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 5 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 44·2 hours; the measured rainfall amounted to 0·43 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 7th April, 1906.	14th April, 1906.	21st April, 1906.	28th April, 1906.	Rate from Diseases in Cols. 11–17. Week ended 28th April, 1906.	Registered during the Week ended 28th April, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**17·0**	**17·1**	**17·3**	**16·7**	**1·6**	**9435**	**5080**	**1018**	**1496**	**–**	**199**	**35**	**46**	**133**	**18**	**52**	**167**	**386**	**1216**	**50**	**76 Towns.**
London	4,721,217	16·8	17·4	19·2	17·3	1·7	2717	1562	290	472	–	73	6	14	43	4	14	63	152	574	2	London.
Croydon	151,011	18·3	17·6	11·0	11·0	0·3	79	32	6	9	–	1	–	–	–	–	–	–	1	3	–	Croydon.
Willesden	143,622	8·4	8·0	13·8	11·6	0·7	109	32	10	8	–	1	–	–	1	–	–	–	2	4	–	Willesden.
Hornsey	86,935	12·0	12·0	10·8	9·0	0·6	35	15	–	6	–	–	–	–	1	–	–	–	1	–	–	Hornsey.
Tottenham	119,503	13·1	9·2	9·6	13·1	2·6	77	30	10	7	–	1	3	–	–	–	2	2	3	6	–	Tottenham.
West Ham	301,617	13·7	11·6	13·7	15·2	1·7	188	88	31	17	–	4	–	–	6	–	–	2	8	18	–	West Ham.
East Ham	129,886	9·6	8·8	10·8	8·8	–	83	22	2	6	–	–	–	–	–	–	–	1	2	3	–	East Ham.
Leyton	118,287	9·3	11·9	12·8	11·5	0·4	67	26	2	15	–	–	–	–	1	–	–	–	–	6	–	Leyton.
Walthamstow	121,334	12·5	12·9	15·9	14·2	1·3	81	33	4	5	–	–	–	3	–	–	–	1	4	10	–	Walthamstow.
Hastings	67,144	14·8	17·9	17·1	12·4	0·8	19	16	2	7	–	–	1	–	–	–	–	1	1	1	–	Hastings.
Brighton	128,095	19·5	13·4	10·6	9·8	1·2	58	24	2	5	–	2	–	–	–	–	1	1	3	5	–	Brighton.
Portsmouth	205,118	16·8	9·7	12·2	15·8	0·8	126	62	10	18	–	–	–	–	2	1	–	1	3	12	–	Portsmouth.
Bournemouth	67,702	14·6	14·6	6·9	19·3	0·8	22	25	3	11	–	–	–	1	–	–	–	2	3	4	–	Bournemouth.
Southampton	117,312	16·4	17·3	9·3	12·9	0·4	52	29	4	13	–	–	–	–	1	–	–	–	4	6	–	Southampton.
Reading	78,987	23·8	19·8	10·6	14·5	1·3	42	22	5	7	–	–	–	–	2	–	–	1	1	4	1	Reading.
Northampton	93,749	13·3	15·0	14·5	8·3	–	35	15	4	3	–	–	–	–	–	–	–	1	1	3	–	Northampton.
Ipswich	71,809	13·8	13·8	16·0	18·2	–	40	25	6	11	–	–	–	–	–	–	–	–	–	4	–	Ipswich.
Great Yarmouth	52,613	14·9	18·8	17·8	22·8	6·9	34	23	4	8	–	5	–	–	–	1	1	2	2	5	–	Great Yarmouth.
Norwich	117,958	18·6	15·5	19·4	18·1	–	53	41	7	17	–	–	–	–	–	–	–	2	7	9	–	Norwich.
Plymouth	118,014	22·5	15·9	20·3	16·8	0·9	66	38	11	8	–	–	–	1	–	–	1	2	3	10	–	Plymouth.
Devonport	78,405	14·6	10·0	12·6	16·6	2·0	35	25	4	9	–	–	1	–	1	–	1	1	2	2	–	Devonport.
Bristol	363,223	17·1	15·8	16·9	14·9	3·0	201	104	15	29	–	13	–	5	3	–	–	6	12	23	1	Bristol.
Hanley‡	66,360	21·2	17·3	19·6	22·8	1·6	37	29	4	11	–	–	1	–	–	–	1	–	2	1	–	Hanley.‡
Burton-on-Trent	52,922	9·9	12·8	18·7	7·9	–	27	8	1	3	–	–	–	–	–	–	–	–	1	–	–	Burton-on-Trent.
Wolverhampton	100,729	18·6	11·9	7·8	15·0	0·5	61	29	3	7	–	–	1	–	–	–	–	2	2	6	–	Wolverhampton.
Walsall	94,577	15·4	17·1	12·1	7·7	0·6	54	14	4	5	–	–	–	–	1	–	–	–	–	–	–	Walsall.
Handsworth	63,819	11·4	10·6	9·8	10·6	0·8	21	13	1	7	–	–	–	–	1	–	–	1	1	1	–	Handsworth.
West Bromwich	68,469	21·3	22·1	17·5	12·2	2·3	51	16	4	3	–	–	–	1	2	–	–	–	2	2	–	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 28th April, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 7th April, 1906.	14th April, 1906.	21st April, 1906.	28th April, 1906.	Rate from Diseases in Cols. 11-17. Week ended 28th April, 1906.	Registered during the Week ended 28th April, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	518,022	17·3	21·5	18·9	22·3	2·6	360	234	61	70	-	3	2	3	15	-	4	11	11	65	8	BIRMINGHAM.
KINGS NORTON -	72,608	9·3	12·2	10·1	15·8	-	32	22	7	11	-	-	-	-	-	-	-	1	1	-	1	KINGS NORTON.
SMETHWICK - -	64,531	17·8	22·6	14·5	17·8	1·6	45	22	8	7	-	-	-	-	1	1	-	-	-	-	-	SMETHWICK.
ASTON MANOR -	82,288	8·9	10·1	13·3	15·2	1·3	60	24	5	7	-	-	1	-	-	-	1	1	1	4	-	ASTON MANOR.
COVENTRY - -	76,374	17·8	15·7	23·2	14·3	0·7	51	21	4	7	-	-	-	-	1	-	-	-	-	2	-	COVENTRY.
LEICESTER - -	232,111	13·9	14·4	12·8	10·8	0·9	134	48	6	13	-	-	1	-	1	1	1	1	2	6	1	LEICESTER.
GRIMSBY - - -	69,359	12·8	14·3	13·5	10·5	-	51	14	3	4	-	-	-	-	-	-	-	-	1	2	-	GRIMSBY.
NOTTINGHAM - -	254,563	16·2	14·1	11·3	12·1	0·6	132	59	10	24	-	-	1	-	2	-	-	-	8	10	-	NOTTINGHAM.
DERBY - - -	123,981	15·6	16·0	16·8	17·7	0·8	63	42	5	15	-	-	-	1	1	-	-	2	7	7	-	DERBY.
STOCKPORT - -	99,646	18·3	12·0	17·3	20·9	-	56	40	4	16	-	-	-	-	-	-	-	2	5	11	-	STOCKPORT.
BIRKENHEAD - -	117,292	15·6	18·7	16·9	11·6	1·3	89	26	5	9	-	-	1	-	2	-	-	-	-	5	-	BIRKENHEAD.
WALLASEY - -	64,578	12·9	12·9	17·8	14·5	1·6	41	18	6	8	-	-	-	-	2	-	-	-	1	1	-	WALLASEY.
LIVERPOOL† - -	739,180	22·7	25·6	23·6	23·4	3·9	541	332	72	89	-	30	5	1	13	1	5	9	11	85	13	LIVERPOOL.†
BOOTLE† - - -	65,989	18·2	18·2	22·9	19·8	-	47	25	5	6	-	-	-	-	-	-	-	1	3	3	-	BOOTLE.†
ST. HELENS - -	91,153	14·3	16·0	16·6	18·9	1·1	59	33	6	6	-	-	-	1	-	-	1	1	1	10	2	ST. HELENS.
WIGAN - - -	87,588	16·1	17·9	15·5	15·5	0·6	51	26	3	6	-	-	1	-	-	-	-	-	2	-	-	WIGAN.
WARRINGTON - -	69,280	27·1	16·6	21·1	14·3	2·3	44	19	5	5	-	-	-	-	2	-	1	1	1	-	1	WARRINGTON.
BOLTON - - -	180,502	18·5	15·3	17·0	16·5	0·6	108	57	10	18	-	1	-	-	-	-	1	1	3	7	-	BOLTON.
BURY - - -	58,744	13·3	18·6	12·4	17·8	4·4	17	20	5	4	-	5	-	-	-	-	-	-	-	8	-	BURY.
MANCHESTER - -	637,126	21·8	21·4	19·4	19·1	2·1	401	233	51	58	-	17	2	-	4	1	2	5	16	64	1	MANCHESTER.
SALFORD - - -	234,077	19·2	18·5	22·9	19·6	1·6	155	88	26	25	-	2	1	1	1	1	1	2	6	22	-	SALFORD.
OLDHAM - - -	140,969	15·5	21·1	15·9	21·1	1·8	70	57	10	16	-	-	-	1	1	-	3	-	4	11	-	OLDHAM.
ROCHDALE - -	87,189	15·5	14·4	19·7	17·9	-	36	30	6	8	-	-	-	-	-	-	-	1	4	3	2	ROCHDALE.
BURNLEY - - -	102,808	25·4	19·8	25·9	14·2	2·5	67	28	8	10	-	4	-	-	-	1	-	1	1	6	-	BURNLEY.
BLACKBURN - -	134,015	19·5	18·7	12·5	18·7	1·2	67	48	9	16	-	2	-	-	-	-	1	-	1	3	3	BLACKBURN.
PRESTON - - -	116,399	13·9	19·3	18·4	14·8	1·8	75	33	8	12	-	2	-	1	-	-	1	-	-	6	1	PRESTON.
BARROW-IN-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	6	-	BARROW-IN-

TOWNS.	Population estimated to the middle of the Year 1906.*	Causes. Week ended 7th April, 1906.	14th April, 1906.	21st April, 1906.	28th April, 1906.	Diseases in Cols. 11–17. Week ended 28th April, 1906.	Registered during the Week ended 28th April, 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	15·9	19·8	17·0	20·3	1·1	41	37	7	10	-	-	-	-	-	1	1	-	2	2	1	HUDDERSFIELD.
HALIFAX - - -	109,272	17·7	18·6	14·8	16·7	1·4	35	35	5	8	-	2	-	1	-	-	-	-	2	6	-	HALIFAX.
BRADFORD - -	288,544	19·5	20·1	18·6	18·4	1·4	144	102	17	29	-	6	1	-	-	1	-	5	11	20	1	BRADFORD.
LEEDS - - -	463,495	14·4	19·6	17·1	16·8	1·9	235	149	26	51	-	8	1	1	7	-	-	4	8	16	-	LEEDS.
SHEFFIELD - -	447,951	17·6	15·4	15·0	16·9	1·3	299	145	38	39	-	1	3	-	5	-	2	2	4	24	3	SHEFFIELD.
ROTHERHAM - -	61,098	16·2	13·7	11·1	17·1	0·9	50	20	6	5	-	-	-	-	-	-	1	-	1	2	1	ROTHERHAM.
YORK - - -	83,467	10·6	15·6	12·5	10·0	0·6	40	16	4	5	-	-	-	-	-	-	1	-	2	-	-	YORK.
HULL - - -	262,426	14·1	14·9	14·9	18·5	1·4	177	93	18	19	-	-	-	3	1	1	2	3	6	16	1	HULL.
MIDDLESBROUGH -	100,069	28·1	21·9	23·4	20·3	3·1	80	39	7	7	-	4	1	-	1	-	-	1	2	3	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	16·8	19·8	13·9	12·9	-	35	13	4	1	-	-	-	-	-	-	-	-	-	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	14·2	12·1	11·4	11·4	1·4	47	16	2	4	-	-	-	-	1	1	-	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	22·0	15·5	20·3	13·5	0·3	103	40	8	14	-	1	-	-	-	-	-	3	3	4	-	SUNDERLAND.
SOUTH SHIELDS -	111,402	19·7	18·7	14·0	19·7	1·4	65	42	13	9	-	1	1	-	-	1	-	3	5	7	4	SOUTH SHIELDS.
GATESHEAD - -	123,191	14·0	15·2	18·6	13·1	0·4	93	31	5	8	-	-	-	1	-	-	-	-	-	5	1	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	18·2	16·5	16·9	17·3	2·1	197	89	19	17	-	8	-	2	1	-	-	5	7	12	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	20·2	23·1	23·1	20·2	2·9	37	21	2	5	-	2	-	1	-	-	-	2	3	5	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	19·0	12·6	9·8	18·3	-	50	26	3	11	-	-	-	-	-	-	-	3	4	7	-	NEWPORT (MON.).
CARDIFF - - -	183,823	16·5	16·5	16·7	16·5	2·0	128	58	8	20	-	-	-	-	5	1	1	3	7	8	-	CARDIFF.
RHONDDA- - -	127,684	14·7	18·0	13·5	15·5	0·8	91	38	15	6	-	-	-	1	1	-	-	-	-	2	-	RHONDDA.
MERTHYR TYDFIL -	74,961	13·9	16·7	21·6	15·3	0·7	64	22	4	7	-	-	-	1	-	-	-	-	2	2	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	15·6	15·1	20·5	19·4	1·1	66	36	7	15	-	-	-	1	-	-	1	1	3	5	-	SWANSEA.
GREATER LONDON -	7,113,561	15·6	15·8	16·9	15·9	1·5	4134	2169	420	657	-	88	12	20	65	4	20	81	195	672	5	GREATER LONDON.
OUTER RING - -	2,392,344	13·1	12·6	12·2	13·2	1·2	1417	607	130	185	-	15	6	6	22	-	6	18	43	98	3	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	12·4	11·6	12·5	12·4	1·1	719	278	65	73	-	7	3	3	9	-	2	6	21	50	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	13·8	13·7	12·0	14·1	1·3	698	329	65	112	-	8	3	3	13	-	4	12	22	48	3	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	20·2	19·9	17·9	18·8	1·7	138	123	19	44	-	4	3	-	2	-	2	12	?	45	5	EDINBURGH.
GLASGOW - - -	835,625	17·9	20·9	18·5	18·9	2·1	543	303	61	79	-	12	-	3	13	-	5	15	?	93	10	GLASGOW.
DUBLIN† - - -	378,994	21·1	23·4	28·1	22·4	1·4	199	163	25	51	-	1	-	2	2	1	4	2	2	66	5	DUBLIN.†
BELFAST† - - -	358,680	24·6	24·1	24·9	22·1	2·9	282	152	30	31	-	-	-	-	18	-	2	4	5	33	5	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births and Deaths Registered in the SEVENTEENTH Week of each of the Eleven Years, 1896-1906.**

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2743	2750	2522	2693	2697	2585	2443	2611	2733	2568	2638·8	2717
Males - - -	1374	1379	1260	1402	1361	1320	1273	1312	1341	1320	1336·9	1391
Females - -	1369	1371	1262	1291	1336	1265	1170	1299	1392	1248	1301·9	1326
TOTAL **Deaths** -	1641	1442	1485	1478	1721	1552	1528	1533	1392	1426	1498·2	1562
Males - -	831	766	778	733	927	788	809	807	754	749	794·9	806
Females - -	810	676	707	745	794	764	719	726	638	677	703·3	756

* The numbers in this column are the average weekly numbers in the seventeenth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	13 Weeks.
TOTAL **Births** -	2508	2550	2394	2500	2470	2509	2499	2243	2663	2594	2087	2459	2717	32193
TOTAL **Deaths** -	1337	1346	1517	1585	1501	1468	1498	1433	1674	1525	1578	1742	1562	19766
Ages at Death: Under 1 year -	260	272	316	317	280	296	303	273	296	269	288	305	290	3765
1—5 years -	162	146	156	187	183	160	190	170	228	225	192	238	211	2148
5—20 " -	60	79	104	85	69	77	72	73	76	83	76	85	68	1007
20—40 " -	150	156	174	169	191	171	164	165	201	174	193	198	197	2302
40—60 " -	265	254	295	315	284	309	302	277	343	270	297	364	324	3809
60 yrs. & upwds.	440	439	472	512	494	455	467	475	530	504	532	552	472	6344
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	28	26	43	52	55	56	70	65	76	68	68	85	73	765
Scarlet Fever - -	5	11	9	10	6	12	10	9	8	8	7	19	6	120
Diphtheria - -	17	16	13	18	18	12	14	16	15	9	17	13	14	192
Whooping-cough -	34	33	45	35	29	34	38	34	53	42	37	37	43	499
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	4	5	2	5	3	3	3	4	2	2	2	3	36
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhœa, Dysentery	14	23	13	13	14	19	17	6	7	13	14	18	14	186
All above Diseases -	99	113	128	130	127	136	152	133	163	142	145	174	154	1790
Dis. of Resp. System	168	146	160	176	190	178	173	165	165	175	173	177	159	2206
Pneumonia - -	144	132	129	152	153	136	161	153	172	157	186	222	202	2099
Phthisis - - -	129	133	141	135	136	134	132	133	169	142	161	165	147	1857
Dis. of Circ. System -	162	177	216	207	196	177	201	173	238	213	180	207	190	2537
Violence - - -	38	44	66	66	52	46	64	66	68	56	47	70	63	749
Inquest Cases - -	127	132	160	169	144	141	152	165	168	154	148	170	152	1983
Deaths in Institutions	519	493	552	650	545	548	532	523	655	556	577	654	574	7378
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	42·8	37·0	38·2	37·4	41·7	47·2	43·5	37·5	38·2	45·6	51·5	45·7	42·0	42·
Mean of Highest -	47·4	41·9	44·8	43·5	48·6	55·4	49·9	43·4	46·0	56·7	64·7	57·3	52·1	50·
Mean of Lowest -	38·0	32·2	32·6	32·2	35·7	40·0	37·3	33·0	32·6	34·5	39·4	34·0	33·7	35·
Mean Humidity of the Air.	80	80	85	81	79	75	73	79	73	63	62	66	68	74·
Rain-fall (in inches) -	0·10	0·38	0·92	0·27	0·17	0·35	0·29	0·32	0·14	0·00	0·03	0·05	0·43	3·4
Registered Sunshine (in hours).	10·6	17·5	13·0	13·8	21·7	35·0	22·1	18·0	18·0	55·7	64·4	42·0	44·2	376·
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mean.
Small-pox - -	-	-	2	5	6	6	7	10	8	8	7	7	6	
Scarlet Fever - -	2912	2839	2734	2689	2623	2545	2485	2434	2386	2322	2302	2225	2240	251
Diphtheria - -	873	899	944	953	933	931	907	926	929	908	909	881	862	91
Typhus - - -	-	-	-	-	-	2	2	2	1	-	-	-	-	
Enteric Fever - -	95	79	81	80	79	73	69	65	63	68	61	60	56	7

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindl placed their meteorological observations at the disposal of the Registrar-General, and the result have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth R. C. Caun Lippincott. Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E Bradford; H. Crowther. Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark. Esq., Tynemouth, for th Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SEVENTEENTH Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 17th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1498·2	1562	290	211	68	197	324	472
Small-pox*	11·7	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	57·9	73	21	51	1	-	-	-
Scarlet Fever	9·7	6	1	3	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	13·8	35	-	-	2	5	13	15
Whooping-cough	49·4	43	22	21	-	-	-	-
Diphtheria	16·8	14	1	10	2	1	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	1	1	-	-	-	-	-
Enteric Fever	4·3	3	-	-	1	1	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	2·3	3	3	-	-	-	-	-
Diarrhœa, Dysentery	15·3	11	9	-	-	-	-	2
Tetanus	0·5	1	1	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	0·3	-	-	-	-	-	-	-
Venereal Dis.	6·4	4	2	-	-	-	1	1
Puerperal Septicæmia	1·8	3	-	-	-	3	-	-
Puerperal Pyæmia	0·5	-	-	-	-	-	-	-
Puerperal Fever	1·0	-	-	-	-	-	-	-
Infective Endocarditis	2·3	3	-	-	-	2	1	-
Pneumonia: Lobar	17·6	36	1	-	-	14	15	6
Pneumonia: Broncho-	59·4	81	27	36	3	2	4	9
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	66·0	85	3	11	1	20	29	21
Erysipelas	2·3	5	2	-	-	-	3	-
Septicæmia (not Puerperal)	0·8	3	2	-	-	1	-	-
Pyæmia (not Puerperal)	0·8	-	-	-	-	-	-	-
Other Infective Processes	7·6	2	1	-	-	-	1	-
Tuberculous Phthisis	73·4	98	-	5	9	41	33	10
Phthisis"	73·4	49	-	1	8	19	16	5
Tuberculous Meningitis	22·7	29	10	12	5	1	1	-
Tuberculous Peritonitis	7·9	11	4	4	1	1	1	-
Tabes Mesenterica	4·8	2	1	1	-	-	-	-
Tuberculous Dis. (other)	18·6	18	3	8	-	4	1	2
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	9·9	10	-	-	-	3	4	3
Rheumatic Fever	5·1	5	-	-	2	2	1	-
Gout	2·0	1	-	-	-	-	-	1
Cancer: Carcinoma	54·8	54	-	-	-	4	22	28
Cancer: Sarcoma	5·4	4	-	1	-	-	2	1
Cancer (undefined)	33·6	45	-	-	-	5	14	26
Diabetes Mellitus	8·9	9	-	-	-	1	4	4
Premature Birth	46·6	50	50	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 17th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	18·3	20	5	7	2	2	1	3
Insanity, Gen. Par. of Insane	20·1	13	-	-	-	2	5	6
Epilepsy	10·7	8	1	-	1	2	1	3
Convulsions	25·7	15	13	2	-	-	-	-
Locomotor Ataxy	1·3	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	4·8	2	-	-	-	-	1	1
Nervous Sys. (other dis.)	20·6	12	1	-	1	2	4	4
Valv. Dis., Endocarditis	41·3	53	-	-	4	5	22	22
Cerebr. Hæm. Thromb.	36·2	30	-	-	-	1	12	17
Apoplexy, Hemiplegia	21·7	17	-	-	-	-	7	10
Aneurysm	5·1	4	-	-	-	3	-	1
Embolism, Thrombosis (not cerebral)	2·0	1	-	-	-	-	-	1
Heart & Blood Vessel Dis.	88·2	85	-	-	4	7	18	56
Croup (not Spasm : nor Memb.)	1·5	-	-	-	-	-	-	-
Bronchitis	119·8	134	16	16	2	3	16	81
Asthma, Emphysema	4·1	7	-	1	-	-	2	4
Pleurisy	5·1	3	-	-	-	-	1	2
Respiratory Dis. (other)	14·3	15	2	4	-	3	1	5
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-
Enteritis (not Epid.)	9·2	3	2	-	-	-	-	1
Gastro-Enteritis	3·8	9	7	1	-	-	1	-
Peritonitis (not Puerp.)	3·3	1	-	-	1	-	-	-
Cirrhosis of Liver	11·7	13	-	-	-	1	8	4
Liver Dis. (other)	5·4	8	-	-	-	1	1	6
Digestive Dis., Other	38·2	41	6	2	6	12	6	9
Nephritis, Acute	6·6	3	-	-	-	-	3	-
Bright's Dis., Albuminuria	29·8	41	-	-	-	4	21	16
Urinary Sys., Other Dis.	12·5	9	-	-	-	-	2	7
Generative Organs Dis.	4·3	1	-	-	-	-	1	-
Childbirth (Accid. of)	1·8	3	-	-	1	2	-	-
Old Age	50·7	53	-	-	-	-	-	53
Other Diseases	104·1	98	65	10	5	5	6	7
ACCIDENT.								
By Railways	1·5	2	-	-	1	-	-	1
By Vehicles and Horses	7·9	5	-	-	-	2	1	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·3	1	-	-	-	1	-	-
In Building Operations	1·3	2	-	-	-	1	1	-
In Conflagrations	2·8	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	4·8	7	-	5	1	-	1	2
By Drowning	2·5	5	-	-	-	2	2	1
By Suffocation in Bed	11·7	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours	2·0	4	-	-	-	-	2	2
Other Deaths by Accident	9·4	17	1	1	2	2	3	8
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·3	1	1	-	-	-	-	-
Suicide	14·3	14	-	-	-	4	7	3
Execution	0·3	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th April, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include; Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.
LONDON	4,536,429	2717	1562	290	472	-	73	6	14	43	-	3	1	14	63	152
WEST DISTRICTS	805,311	388	275	51	100	-	16	1	2	9	-	1	1	2	9	27
NORTH DISTRICTS	1,056,070	529	339	62	92	-	20	2	5	3	-	-	-	1	16	36
CENTRAL DISTRICTS	209,465	137	75	14	20	-	9	-	-	4	-	-	-	1	6	10
EAST DISTRICTS	715,739	558	253	62	70	-	7	-	-	8	-	-	-	4	11	30
SOUTH DISTRICTS	1,749,844	1105	581	101	177	-	21	3	7	19	-	2	-	5	21	49
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	39	-	13	-	-	-	-	-	-	-	-	1	-	-
WEST DISTRICTS.																
St. Mary Paddington *W,2H*	93,178	67	21	8	6	-	1	-	-	1	-	-	-	1	-	3
St. John Paddington *H*	33,617	8	14	1	-	-	-	-	-	-	-	-	-	-	-	1
North-West Paddington	17,181	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	67	57	11	26	-	6	-	-	1	-	-	-	-	2	7
Brompton *2H*	48,591	7	11	-	6	-	-	-	-	-	-	-	-	-	-	2
North Hammersmith *2W,wH*	49,192	31	10	2	2	-	-	-	-	-	-	-	-	-	-	3
South Hammersmith *w,2H*	63,047	27	20	5	6	-	-	-	-	1	-	-	-	-	3	4
North-west Fulham *W*	45,180	33	15	4	6	-	-	-	-	-	-	-	-	1	-	2
North-east Fulham *F*	46,405	25	17	1	5	-	-	1	2	-	-	1	-	-	-	1
South Fulham *W*	45,704	26	10	2	7	-	1	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	18	28	2	9	-	5	-	-	2	-	-	-	-	-	-
Chelsea South *W,2H*	31,328	13	17	6	9	-	3	-	-	2	-	-	-	-	1	1
Mayfair and Knightsbridge	28,743	5	3	-	1	-	-	-	-	-	-	-	-	-	1	1
Belgrave *W,2H*	55,815	27	26	4	9	-	-	-	-	-	-	-	-	-	1	1
St. Margaret & St. John *4H*	43,698	17	17	4	4	-	-	-	-	1	-	-	1	-	-	-
St. James and St. Anne‡ *W,6H*	33,081	5	7	-	3	-	-	-	-	1	-	-	-	-	1	1
NORTH DISTRICTS.																
All Souls Marylebone *8H*	35,391	7	10	-	3	-	-	-	-	-	-	-	-	-	1	2
St. Mary Marylebone *W,4H*	37,948	46	11	3	2	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H*	39,536	19	9	-	2	-	-	-	-	-	-	-	-	-	2	2
St. John Marylebone *2H*	20,426	7	8	1	4	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	24	22	3	7	-	-	2	1	-	-	-	-	-	1	1
West St. Pancras *2H*	60,562	28	18	3	4	-	2	-	-	1	-	-	-	-	2	2
Tottenham-court *w,7H*	21,268	5	13	4	1	-	-	-	-	-	-	-	-	1	-	2
Gray's Inn Lane *4H*	34,449	14	6	-	2	-	1	-	1	-	-	-	-	-	-	1
East St. Pancras *W,2H*	60,320	38	14	1	4	-	2	-	-	-	-	-	-	-	-	2
North St. Pancras *2W*	58,728	32	25	4	8	-	-	-	-	-	-	-	-	-	-	1
Tufnell *W*	31,995	20	27	2	16	-	1	-	-	-	-	-	-	-	-	-
Upper Holloway *2W,w,H*	33,978	21	23	4	5	-	1	-	2	1	-	-	-	-	-	1
Tollington *WH*	33,922	14	6	2	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	28	19	3	4	-	3	-	-	-	-	-	-	-	1	2
Barnsbury	54,478	34	10	1	1	-	1	-	-	-	-	-	-	-	-	1
Islington South-east *F*	75,397	43	19	5	5	-	1	-	-	-	-	-	-	-	2	4
Highbury *2H*	63,797	33	12	2	5	-	1	-	-	-	-	-	-	-	1	2
Stoke Newington *H*	51,247	13	13	3	6	-	1	-	-	1	-	-	-	-	-	1
North Hackney	50,560	13	10	2	1	-	-	-	-	-	-	-	-	-	1	3
Central Hackney *2w,F*	50,536	25	17	5	2	-	4	-	1	-	-	-	-	-	4	4
South-west Hackney *3H*	59,921	33	22	9	3	-	1	-	-	-	-	-	-	-	-	2
South-east Hackney *2W,w,H*	58,255	32	25	5	7	-	1	-	-	-	-	-	-	-	1	3

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated t rem
namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Di ricts
than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When sub-
district contains more than one institution of either kind, the number is indicated by a figure prefixed t the
letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fe ."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. mes
and St. Anne.

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th April, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyræxia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
S Giles and Bloomsbury 2*W*,2*H* -	31,436	18	7	1	2	-	-	-	-	-	-	-	-	-	-	-	3	-
St nd *W*,4*H* - - - - -	21,674	5	9	1	2	-	-	-	-	-	-	-	-	1	2	2	7	-
St nd Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
H born *W*,6*H* - - - - -	29,612	16	18	5	3	-	1	-	-	4	-	-	-	-	-	-	11	-
S th Clerkenwell - - -	28,676	18	4	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
N th Clerkenwell *H* - - -	35,028	33	7	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-
F bury 3*H*,*L* - - - - -	36,116	37	8	2	1	-	4	-	-	-	-	-	-	-	-	1	-	-
H born Union Workhouse, ltcham - - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
St botolph *H* - - - - - -	10,299	3	3	-	1	-	1	-	-	-	-	-	-	-	1	2	-	-
St sepulchre and Allhallows *W*,2*H*	16,624	7	16	1	7	-	-	-	-	-	-	-	-	-	3	4	13	-
C of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
S reditch South *H* - - -	46,362	31	14	4	1	-	2	-	-	2	-	-	-	-	2	3	-	-
S reditch North-West *W*,*w*,*H* -	36,127	25	29	7	10	-	1	-	-	-	-	-	-	1	1	1	19	-
S reditch North-East - - -	36,148	24	4	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-
S reditch Union Workhouse, Wood reen - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B hnal Green North 2*H* - -	51,514	44	12	5	-	-	-	-	-	-	-	-	-	1	2	2	4	-
B hnal Green South - - -	33,472	23	3	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-
B hnal Green East 2*W*,*H*,*L* - -	44,694	45	19	4	5	-	-	-	-	-	-	-	-	1	-	-	12	-
St ifields - - - - -	27,969	25	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
M e End New Town *W*,*H* - -	28,718	44	35	6	2	-	-	-	-	-	-	-	-	-	1	3	32	-
G dman's Fields - - - -	22,081	13	5	1	1	-	1	-	-	1	-	-	-	-	-	1	-	-
St George and St. John 2*W* - -	49,068	49	19	5	2	-	-	-	-	1	-	-	-	1	1	3	9	1
S dwell and Ratcliff *W*,*H* - -	25,568	15	13	4	2	-	-	-	-	2	-	-	-	-	1	4	6	-
L nehouse *W* - - - - -	32,369	17	7	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
M e End Old Town South-Western *H* - - - -	63,698	52	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
M e End Old Town North-Eastern *W*,*w* - - -	49,129	34	20	3	10	-	1	-	-	-	-	-	-	-	-	-	11	-
w *L* - - - - - - -	41,989	27	10	4	4	-	-	-	-	-	-	-	-	-	1	2	-	-
omley 3*w*,*H* - - - - -	68,319	42	33	6	13	-	2	-	-	-	-	-	-	-	1	4	20	-
plar *W*,*w* - - - - -	58,514	48	16	4	8	-	-	-	-	-	-	-	-	-	-	4	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th April, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Cases of Death from Violence, Accidents.
SOUTH DISTRICTS.																	
Christchurch Southwark W,H	11,263	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark H	12,056	7	16	1	-	-	1	-	2	-	-	-	-	-	1	1	1
Kent-road	21,904	15	9	1	1	-	1	-	1	-	-	-	-	-	-	-	
St. George the Martyr West W,2H,L	39,094	28	13	3	2	-	-	-	-	-	-	-	-	-	1	1	
Newington North	49,022	36	16	5	4	-	1	-	-	-	-	-	-	-	-	1	
Newington South W	72,841	39	15	2	4	-	-	-	-	-	-	-	-	-	3	4	
St. Olave 2W	9,81	9	3	2	-	-	1	-	-	-	-	-	-	-	-	-	
Bermondsey W	82,483	57	21	4	1	-	5	-	-	1	-	-	-	1	-	2	
Rotherhithe W,F	38,460	24	19	-	6	-	-	-	-	-	-	-	-	-	3	3	1
Waterloo-road 2H	27,440	40	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lambeth Church 1st H	18,423	8	11	2	3	-	-	-	-	-	-	-	-	-	3	4	1
Lambeth Church 2nd 2W	39,818	30	28	3	16	-	-	-	1	1	-	-	-	-	-	-	2
Kennington 1st H	53,198	41	13	3	6	-	-	-	-	-	-	1	-	-	-	1	
Kennington 2nd H	42,896	20	17	6	4	-	-	-	-	1	-	-	-	-	-	1	
Brixton F	84,232	45	20	8	5	-	1	1	-	2	-	-	-	-	-	1	
Norwood W,H	35,888	18	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
East Battersea H	72,203	56	18	7	4	-	-	-	-	3	-	-	-	-	-	2	
North-west Battersea	49,656	30	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
South-west Battersea 2W,H	47,048	17	33	3	15	-	1	-	-	-	-	1	-	-	2	5	1
Clapham 2H	51,361	30	15	2	4	-	2	-	-	1	-	-	-	-	-	1	
Streatham W,2w,2F,2L	88,019	57	30	3	16	-	-	1	1	-	-	-	-	1	-	1	
Springfield 2W,L	27,959	35	8	2	4	-	-	-	-	-	-	-	-	-	-	-	
Southfields H	40,444	29	8	2	2	-	-	-	-	-	-	-	-	-	-	-	
Putney	24,139	13	4	2	-	-	-	-	-	-	-	-	-	-	1	2	
Dulwich	13,359	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w	40,206	22	30	1	15	-	-	-	-	1	-	-	-	-	1	1	2
Camberwell North W,2L	65,584	31	32	4	6	-	1	-	-	-	-	-	-	-	1	4	2
St. George	47,331	29	9	-	5	-	1	-	-	-	-	-	-	-	-	-	
Peckham North	48,913	29	16	7	2	-	-	-	-	1	-	-	-	1	1	3	
Peckham South 2W,w	43,946	22	12	3	4	-	1	-	-	-	-	-	-	-	-	1	
Deptford North	37,613	33	11	-	3	-	3	-	-	-	-	-	-	-	2	2	
Deptford Central	45,481	30	11	4	-	-	-	-	-	1	-	-	-	1	-	2	
Deptford South	34,625	12	8	1	4	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West 2H	23,456	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
Greenwich East 2W,H	43,859	31	31	3	11	-	1	-	-	2	-	-	-	-	1	2	1
Eltham w,H	7,226	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
Lee wH	25,490	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Lewisham W w,F	58,352	34	25	1	10	-	1	-	1	1	-	-	-	-	-	1	1
Sydenham H	43,653	16	15	1	5	-	-	-	-	-	-	-	-	-	-	1	
Charlton F,2H	21,134	16	11	2	2	-	-	1	1	1	-	-	-	-	1	1	
Woolwich 5H	41,625	33	11	4	2	-	-	-	-	1	-	-	-	-	-	-	
Plumstead West W	18,063	7	5	1	1	-	-	-	-	1	-	-	-	-	-	-	
Plumstead East 2W,H	50,264	33	14	4	3	-	-	-	-	1	-	-	-	1	-	1	
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	
Darenth	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	6	
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	
Cane Hill	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	6	
Dartford Heath	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	
Hanwell	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	
Colney Hatch	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	
Claybury	—	-	4	-	3	-	-	-	-	-	-	-	1	-	-	4	

E 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nded Saturday, 28th April, 1906.

Registration District No.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1417	607	130	185	-	15	6	6	22	-	6	18	43	98	3
3 1	Carshalton 2F,3H - -	12,228	32,997	13	10	-	3	-	-	-	1	2	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	9	3	1	-	-	-	-	-	-	-	-	-	-	1	-
3 1	Godstone, *part of** W,F -	2,754	2,692	3	3	-	1	-	-	-	-	-	-	-	-	-	2	-
3 1	Coulsdon - - - -	11,069	8,166	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	21	12	-	4	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H -	2,168	42,888	37	14	4	4	-	1	-	-	-	-	-	-	1	3	-
4	North Croydon H - -	2,644	41,698	21	6	2	1	-	-	-	-	-	-	-	-	-	-	-
5	Penge w,H - - - -	770	22,465	6	6	-	1	-	-	-	-	-	-	-	-	-	1	-
6	Mitcham w - - -	11,711	30,015	29	8	4	-	-	1	-	-	-	-	-	1	1	-	-
3 1	Wimbledon F,3H - -	3,221	41,652	29	7	1	1	-	1	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H - - -	6,224	42,068	26	19	3	9	-	-	-	-	-	-	-	-	3	12	-
3	Surbiton F,H - - -	3,046	15,017	10	3	1	-	-	-	-	-	1	-	1	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	6	6	1	3	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L - - -	4,564	23,456	13	7	-	4	-	-	-	-	-	-	-	1	2	1	-
4 1	Richmond W,H - - -	2,162	28,865	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F - - -	2,847	20,628	10	9	2	2	-	2	-	-	1	-	-	1	2	-	-
4 1	Bromley F,2H - - -	4,703	27,364	4	11	-	7	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham H - - -	7,825	28,497	10	5	1	1	-	-	-	-	-	-	-	-	-	1	1
3	Orpington *part of** W -	10,113	9,857	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H - - -	7,333	16,446	8	5	1	3	-	-	-	-	-	-	-	-	-	-	-
4 1	Bexley w F,H - - -	8,678	21,151	6	7	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - - -	3,854	25,296	23	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
12 1	Sunbury w - - - -	11,054	18,683	10	4	2	-	-	-	-	-	-	-	-	-	1	-	-
2	Staines W,H - - -	13,277	15,178	10	8	3	2	-	-	-	1	-	-	-	1	1	-	-
12 1	Hillingdon W,F,H - -	6,035	13,661	10	7	3	1	-	-	1	-	1	-	-	-	-	1	-
2	Uxbridge H - - -	12,757	8,984	10	7	1	5	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2F,H - - -	8,066	16,358	18	6	2	2	-	-	-	-	-	-	-	-	-	-	-
12 1	Isleworth 3W,2F,H - -	6,859	30,863	28	14	2	7	-	-	-	1	1	-	-	-	-	7	-
2	Twickenham F,H - -	2,421	20,991	17	4	2	2	-	-	-	-	-	-	-	1	1	-	1
3	Brentford 3F,2H - - -	4,319	48,289	35	21	2	10	-	1	-	-	2	-	-	1	1	1	-
4	Chiswick H- - - -	1,249	29,809	20	10	1	2	-	-	-	-	1	-	1	-	1	-	-
5	Acton w,F,3H - - -	6,132	48,914	59	14	1	2	-	-	-	-	-	-	1	-	-	-	-
12 1	Harrow F,H - - -	13,809	25,523	24	4	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H - - -	6,994	4,521	3	2	-	-	-	-	1	-	-	-	-	-	-	1	-
3	Willesden W,F,2H - -	4,384	114,811	109	30	10	7	-	1	-	-	1	-	-	-	2	2	-
4	Hendon W,F - - -	8,382	22,450	16	6	-	4	-	-	-	-	-	-	-	1	1	1	-
12 1	South Mimms 2F,H - -	17,755	7,308	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	6	6	1	2	-	1	-	-	1	-	-	1	1	-	-
3	Finchley F,2H - - -	4,688	33,692	26	10	2	4	-	-	-	-	-	-	-	1	1	-	-
11 1	Hornsey F,H - - -	2,875	72,056	35	16	-	7	-	-	1	-	1	-	-	-	1	1	-
2	Wood Green H - - -	1,625	34,293	22	8	2	2	-	-	-	-	-	-	-	-	-	1	-
3	West Tottenham F - -	996	48,853	35	15	7	2	-	-	1	-	-	-	2	-	-	-	-
4	East Tottenham 2H - -	2,017	53,888	42	12	3	3	-	1	-	-	-	-	-	2	3	3	-
5	Edmonton W,w,2F - -	7,491	61,892	52	25	8	7	-	-	-	-	2	-	1	-	2	8	-
6	Enfield 2W,F,H - - -	12,601	42,738	13	12	2	5	-	1	-	-	-	-	-	1	1	1	1
7	Waltham Abbey F - -	11,017	6,549	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-
1 :1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 :1	Bushey H - - - -	9,333	9,173	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1 1	Stratford H - - -	1,072	44,827	36	11	4	3	-	-	-	-	-	-	-	-	4	1	-
2	Plaistow F,2H - - -	1,249	90,921	80	26	14	2	-	1	-	-	5	-	-	-	1	-	-
3	Canning Town H - -	1,556	70,718	48	24	11	3	-	1	-	-	1	-	-	1	2	1	-
4	Forest Gate w - - -	806	60,892	24	11	1	3	-	2	-	-	-	-	-	-	-	-	-
5	North East Ham w H -	1,333	58,676	45	6	-	2	-	-	-	-	-	-	-	-	-	1	-
6	South East Ham 2F - -	1,993	37,342	38	14	2	2	-	-	-	-	-	-	-	1	2	-	-
7	Wanstead F - - -	1,679	9,179	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	25	12	1	8	-	-	-	-	-	-	-	-	-	8	-
9	North Leyton 2W,w,F -	1,963	48,445	42	37	2	15	-	-	-	-	1	-	-	1	1	21	-
10	Walthamstow 3H,L - -	6,504	108,929	88	29	5	7	-	-	-	-	-	-	-	1	4	-	-
:1	Chigwell, *part of** 2F,3H -	11,778	16,397	14	7	2	-	-	-	-	3	-	-	-	-	-	3	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 :1	Romford, *part of** W,2F -	6,556	6,091	10	2	-	1	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L - - - -	8,496	41,234	34	15	3	6	-	1	-	-	1	-	-	1	1	2	-
3	Barking Town F - -	3,803	21,547	13	6	2	1	-	-	-	-	-	-	-	-	1	-	-
	N.E. Hosp., Tottenham -	—	—	-	2	-	-	-	-	2	-	-	-	-	-	-	2	-
	Middlesex County Asylum, Wandsworth.	—	—	-	5	-	2	-	-	-	-	-	-	-	-	-	5	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ing are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher arish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting heydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	April 28	2717	1562	17·3	-	73	6	14	43	4
CALCUTTA - -	910,117	March 17	-	725	44·4	140	6	-	-	1	235†
BOMBAY - -	776,006	April 10	420	1842	123·4	23	69	-	-	-	888†
MADRAS - -	509,346	March 30	298	468	47·7	33	29	?	?	?	113
PARIS - - -	2,750,000	April 14	-	-	-	-	-	-	-	-	-
BRUSSELS - -	612,401	" 21	213	196	16·7	-	4	-	-	1	2
ANTWERP - -	291,949	" 21	129	86	15·4	-	3	-	-	-	-
AMSTERDAM -	560,249	" 14	311	144	13·4	-	4	2	-	2	-
COPENHAGEN -	425,000	" 21	252	160	19·6	-	6	-	3	4	-
STOCKHOLM -	324,488	" 14	154	103	16·5	-	-	1	1	3	-
CHRISTIANIA -	222,373	" 21	132	74	17·3	-	-	-	1	-	-
ST. PETERSBURG	1,424,700	" 7	851	736	26·8	2	39	29	12	10	18
MOSCOW - -	1,154,000	" 7	-	-	-	-	-	-	-	-	-
BERLIN - -	2,051,932	" 7	949	612	15·6	-	16	6	7	3	-
HAMBURG - -	819,380	" 21	-	240	15·5	-	8	1	1	4	1
BRESLAU - -	475,000	" 14	-	230	25·3	-	-	1	4	1	-
MUNICH - -	540,000	" 21	-	201	19·4	-	1	1	-	5	-
VIENNA - -	1,956,949	" 21	1037	842	22·6	-	19	9	11	8	-
PRAGUE - -	455 241	" 21	201	187	21·4	-	3	-	-	-	2
BUDA-PESTH -	859,134	" 14	441	350	21·2	-	13	7	5	1	-
TRIESTE - -	196,637	" 14	109	138	36·5	-	2	-	1	-	1
		" 21	136	126	33·3	-	-	-	1	2	-
ROME - -	526,170	March 17	246	203	20·1	-	7	-	1	-	1
VENICE - -	171,709	" 3	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	April 14	176	155	27·8	-	-	-	1	-	-
NEW YORK -	4,152,860	" 14	2092	1620	20·3	-	47	20	35	6	10
CHICAGO - -	2,049,185	" 7	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,469,126	" 7	-	625	22·2	-	7	2	10	6	31
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	March 25	-	262	15·0	-	-	-	-	1	2†
		April 1	-	281	16·0	-	-	-	-	1	1

* Excluding deaths from croup in the Indian Cities.
† Including 134 deaths from plague in Calcutta, 782 in Bombay, and 1 in Rio de Janeiro.
‡ Including 32 deaths from cholera in Calcutta, and 35 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 28th April, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	56·7	29·2	42·9	0·43	BRADFORD - -	51·0	29·8	41·2	0·44
BRIGHTON - -	53·4	32·5	44·6	0·36	LEEDS - - -	51·0	32·0	42·4	0·26
PORTSMOUTH - -	56·5	32·5	44·7	0·20	HULL - - -	55·0	29·0	41·3	0·58
NORWICH - -	55·0	28·8	42·3	0·51	TYNEMOUTH - -	53·0	31·0	40·1	0·37
PLYMOUTH - -	54·0	35·0	45·4	0·75	CARDIFF - -	53·9	28·0	42·6	1·00
BRISTOL - - -	52·5	27·0	42·2	0·55	EDINBURGH - -	50·3	31·7	40·5	0·06
BIRMINGHAM - -	52·8	28·6	41·0	0·89	GLASGOW - -	53·2	29·0	41·1	0·32
NOTTINGHAM - -	52·9	29·1	41·4	0·34	DUBLIN Phœnix Park.	53·5	32·0	41·9	0·81
LIVERPOOL OBSERVATORY.	52·0	35·0	42·1	0·71	DUBLIN Fitzwilliam Square.†	55·8	35·7	44·2	0·79
MANCHESTER -	51·0	28·8	40·3	1·50					
PRESTON - -	50·1	32·5	41·8	1·13					
HUDDERSFIELD -	50·6	29·0	40·4	0·53	BELFAST - -	53·5	35·8	43·8	0·88

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·6 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
April.																									
Sunday -	22	..	29·759	56·7	41·3	15·4	46·9	− 1·6	34·2	12·7	19·6	5·8	61	109·2	34·5	46·00	WSW., W. & WNW.	W., NNW. & NW.	7·5	0·0	0·5	404	+114	0·09	1·7
Monday -	23	New	29·934	52·0	34·8	17·2	42·2	− 6·2	31·5	10·7	20·6	1·0	66	105·9	24·2	46·21	NW. & N.	NNW., NE. & N.	2·0	0·0	0·2	226	− 61	0·01	5·8
Tuesday -	24	..	29·788	48·0	30·3	17·7	37·1	−11·3	34·7	2·4	12·2	0·0	91	98·7	19·0	46·27	NW., & WSW.	NNE., NE. & SE.	1·4	0·0	0·1	195	− 88	0·07	0·8
Wednesday	25	Apogee	29·714	49·6	33·8	15·8	40·8	− 7·6	30·4	10·4	17·9	1·6	67	120·9	23·0	45·96	ESE., E. & ENE.	ENE. & E.	11·5	0·0	0·5	342	+ 63	0·00	2·2
Thursday -	26	..	29·484	51·1	29·2	21·9	40·5	− 7·9	28·5	12·0	20·2	1·4	62	109·9	18·1	45·72	NE. & Variable.	E. & NE.	2·0	0·0	0·1	170	−105	0·00	0·0
Friday -	27	..	29·594	56·1	32·2	23·9	44·4	− 4·1	30·5	13·9	24·3	3·6	58	108·4	21·2	45·59	N.	W. & SW.	2·8	0·0	0·2	268	− 4	0·00	2·0
Saturday -	28	..	29·212	51·4	34·1	17·3	42·1	− 6·5	33·8	8·3	16·4	2·8	72	103·7	28·4	45·48	SW., NNW. & WNW.	W. & WSW.	7·0	0·0	0·6	438	+169	0·26	0·0
Means	-		29·641	52·1	33·7	18·5	42·0	− 6·5	31·9	10·1	18·7	2·3	68	108·1	24·1	45·89	Variable		..	..	..	Sum 2043	Sum + 88	Sum 0·43	1·8
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. April.		Electricity. (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.
Sunday -	22	w.P. and s.N. till 2h. A.M.; m.P. generally afterwards; with s.P. and s.N. between 2h. and 4h. P.M.	9·0	14·2
Monday -	23	m.P. till 7h. A.M.; s.P. generally afterwards with occasional s.N. after 2h. P.M.	6·3	14·3
Tuesday -	24	s.P. till 8h. A.M.; v.N. and v.P. till 11h. A.M.; s.P. till 6h. P.M.; w.P. afterwards.	2·7	14·3
Wednesday	25	w.P. till 4h. P.M.; m.P. till 8h. P.M.; s.P. afterwards.	7·5	14·4
Thursday -	26	s.P. generally till 11h. A.M.; m.P. generally till 8h. P.M.; s.P. afterwards.	3·3	14·4
Friday -	27	s.P. till 2h. P.M.; m.P. afterwards.	11·9	14·5
Saturday -	28	w.P. and v.N. till 9h. A.M.; s.P. generally with occasional s.N. afterwards.	3·5	14·6
			Sum 44·2	Sum 100·7
No. of Col. -		27	28	29

GENERAL REMARKS.

Overcast in early morning with sharp shower at 1h. A.M.; very fine generally afterwards with light showers and distant thunder in afternoon.

Fine and partially cloudy; light shower at 5h. 30m. P.M. Solar halo observed in afternoon.

Cloudless with hoar frost in early morning; generally overcast afterwards with occasional showers of snow and rain till the afternoon; very dull and gloomy in forenoon. Solar halo observed at 4h. 45m. P.M.; a very cold day.

Overcast in morning; very fine with variable amounts of cloud till evening; cloudless with hoar frost at night.

Cloudless with hoar frost till 3h. A.M.; fine with large amounts of thin cloud till afternoon; very fine generally afterwards. Solar halo observed at intervals during the day.

Very fine with small amounts of cloud generally till 10h. P.M.: cloudy afterwards; hoar frost in morning.

Overcast with rain till 8h. A.M.; fine but cloudy with occasional light showers till evening; cloudless with slight exceptions at night.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·72 in. at the beginning of the week to 29·70 in. by 4h. A.M. on the 22nd; increased to 29·95 in. by 9h. A.M. on the 23rd; decreased to 29·66 in. by 4h. A.M. on the 25th; increased to 29·73 in. by 8h. P.M. on the same day; decreased to 29·44 in. by 2h. P.M. on the 26th; increased to 29·67 in. by 8h. A.M. on the 27th; decreased to 29·20 in. by 4h. P.M. on the 28th, and was 29·21 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 21st April, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	11	-	-	1	-	-	1	1
Kensington	180,952	-	22	5	-	2	-	-	5	-
Hammersmith	120,679	-	10	8	-	-	-	-	4	-
Fulham	161,965	-	10	5	-	2	-	-	4	1
Chelsea	74,672	-	4	1	-	-	-	-	2	-
City of Westminster	173,905	-	5	1	-	-	-	-	-	-
NORTH.										
St. Marylebone	128,580	-	7	9	-	-	-	-	5	-
Hampstead	89,633	-	10	3	-	1	-	-	1	-
St. Pancras	236,455	-	20	12	-	-	-	-	3	-
Islington	344,987	-	21	7	-	-	-	-	1	-
Stoke Newington	53,217	-	1	2	-	-	-	-	1	-
Hackney	230,721	-	18	5	-	-	-	-	10	-
CENTRAL.										
Holborn	55,805	-	5	1	-	-	-	-	-	-
Finsbury	97,466	-	3	2	-	-	-	-	2	-
City of London	21,367	-	6	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	3	4	-	-	-	-	2	-
Bethnal Green	130,609	-	8	1	-	1	-	-	3	-
Stepney	307,176	-	24	3	-	1	-	-	10	-
Poplar	170,673	1	2	3	-	-	-	-	2	-
SOUTH.										
Southwark	209,143	-	12	2	-	1	-	-	4	-
Bermondsey	128,629	-	23	5	-	-	-	-	3	-
Lambeth	315,774	-	27	12	-	2	-	-	4	1
Battersea	179,622	-	18	2	-	1	-	-	2	-
Wandsworth	273,381	-	19	11	-	2	-	-	3	-
Camberwell	274,132	-	13	2	-	1	-	-	1	-
Deptford	115,495	-	21	2	-	-	-	-	5	1
Greenwich	105,350	-	7	7	-	-	-	-	4	-
Lewisham	148,463	-	12	5	-	-	-	-	1	-
Woolwich	127,345	-	5	10	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	1	347	130	-	15	-	-	84	4
Ages 0-1		-	3	-	-	-	-	-	4	-
" 1-5		-	118	55	-	1	-	-	3	-
" 5-		-	127	41	-	1	-	-	-	-
" 10-		-	54	7	-	3	-	-	1	-
" 15-		-	21	7	-	3	-	-	9	-
" 20-		-	16	7	-	1	-	-	3	-
" 25-		1	6	10	-	4	-	-	10	3
" 35-		-	1	3	-	1	-	-	17	1
" 45-		-	1	-	-	1	-	-	11	-
" 55-		-	-	-	-	-	-	-	10	-
" 65 and upwards		-	-	-	-	-	-	-	16	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 18. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, MAY 5. [Price 1½*d*.

General Register Office, Somerset House,

May 7th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·3 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·1, 17·3, and 16·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·9 in Birkenhead, 21·2 in Hanley, 21·7 in Norwich and in St. Helens, 22·2 in Oldham, and 27·1 in Liverpool; from *measles*, 2·0 in Burnley, 2·1 in Walthamstow, 2·3 in Liverpool, and 4·0 in Great Yarmouth; from *scarlet fever*, 1·1 in Leicester; from *diphtheria*, 1·3 in Walthamstow; and from *whooping-cough*, 2·1 in Merthyr Tydfil and 2·4 in Bootle. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2547 BIRTHS and 1446 DEATHS were registered. Allowing for increase of population, the births were 36 below and the deaths 71 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 17·4, 19·2, and 17·3 per 1000 in the preceding three weeks, fell last week to 16·0. The death-rate in the four weeks ended last Saturday averaged 17·5 per 1000, being 1·3 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 5/06 D & S 3 24775

The 1446 deaths included 61 from measles, 17 from scarlet fever, 9 from diphtheria, 38 from whooping-cough, and 12 from diarrhœa, but not one death from small-pox, from enteric fever, from typhus, or from ill-defined pyrexia; thus, 137 deaths were referred to these diseases in the aggregate, being 24 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 68, 85, and 73 in the preceding three weeks, fell to 61 last week, but were 8 above the corrected average; 12 deaths belonged to the Borough of Finsbury, 8 to Southwark, 6 each to St. Pancras and Shoreditch, and 5 to Bermondsey. The deaths from *scarlet fever*, which had been 7, 19, and 6 in the preceding three weeks, rose to 17 last week, and were 9 above the corrected average; 3 deaths belonged to Islington. The deaths from *diphtheria*, which had been 17, 13, and 14 in the preceding three weeks, fell to 9 last week, and were 8 below the corrected average. The deaths from *whooping-cough*, which had been 37, 37, and 43 in the preceding three weeks, fell to 38 last week, and were 11 below the corrected average; 7 deaths belonged to Stepney, and 3 apiece to Chelsea, St. Pancras, Southwark, and Lambeth. The deaths from *diarrhœa*, which had been 14, 18, and 14 in the preceding three weeks, were 12 last week, and were 5 below the corrected average. Of the 12 deaths from diarrhœa, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 8 other deaths at this age. The deaths attributed directly to *influenza* numbered 21, having been 42, 43, and 35 in the preceding three weeks.

Different forms of *violence* caused 61 deaths, concerning all but 1 of which inquests were held. Of these 61 deaths, 12 were cases of suicide, while the remaining 49 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 6 to burns or scalds, 4 to a conflagration, 4 to drowning, and 4, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 2337 of scarlet fever, 828 of diphtheria, and 60 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 0, 1, and 0; of scarlet fever, 357 cases, against 270, 288, and 314; of diphtheria, 104 cases, against 108, 94, and 88; and of enteric fever, 13 cases, against 9, 11, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 28th, 1906.

Greater London.

In Greater London 3802 births and 1942 deaths were registered. Allowing for increase of population, these numbers are 160 below and 26 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 11 deaths from measles, 6 from scarlet fever, 2 from diphtheria, 13 from whooping-cough, and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·59 inches, and that of the Thermometer 46°·6 the latter being 2°·9 below the week's average in the 50 years 1841–90. The general direction of the wind was South-westerly, the horizontal movement of the air being 6 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 38·4 hours; the measured rainfall amounted to 0·26 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 14th April, 1906.	21st April, 1906.	28th April, 1906.	5th May, 1906.	Rate from Diseases in Cols. 11–17. Week ended 5th May, 1906.	Registered during the Week ended 5th May, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**17·1**	**17·3**	**16·7**	**16·3**	**1·6**	**8793**	**4955**	**967**	**1483**	**–**	**197**	**42**	**43**	**144**	**18**	**39**	**178**	**382**	**1230**	**55**	**76 Towns.**
London	4,721,217	17·4	19·2	17·3	16·0	1·5	2547	1446	239	471	–	61	17	9	38	–	12	61	146	583	3	London.
Croydon	151,011	17·6	11·0	11·0	11·4	0·3	74	33	2	12	–	–	–	1	–	–	–	–	3	5	–	Croydon.
Willesden	143,622	8·0	13·8	11·6	7·3	1·1	66	20	6	8	–	2	–	–	1	–	–	–	1	2	–	Willesden.
Hornsey	86,935	12·0	10·8	9·0	7·2	0·6	41	12	2	6	–	–	1	–	–	–	–	–	–	2	–	Hornsey.
Tottenham	119,503	9·2	9·6	13·1	9·6	0·9	72	22	5	3	–	–	–	1	1	–	–	2	4	3	–	Tottenham.
West Ham	301,617	11·6	13·7	15·2	11·8	1·0	147	68	12	19	–	1	1	2	2	–	–	4	10	15	–	West Ham.
East Ham	129,886	8·8	10·8	8·8	9·2	–	73	23	5	8	–	–	–	–	–	–	–	2	3	6	1	East Ham.
Leyton	118,287	11·9	12·8	11·5	8·4	1·3	53	19	4	5	–	1	–	–	1	–	1	1	1	3	–	Leyton.
Walthamstow	121,234	12·9	15·9	14·2	12·0	3·9	69	28	3	9	–	5	–	3	1	–	–	–	–	5	1	Walthamstow.
Hastings	67,144	17·9	17·1	12·4	13·2	–	24	17	2	8	–	–	–	–	–	–	–	–	–	2	–	Hastings.
Brighton	128,095	13·4	10·6	9·8	15·1	–	43	37	2	15	–	–	–	–	–	–	–	–	6	7	–	Brighton.
Portsmouth	205,118	9·7	12·2	15·8	17·8	1·0	114	70	8	20	–	–	–	1	3	–	–	2	6	13	1	Portsmouth.
Bournemouth	67,702	14·6	6·9	19·3	8·5	0·8	29	11	1	4	–	–	–	–	1	–	–	–	2	–	–	Bournemouth.
Southampton	117,312	17·3	9·3	12·9	14·2	1·3	59	32	10	13	–	–	–	–	3	–	–	1	3	7	–	Southampton.
Reading	78,987	19·8	10·6	14·5	15·8	1·3	28	24	5	10	–	–	–	–	2	–	–	–	2	4	2	Reading.
Northampton	93,749	15·0	14·5	8·3	13·9	–	37	25	4	13	–	–	–	–	–	–	–	1	3	7	–	Northampton.
Ipswich	71,809	13·8	16·0	18·2	16·0	1·5	36	22	3	11	–	–	1	–	1	–	–	–	2	3	–	Ipswich.
Great Yarmouth	52,613	18·8	17·8	22·8	16·8	5·0	43	17	1	7	–	4	–	–	–	1	–	–	–	3	–	Great Yarmouth.
Norwich	117,958	15·5	19·4	18·1	21·7	–	62	49	10	19	–	–	–	–	–	–	–	1	1	2	–	Norwich.
Plymouth	118,014	15·9	20·3	16·8	12·8	–	61	29	6	7	–	–	–	–	–	–	–	1	4	2	–	Plymouth.
Devonport	78,405	10·0	12·6	16·6	14·6	0·7	37	22	4	10	–	–	–	–	1	–	–	–	1	2	–	Devonport.
Bristol	363,223	15·8	16·9	14·9	14·9	2·0	189	104	16	36	–	8	1	1	4	–	–	1	7	12	–	Bristol.
Hanley‡	66,360	17·3	19·6	22·8	21·2	2·4	33	17	7	8	–	–	1	1	–	1	–	–	1	6	–	Hanley‡
Burton-on-Trent	52,922	12·8	18·7	7·9	16·7	3·0	39	17	3	5	–	–	–	–	2	1	–	–	1	3	–	Burton-on-Trent.
Wolverhampton	100,729	11·9	7·8	15·0	11·4	1·6	51	22	8	8	–	–	–	1	–	–	2	–	2	6	–	Wolverhampton.
Walsall	94,577	17·1	12·1	7·7	11·0	1·1	52	20	6	4	–	–	–	–	2	–	–	1	1	4	–	Walsall.
Handsworth	68,819	10·6	9·8	10·6	12·3	–	38	15	4	6	–	–	–	–	–	–	–	–	–	–	–	Handsworth.
West Bromwich	68,469	22·1	17·5	12·2	12·2	0·8	41	16	7	3	–	–	–	–	1	–	–	–	–	2	–	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 5th May, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 14th April, 1906.	21st April, 1906.	28th April, 1906.	5th May, 1906.	Rate from Diseases in Cols. 11-17. Week ended 5th May, 1906.	Registered during the Week ended 5th May, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	21·5	18·9	22·3	16·8	2·2	316	177	46	48	-	9	-	1	8	5	-	8	10	43	9	BIRMINGHAM.
KINGS NORTON -	72,608	12·2	10·1	15·8	7·9	-	56	11	2	5	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK - -	64,531	22·6	14·5	17·8	14·5	1·6	26	18	2	3	-	-	-	-	2	-	-	1	2	2	-	SMETHWICK.
ASTON MANOR -	82,288	10·1	13·3	15·2	11·4	-	34	18	5	5	-	-	-	-	-	-	-	1	3	2	-	ASTON MANOR.
COVENTRY - -	76,374	15·7	23·2	14·3	18·4	2·7	47	27	3	8	-	-	1	-	3	-	-	5	5	4	-	COVENTRY.
LEICESTER - -	232,111	14·4	12·8	10·8	15·7	2·5	120	70	17	15	-	-	5	-	5	1	-	1	4	11	1	LEICESTER.
GRIMSBY - - -	69,359	14·3	13·5	10·5	16·5	-	53	22	5	4	-	-	-	-	-	-	-	1	2	5	-	GRIMSBY.
NOTTINGHAM - -	254,563	14·1	11·3	12·1	14·5	-	165	71	16	26	-	-	-	-	-	-	-	1	2	16	-	NOTTINGHAM.
DERBY - - -	123,981	16·0	16·8	17·7	12·2	-	64	29	6	11	-	-	-	-	-	-	-	2	3	5	-	DERBY.
STOCKPORT - -	99,646	12·0	17·3	20·9	16·7	2·1	60	32	8	10	-	2	-	-	2	-	-	-	1	4	-	STOCKPORT.
BIRKENHEAD - -	117,292	18·7	16·9	11·6	20·9	1·3	74	47	9	15	-	-	-	2	1	-	-	1	2	7	-	BIRKENHEAD.
WALLASEY - -	64,578	12·9	17·8	14·5	12·9	-	29	16	1	9	-	-	-	-	-	-	-	5	5	2	-	WALLASEY.
LIVERPOOL† - -	739,180	25·6	23·6	23·4	27·1	4·2	456	384	71	108	-	33	6	2	15	1	2	11	18	116	17	LIVERPOOL.†
BOOTLE† - - -	65,989	18·2	22·9	19·8	19·0	2·4	46	24	10	4	-	-	-	-	3	-	-	1	1	8	-	BOOTLE.†
ST. HELENS - -	91,153	16·0	16·6	18·9	21·7	-	78	38	12	7	-	-	-	-	-	-	-	2	2	6	1	ST. HELENS.
WIGAN - - -	87,588	17·9	15·5	15·5	14·9	1·2	65	25	3	11	-	-	-	-	-	1	1	-	-	-	-	WIGAN.
WARRINGTON - -	69,280	16·6	21·1	14·3	19·6	2·3	57	26	5	2	-	-	-	1	1	-	1	1	1	5	-	WARRINGTON.
BOLTON - - -	180,502	15·3	17·0	16·5	19·4	0·3	91	67	14	17	-	-	-	-	1	-	-	-	7	4	-	BOLTON.
BURY - - -	58,744	18·6	12·4	17·8	19·5	1·8	24	22	5	7	-	2	-	-	-	-	-	2	2	1	-	BURY.
MANCHESTER - -	637,126	21·4	19·4	19·1	20·1	3·0	396	246	59	57	-	19	1	2	8	1	6	9	19	64	2	MANCHESTER.
SALFORD - - -	234,077	18·5	22·9	19·6	18·3	2·7	177	82	20	14	-	7	-	2	2	-	1	1	3	22	-	SALFORD.
OLDHAM - - -	140,969	21·1	15·9	21·1	22·2	0·4	67	60	8	22	-	-	-	-	-	-	1	1	3	10	-	OLDHAM.
ROCHDALE - -	87,189	14·4	19·7	17·9	17·9	1·2	37	30	5	10	-	-	-	1	-	-	1	1	2	4	-	ROCHDALE.
BURNLEY - - -	102,808	19·8	25·9	14·2	15·2	3·6	55	30	9	4	-	4	1	-	1	1	-	-	-	2	-	BURNLEY.
BLACKBURN - -	134,015	18·7	12·5	18·7	20·2	1·2	70	52	7	18	-	2	1	-	-	-	-	6	7	9	2	BLACKBURN.
PRESTON - - -	116,399	19·3	18·4	14·8	13·0	1·3	68	29	5	10	-	3	-	-	-	-	-	-	1	4	-	PRESTON.
FURNESS.																						BARROW-IN-

TOWNS.	Population estimated to the middle of the Year 1906.*	Causes. Week ended 14th April, 1906.	21st April, 1906.	28th April, 1906.	5th May, 1906.	Diseases in Cols. 11–17. Week ended 5th May, 1906.	Registered during the Week ended 5th May, 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	19·8	17·0	20·3	17·0	-	36	31	3	11	-	-	-	-	-	-	-	1	2	4	-	HUDDERSFIELD.
HALIFAX - - -	109,272	18·6	14·8	16·7	15·3	1·4	38	32	3	12	-	2	1	-	-	-	-	-	1	9	1	HALIFAX.
BRADFORD - -	288,544	20·1	18·6	18·4	17·7	2·2	120	98	18	32	-	10	-	-	1	-	1	2	6	11	2	BRADFORD.
LEEDS - - -	463,495	19·6	17·1	16·8	17·8	2·4	233	158	37	36	-	11	-	1	7	-	2	9	15	22	1	LEEDS.
SHEFFIELD - -	447,951	15·4	15·0	16·9	14·4	1·0	254	124	31	26	-	-	3	-	5	-	1	1	2	22	3	SHEFFIELD.
ROTHERHAM - -	61,098	13·7	11·1	17·1	13·7	0·9	42	16	5	6	-	-	-	-	1	-	-	-	-	-	-	ROTHERHAM.
YORK - - -	83,467	15·6	12·5	10·0	15·0	2·5	49	24	3	11	-	1	-	1	1	1	-	-	-	4	-	YORK.
HULL - - -	262,426	14·9	14·9	18·5	16·7	1·0	164	84	15	27	-	-	-	2	1	1	1	1	2	20	2	HULL.
MIDDLESBROUGH -	100.069	21·9	23·4	20·3	20·3	1·6	89	39	14	7	-	-	-	2	-	-	1	2	3	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	19·8	13·9	12·9	10·9	1·0	28	11	2	2	-	-	-	1	-	-	-	-	-	4	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	12·1	11·4	11·4	17·1	-	38	24	6	6	-	-	-	-	-	-	-	-	-	5	1	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	15·5	20·3	13·5	17·9	1·7	114	53	11	20	-	-	-	-	4	-	1	1	2	2	3	SUNDERLAND.
SOUTH SHIELDS -	111,402	18·7	14·0	19·7	19·2	0·5	59	41	9	11	-	-	-	1	-	-	-	5	5	4	1	SOUTH SHIELDS.
GATESHEAD - -	123,191	15·2	18·6	13·1	12·3	1·3	83	29	8	9	-	2	-	-	1	-	-	-	-	2	1	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	16·5	16·9	17·3	18·6	1·6	148	96	23	20	-	5	-	2	-	1	-	5	7	22	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	23·1	23·1	20·2	12·5	1·9	36	13	2	5	-	1	-	-	-	-	1	-	4	1	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	12·6	9·8	18·3	9·8	1·4	39	14	3	3	-	-	-	-	1	1	-	1	3	5	-	NEWPORT (MON.).
CARDIFF - - -	183,823	16·5	16·7	16·5	13·6	0·9	103	48	7	11	-	1	-	-	1	-	1	3	3	11	-	CARDIFF.
RHONDDA- - -	127,684	18·0	13·5	15·5	15·9	2·0	90	39	13	6	-	1	1	1	-	1	1	4	4	3	-	RHONDDA.
MERTHYR TYDFIL -	74,961	16·7	21·6	15·3	20·2	2·8	45	29	8	7	-	-	-	-	3	-	1	1	3	6	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	15·1	20·5	19·4	17·2	1·1	61	32	6	9	-	-	-	-	2	-	-	2	5	4	-	SWANSEA.
GREATER LONDON -	7,113,561	15·8	16·9	15·9	14·2	1·4	3802	1942	332	632	-	81	25	18	57	-	16	78	193	670	5	GREATER LONDON.
OUTER RING - -	2,392,344	12·6	12·2	13·2	10·8	1·3	1255	496	93	161	-	20	8	9	19	-	4	17	47	87	2	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	11·6	12·5	12·4	10·0	1·1	595	225	39	70	-	9	2	7	6	-	1	9	22	41	2	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	13·7	12·0	14·1	11·6	1·5	660	271	54	91	-	11	6	2	13	-	3	8	25	46	-	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	19·9	17·9	18·8	16·4	2·3	170	107	20	30	-	5	2	1	4	1	2	1	?	32	9	EDINBURGH.
GLASGOW - - -	835,625	20·9	18·5	18·9	19·4	2·1	547	311	60	61	-	12	-	6	10	2	4	15	?	98	11	GLASGOW.
DUBLIN† - - -	378,994	23·4	28·1	22·4	25·9	0·3	250	188	20	59	-	-	-	-	1	1	-	3	6	89	5	DUBLIN.†
BELFAST†- - -	358,680	24·1	24·9	22·1	26·0	3·3	238	179	29	45	-	-	1	-	20	1	1	4	5	50	2	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the EIGHTEENTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	190
TOTAL **Births** -	2565	2638	2449	2623	2737	2562	2474	2537	2403	2722	2583·0	254
Males - - -	1322	1365	1232	1314	1364	1278	1271	1332	1175	1362	1309·8	133
Females - -	1243	1273	1217	1309	1373	1284	1203	1205	1228	1360	1273·2	121
TOTAL **Deaths** -	1570	1323	1464	1397	1675	1454	1381	1387	1325	1304	1375·3	144
Males - -	815	720	761	705	889	777	738	708	681	683	716·1	73
Females - -	755	603	703	692	786	677	643	679	644	621	659·2	71

* The numbers in this column are the average weekly numbers in the eighteenth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	13 Week
TOTAL **Births** -	2550	2394	2500	2470	2500	2499	2243	2663	2594	2087	2459	2717	2547	322
TOTAL **Deaths** -	1346	1517	1585	1501	1468	1498	1433	1674	1525	1578	1742	1562	1446	198
Ages at Death: Under 1 year -	272	316	317	280	296	303	273	296	269	288	305	290	239	37
1—5 years -	146	156	187	183	160	190	170	228	225	192	238	211	223	25
5—20 ,, -	79	104	85	69	77	72	73	76	83	76	85	68	64	10
20—40 ,, -	156	174	169	191	171	164	165	201	174	193	198	197	182	23
40—60 ,, -	254	295	315	284	309	302	277	343	270	297	364	324	267	39
60 yrs. & upwds.	439	472	512	494	455	467	475	530	504	532	552	472	471	63
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	26	43	52	55	56	70	65	76	68	68	85	73	61	7
Scarlet Fever - -	11	9	10	6	12	10	9	8	8	7	19	6	17	1
Diphtheria - -	16	13	18	18	12	14	16	15	9	17	13	14	9	1
Whooping-cough -	33	45	35	29	34	38	34	53	42	37	37	43	28	4
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	5	2	5	3	3	3	4	2	2	2	3	2	
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	1	-	
Diarrhœa, Dysentery	23	13	13	14	19	17	6	7	13	14	18	14	12	1
All above Diseases -	113	128	130	127	136	152	133	163	142	145	174	151	137	18
Dis. of Resp. System	146	160	176	190	178	173	165	165	175	173	177	159	164	22
Pneumonia - -	132	129	152	153	136	161	153	172	157	186	222	202	145	21
Phthisis - - -	133	141	135	136	134	132	133	169	142	161	165	147	148	18
Dis. of Circ. System -	177	216	207	196	177	201	173	238	213	180	207	190	175	25
Violence - - -	44	66	66	52	46	64	66	68	56	47	70	63	61	7
Inquest Cases - -	132	160	169	144	141	152	165	168	154	148	170	152	146	20
Deaths in Institutions	493	552	650	545	548	532	523	655	556	577	654	574	583	74
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	37·0	38·2	37·4	41·7	47·2	43·5	37·5	38·2	45·6	51·5	45·7	42·0	46·6	4
Mean of Highest -	41·9	44·8	43·5	48·6	55·4	49·9	43·4	46·0	56·7	61·7	57·3	52·1	56·1	5
Mean of Lowest -	32·2	32·6	32·2	35·7	40·0	37·3	33·0	32·6	34·5	39·4	34·0	33·7	38·1	3
Mean Humidity of the Air.	80	85	81	79	75	73	79	73	63	62	66	68	73	7
Rain-fall (in inches) -	0·38	0·92	0·27	0·17	0·35	0·29	0·32	0·14	0·00	0·03	0·05	0·43	0·26	3
Registered Sunshine (in hours).	17·5	13·0	13·8	21·7	35·0	22·1	18·0	18·0	55·7	64·4	42·0	44·2	38·4	40
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mea
Small-pox - -	-	2	5	6	6	7	10	8	8	7	7	6	3	
Scarlet Fever - -	2839	2734	2689	2623	2515	2485	2434	2386	2322	2302	2225	2240	2337	2
Diphtheria - -	899	944	953	933	931	907	926	929	908	909	881	862	828	
Typhus - - -	-	-	-	-	2	2	2	1	-	-	-	-	-	
Enteric Fever - -	79	81	80	79	73	69	65	63	68	61	60	56	60	

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kind placed their meteorological observations at the disposal of the Registrar-General, and the resu have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymout R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birminghar A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M. Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchest H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for t Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the EIGHTEENTH Week of the Year 1906.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 18th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages						
		ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES - - -	1375·3	1446	239	223	64	182	267	471
Small-pox* - - -	11·5	-	-	-	-	-	-	-
Cowpox - - - -	-	-	-	-	-	-	-	-
Measles (Morbilli) - -	53·0	61	14	45	2	-	-	-
Scarlet Fever - - -	7·6	17	1	12	3	1	-	-
Typhus - - - -	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-
Influenza - - - -	12·7	21	1	-	-	2	7	11
Whooping-cough - -	49·2	38	8	30	-	-	-	-
Diphtheria - - -	17·3	9	1	6	1	1	-	-
Cerebro Spinal Fever -	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain) - - -	0·3	-	-	-	-	-	-	-
Enteric Fever - - -	5·4	-	-	-	-	-	-	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	5·1	3	1	2	-	-	-	-
Diarrhœa, Dysentery -	11·7	9	7	-	-	-	-	2
Tetanus - - - -	-	1	1	-	-	-	-	-
Rabies, *Hydrophobia* -	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-
Venereal Dis. - - -	7·6	11	6	2	-	1	2	-
Puerperal Septicæmia -	0·5	2	-	-	-	2	-	-
Puerperal Pyæmia -	0·3	-	-	-	-	-	-	-
Puerperal Fever - -	0·8	-	-	-	-	-	-	-
Infective Endocarditis -	1·8	3	-	-	-	1	2	-
Pneumonia: Lobar - -	17·8	19	-	1	1	6	4	7
Pneumonia: Broncho- -	51·7	57	17	24	3	2	2	9
Pneumonia: Epidemic -	-	-	-	-	-	-	-	-
Pneumonia: Not defined	62·7	69	2	17	1	16	13	20
Erysipelas - - -	4·1	4	2	-	-	-	-	2
Septicæmia (not Puerperal) - - -	0·5	2	1	-	-	-	-	1
Pyæmia (not Puerperal)	0·5	-	-	-	-	-	-	-
Other Infective Processes	8·7	1	1	-	-	-	-	-
Tuberculous Phthisis -	71·9	106	1	3	9	4	33	12
"*Phthisis*" - - -	67·8	42	-	-	5	12	19	6
Tuberculous Meningitis -	21·4	27	8	13	5	1	-	-
Tuberculous Peritonitis -	8·9	10	1	6	2	1	-	-
Tabes Mesenterica - -	5·6	-	-	-	-	-	-	-
Tuberculous Dis. (other)-	16·3	19	4	4	4	4	1	2
Scrofula - - - -	0·3	-	-	-	-	-	-	-
Alcoholism - - -	8·4	9	-	-	-	2	6	1
Rheumatic Fever - -	3·3	10	-	3	3	3	1	-
Gout - - - - -	3·3	1	-	-	-	-	-	1
Carcinoma - - -	50·0	62	-	-	-	1	26	35
Sarcoma - - - -	6·6	7	-	-	-	3	1	3
Cancer (undefined) - -	32·9	27	-	-	1	1	10	15
Diabetes Mellitus - -	10·2	5	-	1	-	-	3	1
Premature Birth - -	42·6	44	44	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 18th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages						
		ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	16·8	19	3	10	-	4	1	1
Insanity, Gen. Par. of Insane - - -	14·0	17	-	-	-	4	4	9
Epilepsy - - - -	7·9	7	-	-	1	2	3	1
Convulsions - - -	22·9	12	12	-	-	-	-	-
Locomotor Ataxy - -	1·8	2	-	-	-	-	2	-
Paraplegia, Dis. of Cord	4·3	6	-	1	-	-	2	3
Nervous Sys. (other dis.)	17·8	14	-	1	-	4	3	6
Valv. Dis., Endocarditis-	41·5	43	-	-	4	7	14	18
Cerebr. Hæm. Thromb. -	30·1	36	-	-	-	1	7	28
Apoplexy, Hemiplegia -	19·9	9	-	-	-	-	1	8
Aneurysm - - -	5·6	3	-	-	-	-	2	1
Embolism, Thrombosis (not cerebral) -	1·0	1	-	-	-	-	1	-
Heart & Blood Vessel Dis.	83·6	83	-	-	6	6	28	43
Croup (not Spasm : nor Memb.) - -	0·3	-	-	-	-	-	-	-
Bronchitis - - -	88·5	142	18	10	-	2	14	98
Asthma, Emphysema -	6·1	7	-	-	-	3	1	3
Pleurisy - - - -	3·8	4	-	-	-	1	-	3
Respiratory Dis. (other)	11·5	11	2	1	-	2	2	4
Tonsillitis, Quinsy - -	0·8	-	-	-	-	-	-	-
Enteritis (not Epid.) -	8·2	11	6	-	1	1	2	1
Gastro-Enteritis - -	4·3	8	6	2	-	-	-	-
Peritonitis (not Puerp.) -	2·0	-	-	-	-	-	-	-
Cirrhosis of Liver - -	13·8	10	-	-	-	3	4	3
Liver Dis. (other) - -	8·7	3	-	-	-	-	2	1
Digestive Dis., Other -	34·7	33	4	2	2	6	6	13
Nephritis, Acute - -	4·8	7	-	-	1	2	4	-
Bright's Dis., Albuminuria - - -	35·7	29	-	-	-	4	12	13
Urinary Sys., Other Dis.	8·9	8	-	-	-	-	1	7
Generative Organs Dis.-	3·8	6	-	-	-	1	3	2
Childbirth (Accid. of) -	3·3	1	-	-	-	1	-	-
Old Age - - - -	51·7	59	-	-	-	-	1	58
Other Diseases - -	80·0	98	57	22	6	2	4	7
ACCIDENT.								
By Railways - - -	1·5	2	-	-	-	2	-	-
By Vehicles and Horses-	4·1	6	-	1	1	1	3	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	-	1	-	-	-	1	-	-
In Building Operations -	0·5	-	-	-	-	-	-	-
In Conflagrations - -	-	4	1	1	-	2	-	-
By Burns, Scalds, Explosions - -	4·8	6	2	2	-	1	-	1
By Drowning - - -	5·9	4	-	-	-	1	3	-
By Suffocation in Bed -	7·6	4	4	-	-	-	-	-
By Poisons or Poisonous Vapours - -	3·1	2	-	-	-	1	1	-
Other Deaths by Accident - - -	13·3	20	3	1	2	4	1	9
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	2·0	-	-	-	-	-	-	-
Suicide - - - -	13·8	12	-	-	-	5	5	2
Execution - - -	0·3	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA[illegible] SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regi[illegible] in each SUB-DISTRICT during the Week ended Saturday, 5th May, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Uncertified Causes of Death.
LONDON - - -	4,536,429	2547	1446	239	471	-	61	17	9	38	-	-	-	12	61	146	58[illegible]
WEST DISTRICTS - - -	805,311	387	239	43	77	-	6	5	-	7	-	-	-	2	13	25	10[illegible]
NORTH DISTRICTS - - -	1,056,070	549	323	45	112	-	15	6	4	5	-	-	-	3	16	32	11[illegible]
CENTRAL DISTRICTS - - -	209,465	117	77	14	13	-	11	-	-	2	-	-	-	-	6	14	4
EAST DISTRICTS - - - -	715,739	501	254	46	66	-	8	-	2	8	-	-	-	-	6	28	12[illegible]
SOUTH DISTRICTS - - -	1,749,844	993	510	91	184	-	20	5	3	16	-	-	-	7	19	47	15[illegible]
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	43	-	19	-	1	1	-	-	-	-	-	-	1	-	4[illegible]
WEST DISTRICTS.																	
St. Mary Paddington *W,2H* - -	93,178	46	31	5	14	-	-	-	-	2	-	-	-	-	-	1	1[illegible]
St. John Paddington *H* - - -	33,617	5	9	-	2	-	-	-	-	-	-	-	-	-	-	-	[illegible]
North-West Paddington - -	17,181	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* - -	128,037	50	46	8	14	-	1	-	-	-	-	-	-	-	2	5	2[illegible]
Brompton *2H* - - - - -	48,591	10	6	-	3	-	-	-	-	-	-	-	-	-	1	4	-
North Hammersmith *2W,wH* -	49,192	33	7	2	2	-	2	-	-	-	-	-	-	-	1	1	-
South Hammersmith *w,2H* - -	63,047	35	18	3	8	-	-	-	-	1	-	-	-	-	4	5	[illegible]
North-west Fulham *W* - - -	45,180	47	30	10	8	-	-	-	-	-	-	-	-	2	3	3	1[illegible]
North-east Fulham *F* - - -	46,405	29	20	6	7	-	-	4	-	-	-	-	-	-	-	-	[illegible]
South Fulham *W* - - - -	45,704	33	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H* - - -	42,514	17	25	2	5	-	2	-	-	3	-	-	-	-	-	2	1[illegible]
Chelsea South *W,2H* - - -	31,328	16	8	-	3	-	1	1	-	-	-	-	-	-	1	1	1
Mayfair and Knightsbridge - -	28,743	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H* - - - -	55,815	14	13	2	4	-	-	-	-	1	-	-	-	-	1	2	[illegible]
St. Margaret & St. John *4H* - -	43,698	28	13	1	3	-	-	-	-	-	-	-	-	-	-	1	6
St. James and St. Anne‡ *W,6H* -	33,081	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H* - -	35,391	7	26	1	5	-	-	-	-	-	-	-	-	-	2	2	1[illegible]
St. Mary Marylebone *W,4H* -	37,948	44	8	2	2	-	-	-	-	-	-	-	-	-	-	-	4
Christchurch Marylebone *H* -	39,536	15	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H* - -	20,426	10	6	-	6	-	-	-	-	-	-	-	-	-	1	1	-
Hampstead *W,F,7B* - - -	81,942	35	18	1	8	-	-	2	2	-	-	-	-	-	1	1	1[illegible]
West St. Pancras *2H* - - -	60,562	31	13	1	5	-	-	-	-	1	-	-	-	-	-	1	1
Tottenham-court *w,7H* - -	21,258	10	8	1	1	-	-	-	-	-	-	-	-	-	2	2	8
Gray's Inn Lane *4H* - - -	34,449	17	6	4	-	-	2	-	-	1	-	-	-	-	1	1	2
East St. Pancras *W,2H* - - -	60,320	45	19	1	7	-	4	-	-	-	-	-	-	-	2	2	3
North St. Pancras *2W* - - -	58,728	29	24	1	10	-	-	-	-	1	-	-	-	1	1	3	9
Tufnell *W* - - - -	31,995	13	21	1	10	-	1	1	-	-	-	-	-	-	1	2	11
Upper Holloway *2W,w,H* - -	33,978	23	20	3	4	-	1	-	-	-	-	-	-	-	2	2	14
Tollington *WH* - - - -	33,922	19	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - -	41,424	22	12	3	2	-	3	-	-	-	-	-	-	-	-	1	-
Barnsbury - - - - -	54,478	37	13	2	4	-	-	-	-	-	-	-	-	-	-	1	-
Islington South-east *F* - -	76,397	35	19	6	9	-	-	1	-	-	-	-	-	-	1	3	-
Highbury *2H* - - - - -	63,797	27	15	-	9	-	-	-	-	-	-	-	-	-	-	2	2
Stoke Newington *H* - - -	51,247	19	14	1	5	-	-	-	-	2	-	-	-	1	-	1	-
North Hackney - - - - -	50,560	17	10	2	7	-	-	-	-	-	-	-	-	1	-	-	-
Central Hackney *2w,F* - - -	50,536	27	15	5	2	-	3	2	2	-	-	-	-	-	-	4	4
South-west Hackney *3H* - -	59,921	32	20	4	3	-	-	-	-	-	-	-	-	-	2	2	12
South-east Hackney *2W,w,H* - -	58,265	35	22	4	7	-	1	-	-	-	-	-	-	-	-	1	13

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the n[illegible] namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr[illegible] than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a s[illegible] district contains more than one institution of either kind, the number is indicated by a figure prefixed to [illegible] letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever[illegible]

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. Ja[illegible] and St. Anne.

5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th May, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
es and Bloomsbury 2*W*,2*H* -	31,436	32	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
l *W*,4*H* - - - - - -	21,674	2	11	1	2	-	-	-	-	1	-	-	-	-	1	2	10	-
l Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
rn *W*,6*H* - - - - -	29,612	14	14	4	1	-	-	-	-	-	-	-	-	-	-	1	10	-
Clerkenwell - - -	28,676	21	8	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Clerkenwell *H* - - -	35,028	20	7	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
ry 3*H*,*L* - - - - -	36,116	24	7	2	-	-	3	-	-	-	-	-	-	-	1	2	1	-
n Union Workhouse, ham - - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
tolph *H* - - - - - -	10,299	3	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	
ulchre and Allhallows *W*,2*H*	16,624	1	21	3	4	-	2	-	-	1	-	-	-	-	3	7	17	-
London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
litch South *H* - - -	46,362	24	9	2	2	-	1	-	-	-	-	-	-	-	1	1	-	-
litch North-West *W*,*w*,*H* -	36,127	16	26	2	12	-	1	-	-	-	-	-	-	-	1	5	17	-
litch Union Workhouse, Wood n - - - - - - -	36,148	22	12	3	2	-	3	-	-	-	-	-	-	-	-	1	-	-
al Green North 2*H* - -	51,514	30	17	3	1	-	-	-	-	-	-	-	-	-	-	-	8	-
al Green South - - -	33,472	18	6	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
al Green East 2*W*,*H*,*L* - -	44,694	24	25	3	10	-	-	-	-	-	-	-	-	-	1	3	20	-
fields - - - - -	27,969	28	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nd New Town *W*,*H* - -	28,718	29	44	8	4	-	1	-	2	-	-	-	-	-	1	3	44	-
nan's Fields - - - -	22,081	14	5	2	2	-	-	-	-	1	-	-	-	-	-	1	-	-
orge and St. John 2*W* - -	49,068	45	10	1	2	-	-	-	-	1	-	-	-	-	-	-	4	-
well and Ratcliff *W*,*H* - -	25,568	16	12	4	2	-	-	-	-	1	-	-	-	-	-	-	7	-
nouse *W* - - - - -	32,369	22	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
l End Old Town South-tern *H* - - - -	63,698	69	12	2	1	-	-	-	-	1	-	-	-	-	-	2	-	-
l End Old Town North-tern *W*,*w* - - -	49,129	34	11	3	4	-	-	-	-	2	-	-	-	-	-	-	8	-
L - - - - - - -	41,989	27	13	5	3	-	1	-	-	-	-	-	-	-	1	3	-	-
ley 3*w*,*H* - - - - -	68,319	42	37	4	19	-	1	-	-	-	-	-	-	-	1	4	19	-
r *W*,*w* - - - - -	58,514	41	11	1	-	-	-	-	-	2	-	-	-	-	-	3	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis in each SUB-DISTRICT during the Week ended Saturday, 5th May, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *W,H* -	11,263	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H* - -	12,056	7	16	3	3	-	3	-	-	-	-	-	-	-	2	2
Kent-road - - - - -	21,904	18	7	3	1	-	2	-	-	-	-	-	-	-	1	1
St. George the Martyr West *W,2H,L* - - - -	39,094	18	6	2	-	-	1	-	-	-	-	-	-	1	-	2
Newington North - - -	49,022	24	14	4	1	-	1	-	-	2	-	-	-	-	2	5
Newington South *W* - - -	72,841	42	17	5	3	-	1	-	-	-	-	-	-	-	3	4
St. Olave *2W* - - - -	9,81	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W* - - - -	82,483	58	18	3	4	-	4	-	-	1	-	-	-	-	1	3
Rotherhithe *W,F* - - - -	38,460	21	16	-	6	-	-	-	-	-	-	-	-	-	-	3
Waterloo-road *2H* - - -	27,440	25	8	3	3	-	-	-	-	-	-	-	-	1	-	1
Lambeth Church 1st *H* - -	18,423	13	15	-	3	-	-	-	-	1	-	-	-	-	1	3
Lambeth Church 2nd *2W* - -	39,818	25	16	-	11	-	-	-	-	1	-	-	-	-	-	-
Kennington 1st *H* - - -	53,198	33	14	2	7	-	-	-	-	1	-	-	-	-	-	-
Kennington 2nd *H* - - -	42,896	13	12	3	7	-	1	-	-	-	-	-	-	-	-	1
Brixton *F* - - - - -	84,232	35	20	6	8	-	1	-	1	-	-	-	-	-	-	-
Norwood *W,H* - - - -	35,888	20	7	2	3	-	-	-	-	1	-	-	-	-	-	-
East Battersea *H* - - -	72,203	44	16	4	4	-	-	-	-	1	-	-	-	-	1	3
North-west Battersea - - -	49,656	30	10	2	3	-	-	-	-	-	-	-	-	-	-	1
South-west Battersea *2W,H* - -	47,048	15	26	4	13	-	1	-	-	1	-	-	-	-	-	-
Clapham *2H* - - - -	51,361	36	12	2	5	-	1	-	-	1	-	-	-	-	-	-
Streatham *W,2w,2F,2L* - -	88,019	66	27	3	10	-	-	1	1	-	-	-	-	-	-	2
Springfield *2W,L* - - - -	27,959	20	5	-	4	-	-	-	-	-	-	-	-	-	-	1
Southfields *H* - - - -	40,444	27	7	-	1	-	-	-	-	1	-	-	-	-	1	2
Putney - - - - - -	24,139	14	8	1	4	-	-	-	-	-	-	-	-	-	1	1
Dulwich - - - - - -	13,359	7	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Camberwell South *W,w* - -	40,206	18	34	3	20	-	1	-	-	-	-	-	-	1	-	1
Camberwell North *W,2L* - -	65,584	29	30	3	8	-	-	-	-	1	-	-	-	-	2	3
St. George - - - - -	47,331	28	8	3	1	-	2	-	-	-	-	-	-	1	-	-
Peckham North - - - -	48,913	23	8	3	1	-	1	-	-	-	-	-	-	-	-	-
Peckham South *2W,w* - - -	43,946	22	10	1	5	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - - -	37,613	27	8	2	3	-	-	-	-	-	-	-	-	1	-	1
Deptford Central - - - -	45,481	25	6	2	3	-	-	-	-	-	-	-	-	1	-	-
Deptford South - - - -	34,625	14	11	2	5	-	-	-	-	1	-	-	-	-	-	-
Greenwich West *2H* - - -	23,456	19	4	2	-	-	-	-	1	-	-	-	-	-	-	1
Greenwich East *2W,H* - -	43,859	28	20	3	3	-	-	-	-	2	-	-	-	-	1	1
Eltham *w,H* - - - -	7,226	9	2	2	-	-	-	-	-	-	-	-	-	-	-	1
Lee *wH* - - - - -	25,490	7	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F* - - - -	58,352	38	18	3	8	-	-	3	-	-	-	-	-	1	-	-
Sydenham *H* - - - -	43,653	22	18	3	7	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H* - - - -	21,134	7	4	-	-	-	-	1	-	-	-	-	-	-	2	2
Woolwich *5H* - - - -	41,625	18	13	3	5	-	-	-	-	-	-	-	-	-	-	1
Plumstead West *W* - - -	18,063	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H* - -	50,264	30	8	1	5	-	-	-	-	-	-	-	-	-	1	1
Workhouse:—																
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																
Joyce Green - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																
Gore Farm (temporary) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern - - - -	—	-	2	-	-	-	1	-	-	-	-	-	-	-	-	3
Northern - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1
M. A. B. Imbecile Asylums:—																
Caterham - - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3
Darenth - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	1	3
London County Lunatic Asylums:—																
Banstead - - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4
Ewell (Epileptic Colony) - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Horton - - - - - -	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	7
Manor - - - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2
Cane Hill - - - - -	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	4
Dartford Heath - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4
Hanwell - - - - -	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	7
Colney Hatch - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4
Claybury - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 5th May, 1906.

Metropolitan Police District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1255	496	93	161	-	20	8	9	19	-	4	17	47	87	2
:1	Carshalton 2F,3H - -	12,228	32,997	20	10	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H-	10,423	15,548	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
:1	Godstone, *part of** W,F -	2,754	2,692	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
:1	Coulsdon - - - -	11,069	8,166	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	21	9	-	5	-	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H -	2,168	42,888	31	18	2	4	-	-	-	1	-	-	-	-	1	7	-
4	North Croydon H - -	2,644	41,698	22	8	-	4	-	-	-	-	-	-	-	-	1	2	-
5	Penge w,H - - - -	770	22,465	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30,015	42	13	2	2	-	1	-	-	1	-	-	-	1	-	-
:1	Wimbledon F,3H - -	3,221	41,652	23	8	1	3	-	2	-	-	-	-	-	1	1	1	-
2	Kingston 2W,H - - -	6,224	42,068	16	17	1	8	-	-	-	-	2	-	-	2	4	7	-
3	Surbiton F,H - - -	3,046	15,017	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L - -	4,564	23,456	9	6	1	2	-	-	-	-	1	-	-	1	1	1	-
:1	Richmond W,H - - -	2,162	28,865	12	11	-	5	-	-	1	-	-	-	2	-	2	3	-
2	Mortlake F - - -	2,847	20,628	13	13	3	3	-	2	-	-	4	-	-	1	2	1	-
:1	Bromley F,2H - - -	4,703	27,354	19	2	-	-	-	-	1	-	-	-	-	-	-	2	-
2	Beckenham H - - -	7,825	28,497	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H - - -	7,333	16,446	7	4	-	3	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley w F,H - - -	8,678	21,151	16	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - - -	3,854	25,296	21	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1:1	Sunbury w - - - -	11,054	18,683	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	5	4	1	3	-	-	-	-	-	-	1	-	2	-	-
1:1	Hillingdon W,F,H - -	6,035	13,661	5	5	2	2	-	-	-	-	-	-	-	-	-	3	-
2	Uxbridge H - - -	12,757	8,984	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2 F,H - - -	8,066	16,358	21	3	2	-	-	-	-	-	-	-	-	-	-	-	-
1:1	Isleworth 3W,2F,H - -	6,859	30,863	19	12	4	3	-	2	-	1	-	-	-	2	2	4	-
2	Twickenham F,H - -	2,421	20,991	18	4	1	2	-	-	-	-	1	-	-	-	-	-	-
3	Brentford 3F,2H - -	4,319	48,289	30	12	3	1	-	-	-	-	-	-	-	-	1	-	-
4	Chiswick H- - - -	1,249	29,809	17	5	-	2	-	2	-	-	1	-	-	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	37	14	2	8	-	-	1	-	1	-	-	-	-	-	-
1:1	Harrow F,H - - -	13,809	25,523	9	4	2	2	-	-	-	-	-	-	-	-	1	-	-
2	Edgware 2F,2H - - -	6,994	4,521	3	3	-	1	-	-	1	-	-	-	-	-	-	1	-
3	Willesden W,F,2H - -	4,384	114,811	66	20	6	7	-	2	-	-	1	-	-	-	1	2	-
4	Hendon W,F - - -	8,382	22,450	16	4	1	1	-	-	-	-	-	-	-	-	-	2	-
1:1	South Mimms 2F,H - -	17,755	7,308	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	19	11	2	3	-	1	-	1	-	-	-	-	1	-	-
1:1	Hornsey F,H - - -	2,875	72,056	41	12	2	6	-	-	2	-	-	-	-	-	-	2	-
2	Wood Green H - - -	1,625	34,233	16	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham F - -	996	48,853	32	10	2	1	-	-	-	1	-	-	-	-	2	-	-
4	East Tottenham 2H - -	2,017	53,688	40	12	3	1	-	-	-	-	1	-	-	2	2	3	-
5	Edmonton W,w,2F - -	7,491	61,892	33	19	3	6	-	1	-	-	1	-	-	-	2	5	-
6	Enfield 2W,F,H - - -	12,601	42,738	31	9	3	3	-	-	1	-	-	-	-	1	3	1	-
7	Waltham Abbey F - -	11,017	6,549	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-
:1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey H - - - -	9,333	9,173	5	3	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford H - - -	1,072	44,827	24	14	4	3	-	-	-	-	1	-	-	3	4	3	-
2	Plaistow F,2H - - -	1,249	90,921	41	21	2	3	-	1	-	1	-	-	-	1	3	4	-
3	Canning Town H - -	1,556	70,718	60	13	5	4	-	-	1	-	-	-	-	-	3	-	-
4	Forest Gate w - - -	806	60,892	22	12	1	3	-	-	-	-	1	-	-	-	1	-	-
5	North East Ham w H -	1,333	58,676	39	13	4	4	-	-	-	-	-	-	-	1	2	1	1
6	South East Ham 2F - -	1,993	37,342	34	5	1	1	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F - - -	1,679	9,179	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	25	9	1	5	-	-	-	-	1	-	1	1	1	2	-
9	North Leyton 2W,w,F -	1,963	48,445	28	24	4	9	-	1	-	-	-	-	-	1	1	15	-
10	Walthamstow 3H,L - -	6,504	108,929	74	28	2	11	-	5	-	1	1	-	-	-	-	1	1
:1	Chigwell, *part of** 2F,3H -	11,778	16,397	9	6	-	1	-	-	-	2	-	-	-	-	-	2	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** W,2F -	6,556	6,091	1	5	1	2	-	-	-	-	1	-	-	-	-	4	-
2	Ilford F,L - - - -	8,496	41,234	35	13	4	4	-	-	-	-	-	-	-	-	-	2	-
3	Barking Town F - -	3,803	21,547	25	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	N.E. Hosp., Tottenham -	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	1	3	-
	City of London Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ing are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher arish; 41: 3, excepting Cheisfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting heydon Bois parish, and part of Epping parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious iseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœa
LONDON - -	4,721,217	May 5	2547	1446	16·0	-	61	17	9	38	-	
CALCUTTA - -	910,117	March 24	-	977	59·9	276	10	-	-	-	313†	11
BOMBAY - -	776,006	April 17	414	1868	125·2	14	49	-	-	-	992†	12
MADRAS - -	509,346	" 6	318	487	49·7	46	23	?	?	?	91	
PARIS - - -	2,750,000	" 14	-	-	-	-	-	-	-	-	-	
BRUSSELS - -	612,401	" 28	197	181	15·4	-	4	-	-	1	2	
ANTWERP - -	291,949	" 28	137	102	18·2	1	3	-	-	2	1	
AMSTERDAM -	560,249	" 21	270	172	16·0	-	4	1	3	2	1	
COPENHAGEN -	425,000	" 28	57	136	16·7	-	4	-	-	5	1	
STOCKHOLM -	324,488	" 21	136	91	14·6	-	-	-	1	3	-	
CHRISTIANIA -	222,373	" 28	100	54	12·6	-	-	1	-	-	-	
ST. PETERSBURG	1,424,700	" 14	553	763	27·7	-	32	22	21	6	17	
MOSCOW - -	1,154,000	" 7	-	596	26·9	4	4	8	7	4	1	
		" 14	-	596	26·9	1	5	8	6	6	6	
BERLIN - -	2,050,943	" 14	982	651	16·6	-	12	5	5	7	1	
HAMBURG - -	819,380	" 28	-	236	15·3	-	2	-	3	1	-	
BRESLAU - -	475,000	" 21	-	218	23·9	-	-	-	5	-	1	
MUNICH - -	540,000	" 28	-	183	17·6	-	3	-	1	1	-	
VIENNA - -	1,956,949	" 28	961	774	20·8	-	23	6	10	6	2	
PRAGUE - -	455 241	" 28	202	222	25·0	-	4	-	-	3	2	
BUDA-PESTH -	859,134	" 21	433	307	18·7	-	10	7	3	1	-	
TRIESTE - -	196,637	" 28	110	117	30·9	-	1	-	-	1	-	
ROME - -	526,170	March 24	291	215	21·3	-	5	-	2	2	2	
		" 31	189	177	17·5	-	2	-	-	1	1	
VENICE - -	171,709	—	-	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	April 21	129	130	23·3	-	-	2	2	-	2	
NEW YORK -	4,152,860	" 21	1924	1579	19·8	-	46	18	58	1	7	
CHICAGO - -	2,049,185	" 14	-	621	15·8	-	4	17	10	7	3	
PHILADELPHIA -	1,469,126	" 14	-	588	20·8	-	16	2	15	8	24	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	April 8	-	303	17·3	-	-	-	1	-	1	

* Excluding deaths from croup in the Indian Cities.
† Including 176 deaths from plague in Calcutta, and 875 in Bombay.
‡ Including 37 deaths from cholera in Calcutta, and 26 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 5th May, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rain in Inch
	°	°	°			°	°	°	
LONDON (Greenwich)	63·2	30·8	47·1	0·26	BRADFORD - -	56·8	33·0	45·3	0·
BRIGHTON - -	54·0	33·5	45·7	0·80	LEEDS - - -	58·0	34·0	46 7	0·
PORTSMOUTH - -	57·9	34·5	46·7	0·37	HULL - - -	60·0	30·0	45 4	0·
NORWICH - -	64·0	29·6	47·3	0·29	TYNEMOUTH - -	57·0	31·0	43·9	0·
PLYMOUTH - -	55·3	35·0	45·8	1·54	CARDIFF - -	55·7	28·7	44·1	1·
BRISTOL - - -	56·6	31·4	44·5	0·49	EDINBURGH - -	54·8	31·7	42·6	0·
BIRMINGHAM - -	56·2	31·2	43·9	0·96	GLASGOW - -	55·3	28·2	42·4	0·
NOTTINGHAM - -	57·1	30·2	44·9	0·53	DUBLIN Phœnix Park.	58·7	32·7	44·3	0·
LIVERPOOL OBSERVATORY.	58·0	35·0	45·5	0·58	DUBLIN Fitzwilliam Square.†	59·1	34·6	46·5	0·
MANCHESTER -	53·8	32·6	44·0	1·12					
PRESTON - -	55·2	35·0	44·7	0·74					
HUDDERSFIELD -	54·7	32·2	43·6	0·38	BELFAST - -	55·0	33·0	43·2	1·

* Those figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahren to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
April.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
Sunday -	29	Greatest Dec. N.	29·205	51·5	30·8	20·7	40·9	− 7·9	31·0	9·9	15·5	0·0	68	117·6	25·6	45·71	WSW.	SW., SSW. & SSE.	4·5	0·0	0·2	253	− 13	0·09	0·0
Monday -	30	..	29·328	51·7	33·1	18·6	42·4	− 6·6	35·7	6·7	11·3	2·1	77	128·6	27·7	45·64	SE. & ENE.	ENE., NE. & N.	2·1	0·0	0·1	202	− 60	0·08	0·0
May. Tuesday -	1	First Quarter.	29·517	51·4	33·7	17·7	41·7	− 7·5	34·1	7·6	15·9	1·7	74	106·0	23·6	45·55	N.	Variable	0·7	0·0	0·0	128	− 131	0·00	0·5
Wednesday	2	..	29·594	50·3	34·6	15·7	43·9	− 5·5	40·4	3·5	11·3	0·6	87	89·6	26·9	45·52	SSW.	SW. & SSW.	3·8	0·0	0·3	292	+ 35	0·07	7·8
Thursday -	3	..	29·627	62·3	47·1	15·2	53·0	+ 3·3	44·2	8·8	16·3	0·6	72	124·1	41·9	45·60	SSW. & SW.	SSW.	6·1	0·0	0·7	399	+144	0·01	5·7
Friday -	4	..	29·821	62·2	46·9	15·3	52·8	+ 2·8	43·2	9·6	17·1	3·2	70	113·0	41·6	45·92	SSW. & SW	SW. & WSW.	3·5	0·0	0·4	361	+107	0·01	0·0
Saturday -	5	..	30·037	63·2	40·3	22·9	51·4	+ 1·1	39·0	12·4	20·9	1·4	63	123·9	32·2	46·51	WSW. & SW.	SW. & SSW.	2·8	0·0	0·2	278	+ 25	0·00	1·5
Means -			29·590	56·1	38·1	18·0	46·6	− 2·9	38·2	8·4	15·5	1·4	73	114·6	31·3	45·78	SW.		..	..	..	Sum 1913	Sum + 107	Sum 0·26	2·2
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. April.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.
Sunday -	29	m. P. till 11h. A.M.; v. P. and v. N. till 4h. P.M.; m. P. afterwards.	9·5	14·6
Monday -	30	m. P. with occasional v. N. till 10h. A.M.; s. P. with occasional s. N. afterwards.	2·7	14·7
May. Tuesday -	1	s. P. till 4h. P.M.; m. P. generally afterwards; s. N. at 3h. P.M.	2·9	14·7
Wednesday	2	m. P. till 7h. A.M.; w. P. and v. N. till 5h. P.M.; w. P. afterwards.	2·8	14·8
Thursday -	3	w. P. generally; m. P. in evening.	7·1	14·9
Friday -	4	w. P. generally till 5h. P.M.; m. P. till 10h. P.M.; s. P. afterwards.	4·8	14·9
Saturday -	5	m. P. till 8h. A.M.; w. P. till 4h. P.M.; m. P. afterwards.	8·6	15·0
			Sum 38·4	Sum 103·6
No. of Col. -	-	27	28	29

GENERAL REMARKS.

Very fine with hoar frost in early morning; variable till evening; cloudless with hoar frost at night; sharp showers of rain, hail, and granular snow in afternoon.

Cloudless with hoar frost in early morning; generally cloudy with occasional showers afterwards; hail in forenoon.

Fine but generally cloudy; hoar frost in morning.

Fine and partially cloudy till 8h. 30m. A.M.; generally overcast with frequent slight rain afterwards.

Very fine generally; partially cloudy; occasional light showers. Lunar halo in evening.

Fine but cloudy generally; light showers in early morning and evening.

Cloudy in morning; very fine till afternoon: generally cloudy afterwards. Solar halo in forenoon. Lunar halo at night.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·21 in. at the beginning of the week to 29·19 in. by 3h. P.M. on April 29th; increased to 29·62 in. by noon on May 2nd; decreased to 29·54 in. by midnight on the same day; increased to 30·05 in. by 10h. A.M. on May 5th; and decreased to 30·00 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 28th April, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	18	1	-	-	-	-	7	-
Kensington	180,952	-	13	3	-	-	-	-	1	2
Hammersmith	120,679	-	9	6	-	1	-	-	3	-
Fulham	161,965	-	11	7	-	2	-	-	2	-
Chelsea	74,672	-	3	3	-	-	-	-	1	-
City of Westminster	173,905	-	10	2	-	-	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	6	1	-	-	-	-	2	-
Hampstead	89,633	-	12	1	-	-	-	-	-	-
St. Pancras	236,455	-	13	3	-	2	-	-	3	-
Islington	344,987	-	15	6	-	1	-	-	5	-
Stoke Newington	53,217	-	2	4	-	-	-	-	1	-
Hackney	230,721	-	11	4	-	-	-	-	7	1
CENTRAL.										
Holborn	55,805	-	3	-	-	1	-	-	-	-
Finsbury	97,466	-	6	4	-	-	-	-	2	1
City of London	21,367	-	2	-	-	1	-	-	-	-
EAST.										
Shoreditch	116,108	-	9	1	-	-	-	-	2	-
Bethnal Green	130,609	-	7	4	-	1	-	-	2	-
Stepney	307,176	-	21	10	-	1	-	-	7	2
Poplar	170,673	-	7	3	-	-	-	-	3	-
SOUTH.										
Southwark	209,143	-	20	11	-	-	-	-	12	-
Bermondsey	128,629	-	19	6	-	-	-	-	2	-
Lambeth	315,774	-	14	15	-	2	-	-	6	-
Battersea	179,622	-	13	5	-	1	-	-	3	-
Wandsworth	273,331	-	21	13	-	4	-	-	4	-
Camberwell	274,132	-	15	9	-	1	-	-	3	-
Deptford	115,495	-	4	2	-	1	-	-	-	-
Greenwich	105,350	-	5	5	-	-	-	-	1	-
Lewisham	148,463	-	11	4	-	-	-	-	3	1
Woolwich	127,345	-	14	7	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	314	140	-	19	-	-	84	7
Ages 0-1		-	5	5	-	-	-	-	5	-
" 1-5		-	105	59	-	-	-	-	4	-
" 5-		-	117	37	-	2	-	-	2	-
" 10-		-	45	11	-	1	-	-	6	-
" 15-		-	14	8	-	3	-	-	3	-
" 20-		-	11	5	-	1	-	-	3	1
" 25-		-	13	11	-	3	-	-	10	3
" 35-		-	3	2	-	4	-	-	12	3
" 45-		-	1	2	-	3	-	-	19	-
" 55-		-	-	-	-	1	-	-	13	-
" 65 and upwards		-	-	-	-	1	-	-	7	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 19. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, MAY 12. [Price 1½*d*.

General Register Office, Somerset House,
May 14th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·5 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·3, 16·7, and 16·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·0 in Halifax, 20·3 in Plymouth and in Warrington, 20·5 in Liverpool and in Salford, 21·0 in Bradford, 21·3 in Bury and in Rotherham, and 23·1 in Barrow in Furness; from *measles*, 1·6 in Newcastle on Tyne, 1·7 in Manchester and in Leeds, 2·1 in Liverpool, 2·3 in Bradford, 5·0 in Great Yarmouth, and 6·1 in Burnley; from *scarlet fever*, 1·2 in Sheffield and 1·7 in Rotherham; from *diphtheria*, 1·2 in Hornsey and in York, and 1·3 in Derby; and from *whooping-cough*, 1·3 in Reading, 1·6 in Bootle and in Huddersfield, 2·0 in Coventry, and 2·3 in Warrington. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2497 BIRTHS and 1417 DEATHS were registered. Allowing for increase of population, the births were 146 below and the deaths 12 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 19·2, 17·3, and 16·0 per 1000 in the preceding three weeks, further fell last week to 15·6. The death-rate in the four weeks ended last Saturday averaged 17·0 per 1000, being 1·0 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 5/06 D & S 3 24843 T

The 1417 deaths included 75 from measles, 11 from scarlet fever, 10 from diphtheria, 26 from whooping-cough, 5 from enteric fever, and 16 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 143 deaths were referred to these diseases in the aggregate, being 13 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 85, 73, and 61 in the preceding three weeks, rose to 75 last week, and were 17 above the corrected average; 10 deaths belonged to the Borough of Islington, 7 to St. Pancras, 6 to Southwark, and 5 each to Hampstead and Shoreditch. The deaths from *scarlet fever*, which had been 19, 6, and 17 in the preceding three weeks, fell to 11 last week, the corrected average being 9; 3 deaths belonged to Islington. The deaths from *diphtheria*, which had been 13, 14, and 9 in the preceding three weeks, were 10 last week, and were 8 below the corrected average. The deaths from *whooping-cough*, which had been 37, 43, and 38 in the preceding three weeks, fell to 26 last week, and were 15 below the corrected average; 4 deaths belonged to Finsbury, 4 to Bethnal Green, and 4 to Greenwich. The fatal cases of *enteric fever*, which had been 2, 3, and 0 in the preceding three weeks, rose to 5 last week, the corrected average being 3; 2 deaths belonged to Finsbury. The deaths from *diarrhœa*, which had been 18, 14, and 12 in the preceding three weeks, rose to 16 last week, and were equal to the corrected average. Of the 16 deaths from diarrhœa, 14 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 24, having been 43, 35, and 21 in the preceding three weeks. The death of a house painter, aged 54, was certified as due to *lead poisoning*.

Different forms of *violence* caused 60 deaths, concerning all of which inquests were held. Of these 60 deaths, 15 were cases of suicide, and 1 of homicide, while the remaining 44 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 2 to burns or scalds, 2 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 10, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2378 of scarlet fever, 791 of diphtheria, and 56 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 1, 0, and 0; of scarlet fever, 338 cases, against 288, 314, and 357; of diphtheria, 82 cases, against 94, 88 and 104; and of enteric fever, 12 cases, against 11, 10, and 13. Table 10 compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 5th, 1906.

Greater London.

In Greater London 3761 births and 1983 deaths were registered. Allowing for increase of population, these numbers are 251 below and 53 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns 9 deaths from measles, 5 from scarlet fever, 4 from diphtheria, 7 from whooping-cough, 1 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·75 inches, and that of the Thermometer 54°·2 the latter being 2°·9 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 24 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 22·8 hours; the measured rainfall amounted to 0·05 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Causes. Week ended 21st April, 1906.	28th April, 1906.	5th May, 1906.	12th May, 1906.	Diseases in Cols. 11–17. Week ended 12th May, 1906.	Registered during the Week ended 12th May, 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**17·3**	**16·7**	**16·3**	**15·5**	**1·6**	**8676**	**4698**	**977**	**1416**	**–**	**218**	**47**	**37**	**123**	**17**	**42**	**157**	**335**	**1167**	**56**	**76 Towns.**
London - - -	4,721,217	19·2	17·3	16·0	15·6	1·6	2497	1417	255	446	–	75	11	10	26	5	16	60	141	567	2	London.
† Croydon - -	151,011	11·0	11·0	10·7	12·1	1·4	59	35	4	16	–	3	–	1	–	–	–	2	3	6	–	Croydon.
† Willesden - -	143,622	13·8	11·6	7·3	9·4	0·4	66	26	5	6	–	–	1	–	–	–	–	–	2	4	–	Willesden.
† Hornsey - -	86,935	10·8	9·0	7·2	7·2	1·8	30	12	1	4	–	–	1	2	–	–	–	–	–	1	–	Hornsey.
† Tottenham - -	119,503	9·6	13·1	9·6	11·8	0·9	63	27	2	11	–	1	1	–	–	–	–	2	5	5	–	Tottenham.
† West Ham - -	301,617	13·7	15·2	11·8	13·8	0·5	174	80	18	25	–	1	1	1	–	–	–	8	13	20	–	West Ham.
† East Ham - -	129,886	10·8	8·8	9·2	12·0	0·8	81	30	10	6	–	–	–	–	1	–	1	1	3	3	–	East Ham.
† Leyton - - -	118,287	12·8	11·5	8·4	11·9	1·8	79	27	9	7	–	1	2	–	–	–	1	1	2	6	–	Leyton.
† Walthamstow -	121,334	15·9	14·2	12·0	6·9	2·6	74	16	4	4	–	3	1	–	–	–	2	–	–	6	–	Walthamstow.
Hastings - - -	67,144	17·1	12·4	13·2	11·6	–	29	15	1	10	–	–	–	–	–	–	–	–	–	2	–	Hastings.
Brighton - -	128,095	10·6	9·8	15·1	13·0	0·4	55	32	5	11	–	1	–	–	–	–	–	1	2	11	–	Brighton.
Portsmouth - -	205,118	12·2	15·8	17·8	11·2	0·5	131	44	8	14	–	–	–	1	1	–	–	–	3	10	–	Portsmouth.
Bournemouth -	67,702	6·9	19·3	8·5	16·2	0·8	28	21	3	9	–	–	–	–	1	–	–	1	1	1	–	Bournemouth.
Southampton -	117,312	9·3	12·9	14·2	12·0	0·9	61	27	7	9	–	–	–	1	1	–	–	1	2	7	–	Southampton.
Reading - - -	78,987	10·6	14·5	15·8	13·2	1·3	47	20	5	7	–	–	–	–	2	–	–	–	–	4	1	Reading.
Northampton -	93,749	14·5	8·3	14·5	6·7	0·6	43	12	2	6	–	–	–	–	1	–	–	–	–	1	1	Northampton.
Ipswich - - -	71,809	16·0	18·2	16·0	15·2	–	35	21	3	8	–	–	–	–	–	–	–	1	3	3	–	Ipswich.
Great Yarmouth -	52,613	17·8	22·8	16·8	15·9	5·0	26	16	5	2	–	5	–	–	–	–	–	1	1	1	–	Great Yarmouth.
Norwich - -	117,958	19·4	18·1	21·7	17·2	0·9	70	39	14	14	–	–	–	–	–	1	1	1	1	8	2	Norwich.
Plymouth - -	118,014	20·3	16·8	12·8	20·3	0·4	59	46	8	21	–	–	–	–	1	–	–	–	–	8	–	Plymouth.
Devonport - -	78,405	12·6	16·6	14·6	10·6	–	49	16	3	4	–	–	–	–	–	–	–	1	1	4	–	Devonport.
Bristol - - -	363,223	16·9	14·9	14·9	12·1	2·0	172	84	16	30	–	8	–	1	2	1	2	–	1	17	–	Bristol.
Hanley‡ - - -	66,360	19·6	22·8	21·2	14·1	0·8	38	18	4	7	–	–	1	–	–	–	–	–	–	5	–	Hanley‡
Burton-on-Trent	52,922	18·7	7·9	16·7	15·8	1·0	27	16	1	4	–	–	–	1	–	–	–	–	–	2	1	Burton-on-Trent.
Wolverhampton -	100,729	7·8	15·0	11·4	11·4	0·5	54	22	7	11	–	1	–	–	–	–	–	–	2	3	–	Wolverhampton.
Walsall - - -	94,577	12·1	7·7	11·0	11·6	1·1	62	21	5	8	–	–	–	–	1	–	1	2	2	2	–	Walsall.
Handsworth -	63,819	9·8	10·6	12·3	7·4	–	20	9	3	4	–	–	–	–	–	–	–	–	–	–	–	Handsworth.
West Bromwich -	68,469	17·5	12·2	12·2	16·8	–	49	22	8	5	–	–	–	–	–	–	–	2	2	7	1	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 12th May, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 21st April, 1906.	28th April, 1906.	5th May, 1906.	12th May, 1906.	Rate from Diseases in Cols. 11-17. Week ended 12th May, 1906.	Registered during the Week ended 12th May, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	18·9	22·3	16·8	17·1	1·7	302	180	50	48	-	2	2	-	11	-	3	4	8	32	7	BIRMINGHAM.
KINGS NORTON -	72,608	10·1	15·8	7·9	6·5	0·7	27	9	1	2	-	-	1	-	-	-	-	-	-	2	-	KINGS NORTON.
SMETHWICK - -	64,531	14·5	17·8	14·5	13·7	1·6	27	17	1	7	-	-	-	-	1	1	-	-	-	-	1	SMETHWICK.
ASTON MANOR -	82,288	13·3	15·2	11·4	14·6	1·9	55	23	7	7	-	-	1	-	1	1	-	-	-	4	-	ASTON MANOR.
COVENTRY - -	76,374	23·2	14·3	18·4	13·0	2·7	58	19	4	4	-	-	-	-	3	1	-	-	-	4	-	COVENTRY.
LEICESTER - -	232,111	12·8	10·8	15·7	13·7	0·7	113	61	13	19	-	1	-	-	1	1	-	2	4	7	-	LEICESTER.
GRIMSBY - - -	69,359	13·5	10·5	16·5	14·3	-	45	19	2	5	-	-	-	-	-	-	-	1	1	-	-	GRIMSBY.
NOTTINGHAM - -	254,563	11·3	12·1	14·5	14·1	-	114	69	15	25	-	-	-	-	-	-	-	4	5	9	-	NOTTINGHAM.
DERBY - - -	123,981	16·8	17·7	12·2	16·0	1·7	77	38	10	6	-	-	-	3	1	-	-	-	3	6	-	DERBY.
STOCKPORT - -	99,646	17·3	20·9	16·7	17·8	1·0	42	34	7	17	-	1	-	-	-	1	-	1	2	6	-	STOCKPORT.
BIRKENHEAD - -	117,292	16·9	11·6	20·9	16·0	0·4	82	36	11	13	-	-	-	1	-	-	-	2	3	5	-	BIRKENHEAD.
WALLASEY - -	64,578	17·8	14·5	12·9	16·1	0·8	39	20	3	4	-	-	-	-	1	-	-	1	1	2	-	WALLASEY.
LIVERPOOL† - -	739,180	23·6	23·4	27·1	20·5	3·4	484	291	60	67	-	30	2	-	14	-	2	5	9	90	11	LIVERPOOL.†
BOOTLE† - - -	65,989	22·9	19·8	19·0	15·8	1·6	53	20	4	6	-	-	-	-	2	-	-	1	1	3	-	BOOTLE.†
ST. HELENS - -	91,153	16·6	18·9	21·7	16·6	-	53	29	7	8	-	-	-	-	-	-	-	1	1	8	2	ST. HELENS.
WIGAN - - -	87,588	15·5	15·5	14·9	19·6	0·6	48	33	7	8	-	1	-	-	-	-	-	1	1	3	1	WIGAN.
WARRINGTON - -	69,280	21·1	14·3	19·6	20·3	2·3	42	27	9	9	-	-	-	-	3	-	-	-	-	1	3	WARRINGTON.
BOLTON - - -	180,502	17·0	16·5	19·4	11·0	1·4	100	38	6	12	-	-	2	-	1	1	1	-	-	1	-	BOLTON.
BURY - - -	58,744	12·4	17·8	19·5	21·3	-	18	24	3	9	-	-	-	-	-	-	-	1	1	2	-	BURY.
MANCHESTER - -	637,126	19·4	19·1	20·1	19·0	3·1	348	232	42	57	-	21	1	2	11	-	3		13	55	3	MANCHESTER.
SALFORD - - -	234,077	22·9	19·6	18·3	20·5	3·1	141	92	26	19	-	5	1	1	4	1	2	4	10	21	1	SALFORD.
OLDHAM - - -	140,969	15·9	21·1	22·2	17·0	1·1	84	46	7	14	-	1	-	-	-	-	2	1	2	9	-	OLDHAM.
ROCHDALE - -	87,189	19·7	17·9	17·9	13·2	-	50	22	3	7	-	-	-	-	-	-	-	-	1	6	-	ROCHDALE.
BURNLEY - - -	102,808	25·9	14·2	15·2	17·2	6·6	61	34	15	5	-	12	-	-	1	-	-	-	-	3	2	BURNLEY.
BLACKBURN - -	134,015	12·5	18·7	20·2	14·8	2·3	65	38	11	13	-	2	2	-	2	-	-	1	3	6	-	BLACKBURN.
PRESTON - - -	116,399	18·4	14·8	13·0	16·1	0·9	80	36	7	14	-	1	-	-	-	-	1	2	3	3	1	PRESTON.
FURNESS.																	1		-	-	2	BARROW-IN-

TOWNS.	Population estimated to the middle of the Year 1906.*	Causes. Week ended 21st April, 1906.	28th April, 1906.	5th May, 1906.	12th May, 1906.	Diseases in Cols. 11-17. Week ended 12th May, 1906.	Registered during the Week ended 12th May, 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	17·0	20·3	17·0	17·6	2·2	36	32	5	12	-	-	1	-	3	-	-	2	2	1	-	HUDDERSFIELD.
HALIFAX - - -	109,272	14·8	16·7	15·3	20·0	0·5	44	42	4	19	-	1	-	-	-	-	-	-	3	11	-	HALIFAX.
BRADFORD - -	288,544	18·6	18·4	17·7	21·0	3·4	124	116	28	30	-	13	2	1	2	1	-	4	10	19	4	BRADFORD.
LEEDS - - -	463,495	17·1	16·8	17·8	16·4	2·7	215	146	28	42	-	15	-	1	7	-	1	6	14	22	-	LEEDS.
SHEFFIELD - -	447,951	15·0	16·9	14·4	15·2	2·0	239	131	23	40	-	-	10	2	5	-	-	6	13	24	1	SHEFFIELD.
ROTHERHAM - -	61,098	11·1	17·1	13·7	21·3	1·7	46	25	7	6	-	-	2	-	-	-	-	-	1	2	-	ROTHERHAM.
YORK - - -	83,467	12·5	10·0	15·0	9·4	1·2	50	15	5	8	-	-	-	2	-	-	-	-	1	5	-	YORK.
HULL - - -	262,426	14·9	18·5	16·7	14·1	0·8	136	71	17	22	-	-	-	3	1	-	-	2	7	13	1	HULL.
MIDDLESBROUGH -	100,069	23·4	20·3	20·3	19·3	2·1	77	37	13	4	-	2	1	-	1	-	-	-	1	4	2	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	13·9	12·9	10·9	16·8	2·0	40	17	4	5	-	-	-	1	1	-	-	1	1	4	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	11·4	11·4	17·1	13·5	-	36	19	3	9	-	-	-	-	-	-	-	-	-	2	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	20·3	13·5	17·9	19·3	0·3	103	57	7	19	-	-	-	-	1	-	-	-	2	14	-	SUNDERLAND.
SOUTH SHIELDS -	111,402	14·0	19·7	19·2	12·2	0·5	73	26	8	7	-	-	-	-	1	-	-	1	1	2	-	SOUTH SHIELDS.
GATESHEAD - -	123,191	18·6	13·1	12·3	12·7	0·8	56	30	6	12	-	-	-	-	2	-	-	-	-	6	4	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	16·9	17·3	18·6	16·7	2·1	171	86	29	18	-	8	-	1	1	-	1	2	5	8	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	23·1	20·2	12·5	16·4	1·0	34	17	5	5	-	1	-	-	-	-	-	1	1	3	2	TYNEMOUTH.
NEWPORT (MON.) -	74,227	9·8	18·3	9·8	14·8	0·7	52	21	4	2	-	-	-	1	-	-	-	-	1	3	-	NEWPORT (MON.).
CARDIFF - - -	183,823	16·7	16·5	13·6	14·2	1·1	90	50	10	16	-	-	-	-	3	-	1	6	6	13	-	CARDIFF.
RHONDDA- - -	127,684	13·5	15·5	15·9	11·0	1·2	104	27	6	5	-	2	-	-	-	1	-	2	2	-	-	RHONDDA.
MERTHYR TYDFIL -	74,961	21·6	15·3	20·2	16·0	0·7	52	23	6	4	-	-	-	-	1	-	-	1	1	3	-	MERTHYR TYDFIL
SWANSEA - - -	96,848	20·5	19·4	17·2	13·5	0·5	62	25	3	11	-	-	-	-	-	1	-	1	1	6	-	SWANSEA.
GREATER LONDON -	7,113,561	16·9	15·9	14·2	14·5	1·4	3761	1983	374	635	-	93	23	18	34	6	21	88	200	671	2	GREATER LONDON.
OUTER RING - -	2,392,344	12·2	13·2	10·8	12·3	1·1	1264	566	119	189	-	18	12	8	8	1	5	28	59	104	-	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	12·5	12·4	9·9	11·3	1·1	626	253	53	79	-	9	7	4	1	-	4	14	28	51	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	12·0	14·1	11·7	13·4	1·2	638	313	66	110	-	9	5	4	7	1	1	14	31	53	-	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	17·9	18·8	16·4	18·0	2·3	174	118	18	39	-	8	2	2	2	-	1	1	?	37	4	EDINBURGH.
GLASGOW - - -	835,625	18·5	18·9	19·4	19·8	2·1	479	318	67	70	-	9	-	3	12	1	9	8	?	84	10	GLASGOW.
DUBLIN† - - -	378,994	28·1	22·4	25·9	21·7	1·1	285	158	26	57	-	1	-	-	1	3	3	1	3	67	3	DUBLIN.†
BELFAST† - - -	358,680	24·9	22·1	26·0	23·4	1·9	246	161	35	41	-	-	-	-	12	1	-	2	6	43	2	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births and Deaths** Registered in the NINETEENTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2690	2430	2425	2574	2581	2510	2560	2615	2551	2645	2642·9	2497
Males - - -	1376	1235	1252	1320	1318	1284	1308	1316	1288	1367	1345·3	1294
Females - -	1314	1195	1173	1254	1263	1226	1252	1299	1263	1278	1297·6	1203
TOTAL **Deaths** -	1523	1334	1356	1428	1446	1386	1456	1278	1454	1324	1404·6	1417
Males - -	816	709	730	772	767	715	785	663	762	704	742·6	725
Females - -	707	625	626	656	679	671	671	615	692	620	662·0	692

* The numbers in this column are the average weekly numbers in the nineteenth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	13 Weeks.
TOTAL **Births** -	2394	2500	2470	2509	2499	2243	2663	2594	2087	2459	2717	2547	2497	32179
TOTAL **Deaths** -	1517	1585	1501	1468	1498	1433	1674	1525	1578	1742	1562	1446	1417	19946
Ages at Death: Under 1 year -	316	317	280	296	303	273	296	269	288	305	290	239	255	3727
1—5 years -	156	187	183	160	190	170	228	225	192	238	211	223	169	2532
5—20 ,, -	104	85	69	77	72	73	76	83	76	85	68	64	77	1009
20—40 ,, -	174	169	191	171	164	165	201	174	193	198	197	182	172	2351
40—60 ,, -	295	315	284	309	302	277	343	270	297	364	324	267	298	3945
60 yrs. & upwds.	472	512	494	455	467	475	530	504	532	552	472	471	446	6382
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	43	52	55	56	70	65	76	68	68	85	73	61	75	847
Scarlet Fever - -	9	10	6	12	10	9	8	8	7	19	6	17	11	132
Diphtheria - -	13	18	18	12	14	16	15	9	17	13	14	9	10	178
Whooping-cough -	45	35	29	34	38	34	53	42	37	37	43	38	26	491
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	2	5	3	3	3	4	2	2	2	3	-	5	39
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diarrhœa, Dysentery	13	13	14	19	17	6	7	13	14	18	14	12	16	176
All above Diseases -	128	130	127	136	152	133	163	142	145	174	154	137	143	1864
Dis. of Resp. System	160	176	190	178	173	165	165	175	173	177	159	164	122	2177
Pneumonia - -	129	152	153	136	161	153	172	157	186	222	202	145	151	2119
Phthisis - - -	141	135	136	134	132	133	169	142	161	165	147	148	139	1882
Dis. of Circ. System -	216	207	196	177	201	173	238	213	180	207	190	175	182	2555
Violence - - -	66	66	52	46	64	66	68	56	47	70	63	61	60	785
Inquest Cases - -	160	169	144	141	152	165	168	154	148	170	152	146	141	2010
Deaths in Institutions	552	650	545	548	532	523	655	556	577	654	574	583	567	7516
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	38·2	37·4	41·7	47·2	43·5	37·5	38·2	45·6	51·5	45·7	42·0	46·6	54·2	43·8
Mean of Highest -	44·8	43·5	48·6	55·4	49·9	43·4	46·0	56·7	64·7	57·3	52·1	56·1	64·1	52·5
Mean of Lowest -	32·6	32·2	35·7	40·0	37·3	33·0	32·6	34·5	39·4	34·0	33·7	38·1	45·4	36·0
Mean Humidity of the Air.	85	81	79	75	73	79	73	63	62	66	68	73	79	73·5
Rain-fall (in inches) -	0·92	0·27	0·17	0·35	0·29	0·32	0·14	0·00	0·03	0·05	0·43	0·26	0·05	3·28
Registered Sunshine (in hours).	13·0	13·8	21·7	35·0	22·1	18·0	18·0	55·7	64·4	42·0	44·2	38·4	22·8	409·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	2	5	6	6	7	10	8	8	7	7	6	3	1	6
Scarlet Fever - -	2734	2689	2628	2545	2485	2434	2386	2322	2302	2225	2240	2337	2378	2439
Diphtheria - -	944	953	933	931	907	926	929	908	909	881	862	828	791	900
Typhus - - -	-	-	-	2	2	2	1	-	-	-	-	-	-	1
Enteric Fever - -	81	80	79	73	69	65	63	68	61	60	56	60	56	67

* The Metropolitan Asylum and London Fever Hospitals.

† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst.C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the NINETEENTH Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 19th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
L CAUSES	1404·6	1417	255	169	77	172	298	446
nall-pox*	11·2	-	-	-	-	-	-	-
owpox	-	-	-	-	-	-	-	-
easles (Morbilli)	58·1	75	19	53	2	1	-	-
arlet Fever	9·2	11	-	5	5	1	-	-
yphus	-	-	-	-	-	-	-	-
ague	-	-	-	-	-	-	-	-
nfluenza	13·8	24	-	-	-	1	6	17
hooping-cough	40·5	26	13	12	1	-	-	-
iphtheria	17·6	10	-	7	3	-	-	-
erebro Spinal Fever	0·3	-	-	-	-	-	-	-
yrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
nteric Fever	3·3	5	-	-	1	3	1	-
siatic Cholera	-	-	-	-	-	-	-	-
pidemic Diarrhœa (Infective Enteritis)	4·6	6	6	-	-	-	-	-
iarrhœa, Dysentery	11·5	10	8	-	1	1	-	-
etanus	1·3	-	-	-	-	-	-	-
abies, *Hydrophobia*	-	-	-	-	-	-	-	-
landers	0·3	-	-	-	-	-	-	-
nthrax (Splenic Fever)	-	-	-	-	-	-	-	-
enereal Dis.	6·6	4	3	-	-	-	-	1
uerperal Septicæmia	1·8	3	-	-	-	3	-	-
uerperal Pyæmia	-	-	-	-	-	-	-	-
uerperal Fever	0·3	1	-	-	-	1	-	-
nfective Endocarditis	1·0	2	-	-	-	2	-	-
neumonia: Lobar	15·8	20	1	1	-	5	9	4
neumonia: Broncho-	50·5	65	23	25	1	1	1	14
neumonia: Epidemic	-	-	-	-	-	-	-	-
neumonia: Not defined	60·9	66	7	4	3	13	21	18
rysipelas	4·1	5	-	-	-	2	2	1
epticæmia (not Puerperal)	0·8	3	1	1	1	-	-	-
yæmia (not Puerperal)	2·3	-	-	-	-	-	-	-
ther Infective Processes	7·9	3	-	-	-	2	-	1
uberculous Phthisis	71·1	89	1	5	5	28	39	11
Phthisis"	70·8	50	-	2	7	19	15	7
uberculous Meningitis	25·7	24	4	12	7	1	-	-
uberculous Peritonitis	7·6	7	2	1	2	2	-	-
abes Mesenterica	4·3	2	2	-	-	-	-	-
uberculous Dis. (other)	17·1	13	3	3	3	2	1	1
crofula	-	-	-	-	-	-	-	-
lcoholism	13·0	13	-	-	-	4	9	-
heumatic Fever	4·3	6	-	-	5	1	-	-
out	2·8	4	-	-	-	-	-	4
arcinoma	56·8	55	-	-	-	4	25	26
arcoma	5·6	6	-	1	-	3	1	1
ancer (undefined)	34·7	28	-	-	1	2	13	12
iabetes Mellitus	6·1	7	-	-	-	-	5	2
remature Birth	50·5	39	39	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 19th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	19·4	14	9	2	2	1	-	-
Insanity, Gen. Par. of Insane	14·3	14	-	-	1	1	6	6
Epilepsy	8·9	7	-	-	1	2	3	
Convulsions	16·6	10	9	1	-	-	-	-
Locomotor Ataxy	1·0	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	5·4	11	-	2	-	2	2	5
Nervous Sys. (other dis.)	19·1	16	2	-	3	1	6	4
Valv. Dis., Endocarditis	42·6	55	-	1	4	7	20	23
Cerebr. Hæm. Thromb.	33·9	34	-	-	1	2	9	22
Apoplexy, Hemiplegia	17·1	14	-	-	-	1	2	11
Aneurysm	4·8	9	-	-	-	-	3	6
Embolism, Thrombosis (not cerebral)	1·5	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	82·1	70	-	1	3	9	15	42
Croup (not Spasm : nor Memb.)	0·5	1	-	1	-	-	-	-
Bronchitis	95·3	106	22	9	-	1	10	64
Asthma, Emphysema	2·5	5	-	-	-	1	1	3
Pleurisy	5·4	1	-	1	-	-	-	-
Respiratory Dis. (other)	8·4	9	3	1	-	1	-	4
Tonsillitis, Quinsy	0·3	-	-	-	-	-	-	-
Enteritis (not Epid.)	7·4	4	3	-	-	-	1	-
Gastro-Enteritis	4·8	3	3	-	-	-	-	-
Peritonitis (not Puerp.)	3·1	-	-	-	-	-	-	-
Cirrhosis of Liver	13·8	14	-	-	-	2	9	3
Liver Dis. (other)	5·1	4	-	1	1	-	1	1
Digestive Dis., Other	33·9	35	1	1	-	11	10	12
Nephritis, Acute	7·6	13	1	-	1	4	4	3
Bright's Dis., Albuminuria	37·5	44	-	-	-	8	21	15
Urinary Sys., Other Dis.	10·2	15	-	-	-	-	1	14
Generative Organs Dis.	3·8	5	-	-	-	1	2	2
Childbirth (Accid. of)	1·8	4	-	-	-	4	-	-
Old Age	47·4	67	-	-	-	-	-	67
Other Diseases	89·6	91	59	12	8	2	3	7
ACCIDENT.								
By Railways	2·0	2	-	-	1	1	-	-
By Vehicles and Horses	7·6	6	-	1	1	1	3	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	-	-	-	-	-	-	-
In Building Operations	0·8	2		-	-	-	1	1
In Conflagrations	1·0	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	4·6	2	-	-	-	2	-	-
By Drowning	4·3	2	-	-	-	1	1	-
By Suffocation in Bed	7·4	10	10	-	-	-	-	-
By Poisons or Poisonous Vapours	2·0	1	-	-	-	-	1	-
Other Deaths by Accident	20·1	19	1	3	-	3	5	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·5	1	-	-	1	-	-	-
Suicide	14·0	15	-	-	1	2	11	1
Execution	0·3	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th May, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include, Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	*Pyrexiæ† Origin uncertain).*	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2497	1417	255	446	-	75	11	10	26	-	5	-	16	60	141	567
WEST DISTRICTS	805,311	343	224	33	75	-	11	1	-	5	-	-	-	5	6	16	82
NORTH DISTRICTS	1,056,070	520	315	49	102	-	26	3	2	2	-	2	-	2	12	27	119
CENTRAL DISTRICTS	209,465	128	83	16	19	-	5	-	1	3	-	1	-	-	4	12	54
EAST DISTRICTS	715,739	516	253	49	64	-	12	-	-	7	-	-	-	2	13	42	116
SOUTH DISTRICTS	1,749,844	990	507	108	179	-	21	5	7	9	-	1	-	7	24	42	161
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	35	-	7	-	-	2	-	-	-	1	-	-	1	2	35
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	47	20	5	6	-	1	-	-	-	-	-	-	-	-	2	2
St. John Paddington *H*	33,617	9	10	-	3	-	-	-	-	-	-	-	-	-	1	1	4
North-West Paddington	17,181	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	51	43	3	20	-	2	-	-	-	-	-	-	-	1	1	26
Brompton *2H*	48,591	7	13	-	9	-	-	-	-	-	-	-	-	-	-	1	1
North Hammersmith *2W,wH*	49,192	27	8	2	2	-	3	-	-	-	-	-	-	-	-	-	-
South Hammersmith *w,2H*	63,047	26	19	2	8	-	1	-	-	-	-	-	-	2	1	1	6
North-west Fulham *W*	45,180	35	17	4	4	-	-	-	-	-	-	-	-	-	-	2	15
North-east Fulham *F*	46,405	27	19	6	3	-	-	1	-	2	-	-	-	1	-	1	1
South Fulham *W*	45,704	23	7	2	2	-	1	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	19	25	3	8	-	1	-	-	1	-	-	-	-	1	1	15
Chelsea South *W,2H*	31,328	19	7	2	1	-	1	-	-	-	-	-	-	2	-	1	2
Mayfair and Knightsbridge	28,743	5	3	-	2	-	-	-	-	-	-	-	-	-	1	1	-
Belgrave *W,2H*	55,815	18	14	1	3	-	-	-	-	-	-	-	-	-	-	3	5
St. Margaret & St. John *4H*	43,698	17	13	3	1	-	1	-	-	2	-	-	-	-	-	-	4
St. James and St. Anne‡ *W,6H*	33,081	10	5	-	3	-	-	-	-	-	-	-	-	-	1	1	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	5	8	-	2	-	-	-	-	-	-	-	-	-	-	-	5
St. Mary Marylebone *W,4H*	37,948	46	4	2	2	-	-	-	-	-	-	-	-	-	-	1	2
Christchurch Marylebone *H*	39,536	16	7	1	1	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *2H*	20,426	12	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *W,F,7H*	81,942	32	30	4	7	-	5	1	1	-	-	1	-	1	-	2	11
West St. Pancras *2H*	60,562	26	14	5	6	-	2	-	-	-	-	-	-	-	1	2	2
Tottenham-court *w,7H*	21,258	6	13	2	4	-	-	-	-	-	-	-	-	-	1	2	10
Gray's Inn Lane *4H*	34,449	16	13	-	4	-	1	-	-	-	-	-	-	-	1	2	5
East St. Pancras *W,2H*	60,320	41	25	4	9	-	4	-	-	-	-	-	-	-	-	2	10
North St. Pancras *2W*	58,728	30	21	1	8	-	-	-	-	-	-	-	-	-	-	-	12
Tufnell *W*	31,995	19	17	1	8	-	-	-	-	-	-	-	-	1	-	-	13
Upper Holloway *2W,w,H*	33,978	24	30	4	10	-	2	-	-	1	-	-	-	-	2	2	20
Tollington *WH*	33,922	16	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	15	13	2	6	-	3	-	-	1	-	-	-	-	-	1	-
Barnsbury	54,478	25	18	6	6	-	2	-	-	-	-	-	-	-	1	3	-
Islington South-east *F*	75,397	46	15	5	4	-	4	1	-	-	-	-	-	-	-	-	2
Highbury *2H*	63,797	22	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	17	9	1	3	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney	50,560	24	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	26	11	1	-	-	2	1	1	-	-	1	-	-	1	1	3
South-west Hackney *3H*	59,921	31	18	5	2	-	-	-	-	-	-	-	-	-	1	1	11
South-east Hackney *2W,w,H*	58,255	25	28	2	9	-	1	-	-	-	-	-	-	-	4	6	12

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered n each SUB-DISTRICT during the Week ended Saturday, 12th May, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Stiles and Bloomsbury 2*W*,2*H* -	31,436	16	7	1	4	-	1	-	-	-	-	-	-	-	1	2	4	-
Stand *W*,4*H* - - - - -	21,674	6	13	-	4	-	-	-	-	-	-	-	-	-	1	1	9	-
Stand Union Workhouse, Edmonton -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Hoorn *W*,6*H* - - - - -	29,612	15	14	6	-	-	2	-	-	1	-	-	-	-	-	1	12	-
Sch Clerkenwell - - -	28,676	24	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Nch Clerkenwell *H* - - -	35,028	34	7	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Fbury 3*H*,*L* - - - - -	36,116	26	6	3	1	-	-	-	-	1	-	-	-	-	-	2	1	-
Hoorn Union Workhouse, Hitcham - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Stotolph *H* - - - - -	10,299	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stepulchre and Allhallows *W*,2*H*	16,624	3	24	3	3	-	1	-	1	-	-	1	-	-	2	5	22	-
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shreditch South *H* - - -	46,362	35	10	4	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Shreditch North-West *W*,*w*,*H* -	36,127	35	30	5	10	-	2	-	-	-	-	-	-	-	2	9	22	-
Shreditch North-East - - -	36,148	26	7	1	1	-	2	-	-	-	-	-	-	-	2	2	-	-
Shreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bhnal Green North 2*H* - -	51,514	34	16	4	2	-	-	-	-	1	-	-	-	-	-	2	4	-
Bhnal Green South - - -	33,472	26	12	2	3	-	2	-	-	1	-	-	-	1	-	1	-	-
Bhnal Green East 2*W*,*H*,*L* - -	44,694	28	20	2	5	-	-	-	-	2	-	-	-	-	1	1	11	-
Stalfields - - - - -	27,969	24	2	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-
Ne End New Town *W*,*H* - -	28,718	29	43	8	6	-	-	-	-	-	-	-	-	-	1	3	38	-
Codman's Fields - - - -	22,081	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St George and St. John 2*W* - -	49,068	40	14	3	5	-	1	-	-	-	-	-	-	-	2	5	5	-
Sdwell and Ratcliff *W*,*H* - -	25,568	7	5	2	-	-	-	-	-	1	-	-	-	-	-	1	4	-
Snehouse *W* - - - - -	32,369	22	11	3	-	-	-	-	-	-	-	-	-	-	1	3	-	-
Ile End Old Town South-Western *H* - - - -	63,698	57	10	5	2	-	1	-	-	-	-	-	-	-	-	2	2	-
Ile End Old Town North-Eastern W,*w* - - -	49,129	30	16	-	10	-	-	-	-	-	-	-	-	-	1	2	8	-
Iw *L* - - - - - -	41,989	43	13	4	4	-	1	-	-	1	-	-	-	-	-	-	-	-
Omley 3*w*,*H* - - - - -	68,319	38	34	3	13	-	2	-	-	-	-	-	-	1	2	6	20	-
Iplar *W*,*w* - - - - -	58,514	32	7	-	1	-	-	-	-	-	-	-	-	-	-	3	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th May, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,283	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H*	12,056	8	18	1	4	-	2	-	1	-	-	-	-	-	2	2	15
Kent-road	21,904	6	7	3	-	-	3		-	-	-	-	-	-	1	1	-
St. George the Martyr West *W,2H,L*	39,094	22	10	3	2	-	-		-	-	-	-	-	-	-	-	2
Newington North	49,022	37	14	4	1	-	1		-	-	-	-	-	-	2	4	-
Newington South *W*	72,841	37	12	5	3	-	-	-	1	-	-	-	-	1	-	-	1
St. Olave *2W*	9,81	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Bermondsey *W*	82,483	50	23	12	3	-	2	-	-	-	-	-	-	1	2	7	-
Rotherhithe *W,F*	38,460	24	20	3	5	-	2	-	-	-	-	-	-	1	-	1	7
Waterloo-road *2H*	27,440	41	4	1	2	-	-	-	-	-	-	-	-	-	-	1	1
Lambeth Church 1st *H*	18,423	13	12	3	1	-	-	-	-	-	-	1	-	-	1	1	12
Lambeth Church 2nd *2W*	39,818	37	17	1	9	-	-		-	-	-	-	-	-	-	-	11
Kennington 1st *H*	53,198	40	15	4	7	-	1		-	-	-	-	-	-	1	1	3
Kennington 2nd *H*	42,896	21	12	6	4	-	-	-	-		-	-	-	1	-	2	1
Brixton *F*	84,232	37	21	4	12	-	1	-	2	1	-	-	-	-	1	3	2
Norwood *W,H*	35,888	8	9	1	5	-	-		-	-	-	-	-	1	-	-	2
East Battersea *H*	72,203	37	10	1	4	-	-	-	-	-	-	-	-	-	-	1	-
North-west Battersea	49,656	28	3	2	1	-	-		-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	13	24	1	8	-	-		-	-	-	-	-	-	2	2	2
Clapham *2H*	51,361	35	11	5	2	-	1	-	-	1	-	-	-	-	-	-	1
Streatham *W,2w,2F,2L*	88,019	50	43	9	23	-	2	1	-	-	-	-	-	-	1	2	10
Springfield *2W,L*	27,959	21	11	2	4	-	-	-	-	-	-	-	-	-	2	3	-
Southfields *H*	40,444	26	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	8	1	-	-	-	-		-	-	-	-	-	-	1	1	-
Dulwich	13,359	5	3	-	2	-	-			-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	22	28	1	20	-	1	-	-	-	-	-	-	-	-	-	26
Camberwell North *W,2L*	65,584	28	25	2	14	-	-	-	-	1	-	-	-	-	1	2	9
St. George	47,331	35	7	2	1	-	-		-	-	-	-	-	-	1	1	-
Peckham North	48,913	25	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	20	7	1	4	-	1	-	-	-	-	-	-	-	1	1	-
Deptford North	37,613	26	11	4	1	-	-			-	-	-	-	-	1	1	-
Deptford Central	45,481	31	5	1	2	-	-		-	-	-	-	-	1	-	-	-
Deptford South	34,625	8	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	12	5	1	1	-	-		-	2	-	-	-	-	-	-	1
Greenwich East *2W,H*	43,859	17	30	2	14	-	3	-	-	1	-	-	-	-	2	3	15
Eltham *w,H*	7,226	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Lee *wH*	25,490	14	3	-	1	-	-	1	-	-	-	-	-	-	1	1	-
Lewisham *W w,F*	58,352	35	30	7	7	-	-	3	1	1	-	-	-	-	-	-	17
Sydenham *H*	43,653	20	7	1	2	-	-	-	-	-	-	-	-	-	1	1	1
Charlton *F,2H*	21,134	5	5	-	-	-	-	-	2	1	-	-	-	-	-	-	2
Woolwich *5H*	41,625	29	9	6	1	-	-	-	-	1	-	-	-	-	-	-	1
Plumstead West *W*	18,063	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	32	11	3	3	-	-	-	-	-	-	-	-	1	-	-	3
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	2	-	-	-	1	-	-	-	-	3
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Darenth	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Leavesden	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
London County Lunatic Asylums:—																	
Banstead	—	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	9
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	3
Dartford Heath	—	-	3	-	1	-	-	-	-	-	-	-	-	-	1	1	3
Hanwell	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Colney Hatch	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Claybury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 12th May, 1906.

Registration District No.	Sub-District No.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		LONDON—OUTER RING -	368 302	2,044,973	1264	566	119	189	-	18	12	8	8	1	5	28	59	104	-
3	1	Carshalton 2F,3H - -	12,228	32,997	25	16	6	1	-	-	-	-	-	-	-	2	2	-	-
	2	Epsom, *part of** W,w,2F,H -	10,423	15,548	6	11	1	7	-	-	-	-	-	-	-	-	-	7	-
3	1	Godstone, *part of** W,F -	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	Coulsdon - - - -	11,069	8,166	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	South Croydon w - -	4,200	49,309	16	13	1	8	-	3	-	-	-	-	-	-	-	-	-
	3	West Croydon 3W,F,H -	2,168	42,888	21	22	3	8	-	-	-	1	-	-	-	2	3	13	-
	4	North Croydon H - -	2,644	41,698	22	7	-	3	-	-	-	-	-	-	-	-	-	-	-
	5	Penge w,H - - - -	770	22,465	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-
	6	Mitcham w - - -	11,711	30,015	15	12	3	4	-	-	-	-	-	-	-	-	3	-	-
3	1	Wimbledon F,3H - -	3,221	41,652	15	7	1	3	-	1	-	1	-	-	-	-	-	-	-
	2	Kingston 2W,H - - -	6,224	42,068	27	12	3	3	-	-	-	-	-	-	-	-	1	6	-
	3	Surbiton F,H - - -	3,046	15,017	4	5	2	1	-	-	-	-	1	-	-	-	-	-	-
	4	Esher, *part of** H -	5,402	13,100	7	7	3	1	-	-	-	-	-	-	-	1	1	-	-
	5	Hampton H,F,L - - -	4,564	23,456	10	5	1	2	-	-	-	-	-	-	-	-	1	-	-
4	1	Richmond W,H - - -	2,162	28,865	10	6	1	4	-	-	-	-	-	-	-	1	1	1	-
	2	Mortlake F - - -	2,847	20,628	16	5	1	-	-	3	-	-	1	-	-	-	1	-	-
4	1	Bromley F,2H - - -	4,703	27,354	21	3	2	-	-	-	-	-	-	-	-	-	1	1	-
	2	Beckenham H - - -	7,825	28,497	10	4	-	3	-	-	-	-	-	-	-	-	-	-	-
	3	Orpington *part of** W -	10,113	9,857	5	4	-	1	-	-	-	-	-	-	-	2	2	1	-
	4	Chislehurst 2H - - -	7,333	16,446	8	4	-	2	-	-	-	1	-	-	-	-	-	1	-
4	1	Bexley w F,H - - -	8,678	21,151	13	6	1	2	-	-	-	-	-	-	-	-	-	-	-
	2	Erith F,H - - - -	3,854	25,296	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	3	Dartford W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	Sunbury w - - - -	11,054	18,683	10	4	-	4	-	-	-	-	-	-	-	-	-	-	-
	2	Staines W,H - - -	13,277	15,178	10	6	-	3	-	-	-	-	-	-	-	-	1	1	-
2	1	Hillingdon W,F,H - -	6,035	13,661	11	7	4	1	-	-	-	-	-	-	-	-	-	-	-
	2	Uxbridge H - - -	12,757	8,984	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	3	Hayes w2 F,H - - -	8,066	16,358	6	6	2	2	-	-	-	-	-	-	-	-	-	-	-
2	1	Isleworth 3W,2F,H - -	6,859	30,863	20	28	4	12	-	1	-	-	1	-	-	-	-	17	-
	2	Twickenham F,H - -	2,421	20,991	16	4	1	2	-	-	-	-	-	-	-	1	1	-	-
	3	Brentford 3F,2H - - -	4,319	48,289	31	10	2	4	-	1	1	-	1	-	-	-	-	-	-
	4	Chiswick H - - - -	1,249	29,809	14	8	2	3	-	-	-	-	-	-	-	-	-	-	-
	5	Acton w,F,3H - - -	6,132	48,914	52	18	3	5	-	-	1	-	1	-	-	-	-	-	-
2	1	Harrow F,H - - -	13,809	25,523	14	6	2	1	-	-	-	-	1	1	-	-	-	-	-
	2	Edgware 2F,2H - - -	6,994	4,521	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	3	Willesden W,F,2H - -	4,384	114,811	66	25	5	5	-	-	1	-	-	-	-	-	2	3	-
	4	Hendon W,F - - -	8,382	22,450	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-
2	1	South Mimms 2F,H - -	17,755	7,308	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	Barnet W,2H - - -	3,324	17,970	14	5	2	2	-	-	-	-	-	-	-	2	1	-	-
	3	Finchley F,2H - - -	4,688	33,692	20	8	3	2	-	1	1	-	-	-	-	-	-	-	-
2	1	Hornsey F,H - - -	2,875	72,056	30	13	1	4	-	-	1	3	-	-	-	-	-	2	-
	2	Wood Green H - - -	1,625	34,233	25	6	3	2	-	-	-	1	-	-	-	-	-	-	-
	3	West Tottenham F - -	996	48,853	33	5	-	3	-	-	-	-	-	-	-	-	-	-	-
	4	East Tottenham 2H - -	2,017	53,688	30	20	2	6	-	1	1	-	-	-	-	2	5	3	-
	5	Edmonton W,w,2F - -	7,491	61,892	44	28	7	10	-	1	1	-	1	-	1	-	5	7	-
	6	Enfield 2W,F,H - - -	12,601	42,738	28	11	-	8	-	-	1	-	-	-	-	3	4	2	-
	7	Waltham Abbey F - -	11,017	6,549	2	4	-	2	-	-	-	-	-	-	-	-	1	-	-
	8	Cheshunt F,H - - -	8,479	12,292	10	1	1	-	-	1	-	-	-	-	-	-	-	-	-
1	1	Hatfield, *part of** W - -	3,305	664	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	1	Bushey H - - - -	9,333	9,173	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Stratford H - - -	1,072	44,827	35	8	3	2	-	-	-	1	-	-	-	-	-	-	-
	2	Plaistow F,2H - - -	1,249	90,921	66	23	8	7	-	-	1	-	-	-	-	2	5	1	-
	3	Canning Town H - -	1,556	70,718	50	20	6	2	-	-	-	-	-	-	-	4	5	-	-
	4	Forest Gate w - - -	806	60,892	23	10	1	4	-	1	-	-	-	-	-	-	-	-	-
	5	North East Ham w H -	1,333	58,676	44	16	6	4	-	-	-	-	1	-	1	-	1	-	-
	6	South East Ham 2F - -	1,993	37,342	37	11	4	1	-	-	-	-	-	-	-	1	2	-	-
	7	Wanstead F - - -	1,679	9,179	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	South Leyton 2W - -	631	50,467	37	17	6	9	-	-	-	-	-	-	-	-	-	10	-
	9	North Leyton 2W,w,F -	1,963	48,445	42	33	4	12	-	1	2	-	-	-	1	3	5	19	-
	10	Walthamstow 3H,L - -	6,504	108,929	78	12	4	-	-	3	-	-	-	-	2	1	2	-	-
1	1	Chigwell, *part of** 2F,3H -	11,778	16,397	6	2	-	-	-	-	1	-	-	-	-	1	1	1	-
	2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Romford, *part of** W,2F -	6,556	6,091	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	2	Ilford F,L - - - -	8,496	41,234	29	12	1	4	-	-	-	-	-	-	-	-	-	4	-
	3	Barking Town F - -	3,803	21,547	12	5	1	-	-	-	-	-	-	-	-	-	1	-	-
		Middlesex County Asylum, Wandsworth.	—	—	-	4	-	3	-	-	-	-	-	-	-	-	-	3	-
		City of London Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ing are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher arish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting heydon Bois parish, and part of Epping parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious iseases Hospitals belongingto the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	May 12	2497	1417	15·6	-	75	11	11	26	5	1
CALCUTTA - -	910,117	March 31	-	959	58·8	224	9	-	1	1	369†	1
BOMBAY - -	776,006	April 24	396	2150	144·1	18	66	-	-	1	1217†	1
MADRAS - -	509,346	" 13	290	423	43·1	30	32	?	?	?	77	
PARIS - - -	2,750,000	" 14	-	-	-	-	-	-	-	-	-	
BRUSSELS - -	612,401	May 5	221	176	14·9	-	2	1	2	4	2	
ANTWERP - -	291,949	" 5	139	76	13·3	-	8	-	-	-	-	
AMSTERDAM -	560,249	April 28	289	163	15·2	-	3	2	-	2	-	
COPENHAGEN -	425,000	May 5	211	130	15·9	-	3	-	-	6	-	
STOCKHOLM -	324,488	April 28	140	82	13·1	-	-	-	-	2	-	
CHRISTIANIA -	222,373	May 5	98	48	11·2	-	-	-	1	-	-	
ST. PETERSBURG	1,424,709	April 21	997	807	29·4	1	29	9	20	7	18	1
MOSCOW - -	1,154,000	" 21	-	677	30·6	1	5	7	13	7	4	
BERLIN - -	2,053,181	" 21	909	648	16·5	-	15	9	3	8	1	
HAMBURG - -	819,380	May 5	-	213	13·8	-	1	-	-	4	1	
BRESLAU - -	475,000	April 28	279	200	22·0	-	-	-	2	-	-	
MUNICH - -	540,000	May 5	-	192	18·5	-	-	-	-	-	-	
VIENNA - -	1,956,949	" 5	916	777	20·8	-	24	3	17	4	-	
PRAGUE - -	455 241	" 5	202	201	22·7	-	4	1	-	2	-	
BUDA-PESTH -	859,134	April 28	399	348	21·1	-	7	8	6	4	-	
TRIESTE - -	196,637	May 5	112	113	29·9	-	1	-	1	1	-	
ROME - -	526,170	April 7	-	-	-	-	-	-	-	-	-	
VENICE - -	171,709	—	-	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	April 28	-	-	-	-	-	-	-	-	-	
NEW YORK -	4,152,860	" 28	1936	1523	19·1	1	39	13	40	5	8	
CHICAGO - -	2,049,185	" 21	-	645	16·4	-	2	13	11	1	10	
PHILADELPHIA -	1,469,126	" 21	-	568	20·1	-	6	2	5	6	20	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	" 15	-	258	14·7	-	-	-	-	1	2†	

* Excluding deaths from croup in the Indian Cities.
† Including 232 deaths from plague in Calcutta, 1084 in Bombay, and 1 in Rio de Janeiro.
‡ Including 31 deaths from cholera in Calcutta, and 40 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 12th May, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	76·2	42·0	54·7	0·05	BRADFORD - -	65·8	41·2	54·3	0·1
BRIGHTON - -	71·2	46·1	56·7	-	LEEDS - - -	68·0	43·0	54·5	0·1
PORTSMOUTH - -	75·0	44·0	55·0	0·09	HULL - - -	68·0	42·0	53·1	0·5
NORWICH - -	70·0	35·6	54·2	1·12	TYNEMOUTH - -	65·0	37·0	50·0	0·6
PLYMOUTH - -	63·5	40·0	52·1	0·14	CARDIFF - -	70·6	43·0	54·2	0·1
BRISTOL - - -	70·2	42·3	54·8	0·08	EDINBURGH - -	61·0	36·6	49·0	0·8
BIRMINGHAM - -	71·2	41·3	53·6	0·21	GLASGOW - -	65·8	35·2	49·9	0·7
NOTTINGHAM - -	69·3	42·0	54·5	0·45	DUBLIN Phœnix Park.	65·0	30·4	50·2	0·4
LIVERPOOL OBSERVATORY.	64·0	43·0	52·2	0·72	DUBLIN Fitzwilliam Square.†	68·0	35·0	52·4	0·4
MANCHESTER -	64·3	40·7	53·6	1·00					
PRESTON - -	64·0	42·2	53·4	0·53					
HUDDERSFIELD -	64·8	40·7	53·0	0·48	BELFAST - -	64·1	35·0	48·1	0·5

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. T correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to t above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 12th May, 1906.

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	6	In Equator	29·970	56·6	49·2	7·4	51·9	+ 1·3	47·5	4·4	7·8	1·2	85	82·4	44·2	46·93	SSW.	SW.	3·3	0·0	0·4	369	+117	0·00	13·0
MONDAY -	7	..	29·981	71·0	46·8	24·2	56·5	+ 5·7	52·6	3·9	14·9	0·0	87	125·6	34·0	47·47	SW.	SW. & NE.	0·5	0·0	0·0	118	−134	0·00	4·5
TUESDAY -	8	Full	29·783	76·2	42·3	33·9	60·6	+ 9·6	47·5	13·1	22·3	0·0	62	129·1	31·8	48·00	NE., NNE. & N.	NE., ENE. & ESE.	0·9	0·0	0·0	134	−117	0·00	0·0
WEDNESDAY	9	Perigee. ..	29·627	63·5	47·1	16·4	54·4	+ 3·2	50·3	4·1	10·8	0·4	86	98·0	36·0	48·42	Variable.	N. & NNE.	1·8	0·0	0·1	183	− 68	0·05	0·0
THURSDAY-	10	..	29·611	51·3	43·6	7·7	46·1	− 5·4	42·5	3·6	6·9	1·1	87	80·2	39·2	48·96	NNW. & N.	NE. & SE.	1·1	0·0	0·1	183	− 68	0·00	2·3
FRIDAY -	11	..	29·580	59·1	42·0	17·1	50·4	− 1·3	43·4	7·0	12·0	0·4	77	113·1	36·0	49·12	NNE. & NE.	SSE., SE. & ESE.	1·3	0·0	0·1	185	− 65	0·00	11·7
SATURDAY-	12	Greatest Dec. S.	29·703	71·0	46·5	24·5	59·3	+ 7·3	48·7	10·6	19·3	1·0	68	128·0	37·8	49·12	SSE. & S.	SSE., ESE. & E.	0·9	0·0	0·1	160	− 90	0·00	0·5
MEANS	-		29·751	64·1	45·4	18·7	54·2	+ 2·9	47·5	6·7	13·4	0·6	79	108·1	37·0	48·29	Variable		..	..	..	Sum 1332	Sum − 425	Sum 0·05	4·6
No. of Column	-		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	6	w. P. throughout.	0·3	15·1	Generally overcast.
MONDAY -	7	w. P. throughout.	1·0	15·1	Generally overcast till afternoon; fine and partially cloudy till evening; cloudless at night. Parhelia observed at and about 6h. P.M.
TUESDAY -	8	w. P. generally; occasional m. P.	11·5	15·1	Very fine with little cloud generally till 5h. P.M.; fine but cloudy afterwards; lightning and distant thunder in evening.
WEDNESDAY	9	w. P. till 9h. A.M.; m.P. generally afterwards with v. P. and v. N. between 2h. and 4h. P.M.	0·0	15·2	Fine in early morning; generally overcast afterwards; sharp shower with distant thunder shortly before 3h. P.M.
THURSDAY-	10	w.P. generally; m. P. in afternoon.	0·0	15·2	Generally overcast.
FRIDAY -	11	w. P. throughout.	4·2	15·3	Generally cloudy; occassional fine intervals.
SATURDAY-	12	w. P. throughout.	5·8	15·4	Fine and warm but generally cloudy.
			Sum 22·8	Sum 106·4	
No. of Col.-		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·00 in. at the beginning of the week to 29·94 in. by 7h. A.M. on the 6th; increased to 30·01 in. by 9h. A.M. on the 7th; decreased to 29·55 in. by 6h. P.M. on the 11th; and increased to 29·80 in. by midnight on the 12th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 5th May, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	29	3	-	1	-	-	1	-
Kensington	180,952	-	9	1	-	1	-	-	8	-
Hammersmith	120,679	-	9	4	-	1	-	-	3	-
Fulham	161,965	-	7	7	-	2	-	-	-	-
Chelsea	74,672	-	3	6	-	-	-	-	1	-
City of Westminster	173,905	-	6	5	-	1	-	-	2	1
NORTH.										
St. Marylebone	128,580	-	5	1	-	-	-	-	3	-
Hampstead	89,633	-	10	2	-	1	-	-	3	-
St. Pancras	236,455	-	18	7	-	-	-	-	3	-
Islington	344,987	-	44	7	-	-	-	-	3	2
Stoke Newington	53,217	-	3	-	-	-	-	-	1	-
Hackney	230,721	-	25	2	-	2	-	-	5	-
CENTRAL.										
Holborn	55,805	-	1	2	-	-	-	-	1	-
Finsbury	97,466	-	11	6	-	3	-	-	2	-
City of London	21,367	-	2	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	10	1	-	1	-	-	2	-
Bethnal Green	130,609	-	14	1	-	1	-	-	1	-
Stepney	307,176	-	20	8	-	-	-	-	2	-
Poplar	170,673	-	24	7	-	1	-	-	1	-
SOUTH.										
Southwark	209,143	-	10	9	-	-	-	-	4	-
Bermondsey	128,629	-	12	3	-	1	-	-	2	-
Lambeth	315,774	-	13	7	-	-	-	-	5	1
Battersea	179,622	-	7	4	-	1	-	-	8	-
Wandsworth	273,381	-	16	8	-	2	-	-	6	-
Camberwell	274,132	-	20	6	-	-	-	-	4	-
Deptford	115,495	-	4	2	-	-	-	-	-	-
Greenwich	105,350	-	13	3	-	-	-	-	4	1
Lewisham	148,463	-	11	6	-	-	-	-	3	-
Woolwich	127,345	-	7	8	-	-	-	-	1	-
Port of London	—	-	1	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,721,217**	-	**364**	**126**	-	**19**	-	-	**79**	**5**
Ages 0-1		-	3	2	-	-	-	-	5	-
„ 1-5		-	115	49	-	-	-	-	2	-
„ 5-		-	132	42	-	3	-	-	6	-
„ 10-		-	60	8	-	5	-	-	-	-
„ 15-		-	28	6	-	2	-	-	5	-
„ 20-		-	14	3	-	1	-	-	3	1
„ 25-		-	10	11	-	3	-	-	12	2
„ 35-		-	2	4	-	4	-	-	14	2
„ 45-		-	-	1	-	-	-	-	16	-
„ 55-		-	-	-	-	1	-	-	7	-
„ 65 and upwards		-	-	-	-	-	-	-	9	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during April, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th May, 1906.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of April

Eleven samples were taken in each of the eight districts, making a total of 88 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - - -	April 2nd, Cab Rank, Horse Guards, Whitehall.	5·9	31·20	·233	·022	0	·249	·271	1·75	21·8
West Middlesex - -	April 2nd, Cab Rank, Riding House Street.	6·0	29·98	·205	·021	0	·228	·249	1·75	20·9
Southwark - - -	April 2nd, Cab Rank, Bond Street, Vauxhall.	7·2	31·50	·183	·021	0	·250	·271	1·75	22·3
Grand Junction - -	April 2nd, Cab Rank, Haymarket, near Charles Street.	6·1	29·72	·198	·024	0	·211	·235	1·75	21·1
Lambeth - - - -	April 2nd, Cab Rank, Station Road, Brixton.	5·8	32·60	·225	·023	0	·290	·313	1·8	22·9
Lea, Wells, etc.										
New River - - -	April 2nd, Cab Rank, by St. Clement Danes Church.	7·0	30·98	·148	·017	0	·260	·277	1·85	21·5
Lea, Thames, Wells, etc.										
Eastern - - - -	April 2nd, Cab Rank, High Street, Shoreditch.	8·0	35·98	·161	·018	0	·506	·524	2·15	24·2
Deep Wells.										
Kent- - - - -	April 2nd. Cab Rank, Amersham Road, opposite New Cross Station.	11·0	41·0	·040	·006	0	·521	·527	2·15	28·7
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of waters The Table is to be read thus:—The water collected in the Chelsea district of the Water Board, on the 2nd April, had a temperature of 5·9° C.; 100,000 lbs. of it contained 31·20 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·233 lb. of carbon and ·022 lb. of nitrogen. The above quantity of water also contained ·249 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·271 lb. The above weight of water also contained 1·75 lbs. of chlorine and 21·8 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 2nd of April were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the district works was : Kent, 0·8 ; New River, 2·8 ; Eastern, 3·0 ; Southwark, 3·5 ; West Middlesex and Grand Junction, 3·8 ; Lambeth, 42 ; and Chelsea, 4·3.

The samples taken on the 2nd April, and representing the filtered water supplied from the five district works operating with Thames water, all contained nearly the same amount of organic matter, and the mean proportion was less than in the three preceding months. The five samples were clear and of good quality.

The water from the New River district consisting of filtered Lea and well water, contained less organic impurity than the Thames supplies, and was clear and of good quality.

The water from the Eastern district was drawn in the area partly furnishsd with water obtained from the river Thames at Sudbury, and gravel wells at Hanworth. The amount of organic matter present was more than in the New River water, but less than in the supplies drawn exclusively from the Thames ; the water was clear and of good quality.

The Kent district deep well water was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless and the supplies from all the other district works had a very pale yellow colour.

In addition to the above analytical examination, the 88 samples of water, collected during April at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution) ; the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has, also, been recorded. The following results were obtained :—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albumin Ammonia	
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)							
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.
THAMES.											
eisea	·109	·056	·080	·117	·063	·088	0	0	0	·0085	·006
st Middlesex	·102	·055	·076	·108	·061	·083	0	0	0	·0085	·006
uthwark	·086	·056	·066	·090	·061	·071	0	0	0	·0075	·006
and Junction	·099	·053	·079	·107	·055	·086	0	0	0	·009	·006
nbeth	·106	·058	·073	·112	·061	·078	0	0	0	·0085	·006
A, WELLS, THAMES, ETC.											
w River	·057	·024	·041	·064	·028	·045	0	0	0	·005	·003
stern	·078	·048	·062	·082	·052	·066	0	0	0	·007	·006
DEEP WELLS.											
nt	·010	·008	·009	·012	·009	·010	0	0	0	·002	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With regard to the five Thames derived supplies, comparison of the above figures with those obtained in January, February, and March, indicate that in all cases there was a considerable reduction in the amount of organic matter present. All these waters steadily improved from the commencement of the month, and by the 30th the average proportion of organic impurity had fallen to what is usually found when the river supply is at its best summer quality.

The New River and Eastern district supplies, obtained chiefly from the river Lea, also exhibited a progressive diminution in the proportion of organic matter from the commencement of the month, and all the samples examined were of good quality.

All the samples of deep-well water collected in the Kent district were, as usual, of high organic purity and excellent quality.

The whole of the 88 samples examined during the month were clear.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of April, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 202 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	APRIL, 1905.	APRIL, 1906.	APRIL, 1905.	APRIL, 1906.
TOTAL SUPPLY - - -	1,025,750	1,045,134	203,961,701	211,532,249
From Thames - - - - - -	477,239	487,103	107,563,866	112,841,879
From Lea and from other Sources -	548,511	558,081	96,397,835	98,690,370
THAMES.				
SOUTHERN { Southwark and Vauxhall	130,513	132,176	28,868,000	29,167,000
SOUTHERN { Lambeth - - - - -	136,108	140,356	28,332,403	31,360,536
WESTERN { West Middlesex - -	91,743	92,513	22,726,066	23,525,967
WESTERN { Grand Junction - -	78,969	82,104	15,909,730	17,099,376
WESTERN { Chelsea - - - - -	39,906	39,954	11,727,667	11,689,000
LEA AND OTHER SOURCES.				
New River - - - - - - -	204,621	207,677	37,876,402	40,167,000
Eastern - - - - - - - -	231,924	236,089	41,152,266	39,189,700
Kent - - - - - - - -	111,966	114,315	17,369,167	19,333,670

Note.—The Return for April, 1906, as compared with that for the corresponding month of 1905, shows an increase of 19,434 services, and of 7,570,548 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 20. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, MAY 19. [Price 1½*d*.

General Register Office, Somerset House,

May 21*st*, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·5 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 16·7, 16·3, and 15·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 20·5 in Liverpool and in Bootle, 20·8 in Great Yarmouth, 20·9 in Rochdale, 22·0 in Hanley, and 22·2 in Tynemouth; from *measles*, 1·1 in Bradford, 1·2 in Manchester, 1·3 in Walthamstow, 1·5 in Leeds, 1·7 in Liverpool, and 2·5 in Salford; from *diphtheria*, 1·0 in Middlesbrough; from *whooping-cough*, 1·1 in Walsall, 1·4 in Croydon, in Coventry, and in Newport (Mon.), 1·6 in Liverpool, 1·8 in Birkenhead, and 1·9 in Aston Manor; and from *diarrhœa*, 1·1 in St. Helens. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2480 BIRTHS and 1270 DEATHS were registered. Allowing for increase of population, the births were 49 and the deaths 94 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 17·3, 16·0, and 15·6 per 1000 in the preceding three weeks, further fell last week to 14·0. The death-rate in the four weeks ended last Saturday averaged 15·7 per 1000, being 0·1 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 5/06 D & S 3 24941

The 1270 deaths included 43 from measles, 10 from scarlet fever, 11 from diphtheria, 38 from whooping-cough, 3 from enteric fever, and 16 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 121 deaths were referred to these diseases in the aggregate, being 30 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 73, 61, and 75 in the preceding three weeks, fell to 43 last week, and were 17 below the corrected average; 11 deaths belonged to the Borough of Finsbury, 5 each to Islington and Wandsworth, and 4 each to Shoreditch and Southwark. The deaths from *scarlet fever*, which had been 6, 17, and 11 in the preceding three weeks, were 10 last week, the corrected average being 9. The deaths from *diphtheria*, which had been 14, 9, and 10 in the preceding three weeks, were 11 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 43, 38, and 26 in the preceding three weeks, rose to 38 last week, and were 2 above the corrected average; 7 deaths belonged to Deptford, 6 to Camberwell, and 3 each to Bermondsey and Lambeth. The fatal cases of *enteric fever*, which had been 3, 0, and 5 in the preceding three weeks, were 3 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 14, 12, and 16 in the preceding three weeks, were again 16 last week, and were 2 below the corrected average; 3 deaths belonged to Poplar. Of the 16 deaths from diarrhœa, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 25, having been 35, 21, and 24 in the preceding three weeks.

Different forms of *violence* caused 53 deaths, concerning all but one of which inquests were held. Of these 53 deaths, 16 were cases of suicide, and 2 of homicide, while the remaining 35 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 4 to drowning, 2 to burns or scalds, and 8, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2396 of scarlet fever, 782 of diphtheria, and 42 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 0, 0, and 0; of scarlet fever, 301 cases, against 314, 357, and 338; of diphtheria, 101 cases, against 88, 104, and 82; and of enteric fever, 6 cases, against 10, 13, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 12th, 1906.

Greater London.

In Greater London 3850 births and 1740 deaths were registered. Allowing for increase of population, these numbers are 22 and 152 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 8 deaths from measles, 4 from scarlet fever, 2 from diphtheria, 8 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·54 inches, and that of the Thermometer 50°·7 the latter being 2°·4 below the week's average in the 50 years 1841–90. The general direction of the wind was North easterly, the horizontal movement of the air being 0·5 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 43·3 hours; the measured rainfall amounted to 0·17 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE I.—76 GREAT TOWNS, ended Saturday, 19th May, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 28th April, 1906.	5th May, 1906.	12th May, 1906.	19th May, 1906.	Rate from Diseases in Cols. 11-17. Week ended 19th May, 1906.	Registered during the Week ended 19th May, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**16·7**	**16·3**	**15·5**	**14·5**	**1·4**	**8671**	**4391**	**889**	**1279**	**-**	**141**	**37**	**43**	**134**	**21**	**45**	**159**	**324**	**1123**	**44**	**76 TOWNS.**
LONDON - - -	4,721,217	17·3	16·0	15·6	14·0	1·3	2480	1270	251	373	-	43	10	11	38	3	16	53	119	507	4	LONDON.
CROYDON - -	151,011	11·0	10·7	12·1	9·7	1·4	73	28	4	10	-	-	-	-	4	-	-	2	5	1	-	CROYDON.
WILLESDEN - -	143,622	11·6	7·3	9·4	10·2	-	94	28	5	7	-	-	-	-	-	-	-	-	2	4	1	WILLESDEN.
HORNSEY - -	86,935	9·0	7·2	7·2	4·2	0·6	34	7	-	6	-	-	-	1	-	-	-	-	-	1	-	HORNSEY.
TOTTENHAM - -	119,503	13·1	9·6	11·8	11·3	1·3	78	26	5	9	-	1	1	-	1	-	-	2	2	5	-	TOTTENHAM.
WEST HAM - -	301,617	15·2	11·8	13·8	13·7	1·0	191	79	16	21	-	1	-	1	2	-	2	4	4	27	-	WEST HAM.
EAST HAM - -	129,886	8·8	9·2	12·0	10·4	0·4	75	26	5	7	-	1	-	-	-	-	-	2	3	3	-	EAST HAM.
LEYTON - - -	118,287	11·5	8·4	11·9	7·9	0·4	67	18	4	6	-	1	-	-	-	-	-	1	2	-	-	LEYTON.
WALTHAMSTOW -	121,334	14·2	12·0	6·9	8·6	2·1	81	20	5	6	-	3	1	-	-	-	1	1	2	3	-	WALTHAMSTOW.
HASTINGS - - -	67,144	12·4	13·2	11·6	12·4	0·8	16	16	3	6	-	1	-	-	-	-	-	1	1	2	-	HASTINGS.
BRIGHTON - -	128,095	9·8	15·1	13·0	9·8	-	69	24	5	11	-	-	-	-	-	-	-	-	1	5	-	BRIGHTON.
PORTSMOUTH - -	205,118	15·8	17·8	11·2	14·0	0·3	108	55	5	23	-	-	-	-	-	1	-	5	8	13	-	PORTSMOUTH.
BOURNEMOUTH -	67,702	19·3	8·5	16·2	12·3	0·8	19	16	2	7	-	-	-	-	1	-	-	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON -	117,312	12·9	14·2	12·0	13·3	-	58	30	3	13	-	-	-	-	-	-	-	1	3	10	-	SOUTHAMPTON.
READING - - -	78,987	14·5	15·8	13·2	11·9	0·7	41	18	2	5	-	-	-	1	-	-	-	1	1	4	1	READING.
NORTHAMPTON -	93,749	8·3	14·5	6·7	13·3	1·1	30	24	3	7	-	-	-	-	-	1	1	-	1	2	2	NORTHAMPTON.
IPSWICH - - -	71,809	18·2	16·0	15·2	17·4	0·7	30	24	3	10	-	-	1	-	-	-	-	-	2	7	-	IPSWICH.
GREAT YARMOUTH -	52,613	22·8	16·8	15·9	20·8	1·0	24	21	1	7	-	1	-	-	-	-	-	-	-	3	-	GREAT YARMOUTH.
NORWICH - -	117,958	18·1	21·7	17·2	12·8	0·9	49	29	4	14	-	-	-	1	-	-	1	-	1	6	-	NORWICH.
PLYMOUTH - -	118,014	16·8	12·8	20·3	12·4	1·3	49	28	7	11	-	-	1	-	2	-	-	-	4	5	-	PLYMOUTH.
DEVONPORT - -	78,405	16·6	14·6	10·6	14·0	-	32	21	5	6	-	-	-	-	-	-	-	-	1	5	-	DEVONPORT.
BRISTOL - - -	363,223	14·9	14·9	12·1	14·1	1·6	184	98	15	37	-	4	1	2	3	-	1	3	9	24	-	BRISTOL.
HANLEY‡ - - -	66,300	22·8	21·2	14·1	22·0	2·4	43	28	6	11	-	-	1	1	-	-	1	-	1	3	1	HANLEY‡
BURTON-ON-TRENT	52,922	7·9	16·7	15·8	11·8	1·0	26	12	2	4	-	-	-	-	1	-	-	1	1	3	1	BURTON-ON-TRENT.
WOLVERHAMPTON -	100,729	15·0	11·4	11·4	10·4	0·5	66	20	2	9	-	-	-	-	-	-	1	1	1	5	1	WOLVERHAMPTON.
WALSALL - - -	94,577	7·7	11·0	11·6	13·2	1·7	52	24	4	7	-	-	1	-	2	-	-	-	-	2	-	WALSALL.
HANDSWORTH -	63,819	10·6	12·3	7·4	9·0	0·8	25	11	1	4	-	-	-	-	1	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	68,469	12·2	12·2	16·8	13·7	-	35	18	8	4	-	-	-	-	-	-	-	-	-	2	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 19th May, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 28th April, 1906.	5th May, 1906.	12th May, 1906.	19th May, 1906.	Rate from Diseases in Cols. 11-17. Week ended 19th May, 1906.	Registered during the Week ended 19th May, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	22·3	16·8	17·1	16·6	2·2	329	174	40	47	-	4	1	5	9	1	3	8	9	37	5	BIRMINGHAM.
KINGS NORTON -	72,608	15·8	7·9	6·5	9·3	0·7	40	13	4	1	-	-	-	-	1	-	-	1	1	-	-	KINGS NORTON.
SMETHWICK - -	64,531	17·8	14·5	13·7	8·9	-	19	11	1	5	-	-	-	-	-	-	-	2	2	2	-	SMETHWICK.
ASTON MANOR -	82,288	15·2	11·4	14·6	9·5	2·5	47	15	5	4	-	-	-	-	3	-	1	-	-	3	1	ASTON MANOR.
COVENTRY - -	76,374	14·3	18·4	13·0	9·6	1·4	53	14	3	5	-	-	-	-	2	-	-	-	-	3	-	COVENTRY.
LEICESTER - -	232,111	10·8	15·7	13·7	8·3	0·9	111	37	9	13	-	-	-	1	3	-	-	1	5	3	-	LEICESTER.
GRIMSBY - - -	69,359	10·5	16·5	14·3	12·8	-	46	17	5	6	-	-	-	-	-	-	-	-	-	2	-	GRIMSBY.
NOTTINGHAM - -	254,563	12·1	14·5	14·1	13·9	0·2	144	68	15	24	-	-	-	-	-	-	1	2	5	10	-	NOTTINGHAM.
DERBY - - -	123,981	17·7	12·2	16·0	13·5	0·8	64	32	6	15	-	-	1	-	1	-	-	1	4	4	-	DERBY.
STOCKPORT - -	99,646	20·9	16·7	17·8	15·7	0·5	60	30	5	9	-	-	-	-	1	-	-	1	2	7	-	STOCKPORT.
BIRKENHEAD - -	117,292	11·6	20·9	16·0	16·0	2·7	64	36	9	13	-	-	-	2	4	-	-	1	2	2	-	BIRKENHEAD.
WALLASEY - -	64,578	14·5	12·9	16·1	9·7	1·6	33	12	2	5	-	1	-	-	1	-	-	-	-	3	-	WALLASEY.
LIVERPOOL† - -	739,180	23·4	27·1	20·5	20·5	3·9	482	290	61	56	-	24	3	2	22	2	2	12	17	87	6	LIVERPOOL.†
BOOTLE† - - -	65,989	19·8	19·0	15·8	20·5	2·4	39	26	6	9	-	-	1	-	1	-	1	-	1	9	-	BOOTLE.†
ST. HELENS - -	91,153	18·9	21·7	16·6	17·7	2·3	58	31	12	5	-	1	-	-	-	1	2	-	-	3	1	ST. HELENS.
WIGAN - - -	87,588	15·5	14·9	19·6	15·5	1·2	56	26	7	6	-	-	-	1	-	1	-	-	-	5	-	WIGAN.
WARRINGTON - -	69,280	14·3	19·6	20·3	16·6	0·7	42	22	6	10	-	-	-	-	1	-	-	1	1	3	2	WARRINGTON.
BOLTON - - -	180,502	16·5	19·4	11·0	14·7	1·4	92	51	10	18	-	-	1	1	2	-	1	2	4	6	-	BOLTON.
BURY - - -	58,744	17·8	19·5	21·3	16·0	0·9	25	18	2	6	-	-	-	1	-	-	-	-	-	4	-	BURY.
MANCHESTER - -	637,126	19·1	20·1	19·0	19·1	2·5	429	233	37	54	-	15	3	1	4	4	4	2	6	68	2	MANCHESTER.
SALFORD - - -	234,077	19·6	18·3	20·5	19·4	2·7	157	87	21	20	-	11	-	-	-	-	1	1	6	20	1	SALFORD.
OLDHAM - - -	140,969	21·1	22·2	17·0	14·8	0·4	64	40	3	15	-	-	-	-	-	-	1	-	1	4	-	OLDHAM.
ROCHDALE - -	87,189	17·9	17·9	13·2	20·9	0·6	34	35	1	13	-	-	-	-	1	-	-	-	-	5	2	ROCHDALE.
BURNLEY- - -	102,808	14·2	15·2	17·2	17·8	2·0	56	35	9	8	-	2	-	-	1	-	1	1	1	6	1	BURNLEY.
BLACKBURN - -	134,015	18·7	20·2	14·8	10·5	0·8	53	27	5	9	-	-	-	1	1	-	-	1	1	5	2	BLACKBURN.
PRESTON - - -	116,399	14·8	13·0	16·1	16·1	1·3	56	36	10	10	-	2	-	-	-	1	-	-	-	3	-	PRESTON.
BARROW-IN-FURNESS.	60,967	12·8	17·1	23·1	10·3	-	43	12	-	4	-	-	-	-	-	-	-	1	1	1	-	BARROW-IN-FURNESS.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 28th April, 1906.	5th May, 1906.	12th May, 1906.	19th May, 1906.	Rate from Diseases in Cols. 11-17. Week ended 19th May, 1906.	Registered during the Week ended 19th May, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	20·3	17·0	17·6	17·0	-	46	31	4	5	-	-	-	-	-	-	-	3	4	6	1	HUDDERSFIELD.
HALIFAX - - -	109,272	16·7	15·3	20·0	13·4	-	45	28	2	12	-	-	-	-	-	-	-	2	2	1	1	HALIFAX.
BRADFORD - -	288,544	18·4	17·7	21·0	17·5	2·2	112	97	20	28	-	6	2	1	3	-	-	2	6	18	-	BRADFORD.
LEEDS - - -	463,495	16·8	17·8	16·4	13·8	2·0	221	123	31	38	-	13	1	-	3	-	1	4	8	14	-	LEEDS.
SHEFFIELD - -	447,951	16·9	14·4	15·2	13·6	1·3	265	117	29	28	-	-	5	2	3	1	-	3	9	26	3	SHEFFIELD.
ROTHERHAM - -	61,098	17·1	13·7	21·3	8·5	1·7	37	10	3	1	-	-	1	-	-	-	1	1	1	2	1	ROTHERHAM.
YORK - - -	83,467	10·0	15·0	9·4	13·1	-	52	21	6	8	-	-	-	-	-	-	-	-	2	5	-	YORK.
HULL - - -	262,426	18·5	16·7	14·1	16·3	1·2	144	82	22	21	-	-	-	2	3	1	-	5	9	19	-	HULL.
MIDDLESBROUGH -	100,069	20·3	20·3	19·3	16·7	2·1	58	32	10	7	-	-	1	2	-	-	1	2	3	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	12·9	10·9	16·8	11·9	2·0	32	12	2	4	-	-	-	-	1	1	-	2	3	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	11·4	17·1	13·5	8·5	-	53	12	6	1	-	-	-	-	-	-	-	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	13·5	17·9	19·3	17·2	1·0	105	51	10	14	-	1	-	-	1	1	-	2	5	12	1	SUNDERLAND.
SOUTH SHIELDS -	111,402	19·7	19·2	12·2	12·6	0·9	60	27	6	4	-	-	-	1	-	1	-	1	1	5	-	SOUTH SHIELDS.
GATESHEAD - -	123,191	13·1	12·3	12·7	13·5	-	86	32	8	8	-	-	-	-	-	-	-	2	3	4	-	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	17·3	18·6	16·7	17·9	1·6	138	92	20	22	-	4	-	-	4	-	-	4	8	15	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	20·2	12·5	16·4	22·2	1·0	31	23	8	6	-	1	-	-	-	-	-	-	1	4	2	TYNEMOUTH.
NEWPORT (MON.) -	74,227	18·3	9·8	14·8	14·8	1·4	53	21	4	6	-	-	-	-	2	-	-	2	2	5	1	NEWPORT (MON.).
CARDIFF - - -	183,823	16·5	13·6	14·2	15·3	1·1	96	54	9	10	-	-	-	2	1	1	-	4	6	8	-	CARDIFF.
RHONDDA - - -	127,684	15·5	15·9	11·0	15·1	-	90	37	10	7	-	-	-	-	-	-	-	3	4	2	-	RHONDDA.
MERTHYR TYDFIL -	74,961	15·3	20·2	16·0	10·4	-	55	15	4	5	-	-	-	-	-	-	-	-	2	4	-	MERTHYR TYDFIL
SWANSEA - - -	96,848	19·4	17·2	13·5	14·5	-	67	27	5	13	-	-	-	-	-	-	-	1	2	6	-	SWANSEA.
GREATER LONDON -	7,113,561	15·9	14·2	14·5	12·8	1·2	3850	1740	341	530	-	58	16	15	53	3	20	78	157	583	6	GREATER LONDON.
OUTER RING - -	2,392,344	13·2	10·8	12·3	10·2	1·0	1370	470	90	157	-	15	6	4	15	-	4	25	38	79	2	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	12·4	9·9	11·3	10·3	0·9	693	232	44	72	-	7	2	2	7	-	3	12	20	44	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	14·1	11·7	13·4	10·2	1·0	677	238	46	85	-	8	4	2	8	-	1	13	18	35	1	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	18·8	16·4	18·0	17·9	1·4	157	117	12	41	-	5	1	-	2	-	1	2	?	38	6	EDINBURGH.
GLASGOW - - -	835,625	18·9	19·4	19·8	19·0	2·0	513	305	67	53	-	8	-	2	10	-	12	15	?	82	9	GLASGOW.
DUBLIN† - - -	378,994	22·4	25·9	21·7	21·6	0·3	202	157	25	40	-	-	-	1	-	-	1	3	6	73	7	DUBLIN.†
BELFAST† - - -	358,680	22·1	26·0	23·4	20·4	2·3	217	140	35	24	-	-	-	1	13	1	1	4	8	28	-	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTIETH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2462	2444	2285	2598	2512	2602	2495	2625	2376	2426	2528·5	2480
Males - - -	1287	1260	1155	1318	1282	1285	1198	1345	1194	1237	1267·6	1263
Females - -	1175	1184	1130	1280	1230	1317	1297	1280	1182	1189	1260·9	1217
TOTAL **Deaths** -	1516	1321	1360	1419	1437	1375	1423	1313	1349	1268	1364·1	1270
Males - -	812	693	705	730	781	704	712	684	730	673	713·3	643
Females - -	704	628	655	689	656	671	711	629	619	595	650·8	627

* The numbers in this column are the average weekly numbers in the twentieth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	13 Weeks.
TOTAL **Births** -	2500	2470	2509	2499	2243	2663	2594	2087	2459	2717	2547	2497	2480	32265
TOTAL **Deaths** -	1585	1501	1468	1498	1433	1674	1525	1578	1742	1562	1446	1417	1270	19699
Ages at Death: Under 1 year -	317	280	296	303	273	296	269	288	305	290	239	255	251	3662
1—5 years -	187	183	160	190	170	228	225	192	238	211	223	169	163	2539
5—20 " -	85	69	77	72	73	76	83	76	85	68	64	77	66	971
20—40 " -	169	191	171	164	165	201	174	193	198	197	182	172	158	2335
40—60 " -	315	284	309	302	277	343	270	297	364	324	267	298	259	3909
60 yrs. & upwds.	512	494	455	467	475	530	504	532	552	472	471	446	373	6283
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	52	55	56	70	65	76	68	68	85	73	61	75	43	847
Scarlet Fever - -	10	6	12	10	9	8	8	7	19	6	17	11	10	133
Diphtheria - -	18	18	12	14	16	15	9	17	13	14	9	10	11	176
Whooping-cough -	35	29	34	38	34	53	42	37	37	43	38	26	38	484
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	5	3	3	3	4	2	2	2	3	-	5	3	37
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhœa, Dysentery	13	14	19	17	6	7	13	14	18	14	12	16	16	179
All above Diseases -	130	127	136	152	133	163	142	145	174	154	137	143	121	1857
Dis. of Resp. System	176	190	178	173	165	165	175	173	177	159	164	122	96	2113
Pneumonia - -	152	153	136	161	153	172	157	186	222	202	145	151	148	2138
Phthisis - - -	135	136	134	132	133	169	142	161	165	147	148	139	117	1858
Dis. of Circ. System -	207	196	177	201	173	238	213	180	207	190	175	182	160	2499
Violence - - -	66	52	46	64	66	68	56	47	70	63	61	60	53	772
Inquest Cases - -	169	144	141	152	165	168	154	148	170	152	146	141	119	1969
Deaths in Institutions	650	545	548	532	523	655	556	577	654	574	583	567	507	7471
TEMPERATURE OF THE AIR.														
Mean- - - -	37·4	41·7	47·2	43·5	37·5	38·2	45·6	51·5	45·7	42·0	46·6	54·2	50·7	44·8
Mean of Highest -	43·5	48·6	55·4	49·9	43·4	46·0	56·7	64·7	57·3	52·1	56·1	64·1	61·2	53·8
Mean of Lowest -	32·2	35·7	40·0	37·3	33·0	32·6	34·5	39·4	34·0	33·7	38·1	45·4	41·1	36·7
Mean Humidity of the Air.	81	79	75	73	79	73	63	62	66	68	73	79	68	72·2
Rain-fall (in inches) -	0·27	0·17	0·35	0·29	0·32	0·14	0·00	0·03	0·05	0·43	0·26	0·05	0·17	2·53
Registered Sunshine (in hours).	13·8	21·7	35·0	22·1	18·0	18·0	55·7	64·4	42·0	44·2	38·4	22·8	43·3	439·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	5	6	6	7	10	8	8	7	7	6	3	1	2	6
Scarlet Fever - -	2689	2628	2545	2485	2434	2386	2322	2302	2225	2240	2337	2378	2396	2413
Diphtheria - -	953	933	931	907	926	929	908	909	881	862	828	791	782	888
Typhus - - -	-	-	2	2	2	1	-	-	-	-	-	-	-	1
Enteric Fever - -	80	79	73	69	65	63	68	61	60	56	60	56	42	64

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTIETH Week of the Year 1906.

erms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 20th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1364·1	1270	251	163	66	158	259	373
Small-pox*	9·7	-	-	-	-	-	-	-
Cowpox	-	2	2	-	-	-	-	-
Measles (Morbilli)	59·9	43	6	37	-	-	-	-
Scarlet Fever	8·9	10	1	6	2	1	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	10·7	25	-	1	1	1	7	15
Whooping-cough	36·2	38	10	28	-	-	-	-
Diphtheria	14·0	11	1	8	2	-	-	-
Relapsing Spinal Fever	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·3	3	-	-	1	-	2	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	3·8	7	6	1	-	-	-	-
Diarrhœa, Dysentery	14·5	9	6	-	-	1	1	1
Tetanus	0·3	1	-	-	-	-	1	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	0·3	-	-	-	-	-	-	-
Cancer Dis.	7·9	5	5	-	-	-	-	-
Puerperal Septicæmia	4·6	3	-	-	-	3	-	-
Puerperal Pyæmia	0·3	-	-	-	-	-	-	-
Puerperal Fever	-	-	-	-	-	-	-	-
Infective Endocarditis	2·5	2	-	-	-	1	1	-
Pneumonia: Lobar	15·0	27	-	-	1	7	12	7
Pneumonia: Broncho-	46·9	43	17	18	1	1	-	6
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	45·9	78	3	7	4	13	33	18
Erysipelas	3·1	5	-	-	-	1	2	2
Septicæmia (not Puerperal)	0·3	1	1	-	-	-	-	-
Pyæmia (not Puerperal)	0·3	-	-	-	-	-	-	-
Other Infective Processes	8·4	4	1	-	-	-	1	2
Tuberculous Phthisis	70·1	75	1	-	9	36	21	8
"Phthisis"	57·3	42	1	-	6	20	13	2
Tuberculous Meningitis	24·5	23	6	13	3	1	-	-
Tuberculous Peritonitis	7·9	9	2	5	-	1	1	-
Tabes Mesenterica	2·8	2	2	-	-	-	-	-
Other Tuberculous Dis.	17·8	15	4	3	2	4	2	-
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	12·2	7	-	-	-	-	4	3
Rheumatic Fever	3·8	8	-	-	2	5	1	-
Gout	2·3	1	-	-	-	-	1	-
Cancer: Carcinoma	45·6	41	-	-	-	1	20	20
Cancer: Sarcoma	5·9	3	-	-	1	1	1	-
Cancer (undefined)	36·7	23	-	-	-	-	11	12
Diabetes Mellitus	6·4	10	-	-	-	2	5	3
Premature Birth	53·3	44	44	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 20th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	19·6	13	5	7	1	-	-	-
Insanity, Gen. Par. of Insane	18·1	10	-	-	-	2	5	3
Epilepsy	5·4	6	-	-	-	2	3	1
Convulsions	24·0	10	9	1	-	-	-	-
Locomotor Ataxy	2·3	4	-	-	-	-	2	2
Paraplegia, Dis. of Cord	4·6	3	-	-	-	-	-	3
Nervous Sys. (other dis.)	23·2	25	3	2	3	-	3	14
Valv. Dis., Endocarditis	42·6	34	-	1	5	2	10	16
Cerebr. Hæm. Thromb.	31·3	33	-	-	1	3	7	25
Apoplexy, Hemiplegia	13·5	14	-	-	-	-	1	13
Aneurysm	4·6	5	-	-	-	1	3	1
Embolism, Thrombosis (not cerebral)	0·8	1	-	-	-	1	-	-
Heart & Blood Vessel Dis.	83·3	70	-	-	2	7	15	46
Croup (not Spasm: nor Memb.)	0·5	-	-	-	-	-	-	-
Bronchitis	87·9	81	19	6	1	1	7	50
Asthma, Emphysema	3·8	1	-	-	-	-	-	1
Pleurisy	3·6	2	-	-	-	1	-	1
Respiratory Dis. (other)	9·4	9	2	3	1	1	-	2
Tonsillitis, Quinsy	0·3	1	-	-	-	1	-	-
Enteritis (not Epid.)	9·7	21	11	4	-	2	3	1
Gastro-Enteritis	5·4	4	3	1	-	-	-	-
Peritonitis (not Puerp.)	3·1	4	-	1	-	2	1	-
Cirrhosis of Liver	15·0	12	-	-	1	-	5	6
Liver Dis. (other)	5·4	5	-	-	-	1	3	1
Digestive Dis., Other	39·5	37	5	1	7	6	9	9
Nephritis, Acute	7·1	7	2	-	1	-	4	-
Bright's Dis., Albuminuria	34·7	24	-	-	-	5	12	7
Urinary Sys., Other Dis.	12·0	6	-	-	-	-	1	5
Generative Organs Dis.	4·6	8	-	-	-	2	4	2
Childbirth (Accid. of)	3·8	3	-	-	-	3	-	-
Old Age	48·2	53	-		-	-	1	52
Other Diseases	91·3	85	60	6	3	5	6	5
ACCIDENT.								
By Railways	1·3	-	-	-	-	-	-	-
By Vehicles and Horses	7·1	3	-	1	2	-	-	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·3	-			-	-	-	-
In Building Operations	1·8	1		-	-	1	-	-
In Conflagrations	0·8	-	-	-	-	-		-
By Burns, Scalds, Explosions	2·3	2	1	1	-	-	-	-
By Drowning	6·9	4	1	-	2	-	1	-
By Suffocation in Bed	7·0	8	6	-		-		-
By Poisons or Poisonous Vapours	1·5	3	-	-		1	1	1
Other Deaths by Accident	16·6	14	3	-	1	2	4	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	2	-	1	-	-	1	-
Suicide	13·3	16		-	-	6	7	3
Execution	-	-					-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th May, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include. Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.
LONDON	4,536,429	2480	1270	251	373	-	43	10	11	38	-	3	-	16	53	119
WEST DISTRICTS	805,311	348	209	29	78	-	2	2	2	1	-	1	-	1	10	15
NORTH DISTRICTS	1,056,070	551	238	44	89	-	10	1	6	3	-	1	-	2	13	32
CENTRAL DISTRICTS	209,465	114	63	14	9	-	9	-	1	1	-	-	-	2	2	9
EAST DISTRICTS	715,739	469	199	51	46	-	7	-	1	8	-	-	-	6	9	22
SOUTH DISTRICTS	1,749,844	998	473	112	141	-	15	7	1	25	-	1	-	3	19	40
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	38	1	10	-	-	-	-	-	-	-	-	2	-	1
WEST DISTRICTS.																
St. Mary Paddington *W,2H*	93,178	37	21	6	7	-	-	-	-	-	-	-	-	-	2	2
St. John Paddington *H*	33,617	2	11	-	4	-	-	-	-	-	-	-	-	-	1	1
North-West Paddington	17,181	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	54	42	5	19	-	-	-	-	1	-	-	-	-	1	2
Brompton *2H*	48,591	14	8	2	3	-	-	-	-	-	-	-	-	-	1	2
North Hammersmith *2W,wH*	49,192	27	7	2	3	-	-	-	-	-	-	-	-	-	1	1
South Hammersmith *w,2H*	63,047	24	18	3	8	-	-	-	-	-	-	-	-	-	-	-
North-west Fulham *W*	45,180	41	13	1	6	-	-	-	-	-	-	-	-	-	-	-
North-east Fulham *F*	46,405	30	11	1	3	-	-	2	1	-	-	1	-	-	-	-
South Fulham *W*	45,704	36	8	2	2	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	10	25	1	9	-	1	-	1	-	-	-	-	-	1	2
Chelsea South *W,2H*	31,328	11	8	2	4	-	-	-	-	-	-	-	-	-	-	-
Mayfair and Knightsbridge	28,743	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	17	16	2	5	-	1	-	-	-	-	-	-	-	1	1
St. Margaret & St. John *4H*	43,698	16	13	-	3	-	-	-	-	-	-	-	-	-	2	3
St. James and St. Anne‡ *W,6H*	33,081	9	7	2	1	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																
All Souls Marylebone *8H*	35,391	11	10	-	4	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *W,4H*	37,948	46	15	2	5	-	-	-	-	-	-	-	-	-	2	5
Christchurch Marylebone *H*	39,536	23	9	3	2	-	1	-	-	-	-	-	-	-	1	1
St. John Marylebone *2H*	20,426	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	30	16	2	5	-	-	1	2	-	-	-	-	-	1	1
West St. Pancras *2H*	60,562	23	18	3	6	-	1	-	-	-	-	-	-	-	2	3
Tottenham-court *w,7H*	21,258	4	16	-	4	-	-	-	-	-	-	-	-	1	2	3
Gray's Inn Lane *4H*	34,449	19	14	1	3	-	-	-	-	-	-	-	-	-	1	3
East St. Pancras *W,2H*	60,320	34	16	3	6	-	1	-	-	-	-	-	-	-	-	2
North St. Pancras *2W*	58,728	29	20	5	5	-	-	-	-	-	-	-	-	-	-	3
Tufnell *W*	31,995	9	26	5	10	-	1	-	-	-	-	-	-	-	1	2
Upper Holloway *2W,w,H*	33,978	18	16	-	5	-	3	-	1	-	-	-	-	-	-	-
Tollington *WH*	33,922	21	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	27	6	1	-	-	1	-	-	-	-	-	-	-	-	1
Barnsbury	54,478	39	11	1	5	-	1	-	-	-	-	-	-	1	1	2
Islington South-east *F*	75,397	36	15	6	2	-	1	-	-	1	-	-	-	-	-	1
Highbury *2H*	63,797	30	6	3	1	-	-	-	-	-	-	-	-	-	-	1
Stoke Newington *H*	51,247	24	7	1	2	-	-	-	-	-	-	-	-	-	-	1
North Hackney	50,560	21	8	-	5	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	22	10	1	2	-	-	-	2	-	-	1	-	-	-	-
South-west Hackney *3H*	59,921	43	21	3	7	-	-	-	1	-	-	-	-	-	2	2
South-east Hackney *2W,w,H*	58,255	36	21	4	8	-	-	-	-	2	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated th[illegible] namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dis[illegible] than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fev[illegible]"

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. J[illegible] and St. Anne.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th May, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
S Giles and Bloomsbury 2W,2H -	31,436	29	7	1	3	-	-	-	-	-	-	-	-	-	-	-	3	-
rand W,4H - - - - -	21,674	7	9	-	4	-	-	-	-	-	-	-	-	-	1	2	7	-
and Union Workhouse, Edmonton -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
lborn W,6H - - - - -	29,612	12	11	4	-	-	-	-	-	-	-	-	-	1	-	-	9	-
uth Clerkenwell - - -	28,676	19	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
rth Clerkenwell H - - -	35,028	12	7	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-
isbury 3H,L - - - - -	36,116	26	9	4	1	-	4	-	-	-	-	-	-	1	-	1	-	-
lborn Union Workhouse, Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S Botolph H - - - - -	10,299	3	2	-	-	-				-	-	-	-	-	-	1	-	
S Sepulchre and Allhallows W,2H	16,624	6	15	1	1	-	-	-	1	1	-	-	-	-	1	5	12	-
y of London Asylum, Stone -	-	-	-	-	-		-	-		-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South H - - -	46,362	28	9	2	1	-	1	-	-	1	-	-	-	-	-	1	-	-
oreditch North-West W,w,H -	36,127	28	14	2	6	-	3	-		-	-	-	-	-	-	-	10	-
oreditch North-East - - -	36,148	21	7	-	2	-	-	-	-	1	-	-	-	-	1	1	-	-
oreditch Union Workhouse, Wood Green - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North 2H - -	51,514	37	14	6	-	-	-	-	-	1	-	-	-	1	1	4	6	-
thnal Green South - - -	33,472	18	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
thnal Green East 2W,H,L - -	44,694	32	16	7	5	-	-	-	-	1	-	-	-	1	-	1	6	-
italfields - - - - -	27,969	14	2	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
le End New Town W,H - -	28,718	22	39	6	4	-	-	-	1	-	-	-	-	-	-	4	35	-
odman's Fields - - - -	22,081	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George and St. John 2W - -	49,068	40	9	5	1	-	-	-	-	-	-	-	-	1	-	-	2	-
adwell and Ratcliff W,H - -	25,568	14	5	1	2	-	-	-	-	2	-	-	-	-	-	-	3	-
mehouse W - - - - -	32,369	18	7	3	2	-	-	-	-	-	-	-	-	-	1	2	-	-
le End Old Town South-Western H - - - -	63,698	53	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
le End Old Town North-Eastern W,w - - -	49,129	28	9	1	4	-	-	-	-	-	-	-	-	1	1	1	4	-
ow L - - - - - -	41,989	34	8	3	3	-	1	-	-	1	-	-	-	-	-	-	-	-
omley 3w,H - - - - -	68,319	42	31	7	9	-	1	-	-	1	-	-	-	2	3	4	23	-
oplar W,w - - - - -	58,514	32	14	4	2	-	-	-	-	-	-	-	-	-	1	2	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th May, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H*	12,056	4	21	3	3	-	2	-	-	-	-	-	-	-	2	1	16
Kent-road	21,904	10	4	1	1	-	1	-	-	-	-	-	-	-	1	2	..
St. George the Martyr West *W,2H,L*	39,094	21	11	8	1	-	-	-	-	2	-	-	-	-	-	-	8
Newington North	49,022	24	10	2	3	-	2	-	-	-	-	-	-	-	-	1	-
Newington South *W*	72,841	31	20	7	2	-	-	-	-	1	-	-	-	-	1	3	1
St. Olave *2W*	9,81	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Bermondsey *W*	82,483	56	17	9	-	-	-	-	-	1	-	-	-	-	1	2	-
Rotherhithe *W,F*	38,460	16	16	1	6	-	1	-	-	2	-	-	-	-	1	2	12
Waterloo-road *2H*	27,440	27	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Lambeth Church 1st *H*	18,423	12	12	2	2	-	-	-	-	-	-	-	-	-	1	2	11
Lambeth Church 2nd *2W*	39,818	36	21	6	8	-	-	-	-	-	-	-	-	-	-	-	16
Kennington 1st *H*	53,198	41	11	2	5	-	1	-	-	-	-	-	-	-	1	1	1
Kennington 2nd *H*	42,896	25	9	5	1	-	-	-	-	-	-	-	-	-	-	-	4
Brixton *F*	84,232	38	19	4	8	-	1	1	-	3	-	-	-	-	-	1	1
Norwood *W,H*	35,888	12	6	-	3	-	-	-	-	-	-	-	-	-	1	1	1
East Battersea *H*	72,203	60	8	1	2	-	-	-	-	1	-	-	-	-	-	-	-
North-west Battersea	49,656	28	16	6	2	-	-	-	-	1	-	-	-	1	1	4	-
South-west Battersea *2W,H*	47,048	17	15	1	5	-	-	-	-	-	-	-	-	-	1	1	14
Clapham *2H*	51,361	27	13	2	5	-	3	-	-	-	-	-	-	-	1	1	-
Streatham *W,2w,2F,2L*	88,019	52	27	6	12	-	2	1	-	1	-	-	-	-	-	3	7
Springfield *2W,L*	27,959	14	5	4	1	-	-	-	-	-	-	-	-	-	-	-	1
Southfields *H*	40,444	24	15	5	5	-	-	-	-	-	-	-	-	-	-	1	-
Putney	24,139	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	6	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	20	20	2	10	-	1	-	-	-	-	-	-	-	-	1	15
Camberwell North *W,2L*	65,584	33	30	4	9	-	-	-	-	1	-	-	-	-	2	4	14
St. George	47,331	37	7	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Peckham North	48,913	32	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	21	10	3	2	-	-	-	-	1	-	-	-	-	2	4	-
Deptford North	37,613	27	12	4	2	-	-	-	-	4	-	1	-	-	1	1	-
Deptford Central	45,481	29	7	3	2	-	-	-	-	2	-	-	-	1	-	-	-
Deptford South	34,625	13	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	11	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1
Greenwich East *2W,H*	43,859	29	22	1	12	-	-	-	-	1	-	-	-	-	1	2	10
Eltham *w,H*	7,226	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Lee *wH*	25,490	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F*	58,352	40	21	3	9	-	-	4	-	1	-	-	-	-	1	1	14
Sydenham *H*	43,653	24	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Charlton *F,2H*	21,134	13	6	1	3	-	-	1	1	-	-	-	-	-	-	-	2
Woolwich *5H*	41,625	23	8	5	3	-	-	-	-	-	-	-	-	-	-	-	1
Plumstead West *W*	18,063	7	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	27	13	2	1	-	-	-	-	-	-	-	-	-	-	-	7
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	3
London County Lunatic Asylums:—																	
Banstead	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Dartford Heath	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Hanwell	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
Colney Hatch	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Claybury	—	-	10	-	4	-	-	-	-	-	-	-	-	2	-	-	10

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th May, 1906.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1370	470	90	157	-	15	6	4	15	-	4	25	38	79	2
30	1 Carshalton 2F,3H - -	12,228	32,997	21	6	-	2	-	-	-	-	-	-	-	-	-	-	-
	2 Epsom, *part of** W,w,2F,H -	10,423	15,548	9	4	1	1	-	-	-	-	-	-	-	-	-	1	-
37	1 Godstone, *part of** W,F -	2,754	2,692	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
38	1 Coulsdon - - - -	11,069	8,166	6	3	-	3	-	-	-	-	-	-	-	-	-	-	-
	2 South Croydon *w* - -	4,200	49,309	21	12	3	5	-	-	-	-	3	-	-	-	1	-	-
	3 West Croydon 3W,F,H -	2,168	42,888	27	11	1	1	-	-	-	-	1	-	-	1	3	2	-
	4 North Croydon *H* - -	2,644	41,698	25	7	-	4	-	-	-	-	-	-	-	1	1	1	-
	5 Penge *w,H* - - - -	770	22,465	7	4	2	-	-	-	-	-	-	-	-	-	1	-	-
	6 Mitcham *w* - - -	11,711	30.015	15	5	2	-	-	-	-	-	-	-	-	-	2	-	-
39	1 Wimbledon F,3H - -	3,221	41,652	28	7	2	2	-	-	-	1	-	-	-	-	-	1	-
	2 Kingston 2W,H - - -	6,224	42,068	26	10	1	5	-	-	-	-	-	-	-	-	-	3	-
	3 Surbiton F,H - - -	3,046	15,017	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	4 Esher, *part of** H -	5,402	13,100	5	4	1	2	-	-	-	-	-	-	-	3	3	-	-
	5 Hampton H,F,L - - -	4,564	23,456	19	9	-	5	-	-	-	-	-	-	-	-	-	-	-
40	1 Richmond W,H - - -	2,162	28,865	11	8	-	3	-	-	-	-	-	-	-	1	1	6	-
	2 Mortlake F - - -	2,847	20,628	16	5	2	1	-	1	-	-	1	-	-	1	1	-	-
41	1 Bromley F,2H - - -	4,703	27,354	13	7	1	2	-	-	-	-	-	-	-	1	1	2	-
	2 Beckenham H - - -	7,825	28,497	18	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	3 Orpington *part of** W -	10,113	9,857	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	4 Chislehurst 2H - - -	7,333	16,446	10	3	1	2	-	-	-	-	-	-	-	-	-	-	-
42	1 Bexley *w* F,H - - -	8,678	21,151	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	2 Erith F,H - - -	3,854	25,296	25	6	1	-	-	-	1	-	-	-	-	1	1	1	-
	3 Dartford W,F, *part of** -	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
24	1 Sunbury *w* - - - -	11,054	18,683	13	6	1	2	-	-	-	-	-	-	1	-	-	-	-
	2 Staines W,H - - -	13,277	15,178	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-
25	1 Hillingdon W,F,H - -	6,035	13,661	11	4	2	1	-	-	-	-	-	-	-	-	-	1	-
	2 Uxbridge H - - -	12,757	8,984	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	3 Hayes *w*2 F,H - - -	8,066	16,358	16	5	2	-	-	-	-	-	-	-	-	-	-	1	-
26	1 Isleworth 3W,2F,H - -	6,859	30,863	27	12	3	3	-	2	-	-	-	-	-	-	-	3	-
	2 Twickenham F,H - -	2,421	20,991	22	8	1	3	-	-	-	-	-	-	-	1	1	1	-
	3 Brentford 3F,2H - - -	4,319	48,289	27	13	2	6	-	1	-	-	-	-	-	1	1	-	-
	4 Chiswick H- - - -	1,249	29,809	14	9	1	1	-	1	-	-	2	-	-	-	-	-	-
	5 Acton *w,F*, 3H - - -	6,132	48,914	38	7	1	3	-	1	-	-	1	-	-	-	-	-	1
27	1 Harrow F,H - - -	13,809	25,523	9	5	1	1	-	-	-	-	1	-	-	-	-	-	-
	2 Edgware 2F,2H - - -	6,994	4,521	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	3 Willesden W,F,2H - -	4,384	114,811	94	28	5	7	-	-	-	-	-	-	-	-	2	4	1
	4 Hendon W,F - - -	8,382	22,450	7	3	-	3	-	-	-	-	-	-	-	1	1	-	-
28	1 South Mimms 2F,H - -	17,755	7,308	1	2	-	1	-	-	-	-	-	-	-	1	1	-	-
	2 Barnet W,2H - - -	3,324	17,970	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3 Finchley F,2H - - -	4,688	33,692	26	7	1	4	-	-	-	-	1	-	-	-	-	-	-
29	1 Hornsey F,H - - -	2,875	72,056	34	7	-	6	-	-	-	1	-	-	-	-	-	1	-
	2 Wood Green H - - -	1,625	34,233	22	8	2	2	-	-	1	-	2	-	-	-	1	-	-
	3 West Tottenham F - -	996	48,853	41	8	2	3	-	-	1	-	-	-	-	1	1	-	-
	4 East Tottenham 2H - -	2,017	53,688	37	16	1	7	-	1	-	-	-	-	-	1	1	3	-
	5 Edmonton W,*w*,2F - -	7,491	61,892	51	14	6	3	-	-	-	-	1	-	-	-	1	4	-
	6 Enfield 2W,F,H - - -	12,601	42,738	27	8	1	2	-	-	1	-	-	-	-	1	1	2	-
	7 Waltham Abbey F - -	11,017	6,549	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	8 Cheshunt F,H - - -	8,479	12,292	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
13	1 Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	1 Bushey H - - - -	9,333	9,173	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	2 Watford W,2F *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
18	1 Stratford H - - -	1,072	44,827	26	11	1	5	-	-	-	-	-	-	-	2	2	2	-
	2 Plaistow F,2H - - -	1,249	90,921	84	20	8	2	-	-	-	-	-	-	-	-	-	1	-
	3 Canning Town H - - -	1,556	70,718	57	17	6	2	-	1	-	1	1	-	1	1	1	1	-
	4 Forest Gate *w* - - -	806	60,892	24	8	-	3	-	-	-	-	1	-	-	1	1	-	-
	5 North East Ham *w* H -	1,333	58,676	33	16	3	5	-	1	-	-	-	-	-	2	3	1	-
	6 South East Ham 2F - -	1,993	37,342	42	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	7 Wanstead F - - -	1,679	9,179	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 South Leyton 2W - -	631	50,467	39	15	2	8	-	-	-	-	-	-	-	1	1	6	-
	9 North Leyton 2W,*w*,F -	1,963	48,445	28	28	3	9	-	1	-	-	-	-	1	-	1	19	-
	10 Walthamstow 3H,L - -	6,504	108,929	86	17	5	5	-	3	-	-	-	-	1	1	2	-	-
18	1 Chigwell, *part of** 2F,3H -	11,778	16,397	11	5	-	4	-	-	1	-	-	-	-	1	1	2	-
	2 Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	1 Romford, *part of** W,2F -	6,556	6,091	6	2	-	1	-	-	1	-	-	-	-	-	-	1	-
	2 Ilford F,L - - - -	8,496	41,234	28	9	2	3	-	-	-	1	-	-	-	-	-	3	-
	3 Barking Town F - -	3,803	21,547	25	6	2	1	-	2	-	-	-	-	-	-	-	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Leydon Bois parish, and part of Epping parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	May 19	2480	1270	14·0	-	43	10	11	38	3	
CALCUTTA - -	910,117	April 7	-	909	55·7	137	5	-	-	4	419‡	
BOMBAY - -	776,006	May 1	364	2180	146·1	9	69	-	-	1	1186†	1
MADRAS - -	509,346	April 20	336	452	46·1	42	23	?	?	?	80	
PARIS - - -	2,750,000	—	-	-	-	-	-	-	-	-	-	
BRUSSELS - -	612,401	May 12	244	196	16·6	-	2	-	1	9	-	
ANTWERP - -	291,949	" 12	136	79	13·8	-	5	1	2	1	1	
AMSTERDAM -	560,249	" 5	289	154	14·3	-	6	1	1	-	-	
COPENHAGEN -	425,000	" 12	189	144	17·7	-	4	-	1	3	-	
STOCKHOLM -	324,488	" 5	169	90	14·4	-	1	3	1	2	-	
CHRISTIANIA -	222,373	" 12	136	57	13·3	-	-	-	4	-	-	
ST. PETERSBURG	1,424,700	April 28	696	842	30·6	-	37	23	27	8	21	
MOSCOW - -	1,154,000	" 28	-	678	30·6	3	6	3	11	5	1	
BERLIN - -	2,052,873	" 28	913	598	15·2	-	8	4	3	5	1	
HAMBURG - -	819,380	May 12	-	276	17·9	-	7	5	2	5	-	
BRESLAU - -	475,000	" 5	-	222	24·4	-	-	-	1	1	-	
MUNICH - -	540,000	" 12	-	202	19·5	-	5	-	1	-	-	
VIENNA - -	1,956,949	" 12	950	829	22·2	-	34	14	7	3	1	
PRAGUE - -	455 241	" 12	209	198	22·3	-	4	3	-	-	-	
BUDA-PESTH -	859,134	" 5	371	331	20·0	-	5	10	-	4	-	
		" 12	430	385	23·3	-	8	4	4	2	2	
TRIESTE - -	196,637	" 12	108	89	23·5	-	1	-	2	-	-	
ROME - -	526,170	—	-	-	-	-	-	-	-	-	-	
VENICE - -	171,709	—	-	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	May 5	143	118	21·1	-	-	-	-	1	2	
NEW YORK -	4,152,860	" 5	2009	1577	19·8	-	39	21	49	9	7	
CHICAGO - -	2,049,185	April 28	-	621	15·8	-	5	11	4	2	9	
PHILADELPHIA -	1,469,126	" 28	-	587	20·7	-	8	2	19	6	27	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	April 22	-	273	15·6	-	-	-	-	-	2	

* Excluding deaths from croup in the Indian Cities.
† Including 301 deaths from plague in Calcutta, and 1069 in Bombay.
‡ Including 43 deaths from cholera in Calcutta, and 44 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 19th May, 1906.

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	75·0	31·6	51·2	0·17	BRADFORD - -	65·4	35·8	47·9	1
BRIGHTON - -	74·2	36·1	52·9	0·14	LEEDS - - -	71·0	37·0	50 3	0
PORTSMOUTH - -	72·6	35·5	53·0	0·11	HULL - - -	61·0	31·0	47 4	0
NORWICH - -	60·0	34·0	49·2	0·49	TYNEMOUTH - -	57·0	35·0	44 3	3
PLYMOUTH - -	71·5	36·0	51·5	0·05	CARDIFF - -	72·6	32·0	50 6	0
BRISTOL - - -	74·2	35·3	51·2	0·21	EDINBURGH - -	54·8	36·9	44·6	1
BIRMINGHAM - -	67·8	37·5	49·1	0·50	GLASGOW - -	65·2	37·8	48·2	0
NOTTINGHAM - -	65·8	34·0	49·2	0·22	DUBLIN Phœnix Park.	61·8	36·4	46·8	0
LIVERPOOL OBSERVATORY	69·0	40·0	49·2	0·56	DUBLIN Fitzwilliam Square.†	63·3	39·0	49·1	0
MANCHESTER -	67·0	34·8	48·4	0·59					
PRESTON - -	67·5	38·5	49·5	0·80					
HUDDERSFIELD -	64·5	35·2	46·6	1·07	BELFAST - -	59 0	41·0	48·8	0

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footno the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period t above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit)	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Zon.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	13	..	29·838	75·0	47·2	27·8	61·6	+ 9·3	49·9	11·7	19·7	0·8	66	137·0	34·5	49·60	ENE. & NE.	E., ENE. & NNE.	2·0	0·0	0·1	225	− 25	0·00	1·5
MONDAY -	14	..	29·742	68·0	46·2	21·8	55·1	+ 2·5	42·4	12·7	23·0	1·5	62	132·6	38·1	50·04	N. & NNE.	NNE.	5·3	0·0	0·6	389	+140	0·00	0·2
TUESDAY -	15	Last Quarter.	29·564	60·4	42·9	17·5	50·2	− 2·6	36·6	13·6	23·4	5·1	60	123·3	42·2	50·44	NNE. & N.	N. & NNW.	4·2	0·0	0·6	367	+118	0·00	3·3
WEDNESDAY	16	..	29·310	54·3	43·2	11·1	47·6	− 5·5	40·8	6·8	13·2	3·5	77	106·6	37·0	50·64	NW, WNW. & W.	N.	4·1	0·0	0·3	305	+ 56	0·17	2·0
THURSDAY -	17	..	29·349	49·0	37·1	11·9	42·4	−10·9	35·7	6·7	12·6	1·2	77	79·0	29·6	50·61	N.	N., NNE. & S.	1·6	0·0	0·1	186	− 62	0·00	3·5
FRIDAY -	18	In Equator	29·437	57·3	31·6	25·7	46·1	− 7·5	36·0	10·1	17·5	0·0	68	118·1	22·6	50·39	Calm, NE. & ESE.	E. & ENE.	1·1	0·0	0·0	111	−137	0·00	8·0
SATURDAY -	19	..	29·518	64·2	39·8	24·4	52·1	− 1·8	41·6	10·5	18·6	0·9	68	112·0	28·2	50·11	Variable & N.	N. & NNE.	1·2	0·0	0·1	150	− 98	0·00	0·0
MEANS -			29·537	61·2	41·1	20·0	50·7	− 2·4	40·4	10·3	18·3	1·9	68	115·5	33·2	50·26	NNE.		..	..	..	Sum 1733	Sum − 8	Sum 0·17	2·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. May.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	13	w. P. throughout.	13·7	15·4
MONDAY -	14	w. P. generally; occasional w. N. in afternoon.	10·2	15·5
TUESDAY -	15	w. P. till 6h. A.M.; m.P. till 11h. A.M.; w. P. generally afterwards.	5·3	15·5
WEDNESDAY	16	w. P. till 9h. A.M.; v. P. and s. N. till 6h. P.M.; w.P. afterwards.	2·7	15·5
THURSDAY -	17	w. P. throughout.	0·3	15·6
FRIDAY -	18	w. P. throughout.	6·5	15·6
SATURDAY -	19	w. P. throughout.	4·6	15·7
			Sum 43·3	Sum 108·8
No. of Col. -		27	28	29

GENERAL REMARKS.

Very fine; small amounts of cloud prevalent at times. Solar halo observed in forenoon.

Cloudless in morning; very fine with little cloud till afternoon; overcast after 5h. P.M.

Generally overcast till 10h. A.M.; very fine with small amounts of cloud till 4h. P.M.; generally overcast afterwards.

Overcast in morning; generally cloudy and showery afterwards.

Generally overcast; a cold day.

Generally cloudless with hoar frost in morning; fine with variable amounts of cloud afterwards.

Generally cloudy; fine at times. Partial solar halo observed about 1h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·80 in. at the beginning of the week to 29·86 in. by 9h. A.M. on the 13th; decreased to 29·27 in. by 5h. P.M. on the 16th; and increased to 29·56 in. by midnight on the 19th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 12th May, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	16	1	-	1	-	-	2	1
Kensington	180,952	-	13	5	-	-	-	-	2	-
Hammersmith	120,679	-	10	3	-	2	-	-	2	-
Fulham	161,965	-	11	3	-	3	-	-	5	-
Chelsea	74,672	-	8	1	-	-	-	-	-	1
City of Westminster	173,905	-	10	2	-	-	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	13	1	-	-	-	-	2	-
Hampstead	89,633	-	12	-	-	-	-	-	1	1
St. Pancras	236,455	-	11	15	-	1	-	-	4	-
Islington	344,987	-	33	4	-	2	-	-	7	-
Stoke Newington	53,217	-	1	1	-	-	-	-	1	-
Hackney	230,721	-	15	4	-	2	-	-	5	2
CENTRAL.										
Holborn	55,805	-	1	-	-	-	-	-	2	-
Finsbury	97,466	-	7	1	-	-	-	-	3	1
City of London	21,367	-	2	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	12	-	-	-	-	-	3	-
Bethnal Green	130,609	-	10	2	-	-	-	-	2	1
Stepney	307,176	-	18	8	-	-	-	-	7	-
Poplar	170,673	-	7	8	-	1	-	-	6	-
SOUTH.										
Southwark	209,143	-	15	7	-	-	-	-	2	-
Bermondsey	128,629	-	14	2	-	1	-	-	-	-
Lambeth	315,774	-	30	6	-	-	-	-	5	-
Battersea	179,622	-	13	4	-	-	-	-	3	-
Wandsworth	273,381	-	23	7	-	3	-	-	6	-
Camberwell	274,132	-	20	10	-	1	-	-	1	1
Deptford	115,495	-	9	5	-	1	-	-	2	-
Greenwich	105,350	-	2	2	-	-	-	-	3	-
Lewisham	148,463	-	9	4	-	-	-	-	2	-
Woolwich	127,345	-	11	2	-	-	-	-	4	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	356	108	-	18	-	-	83	8
Ages 0-1		-	8	2	-	-	-	-	3	-
" 1-5		-	91	40	-	1	-	-	1	-
" 5-		-	133	31	-	3	-	-	1	-
" 10-		-	55	10	-	5	-	-	1	-
" 15-		-	27	6	-	3	-	-	8	-
" 20-		-	21	7	-	-	-	-	2	-
" 25-		-	16	11	-	4	-	-	15	5
" 35-		-	4	1	-	1	-	-	18	3
" 45-		-	1	-	-	-	-	-	14	-
" 55-		-	-	-	-	1	-	-	12	-
" 65 and upwards		-	-	-	-	-	-	-	8	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 21. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, MAY 26. [Price 1½*d*.

General Register Office, Somerset House,
May 28th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·2 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 16·3, 15·5, and 14·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 19·4 in St. Helens, 19·6 in Warrington, 19·8 in Bootle and in Burnley, 19·9 in Stockport, 20·3 in Middlesbrough, 20·7 in Salford, and 24·8 in Great Yarmouth; from *measles*, 1·8 in Liverpool, 2·0 in Manchester, 2·1 in Gateshead, 4·0 in Great Yarmouth, and 4·6 in Burnley; from *scarlet fever*, 1·2 in Hornsey and in Rochdale; from *diphtheria*, 1·4 in Kings Norton; from *whooping-cough*, 1·3 in Derby, 1·4 in Kings Norton and in Merthyr Tydfil, and 2·0 in Reading; from "*fever*," 1·7 in Rotherham; and from *diarrhœa*, 1·1 in St. Helens and 1·6 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2518 BIRTHS and 1156 DEATHS were registered. Allowing for increase of population, the births were 134 above and the deaths 183 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 16·0, 15·6, and 14·0 per 1000 in the preceding three weeks, further fell last week to 12·8. The death-rate in the four weeks ended last Saturday averaged 14·6 per 1000, being 0·6 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 5/06 D & S 3 24995

X

The 1156 deaths included 41 from measles, 15 from scarlet fever, 13 from diphtheria, 32 from whooping-cough, 8 from enteric fever, and 10 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 119 deaths were referred to these diseases in the aggregate, being 26 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 61, 75, and 43 in the preceding three weeks, were 41 last week, and were 21 below the corrected average; 6 deaths belonged to the Borough of Finsbury, 6 to Bermondsey, 5 apiece to St. Pancras, Islington, and Shoreditch, and 4 to Hackney. The deaths from *scarlet fever*, which had been 17, 11, and 10 in the preceding three weeks, rose to 15 last week, and were 10 above the corrected average. The deaths from *diphtheria*, which had been 9, 10, and 11 in the preceding three weeks, were 13 last week, and were equal to the corrected average; 3 deaths belonged to Bermondsey. The deaths from *whooping-cough*, which had been 38, 26, and 38 in the preceding three weeks, fell to 32 last week, and were 6 below the corrected average; 4 deaths belonged to Finsbury, and 3 apiece to St. Pancras, Lambeth, and Camberwell. The fatal cases of *enteric fever*, which had been 0, 5, and 3 in the preceding three weeks, rose to 8 last week, and were 4 above the corrected average. The deaths from *diarrhœa*, which had been 12, 16, and 16 in the preceding three weeks, fell to 10 last week, and were 5 below the corrected average. Of the 10 deaths from diarrhœa, 9 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 1 other death at this age. The deaths attributed directly to *influenza* numbered 12, having been 21, 24, and 25 in the preceding three weeks. The death of a house painter, aged 69 years, was certified as due to *lead poisoning*, and that of a horse-hair dresser, aged 31 years, was certified after inquest as due to *anthrax*.

Different forms of *violence* caused 42 deaths, concerning all of which inquests were held. Of these 42 deaths, 11 were cases of suicide, while the remaining 31 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 5 to burns or scalds, 2 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 4, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2453 of scarlet fever, 783 of diphtheria, and 44 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 0, 0, and 2; of scarlet fever, 338 cases, against 357, 338, and 301; of diphtheria, 107 cases, against 104, 82, and 101; and of enteric fever, 13 cases, against 13, 12, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 19th, 1906.

Greater London.

In Greater London 3839 births and 1614 deaths were registered. Allowing for increase of population, these numbers are 222 above and 227 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 5 from scarlet fever, 2 from diphtheria, 8 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·71 inches, and that of the Thermometer 51°·8, the latter being 3°·3 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 19 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 27·5 hours; the measured rainfall amounted to 1·08 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th May, 1906, preceding three weeks.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 5th May, 1906.	12th May, 1906.	19th May, 1906.	26th May, 1906.	Rate from Diseases in Cols. 11-17. Week ended 26th May, 1906.	Registered during the Week ended 26th May, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**16·3**	**15·5**	**14·5**	**14·2**	**1·5**	**8549**	**4293**	**891**	**1193**	-	**161**	**47**	**44**	**118**	**24**	**47**	**151**	**327**	**1041**	**33**	**76 TOWNS.**
LONDON - - -	4,721,217	16·0	15·6	14·0	12·8	1·3	2518	1156	200	341	-	41	15	13	32	8	10	42	121	453	3	LONDON.
CROYDON - -	151,011	10·7	12·1	9·7	10·0	0·7	100	29	10	7	-	-	-	-	2	-	-	-	2	7	-	CROYDON.
WILLESDEN - -	143,622	7·3	9·4	10·2	5·4	0·4	82	15	3	2	-	-	-	-	1	-	-	1	1	1	-	WILLESDEN.
HORNSEY - -	86,935	7·2	7·2	4·2	7·8	1·8	29	13	2	5	-	1	2	-	-	-	-	-	-	2	-	HORNSEY.
TOTTENHAM - -	119,503	9·6	11·8	11·3	9·2	1·3	78	21	2	6	-	1	2	-	-	-	-	1	2	3	-	TOTTENHAM.
WEST HAM - -	301,617	11·8	13·8	13·7	13·5	0·7	168	78	16	20	-	-	-	1	1	-	2	8	10	12	-	WEST HAM.
EAST HAM - -	129,886	9·2	12·0	10·4	6·8	-	87	17	4	10	-	-	-	-	-	-	-	-	-	2	-	EAST HAM.
LEYTON - - -	118,287	8·4	11·9	7·9	6·2	0·9	45	14	1	5	-	1	-	-	1	-	-	1	1	3	-	LEYTON.
WALTHAMSTOW -	121,334	12·0	6·9	8·6	7·7	0·9	75	18	5	3	-	-	2	-	-	-	-	1	2	4	-	WALTHAMSTOW.
HASTINGS - - -	67,144	13·2	11·6	12·4	16·3	-	22	21	1	8	-	-	-	-	-	-	-	2	2	3	-	HASTINGS.
BRIGHTON - -	128,095	15·1	13·0	9·8	12·2	1·2	48	30	4	13	-	1	-	-	1	-	1	1	3	8	-	BRIGHTON.
PORTSMOUTH - -	205,118	17·8	11·2	14·0	12·2	0·5	117	48	9	14	-	1	-	1	-	-	-	2	5	9	-	PORTSMOUTH.
BOURNEMOUTH -	67,702	8·5	16·2	12·3	14·6	0·8	26	19	-	7	-	1	-	-	-	-	-	2	2	3	-	BOURNEMOUTH.
SOUTHAMPTON -	117,312	14·2	12·0	13·3	11·6	-	68	26	5	10	-	-	-	-	-	-	-	2	5	2	-	SOUTHAMPTON.
READING - - -	78,987	15·8	13·2	11·9	13·2	2·6	32	20	6	7	-	-	-	1	3	-	-	-	-	1	-	READING.
NORTHAMPTON -	93,749	14·5	6·7	13·3	11·1	-	41	20	2	6	-	-	-	-	-	-	-	-	-	4	-	NORTHAMPTON.
IPSWICH - - -	71,809	16·0	15·2	17·4	13·1	0·7	38	18	6	9	-	-	-	-	1	-	-	-	1	1	-	IPSWICH.
GREAT YARMOUTH -	52,613	16·8	15·9	20·8	21·8	5·0	33	25	4	13	-	4	-	-	1	-	-	1	1	3	-	GREAT YARMOUTH.
NORWICH - -	117,958	21·7	17·2	12·8	16·8	0·4	62	38	9	19	-	-	-	-	-	-	1	3	5	7	-	NORWICH.
PLYMOUTH - -	118,014	12·8	20·3	12·4	14·1	0·9	51	32	6	10	-	-	-	1	1	-	-	-	-	4	-	PLYMOUTH.
DEVONPORT - -	78,405	14·6	10·6	14·0	8·6	-	32	13	4	2	-	-	-	-	-	-	-	-	1	2	-	DEVONPORT.
BRISTOL - - -	363,223	14·9	12·1	14·1	12·8	1·6	180	89	15	30	-	2	2	1	5	-	1	3	5	21	1	BRISTOL.
HANLEY‡ - - -	66,360	21·2	14·1	22·0	14·1	-	42	18	5	8	-	-	-	-	-	-	-	-	2	3	-	HANLEY‡
BURTON-ON-TRENT	52,922	16·7	15·8	11·8	9·9	-	15	10	1	4	-	-	-	-	-	-	-	-	-	1	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	100,729	11·4	11·4	10·4	15·0	1·0	52	29	9	7	-	-	2	-	-	-	-	1	2	5	-	WOLVERHAMPTON.
WALSALL - - -	94,577	11·0	11·6	13·2	11·0	1·7	55	20	6	7	-	-	-	-	2	-	1	-	1	-	-	WALSALL.
HANDSWORTH -	63,819	12·3	7·4	9·0	9·8	-	26	12	3	6	-	-	-	-	-	-	-	-	-	2	1	HANDSWORTH.
WEST BROMWICH -	68,469	12·2	16·8	13·7	14·5	0·8	36	19	6	3	-	-	-	-	1	-	-	3	3	3	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 26th May, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 5th May, 1906.	12th May, 1906.	19th May, 1906.	26th May, 1906.	Rate from Diseases in Cols. 11-17. Week ended 26th May, 1906.	Registered during the Week ended 26th May, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	16·8	17·1	16·6	16·1	1·6	313	169	50	35	-	5	1	3	6	-	2	4	9	46	3	BIRMINGHAM.
KINGS NORTON -	72,608	7·9	6·5	9·3	14·4	2·9	20	20	5	6	-	-	-	2	2	-	-	1	1	1	2	KINGS NORTON.
SMETHWICK - -	64,531	14·5	13·7	8·9	10·5	-	53	13	5	2	-	-	-	-	-	-	-	1	1	3	-	SMETHWICK.
ASTON MANOR -	82,288	11·4	14·6	9·5	11·4	-	48	18	5	3	-	-	-	-	-	-	-	-	1	3	-	ASTON MANOR.
COVENTRY - -	76,374	18·4	13·0	9·6	13·7	-	46	20	5	5	-	-	-	-	-	-	-	3	3	2	-	COVENTRY.
LEICESTER - -	232,111	15·7	13·7	8·3	12·4	0·9	127	55	11	16	-	-	1	1	2	-	-	1	3	5	-	LEICESTER.
GRIMSBY - - -	69,359	16·5	14·3	12·8	10·5	-	32	14	2	4	-	-	-	-	-	-	-	-	1	1	-	GRIMSBY.
NOTTINGHAM - -	254,563	14·5	14·1	13·9	11·5	1·0	132	56	10	20	-	-	-	1	2	-	2	3	4	12	-	NOTTINGHAM.
DERBY - - -	123,981	12·2	16·0	13·5	13·0	2·1	55	31	4	9	-	-	-	2	3	-	-	1	1	3	-	DERBY.
STOCKPORT -	39,646	16·7	17·8	15·7	19·9	0·5	54	38	9	11	-	-	-	-	1	-	-	-	2	6	1	STOCKPORT.
BIRKENHEAD -	117,292	20·9	16·0	16·0	17·3	0·9	69	39	7	10	-	-	-	-	2	-	-	-	3	4	-	BIRKENHEAD.
WALLASEY -	64,578	12·9	16·1	9·7	8·9	0·8	40	11	1	5	-	-	1	-	-	-	-	-	-	2	-	WALLASEY.
LIVERPOOL† - -	739,180	27·1	20·5	20·5	18·6	3·5	452	263	71	65	-	25	3	1	13	-	7	6	9	73	4	LIVERPOOL.†
BOOTLE† - - -	65,989	19·0	15·8	20·5	19·8	3·2	45	25	8	6	-	2	1	-	1	-	-	1	1	5	-	BOOTLE.†
ST. HELENS -	91,153	21·7	16·6	17·7	19·4	1·1	50	34	8	10	-	-	-	-	-	-	2	3	3	2	-	ST. HELENS.
WIGAN - - -	87,588	14·9	19·6	15·5	13·1	-	48	22	4	2	-	-	-	-	-	-	-	1	1	3	-	WIGAN.
WARRINGTON -	69,280	19·6	20·3	16·6	19·6	-	60	26	6	10	-	-	-	-	-	-	-	1	1	5	1	WARRINGTON.
BOLTON - - -	180,502	19·4	11·0	14·7	13·0	0·3	79	45	4	14	-	-	-	-	-	1	-	1	3	6	-	BOLTON.
BURY - - -	58,744	19·5	21·3	16·0	16·0	0·9	23	18	6	6	-	1	-	-	1	-	-	-	-	7	-	BURY.
MANCHESTER - -	637,126	20·1	19·0	19·1	19·0	3·1	337	232	49	60	-	25	2	-	7	3	1	5	11	62	-	MANCHESTER.
SALFORD - - -	234,077	18·3	20·5	19·4	20·7	2·0	149	93	19	22	-	5	1	2	-	1	-	1	7	25	-	SALFORD.
OLDHAM - - -	140,969	22·2	17·0	14·8	18·9	2·2	64	51	8	14	-	1	1	1	1	-	2	2	3	8	-	OLDHAM.
ROCHDALE - -	87,189	17·9	13·2	20·9	17·9	1·8	47	30	6	11	-	-	2	-	1	-	-	-	-	4	3	ROCHDALE.
BURNLEY - - -	102,808	15·2	17·2	17·8	19·8	5·1	59	39	13	5	-	9	-	1	-	-	-	2	2	7	-	BURNLEY.
BLACKBURN - -	134,015	20·2	14·8	10·5	17·1	1·9	61	44	10	12	-	2	-	-	-	2	1	3	4	6	2	BLACKBURN.
PRESTON - - -	116,399	13·0	16·1	16·1	17·9	1·3	81	40	10	11	-	2	-	-	-	1	-	-	-	7	1	PRESTON.
BARROW-IN-FURNESS.	60,987	17·1	23·1	10·3	16·3	1·7	32	19	5	4	-	-	-	1	-	1	-	1	1	3	1	BARROW-IN-FURNESS.

TABLE 1 (cont.)—78 GREAT TOWNS, during the week ended 26th May, 1906, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 5th May, 1906.	12th May, 1906.	19th May 1906.	26th May, 1906.	Rate from Diseases in Cols. 11-17. Week ended 26th May, 1906.	Registered during the Week ended 26th May, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	17·0	17·6	17·0	13·7	-	36	25	2	11	-	-	-	-	-	-	-	-	-	2	-	HUDDERSFIELD.
HALIFAX - - -	109,272	15·3	20·0	13·4	10·5	0·5	44	22	2	9	-	1	-	-	-	-	-	-	1	7	-	HALIFAX.
BRADFORD - -	288,544	17·7	21·0	17·5	15·7	2·0	115	87	15	25	-	4	3	2	1	-	1	3	5	13	-	BRADFORD.
LEEDS - - -	463,495	17·8	16·4	18·8	15·1	2·8	218	134	24	34	-	13	1	1	5	1	4	6	11	24	-	LEEDS.
SHEFFIELD - -	447,951	14·4	15·2	13·6	15·5	1·3	233	133	25	30	-	-	3	1	3	1	3	6	13	37	1	SHEFFIELD.
ROTHERHAM - -	61,098	13·7	21·3	8·5	18·8	4·3	51	22	6	4	-	-	-	1	1	2	1	-	1	1	2	ROTHERHAM.
YORK - - -	83,467	15·0	9·4	13·1	13·1	1·2	52	21	5	7	-	-	1	-	-	1	-	1	2	2	-	YORK.
HULL - - -	262,426	16·7	14·1	16·3	14·5	0·8	166	73	17	24	-	-	-	3	1	-	-	2	7	20	-	HULL.
MIDDLESBROUGH -	100,069	20·3	19·3	16·7	20·3	3·1	63	39	8	10	-	1	-	-	2	-	3	1	2	9	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	10·9	16·8	11·9	18·8	1·0	29	19	4	7	-	-	-	-	-	1	-	1	2	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	17·1	13·5	8·5	12·1	0·7	48	17	4	2	-	-	-	-	-	1	-	-	1	3	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	17·9	19·3	17·2	15·9	1·7	109	47	11	10	-	1	-	1	3	-	-	3	5	9	1	SUNDERLAND.
SOUTH SHIELDS -	111,402	19·2	12·2	12·6	13·6	0·5	78	29	5	11	-	1	-	-	-	-	-	1	1	5	1	SOUTH SHIELDS.
GATESHEAD - -	123,191	12·3	12·7	13·5	17·4	3·0	65	41	5	5	-	5	1	-	-	-	1	3	3	1	-	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	18·6	16·7	17·9	18·6	1·7	171	96	29	17	-	4	-	2	3	-	-	1	7	11	4	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	12·5	16·4	22·2	11·6	1·0	28	12	3	2	-	1	-	-	-	-	-	-	1	1	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	9·8	14·8	14·8	8·4	-	45	12	2	3	-	-	-	-	-	-	-	-	-	1	1	NEWPORT (MON.).
CARDIFF - - -	183,823	13·6	14·2	15·3	13·9	0·9	92	49	16	6	-	-	-	-	3	-	-	3	6	9	-	CARDIFF.
RHONDDA- - -	127,684	15·9	11·0	15·1	13·5	-	81	33	13	6	-	-	-	-	-	-	-	3	3	2	-	RHONDDA.
MERTHYR TYDFIL -	74,961	20·2	16·0	10·4	13·9	1·4	41	20	3	3	-	-	-	-	2	-	-	1	2	3	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	17·2	13·5	14·5	15·6	0·5	50	29	7	7	-	-	-	-	-	-	1	1	2	1	-	SWANSEA.
GREATER LONDON -	7,113,561	14·2	14·5	12·8	11·8	1·2	3839	1614	282	488	-	51	26	16	45	8	14	66	160	522	4	GREATER LONDON.
OUTER RING - -	2,392,344	10·8	12·3	10·2	10·0	0·9	1321	458	82	147	-	10	11	3	13	-	4	24	39	69	1	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	9·9	11·3	10·3	9·1	0·8	664	205	43	58	-	3	6	1	5	-	2	12	18	34	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	11·7	13·4	10·2	10·8	1·0	657	253	59	89	-	7	5	2	8	-	2	12	21	35	1	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	16·4	18·0	17·9	17·0	1·7	154	111	17	40	-	2	4	-	2	-	3	4	?	32	8	EDINBURGH.
GLASGOW - - -	835,625	19·4	19·8	19·0	19·0	1·6	450	304	53	72	-	9	-	1	8	1	7	19	?	75	11	GLASGOW.
DUBLIN† - - -	378,994	25·9	21·7	21·6	22·4	0·8	195	163	24	52	-	-	-	-	3	-	3	4	5	76	7	DUBLIN.†
BELFAST†- - -	358,680	26·0	23·4	20·4	22·0	2·0	273	151	21	29	-	-	-	1	8	-	5	6	9	39	4	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FIRST Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2421	2437	2569	2306	2435	2559	2174	2514	2122	2544	2383·7	2518
Males - - -	1228	1264	1327	1185	1270	1313	1122	1294	1073	1278	1214·8	1283
Females - -	1193	1173	1242	1121	1165	1246	1052	1220	1049	1266	1168·9	1235
TOTAL **Deaths** -	1509	1275	1385	1366	1440	1363	1439	1232	1274	1311	1339·4	1156
Males - -	810	662	697	736	764	714	815	642	687	688	721·7	635
Females - -	699	613	688	630	676	649	624	590	587	623	617·7	521

* The numbers in this column are the average weekly numbers in the twenty-first week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	13 Weeks.
TOTAL **Births** -	2470	2509	2499	2243	2663	2504	2087	2459	2717	2547	2497	2480	2518	32283
TOTAL **Deaths** -	1501	1468	1498	1433	1674	1525	1578	1742	1562	1446	1417	1270	1156	19270
Ages at Death: Under 1 year -	280	296	303	273	296	269	288	305	290	239	255	251	200	3545
1—5 years -	183	160	190	170	228	225	192	238	211	223	169	163	139	2491
5—20 " -	69	77	72	73	76	83	76	85	68	64	77	66	79	965
20—40 " -	191	171	164	165	201	174	193	198	197	182	172	158	154	2320
40—60 " -	284	309	302	277	343	270	297	364	324	267	298	259	243	3837
60 yrs. & upwds.	494	455	467	475	530	504	532	552	472	471	446	373	341	6112
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	55	56	70	65	76	68	68	85	73	61	75	43	41	836
Scarlet Fever - -	6	12	10	9	8	8	7	19	6	17	11	10	15	138
Diphtheria - -	18	12	14	16	15	9	17	13	14	9	10	11	13	171
Whooping-cough -	29	34	38	34	53	42	37	37	43	38	26	38	32	481
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	3	3	3	4	2	2	2	3	-	5	3	8	43
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diarrhœa, Dysentery	14	19	17	6	7	13	14	18	14	12	16	16	10	176
All above Diseases -	127	136	152	133	163	142	145	174	154	137	143	121	119	1846
Dis. of Resp. System	190	178	173	165	165	175	173	177	159	164	122	96	88	2025
Pneumonia - -	153	136	161	153	172	157	186	222	202	145	151	148	124	2110
Phthisis - - -	136	134	132	133	169	142	161	165	147	148	139	117	111	1834
Dis. of Circ. System -	196	177	201	173	238	213	180	207	190	175	182	160	148	2440
Violence - - -	52	46	64	66	68	56	47	70	63	61	60	53	42	748
Inquest Cases - -	144	141	152	165	168	154	148	170	152	146	141	119	121	1921
Deaths in Institutions	545	548	532	523	655	556	577	654	574	583	567	507	453	7274
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	41·7	47·2	43·5	37·5	38·2	45·6	51·5	45·7	42·0	46·6	54·2	50·7	51·8	45·9
Mean of Highest -	48·6	55·4	49·9	43·4	46·0	56·7	64·7	57·3	52·1	56·1	64·1	61·2	60·3	55·1
Mean of Lowest -	35·7	40·0	37·3	33·0	32·6	34·5	39·4	34·0	33·7	38·1	45·4	41·1	44·6	37·6
Mean Humidity of the Air.	79	75	73	79	73	63	62	66	68	73	79	68	75	71·8
Rain-fall (in inches) -	0·17	0·35	0·29	0·32	0·14	0·00	0·03	0·05	0·43	0·26	0·05	0·17	1·08	3·34
Registered Sunshine (in hours).	21·7	35·0	22·1	18·0	18·0	55·7	64·4	42·0	44·2	38·4	22·8	43·3	27·5	453·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	6	6	7	10	8	8	7	7	6	3	1	2	2	6
Scarlet Fever - -	2628	2545	2485	2434	2386	2322	2302	2225	2240	2337	2378	2396	2453	2395
Diphtheria - -	933	931	907	926	929	908	909	881	862	828	791	782	783	875
Typhus - - -	-	2	2	2	1	-	-	-	-	-	-	-	-	1
Enteric Fever - -	79	73	69	65	63	68	61	60	56	60	56	42	44	61

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FIRST Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 21st week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1339·4	1156	200	139	79	154	243	341
Small-pox*	6·9	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	62·4	41	9	31	1	-	-	-
Scarlet Fever	5·4	15	-	7	7	1	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	12·7	12	1	-	-	1	4	6
Whooping-cough	37·7	32	13	17	2	-	-	-
Diphtheria	13·0	13	-	6	6	1	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·3	8	-	-	-	3	3	2
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	4·6	1	1	-	-	-	-	-
Diarrhœa, Dysentery	10·7	9	7	1	-	-	-	1
Tetanus	0·8	2	1	-	-	-	1	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	0·3	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	0·3	1	-	-	-	1	-	-
Venereal Dis.	9·2	8	6	1	-	-	1	-
Puerperal Septicæmia	3·3	1	-	-	-	1	-	-
Puerperal Pyæmia	0·3	1	-	-	-	1	-	-
Puerperal Fever	0·8	-	-	-	-	-	-	-
Infective Endocarditis	2·0	2	-	-	-	1	-	1
Pneumonia: Lobar	12·5	25	-	-	1	2	16	6
Pneumonia: Broncho-	45·6	42	13	18	3	3	2	3
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	56·1	57	1	5	5	3	20	23
Erysipelas	4·1	1	-	-	-	-	-	1
Septicæmia (not Puerperal)	1·3	2	-	-	-	-	-	2
Pyæmia (not Puerperal)	0·5	-	-	-	-	-	-	-
Other Infective Processes	7·9	4	-	-	-	-	1	3
Tuberculous Phthisis	65·7	70	2	4	9	25	26	4
"*Phthisis*"	70·1	41	-	-	3	21	16	1
Tuberculous Meningitis	23·4	22	2	12	8	-	-	-
Tuberculous Peritonitis	6·1	5	2	1	-	-	1	1
Tabes Mesenterica	4·6	1	-	1	-	-	-	-
Tuberculous Dis. (other)	19·6	27	4	8	4	5	3	3
Scrofula	-	-	-	-	-	-	-	-
Alcoholism	14·5	6	-	-	-	1	3	2
Rheumatic Fever	4·6	13	1	-	5	4	2	1
Gout	3·1	4	-	-	-	-	2	2
Carcinoma	54·5	53	-	-	-	2	29	22
Sarcoma	6·4	6	-	-	1	-	1	4
Cancer (undefined)	32·6	23	-	-	-	3	8	12
Diabetes Mellitus	8·4	9	-	-	-	1	1	7
Premature Birth	44·1	38	38	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 21st week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	17·8	15	7	2	1	4	1	-
Insanity, Gen. Par. of Insane	13·5	7	-	-	-	3	1	3
Epilepsy	5·1	6	-	1	-	2	2	1
Convulsions	23·7	17	17	-	-	-	-	-
Locomotor Ataxy	2·5	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	4·3	2	-	-	-	1	-	1
Nervous Sys. (other dis.)	20·4	17	-	1	1	5	2	8
Valv. Dis., Endocarditis	37·0	37	-	-	2	4	12	19
Cerebr. Hæm. Thromb.	32·4	27	-	-	-	1	5	21
Apoplexy, Hemiplegia	20·6	14	-	-	-	3	2	9
Aneurysm	2·8	8	-	-	-	3	5	-
Embolism, Thrombosis (not cerebral)	0·8	1	-	-	-	1	-	-
Heart & Blood Vessel Dis.	74·9	61	-	1	3	5	17	35
Croup (not Spasm: nor Memb.)	-	1	-	-	1	-	-	-
Bronchitis	81·3	73	13	2	1	2	10	45
Asthma, Emphysema	1·6	2	-	-	-	-	1	1
Pleurisy	4·3	5	-	1	-	1	1	2
Respiratory Dis. (other)	9·9	7	1	1	-	2	-	3
Tonsillitis, Quinsy	0·5	1	-	-	-	-	1	-
Enteritis (not Epid.)	6·9	9	4	1	1	2	1	-
Gastro-Enteritis	5·1	4	1	-	-	-	-	3
Peritonitis (not Puerp.)	2·5	4	-	-	-	3	-	1
Cirrhosis of Liver	14·8	8	-	-	-	4	2	2
Liver Dis. (other)	4·8	7	-	1	-	1	2	3
Digestive Dis., Other	41·3	25	3	2	5	2	8	5
Nephritis, Acute	5·9	8	1	-	-	2	1	4
Bright's Dis., Albuminuria	32·1	34	-	-	1	3	15	15
Urinary Sys., Other Dis.	7·6	8	-	-	-	2	-	6
Generative Organs Dis.	3·6	4	-	-	-	1	3	-
Childbirth (Accid. of)	4·1	2	-	-	-	1	1	-
Old Age	46·9	38	-	-	-	-	-	38
Other Diseases	88·0	67	45	9	4	2	2	5
ACCIDENT.								
By Railways	1·8	-	-	-	-	-	-	-
By Vehicles and Horses	5·9	6	-	-	2	1	2	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	1	-		-	1	-	-
In Building Operations	1·3	1		-	-	1	-	-
In Conflagrations	0·8	-	-	-	-	-		-
By Burns, Scalds, Explosions	3·1	5	-	4	-	-	-	1
By Drowning	7·1	2	-	-	-	1	1	-
By Suffocation in Bed	9·7	4	4	-	-	-		-
By Poisons or Poisonous Vapours	2·5	1	-	-	-	-	1	-
Other Deaths by Accident	18·1	11	3	1	2	2	2	1
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	-	-	-	-	-	-	-
Suicide	9·9	11		-	-	8	2	1
Execution	0·5	-		-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th May, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2518	1156	200	341	-	41	15	13	32	-	8	-	10	42	121	453
WEST DISTRICTS	805,311	368	181	30	61	-	2	3	1	3	-	2	-	2	9	17	78
NORTH DISTRICTS	1,056,070	548	285	41	75	-	16	2	3	8	-	2	-	3	9	30	92
CENTRAL DISTRICTS	209,465	93	80	16	12	-	4	-	-	4	-	1	-	2	3	10	40
EAST DISTRICTS	715,739	492	199	39	51	-	10	-	-	5	-	1	-	2	11	35	78
SOUTH DISTRICTS	1,749,844	1017	395	74	130	-	8	8	9	12	-	1	-	1	10	28	129
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	36	-	12	-	1	2	-	-	-	1	-	-	-	1	36
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	59	21	7	7	-	-	-	-	-	-	1	-	-	-	1	3
St. John Paddington *H*	33,617	3	10	-	3	-	-	-	-	-	-	-	-	-	2	2	7
North-West Paddington	17,181	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	57	23	5	7	-	-	-	-	1	-	-	-	1	-	3	12
Brompton *2H*	48,591	8	4	-	3	-	-	-	-	-	-	-	-	-	-	-	1
North Hammersmith *2W,wH*	49,192	20	8	2	3	-	1	-	-	-	-	-	-	-	-	1	-
South Hammersmith *w,2H*	63,047	27	13	2	5	-	-	-	-	-	-	1	-	-	2	2	5
North-west Fulham *W*	45,180	45	17	4	6	-	-	-	-	-	-	-	-	-	1	3	11
North-east Fulham *F*	46,405	31	8	2	1	-	-	3	-	-	-	-	-	-	-	-	3
South Fulham *W*	45,704	28	5	1	2	-	-	-	-	-	-	-	-	-	2	2	-
Chelsea North *W,w,3H*	42,514	13	25	1	10	-	1	-	1	1	-	-	-	-	-	-	17
Chelsea South *W,2H*	31,328	10	7	-	4	-	-	-	-	-	-	-	-	-	-	-	2
Mayfair and Knightsbridge	28,743	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	32	15	2	1	-	-	-	-	1	-	-	-	-	2	3	8
St. Margaret & St. John *4H*	43,698	15	16	3	5	-	-	-	-	-	-	-	-	1	-	-	7
St. James and St. Anne‡ *W,6H*	33,081	8	5	-	3	-	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	13	12	1	2	-	-	-	-	-	-	-	-	-	-	1	5
St. Mary Marylebone *W,4H*	37,948	51	11	2	3	-	-	-	-	-	-	-	-	-	1	4	4
Christchurch Marylebone *H*	39,536	21	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	3	5	1	1	-	-	-	-	-	-	-	-	1	-	-	1
Hampstead *W,F,7H*	81,942	32	24	3	7	-	-	1	2	-	-	-	-	-	2	3	12
West St. Pancras *2H*	60,562	31	10	1	2	-	-	-	-	-	-	-	-	-	1	1	2
Tottenham-court *w,7H*	21,258	7	9	-	3	-	-	-	-	-	-	-	-	-	-	-	8
Gray's Inn Lane *4H*	34,449	17	14	1	3	-	3	-	-	-	-	-	-	-	2	6	4
East St. Pancras *W,2H*	60,320	31	24	4	11	-	2	-	-	2	-	-	-	-	1	3	8
North St. Pancras *2W*	58,728	27	17	2	3	-	-	-	-	1	-	-	-	-	-	1	12
Tufnell *W*	31,995	14	15	3	5	-	1	-	-	-	-	-	-	1	-	-	10
Upper Holloway *2W,w,H*	33,978	27	15	2	3	-	2	-	-	-	-	1	-	-	-	1	13
Tollington *WH*	33,922	11	10	1	2	-	1	-	-	-	-	-	-	-	1	1	-
Lower Holloway	41,424	24	9	-	4	-	2	-	-	-	-	-	-	-	-	1	-
Barnsbury	54,478	28	8	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Islington South-east *F*	75,397	35	12	1	6	-	-	-	-	1	-	-	-	-	-	1	-
Highbury *2H*	63,797	27	8	2	4	-	1	-	-	-	-	-	-	-	-	-	1
Stoke Newington *H*	51,247	22	10	-	4	-	-	-	-	2	-	-	-	-	-	1	-
North Hackney	50,560	29	7	2	2	-	1	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	34	12	4	2	-	1	1	-	1	-	1	-	-	1	4	2
South-west Hackney *3H*	59,921	27	17	5	3	-	-	-	1	1	-	-	-	-	-	-	6
South-east Hackney *2W,w,H*	58,255	37	11	4	4	-	2	-	-	-	-	-	-	-	-	2	4

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th May, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyræmia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
iles and Bloomsbury 2*W*,2*H* -	31,436	17	7	3	1	-	-	-	-	-	-	-	-	-	-	-	3	-
nd *W*,4*H* - - - - - -	21,674	2	13	2	1	-	-	-	-	-	-	-	-	-	-	2	12	-
d Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
orn *W*,6*H* - - - - -	29,612	15	14	4	1	-	1	-	-	-	-	-	-	2	1	1	8	-
n Clerkenwell - - -	28,676	16	8	2	1	-	1	-	-	-	-	-	-	-	-	2	-	-
n Clerkenwell *H* - - -	35,028	12	10	4	2	-	1	-	-	2	-	-	-	-	-	1	-	-
ury 3*H*,*L* - - - - -	36,116	28	9	1	3	-	1	-	-	2	-	-	-	-	-	1	-	-
orn Union Workhouse, cham - - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
tolph *H* - - - - - -	10,299	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pulchre and Allhallows *W*,2*H*	16,624	1	16	-	1	-	-	-	-	-	-	1	-	-	2	3	15	-
f London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
hoditch South *H* - - -	46,362	36	9	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-
hoditch North-West *W*,*w*,*H* -	36,127	16	18	3	4	-	2	-	-	-	-	-	-	-	3	4	9	-
hoditch North-East - - -	36,148	21	9	4	1	-	1	-	-	2	-	-	-	-	-	1	-	-
hoditch Union Workhouse, Wood Gn - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
etal Green North 2*H* - -	51,514	38	17	4	2	-	1	-	-	2	-	-	-	-	-	1	8	-
etal Green South - - -	33,472	28	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
etal Green East 2*W*,*H*,*L* - -	44,694	28	14	2	6	-	-	-	-	-	-	-	-	-	1	4	8	-
pitfields - - - - -	27,969	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ilend New Town *W*,*H* - -	28,718	31	28	3	5	-	-	-	-	-	-	-	-	-	3	6	27	-
oman's Fields - - - -	22,081	20	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
t. George and St. John 2*W* - -	49,068	50	3	1	-	-	-	-	-	-	-	-	-	-	-	2	3	-
hadwell and Ratcliff *W*,*H* - -	35,568	18	10	4	1	-	-	-	-	-	-	-	-	1	1	1	6	-
lmouse *W* - - - - -	32,369	14	14	5	3	-	1	-	-	-	-	-	-	-	1	4	-	-
ile End Old Town South-Western *H* - - - -	63,698	50	7	1	2	-	1	-	-	-	-	1	-	-	-	4	-	-
ile End Old Town North-Eastern *W*,*w* - - -	49,129	29	18	2	8	-	-	-	-	-	-	-	-	-	-	2	7	-
ow *L* - - - - - - -	41,989	20	10	3	3	-	-	-	-	1	-	-	-	-	-	2	-	-
roby 3*w*,*H* - - - - -	68,319	47	23	2	9	-	2	-	-	-	-	-	-	-	2	2	10	-
op *W*,*w* - - - - -	58,514	32	10	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-P MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 26th May, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H*	12,056	10	14	2	2	-	1	-	2	-	-	-	-	-	-	1	1
Kent-road	21,904	14	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	20	8	1	1	-	-	-	-	-	-	-	-	-	-	1	7
Newington North	49,022	22	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	39	9	2	3	-	-	-	-	1	-	-	-	-	-	-	-
St. Olave *2W*	9,81	8	3	1	1	-	-	-	-	-	-	-	-	-	1	2	-
Bermondsey *W*	82,483	40	21	8	2	-	5	-	-	-	-	-	-	-	2	2	-
Rotherhithe *W,F*	38,460	19	11	-	3	-	-	-	-	-	-	-	-	-	-	1	-
Waterloo-road *2H*	27,440	31	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H*	18,423	11	12	2	2	-	-	-	-	1	-	-	-	-	-	1	1
Lambeth Church 2nd *2W*	39,818	38	19	1	9	-	-	-	1	1	-	-	-	-	1	1	1
Kennington 1st *H*	53,198	40	5	2	-	-	-	1	-	-	-	-	-	-	-	-	-
Kennington 2nd *H*	42,896	26	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *F*	84,232	31	18	2	9	-	-	1	1	-	-	-	-	-	-	-	-
Norwood *W,H*	35,888	16	7	-	3	-	-	-	-	1	-	-	-	-	-	-	-
East Battersea *H*	72,203	31	6	1	-	-	-	-	-	1	-	-	-	-	2	2	-
North-west Battersea	49,656	24	6	-	3	-	-	-	-	-	-	-	-	-	-	3	-
South-west Battersea *2W,H*	47,048	17	18	3	7	-	-	-	-	-	-	-	-	-	-	1	1
Clapham *2H*	51,361	25	12	2	6	-	1	1	-	-	-	-	-	-	-	2	-
Streatham *W,2w,2F,2L*	88,019	68	25	3	16	-	-	1	-	1	-	1	-	-	-	-	1
Springfield *2W,L*	27,959	22	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	34	8	2	2	-	-	-	-	-	-	-	-	-	1	1	-
Putney	24,139	10	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Dulwich	13,359	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	25	21	1	13	-	-	-	-	1	-	-	-	1	-	-	-
Camberwell North *W,2L*	65,584	40	21	5	5	-	-	-	-	-	-	-	-	-	-	2	-
St. George	47,331	23	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	28	11	2	3	-	1	-	-	1	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	22	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Deptford North	37,613	31	11	4	2	-	-	-	-	-	-	-	-	-	1	1	-
Deptford Central	45,481	26	7	2	2	-	-	-	-	2	-	-	-	-	-	-	-
Deptford South	34,625	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	25	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	25	6	-	3	-	-	-	-	1	-	-	-	-	-	1	-
Eltham *w,H*	7,226	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F*	58,352	43	23	7	5	-	-	2	3	-	-	-	-	-	-	2	-
Sydenham *H*	43,653	15	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Charlton *F,2H*	21,134	10	6	-	2	-	-	2	1	-	-	-	-	-	-	-	-
Woolwich *5H*	41,625	34	7	2	2	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West *W*	18,063	7	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Plumstead East *2W,H*	50,264	35	12	1	6	-	-	-	1	-	-	-	-	-	-	-	-
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	1	2	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Dartford Heath	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	2

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 26th May, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,302	2,044,973	1321	458	82	147	-	10	11	3	13	-	4	24	39	69	1
Carshalton 2F,3H	12,228	32,997	13	8	-	1	-	1	-	-	1	-	-	-	1	-	-
Epsom, *part of** W,w,2F,H	10,423	15,548	15	7	1	3	-	-	-	-	-	-	-	-	-	4	-
Godstone, *part of** W,F	2,754	2,692	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	34	6	2	2	-	-	-	-	1	-	-	-	-	-	-
West Croydon 3W,F,H	2,168	42,888	36	15	6	2	-	-	-	-	1	-	-	-	1	6	-
North Croydon H	2,644	41,698	30	7	2	2	-	-	-	-	-	-	-	-	1	-	-
Penge w,H	770	22,465	13	9	1	5	-	-	-	-	-	-	-	-	-	-	-
Mitcham w	11,711	30,015	25	7	2	1	-	-	-	-	-	-	1	2	2	-	-
Wimbledon F,3H	3,221	41,652	23	7	2	1	-	-	-	-	-	-	-	-	1	1	-
Kingston 2W,H	6,224	42,068	22	12	-	5	-	-	-	-	-	-	-	2	4	3	-
Surbiton F,H	3,046	15,017	10	2	-	1	-	-	-	-	1	-	-	-	-	-	-
Esher, *part of** H	5,402	13,100	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L	4,564	23,456	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Richmond W,H	2,162	28,865	13	6	-	2	-	-	-	-	-	-	-	-	-	-	-
Mortlake F	2,847	20,628	20	7	2	2	-	2	1	-	-	-	-	-	-	-	-
Bromley F,2H	4,703	27,354	13	3	-	2	-	-	-	-	-	-	-	-	1	-	-
Beckenham H	7,825	28,497	14	6	2	4	-	-	-	-	-	-	-	1	1	-	-
Orpington *part of** W	10,113	9,857	8	2	-	2	-	-	-	-	-	-	-	-	-	1	-
Chislehurst 2H	7,333	16,446	8	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Bexley w F,H	8,678	21,151	16	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Erith F,H	3,854	25,296	11	3	-	1	-	-	-	1	-	-	-	1	1	1	-
Dartford W,F, *part of**	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Sunbury w	11,054	18,683	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Staines W,H	13,277	15,178	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Hillingdon W,F,H	6,035	13,661	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Uxbridge H	12,757	8,984	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes w2F,H	8,066	16,358	13	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth 3W,2F,H	6,859	30,863	23	16	1	9	-	1	-	-	-	-	-	1	1	5	-
Twickenham F,H	2,421	20,991	14	4	1	2	-	-	-	-	-	-	-	-	-	-	1
Brentford 3F,2H	4,319	48,289	40	17	3	3	-	-	-	-	1	-	-	1	1	2	-
Chiswick H	1,249	29,809	19	6	2	3	-	-	-	-	-	-	-	-	-	1	-
Acton w,F,3H	6,132	48,914	44	15	3	3	-	2	-	-	-	-	-	-	1	-	-
Harrow F,H	13,809	25,523	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Edgware 2F,2H	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H	4,384	114,811	82	15	3	2	-	-	-	-	1	-	-	1	1	1	-
Hendon W,F	8,382	22,450	14	7	2	1	-	-	-	-	-	-	-	-	-	2	-
South Mimms 2F,H	17,755	7,308	4	3	1	2	-	-	-	-	-	-	-	-	-	1	-
Barnet W,2H	3,324	17,970	8	6	1	1	-	-	-	-	-	-	-	2	2	1	-
Finchley F,2H	4,688	33,692	24	4	1	1	-	1	-	-	-	-	-	-	-	-	-
Hornsey F,H	2,875	72,056	29	13	2	5	-	1	2	-	-	-	-	-	-	2	-
Wood Green H	1,625	34,233	22	16	2	3	-	-	-	-	-	-	1	-	-	-	-
West Tottenham F	996	48,853	39	6	-	2	-	-	-	-	-	-	-	-	1	-	-
East Tottenham 2H	2,017	53,688	39	13	2	4	-	1	-	-	-	-	-	1	1	1	-
Edmonton W,w,2F	7,491	61,892	49	12	1	6	-	-	-	-	1	-	-	-	-	2	-
Enfield 2W,F,H	12,601	42,738	27	6	-	1	-	-	3	1	-	-	-	1	1	4	-
Waltham Abbey F	11,017	6,549	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	5	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	22	18	-	3	-	-	-	-	-	-	-	6	7	1	-
Plaistow F,2H	1,249	90,921	62	20	5	4	-	-	-	1	-	-	1	-	1	3	-
Canning Town H	1,556	70,718	57	18	6	2	-	-	-	-	-	-	-	2	2	-	-
Forest Gate w	806	60,892	27	14	4	8	-	-	-	-	1	-	-	-	-	-	-
North East Ham w H	1,333	58,676	49	13	3	8	-	-	-	-	-	-	-	-	-	-	-
South East Ham 2F	1,993	37,342	38	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Wanstead F	1,579	9,179	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	16	11	1	5	-	1	-	-	-	-	-	-	-	4	-
North Leyton 2W,w,F	1,963	48,445	29	16	2	5	-	-	-	-	1	-	1	1	1	12	-
Walthamstow 3H,L	6,504	108,929	85	15	4	4	-	-	-	-	-	-	-	1	2	-	-
Chigwell, *part of** 2F,3H	11,778	16,397	6	3	-	-	-	-	2	-	-	-	-	-	-	2	-
Epping W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** W,2F	6,556	6,091	5	7	-	5	-	-	-	-	1	-	-	-	1	5	-
Ilford F,L	8,496	41,234	26	7	1	2	-	-	-	-	1	-	-	-	1	-	-
Barking Town F	3,803	21,547	10	8	4	1	-	-	1	-	2	-	-	1	1	-	-
North-Eastern Hosp., Tottenham.	—	—	-	2	-	-	-	-	2	-	-	-	-	-	-	2	-
Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3 137: 2, and 187: 2 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	May 26	2518	1156	12·8	-	41	15	14	32	8	
CALCUTTA - -	910,117	April 14	-	931	57·1	206	7	-	1	1	365†	1
BOMBAY - -	776,006	May 8	397	1932	129·5	16	51	-	-	-	996†	1
MADRAS - -	509,346	April 27	242	382	38·9	31	11	?	?	?	93	
PARIS - - -	2,750,000	—	-	-	-	-	-	-	-	-	-	
BRUSSELS - -	612,401	May 19	212	150	12·7	-	-	-	-	1	-	
ANTWERP - -	291,949	" 19	134	69	12·1	-	6	-	1	-	1	
AMSTERDAM -	560,249	" 12	285	157	14·6	-	4	1	1	-	2	
COPENHAGEN -	425,000	" 19	241	140	17·2	-	2	-	-	2	-	
STOCKHOLM -	324,488	" 12	170	119	19·1	-	2	-	2	1	-	
CHRISTIANIA -	222,373	" 19	80	63	14·7	-	-	-	2	4	-	
ST. PETERSBURG	1,424,700	" 5	754	824	30·0	5	34	22	16	14	18	
MOSCOW - -	1,154,000	" 5	-	659	29·8	5	10	11	9	2	7	
BERLIN - -	2,052,873	" 5	-	-	-	-	-	-	-	-	-	
HAMBURG - -	819,380	" 19	-	250	16·2	-	7	1	2	4	1	
BRESLAU - -	475,000	" 12	292	190	20·9	-	-	1	1	2	2	
MUNICH - -	540,000	" 19	-	213	20·5	-	3	-	-	2	-	
VIENNA - -	1,956,949	" 19	970	803	21·5	-	35	4	12	3	2	
PRAGUE - -	455 241	" 19	-	-	-	-	-	-	-	-	-	
BUDA-PESTH -	859,134	" 19	-	-	-	-	-	-	-	-	-	
TRIESTE - -	196,637	" 19	107	106	28·0	-	1	-	-	1	-	
ROME - -	526,170	—	-	-	-	-	-	-	-	-	-	
VENICE - -	171,709	—	-	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	May 12	175	140	25·1	-	-	-	-	-	3	
NEW YORK - -	4,152,860	" 12	1967	1437	18·0	2	32	28	34	4	9	56
CHICAGO - -	2,049,185	" 5	-	593	15·1	-	5	17	8	5	3	36
PHILADELPHIA -	1,469,126	" 5	-	502	17·8	-	6	2	10	7	14	17
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	April 29	-	285	16·3	-	-	-	1	-	-	?

* Excluding deaths from croup in the Indian Cities.
† Including 260 deaths from plague in Calcutta, and 862 in Bombay.
‡ Including 48 deaths from cholera in Calcutta, and 25 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 26th May, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	71·0	42·3	52·4	1·08	BRADFORD - -	64·8	38·0	47·9	·06
BRIGHTON - -	65·0	43·7	52·5	1·04	LEEDS - - -	69·0	39·0	50·2	·52
PORTSMOUTH - -	60·5	43·0	52·5	1·05	HULL - - -	64·0	35·0	49·4	·31
NORWICH - -	69·8	41·4	53·1	0·75	TYNEMOUTH - -	60 0	34·0	46·2	·89
PLYMOUTH - -	58·5	43·0	50·3	2·02	CARDIFF - -	59·1	33·2	50·3	2·02
BRISTOL - - -	61·3	40·3	50·8	1·09	EDINBURGH - -	58·5	37·8	44·9	1·17
BIRMINGHAM - -	63·5	39·5	48·6	1·10	GLASGOW - -	62·8	31·8	46·7	1·11
NOTTINGHAM - -	68·0	40·0	49·8	0·55	DUBLIN Phœnix Park.	58·0	36·9	47·3	0·81
LIVERPOOL OBSERVATORY.	67·0	40·0	49·6	0·55	DUBLIN Fitzwilliam Square.†	59·4	42·1	49·6	0·89
MANCHESTER -	67·2	39·2	48·4	1·10					
PRESTON - -	66·2	41·0	50·1	1·67					
HUDDERSFIELD -	64·8	38·4	47·5	0·89	BELFAST - -	58·5	40·2	48·7	1·98

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* fo the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatu correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding peri above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY - 20	..	29·573	48·2	42·3	5·9	45·2	− 9·0	41·7	3·5	5·9	0·4	87	58·8	37·0	50·04	W., NW. & NNW.	N.	4·6	0·0	0·6	384	+136	0·79	3·0
MONDAY - 21	..	29·703	55·6	43·1	12·5	48·6	− 6·0	39·2	9·4	15·2	1·8	70	103·0	43·1	50·18	N. & NNE.	NNE. & NE.	3·1	0·0	0·4	346	+ 98	0·00	3·6
TUESDAY - 22	Apogee	29·757	57·0	43·1	13·9	49·3	− 5·7	38·5	10·8	16·7	2·9	66	107·8	41·2	49·80	NE.	SSE., SE. & ESE.	1·0	0·0	0·0	120	−128	0·00	0·0
WEDNESDAY 23	New	29·597	71·0	46·1	24·9	58·8	+ 3·5	47·8	11·0	21·1	0·4	67	133·0	40·1	50·00	ESE., SE. & SSE.	SSE., ESE. & SE.	1·9	0·0	0·1	201	− 47	0·01	6·5
THURSDAY - 24	..	29·642	66·2	47·3	18·9	56·1	+ 0·5	47·4	8·7	14·4	0·2	73	117·4	42·0	50·28	SSE., SE. & SSW.	SSW. & SW.	4·2	0·0	0·4	345	+ 98	0·05	17·0
FRIDAY - 25	..	29·905	64·0	44·1	19·9	53·1	− 2·6	41·3	11·8	20·3	2·4	64	130·7	37·8	50·83	SW., SSW. & WSW.	SW. & SSW.	5·7	0·0	0·4	368	+121	0·01	10·3
SATURDAY - 26	Greatest Dec. N.	29·821	60·0	45·9	14·1	51·8	− 4·1	51·4	0·4	6·4	0·0	98	77·0	39·7	51·16	SW., SSW. & S.	SW. & SSW.	2·1	0·0	0·2	297	+ 50	0·22	13·7
MEANS -		29·714	60·5	44·6	15·7	51·8	− 3·3	43·9	7·9	14·3	1·2	75	104·0	40·1	50·33	Variable.		..	..	..	Sum 2061	Sum +328	Sum 1·08	7·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.	Electricity. (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 20	w. P. till noon; w. P. with occasional w. N. afterwards.	0·0	15·7	Fine in early morning; overcast after 5h. A.M.; rain between 0h. 30m. and 11h. P.M.
MONDAY - 21	w. P. throughout.	1·5	15·8	Generally overcast; lightning observed at night.
TUESDAY - 22	w. P. throughout.	0·2	15·8	Generally overcast.
WEDNESDAY 23	w. P. throughout.	8·1	15·9	Fine and variably cloudy till afternoon; overcast generally after 3h. P.M.; occasional light showers. Solar halo observed at noon.
THURSDAY - 24	w. P. and w. N. till 1h. A.M.; w. P. afterwards.	5·3	15·9	Overcast with rain till 1h. A.M.; fine with large amounts of cloud till 6h. P.M.: overcast with frequent thin rain till 8h. P.M.; fine afterwards.
FRIDAY - 25	w. P. generally; m. N. at noon.	12·4	16·0	Cloudless with slight exceptions in morning: very fine generally with occasional slight showers after 7h. A.M.
SATURDAY - 26	w. P. generally.	0·0	16·0	Generally overcast; frequent rain.
		Sum 27·5	Sum 111·1	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·56 in. at the beginning of the week to 29·78 in. by midnight on the 21st; decreased to 29·50 in. by 1h. A.M. on the 24th; increased to 29·94 in. by 10h. P.M. on the 25th; and decreased to 29·78 in. by midnight on the 26th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 19th May, 1906.*

BOROUGHS	Estimated Population in the middle of 1903.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	8	3	-	-	-	-	1	-
Kensington	180,952	-	7	3	-	-	-	-	3	-
Hammersmith	120,679	-	10	5	-	1	-	-	2	-
Fulham	161,965	-	4	5	-	-	-	-	3	-
Chelsea	74,672	-	8	3	-	1	-	-	1	-
City of Westminster	173,905	-	24	5	-	1	-	-	5	-
NORTH.										
St. Marylebone	128,580	-	12	2	-	-	-	-	1	-
Hampstead	89,633	-	6	1	-	-	-	-	4	-
St. Pancras	236,455	-	8	5	-	-	-	-	3	-
Islington	344,987	-	22	4	-	-	-	-	5	1
Stoke Newington	53,217	-	2	1	-	-	-	-	-	-
Hackney	230,721	1	21	9	-	-	1	-	5	-
CENTRAL.										
Holborn	55,805	-	5	-	-	-	-	-	-	-
Finsbury	97,466	-	8	3	-	-	-	-	1	-
City of London	21,367	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	7	1	-	-	-	-	1	-
Bethnal Green	130,609	1	6	3	-	-	-	-	3	-
Stepney	307,176	-	25	18	-	2	-	-	8	-
Poplar	170,673	1	16	1	-	1	-	-	3	-
SOUTH.										
Southwark	209,143	-	21	8	-	1	-	-	7	-
Bermondsey	128,629	-	14	8	-	-	-	-	7	1
Lambeth	315,774	-	10	5	-	-	-	-	10	-
Battersea	179,622	-	17	6	-	-	-	-	5	1
Wandsworth	273,381	-	19	9	-	2	-	-	3	-
Camberwell	274,132	-	21	8	-	-	-	-	2	-
Deptford	115,495	-	5	2	-	3	-	-	1	-
Greenwich	105,350	-	8	5	-	1	-	-	5	-
Lewisham	148,463	-	8	2	-	-	-	-	2	-
Woolwich	127,345	-	4	6	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	3	327	131	-	13	1	-	92	3
Ages 0-1		-	3	2	-	-	-	-	1	-
" 1-5		-	106	43	-	-	-	-	9	-
" 5-		1	142	52	-	3	-	-	6	-
" 10-		1	37	12	-	1	-	-	4	-
" 15-		-	15	6	-	2	-	-	4	-
" 20-		1	9	10	-	-	-	-	9	-
" 25-		-	13	4	-	1	1	-	13	1
" 35-		-	2	2	-	3	-	-	7	2
" 45-		-	-	-	-	2	-	-	17	-
" 55-		-	-	-	-	-	-	-	10	-
" 65 and upwards		-	-	-	-	1	-	-	12	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 22. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JUNE 2. [Price 1½*d*.

General Register Office, Somerset House,
June 5th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·8 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 15·5, 14·5, and 14·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 18·0 in Manchester and in Salford, 18·1 in Huddersfield, 18·6 in Bury, 19·7 in Preston, 19·8 in Stockton on Tees, and 19·9 in Stockport and in Swansea; from *measles*, 1·1 in Bradford, 1·2 in Wigan and in Newcastle on Tyne, 1·3 in Salford, 1·5 in Bournemouth, 1·9 in Tynemouth, 2·0 in Burnley, and 2·5 in Manchester; from *whooping-cough*, 1·3 in Aston Manor, 1·4 in Coventry, and 1·6 in Bootle and in Huddersfield; and from *diarrhœa*, 1·0 in Hull. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2384 BIRTHS and 1239 DEATHS were registered. Allowing for increase of population, the births were 81 and the deaths 79 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 15·6, 14·0, and 12·8 per 1000 in the preceding three weeks, was equal last week to 13·7. The death-rate in the four weeks ended last Saturday averaged 14·0 per 1000, being 1·0 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 6/06 D & S 3 25077

The 1239 deaths included 50 from measles, 12 from scarlet fever, 10 from diphtheria, 35 from whooping-cough, 1 from enteric fever, and 21 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 129 deaths were referred to these diseases in the aggregate, being 28 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 75, 43, and 41 in the preceding three weeks, rose to 50 last week, but were 18 below the corrected average; 6 deaths belonged to the Borough of Islington, 5 each to Shoreditch and Stepney, and 4 apiece to St. Pancras, Hackney, and Bermondsey. The deaths from *scarlet fever*, which had been 11, 10, and 15 in the preceding three weeks, fell to 12 last week, but were 4 above the corrected average. The deaths from *diphtheria*, which had been 10, 11, and 13 in the preceding three weeks, fell to 10 last week, and were equal to the corrected average. The deaths from *whooping-cough*, which had been 26, 38, and 32 in the preceding three weeks, rose to 35 last week, but were 2 below the corrected average; 6 deaths belonged to Islington and 6 to Battersea. The fatal cases of *enteric fever*, which had been 5, 3, and 8 in the preceding three weeks, fell to 1 last week, and were 2 below the corrected average. The deaths from *diarrhœa*, which had been 16, 16, and 10 in the preceding three weeks, rose to 21 last week, and were 3 above the corrected average. Of the 21 deaths from diarrhœa, 17 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 11, having been 24, 25, and 12 in the preceding three weeks.

Different forms of *violence* caused 57 deaths, concerning all of which inquests were held. Of these 57 deaths, 17 were cases of suicide, and 3 of homicide, while the remaining 37 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 3 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 5, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5 cases of small-pox, 2516 of scarlet fever, 762 of diphtheria, and 41 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 0, 2, and 0; of scarlet fever, 313 cases, against 338, 301, and 338; of diphtheria, 99 cases, against 82, 101, and 107; and of enteric fever, 7 cases, against 12, 6, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 26th, 1906.

Greater London.

In Greater London 3706 births and 1641 deaths were registered. Allowing for increase of population, these numbers are 42 and 166 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 1 from scarlet fever, 5 from diphtheria, 2 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·74 inches, and that of the Thermometer 57°·2, the latter being 0°·6 above the week's average in the 50 years 1841–90. The general direction of the wind was Westerly, the horizontal movement of the air being 46 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 39·1 hours; the measured rainfall amounted to 0·19 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 12th May, 1906.	19th May, 1906.	26th May, 1906.	2nd June, 1906.	Rate from Diseases in Cols. 11–17. Week ended 2nd June, 1906.	Registered during the Week ended 2nd June, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**15·5**	**14·5**	**14·2**	**13·8**	**1·3**	**8601**	**4176**	**885**	**1166**	**–**	**157**	**42**	**39**	**101**	**14**	**56**	**168**	**339**	**1095**	**45**	**76 Towns.**
London	4,721,217	15·6	14·0	12·8	13·7	1·4	2384	1239	228	387	–	50	12	10	35	1	21	57	128	512	2	London.
Croydon	151,011	12·1	9·7	10·0	10·4	0·7	71	30	9	6	–	2	–	–	–	–	–	1	3	10	–	Croydon.
Willesden	143,622	9·4	10·2	5·4	8·4	0·4	84	23	5	6	–	1	–	–	–	–	–	1	2	4	–	Willesden.
Hornsey	86,935	7·2	4·2	7·8	4·8	0·6	37	8	1	4	–	–	1	–	–	–	–	–	–	2	–	Hornsey.
Tottenham	119,503	11·8	11·3	9·2	9·2	1·3	64	21	6	2	–	1	–	–	–	–	2	1	5	1	–	Tottenham.
West Ham	301,617	13·8	13·7	13·5	9·2	1·4	167	53	12	7	–	1	–	3	4	–	–	–	1	17	–	West Ham.
East Ham	129,886	12·0	10·4	6·8	6·8	0·8	81	17	5	5	–	–	2	–	–	–	–	1	2	2	–	East Ham.
Leyton	118,287	11·9	7·9	6·2	10·6	1·8	64	24	5	7	–	1	1	–	2	–	–	1	1	3	–	Leyton.
Walthamstow	121,334	6·9	9·0	7·7	6·4	1·3	74	15	2	4	–	1	–	2	–	–	–	1	2	5	–	Walthamstow.
Hastings	67,144	11·6	12·4	16·3	7·8	–	19	10	1	4	–	–	–	–	–	–	–	–	–	2	–	Hastings.
Brighton	128,095	13·0	9·8	12·2	15·5	0·8	58	38	8	9	–	1	–	–	1	–	–	2	6	11	–	Brighton.
Portsmouth	205,118	11·2	14·0	12·2	11·9	1·0	105	47	11	15	–	2	–	–	2	–	–	2	6	5	2	Portsmouth.
Bournemouth	67,702	16·2	12·3	14·6	16·9	2·3	19	22	7	6	–	2	–	–	1	–	–	–	1	3	–	Bournemouth.
Southampton	117,312	12·0	13·3	11·6	12·9	0·9	49	29	1	14	–	–	–	1	–	1	–	3	7	7	–	Southampton.
Reading	78,987	13·2	11·9	13·2	10·6	–	36	16	1	4	–	–	–	–	–	–	–	1	1	5	–	Reading.
Northampton	93,749	6·7	13·3	11·1	12·2	0·6	39	22	5	4	–	–	–	1	–	–	–	2	1	5	1	Northampton.
Ipswich	71,809	15·2	17·4	13·1	10·9	0·7	39	15	2	9	–	–	–	–	–	1	–	2	3	1	–	Ipswich.
Great Yarmouth	52,613	15·9	20·8	24·8	12·9	1·0	20	13	1	4	–	–	–	–	–	1	–	1	2	3	–	Great Yarmouth.
Norwich	117,958	17·2	12·8	16·8	15·5	0·9	52	35	9	13	–	–	–	–	–	1	1	2	4	5	–	Norwich.
Plymouth	118,014	20·3	12·4	14·1	13·7	2·7	60	31	7	7	–	–	2	2	1	–	1	–	1	4	–	Plymouth.
Devonport	78,405	10·6	14·0	8·6	5·3	–	41	8	1	3	–	–	–	–	–	–	–	–	1	–	–	Devonport.
Bristol	363,223	12·1	14·1	12·8	12·6	0·7	210	88	15	30	–	2	1	–	–	–	2	4	8	21	1	Bristol.
Hanley‡	66,360	14·1	22·0	14·1	14·9	–	46	19	3	9	–	–	–	–	–	–	–	1	1	3	–	Hanley.‡
Burton-on-Trent	52,922	15·8	11·8	9·9	9·9	–	20	10	1	4	–	–	–	–	–	–	–	–	–	1	1	Burton-on-Trent.
Wolverhampton	100,729	11·4	10·4	15·0	15·5	1·6	57	30	9	10	–	–	–	1	1	–	1	1	1	5	–	Wolverhampton.
Walsall	94,577	11·6	13·2	11·0	9·4	–	60	17	5	6	–	–	–	–	–	–	–	–	2	–	–	Walsall.
Handsworth	63,819	7·4	9·0	9·8	5·7	–	30	7	1	3	–	–	–	–	–	–	–	–	–	–	1	Handsworth.
West Bromwich	68,469	16·8	13·7	14·5	17·5	–	43	23	6	5	–	–	–	–	–	–	–	–	–	4	–	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 2nd June, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 12th May, 1906.	19th May, 1906.	26th May, 1906.	2nd June, 1906.	Rate from Diseases in Cols. 11-17. Week ended 2nd June, 1906.	Registered during the Week ended 2nd June, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	17·1	16·6	16·1	13·3	1·9	330	140	37	35	-	9	2	-	6	-	3	6	7	31	1	BIRMINGHAM.
KINGS NORTON -	72,608	6·5	9·3	14·4	5·7	0·7	17	8	2	3	-	-	-	-	1	-	-	-	-	1	1	KINGS NORTON.
SMETHWICK - -	64,531	13·7	8·9	10·5	16·2	-	50	20	4	5	-	-	-	-	-	-	-	-	-	2	-	SMETHWICK.
ASTON MANOR -	82,288	14·6	9·5	11·4	15·8	3·2	45	25	6	4	-	1	-	1	2	1	-	-	2	-	-	ASTON MANOR.
COVENTRY - -	76,374	13·0	9·6	13·7	15·0	1·4	59	22	6	8	-	-	-	-	2	-	-	-	2	3	-	COVENTRY.
LEICESTER - -	232,111	13·7	8·3	12·4	10·3	0·4	118	46	10	13	-	-	-	-	-	1	1	1	1	8	2	LEICESTER.
GRIMSBY - - -	69,359	14·3	12·8	10·5	10·5	0·8	35	14	6	4	-	-	-	1	-	-	-	-	1	-	-	GRIMSBY.
NOTTINGHAM - -	254,563	14·1	13·9	11·5	11·9	-	125	58	8	25	-	-	-	-	-	-	-	3	5	13	1	NOTTINGHAM.
DERBY - - -	123,981	16·0	13·5	13·0	13·9	2·1	74	33	7	11	-	-	1	2	-	-	2	1	3	7	-	DERBY.
STOCKPORT -	99,646	17·8	15·7	19·9	19·9	1·0	52	38	9	13	-	1	-	-	-	-	1	3	5	4	1	STOCKPORT.
BIRKENHEAD -	117,292	16·0	16·0	17·3	14·2	1·8	75	31	5	7	-	1	2	-	1	-	-	3	4	7	1	BIRKENHEAD.
WALLASEY -	64,578	16·1	9·7	8·9	8·1	0·8	37	10	1	3	-	-	-	1	-	-	-	1	1	1	-	WALLASEY.
LIVERPOOL† - -	739,180	20·5	20·5	18·6	17·1	2·3	467	243	74	42	-	13	3	2	12	-	3	12	19	71	3	LIVERPOOL.†
BOOTLE† - - -	65,989	15·8	20·5	19·8	13·4	1·6	47	17	3	6	-	-	-	-	2	-	-	1	1	5	-	BOOTLE.†
ST. HELENS -	91,153	16·6	17·7	19·4	9·7	-	62	17	5	1	-	-	-	-	-	-	-	1	1	3	-	ST. HELENS.
WIGAN - - -	87,588	19·6	15·5	13·1	16·1	1·2	65	27	7	7	-	2	-	-	-	-	-	2	2	-	1	WIGAN.
WARRINGTON -	69,280	20·3	16·6	19·6	8·3	0·8	39	11	3	2	-	-	-	-	1	-	-	1	1	-	-	WARRINGTON.
BOLTON - - -	180,502	11·0	14·7	13·0	11·8	1·4	87	41	9	10	-	-	-	1	2	1	1	-	2	5	-	BOLTON.
BURY - - -	58,744	21·3	16·0	16·0	18·6	0·9	25	21	3	4	-	-	-	-	-	-	1	-	1	2	-	BURY.
MANCHESTER - -	637,126	19·0	19·0	19·0	18·0	3·1	361	220	53	44	-	31	1	-	4	-	2	7	15	56	3	MANCHESTER.
SALFORD - - -	234,077	20·5	19·4	20·7	18·0	3·1	119	81	12	18	-	6	1	2	3	2	-	-	4	16	1	SALFORD.
OLDHAM - - -	140,969	17·0	14·8	18·9	14·1	0·4	78	38	6	16	-	-	-	-	-	-	1	2	2	7	-	OLDHAM.
ROCHDALE - -	87,189	13·2	20·9	17·9	16·7	1·2	43	28	5	7	-	-	-	-	1	-	1	-	-	7	1	ROCHDALE.
BURNLEY - - -	102,808	17·2	17·8	19·8	13·2	2·5	66	26	6	4	-	4	-	-	1	-	-	3	3	6	-	BURNLEY.
BLACKBURN - -	134,015	14·8	10·5	17·1	12·8	0·4	70	33	5	9	-	-	1	-	-	-	-	1	3	5	5	BLACKBURN.
PRESTON - - -	116,399	16·1	16·1	17·9	19·7	1·3	75	44	9	14	-	2	-	1	-	-	-	1	1	8	2	PRESTON.
BARROW-IN-FURNESS	60,967	23·1	10·3	16·3	15·4	0·9	41	18	6	3	-	-	1	-	-	-	-	1	1	2	-	BARROW-IN-

TOWNS.	Population estimated to the middle of the Year 1906.*	Causes. Week ended 12th May, 1906.	19th May 1906.	26th May, 1906.	2nd June, 1906.	Diseases in Cols. 11-17. Week ended 2nd June, 1906.	Registered during the Week ended 2nd June, 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	17·6	17·0	13·7	18·1	3·3	58	33	6	8	-	1	-	1	3	-	1	-	2	4	1	HUDDERSFIELD.
HALIFAX - - -	109,272	20·0	13·4	10·5	13·4	1·4	37	28	7	7	-	1	1	-	1	-	-	1	3	7	2	HALIFAX.
BRADFORD - -	288,544	21·0	17·5	15·7	15·9	1·4	126	88	20	30	-	6	-	1	-	-	1	2	10	19	1	BRADFORD.
LEEDS - - -	463,495	16·4	13·8	15·1	15·5	0·8	249	138	25	39	-	2	1	1	2	-	1	6	10	31	1	LEEDS.
SHEFFIELD - -	447,951	15·2	13·6	15·5	15·1	1·6	261	130	31	33	-	-	8	2	3	-	1	3	4	34	3	SHEFFIELD.
ROTHERHAM - -	61,098	21·3	8·5	18·8	11·9	0·9	34	14	2	5	-	-	1	-	-	-	-	-	1	2	-	ROTHERHAM.
YORK - - -	83,467	9·4	13·1	13·1	10·0	-	41	16	3	8	-	-	-	-	-	-	-	1	1	-	-	YORK.
HULL - - -	262,426	14·1	16·3	14·5	14·5	1·8	156	73	17	23	-	1	-	1	1	1	5	5	6	12	1	HULL.
MIDDLESBROUGH -	100,069	19·3	16·7	20·3	17·7	1·0	78	34	13	3	-	2	-	-	-	-	-	2	3	2	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	16·8	11·9	18·8	19·8	-	29	20	2	6	-	-	-	-	-	-	-	1	1	8	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	13·5	8·5	12·1	13·5	0·7	38	19	4	5	-	-	-	-	1	-	-	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	19·3	17·2	15·9	17·2	-	93	51	6	15	-	-	-	-	-	-	-	2	2	13	-	SUNDERLAND.
SOUTH SHIELDS -	111,402	12·2	12·6	13·6	12·6	-	73	27	3	9	-	-	-	-	-	-	-	2	2	8	-	SOUTH SHIELDS.
GATESHEAD - -	123,191	12·7	13·5	17·4	13·5	0·4	85	32	10	6	-	1	-	-	-	-	-	-	1	1	4	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	16·7	17·9	18·6	15·9	2·1	153	82	18	21	-	6	-	2	1	1	1	3	5	12	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	16·4	22·2	11·6	16·4	1·9	27	17	7	3	-	2	-	-	-	-	-	1	2	2	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	14·8	14·8	8·4	13·3	0·7	54	19	6	4	-	-	-	-	1	-	-	-	1	3	1	NEWPORT (MON.).
CARDIFF - - -	183,823	14·2	15·3	13·9	12·8	1·1	101	45	7	11	-	-	-	-	2	1	1	3	5	8	-	CARDIFF.
RHONDDA- - -	127,684	11·0	15·1	13·5	12·3	0·8	100	30	9	9	-	-	-	-	1	-	1	1	2	1	-	RHONDDA.
MERTHYR TYDFIL -	74,961	16·0	10·4	13·9	16·0	-	65	23	6	4	-	-	-	-	-	-	-	-	-	6	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	13·5	14·5	15·6	19·9	1·1	52	37	9	12	-	1	-	-	-	1	-	1	2	10	-	SWANSEA.
GREATER LONDON -	7,113,561	14·5	12·8	11·8	12·0	1·2	3706	1641	311	491	-	60	17	20	43	1	25	69	155	582	2	GREATER LONDON.
OUTER RING - -	2,392,344	12·3	10·2	10·0	8·8	0·8	1322	402	83	104	-	10	5	10	8	-	4	12	27	70	-	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	11·3	10·4	9·1	8·5	1·1	642	191	45	41	-	7	4	5	6	-	2	6	16	44	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	13·4	10·1	10·8	9·0	0·6	680	211	38	63	-	3	1	5	2	-	2	6	11	26	-	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	18·0	17·9	17·0	17·6	1·2	154	115	18	31	-	4	-	-	-	1	3	6	?	45	7	EDINBURGH.
GLASGOW - - -	835,625	19·8	19·0	19·0	18·2	2·1	531	292	47	64	-	6	1	4	13	2	8	10	?	85	14	GLASGOW.
DUBLIN† - - -	378,994	21·7	21·6	22·4	20·2	1·0	223	147	33	36	-	2	-	-	3	-	2	2	4	58	11	DUBLIN.†
BELFAST† - - -	358,680	23·4	20·4	22·0	21·8	2·6	239	150	33	30	-	1	-	-	15	1	1	1	6	30	2	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births and Deaths** Registered in the TWENTY-SECOND Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2326	2596	2199	2678	2579	2148	2501	2416	2507	2249	2465·0	2384
Males - - -	1207	1341	1140	1346	1298	1082	1309	1203	1292	1150	1262·4	1205
Females - -	1119	1255	1059	1332	1281	1066	1192	1213	1215	1099	1202·6	1179
TOTAL **Deaths** -	1430	1320	1392	1483	1497	1345	1454	1220	1179	1319	1318·0	1239
Males - -	671	722	756	781	793	720	775	619	649	694	697·5	662
Females - -	759	598	636	702	704	625	679	601	530	625	620·5	577

* The numbers in this column are the average weekly numbers in the twenty-second week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	13 Weeks.
TOTAL **Births** -	2509	2499	2243	2663	2594	2087	2459	2717	2547	2497	2480	2518	2384	32197
TOTAL **Deaths** -	1468	1498	1433	1674	1525	1578	1742	1562	1446	1417	1269	1156	1239	19007
Ages at Death: Under 1 year -	296	303	273	296	269	288	305	290	239	255	251	200	228	3493
1—5 years -	160	190	170	228	225	192	238	211	223	169	163	139	140	2448
5—20 " -	77	72	73	76	83	76	85	68	64	77	66	79	71	967
20—40 " -	171	164	165	201	174	193	198	197	182	172	157	154	149	2277
40—60 " -	309	302	277	343	270	297	364	324	267	298	259	243	264	3817
60 yrs. & upwds.	455	467	475	530	504	532	552	472	471	446	373	341	387	6005
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	56	70	65	76	68	68	85	73	61	75	43	41	50	831
Scarlet Fever - -	12	10	9	8	8	7	19	6	17	11	10	15	12	144
Diphtheria - -	12	14	16	15	9	17	13	14	9	10	11	13	10	163
Whooping-cough -	34	38	34	53	42	37	37	43	38	26	38	32	35	487
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	3	3	4	2	2	2	3	-	5	3	8	1	39
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Diarrhœa, Dysentery	19	17	6	7	13	14	18	14	12	16	16	10	21	183
All above Diseases -	136	152	133	163	142	145	174	154	137	143	121	119	129	1848
Dis. of Resp. System	178	173	165	165	175	173	177	159	164	122	96	88	75	1910
Pneumonia - -	136	161	153	172	157	186	222	202	145	151	148	124	111	2068
Phthisis - - -	134	132	133	169	142	161	165	147	148	139	117	111	145	1843
Dis. of Circ. System -	177	201	173	238	213	180	207	190	175	182	160	148	155	2399
Violence - - -	46	64	66	68	56	47	70	63	61	60	53	42	57	753
Inquest Cases - -	141	152	165	168	154	148	170	152	146	141	119	121	128	1905
Deaths in Institutions	548	532	523	655	556	577	654	574	583	567	507	453	512	7241
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	47·2	43·5	37·5	38·2	45·6	51·5	45·7	42·0	46·6	54·2	50·7	51·8	57·2	47·1
Mean of Highest -	55·4	49·9	43·4	46·0	56·7	64·7	57·3	52·1	56·1	64·1	61·2	60·3	67·4	56·5
Mean of Lowest -	40·0	37·3	33·0	32·6	34·5	39·4	34·0	33·7	38·1	45·4	41·1	44·6	49·7	38·7
Mean Humidity of the Air.	75	73	79	73	63	62	66	68	73	79	68	75	76	71·5
Rain-fall (in inches) -	0·35	0·29	0·32	0·14	0·00	0·03	0·05	0·43	0·26	0·05	0·17	1·08	0·19	3·36
Registered Sunshine (in hours).	35·0	22·1	18·0	18·0	55·7	64·4	42·0	44·2	38·4	22·8	43·3	27·5	39·1	470·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	6	7	10	8	8	7	7	6	3	1	2	2	5	6
Scarlet Fever - -	2545	2485	2434	2386	2322	2302	2225	2240	2337	2378	2396	2453	2516	2386
Diphtheria - -	931	907	926	929	908	909	881	862	828	791	782	783	762	861
Typhus - - -	2	2	2	1	-	-	-	-	-	-	-	-	-	1
Enteric Fever - -	73	69	65	63	68	61	60	56	60	56	42	44	41	58

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SECOND Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 22nd week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES - - -	1318·0	1239	228	140	71	149	264	387
Small-pox* - - -	12·2	-	-	-	-	-	-	-
Cowpox - - - -	-	-	-	-	-	-	-	-
Measles (Morbilli) - -	67·8	50	10	40	-	-	-	-
Scarlet Fever - - -	8·4	12	-	6	5	1	-	-
Typhus - - - -	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-
Influenza - - - -	7·4	11	-	-	-	2	2	7
Whooping-cough - -	37·2	35	18	15	2	-	-	-
Diphtheria - - -	9·9	10	1	5	4	-	-	-
Cerebro Spinal Fever -	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain) - - -	-	-	-	-	-	-	-	-
Enteric Fever - - -	3·3	1	-	-	1	-	-	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	5·9	11	9	1	1	-	-	-
Diarrhœa, Dysentery -	12·2	10	5	2	-	-	1	2
Tetanus - - - -	0·5	1	1	-	-	-	-	-
Rabies, *Hydrophobia* -	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever) -	-	-	-	-	-	-	-	-
Venereal Dis. - - -	8·4	4	3	-	-	-	-	1
Puerperal Septicæmia -	3·6	1	-	-	-	1	-	-
Puerperal Pyæmia -	-	-	-	-	-	-	-	-
Puerperal Fever - -	0·3	-	-	-	-	-	-	-
Infective Endocarditis -	2·3	2	-	-	-	1	-	1
Pneumonia: Lobar - -	16·3	12	1	1	1	3	5	1
Pneumonia: Broncho- -	49·9	49	21	14	2	-	5	7
Pneumonia: Epidemic -	-	-	-	-	-	-	-	-
Pneumonia: Not defined	58·1	50	4	4	2	9	19	12
Erysipelas - - -	2·0	1	-	-	-	-	1	-
Septicæmia (not Puerperal) - - -	1·0	5	2	-	-	1	1	1
Pyæmia (not Puerperal)	1·3	1	1	-	-	-	-	-
Other Infective Processes	6·6	4	1	-	1	-	1	1
Tuberculous Phthisis -	65·5	94	1	4	8	37	33	11
"*Phthisis*" - - -	70·1	51	-	-	5	23	18	5
Tuberculous Meningitis -	20·4	26	9	11	3	1	2	-
Tuberculous Peritonitis -	7·1	7	4	-	1	1	1	-
Tabes Mesenterica - -	1·8	1	-	1	-	-	-	-
Tuberculous Dis. (other) -	24·5	19	-	9	2	4	3	1
Scrofula - - - -	0·3	-	-	-	-	-	-	-
Alcoholism - - -	11·7	10	-	-	-	4	4	2
Rheumatic Fever - -	4·3	7	-	-	4	2	-	1
Gout - - - - -	1·8	-	-	-	-	-	-	-
Carcinoma - - -	55·8	51	-	-	-	3	21	27
Sarcoma - - - -	7·1	9	-	1	-	2	2	4
Cancer (undefined) - -	34·9	42	-	-	1	1	17	23
Diabetes Mellitus - -	5·4	9	-	-	-	2	1	6
Premature Birth - -	46·1	39	39	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 22nd week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1	1-5.	5-20.			
Meningitis (not tuberc.)	17·6	15	6	4	4	-	1	-
Insanity, Gen. Par. of Insane - - -	11·5	19	-	-	-	3	7	9
Epilepsy - - - -	5·6	5	-	-	1	-	2	2
Convulsions - - -	23·2	12	11	1	-	-	-	-
Locomotor Ataxy - -	1·3	3	-	-	-	-	3	-
Paraplegia, Dis. of Cord	4·3	4	-	-	-	-	1	3
Nervous Sys. (other dis.)	23·4	17	1	-	-	1	3	12
Valv. Dis., Endocarditis	40·0	36	-	-	4	6	7	19
Cerebr. Hæm. Thromb. -	29·8	35	-	-	-	1	10	24
Apoplexy, Hemiplegia -	22·2	9	-	-	-	1	3	5
Aneurysm - - -	4·3	4	-	-	-	-	2	2
Embolism, Thrombosis (not cerebral) -	2·5	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	71·1	71	-	-	3	6	19	43
Croup (not Spasm : nor Memb.) - -	0·3	1	-	1	-	-	-	-
Bronchitis - - -	71·4	60	6	5	-	1	10	38
Asthma, Emphysema -	2·8	2	-	-	-	1	-	1
Pleurisy - - - -	5·1	5	-	-	-	2	3	-
Respiratory Dis. (other)	12·5	7	2	2	-	-	1	2
Tonsillitis, Quinsy - -	-	-	-	-	-	-	-	-
Enteritis (not Epid.) -	5·6	13	10	1	-	1	1	-
Gastro-Enteritis - -	4·8	4	3	1	-	-	-	-
Peritonitis (not Puerp.) -	1·0	6	1	-	2	1	-	2
Cirrhosis of Liver - -	12·0	8	-	-	-	2	4	2
Liver Dis. (other) - -	4·3	8	-	-	-	-	4	4
Digestive Dis., Other -	38·2	26	4	2	5	4	5	6
Nephritis, Acute - -	5·9	2	-	-	-	-	1	1
Bright's Dis., Albuminuria - - -	30·8	32	-	-	1	1	13	17
Urinary Sys., Other Dis.	8·2	12	-	-	-	2	4	6
Generative Organs Dis. -	5·1	2	-	-	-	-	1	1
Childbirth (Accid. of) -	3·3	2	-	-	-	2	-	-
Old Age - - - -	44·6	53	-	-	-	-	-	53
Other Diseases - -	78·1	74	45	6	3	4	5	11
ACCIDENT.								
By Railways - - -	-	3	-	-	-	2	1	-
By Vehicles and Horses -	6·9	8	1	1	4	-	1	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·3	-	-	-	-	-	-	-
In Building Operations -	1·5	-	-	-	-	-	-	-
In Conflagrations - -	0·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	3·1	1	-	-	-	1	-	-
By Drowning - - -	5·4	3	1	-	-	1	1	-
By Suffocation in Bed -	8·2	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·0	1	-	-	-	-	-	1
Other Deaths by Accident - - -	17·6	16	2	1	1	3	2	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	0·3	3	-	1	-	1	1	-
Suicide - - - -	11·2	17	-	-	-	4	11	2
Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd June, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2384	1239	228	387	–	50	12	10	35	–	1	–	21	57	128	512
WEST DISTRICTS	805,311	324	216	35	79	–	6	2	1	1	–	–	–	5	17	20	89
NORTH DISTRICTS	1,056,070	479	268	40	90	–	16	5	2	9	–	–	–	3	11	23	89
CENTRAL DISTRICTS	209,465	121	67	15	12	–	2	–	–	2	–	–	–	2	3	9	38
EAST DISTRICTS	715,739	465	228	56	54	–	14	2	2	6	–	1	–	4	8	30	114
SOUTH DISTRICTS	1,749,844	995	423	82	135	–	12	3	5	17	–	–	–	6	18	45	145
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	37	–	17	–	–	–	–	–	–	–	–	1	–	1	37
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	48	19	2	7	–	1	–	–	–	–	–	–	–	1	1	6
St. John Paddington *H*	33,617	7	8	–	5	–	–	–	–	–	–	–	–	–	3	3	5
North-West Paddington	17,181	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H*	128,037	54	44	6	21	–	2	–	–	–	–	–	–	–	1	1	18
Brompton *2H*	48,591	5	7	–	3	–	–	–	–	–	–	–	–	–	1	1	1
North Hammersmith *2W,wH*	49,192	26	16	6	2	–	1	–	–	–	–	–	–	–	1	1	1
South Hammersmith *w,2H*	63,047	20	19	3	7	–	1	–	–	1	–	–	–	–	4	4	6
North-west Fulham *W*	45,180	37	22	6	6	–	–	–	–	–	–	–	–	3	1	2	12
North-east Fulham *F*	46,405	33	10	1	3	–	1	2	1	–	–	–	–	–	–	–	3
South Fulham *W*	45,704	21	7	2	2	–	–	–	–	–	–	–	–	–	1	2	–
Chelsea North *W,w,3H*	42,514	18	21	1	12	–	–	–	–	–	–	–	–	–	–	–	17
Chelsea South *W,2H*	31,328	17	11	4	2	–	–	–	–	–	–	–	–	1	1	1	6
Mayfair and Knightsbridge	28,743	2	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–
Belgrave *W,2H*	55,815	16	13	1	3	–	–	–	–	–	–	–	–	–	–	–	9
St. Margaret & St. John *4H*	43,698	13	11	2	1	–	–	–	–	–	–	–	–	1	1	2	4
St. James and St. Anne‡ *W,6H*	33,081	3	4	1	2	–	–	–	–	–	–	–	–	–	1	1	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	6	13	1	2	–	1	–	–	–	–	–	–	–	1	2	5
St Mary Marylebone *W,4H*	37,948	51	5	1	2	–	–	–	–	–	–	–	–	–	–	–	2
Christchurch Marylebone *H*	39,536	18	4	3	–	–	–	–	–	–	–	–	–	1	–	–	–
St. John Marylebone *2H*	20,426	7	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Hampstead *W,F,7H*	81,942	18	17	1	5	–	–	2	1	–	–	–	–	–	1	2	7
West St. Pancras *2H*	60,562	19	19	5	5	–	–	–	–	1	–	–	–	–	1	3	6
Tottenham-court *w,7H*	21,258	2	12	–	6	–	–	–	–	–	–	–	–	–	1	2	10
Gray's Inn Lane *4H*	34,449	10	6	2	2	–	2	–	–	–	–	–	–	–	–	–	1
East St. Pancras *W,2H*	60,320	29	15	3	7	–	–	–	–	–	–	–	–	2	2	2	4
North St. Pancras *2W*	58,728	20	14	3	4	–	2	–	–	–	–	–	–	–	–	–	6
Tufnell *W*	31,995	9	19	5	9	–	–	–	–	1	–	–	–	–	1	2	9
Upper Holloway *2W,w,H*	33,978	21	30	–	9	–	1	–	–	1	–	–	–	–	1	1	20
Tollington *WH*	33,922	20	6	–	4	–	–	–	–	–	–	–	–	–	1	1	–
Lower Holloway	41,424	21	12	1	3	–	5	–	–	1	–	–	–	–	–	–	–
Barnsbury	54,478	34	10	4	3	–	–	–	1	2	–	–	–	–	–	–	–
Islington South-east *F*	75,397	34	9	–	4	–	–	–	–	–	–	–	–	–	–	–	–
Highbury *2H*	63,797	30	9	1	4	–	1	–	–	2	–	–	–	–	–	1	–
Stoke Newington *H*	51,247	23	9	–	4	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney	50,560	17	12	4	–	–	1	–	–	–	–	–	–	–	1	4	–
Central Hackney *2w,F*	50,536	20	10	2	3	–	1	3	–	–	–	–	–	–	–	2	4
South-west Hackney *3H*	59,921	42	18	4	5	–	–	–	–	1	–	–	–	–	1	2	3
South-east Hackney *2W,w,H*	58,255	28	16	–	8	–	2	–	–	–	–	–	–	–	–	–	10

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd June, 1906—*continued.*

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
iles and Bloomsbury 2*W*,2*H* -	31,436	17	12	2	4	-	-	-	-	-	-	-	-	-	-	3	3	-
nd *W*,4*H* - - - - -	21,674	3	5	-	1	-	-	-	-	-	-	-	-	-	1	1	4	-
d Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn *W*,6*H* - - - - -	29,612	24	22	10	3	-	-	-	-	1	-	-	-	2	-	1	16	-
h Clerkenwell - - -	28,676	20	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
h Clerkenwell *H* - - -	35,028	27	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
bury 3*H*,*L* - - - - -	36,116	25	5	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-
orn Union Workhouse, tcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph *H* - - - - -	10,299	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre and Allhallows *W*,2*H*	16,624	1	18	-	3	-	-	-	-	1	-	-	-	-	1	3	15	-
of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
dditch South *H* - - -	46,362	19	12	3	3	-	3	-	-	-	-	-	-	1	-	3	1	-
dditch North-West *W*,*w*,*H* -	36,127	25	21	5	5	-	2	-	-	-	-	-	-	-	1	2	14	-
dditch North-East - - -	36,148	30	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ditch Union Workhouse, Wood en - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ial Green North 2*H* - -	51,514	32	23	9	3	-	3	-	-	1	-	-	-	1	1	2	12	-
ial Green South - - -	33,472	15	8	2	1	-	-	-	-	1	-	-	-	-	-	3	-	-
ial Green East 2*W*,*H*,*L* - -	44,694	31	25	3	11	-	-	1	-	-	-	-	-	-	-	3	12	-
lfields - - - - -	27,969	24	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
End New Town *W*,*H* - -	28,718	27	34	8	3	-	-	-	1	-	-	1	-	-	1	3	32	-
man's Fields - - - -	22,081	2	5	1	1	-	-	-	-	-	-	-	-	-	2	3	-	-
orge and St. John 2*W* - -	49,068	46	16	4	5	-	-	-	-	-	-	-	-	1	-	2	8	-
well and Ratcliff *W*,*H* - -	25,568	8	9	6	-	-	1	-	-	3	-	-	-	-	-	1	6	-
ouse *W* - - - - -	32,369	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
End Old Town Southern *H* - - - -	63,698	37	4	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
End Old Town Northern *W*,*w* - - -	49,129	38	15	3	2	-	2	-	-	1	-	-	-	-	2	2	7	-
L - - - - - -	41,989	24	7	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
ey 3*w*,*H* - - - - -	68,319	44	34	7	11	-	2	-	1	-	-	-	-	1	-	3	22	-
r *W*,*w* - - - - -	58,514	26	5	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 2nd June, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H* -	11,263	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Saviour Southwark *H* - -	12,056	5	14	2	3	-	-	-	-	-	-	-	-	-	1	3	1
Kent-road - - - - - -	21,904	7	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L* - - - -	39,094	15	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Newington North - - -	49,022	33	8	3	1	-	2	-	-	1	-	-	-	-	-	1	-
Newington South *W* - - -	72,841	44	13	1	3	-	-	-	-	1	-	-	-	-	-	-	-
St. Olave *2W* - - - -	9,81	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W* - - - -	82,483	70	18	5	2	-	4	-	-	-	-	-	-	-	2	6	-
Rotherhithe *W,F* - - - -	38,460	23	10	1	2	-	-	-	-	2	-	-	-	-	1	3	-
Waterloo-road *2H* - - -	27,440	26	5	2	2	-	1	-	-	-	-	-	-	1	-	-	-
Lambeth Church 1st *H* - -	18,423	12	14	3	2	-	-	-	-	-	-	-	-	-	2	3	1
Lambeth Church 2nd *2W* - -	39,818	40	16	4	7	-	-	-	-	-	-	-	-	-	-	-	1
Kennington 1st *H* - - -	53,198	29	13	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd *H* - - -	42,896	16	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *F* - - - - -	84,232	29	18	1	6	-	-	1	2	-	-	-	-	1	-	2	-
Norwood *W,H* - - - -	35,888	18	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H* - - -	72,203	41	10	3	2	-	1	-	-	1	-	-	-	1	1	3	-
North-west Battersea - - -	49,656	32	8	1	3	-	1	-	-	1	-	-	-	-	-	1	-
South-west Battersea *2W,H* - -	47,048	17	32	5	11	-	-	-	-	5	-	-	-	-	2	2	2
Clapham *2H* - - - -	51,361	23	9	1	3	-	-	1	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L* - -	88,019	60	28	5	14	-	-	1	2	2	-	-	-	1	1	1	1
Springfield *2W,L* - - - -	27,959	12	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H* - - - -	40,444	31	14	3	3	-	-	-	-	-	-	-	-	-	1	3	-
Putney - - - - - -	24,139	7	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - -	13,359	5	5	-	2	-	-	-	-	1	-	-	-	-	-	-	-
Camberwell South *W,w* - -	40,206	15	24	3	9	-	1	-	-	-	-	-	-	-	1	1	1
Camberwell North *W,2L* - -	65,584	38	16	3	7	-	-	-	-	-	-	-	-	-	2	5	-
St. George - - - - -	47,331	28	6	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Peckham North - - - -	48,913	33	6	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Peckham South *2W,w* - - -	43,946	31	8	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Deptford North - - - -	37,613	21	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central - - - -	45,481	27	6	4	-	-	-	-	-	-	-	-	-	1	-	1	-
Deptford South - - - -	34,625	23	8	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H* - - -	23,456	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H* - -	43,859	22	12	2	4	-	-	-	-	-	-	-	-	-	-	-	1
Eltham *w,H* - - - - -	7,226	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH* - - - - - -	25,490	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F* - - - -	58,352	32	16	3	7	-	1	-	1	1	-	-	-	-	-	1	1
Sydenham *H* - - - - -	43,653	22	12	3	5	-	-	-	-	1	-	-	-	-	2	4	-
Charlton *F,2H* - - - -	21,134	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich *5H* - - - -	41,625	19	10	1	6	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West *W* - - -	18,063	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H* - -	50,264	37	15	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham - - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Darenth - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden - - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead - - - - -	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Manor - - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch - - - -	—	-	6	-	2	-	-	-	-	-	-	-	-	1	-	-	-
Claybury - - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-

BLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd June, 1906.

egis tion strict nd ub-strict um-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1322	402	83	104	-	10	5	10	8	-	4	12	27	70	-
0:1	Carshalton 2F,3H - -	12,228	32,997	10	10	1	5	-	-	-	1	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H-	10,423	15,548	4	5	-	-	-	-	-	-	-	-	-	-	-	2	-
7:1	Godstone, *part of** W,F -	2,754	2,692	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8:1	Coulsdon - - - -	11,069	8,166	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	15	6	1	2	-	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H -	2,168	42,888	30	14	6	1	-	-	-	-	-	-	-	1	1	8	-
4	North Croydon H - -	2,644	41,698	26	10	2	2	-	2	-	-	-	-	-	-	1	2	-
5	Penge w,H - - - -	770	22,465	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30,015	23	2	-	1	-	-	-	-	-	-	-	-	-	-	-
9:1	Wimbledon F,3H - -	3,221	41,652	33	12	4	2	-	-	-	-	-	-	-	-	1	-	-
2	Kingston 2W,H - - -	6,224	42,068	22	9	2	5	-	-	-	-	-	-	-	-	1	5	-
3	Surbiton F,H - - -	3,046	15,017	13	4	3	-	-	1	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	9	3	1	1	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L - - -	4,634	23,456	19	11	-	3	-	-	-	-	-	-	-	-	-	1	-
0:1	Richmond W,H - - -	2,162	28,865	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F - - -	2,847	20,628	12	4	2	-	-	-	-	-	-	-	-	-	-	-	-
1:1	Bromley F,2H - - -	4,703	27,354	20	4	1	1	-	-	-	-	-	-	-	1	3	-	-
2	Beckenham H - - -	7,825	28,497	16	5	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H - - -	7,333	16,446	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2:1	Bexley w F,H - - -	8,678	21,151	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - - -	3,854	25,296	13	5	1	-	-	-	1	2	-	-	-	1	1	2	-
3	Dartford W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1:1	Sunbury w - - - -	11,054	18,683	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
5:1	Hillingdon W,F,H - -	6,035	13,661	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H - - -	12,757	8,984	5	3	-	1	-	-	-	-	-	-	-	1	1	-	-
3	Hayes w2F,H - - -	8,066	16,358	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-
3:1	Isleworth 3W,2F,H - -	6,859	30,863	18	5	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Twickenham F,H - -	2,421	20,991	11	7	3	-	-	1	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H - -	4,319	48,289	37	14	3	2	-	-	-	1	-	-	-	-	-	-	-
4	Chiswick H- - - -	1,249	29,809	18	7	1	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	40	12	3	7	-	-	-	-	-	-	-	-	-	1	-
7:1	Harrow F,H - - -	13,809	25,523	15	4	-	1	-	-	-	-	-	-	1	-	-	-	-
2	Edgware 2F,2H - - -	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	84	22	5	6	-	1	-	-	-	-	-	1	2	3	-
4	Hendon W,F - - -	8,382	22,450	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3:1	South Mimms 2F,H - -	17,755	7,308	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	28	7	-	1	-	1	-	-	-	-	-	-	-	1	-
9:1	Hornsey F,H - - -	2,875	72,056	37	6	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H - - -	1,625	34,233	25	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham F - -	996	48,853	24	10	2	1	-	-	-	-	-	-	1	-	1	-	-
4	East Tottenham 2H - -	2,017	53,688	40	11	4	-	-	1	-	-	-	-	1	-	3	1	-
5	Edmonton W,w,2F - -	7,491	61,892	63	21	4	8	-	-	-	-	-	-	-	2	2	5	-
6	Enfield 2W,F,H - - -	12,601	42,738	18	5	-	2	-	-	-	-	-	-	-	-	1	1	-
7	Waltham Abbey F - -	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
5:1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:1	Bushey H - - - -	9,333	9,173	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 1	Stratford H - - -	1,072	44,827	19	7	3	-	-	-	-	-	1	-	-	-	-	-	-
2	Plaistow F,2H - - -	1,249	90,921	70	20	6	3	-	1	-	2	2	-	-	-	1	3	-
3	Canning Town H - -	1,556	70,718	53	10	3	1	-	-	-	-	-	-	-	1	1	1	-
4	Forest Gate w - - -	806	60,892	25	3	-	-	-	-	-	-	1	-	-	-	-	-	-
5	North East Ham w H -	1,333	58,676	46	9	2	4	-	-	-	-	-	-	-	-	1	-	-
6	South East Ham 2F - -	1,993	37,342	35	8	3	1	-	-	2	-	-	-	-	1	1	2	-
7	Wanstead F - - -	1,679	9,179	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	26	8	3	1	-	1	-	1	1	-	-	-	-	1	-
9	North Leyton 2W,w,F -	1,963	48,445	38	28	2	8	-	-	-	-	1	-	-	1	1	14	-
10	Walthamstow 3H,L - -	6,504	108,929	87	15	4	5	-	1	-	-	-	-	-	1	2	1	-
7:1	Chigwell, *part of** 2F,3H -	11,778	16,397	9	3	-	1	-	-	-	2	-	-	-	-	-	2	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1	Romford, *part of** W,2F -	6,556	6,091	7	4	-	1	-	-	-	-	-	-	-	-	-	3	-
2	Ilford F,L - - - -	8,496	41,234	27	9	2	4	-	-	-	1	-	-	-	-	-	5	-
3	Barking Town F - -	3,803	21,547	12	7	1	-	-	-	-	-	2	-	1	-	-	-	-
	London Fever Hospital, Islington.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	North-Eastern Hosp., Tottenham.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish: 189: 1. Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	June 2	2384	1239	13·7	-	50	12	11	35	1	2
CALCUTTA - -	910,117	April 21	-	842	51·6	174	3	-	-	-	303†	13
BOMBAY - -	776,006	May 15	336	1649	110·5	8	54	-	-	-	793†	12
MADRAS - -	509,346	„ 4	293	342	34·9	16	9	?	?	?	81	5
PARIS - - -	2,750,000	„ 26	979	904	17·6	-	11	1	6	7	7	1
BRUSSELS - -	612,401	„ 26	229	167	14·2	-	1	2	3	5	1	
ANTWERP - -	291,949	„ 26	117	75	13·1	-	8	-	-	1	1	
AMSTERDAM -	560,249	„ 19	245	150	13·9	-	2	1	1	4	-	
COPENHAGEN -	425,000	„ 26	232	131	16·1	-	3	-	-	3	-	
STOCKHOLM -	324,488	„ 19	168	105	16·8	-	1	-	-	4	-	
CHRISTIANIA -	222,373	„ 26	136	61	14·3	-	-	-	-	-	-	-
ST. PETERSBURG	1,424,700	„ 12	736	758	27·5	4	34	10	9	5	23	108
MOSCOW - -	1,154,000	„ 12	-	692	31·3	4	10	2	7	5	3	128
BERLIN - -	2,055,465	„ 12	936	683	17·3	-	19	2	5	7	1	57
HAMBURG - -	819,380	„ 26	-	199	12·9	-	4	3	1	6	-	20
BRESLAU - -	475,000	„ 19	-	194	21·3	-	2	-	1	-	-	25
MUNICH - -	540,000	„ 26	-	203	19·6	-	3	2	-	3	-	24
VIENNA - -	1,956,949	„ 26	1001	698	18·7	-	31	6	11	2	-	51
PRAGUE - -	455 241	„ 19	184	206	23·2	-	3	-	1	1	1	14
BUDA-PESTH -	859,134	„ 19	411	344	20·8	-	10	6	-	3	2	17
TRIESTE - -	196,637	„ 26	129	86	22·7	-	-	-	-	2	-	4
ROME - -	526,170	—	-	-	-	-	-	-	-	-	-	-
VENICE - -	171,709	—	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	May 19	116	114	20·4	-	-	2	-	-	-	1
NEW YORK -	4,152,860	„ 19	1918	1565	19·7	-	37	28	54	5	4	49
CHICAGO - -	2,049,185	„ 12	-	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,469,126	„ 12	-	492	17·4	-	9	1	9	13	26	27
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	May 6	-	290	16·6	-	-	-	-	1	1	?

* Excluding deaths from croup in the Indian Cities.
† Including 207 deaths from plague in Calcutta, and 655 in Bombay.
‡ Including 86 deaths from cholera in Calcutta, and 18 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 2nd June, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	74·8	44·2	58·5	0·19	BRADFORD - -	66·4	43·8	56·1	0·56
BRIGHTON - -	61·8	45·9	54·4	0·52	LEEDS - - -	69·0	45·0	57·7	0 21
PORTSMOUTH - -	63·5	46·0	55·8	0·38	HULL - - -	70·0	44·0	56·5	0·38
NORWICH - -	-	-	-	-	TYNEMOUTH - -	67·0	45·0	55·6	0·44
PLYMOUTH - -	60·9	48·0	53·7	0·26	CARDIFF - -	65·1	44·0	54·7	0·55
BRISTOL - - -	66·5	44·5	55·4	0·37	EDINBURGH - -	66·3	43·0	52·2	0·65
BIRMINGHAM - -	66·6	44·0	55·4	0·50	GLASGOW - -	70·6	43·3	54·8	1·55
NOTTINGHAM - -	68·3	46·1	56·2	0·17	DUBLIN Phœnix Park.	66·8	44·4	55·7	0·45
LIVERPOOL OBSERVATORY.	65·0	46·0	55·2	0·44	DUBLIN Fitz-william Square.†	68·9	46·1	57·0	0·43
MANCHESTER -	64·8	43·8	55·7	0·49					
PRESTON - -	61·2	45·0	54·7	1·25					
HUDDERSFIELD -	65·0	42·5	55·2	0·48	BELFAST - -	66·1	45·1	54·6	0·51

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin

1906. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
May.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
Sunday - 27	..	29·790	66·6	52·5	14·1	58·3	+ 2·3	55·8	2·5	10·4	0·8	92	110·0	51·6	51·43	SW. & WSW.	WSW. & SW.	2·8	0·0	0·4	365	+118	0·15	14·5
Monday - 28	..	29·912	74·8	55·0	19·8	62·1	+ 6·1	54·8	7·3	18·2	2·5	77	129·8	51·0	51·72	SSW., SW. & WSW.	WSW. & SW.	2·3	0·0	0·3	345	+ 99	0·00	6·7
Tuesday - 29	..	29·917	72·7	53·8	18·9	62·0	+ 5·8	50·1	11·9	21·8	1·9	65	137·0	47·7	52·19	WSW. & SW.	WSW. & W.	3·6	0·0	0·4	419	+173	0·00	3·8
Wednesday 30	..	29·834	69·1	48·9	20·2	58·3	+ 1·8	49·7	8·6	16·9	1·8	73	126·0	43·9	52·78	W. & WSW.	W., NW. & SW.	4·7	0·0	0·4	370	+125	0·02	1·5
Thursday - 31	First Quarter.	29·528	63·6	47·6	16·0	55·8	− 1·0	47·3	8·5	17·5	1·4	73	95·0	41·0	53·24	SW., WSW. & W.	W., NW. & WNW.	3·2	0·0	0·3	327	+ 82	0·00	2·0
June. Friday - 1	..	29·398	63·6	44·2	19·4	51·2	− 6·0	43·0	8·2	22·5	2·0	73	130·2	38·4	53·58	WSW. & W.	W., N. & NNW.	13·0	0·0	0·5	386	+142	0·01	6·0
Saturday - 2	In Equator	29·804	61·1	45·6	15·5	52·6	− 5·1	46·6	6·0	12·5	3·2	80	99·7	38·2	53·58	NW., W. & NNW.	NW. & NNW.	2·6	0·0	0·2	295	+ 51	0·01	0·0
Means -		29·740	67·4	49·7	17·7	57·2	+ 0·6	49·6	7·6	17·1	1·9	76	118·2	44·5	52·65	WSW. & NW.		..	..	..	Sum 2507	Sum +790	Sum 0·19	4·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. May.	Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday - 27	Loss of Register. Insulation defective.	0·3	16·0	Generally overcast; frequent rain.
Monday - 28	Loss of Register. Insulation defective.	8·7	16·1	Fine and partially cloudy
Tuesday - 29	Insulation defective till 10h. A.M.; w. P. afterwards.	13·5	16·1	Overcast in morning; very fine with variable amounts of cloud after 5h. A.M. Solar halo observed at intervals during the day.
Wednesday 30	w. P. generally.	10·2	16·2	Very fine with small amounts of cloud generally till afternoon; overcast with slight exceptions afterwards with occasional slight rain during the evening. Solar halo in afternoon.
Thursday - 31	w. P. generally; m. P. at night.	0·5	16·2	Generally overcast till evening; very fine with little cloud at night. Solar halo observed in afternoon.
June. Friday - 1	w. P. with occasional w. N. till 1h. P.M.; m. P. and s. N. till 5h. P.M.; m. P. afterwards.	5·4	16·2	Fine and partially cloudy; occasional slight showers. Short sharp thunderstorm at 3h. 15m. P.M. followed by squall at 3h. 45m. P.M. Solar halo observed at 4h. 50m. P.M.
Saturday - 2	m. P. generally.	0·5	16·3	Generally overcast with occasional showers till evening; very fine with little cloud at night.
		Sum 39·1	Sum 113·1	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·78 in. at the beginning of the week to 29·76 in. by 6h. A.M. on May 27th; increased to 29·94 in. by 9h. P.M. on May 28th; decreased to 29·36 in. by 2h. P.M. on June 1st; and increased to 29·90 in. by midnight on June 2nd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 26th May, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	10	1	-	1	-	-	1	1
Kensington	180,952	-	8	3	-	1	-	-	2	-
Hammersmith	120,679	-	13	3	-	-	-	-	4	1
Fulham	161,965	-	11	5	-	-	-	-	2	1
Chelsea	74,672	-	7	4	-	-	-	-	1	-
City of Westminster	173,905	-	17	-	-	-	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	9	4	-	-	-	-	1	-
Hampstead	89,633	-	13	3	-	-	-	-	2	-
St. Pancras	236,455	-	15	2	-	1	-	-	2	-
Islington	344,987	-	28	7	-	2	-	-	4	1
Stoke Newington	53,217	-	2	-	-	-	-	-	1	-
Hackney	230,721	-	23	12	-	1	-	-	6	-
CENTRAL.										
Holborn	55,805	-	3	1	-	-	-	-	3	-
Finsbury	97,466	-	10	3	-	-	-	-	1	-
City of London	21,367	-	-	3	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	8	3	-	-	-	-	4	1
Bethnal Green	130,609	-	8	1	-	-	-	-	3	-
Stepney	307,176	-	25	8	-	1	-	-	4	-
Poplar	170,673	-	9	1	-	1	-	-	2	-
SOUTH.										
Southwark	209,143	-	20	6	-	1	-	-	6	1
Bermondsey	128,629	-	15	9	-	-	-	-	1	-
Lambeth	315,774	-	23	7	-	1	-	-	3	-
Battersea	179,622	-	19	4	-	-	-	-	2	1
Wandsworth	273,381	-	29	8	-	-	-	-	7	-
Camberwell	274,132	-	16	6	-	-	-	-	5	-
Deptford	115,495	-	11	3	-	-	-	-	8	-
Greenwich	105,350	-	7	3	-	-	-	-	2	-
Lewisham	148,463	-	10	1	-	-	-	-	6	-
Woolwich	127,345	-	7	4	-	1	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	376	115	-	11	-	-	85	7
Ages 0-1		-	2	2	-	-	-	-	3	-
" 1-5		-	113	46	-	-	-	-	4	-
" 5-		-	155	40	-	4	-	-	2	-
" 10-		-	65	13	-	1	-	-	4	-
" 15-		-	15	5	-	1	-	-	2	-
" 20-		-	8	3	-	-	-	-	4	2
" 25-		-	15	4	-	2	-	-	11	4
" 35-		-	3	2	-	-	-	-	17	1
" 45-		-	-	-	-	2	-	-	21	-
" 55-		-	-	-	-	-	-	-	11	-
" 65 and upwards		-	-	-	-	1	-	-	6	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 23. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JUNE 9. [Price 1½*d.*

General Register Office, Somerset House,

June 11*th*, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·9 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 14·5, 14·2, and 13·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 17·8 in Manchester, 17·9 in Wigan and in Rochdale, 18·3 in Burnley, 19·6 in Birkenhead, and 23·1 in Bournemouth; from *measles*, 1·3 in Salford, 1·4 in Bradford, 1·6 in Manchester, 1·7 in Rotherham, 1·8 in Bury, and 2·5 in Burnley; from *scarlet fever*, 1·3 in Birkenhead; from *diphtheria*, 1·1 in Northampton and 1·4 in Halifax; and from *whooping-cough*, 1·6 in Bootle, 2·2 in Walsall, and 2·3 in Warrington. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2145 BIRTHS and 1149 DEATHS were registered. Allowing for increase of population, the births were 328 and the deaths 80 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 14·0, 12·8, and 13·7 per 1000 in the preceding three weeks, fell last week to 12·7. The death-rate in the four weeks ended last Saturday averaged 13·3 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 6/06 D & S 3 25122 Z

The 1149 deaths included 58 from measles, 6 from scarlet fever, 7 from diphtheria, 24 from whooping-cough, 1 from enteric fever, and 17 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 113 deaths were referred to these diseases in the aggregate, being 31 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 43, 41, and 50 in the preceding three weeks, rose to 58 last week, and were 9 above the corrected average; 9 deaths belonged to the Borough of Shoreditch, 7 to Finsbury, and 4 each to Islington and Hackney. The deaths from *scarlet fever*, which had been 10, 15, and 12 in the preceding three weeks, fell to 6 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 11, 13, and 10 in the preceding three weeks, fell to 7 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 38, 32, and 35 in the preceding three weeks, fell to 24 last week, and were 12 below the corrected average; 4 deaths belonged to Wandsworth. There was one fatal case of *enteric fever* last week, the corrected average being 6; the numbers in the preceding three weeks were 3, 8, and 1. The deaths from *diarrhœa*, which had been 16, 10, and 21 in the preceding three weeks, were 17 last week, the corrected average being 24. Of the 17 deaths from diarrhœa, 14 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 other deaths at this age. The deaths attributed directly to *influenza* numbered 11, having been 25, 12, and 11 in the preceding three weeks.

Different forms of *violence* caused 65 deaths, concerning all of which inquests were held. Of these 65 deaths, 15 were cases of suicide, and 4 of homicide, while the remaining 46 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 5 to burns or scalds, 4 to drowning, and 12, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 6 cases of small-pox, 2603 of scarlet fever, 774 of diphtheria, and 41 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 2, 0, and 3; of scarlet fever, 344 cases, against 301, 338, and 312; of diphtheria, 106 cases, against 101, 107, and 100; and of enteric fever, 8 cases, against 6, 13, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 2nd, 1906.

Greater London.

In Greater London 3284 births and 1564 deaths were registered. Allowing for increase of population, these numbers are 493 and 131 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 2 from scarlet fever, 2 from diphtheria, 5 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·11 inches, and that of the Thermometer 55°·6, the latter being 2°·6 below the week's average in the 50 years 1841–90. The general direction of the wind was North-Easterly, the horizontal movement of the air being 28 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 80·6 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 19th May, 1906.	26th May, 1906.	2nd June, 1906.	9th June, 1906.	Rate from Diseases in Cols. 11–17. Week ended 9th June, 1906.	Registered during the Week ended 9th June, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**14·5**	**14·2**	**13·8**	**12·9**	**1·2**	**7242**	**3907**	**843**	**1059**	**–**	**145**	**35**	**38**	**95**	**12**	**50**	**187**	**370**	**1023**	**49**	**76 Towns.**
London - - -	4,721,217	14·0	12·8	13·7	12·7	1·1	2145	1149	225	339	–	58	6	7	24	1	17	65	134	464	5	London.
Croydon - -	151,011	9·7	10·0	10·4	7·9	0·7	68	23	2	6	–	–	–	1	1	–	–	1	3	9	–	Croydon.
Willesden - -	143,622	10·2	5·4	8·4	9·4	1·8	65	26	8	4	–	2	2	–	–	–	1	–	–	3	–	Willesden.
Hornsey - -	86,935	4·2	7·8	4·8	4·2	–	31	7	–	2	–	–	–	–	–	–	–	–	1	–	–	Hornsey.
Tottenham - -	119,503	11·3	9·2	9·2	9·2	0·4	75	21	6	8	–	–	1	–	–	–	–	–	1	4	–	Tottenham.
West Ham - -	301,617	13·7	13·5	9·2	11·4	1·2	153	66	16	15	–	–	3	1	–	–	3	3	7	15	–	West Ham.
East Ham - -	129,886	10·4	6·8	6·8	7·2	0·4	62	18	4	5	–	–	–	1	–	–	–	–	2	2	–	East Ham.
Leyton - - -	118,287	7·9	6·2	10·6	10·1	0·4	49	23	3	9	–	1	–	–	–	–	–	–	2	6	–	Leyton.
Walthamstow -	121,334	9·0	7·7	6·4	4·7	0·9	53	11	4	3	–	1	–	–	1	–	–	–	–	1	–	Walthamstow.
Hastings - - -	67,144	12·4	16·3	7·8	7·0	–	21	9	1	3	–	–	–	–	–	–	–	1	1	3	–	Hastings.
Brighton - -	128,095	9·8	12·2	15·5	9·8	0·4	53	24	6	8	–	1	–	–	–	–	–	–	–	10	–	Brighton.
Portsmouth - -	205,118	14·0	12·2	11·9	13·7	1·3	107	54	11	12	–	–	–	1	1	–	3	7	11	12	–	Portsmouth.
Bournemouth -	67,702	12·3	14·6	16·9	23·1	0·8	26	30	3	16	–	–	–	–	1	–	–	1	2	3	–	Bournemouth.
Southampton -	117,312	13·3	11·6	12·9	11·6	0·4	55	26	8	5	–	–	–	–	1	–	–	2	6	3	–	Southampton.
Reading - - -	78,987	11·9	13·2	10·6	10·6	0·7	27	16	4	4	–	–	–	–	1	–	–	1	1	1	1	Reading.
Northampton -	93,749	13·3	11·1	12·2	8·9	1·1	35	16	3	6	–	–	–	2	–	–	–	1	1	1	1	Northampton.
Ipswich - - -	71,809	17·4	13·1	10·9	10·9	–	47	15	5	7	–	–	–	–	–	–	–	–	1	1	–	Ipswich.
Great Yarmouth -	52,613	20·8	24·8	12·9	15·9	1·0	29	16	2	6	–	–	1	–	–	–	–	–	3	4	–	Great Yarmouth.
Norwich - -	117,958	12·8	16·8	15·5	12·4	0·4	58	28	6	7	–	–	1	–	–	–	–	1	1	6	–	Norwich.
Plymouth - -	118,014	12·4	14·1	13·7	13·7	–	50	31	4	16	–	–	–	–	–	–	–	–	1	3	–	Plymouth.
Devonport - -	78,405	14·0	8·6	5·3	6·7	0·7	34	10	2	4	–	–	–	–	1	–	–	–	–	2	–	Devonport.
Bristol - - -	363,223	14·1	12·8	12·6	11·2	0·6	122	78	14	22	–	2	–	–	2	–	–	6	10	21	–	Bristol.
Hanley‡ - - -	66,360	22·0	14·1	14·9	13·4	0·8	38	17	1	9	–	–	–	–	–	–	1	1	1	4	–	Hanley.‡
Burton-on-Trent	52,922	11·8	9·9	9·9	10·8	–	29	11	2	5	–	–	–	–	–	–	–	2	3	1	–	Burton-on-Trent.
Wolverhampton -	100,729	10·4	15·0	15·5	13·5	1·0	38	26	7	4	–	–	–	–	2	–	–	–	2	3	–	Wolverhampton.
Walsall - - -	94,577	13·2	11·0	9·4	7·7	2·2	45	14	6	–	–	–	–	–	4	–	–	2	2	–	–	Walsall.
Handsworth -	63,819	9·0	9·8	5·7	5·7	0·8	26	7	1	3	–	–	–	–	1	–	–	–	–	1	–	Handsworth.
West Bromwich -	68,469	13·7	14·5	17·5	10·7	1·5	38	14	5	4	–	–	–	1	1	–	–	1	1	1	–	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 9th June, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 19th May, 1906.	26th May, 1906.	2nd June, 1906.	9th June, 1906.	Rate from Diseases in Cols. 11-17. Week ended 9th June, 1906.	Registered during the Week ended 9th June, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	16·6	16·1	13·3	11·5	1·5	240	121	30	31	-	4	3	1	7	-	1	9	13	36	3	BIRMINGHAM.
KINGS NORTON -	72,608	9·3	14·4	5·7	10·1	2·2	51	14	4	3	-	1	-	1	-	-	1	-	-	3	-	KINGS NORTON.
SMETHWICK - -	64,531	8·9	10·5	16·2	12·9	-	36	16	5	2	-	-	-	-	-	-	-	-	-	1	-	SMETHWICK.
ASTON MANOR -	82,288	9·5	11·4	15·8	7·6	1·3	29	12	3	2	-	1	-	-	-	-	1	1	1	1	-	ASTON MANOR.
COVENTRY - -	76,374	9·6	13·7	15·0	10·9	1·4	49	16	4	4	-	-	-	1	1	-	-	-	2	1	-	COVENTRY.
LEICESTER - -	232,111	8·3	12·4	10·3	9·4	0·7	104	42	11	14	-	1	1	1	-	-	-	1	6	2	-	LEICESTER.
GRIMSBY - - -	69,359	12·8	10·5	10·5	9·0	-	44	12	7	2	-	-	-	-	-	-	-	-	1	2	-	GRIMSBY.
NOTTINGHAM - -	254,563	13·9	11·5	11·9	12·5	1·0	139	61	18	15	-	-	-	1	2	-	2	4	4	17	-	NOTTINGHAM.
DERBY - - -	123,981	13·5	13·0	13·9	10·1	-	44	24	9	8	-	-	-	-	-	-	-	2	4	8	-	DERBY.
STOCKPORT -	39,646	15·7	19·9	19·9	15·7	1·0	42	30	4	13	-	-	-	-	2	-	-	-	-	5	-	STOCKPORT.
BIRKENHEAD -	117,292	16·0	17·3	14·2	19·6	2·7	72	44	8	14	-	-	3	1	2	-	-	2	4	7	-	BIRKENHEAD.
WALLASEY -	64,578	9·7	8·9	8·1	16·1	1·6	29	20	3	4	-	-	-	-	1	1	-	3	3	4	-	WALLASEY.
LIVERPOOL† - -	739,180	20·5	18·6	17·1	16·5	2·1	412	234	53	50	-	12	2	-	9	2	5	10	23	75	8	LIVERPOOL.†
BOOTLE† - - -	65,989	20·5	19·8	13·4	13·4	3·2	35	17	5	4	-	1	-	1	2	-	-	1	1	5	3	BOOTLE.†
ST. HELENS -	91,153	17·7	19·4	9·7	11·4	-	44	20	7	6	-	-	-	-	-	-	-	-	-	4	2	ST. HELENS.
WIGAN - - -	87,588	15·5	13·1	16·1	17·9	-	59	30	6	11	-	-	-	-	-	-	-	1	1	8	1	WIGAN.
WARRINGTON -	69,280	16·6	19·6	8·3	14·3	2·3	33	19	9	3	-	-	-	-	3	-	-	-	-	1	1	WARRINGTON.
BOLTON - - -	180,502	14·7	13·0	11·8	15·6	1·7	81	54	12	15	-	-	-	1	1	3	1	1	4	8	-	BOLTON.
BURY - - -	58,744	16·0	16·0	18·6	16·9	1·8	17	19	1	5	-	2	-	-	-	-	-	-	1	2	1	BURY.
MANCHESTER - -	637,126	19·0	19·0	18·0	17·8	2·8	226	217	55	43	-	20	1	3	5	-	5	11	19	61	1	MANCHESTER.
SALFORD - - -	234,077	19·4	20·7	18·0	13·6	1·8	84	61	14	12	-	6	1	1	-	-	-	2	5	9	-	SALFORD.
OLDHAM - - -	140,969	14·8	18·9	14·1	16·6	1·5	54	45	8	16	-	1	-	1	-	-	2	1	4	8	-	OLDHAM.
ROCHDALE - -	87,189	20·9	17·9	16·7	17·9	1·2	25	30	2	11	-	-	1	1	-	-	-	2	2	4	2	ROCHDALE.
BURNLEY - - -	102,808	17·8	19·8	13·2	18·3	4·1	41	36	9	7	-	5	1	-	-	1	1	2	3	11	-	BURNLEY.
BLACKBURN - -	134,015	10·5	17·1	12·8	14·4	0·8	53	37	8	10	-	1	1	-	-	-	-	3	3	2	1	BLACKBURN.
PRESTON - - -	116,399	16·1	17·9	19·7	13·4	-	43	30	6	11	-	-	-	-	-	-	-	-	-	3	-	PRESTON.
BARROW-IN-FURNESS	60,967	10·3	16·3	15·4	7·7	-	35	9	1	5	-	-	-	-	-	-	-	-	-	-	2	BARROW-IN-FURNESS.

ended Saturday, 9th June, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 19th May 1906.	26th May, 1906.	2nd June, 1906.	9th June, 1906.	Rate from Diseases in Cols. 11-17. Week ended 9th June, 1906.	Registered during the Week ended 9th June, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	17·0	13·7	18·1	9·9	-	20	18	4	6	-	-	-	-	-	-	-	1	1	1	-	HUDDERSFIELD.
HALIFAX - - -	109,272	13·4	10·5	13·4	16·2	2·4	34	34	4	9	-	2	-	3	-	-	-	1	2	10	-	HALIFAX.
BRADFORD - -	288,544	17·5	15·7	15·9	14·3	2·2	105	79	9	17	-	8	2	-	1	1	-	3	6	19	2	BRADFORD.
LEEDS - - -	463,495	13·8	15·1	15·5	14·4	1·7	198	128	25	35	-	4	-	2	8	1	-	3	12	25	1	LEEDS.
SHEFFIELD - -	447,951	13·6	15·5	15·1	12·7	0·9	182	109	20	32	-	-	4	1	2	-	1	2	6	29	4	SHEFFIELD.
ROTHERHAM - -	61,098	8·5	18·8	11·9	9·4	3·4	26	11	4	1	-	2	1	-	-	-	1	1	1	2	-	ROTHERHAM.
YORK - - -	83,467	13·1	13·1	10·0	9·4	0·6	39	15	5	4	-	-	-	1	-	-	-	-	1	3	-	YORK.
HULL - - -	262,426	16·3	14·5	14·5	14·7	0·2	139	74	16	18	-	-	-	-	1	-	-	5	10	17	2	HULL.
MIDDLESBROUGH -	100,069	16·7	20·3	17·7	16·7	1·6	77	32	10	7	-	1	-	-	1	-	1	2	2	5	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	11·9	18·8	19·8	14·9	1·0	24	15	2	6	-	-	-	-	-	-	1	-	2	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	8·5	12·1	13·5	12·8	0·7	41	18	8	4	-	-	-	-	1	-	-	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	17·2	15·9	17·2	14·9	0·3	98	44	11	5	-	-	-	-	-	-	1	2	4	11	3	SUNDERLAND.
SOUTH SHIELDS -	111,402	12·6	13·6	12·6	14·0	0·5	52	30	8	4	-	-	-	-	-	1	-	2	2	2	3	SOUTH SHIELDS.
GATESHEAD - -	123,191	13·5	17·4	13·5	11·4	0·4	61	27	9	7	-	1	-	-	-	-	-	1	1	3	-	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	17·9	18·6	15·9	15·1	1·4	126	78	14	20	-	3	-	2	1	-	1	4	6	10	1	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	22·2	11·6	16·4	11·6	-	29	12	1	8	-	-	-	-	-	-	-	1	1	5	1	TYNEMOUTH.
NEWPORT (MON.) -	74,227	14·8	8·4	13·3	9·8	-	41	14	5	3	-	-	-	-	-	-	-	-	2	1	-	NEWPORT (MON.).
CARDIFF - - -	183,823	15·3	13·9	12·8	10·2	0·6	72	36	7	5	-	-	-	-	2	-	-	2	4	6	-	CARDIFF.
RHONDDA- - -	127,684	15·1	13·5	12·3	13·1	0·8	80	32	9	6	-	2	-	-	-	-	-	5	5	-	-	RHONDDA.
MERTHYR TYDFIL -	74,961	10·4	13·9	16·0	11·8	1·4	51	17	6	1	-	-	-	1	-	1	-	-	-	-	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	14·5	15·6	19·9	15·1	2·2	47	28	5	8	-	2	-	-	2	-	-	1	1	-	-	SWANSEA.
GREATER LONDON -	7,113,561	12·8	11·8	12·0	11·5	1·1	3284	1564	314	458	-	68	14	12	31	1	22	83	172	531	7	GREATER LONDON.
OUTER RING - -	2,392,344	10·2	10·0	8·8	9·0	0·8	1139	415	89	119	-	10	8	5	7	-	5	18	38	67	2	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	10·4	9·1	8·5	8·7	0·8	556	195	43	52	-	4	6	3	2	-	4	4	16	40	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	10·1	10·8	9·0	9·4	0·7	583	220	46	67	-	6	2	2	5	-	1	14	22	27	2	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	17·9	17·0	17·6	13·9	1·4	155	91	11	34	-	4	1	1	1	-	2	3	?	31	4	EDINBURGH.
GLASGOW- - -	835,625	19·0	19·0	18·2	17·5	2·4	485	281	59	55	-	10	-	4	12	1	12	19	?	80	11	GLASGOW.
DUBLIN† - - -	378,994	21·6	22·4	20·2	18·4	0·3	167	134	27	29	-	-	-	-	1	-	1	2	7	52	3	DUBLIN.†
BELFAST†- - -	358,680	20·4	22·0	21·8	19·8	3·8	228	136	28	33	-	2	-	1	16	2	5	2	2	30	2	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-THIRD Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2545	2314	2646	2445	2276	2624	2308	2584	2578	2233	2472·7	2145
Males - - -	1307	1208	1385	1206	1185	1376	1176	1319	1313	1138	1260·5	1108
Females - -	1238	1106	1261	1239	1091	1248	1132	1265	1265	1095	1212·2	1037
TOTAL **Deaths** -	1467	1177	1411	1365	1398	1236	1305	1095	1187	1236	1229·1	1149
Males - -	723	649	732	710	769	651	719	609	637	653	667·2	619
Females - -	744	528	679	655	629	585	586	486	550	583	561·9	530

* The numbers in this column are the average weekly numbers in the twenty-third week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	13 Weeks.
TOTAL **Births** -	2499	2243	2663	2594	2087	2459	2717	2547	2497	2480	2518	2384	2145	31833
TOTAL **Deaths** -	1498	1433	1674	1525	1578	1742	1562	1446	1417	1269	1156	1239	1149	18688
Ages at Death: Under 1 year -	303	273	296	269	288	305	290	239	255	251	200	228	225	3422
1–5 years -	190	170	228	225	192	238	211	223	169	163	139	140	149	2437
5–20 ,, -	72	73	76	83	76	85	68	64	77	66	79	71	67	957
20–40 ,, -	164	165	201	174	193	198	197	182	172	157	154	149	142	2218
40–60 ,, -	302	277	343	270	297	364	324	267	298	259	243	264	227	3735
60 yrs. & upwds	467	475	530	504	532	552	472	471	446	373	341	387	339	5889
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	70	65	76	68	68	85	73	61	75	43	41	50	58	833
Scarlet Fever - -	10	9	8	8	7	19	6	17	11	10	15	12	6	138
Diphtheria - -	14	16	15	9	17	13	14	9	10	11	13	10	7	158
Whooping-cough -	38	34	53	42	37	37	43	38	26	38	32	35	24	477
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	3	4	2	2	2	3	-	5	3	8	1	1	37
Pyrexia (origin uncertain).	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Diarrhœa, Dysentery	17	6	7	13	14	18	14	12	16	16	10	21	17	181
All above Diseases -	152	133	163	142	145	174	154	137	143	121	119	129	113	1825
Dis. of Resp. System	173	165	165	175	173	177	159	164	122	96	88	75	62	1794
Pneumonia - -	161	153	172	157	186	222	202	145	151	148	124	111	90	2022
Phthisis - - -	132	133	169	142	161	165	147	148	139	117	111	145	116	1825
Dis. of Circ. System -	201	173	238	213	180	207	190	175	182	160	148	155	171	2393
Violence - - -	64	66	68	56	47	70	63	61	60	53	42	57	65	772
Inquest Cases - -	152	165	168	154	148	170	152	146	141	119	121	128	134	1898
Deaths in Institutions	532	523	655	556	577	654	574	583	567	507	453	512	464	7157
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	43·5	37·5	38·2	45·6	51·5	45·7	42·0	46·6	54·2	50·7	51·8	57·2	55·6	47·7
Mean of Highest -	49·9	43·4	46·0	56·7	64·7	57·3	52·1	56·1	64·1	61·2	60·3	67·4	68·6	57·5
Mean of Lowest -	37·3	33·0	32·6	34·5	39·4	34·0	33·7	38·1	45·4	41·1	44·6	49·7	42·2	38·9
Mean Humidity of the Air.	73	79	73	63	62	66	68	73	79	68	75	76	65	71
Rain-fall (in inches) -	0·29	0·32	0·14	0·00	0·03	0·05	0·43	0·26	0·05	0·17	1·08	0·19	0·00	3·01
Registered Sunshine (in hours).	22·1	18·0	18·0	55·7	64·4	42·0	44·2	38·4	22·8	43·3	27·5	39·1	80·6	516·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	7	10	8	8	7	7	6	3	1	2	2	5	6	6
Scarlet Fever - -	2485	2434	2386	2322	2302	2225	2240	2337	2378	2396	2453	2516	2603	2391
Diphtheria - -	907	926	929	908	909	881	862	828	791	782	783	762	774	849
Typhus - - -	2	2	1	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	69	65	63	68	61	60	56	60	56	42	44	41	41	66

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-THIRD Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 23rd week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1229·1	1149	225	149	67	142	227	339
Small-pox*	7·4	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	49·4	58	12	44	2	-	-	-
Scarlet Fever	10·2	6	-	4	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	7·9	11	1	-	-	1	4	5
Whooping-cough	36·2	24	10	13	1	-	-	-
Diphtheria	11·0	7	-	4	3	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	5·9	1	-	-	1	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	8·7	9	8	1	-	-	-	-
Diarrhœa, Dysentery	14·8	8	5	-	-	1	-	2
Tetanus	1·3	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	0·3	-	-	-	-	-	-	-
Venereal Dis.	7·6	7	6	-	-	-	1	-
Puerperal Septicæmia	2·3	3	-	-	-	3	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	-	-	-	-	-	-	-	-
Infective Endocarditis	4·3	2	-	-	-	1	1	-
Pneumonia: Lobar	12·7	12	1	2	1	3	5	-
Pneumonia: Broncho-	41·0	31	10	13	2	-	2	4
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	50·2	47	4	6	3	7	11	16
Erysipelas	2·8	5	1	-	-	2	-	2
Septicæmia (not Puerperal)	1·3	1	-	-	-	1	-	-
Pyæmia (not Puerperal)	0·5	-	-	-	-	-	-	-
Other Infective Processes	5·6	4	1	-	-	1	2	-
Tuberculous Phthisis	69·6	79	-	3	5	39	28	4
"*Phthisis*"	60·4	37	-	2	3	16	14	2
Tuberculous Meningitis	27·8	19	4	11	4	-	-	-
Tuberculous Peritonitis	7·4	5	1	2	1	-	1	-
Tabes Mesenterica	3·6	1	-	-	1	-	-	-
Tuberculous Dis. (other)	15·8	23	5	3	5	2	7	1
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	11·7	9	-	-	-	2	6	1
Rheumatic Fever	3·8	2	-	-	2	-	-	-
Gout	2·0	3	-	-	-	-	1	2
Carcinoma	46·9	48	-	-	-	4	21	23
Sarcoma	6·6	9	-	1	1	-	3	4
Cancer (undefined)	33·4	24	-	-	-	2	7	15
Diabetes Mellitus	7·4	8	-	-	-	-	5	3
Premature Birth	40·3	51	51	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 23rd week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	14·0	16	9	4	2	1	-	-
Insanity, Gen. Par. of Insane	12·2	8	-	-	-	-	4	4
Epilepsy	6·4	3	-	-	-	1	1	1
Convulsions	17·6	16	15	1	-	-	-	-
Locomotor Ataxy	1·0	3	-	-	-	-	1	2
Paraplegia, Dis. of Cord	4·8	7	-	-	-	2	2	3
Nervous Sys. (other dis.)	17·6	18	2	2	2	1	1	10
Valv. Dis., Endocarditis	37·5	38	-	-	5	10	11	12
Cerebr. Hæm. Thromb.	33·1	34	-	-	-	1	8	25
Apoplexy, Hemiplegia	15·5	13	-	-	-	-	2	11
Aneurysm	5·1	6	-	-	-	1	3	2
Embolism, Thrombosis (not cerebral)	1·0	2	-	-	-	-	2	-
Heart & Blood Vessel Dis	75·4	78	-	2	8	5	17	46
Croup (not Spasm: nor Memb.)	0·3	1	-	1	-	-	-	-
Bronchitis	57·1	48	7	8	-	-	5	28
Asthma, Emphysema	3·3	2	-	-	-	-	-	2
Pleurisy	4·1	5	-	1	-	1	1	2
Respiratory Dis. (other)	6·9	6	5	-	1	-	-	2
Tonsillitis, Quinsy	0·3	1	-	-	-	1	-	-
Enteritis (not Epid.)	6·6	5	3	-	-	2	-	-
Gastro-Enteritis	2·0	7	6	1	-	-	-	-
Peritonitis (not Puerp.)	2·8	4	-	-	-	1	1	2
Cirrhosis of Liver	12·5	10	-	-	-	1	5	4
Liver Dis. (other)	5·6	4	-	-	-	1	-	3
Digestive Dis., Other	34·7	29	3	2	4	3	8	9
Nephritis, Acute	3·6	7	-	-	-	3	-	4
Bright's Dis., Albuminuria	30·1	47	-	1	-	6	17	23
Urinary Sys., Other Dis.	8·9	10	-	-	-	2	2	6
Generative Organs Dis.	4·1	1	-	-	1	-	-	-
Childbirth (Accid. of)	4·1	-	-	-	-	-	-	-
Old Age	40·5	41	-	-	-	-	-	41
Other Diseases	78·9	60	40	8	3	3	3	3
ACCIDENT.								
By Railways	2·3	-	-	-	-	-	-	-
By Vehicles and Horses	9·4	7	-	-	2	2	1	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	-	-	-	-	-	-	-
In Building Operations	1·5	-	-	-	-	-	-	-
In Conflagrations	0·5	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	4·6	5	-	5	-	-	-	-
By Drowning	5·6	4	-	-	-	1	3	-
By Suffocation in Bed	6·4	12	12	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	1	-	1	-	-	-	-
Other Deaths by Accident	14·5	17	4	3	2	-	4	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·5	4	1	-	-	1	2	-
Suicide	14·5	15		-	-	7	4	4
Execution	-	-			-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th June, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2145	1149	225	339	-	58	6	7	24	-	1	-	17	65	134	464
WEST DISTRICTS	805,311	291	196	28	66	-	7	3	-	3	-	-	-	1	11	18	79
NORTH DISTRICTS	1,056,070	458	236	41	73	-	16	1	2	3	-	-	-	2	10	28	91
CENTRAL DISTRICTS	209,465	89	73	11	15	-	8	-	-	2	-	-	-	1	1	3	38
EAST DISTRICTS	715,739	415	218	64	52	-	14	-	1	2	-	-	-	6	21	45	102
SOUTH DISTRICTS	1,749,844	892	402	81	119	-	13	2	4	14	-	1	-	7	21	39	130
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	24	-	14	-	-	-	-	-	-	-	-	-	1	1	24
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	38	22	2	6	-	1	-	-	-	-	-	-	1	2	2	8
St. John Paddington *H*	33,617	5	8	1	1	-	-	-	-	-	-	-	-	-	-	-	3
North-West Paddington	17,181	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	38	33	7	13	-	2	-	-	-	-	-	-	-	-	-	19
Brompton *2H*	48,591	7	3	-	3	-	-	-	-	-	-	-	-	-	1	1	-
North Hammersmith *2W,wH*	49,192	21	14	1	6	-	-	-	-	-	-	-	-	-	1	5	-
South Hammersmith *w,2H*	63,047	19	14	2	5	-	-	-	-	-	-	-	-	-	4	4	3
North-west Fulham *W*	45,180	40	13	2	4	-	-	-	-	-	-	-	-	-	-	1	11
North-east Fulham *F*	46,405	24	11	2	3	-	-	3	-	-	-	-	-	-	-	1	3
South Fulham *W*	45,704	24	9	1	3	-	1	-	-	2	-	-	-	-	-	1	-
Chelsea North *W,w,3H*	42,514	13	25	3	11	-	2	-	-	-	-	-	-	-	-	-	16
Chelsea South *W,2H*	31,328	13	5	2	-	-	1	-	-	-	-	-	-	-	-	-	2
Mayfair and Knightsbridge	28,743	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	18	15	1	6	-	-	-	-	-	-	-	-	-	-	-	6
St. Margaret & St. John *4H*	43,698	10	14	2	3	-	-	-	-	1	-	-	-	-	3	3	6
St. James and St. Anne‡ *W,6H*	33,081	12	5	2	-	-	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	5	22	1	8	-	1	-	-	-	-	-	-	-	1	2	13
St. Mary Marylebone *W,4H*	37,948	36	6	-	3	-	1	-	-	-	-	-	-	-	-	1	3
Christchurch Marylebone *H*	39,536	18	7	3	2	-	1	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *2H*	20,426	6	4	3	1	-	-	-	-	-	-	-	-	-	2	2	-
Hampstead *W,F,7H*	81,942	33	10	-	3	-	-	-	-	1	-	-	-	-	1	1	3
West St. Pancras *2H*	60,562	21	9	3	1	-	-	-	-	-	-	-	-	-	1	1	1
Tottenham-court *w,7H*	21,258	3	9	1	1	-	-	-	-	-	-	-	-	-	-	-	8
Gray's Inn Lane *4H*	34,449	21	8	2	1	-	-	-	-	-	-	-	-	1	-	1	3
East St. Pancras *W,2H*	60,320	35	11	1	5	-	2	-	-	-	-	-	-	-	-	-	5
North St. Pancras *2W*	58,728	23	20	5	8	-	-	-	-	1	-	-	-	-	1	2	8
Tufnell *W*	31,995	16	16	1	7	-	1	-	-	-	-	-	-	-	1	2	11
Upper Holloway *2W,w,H*	33,978	14	21	4	4	-	3	-	1	-	-	-	-	1	1	3	13
Tollington *WH*	33,922	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	16	7	1	2	-	1	-	-	-	-	-	-	-	-	2	-
Barnsbury	54,478	27	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	38	11	4	3	-	2	-	-	1	-	-	-	-	1	2	-
Highbury *2H*	63,797	18	8	-	3	-	-	-	-	-	-	-	-	-	-	3	-
Stoke Newington *H*	51,247	13	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney	50,560	22	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	21	11	3	-	-	4	1	1	-	-	-	-	-	-	2	3
South-west Hackney *3H*	59,921	31	9	-	2	-	-	-	-	-	-	-	-	-	1	1	6
South-east Hackney *2W,w,H*	58,255	32	22	3	11	-	-	-	-	-	-	-	-	-	-	1	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st February, 1906, the sub-districts of St. James Westminster and St. Anne Soho were united and called St. James and St. Anne.

'ABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th June, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
t. Giles and Bloomsbury 2*W*,2*H* -	31,436	13	12	2	3	-	3	-	-	1	-	-	-	-	-	-	1	-
trand *W*,4*H* - - - - -	21,674	4	9	1	1	-	-	-	-	-	-	-	-	-	-	1	8	-
trand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Holborn *W*,6*H* - - - - -	29,612	12	9	5	2	-	-	-	-	-	-	-	-	-	-	-	4	
orth Clerkenwell - - -	28,676	13	6	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
orth Clerkenwell *H* - - -	35,028	19	3	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-
'insbury 3*H*,*L* - - - - -	36,116	25	7	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
t. Botolph *H* - - - - -	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
t. Sepulchre and Allhallows *W*,2*H*	16,624	1	25	1	5	-	1	-	-	-	-	-	-	-	1	2	23	-
ity of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *H* - - -	46,362	22	14	6	-	-	5	-	-	-	-	-	-	-	2	2	1	-
oreditch North-West *W*,*w*,*H* -	36,127	13	24	4	8	-	3	-	-	1	-	-	-	-	5	6	15	-
oreditch North-East - - -	36,148	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oreditch Union Workhouse, Wood Green - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North 2*H* - -	51,514	21	13	2	3	-	1	-	-	-	-	-	-	-	1	3	5	-
thnal Green South - - -	33,472	19	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green East 2*W*,*H*,*L* - -	44,604	20	24	4	8	-	1	-	-	1	-	-	-	-	2	3	17	-
italfields - - - - -	27,969	16	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
le End New Town *W*,*H* - -	28,718	27	36	8	1	-	1	-	-	-	-	-	-	-	6	8	33	-
odman's Fields - - - -	22,081	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George and St. John 2*W* - -	49,068	49	12	4	2	-	-	-	-	-	-	-	-	-	1	3	1	1
adwell and Ratcliff *W*,*H* - -	25,568	13	10	6	1	-	-	-	1	-	-	-	-	1	1	1	5	
nehouse *W* - - - - - -	32,369	18	5	3	1	-	-	-	-	-	-	-	-	1	-	1	-	
le End Old Town South-Western *H* - - - -	63,698	59	11	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-
e End Old Town North-Eastern *W*,*w* - - -	49,129	21	19	4	12	-	-	-	-	-	-	-	-	1	1	5	11	-
w L - - - - - - -	41,989	26	5	3	-	-	-	-	-	-	-	-	-	-	1	3	-	-
omley 3*w*,*H* - - - - -	68,319	29	24	9	8	-	2	-	-	-	-	-	-	3	-	3	13	-
olar *W*,*w* - - - - - -	58,514	37	10	3	4	-	1	-	-	-	-	-	-	-	-	5	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th June, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark *H*	12,056	5	10	2	1	–	–	–	–	–	–	–	–	–	2	3	9
Kent-road	21,904	11	5	2	2	–	–	–	–	–	–	–	–	1	–	2	–
St. George the Martyr West *W,2H,L*	39,094	22	5	1	1	–	–	–	–	–	–	–	–	–	1	1	1
Newington North	49,022	26	7	1	2	–	–	–	–	–	–	–	–	–	1	2	–
Newington South *W*	72,841	32	9	4	2	–	–	–	–	–	–	–	–	–	–	1	1
St. Olave *2W*	9,81	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bermondsey *W*	82,483	42	14	1	3	–	2	–	–	1	–	–	–	–	–	1	–
Rotherhithe *W,F*	38,460	15	15	2	6	–	1	–	–	–	–	–	–	1	1	1	10
Waterloo-road *2H*	27,440	24	5	–	1	–	–	–	–	–	–	–	–	1	–	–	1
Lambeth Church 1st *H*	18,423	4	12	1	2	–	–	–	1	–	–	–	–	–	2	2	11
Lambeth Church 2nd *2W*	39,818	22	22	3	13	–	1	–	–	1	–	–	–	1	1	1	17
Kennington 1st *H*	53,198	35	5	2	1	–	1	–	–	–	–	–	–	–	–	–	1
Kennington 2nd *H*	42,896	11	4	1	3	–	–	–	–	–	–	–	–	–	–	1	1
Brixton *F*	84,232	39	12	3	2	–	–	–	3	–	–	–	–	–	–	1	3
Norwood *W,H*	35,888	15	9	2	4	–	–	–	–	–	–	–	–	–	–	1	1
East Battersea *H*	72,203	27	10	2	2	–	–	–	–	1	–	–	–	–	–	–	–
North-west Battersea	49,656	29	11	3	4	–	–	–	–	1	–	–	–	1	–	–	–
South-west Battersea *2W,H*	47,048	23	28	3	11	–	–	–	–	–	–	–	–	–	2	2	22
Clapham *2H*	51,361	27	7	4	2	–	–	–	–	1	–	–	–	–	–	–	–
Streatham *W,2w,2F,2L*	88,019	62	24	4	9	–	–	1	–	3	–	–	–	–	–	–	4
Springfield *2W,L*	27,959	19	5	2	1	–	1	–	–	–	–	–	–	–	–	1	–
Southfields *H*	40,444	28	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Putney	24,139	10	8	1	1	–	–	–	–	–	–	1	–	–	1	2	–
Dulwich	13,359	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell South *W,w*	40,206	23	20	–	11	–	2	–	–	–	–	–	–	–	1	2	12
Camberwell North *W,2L*	65,584	34	26	2	6	–	1	–	–	1	–	–	–	–	2	3	10
St. George	47,331	19	10	4	1	–	–	–	–	–	–	–	–	–	1	1	–
Peckham North	48,913	33	12	4	2	–	–	–	–	–	–	–	–	–	–	1	–
Peckham South *2W,w*	43,946	26	5	1	2	–	1	–	–	–	–	–	–	–	1	1	–
Deptford North	37,613	22	6	3	–	–	1	–	–	1	–	–	–	–	1	2	–
Deptford Central	45,481	23	8	7	1	–	–	–	–	–	–	–	–	2	1	1	–
Deptford South	34,625	16	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *2H*	23,456	9	6	3	3	–	–	–	–	–	–	–	–	–	–	1	–
Greenwich East *2W,H*	43,859	19	22	2	5	–	2	–	–	1	–	–	–	–	1	1	16
Eltham *w,H*	7,226	6	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Lee *wH*	25,490	7	5	–	1	–	–	–	–	–	–	–	–	–	–	1	2
Lewisham *W w,F*	58,352	35	14	3	3	–	–	1	–	1	–	–	–	–	1	1	6
Sydenham *H*	43,653	28	5	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Charlton *F,2H*	21,134	11	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Woolwich *5H*	41,625	10	6	1	3	–	–	–	–	1	–	–	–	–	–	1	–
Plumstead West *W*	18,063	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *2W,H*	50,264	27	11	3	1	–	–	–	–	1	–	–	–	–	–	–	2
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Long Reach	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North-Eastern	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Northern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Imbecile Asylums:—																	
Caterham	—	–	5	–	3	–	–	–	–	–	–	–	–	–	–	–	5
Darenth	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Leavesden	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Lunatic Asylums:—																	
Banstead	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Ewell (Epileptic Colony)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Manor	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cane Hill	—	–	5	–	4	–	–	–	–	–	–	–	–	–	–	–	5
Dartford Heath	—	–	2	–	1	–	–	–	–	–	–	–	–	–	1	1	2
Hanwell	—	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3
Colney Hatch	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2
Claybury	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th June, 1906.

Distinguishing Number of District	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1139	415	89	119	-	10	8	5	7	-	5	18	38	67	2
:1	Carshalton 2F,3H - -	12,228	32,997	10	7	2	1	-	-	-	-	-	-	-	1	1	1	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	8	3	-	3	-	-	-	-	-	-	-	-	-	1	-
:1	Godstone, *part of** W,F -	2,754	2,692	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Coulsdon - - - -	11,069	8,166	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H -	2,168	42,888	33	16	2	2	-	-	-	1	1	-	-	1	3	7	-
4	North Croydon H - -	2,644	41,698	20	4	-	4	-	-	-	-	-	-	-	-	-	1	-
5	Penge w,H - - - -	770	22,465	8	6	-	4	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30,015	22	7	-	1	-	-	-	-	-	-	-	1	1	-	-
:1	Wimbledon F,3H - -	3,221	41,652	26	5	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H - - -	6,224	42,068	16	11	2	7	-	-	-	-	-	-	1	-	2	5	-
3	Surbiton F,H - - -	3,046	15,017	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	14	4	-	2	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L - - -	4,634	23,456	12	5	2	1	-	-	-	-	-	-	-	-	-	-	-
:1	Richmond W,H - - -	2,162	28,865	7	6	-	3	-	-	-	-	-	-	-	2	2	1	-
2	Mortlake F - - -	2,847	20,628	17	8	3	-	-	1	-	-	-	-	-	1	1	-	-
:1	Bromley F,2H - - -	4,703	27,354	14	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H - - -	7,825	28,497	15	3	2	-	-	-	-	-	-	-	-	-	1	-	-
3	Orpington *part of** W -	10,113	9,857	1	8	2	4	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H - - -	7,333	16,446	7	1	1	-	-	-	-	-	-	-	-	1	1	-	-
:1	Bexley w F,H - - -	8,678	21,151	13	5	1	3	-	-	-	-	-	-	-	1	1	1	1
2	Erith F,H - - - -	3,854	25,296	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Sunbury w - - - -	11,054	18,683	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-
:1	Hillingdon W,F,H - -	6,035	13,661	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H - - -	12,757	8,984	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-
3	Hayes w2 F,H - - -	8,066	16,358	13	5	4	1	-	-	-	-	-	-	-	-	-	1	-
:1	Isleworth 3W,2F,H - -	6,859	30,863	19	11	3	2	-	-	-	-	-	-	-	-	-	6	1
2	Twickenham F,H - -	2,421	20,991	10	7	-	2	-	1	-	-	-	-	-	2	2	-	-
3	Brentford 3F,2H - - -	4,319	48,289	25	16	2	4	-	1	1	-	1	-	-	1	1	2	-
4	Chiswick H- - - -	1,249	29,809	17	5	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	34	9	3	1	-	1	-	-	-	-	-	-	1	-	-
:1	Harrow F,H - - -	13,809	25,523	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H - - -	6,994	4,521	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	65	27	8	4	-	2	2	-	-	-	1	-	-	4	-
4	Hendon W,F - - -	8,382	22,450	19	3	1	-	-	-	-	-	-	-	-	1	1	-	-
:1	South Mimms 2F,H - -	17,755	7,308	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	11	5	3	1	-	1	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	13	3	-	3	-	-	-	-	-	-	-	-	-	-	-
:1	Hornsey F,H - - -	2,875	72,056	31	8	-	3	-	-	1	-	-	-	-	-	1	1	-
2	Wood Green H - - -	1,625	34,233	27	4	-	2	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham F - -	996	48,853	34	5	-	3	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H - -	2,017	53,688	41	13	6	3	-	-	-	-	-	-	-	-	1	1	-
5	Edmonton W,w,2F - -	7,491	61,892	40	10	1	5	-	-	-	-	-	-	-	-	3	2	-
6	Enfield 2W,F,H - - -	12,601	42,738	23	8	1	-	-	-	1	-	-	-	-	-	-	2	-
7	Waltham Abbey F - -	11,017	6,549	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
8	Cheshunt F,H - - -	8,479	12,292	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
:1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey H - - - -	9,333	9,173	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford H - - -	1,072	44,827	19	5	1	1	-	-	-	-	-	-	-	1	1	1	-
2	Plaistow F,2H - - -	1,249	90,921	61	17	6	3	-	-	3	1	-	-	-	1	2	3	-
3	Canning Town H - - -	1,556	70,718	55	18	6	2	-	-	-	-	-	-	1	1	4	-	-
4	Forest Gate w - - -	806	60,892	18	15	3	4	-	-	-	-	-	-	1	-	-	-	-
5	North East Ham w H -	1,333	58,676	37	10	3	3	-	-	-	-	-	-	-	-	2	-	-
6	South East Ham 2F - -	1,993	37,342	25	6	1	1	-	-	-	1	-	-	-	-	-	-	-
7	Wanstead F - - -	1,679	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	21	9	2	3	-	1	-	-	-	-	-	-	1	3	-
9	North Leyton 2W,w,F -	1,963	48,445	28	27	1	11	-	-	-	-	-	-	1	-	1	16	-
10	Walthamstow 3H,L - -	6,504	108,929	62	12	5	3	-	1	-	-	1	-	-	-	-	-	-
:1	Chigwell, *part of** 2F,3H -	11,778	16,397	-	4	-	1	-	-	-	1	-	-	-	-	-	1	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** W,2F -	6,556	6,091	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L - - - -	8,496	41,234	35	15	6	2	-	-	-	1	3	-	-	-	-	2	-
3	Barking Town F - -	3,803	21,547	10	3	1	1	-	-	-	-	1	-	-	1	1	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	June 9	2145	1149	12·7	-	58	6	8	24	1	
CALCUTTA - -	910,117	April 28	-	756	46·3	99	2	-	2	2	280‡	1
BOMBAY - -	776,006	May 22	328	1362	91·3	5	45	-	-	-	600†	1
MADRAS - -	509,346	" 11	299	388	39·6	11	14	?	?	?	89	
PARIS - - -	2,750,000	June 2	-	-	-	-	-	-	-	-	-	
BRUSSELS - -	612,401	" 2	233	163	13·8	-	2	-	-	3	1	
ANTWERP - -	291,949	" 2	119	69	12·1	1	6	-	1	1	-	
AMSTERDAM -	560,249	May 26	247	156	14·5	-	3	-	-	6	1	
COPENHAGEN -	425,000	June 2	157	132	16·2	-	1	-	1	-	-	
STOCKHOLM -	324,488	May 26	130	87	13·9	-	1	1	2	2	-	
CHRISTIANIA -	222,373	June 2	130	62	14·5	-	-	-	2	2	-	
ST. PETERSBURG	1,424,700	May 19	721	958	34·8	2	53	38	29	4	33	
MOSCOW - -	1,154,000	" 19	-	711	32·1	4	13	6	7	4	1	
BERLIN - -	2,058,992	" 19	956	666	16·9	-	17	2	7	4	2	
HAMBURG - -	819,380	June 2	-	213	13·8	-	1	3	1	5	1	
BRESLAU - -	475,000	May 26	-	200	22·0	-	2	1	2	-	-	
MUNICH - -	540,000	June 2	-	-	-	-	-	-	-	-	-	
VIENNA - -	1,956,949	" 2	884	677	18·2	-	30	9	5	1	2	
PRAGUE - -	455 241	May 26	177	215	24·3	-	3	1	-	2	1	
BUDA-PESTH -	859,134	" 26	403	344	20·8	-	8	9	4	3	-	
TRIESTE - -	196,637	June 2	96	66	17·5	-	1	1	2	5	-	
ROME - -	526,170	April 7	243	198	19·6	-	5	-	2	2	6§	
VENICE - -	171,709	—	-	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	May 26	155	124	22·2	-	-	2	-	-	-	
NEW YORK -	4,152,860	" 26	1835	1490	18·7	-	35	31	46	7	9	
CHICAGO - -	2,049,185	" 19	-	652	16·6	-	8	10	9	2	5	
PHILADELPHIA -	1,469,126	" 19	-	567	20·1	-	4	4	13	12	31	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	May 13	-	288	16·4	-	-	-	-	-	3†	

* Excluding deaths from croup in the Indian Cities.
† Including 167 deaths from plague in Calcutta, 511 in Bombay, and 1 in Rio de Janeiro.
‡ Including 126 deaths from cholera in Calcutta, and 20 in Bombay.
§ Including 4 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th June, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainf in Inch
	°	°	°			°	°	°	
LONDON (Greenwich)	74·6	37·6	55·4	0·00	BRADFORD - -	72·6	42·0	53·9	0·00
BRIGHTON - -	72·2	40·5	56·5	0·00	LEEDS - - -	76·0	43·0	59·7	0 00
PORTSMOUTH - -	72·0	43·5	57·1	0·00	HULL - - -	71·0	35·0	53 7	0·00
NORWICH - -	70·6	36·0	52·8	0·01	TYNEMOUTH - -	70 0	42·0	53 1	0·03
PLYMOUTH - -	68·0	45·1	57·3	0·00	CARDIFF - -	73·4	40·5	56 4	0·00
BRISTOL - - -	73·0	40·3	57·0	0·00	EDINBURGH - -	72·5	41·8	55·4	0·00
BIRMINGHAM - -	70·1	41·8	55·8	0·00	GLASGOW - -	75·0	40 0	57 1	0·00
NOTTINGHAM - -	74·3	36·0	55·3	0·00	DUBLIN Phœnix Park.	69·7	41·2	56·1	0·01
LIVERPOOL OBSERVATORY.	68·0	45·0	56·0	0·00	DUBLIN Fitz-william Square.†	70·1	47·8	59·2	0 00
MANCHESTER -	73·5	42·8	57·2	0·00					
PRESTON - -	77 5	45·0	58·7	0·00					
HUDDERSFIELD -	72·2	39·0	55·8	0·00	BELFAST - -	?	?	?	?

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. Th correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to th above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY	3	..	30·026	70·7	47·1	23·6	58·9	+ 0·9	47·4	11·5	21·4	2·1	66	127·0	39·3	53·60	WNW. & N.	N. & NNW.	1·9	0·0	0·2	251	+ 6	0·00	5·2
MONDAY	4	..	30·192	61·0	42·8	18·2	52·1	− 6·1	43·4	8·7	12·5	2·1	72	112·4	35·0	53·49	N. & NE.	NE.	1·4	0·0	0·1	223	− 23	0·00	5·5
TUESDAY	5	..	30·208	63·8	37·6	26·2	50·4	− 7·9	42·4	8·0	17·3	1·5	74	130·6	28·6	53·79	NE.	ENE., E. & ESE.	1·0	0·0	0·1	164	− 83	0·00	10·8
WEDNESDAY	6	Perigee. Full	30·167	66·0	39·7	26·3	53·3	− 5·0	42·4	10·9	19·1	1·4	67	132·4	28·0	53·92	ESE. & E.	ESE. & E.	1·4	0·0	·1	173	− 76	0·00	3·5
THURSDAY	7	..	30·076	71·7	39·1	32·6	56·8	− 1·4	41·4	15·4	28·6	0·7	56	137·9	29·0	54·07	E. & ENE.	E. & ESE.	1·4	0·0	0·1	160	− 91	0·00	10·0
FRIDAY	8	Greatest Dec. S.	30·032	74·6	42·9	31·7	58·9	+ 0·7	38·7	20·2	27·9	0·9	47	132·6	31·5	54·26	ESE., ENE. & NE.	ENE. & ESE.	0·8	0·0	0·0	141	− 111	0·00	2·0
SATURDAY	9	..	30·062	72·1	46·1	26·0	58·9	+ 0·7	49·4	9·5	19·9	2·7	71	123·9	36·5	54·65	ESE. & E.	NNE., ENE. & ESE.	1·1	0·0	0·0	138	− 115	0·00	2·8
MEANS	-		30·109	68·6	42·2	26·4	55·6	− 2·6	43·6	12·0	21·0	1·6	65	128·1	32·6	53·97	NNE. & E.		..	..	..	Sum 1250	Sum − 493	Sum 0·00	5·7
No. of Column	-		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. June.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY	3	m. P. till 4h. A.M.; w. P. afterwards.	13·3	16·3	Very fine throughout; the amount of cloud was usually very small.
MONDAY	4	w. P. generally; occasional w. N. in afternoon.	7·9	16·3	Fine and partially cloudy till 7h. P.M.; generally cloudless afterwards.
TUESDAY	5	w. P. till 10h. P.M.; m. P. afterwards.	9·9	16·4	Very fine generally; partially cloudy in forenoon; hoar frost in morning.
WEDNESDAY	6	m. P. till 5h. A.M.; w. P. till 7h. P.M.; m. P. afterwards.	12·1	16·4	Very fine; cloudless with slight exceptions.
THURSDAY	7	m. P. till 11h. A.M.; w. P. till 8h. P.M.; m. P. afterwards.	12·1	16·4	Very fine; variable amounts of light cloud. Solar halo observed at intervals between 9h. A.M. and 6h. P.M. Lunar halo at night.
FRIDAY	8	m. P. principally till noon; w. P. afterwards.	13·9	16·4	Fine and partially cloudy till 5h. A.M.; cloudless and very fine till 6h. P.M.; generally cloudy afterwards.
SATURDAY	9	v. P. till 10h. A.M.; m. P. till 3h. P.M.; w. P. afterwards.	11·4	16·4	Overcast in early morning; very fine till evening; overcast at night.
			Sum 80·6	Sum 114·6	
No. of Col	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·90 in. at the beginning of the week to 30·24 in. by 9h. A.M. on the 5th; decreased to 30·00 in. by 5h. P.M. on the 8th; and increased to 30·10 in. by midnight on the 9th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd June, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	7	2	-	-	-	-	5	-
Kensington	180,952	-	5	4	-	-	-	-	2	-
Hammersmith	120,679	-	8	3	-	-	-	-	4	-
Fulham	161,965	-	8	4	-	-	-	-	2	-
Chelsea	74,672	-	7	1	-	2	-	-	1	-
City of Westminster	173,905	-	16	1	-	-	-	-	3	-
NORTH.										
St. Marylebone	128,580	-	11	2	-	-	-	-	-	-
Hampstead	89,633	-	5	-	-	1	-	-	-	-
St. Pancras	236,455	-	10	4	-	1	-	-	3	-
Islington	344,987	-	21	5	-	1	-	-	5	1
Stoke Newington	53,217	-	1	1	-	-	-	-	-	-
Hackney	230,721	-	23	11	-	1	-	-	7	1
CENTRAL.										
Holborn	55,805	-	2	-	-	-	-	-	-	-
Finsbury	97,466	-	10	2	-	2	-	-	1	-
City of London	21,367	-	1	-	-	1	-	-	-	-
EAST.										
Shoreditch	116,108	-	9	3	-	-	-	-	2	-
Bethnal Green	130,609	3	14	5	-	1	-	-	3	-
Stepney	307,176	-	37	5	-	-	-	-	5	-
Poplar	170,673	-	10	9	-	-	-	-	1	-
SOUTH.										
Southwark	209,143	-	12	6	-	-	-	-	8	-
Bermondsey	128,629	-	9	9	-	2	-	-	1	-
Lambeth	315,774	-	21	13	-	-	-	-	5	-
Battersea	179,622	-	15	3	-	-	-	-	2	-
Wandsworth	273,381	-	22	5	-	2	-	-	7	2
Camberwell	274,132	-	15	8	-	-	-	-	6	-
Deptford	115,495	-	11	2	-	3	-	-	2	1
Greenwich	105,350	-	6	8	-	-	-	-	4	-
Lewisham	148,463	-	10	3	-	-	-	-	3	-
Woolwich	127,345	-	10	6	-	1	-	-	4	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	3	336	125	-	18	-	-	86	5
Ages 0-1		-	2	3	-	-	-	-	4	-
" 1-5		-	105	50	-	-	-	-	5	-
" 5-		-	121	36	-	2	-	-	2	-
" 10-		1	47	21	-	3	-	-	2	-
" 15-		1	26	2	-	2	-	-	2	-
" 20-		1	17	6	-	2	-	-	3	2
" 25-		-	15	2	-	2	-	-	20	2
" 35-		-	3	3	-	5	-	-	14	1
" 45-		-	-	-	-	1	-	-	14	-
" 55-		-	-	2	-	1	-	-	9	-
" 65 and upwards		-	-	-	-	-	-	-	9	-
Age not stated		-	-	-	-	-	-	-	2	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during May, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
1st June, 1906.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of May.

Thirteen samples were taken in each district, except the Kent, in which fourteen were drawn, making a total of 105 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - - -	May 7th, Drinking Fountain, Moor Park Road.	10·9	26·86	·114	·015	0	·209	·224	1·55	19·6
West Middlesex - -	May 7th, Cab Rank, High Street, Kensington, near Wright's Lane.	11·8	26·20	·128	·016	0	·199	·215	1·6	19·0
Southwark - - -	May 7th, Drinking Fountain, Victoria Circus, Battersea.	11·9	26·98	·116	·014	0	·201	·2 5	1·6	19·7
Grand Junction - -	May 7th. Cab Rank, Shepherd's Bush Green.	11·8	26·53	·107	·013	0	·204	·217	1·5	19·9
Lambeth - - - -	May 7th, Cab Rank, Westminster Bridge Road.	11·2	27·68	·117	·014	0	·240	·254	1·6	19·7
Lea, Wells, etc.										
New River - - -	May 7th, Cab Rank, Hart Street, Bloomsbury.	12·3	27·70	·070	·007	0	·208	·215	1·7	19·6
Eastern - - - -	May 7th, Tap on Main at Lea Bridge Works.	12·0	30·24	·116	·014	0	·194	·208	2·0	21·4
Deep Wells.										
Kent- - - - -	May 7th, Police Station, Blackheath Road.	11·0	37·96	·033	·005	0	·498	·503	1·95	27·4
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4 to 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district, from the drinking fountain in Moor Park Road, on the 7th May, had a temperature of 10·9° C.; 100,000 lbs. of it contained 26·86 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·114 lb. of carbon and ·015 lb. of nitrogen. The above quantity of water also contained ·209 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·224 lb. The above weight of water also contained 1·55 lbs. of chlorine and 19·6 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 7th of May were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the district works was: Kent, 0·6; New River, 1·3; Grand Junction, 2·0; Chelsea, Southwark, Lambeth and Eastern, 2·2; and West Middlesex, 2·4.

The samples, taken in the districts supplied from the five works distributing filtered Thames water, all exhibited reductions in the proportions of organic impurity, when compared with the samples taken for the corresponding examination in the previous month. The amount of organic carbon and nitrogen were the lowest so far obtained this year in the analyses of the Thames-derived water, and the five supplies were clear and of good quality.

The New River district water contained less organic matter than had been found in the three preceding months, and was clear and of very good quality; the Eastern District supply was also clear and of good quality.

The deep well water from the Kent district was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, and that taken in the New River area nearly colourless; the samples taken in the six remaining districts had a very pale yellow tint.

In addition to the above analytical examination the 105 samples, collected during May at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has, also, been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mea
THAMES.												
Chelsea	·059	·050	·054	·068	·057	·061	0	0	0	·006	·005	·00
West Middlesex	·064	·053	·059	·071	·060	·066	0	0	0	·0075	·006	·00
Southwark	·076	·054	·065	·085	·058	·071	0	0	0	·0065	·006	·00
Grand Junction	·072	·049	·061	·080	·055	·067	0	0	0	·0075	·006	·00
Lambeth	·072	·053	·063	·077	·059	·068	0	0	0	·0065	·006	·00
LEA, WELLS, ETC.												
New River	·041	·031	·036	·046	·036	·040	0	0	0	·004	·0035	·00
Eastern	·061	·048	·051	·068	·052	·056	0	0	0	·0055	·0055	·00
DEEP WELLS.												
Kent	·010	·008	·009	·012	·009	·010	0	0	0	·0015	·001	·00

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With regard to the Thames-derived water the above figures show that the proportions of organic matter in the five district supplies varied but little during the month, and comparison with all this year's data shows that the average amount of organic matter for May was smaller than that found in the previous months. All the samples examined were of good quality.

The New River district supply, obtained mainly from the river Lea and wells, was of uniform and very good quality throughout the month. The Eastern district water contained, on the average, less organic matter than in the six preceding months, and all the samples tested were of uniform good quality.

The fourteen samples of deep-well water, collected in the Kent district, all maintained the usual standard of high organic purity and were of excellent quality.

All the samples examined were clear, with the exceptions of a few, taken in the Southwark, Grand Junction and Eastern districts, in which minute traces of rust-stained suspended matter were noted.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of May, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 209 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	MAY, 1905.	MAY, 1906.	MAY, 1905.	MAY, 1906.
TOTAL SUPPLY - - -	1,027,936	1,046,988	233,346,250	219,192,128
From Thames - - - - - -	478,307	488,073	122,864,749	116,114,535
From Lea and from other Sources -	549,629	558,915	110,481,501	103,077,593
THAMES.				
SOUTHERN { Southwark and Vauxhall	130,711	132,336	31,736,000	29,579,000
SOUTHERN { Lambeth - - - - -	136,512	140,804	32,661,717	32,244,500
WESTERN { West Middlesex - -	91,915	92,659	25,995,032	24,802,677
WESTERN { Grand Junction - -	79,259	82,354	19,415,226	17,130,616
WESTERN { Chelsea - - - - -	39,910	39,920	13,056,774	12,357,742
LEA AND OTHER SOURCES.				
New River - - - - - - - -	204,922	207,910	43,683,245	42,781,000
Eastern - - - - - - - -	232,474	236,470	46,066,322	40,495,419
Kent - - - - - - - - -	112,233	114,535	20,731,934	19,801,174

Note.—The Return for May, 1906, as compared with that for the corresponding month of 1905, shows an increase of 19,052 services, and a decrease of 14,154,122 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE E.C.

No. 24. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JUNE 16. [Price 1½*d*.

General Register Office, Somerset House,

June 18th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·9 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 14·2, 13·8, and 12·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 18·3 in Manchester, 18·8 in Warrington, 19·4 in Liverpool, 20·6 in St. Helens and in West Hartlepool, and 21·4 in Middlesbrough; from *measles*, 1·3 in Tottenham, 1·4 in Halifax, 1·6 in Huddersfield and in Bradford, 1·8 in Manchester, 2·2 in Salford, and 3·0 in Burnley; from *scarlet fever*, 1·6 in Hastings; from *diphtheria*, 1·0 in Halifax and in Middlesbrough; and from *whooping-cough*, 1·1 in Walsall and in Swansea, 1·3 in Reading, and 1·5 in Warrington. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2447 BIRTHS and 1108 DEATHS were registered. Allowing for increase of population, the births were 32 and the deaths 99 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 12·8, 13·7, and 12·7 per 1000 in the preceding three weeks, fell last week to 12·2. The death-rate in the four weeks ended last Saturday averaged 12·9 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 6/06 D & S 3 25199

The 1108 deaths included 45 from measles, 15 from scarlet fever, 10 from diphtheria, 17 from whooping-cough, 2 from enteric fever, and 15 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 104 deaths were referred to these diseases in the aggregate, being 28 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 41, 50, and 58 in the preceding three weeks, fell to 45 last week, and were 8 below the corrected average; 5 deaths belonged to the Borough of Poplar, 4 each to St. Pancras and Finsbury, and 3 to Stepney. The deaths from *scarlet fever*, which had been 15, 12, and 6 in the preceding three weeks, rose to 15 last week, and were 8 above the corrected average. The deaths from *diphtheria*, which had been 13, 10, and 7 in the preceding three weeks, were 10 last week, and were equal to the corrected average. The deaths from *whooping-cough*, which had been 32, 35, and 24 in the preceding three weeks, fell to 17 last week, and were 13 below the corrected average; 3 deaths belonged to Bethnal Green. The fatal cases of *enteric fever*, which had been 8, 1, and 1 in the preceding three weeks, were 2 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 10, 21, and 17 in the preceding three weeks, were 15 last week, and were 6 below the corrected average; 3 deaths belonged to Fulham and 3 to Camberwell. The 15 deaths from diarrhœa were all those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 other deaths at this age. The deaths attributed directly to *influenza* numbered 6, having been 12, 11, and 11 in the preceding three weeks.

Different forms of *violence* caused 57 deaths, concerning all of which inquests were held. Of these 57 deaths, 12 were cases of suicide, and 2 of homicide, while the remaining 43 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 7 to burns or scalds, 5 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 6, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 7 cases of small-pox, 2677 of scarlet fever, 749 of diphtheria, and 65 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 3, and 1; of scarlet fever, 355 cases, against 338, 312, and 344; of diphtheria, 106 cases, against 107, 100, and 106; and of enteric fever, 31 cases, against 13, 7, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 9th, 1906.

Greater London.

In Greater London 3751 births and 1523 deaths were registered. Allowing for increase of population, these numbers are 42 and 155 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 10 deaths from measles, 7 from scarlet fever, 6 from diphtheria, 3 from whooping-cough, 3 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·95 inches, and that of the Thermometer 53°·9, the latter being 4°·8 below the week's average in the 50 years 1841–90. The general direction of the wind was Easterly, the horizontal movement of the air being 7 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 35·6 hours; the measured rainfall amounted to 0·30 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 26th May, 1906.	2nd June, 1906.	9th June, 1906.	16th June, 1906.	Rate from Diseases in Cols. 11-17. Week ended 16th June, 1906.	Registered during the Week ended 16th June, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**14·2**	**13·8**	**12·9**	**12·9**	**1·2**	**9100**	**3924**	**792**	**1114**	**–**	**148**	**39**	**33**	**77**	**10**	**63**	**173**	**322**	**1018**	**45**	**76 Towns.**
London - - -	4,721,217	12·8	13·7	12·7	12·2	1·1	2447	1108	197	323	-	45	15	10	17	2	15	57	119	486	3	London.
† Croydon - -	151,011	10·0	10·4	7·9	7·9	0·3	76	23	3	6	-	-	-	-	1	-	-	-	2	7	-	Croydon.
† Willesden - -	143,622	5·4	8·4	9·4	5·1	-	68	14	7	2	-	-	-	-	-	-	-	3	4	1	-	Willesden.
† Hornsey - -	86,935	7·8	4·8	4·2	5·4	-	26	9	1	5	-	-	-	-	-	-	-	-	-	-	-	Hornsey.
† Tottenham - -	119,503	9·2	9·2	9·2	9·2	1·7	67	21	5	5	-	3	1	-	-	-	-	-	2	7	-	Tottenham.
† West Ham - -	301,617	13·5	9·2	11·4	10·0	0·7	189	58	10	13	-	2	1	1	-	-	-	4	5	18	-	West Ham.
† East Ham - -	129,886	6·8	6·8	7·2	5·2	0·4	68	13	3	1	-	-	-	-	1	-	-	-	-	2	-	East Ham.
† Leyton - - -	118,287	6·2	10·6	10·1	9·3	0·9	77	21	4	8	-	-	-	1	-	-	1	-	1	5	1	Leyton.
† Walthamstow -	121,234	7·7	6·4	4·7	8·6	0·4	60	20	7	4	-	-	-	1	-	-	-	-	2	3	-	Walthamstow.
Hastings - - -	67,144	16·3	7·8	7·0	14·8	1·6	17	19	-	8	-	-	2	-	-	-	-	1	2	3	-	Hastings.
Brighton - -	128,095	12·2	15·5	9·8	11·0	1·2	60	27	4	13	-	2	-	-	1	-	-	-	1	6	-	Brighton.
Portsmouth - -	205,118	12·2	11·9	13·7	11·2	1·0	98	44	10	13	-	-	-	2	2	-	-	-	1	13	-	Portsmouth.
Bournemouth -	67,702	14·6	16·9	23·1	6·9	1·5	33	9	-	3	-	1	-	1	-	-	-	1	1	1	-	Bournemouth.
Southampton -	117,312	11·6	12·9	11·6	11·1	0·9	65	25	3	10	-	-	-	-	-	-	2	3	4	7	-	Southampton.
Reading - - -	78,987	13·2	10·6	10·6	7·3	2·0	37	11	2	3	-	-	-	-	2	-	1	2	2	3	-	Reading.
Northampton -	93,749	11·1	12·2	8·9	7·8	-	33	14	3	7	-	-	-	-	-	-	-	-	1	-	-	Northampton.
Ipswich - - -	71,809	13·1	10·9	10·9	16·0	-	35	22	4	6	-	-	-	-	-	-	-	2	2	3	-	Ipswich.
Great Yarmouth -	52,613	24·8	12·9	15·9	14·9	2·0	24	15	2	7	-	1	-	-	-	-	1	-	1	5	-	Great Yarmouth.
Norwich - -	117,958	16·8	15·5	12·4	12·8	0·4	68	29	8	9	-	-	-	-	-	-	1	1	1	4	-	Norwich.
Plymouth - -	118,014	14·1	13·7	13·7	8·4	0·9	43	19	6	6	-	-	-	-	2	-	-	1	1	1	-	Plymouth.
Devonport - -	78,405	8·6	5·3	6·7	8·6	-	43	13	3	7	-	-	-	-	-	-	-	-	2	-	-	Devonport.
Bristol - - -	363,223	12·8	12·6	11·2	10·3	0·3	194	72	17	22	-	1	-	1	-	-	-	2	4	19	-	Bristol.
Hanley‡ - - -	66,360	14·1	14·9	13·4	16·5	0·8	56	21	7	2	-	-	1	-	-	-	-	1	2	1	-	Hanley.‡
Burton-on-Trent	52,922	9·9	9·9	10·8	14·8	1·0	27	15	7	2	-	-	-	-	1	-	-	-	1	1	-	Burton-on-Trent.
Wolverhampton -	100,729	15·0	15·5	13·5	15·5	1·6	63	30	9	12	-	-	-	-	-	1	2	2	3	6	1	Wolverhampton.
Walsall - - -	94,577	11·0	9·4	7·7	16·5	2·2	52	30	10	7	-	-	-	-	2	1	1	1	2	3	-	Walsall.
Handsworth -	63,819	9·8	5·7	5·7	9·0	-	29	11	4	4	-	-	-	-	-	-	-	-	1	-	-	Handsworth.
West Bromwich -	68,469	14·5	17·5	10·7	9·1	-	41	12	2	6	-	-	-	-	-	-	-	-	1	1	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 16th June, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 26th May, 1906.	2nd June, 1906.	9th June, 1906.	16th June, 1906.	Rate from Diseases in Cols. 11-17. Week ended 16th June, 1906.	Registered during the Week ended 16th June, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	16·1	13·3	11·5	14·4	1·3	358	151	35	36	-	10	1	-	1	-	2	11	14	33	7	BIRMINGHAM.
KINGS NORTON -	72,608	14·4	5·7	10·1	7·2	-	35	10	3	2	-	-	-	-	-	-	-	1	1	1	-	KINGS NORTON.
SMETHWICK - -	64,531	10·5	16·2	12·9	10·5	0·8	37	13	5	2	-	-	-	-	-	-	1	1	1	-	-	SMETHWICK.
ASTON MANOR -	82,288	11·4	15·8	7·6	8·2	0·6	52	13	4	2	-	1	-	-	-	-	-	2	2	-	-	ASTON MANOR.
COVENTRY - -	76,374	13·7	15·0	10·9	13·7	2·0	56	20	3	9	-	-	-	1	1	-	1	1	1	-	2	COVENTRY.
LEICESTER - -	232,111	12·4	10·3	9·4	9·2	1·1	118	41	11	11	-	2	2	-	-	-	1	1	3	6	-	LEICESTER.
GRIMSBY - - -	69,359	10·5	10·5	9·0	8·3	-	39	11	4	2	-	-	-	-	-	-	-	1	2	1	-	GRIMSBY.
NOTTINGHAM - -	254,563	11·5	11·9	12·5	10·7	0·6	131	52	8	15	-	-	-	-	-	2	1	-	-	17	-	NOTTINGHAM.
DERBY - - -	123,981	13·0	13·9	10·1	12·6	0·4	54	30	4	7	-	-	-	1	-	-	-	3	5	8	-	DERBY.
STOCKPORT - -	39,646	19·9	19·9	15·7	13·6	-	62	26	4	7	-	-	-	-	-	-	-	-	1	5	-	STOCKPORT.
BIRKENHEAD - -	117,292	17·3	14·2	19·6	14·2	0·9	91	31	4	15	-	-	-	-	1	-	1	-	1	4	-	BIRKENHEAD.
WALLASEY - -	64,578	8·9	8·1	16·1	11·3	0·8	37	14	3	2	-	1	-	-	-	-	-	1	1	1	-	WALLASEY.
LIVERPOOL† - -	739,180	18·6	17·1	16·5	19·4	2·9	523	275	63	72	-	10	4	2	14	-	11	8	16	79	8	LIVERPOOL.†
BOOTLE† - - -	65,989	19·8	13·4	13·4	11·9	1·6	36	15	3	3	-	-	-	1	-	-	1	-	-	4	2	BOOTLE.†
ST. HELENS - -	91,153	19·4	9·7	11·4	20·6	-	67	36	6	10	-	-	-	-	-	-	-	1	1	3	2	ST. HELENS.
WIGAN - - -	87,588	13·1	16·1	17·9	11·9	1·2	55	20	4	3	-	-	-	-	-	1	1	1	1	3	-	WIGAN.
WARRINGTON -	69,280	19·6	8·3	14·3	18·8	1·5	43	25	2	7	-	-	-	-	2	-	-	1	1	4	1	WARRINGTON.
BOLTON - - -	180,502	13·0	11·8	15·6	13·6	0·9	104	47	8	19	-	-	-	1	-	-	2	5	8	5	-	BOLTON.
BURY - - -	58,744	16·0	18·6	16·9	13·3	1·8	21	15	2	7	-	-	1	1	-	-	-	2	2	2	-	BURY.
MANCHESTER - -	637,126	19·0	18·0	17·8	18·3	2·9	436	224	39	62	-	22	1	2	7	1	2	11	23	45	-	MANCHESTER.
SALFORD - - -	234,077	20·7	18·0	13·6	16·9	3·1	186	76	13	21	-	10	1	-	1	1	1	1	5	11	-	SALFORD.
OLDHAM - - -	140,969	18·9	14·1	16·6	15·5	1·1	92	42	6	15	-	-	-	-	1	-	2	1	2	9	-	OLDHAM.
ROCHDALE - -	87,189	17·9	16·7	17·9	14·4	1·2	43	24	3	7	-	-	-	-	1	-	1	-	-	4	-	ROCHDALE.
BURNLEY - - -	102,808	19·8	13·2	18·3	17·8	4·1	48	35	7	5	-	6	-	-	1	-	1	1	1	4	-	BURNLEY.
BLACKBURN - -	134,015	17·1	12·8	14·4	12·5	0·8	79	32	10	7	-	-	2	-	-	-	-	1	1	12	-	BLACKBURN.
PRESTON - - -	116,399	17·9	19·7	13·4	11·6	0·4	100	26	6	11	-	-	-	-	-	-	1	1	2	2	3	PRESTON.
BARROW-IN-	60,967	16·3	15·4	7·7	7·7	-	52	9	3	2	-	-	-	-	-	-	-	-	-	-	1	BARROW-IN-

FURNESS.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 26th May, 1906.	2nd June, 1906.	9th June, 1906.	16th June 1906.	Rate from Diseases in Cols. 11-17. Week ended 16th June, 1906.	Registered during the Week ended 16th June, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield -	94,851	13·7	18·1	9·9	17·6	1·6	71	32	9	11	-	3	-	-	-	-	-	-	1	4	1	Huddersfield.
Halifax - - -	109,272	10·5	13·4	16·2	13·4	3·3	36	28	3	12	-	3	1	2	1	-	-	-	1	4	1	Halifax.
Bradford - -	288,544	15·7	15·9	14·3	17·7	2·2	134	98	11	23	-	9	-	-	1	-	2	7	8	13	1	Bradford.
Leeds - - -	463,495	15·1	15·5	14·4	12·6	0·7	242	112	22	34	-	3	-	-	2	-	1	6	9	19	-	Leeds.
Sheffield - -	447,951	15·5	15·1	12·7	12·5	0·9	293	107	25	28	-	-	3	-	4	-	1	4	6	22	3	Sheffield.
Rotherham - -	61,098	18·8	11·9	9·4	17·1	2·6	35	20	3	7	-	1	1	-	-	-	1	2	3	6	-	Rotherham.
York - - -	83,467	13·1	10·0	9·4	10·0	-	53	16	5	5	-	-	-	-	-	-	-	2	3	3	-	York.
Hull - - -	262,426	14·5	14·5	14·7	10·9	0·8	155	55	13	14	-	-	-	2	2	-	-	4	7	8	1	Hull.
Middlesbrough -	100,069	20·3	17·7	16·7	21·4	2·6	98	41	7	12	-	1	1	2	-	-	1	-	1	10	-	Middlesbrough.
Stockton-on-Tees	52,664	18·8	19·8	14·9	8·9	-	30	9	2	4	-	-	-	-	-	-	-	-	1	4	-	Stockton-on-Tees.
West Hartlepool	73,387	12·1	13·5	12·8	20·6	0·7	42	29	5	9	-	-	1	-	-	-	-	1	1	2	-	West Hartlepool.
Sunderland - -	154,385	15·9	17·2	14·9	13·5	0·7	109	40	6	12	-	1	-	-	1	-	-	1	1	9	2	Sunderland.
South Shields -	111,402	13·6	12·6	14·0	13·6	1·4	69	29	12	5	-	-	-	1	2	-	-	1	1	5	2	South Shields.
Gateshead - -	123,191	17·4	13·5	11·4	13·5	1·7	82	32	6	10	-	2	-	-	1	-	1	-	-	9	2	Gateshead.
Newcastle-on-Tyne	268,721	18·6	15·9	15·1	16·3	1·0	180	84	23	21	-	4	-	-	-	-	1	3	9	9	-	Newcastle-on-Tyne.
Tynemouth - -	54,138	11·6	16·4	11·6	12·5	1·0	39	13	1	3	-	1	-	-	-	-	-	2	2	1	-	Tynemouth.
Newport (Mon.) -	74,227	8·4	13·3	9·8	16·2	-	52	23	7	4	-	-	-	-	-	-	-	-	2	7	-	Newport (Mon.).
Cardiff - - -	183,823	13·9	12·8	10·2	10·2	0·3	101	36	6	6	-	-	-	-	1	-	-	-	-	5	-	Cardiff.
Rhondda - - -	127,684	13·5	12·3	13·1	15·5	1·2	112	38	15	9	-	2	-	-	-	-	1	1	1	-	-	Rhondda.
Merthyr Tydfil -	74,961	13·9	16·0	11·8	13·9	0·7	44	20	3	5	-	-	-	-	1	-	-	2	2	4	-	Merthyr Tydfil
Swansea - - -	96,848	15·6	19·9	15·1	12·9	2·2	72	24	7	5	-	1	-	-	2	1	-	-	-	5	1	Swansea.
Greater London -	7,113,561	11·8	12·0	11·5	11·2	1·1	3751	1523	288	436	-	60	24	19	22	5	17	73	156	571	4	Greater London.
Outer Ring - -	2,392,344	10·0	8·8	9·0	9·0	0·9	1304	415	91	113	-	15	9	9	5	3	2	21	37	85	1	Outer Ring.
8 Towns in Outer Ring	1,172,195	9·1	8·5	8·7	8·0	0·6	631	179	40	44	-	5	2	3	2	-	1	7	16	43	1	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	10·8	9·0	9·4	10·1	1·3	673	236	51	69	-	10	7	6	3	3	1	14	21	42	-	Remainder of Outer Ring.
Edinburgh - -	341,035	17·0	17·6	13·9	14·5	1·7	164	95	17	33	-	5	1	1	-	-	4	4	?	26	4	Edinburgh.
Glasgow - - -	835,625	19·0	18·2	17·5	16·9	2·0	481	271	45	51	-	14	-	4	4	1	9	18	?	71	17	Glasgow.
Dublin† - - -	378,994	22·4	20·2	18·4	16·4	1·0	250	119	5	41	-	-	-	-	2	1	4	3	4	50	3	Dublin.†
Belfast† - - -	358,680	22·0	21·8	19·8	19·5	2·2	204	134	21	26	-	1	-	-	7	-	7	1	3	33	5	Belfast.†

* See note † on first page of this return

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births and Deaths** Registered in the TWENTY-FOURTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2482	2546	2532	2571	2646	2406	2521	2351	2583	2271	2478·5	2447
Males - - -	1290	1310	1261	1311	1302	1223	1266	1206	1307	1127	1250·2	1235
Females - -	1192	1236	1271	1260	1344	1183	1255	1145	1276	1144	1228·3	1212
TOTAL **Deaths** -	1397	1248	1193	1316	1533	1191	1243	1161	1142	1191	1207·1	1108
Males - -	745	637	629	707	796	643	693	555	627	642	641·4	554
Females - -	652	611	564	609	737	548	550	606	515	549	565·7	554

* The numbers in this column are the average weekly numbers in the twenty-fourth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	13 Weeks.
TOTAL **Births** -	2243	2663	2594	2087	2459	2717	2547	2497	2480	2518	2384	2145	2447	31781
TOTAL **Deaths** -	1433	1674	1525	1578	1742	1562	1446	1417	1269	1156	1239	1149	1108	18298
Ages at Death: Under 1 year -	273	296	269	288	305	290	239	255	251	200	228	225	197	3316
1—5 years -	170	228	225	192	238	211	223	169	163	139	140	149	137	2384
5—20 ,, -	73	76	83	76	85	68	64	77	66	79	71	67	59	945
20—40 ,, -	165	201	174	193	198	197	182	172	157	154	149	142	158	2241
40—60 ,, -	277	343	270	297	364	324	267	298	259	243	264	227	234	3667
60 yrs. & upwds.	475	530	504	532	552	472	471	446	373	341	387	339	323	5745
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	65	76	68	68	85	73	61	75	43	41	50	58	45	808
Scarlet Fever - -	9	8	8	7	19	6	17	11	10	15	12	6	15	143
Diphtheria - -	16	15	9	17	13	14	9	10	11	13	10	7	10	154
Whooping-cough -	34	53	42	37	37	43	38	26	38	32	35	24	17	456
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	4	2	2	2	3	-	5	3	8	1	1	2	36
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	6	7	13	14	18	14	12	16	16	10	21	17	15	179
All above Diseases -	133	163	142	145	174	154	137	143	121	119	129	113	104	1777
Dis. of Resp. System	165	165	175	173	177	159	164	122	96	88	75	62	54	1675
Pneumonia - -	153	172	157	186	222	202	145	151	148	124	111	90	88	1949
Phthisis - - -	133	169	142	161	165	147	148	139	117	111	145	116	90	1783
Dis. of Circ. System -	173	238	213	180	207	190	175	182	160	148	155	171	160	2352
Violence - - -	66	68	56	47	70	63	61	60	53	42	57	65	57	765
Inquest Cases - -	165	168	154	148	170	152	146	141	119	121	128	134	119	1865
Deaths in Institutions	523	655	556	577	654	574	583	567	507	453	512	464	486	7111
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	37·5	38·2	45·6	51·5	45·7	42·0	46·6	54·2	50·7	51·8	57·2	55·6	53·9	48·5
Mean of Highest -	43·4	46·0	56·7	61·7	57·3	52·1	56·1	64·1	61·2	60·3	67·4	68·6	64·6	58·7
Mean of Lowest -	33·0	32·6	34·5	39·4	34·0	33·7	38·1	45·4	41·1	44·6	49·7	42·2	46·9	39·6
Mean Humidity of the Air.	79	73	63	62	66	68	73	79	68	75	76	65	80	71
Rain-fall (in inches) -	0·32	0·14	0·00	0·03	0·05	0·43	0·26	0·05	0·17	1·08	0·19	0·00	0·30	3·02
Registered Sunshine (in hours).	18·0	18·0	55·7	64·4	42·0	44·2	38·4	22·8	43·3	27·5	39·1	80·6	35·6	529·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	10	8	8	7	7	6	3	1	2	2	5	6	7	6
Scarlet Fever - -	2434	2386	2322	2302	2225	2240	2337	2378	2396	2453	2516	2603	2677	2405
Diphtheria - -	926	929	908	909	881	862	828	791	782	783	762	774	749	837
Typhus - - -	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	65	63	68	61	60	56	60	56	42	44	41	41	65	56

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FOURTH Week of the Year 1906.

e terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 24th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES - - -	1207·1	1108	197	137	59	158	234	323
Small-pox* - - -	7·4	-	-	-	-	-	-	-
Cowpox - - - -	-	-	-	-	-	-	-	-
Measles (Morbilli) - -	52·8	45	10	35	-	-	-	-
Scarlet Fever - - -	6·9	15	-	7	7	1	-	-
Typhus - - - -	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-
Influenza - - - -	5·4	6	-	1	-	2	2	1
Whooping-cough - -	30·1	17	8	9	-	-	-	-
Diphtheria - - -	9·7	10	-	7	3	-	-	-
Cerebro Spinal Fever -	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain) - - -	0·3	-	-	-	-	-	-	-
Enteric Fever - - -	4·3	2	-	-	-	1	1	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	7·9	12	12	-	-	-	-	-
Diarrhœa, Dysentery -	12·7	3	2	1	-	-	-	-
Tetanus - - - -	0·3	-	-	-	-	-	-	-
Rabies, *Hydrophobia* -	0·3	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-
Venereal Dis. - - -	6·4	6	5	-	-	-	1	-
Puerperal Septicæmia -	2·8	2	-	-	-	2	-	-
Puerperal Pyæmia -	0·3	1	-	-	-	1	-	-
Puerperal Fever - -	-	-	-	-	-	-	-	-
Infective Endocarditis -	2·3	5	-	-	-	4	1	-
Pneumonia: Lobar - -	11·0	19	1	3	-	1	7	7
Pneumonia: Broncho- -	35·2	31	10	11	-	-	4	6
Pneumonia: Epidemic -	0·3	-	-	-	-	-	-	-
Pneumonia: Not defined	48·4	38	3	6	4	6	8	11
Erysipelas - - -	4·1	4	1	-	-	-	-	3
Septicæmia (not Puerperal) - - -	1·0	5	-	-	1	2	1	1
Pyæmia (not Puerperal)	0·5	1	-	-	-	-	1	-
Other Infective Processes	5·6	-	-	-	-	-	-	-
Tuberculous Phthisis -	71·1	49	-	-	3	24	19	3
"*Phthisis*" - - -	70·3	41	-	1	4	22	9	5
Tuberculous Meningitis -	26·8	27	7	16	3	1	-	-
Tuberculous Peritonitis -	8·4	8	4	1	1	1	1	-
Tabes Mesenterica - -	2·5	-	-	-	-	-	-	-
Tuberculous Dis. (other)-	18·3	31	5	11	5	4	6	-
Scrofula - - - -	0·5	-	-	-	-	-	-	-
Alcoholism - - -	10·4	13	-	-	-	6	5	2
Rheumatic Fever - -	3·6	6	-	-	2	4	-	-
Gout - - - - -	1·0	4	-	-	-	-	1	3
Carcinoma - - -	45·4	45	-	-	-	3	20	22
Sarcoma - - - -	5·9	5	2	2	-	-	-	1
Cancer (undefined) - -	28·0	36	-	-	1	3	15	17
Diabetes Mellitus - -	6·9	6	-	-	-	3	2	1
Premature Birth - -	49·9	39	39	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 24th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	13·8	16	6	6	2	1	-	1
Insanity, Gen. Par. of Insane - - -	15·3	12	-	-	-	4	7	1
Epilepsy - - - -	6·6	5	1	1	-	1	-	2
Convulsions - - -	21·1	9	9	-	-	-	-	-
Locomotor Ataxy - -	0·8	1	-	-	-	1	-	-
Paraplegia, Dis. of Cord	3·6	3	-	-	-	-	1	2
Nervous Sys. (other dis.)	19·4	21	-	1	1	1	5	13
Valv. Dis., Endocarditis-	34·7	47	-	-	2	9	19	17
Cerebr. Hæm. Thromb. -	29·8	24	-	-	-	1	9	14
Apoplexy, Hemiplegia -	15·0	10	-	-	-	-	4	6
Aneurysm - - -	4·1	2	-	-	-	-	2	-
Embolism, Thrombosis (not cerebral) -	1·0	2	-	-	-	1	1	-
Heart & Blood Vessel Dis.	73·4	75	-	-	2	6	23	44
Croup (not Spasm : nor Memb.) - -	1·0	-	-	-	-	-	-	-
Bronchitis - - -	52·2	44	6	2	-	2	6	28
Asthma, Emphysema -	2·3	4	-	-	-	-	-	4
Pleurisy - - - -	3·6	3	-	-	-	-	2	1
Respiratory Dis. (other)	7·4	3	-	1	-	-	2	-
Tonsillitis, Quinsy - -	0·8	2	-	-	2	-	-	-
Enteritis (not Epid.) -	5·6	9	4	1	-	2	1	1
Gastro-Enteritis - -	2·8	8	6	1	-	1	-	-
Peritonitis (not Puerp.) -	2·0	1	-	-	1	-	-	-
Cirrhosis of Liver - -	15·3	16	-	-	-	2	7	7
Liver Dis. (other) - -	5·4	5	-	-	-	1	2	2
Digestive Dis., Other -	34·1	41	4	1	6	8	9	13
Nephritis, Acute - -	4·6	6	-	-	-	1	3	2
Bright's Dis., Albuminuria - - -	28·3	34	-	-	1	6	8	19
Urinary Sys., Other Dis.	12·0	9	-	-	-	1	1	7
Generative Organs Dis.-	4·3	2	-	1	-	-	-	1
Childbirth (Accid. of) -	3·6	4	-	-	-	3	1	-
Old Age - - - -	36·7	38	-	-	-	-	-	38
Other Diseases - -	85·2	63	41	6	-	6	5	5
ACCIDENT.								
By Railways - - -	0·8	2	-	-	-	-	2	-
By Vehicles and Horses-	8·4	5	-	-	2	-	1	2
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·8	-	-	-	-	-	-	-
In Building Operations-	1·0	1	-	-	-	1	-	-
In Conflagrations - -	0·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·1	7	1	3	2	-	-	1
By Drowning - - -	4·3	5	-	1	2	1	1	-
By Suffocation in Bed -	8·2	6	6	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·8	3	-	-	-	-	2	1
Other Deaths by Accident - - -	12·0	14	3	1	1	1	2	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	0·5	2	1	-	-	1	-	-
Suicide - - - -	13·8	12	-	-	1	5	4	2
Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 16th June, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2447	1108	197	323	-	45	15	10	17	-	2	-	15	57	119	486
WEST DISTRICTS	805,311	341	211	33	70	-	8	4	-	2	-	1	-	5	7	16	90
NORTH DISTRICTS	1,056,070	504	240	37	76	-	10	5	7	1	-	-	-	-	17	29	102
CENTRAL DISTRICTS	209,465	96	68	14	9	-	4	-	-	2	-	-	-	1	6	12	42
EAST DISTRICTS	715,739	515	260	40	50	-	13	1	1	5	-	-	-	1	10	31	97
SOUTH DISTRICTS	1,749,844	991	356	73	107	-	9	5	2	7	-	1	-	8	17	31	122
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	33	-	11	-	1	-	-	-	-	-	-	-	-	-	33
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	44	22	4	10	-	1	-	-	1	-	-	-	-	-	1	11
St. John Paddington *H*	33,617	5	12	1	3	-	-	-	-	-	-	-	-	1	-	-	8
North-West Paddington	17,181	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	46	44	9	19	-	2	-	-	-	-	-	-	-	-	-	20
Brompton *2H*	48,591	7	6	-	2	-	-	-	-	-	-	-	-	-	1	2	-
North Hammersmith *2W,wH*	49,192	30	9	1	2	-	1	-	-	-	-	-	-	-	1	2	-
South Hammersmith *w,2H*	63,047	33	18	3	5	-	1	-	-	-	-	-	-	-	1	3	4
North-west Fulham *W*	45,180	53	19	5	4	-	-	-	-	-	-	-	-	2	2	3	17
North-east Fulham *F*	46,405	27	13	3	4	-	-	3	-	1	-	1	-	1	1	1	5
South Fulham *W*	45,704	26	9	2	3	-	1	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	10	13	-	4	-	-	-	-	-	-	-	-	-	-	1	8
Chelsea South *W,2H*	31,328	12	8	-	4	-	-	-	-	-	-	-	-	-	-	-	1
Mayfair and Knightsbridge	28,743	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	16	14	1	4	-	-	-	-	-	-	-	-	-	-	2	8
St. Margaret & St. John *4H*	43,698	18	15	3	3	-	1	1	-	-	-	-	-	1	-	-	8
St. James and St. Anne *W,6H*	33,081	6	5	1	2	-	1	-	-	-	-	-	-	-	1	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	9	8	-	2	-	1	-	-	-	-	-	-	-	1	1	7
St. Mary Marylebone *W,4H*	37,948	48	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *H*	39,536	10	9	4	1	-	-	-	-	1	-	-	-	-	2	2	-
St. John Marylebone *2H*	20,426	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	29	25	3	9	-	-	2	1	-	-	-	-	-	3	5	9
West St. Pancras *2H*	60,562	35	9	3	2	-	-	-	1	-	-	-	-	-	1	1	2
Tottenham-court *w,7H*	21,258	7	9	1	-	-	-	-	-	-	-	-	-	-	-	-	9
Gray's Inn Lane *4H*	34,449	15	8	1	-	-	3	-	1	-	-	-	-	-	-	1	5
East St. Pancras *W,2H*	60,320	31	23	2	4	-	1	-	-	-	-	-	-	-	1	2	13
North St. Pancras *2W*	58,728	27	15	4	5	-	-	-	-	-	-	-	-	-	-	-	6
Tufnell *W*	31,995	8	19	-	10	-	-	-	-	-	-	-	-	-	1	1	15
Upper Holloway *2W,w,H*	33,978	17	18	1	4	-	2	-	1	-	-	-	-	-	1	1	16
Tollington *WH*	33,922	14	4	-	3	-	-	-	-	-	-	-	-	-	1	1	-
Lower Holloway	41,424	13	9	2	3	-	1	-	1	-	-	-	-	-	1	1	-
Barnsbury	54,478	33	10	5	4	-	-	-	-	-	-	-	-	-	1	1	-
Islington South-east *F*	75,397	42	12	-	3	-	-	-	-	-	-	-	-	-	1	4	-
Highbury *2H*	63,797	27	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	20	14	2	10	-	1	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	25	6	2	3	-	-	-	-	-	-	-	-	-	2	2	-
Central Hackney *2w,F*	50,536	36	12	3	1	-	-	3	2	-	-	-	-	-	-	1	5
South-west Hackney *3H*	59,921	34	6	-	2	-	-	-	-	-	-	-	-	-	-	2	3
South-east Hackney *2W,w,H*	58,255	18	14	2	5	-	1	-	-	-	-	-	-	-	1	3	10

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the n namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr ts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a s- district contains more than one institution of either kind, the number is indicated by a figure prefixed to e letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th June, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
iles and Bloomsbury 2*W*,2*H* -	31,436	11	3	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
nd *W*,4*H* - - - - -	21,674	2	7	2	-	-	-	-	-	-	-	-	-	-	-	1	7	-
nd Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
born *W*,6*H* - - - - -	29,612	8	21	5	1	-	2	-	-	1	-	-	-	1	-	1	17	-
th Clerkenwell - - -	28,676	18	6	2	1	-	-	-	-	-	-	-	-	-	1	3	-	-
th Clerkenwell *H* - - -	35,028	14	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
ibury 3*H*,*L* - - - - -	36,116	35	6	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-
born Union Workhouse, itcham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph *H* - - - - -	10,299	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows *W*,2*H*	16,624	6	20	2	1	-	1	-	-	-	-	-	-	-	5	5	16	-
of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South *H* - - -	46,362	36	8	1	2	-	2	-	-	-	-	-	-	-	1	2	1	-
reditch North-West *W*,*w*,*H* -	36,127	35	14	2	4	-	1	-	-	1	-	-	-	-	-	2	7	-
reditch North-East - - -	36,148	30	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
reditch Union Workhouse, Wood reen - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hnal Green North 2*H* - -	51,514	35	21	6	2	-	-	1	-	1	-	-	-	-	2	2	10	-
hnal Green South - - -	33,472	21	6	3	1	-	-	-	-	1	-	-	-	-	1	2	-	1
hnal Green East 2*W*,*H*,*L* - -	44,694	33	16	3	6	-	2	-	-	1	-	-	-	-	-	1	10	-
talfields - - - - -	27,969	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e End New Town *W*,*H* - -	28,718	30	34	8	6	-	1	-	-	-	-	-	-	-	1	4	32	-
odman's Fields - - - -	22,081	8	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
George and St. John 2*W* - -	49,068	47	9	2	5	-	-	-	-	-	-	-	-	-	-	2	3	-
adwell and Ratcliff *W*,*H* - -	25,568	23	11	2	-	-	-	-	-	1	-	-	-	-	-	3	4	-
nehouse *W* - - - - -	32,369	19	5	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
le End Old Town South-Western *H* - - - -	63,698	60	9	5	-	-	-	-	-	-	-	-	-	-	-	3	-	-
le End Old Town North-Eastern *W*,*w* - - -	49,129	18	13	2	6	-	-	-	-	-	-	-	-	1	-	1	9	-
w *L* - - - - - -	41,989	22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
omley 3*w*,*H* - - - - -	68,319	47	33	1	14	-	5	-	-	-	-	-	-	-	4	6	19	-
plar *W*,*w* - - - - -	53,514	36	11	1	1	-	-	-	1	-	-	-	-	-	1	2	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-P MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registe in each SUB-DISTRICT during the Week ended Saturday, 16th June, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia.* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Saviour Southwark *H*	12,056	7	12	2	-	-	-	-	-	-	-	-	-	1	-	-	11
Kent-road	21,904	13	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	19	8	3	2	-	-	-	-	-	-	-	-	-	-	2	2
Newington North	49,022	27	11	3	5	-	-	-	-	-	-	-	-	-	-	1	-
Newington South *W*	72,841	37	9	1	4	-	-	-	-	-	-	-	-	-	2	2	2
St. Olave *2W*	9,81	7	3	-	2	-	-	-	-	1	-	-	-	-	2	2	-
Bermondsey *W*	82,483	69	15	6	3	-	1	-	-	1	-	-	-	-	-	1	-
Rotherhithe *W,F*	38,460	19	12	3	3	-	-	-	-	-	-	-	-	-	-	-	6
Waterloo-road *2H*	27,440	28	4	3	-	-	-	-	-	-	-	-	-	-	1	1	1
Lambeth Church 1st *H*	18,423	14	14	1	1	-	-	-	1	-	-	-	-	-	1	1	12
Lambeth Church 2nd *2W*	39,818	30	16	1	9	-	-	-	-	-	-	-	-	-	1	2	12
Kennington 1st *H*	53,198	35	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd *H*	42,896	12	10	3	2	-	2	-	-	-	-	-	-	1	1	2	3
Brixton *F*	84,232	36	15	5	6	-	-	-	1	-	-	-	-	-	-	1	1
Norwood *W,H*	35,888	15	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	43	9	5	1	-	1	-	-	1	-	-	-	-	-	-	-
North-west Battersea	49,656	28	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	11	14	4	6	-	-	-	-	-	-	-	-	-	-	-	10
Clapham *2H*	51,361	22	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	65	19	1	7	-	1	1	-	-	-	-	-	-	-	-	8
Springfield *2W,L*	27,959	20	11	3	3	-	-	-	-	2	-	-	-	-	-	-	2
Southfields *H*	40,444	26	7	-	3	-	-	-	-	-	-	-	-	1	1	1	-
Putney	24,139	13	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	7	3	1	-	-	-	-	-	1	-	-	-	-	1	1	-
Camberwell South *W,w*	40,206	24	15	-	6	-	-	-	-	-	-	-	-	-	1	1	10
Camberwell North *W,2L*	65,584	31	19	1	6	-	-	-	-	-	-	-	-	-	1	4	10
St. George	47,331	32	12	3	-	-	1	-	-	-	-	-	-	2	-	1	-
Peckham North	48,913	22	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	24	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	26	7	3	-	-	1	-	-	-	-	-	-	-	1	1	-
Deptford Central	45,481	26	6	2	2	-	-	-	-	-	-	-	-	1	-	1	-
Deptford South	34,625	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	12	4	1	3	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich East *2W,H*	43,859	21	20	4	10	-	-	-	-	1	-	-	-	2	1	2	14
Eltham *w,H*	7,226	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F*	58,352	39	11	1	3	-	-	1	-	-	-	-	-	-	-	-	8
Sydenham *H*	43,653	27	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	10	8	-	1	-	-	3	-	-	-	1	-	-	1	1	5
Woolwich *5H*	41,625	16	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W*	18,063	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	33	10	-	3	-	1	-	-	-	-	-	-	-	-	1	5
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	2
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Darenth	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Leavesden	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Lunatic Asylums:—																	
Banstead	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Dartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hanwell	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Colney Hatch	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Claybury	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th June, 1906.

Dis on ict d o- ict n- e,	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1304	415	91	113	-	15	9	9	5	3	2	21	37	85	1
:1	Carshalton 2F,3H - -	12,228	32,997	15	7	1	-	-	-	1	-	-	2	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H-	10,423	15,548	9	6	2	3	-	-	-	-	-	-	-	-	-	2	-
:1	Godstone, *part of** W,F -	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Coulsdon - - - -	11,069	8,166	7	1	-	-	-	-	-	-	-	1	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	26	6	1	3	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H -	2,168	42,888	32	19	3	4	-	-	-	-	1	-	-	1	3	9	-
4	North Croydon H - -	2,644	41,698	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Penge w,H - - - -	770	22,465	9	4	-	3	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30.015	26	5	-	2	-	-	-	-	-	-	-	-	-	-	-
:1	Wimbledon F,3H - -	3,221	41,652	25	9	3	4	-	-	-	-	-	-	-	-	1	-	-
2	Kingston 2W,H - - -	6,224	42,068	28	14	6	4	-	1	-	-	-	-	-	1	1	2	-
3	Surbiton F,H - - -	3,046	15,017	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	10	2	1	-	-	-	-	-	1	-	-	1	1	-	-
5	Hampton H,F,L - - -	4,534	23,456	10	5	-	2	-	-	-	-	-	-	-	-	-	2	-
:1	Richmond W,H - - -	2,162	28,865	8	4	1	1	-	-	-	-	-	-	-	-	-	2	-
2	Mortlake F - - -	2,847	20,628	16	2	-	-	-	-	-	-	-	-	-	1	2	-	-
:1	Bromley F,2H - - -	4,703	27,354	14	5	-	-	-	-	-	-	-	-	-	1	1	1	-
2	Beckenham H - - -	7,825	28,497	17	2	-	-	-	-	-	-	-	-	-	1	1	1	-
3	Orpington *part of** W -	10,113	9,857	4	3	-	2	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H - - -	7,333	16,446	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley w F,H - - -	8,678	21,151	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - - -	3,854	25,296	21	4	-	2	-	-	1	1	-	-	-	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
:1	Sunbury w - - - -	11,054	18,683	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-
:1	Hillingdon W,F,H - -	6,035	13,661	13	4	-	3	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H - - -	12,757	8,984	6	2	1	1	-	-	-	-	-	-	-	1	1	-	-
3	Hayes w2F,H - - -	8,066	16,358	16	5	1	-	-	-	1	-	-	-	-	-	-	1	-
:1	Isleworth 3W,2F,H - -	6,859	30,863	23	12	1	4	-	3	-	-	-	-	-	-	-	5	-
2	Twickenham F,H - -	2,421	20,991	17	5	-	1	-	3	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H - -	4,319	48,289	34	11	4	4	-	-	1	1	1	-	-	-	2	3	-
4	Chiswick H- - - -	1,249	29.809	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F.3H - - -	6,132	48,914	38	15	5	2	-	2	-	-	-	-	1	3	3	2	-
:1	Harrow F,H - - -	13,809	25,523	12	8	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H - - -	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	68	14	7	2	-	-	-	-	-	-	-	3	1	1	-
4	Hendon W,F - - -	8,382	22,450	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-
:1	South Mimms 2F,H - -	17,755	7,308	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-
2	Barnet W,2H - - -	3,324	17,970	16	1	-	-	-	1	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	24	5	4	1	-	-	-	-	-	-	-	-	-	-	-
:1	Hornsey F,H - - -	2,875	72,056	26	10	1	5	-	-	1	-	-	-	-	-	-	1	-
2	Wood Green H - - -	1,625	34,233	25	3	-	1	-	-	-	1	-	-	-	-	-	-	-
3	West Tottenham F - -	996	48,853	31	4	2	1	-	1	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H - -	2,017	53,688	36	10	3	3	-	2	-	-	-	-	-	-	1	-	-
5	Edmonton W,w,2F - -	7,491	61,892	62	21	6	5	-	-	-	-	1	-	-	1	3	9	-
6	Enfield 2W,F,H - - -	12,601	42,738	23	10	1	4	-	-	-	2	-	-	-	-	-	1	-
7	Waltham Abbey F - -	11,017	6,549	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey H - - - -	9,333	9,173	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford H - - -	1,072	44,827	30	11	-	4	-	-	-	-	-	-	-	1	1	2	-
2	Plaistow F,2H - - -	1,249	90,921	67	12	5	1	-	2	1	1	-	-	-	1	1	2	-
3	Canning Town H - -	1,556	70,718	55	16	3	2	-	-	-	-	-	-	-	1	2	1	-
4	Forest Gate w - - -	806	60,892	37	6	-	1	-	-	-	-	-	-	-	1	1	-	-
5	North East Ham w H -	1,333	58,676	35	7	1	1	-	-	-	-	1	-	-	-	-	-	-
6	South East Ham 2F - -	1,993	37,342	33	4	2	-	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F - - -	1,679	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	33	11	3	4	-	-	-	-	-	-	1	-	-	4	-
9	North Leyton 2W,w,F -	1,963	48,445	44	27	5	9	-	-	-	1	-	-	-	-	1	18	1
10	Walthamstow 3H,L - -	6,504	108,929	68	21	5	6	-	-	-	1	-	-	-	-	2	-	-
:1	Chigwell, *part of** 2F,3H -	11,778	16,397	7	3	-	2	-	-	-	-	-	-	-	1	1	-	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** W,2F -	6,556	6,091	-	3	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L - - - -	8,496	41,234	23	14	2	5	-	-	1	1	-	-	-	-	1	5	-
3	Barking Town F - -	3,803	21,547	20	4	2	-	-	-	-	-	-	-	-	1	1	-	-
	N.E. Hosp., Tottenham -	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	1	2	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ng are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher rish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting eydon Bois parish, and part of Epping parish; 189: 1 Dagenham parish. Deaths in Workhouses and Infectious seases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended		Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup*	Whooping-cough.	Fever.
LONDON - -	4,721,217	June	16	2447	1108	12·2	-	45	15	10	17	2
CALCUTTA - -	910,117	May	5	-	758	46·4	131	7	-	-	3	269†
BOMBAY - -	776,006	"	29	408	1135	76·0	5	30	-	-	-	431†
MADRAS - -	509,346	"	18	304	440	44·9	11	10	?	?	?	102
PARIS - - -	2,750,000	June	2	1048	884	17·2	-	13	-	5	3	4
BRUSSELS - -	612,401	"	9	217	161	13·7	-	1	2	-	-	-
ANTWERP - -	291,949	"	9	139	59	10·3	-	5	-	-	-	-
AMSTERDAM -	560,249	"	2	310	141	13·1	-	7	1	-	3	-
COPENHAGEN -	425,000	"	9	267	109	13·4	-	6	-	-	2	-
STOCKHOLM -	324,488	"	2	140	85	13·6	-	-	-	-	1	-
CHRISTIANIA -	222,373	"	9	105	56	13·1	-	-	-	3	-	-
ST. PETERSBURG	1,424,700	May	26	804	839	30·6	1	38	40	18	1	36
MOSCOW - -	1,154,000	"	26	-	795	35·9	2	6	8	8	4	8
BERLIN - -	2,060,004	"	26	936	598	15·1	-	21	4	9	3	-
HAMBURG - -	819,380	June	9	-	245	15·9	-	4	2	4	6	-
BRESLAU - -	475,000	"	2	290	188	20·6	-	1	-	3	2	1
		"	9	-	199	21·8	-	2	-	2	-	-
MUNICH - -	540,000	"	2	-	210	20·2	-	2	-	-	2	-
VIENNA - -	1,956,949	"	9	858	633	17·0	-	11	6	5	4	2
PRAGUE - -	455 241	"	2	216	184	20·8	-	1	2	-	1	-
BUDA-PESTH -	859,134	"	2	391	300	18·2	-	1	7	3	1	1
TRIESTE - -	196,637	"	9	131	72	19·0	-	1	-	-	1	2
ROME - -	526,170	April	14	206	207	20·5	-	3	-	1	2	1
VENICE - -	171,709	—		-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	June	2	162	126	22·6	-	-	3	1	-	2
NEW YORK -	4,152,860	"	2	1955	1408	17·7	3	38	18	57	6	6
CHICAGO - -	2,049,185	May	26	-	580	14·8	-	9	10	8	3	10
PHILADELPHIA -	1,469,126	"	26	-	519	18·4	-	4	3	11	5	33
BOSTON - -	617,950	—		-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	May	20	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.
† Including 129 deaths from plague in Calcutta, and 317 in Bombay.
‡ Including 89 deaths from cholera in Calcutta, and 22 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th June, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainf in Inch
	°	°	°			°	°	°	
LONDON (Greenwich)	72·0	45·3	55·7	0·30	BRADFORD - -	76·2	47·0	53·4	0·10
BRIGHTON - -	68·6	45·1	55·4	0·47	LEEDS - - -	80·0	49·0	59·1	0·08
PORTSMOUTH - -	68·2	46·0	55·8	0·10	HULL - - -	72·0	43·0	55·0	0·1
NORWICH - -	66·8	43·6	54·0	0·31	TYNEMOUTH - -	72·0	46·0	53·2	0·6
PLYMOUTH - -	65·5	47·0	56·6	0·16	CARDIFF - -	73·6	46·0	57·9	0·3
BRISTOL - - -	75·2	46·0	57·8	0·70	EDINBURGH - -	75·1	42·1	53·0	0·3
BIRMINGHAM - -	73·8	46·0	57·2	0·65	GLASGOW - -	85·2	43·5	60·7	0·0
NOTTINGHAM - -	75·5	46·1	55·8	0·96	DUBLIN Phœnix Park.	71·8	42·2	55·0	0·2
LIVERPOOL OBSERVATORY.	69·0	46·0	57·2	0·20	DUBLIN Fitz-william Square.†	71·9	48·9	53·8	0·2
MANCHESTER -	77·7	46·8	58·0	0·27					
PRESTON - -	75·0	49·0	59·4	0·03					
HUDDERSFIELD -	76·8	47·0	55·7	0·28	BELFAST - -	72·0	44·0	56·8	0·0

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. T correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to t above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the

1906. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY - 10	..	30·089	68·9	46·3	22·6	56·1	− 2·1	45·8	10·3	19·4	2·3	68	132·2	35·0	55·08	ENE. & NE.	NE. & ESE.	1·7	0·0	0·1	180	− 74	0·00	2·2
MONDAY - 11	..	30·077	71·0	45·3	25·7	54·5	− 3·9	49·2	5·3	21·4	0·4	83	123·8	33·6	55·46	NNE. & NE.	NNE., NE. & ESE.	1·4	0·0	0·1	220	− 34	0·00	0·0
TUESDAY - 12	..	29·979	72·0	47·0	25·0	57·6	− 1·0	51·9	5·7	19·8	0·0	81	121·0	42·0	55·74	NE.	NE., ENE. & ESE.	1·3	0·0	0·1	164	− 89	0·00	0·0
WEDNESDAY 13	Last Quarter	29·945	61·9	48·1	13·8	53·7	− 5·1	49·7	4·0	10·3	0·0	86	87·2	48·1	55·94	ESE., NE. & NNE.	NE. & NNE.	2·8	0·0	0·3	294	+ 42	0·00	0·5
THURSDAY - 14	..	29·952	55·4	47·5	7·9	50·3	− 8·6	43·5	6·8	11·9	4·8	78	89·8	45·6	56·04	NE. & NNE.	NNE. & N.	2·8	0·0	0·3	314	+ 64	0·00	4·5
FRIDAY - 15	In Equator	29·800	59·1	47·7	11·4	51·4	− 7·6	45·7	5·7	14·1	3·4	81	100·0	45·0	55·94	N. & NNW.	N. & NNE.	3·3	0·0	0·3	294	+ 46	0·03	0·0
SATURDAY - 16	..	29·799	64·0	46·1	17·9	53·9	− 5·1	49·3	4·6	13·7	0·6	85	123·6	40·4	55·76	NE. & NNE.	E., ESE. & SE.	1·4	0·0	0·0	173	− 72	0·27	12·0
MEANS -		29·949	64·6	46·9	17·8	53·9	− 4·8	47·9	6·1	15·8	1·6	80	111·1	41·4	55·71	NE. & ESE.		..	..	..	Sum 1639	Sum −117	Sum 0·30	2·7
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.	Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 10	m. P. till 6h. A.M.; w.P. till 7h. P.M.; w.P. and w.N. till 9h. P.M.; m. P. afterwards.	14·5	16·5	Cloudy in early morning; very fine with small amounts of cloud till evening; generally cloudless at night.
MONDAY - 11	m. P. till 2h. A.M.; w. P. till 9h. A.M.; m. P. principally afterwards.	7·5	16·5	Generally overcast till noon; cloudless with slight exceptions till 10h. P.M.; partially cloudy afterwards; small rain at 4h. A.M.
TUESDAY - 12	m. P. generally; occasional w. P.	8·3	16·5	Overcast and hazy in morning; fine and partially cloudy till 1h. P.M.; very fine afterwards and cloudless in evening.
WEDNESDAY 13	m. P. generally; occasional w. P.	0·0	16·5	Generally overcast; low fog in early morning; slight showers in evening.
THURSDAY - 14	m. P. generally till 3h. P.M.; s. P. afterwards.	0·1	16·5	Generally overcast; fine interval between 6h. 30m. and 8h. P.M.
FRIDAY - 15	m. P. till 9h. A.M.; s. P. till 5h. P.M.; v. P. and s. N. till 8h. P.M.; m. P. afterwards.	0·4	16·5	Generally overcast; frequent slight showers.
SATURDAY - 16	m.P. till 9h. A.M.; s. P. and s. N. till 10h. 30m. A.M.; v.P. till 4h. P.M.; s. P. and s. N. till 6h. P.M.; w. P. afterwards.	4·8	16·5	Generally overcast and showery till 10h. 15m. A.M.; very fine but cloudy till 4h. P.M.; overcast afterwards with frequent heavy showers till 7h. P.M. Solar halo observed at 1h. P.M.; slight thunderstorm between 4h. 15m. and 4h. 45m. P.M.
		Sum 35·6	Sum 115·5	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·10 in. at the beginning of the week to 30·11 in. by 10h. A.M. on the 11th; decreased to 29·91 in. by 4h. A.M. on the 13th; increased to 29·98 in. by 10h. P.M. on the same day; decreased to 29·77 in. by 5h. P.M. on the 15th; and was 29·82 in. at midnight on the 16th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 9th June, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	1	5	1	-	-	-	-	1	-
Kensington	180,952	-	7	3	-	1	-	-	2	-
Hammersmith	120,679	-	16	3	-	-	-	-	-	-
Fulham	161,965	-	8	10	-	-	-	-	1	-
Chelsea	74,672	-	3	1	-	-	-	-	2	1
City of Westminster	173,905	-	9	1	-	-	-	-	2	-
NORTH.										
St. Marylebone	128,580	-	9	3	-	1	-	-	3	-
Hampstead	89,633	-	3	1	-	-	-	-	1	-
St. Pancras	236,455	-	13	4	-	-	-	-	3	-
Islington	344,987	-	29	9	-	2	-	-	2	1
Stoke Newington	53,217	-	1	2	-	1	-	-	-	-
Hackney	230,721	-	17	6	-	3	-	-	5	-
CENTRAL.										
Holborn	55,805	-	-	-	-	-	-	-	-	-
Finsbury	97,466	-	9	6	-	-	-	-	2	-
City of London	21,367	-	6	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	9	4	-	1	-	-	-	-
Bethnal Green	130,609	-	9	2	-	1	-	-	4	-
Stepney	307,176	-	39	13	-	1	-	-	6	-
Poplar	170,673	-	4	2	-	1	-	-	3	-
SOUTH.										
Southwark	209,143	-	13	4	-	-	-	-	4	-
Bermondsey	128,629	-	14	5	-	1	-	-	4	-
Lambeth	315,774	-	33	12	-	1	-	-	7	-
Battersea	179,622	-	14	-	-	-	-	-	1	-
Wandsworth	273,381	-	23	3	-	-	-	-	9	-
Camberwell	274,132	-	33	4	-	1	-	-	6	-
Deptford	115,495	-	9	3	-	-	-	-	1	-
Greenwich	105,350	-	18	9	-	-	-	-	-	-
Lewisham	148,463	-	4	5	-	-	-	-	2	-
Woolwich	127,345	-	6	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	1	363	116	-	15	-	-	71	2
Ages 0-1		-	2	1	-	-	-	-	4	-
" 1-5		-	108	48	-	-	-	-	6	-
" 5-		-	136	42	-	1	-	-	1	-
" 10-		-	67	13	-	4	-	-	6	-
" 15-		-	24	1	-	1	-	-	3	-
" 20-		-	15	6	-	3	-	-	5	1
" 25-		1	10	3	-	2	-	-	8	-
" 35-		-	-	2	-	3	-	-	17	1
" 45-		-	1	-	-	1	-	-	8	-
" 55-		-	-	-	-	-	-	-	8	-
" 65 and upwards		-	-	-	-	-	-	-	5	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 25. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JUNE 23. [Price 1½*d.*

General Register Office, Somerset House,
June 25th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·2 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 13·8, 12·9, and 12·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 18·1 in Warrington, 18·2 in Middlesbrough, 18·3 in Bradford, 19·5 in Merthyr Tydfil, 19·8 in Burnley, and 22·8 in Hanley; from *measles*, 1·4 in Bradford, 1·6 in Wallasey, 2·2 in Manchester and in Salford, 2·9 in Halifax, and 3·0 in Burnley; from *diphtheria*, 1·2 in Hornsey and 1·6 in Wolverhampton; from *whooping-cough*, 1·3 in Tottenham, 1·4 in Coventry, and 1·5 in West Bromwich; and from *diarrhœa*, 1·1 in Walsall and in Oldham, 1·3 in Walthamstow, 1·4 in Merthyr Tydfil, and 3·0 in Great Yarmouth. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2498 BIRTHS and 1205 DEATHS were registered. Allowing for increase of population, the births were 127 below and the deaths 19 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 13·7, 12·7, and 12·2 per 1000 in the preceding three weeks, rose last week to 13·3. The death-rate in the four weeks ended last Saturday averaged 13·0 per 1000, being 0·7 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 6/06 D & S 3 25260

The 1205 deaths included 52 from measles, 13 from scarlet fever, 8 from diphtheria, 23 from whooping-cough, 8 from enteric fever, and 17 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 121 deaths were referred to these diseases in the aggregate, being 8 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 50, 58, and 45 in the preceding three weeks, rose to 52 last week, the corrected average being 51; 9 deaths belonged to the Borough of St. Pancras, 5 to Poplar, and 4 each to Kensington, Finsbury, Southwark, and Bermondsey. The deaths from *scarlet fever*, which had been 12, 6, and 15 in the preceding three weeks, were 13 last week, and were 6 above the corrected average. The deaths from *diphtheria*, which had been 10, 7, and 10 in the preceding three weeks, were 8 last week, and were 7 below the corrected average. The deaths from *whooping-cough*, which had been 35, 24, and 17 in the preceding three weeks, rose to 23 last week, but were 4 below the corrected average; 5 deaths belonged to Battersea, and 3 each to Islington and Bermondsey. The fatal cases of *enteric fever*, which had been 1, 1, and 2 in the preceding three weeks, rose to 8 last week, and were 5 above the corrected average. The deaths from *diarrhœa*, which had been 21, 17, and 15 in the preceding three weeks, were 17 last week, and were 3 below the corrected average; 3 deaths belonged to Southwark. Of the 17 deaths from diarrhœa, 16 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 7, having been 11, 11, and 6 in the preceding three weeks.

Different forms of *violence* caused 50 deaths, concerning all of which inquests were held. Of these 50 deaths, 7 were cases of suicide, and 1 of homicide, while the remaining 42 were attributed to accident or negligence. Twelve of these latter were referred to vehicles in the streets, 5 to drowning, and 5, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 13 cases of small-pox, 2692 of scarlet fever, 766 of diphtheria, and 76 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 7 cases, against 3, 1, and 1; of scarlet fever, 380 cases, against 312, 344, and 355; of diphtheria, 118 cases, against 100, 106, and 106; and of enteric fever, 21 cases, against 7, 8, and 31. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 16th, 1906.

Greater London.

In Greater London 3837 births and 1601 deaths were registered. Allowing for increase of population, these numbers are 222 and 45 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 1 from scarlet fever, 7 from diphtheria, 8 from whooping-cough, 1 from "fever," and 8 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·01 inches, and that of the Thermometer 64°·1, the latter being 4°·1 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 34 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 61·0 hours; the measured rainfall amounted to 0·01 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Since Saturday, 23rd June, 1906, the Death-rates in each of the preceding three weeks.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 2nd June, 1906.	9th June, 1906.	16th June, 1906.	23rd June, 1906.	Rate from Diseases in Cols. 11-17. Week ended 23rd June, 1906.	Registered during the Week ended 23rd June, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**13·8**	**12·9**	**12·9**	**13·2**	**1·3**	**8854**	**4015**	**839**	**1131**	-	**144**	**32**	**40**	**79**	**19**	**66**	**156**	**328**	**1057**	**47**	**76 Towns.**
London	4,721,217	13·7	12·7	12·2	13·3	1·3	2498	1205	213	344	-	52	13	8	23	8	17	50	107	527	1	London.
Croydon	151,011	10·4	7·9	7·9	9·0	1·7	77	26	6	8	-	3	-	-	1	-	1	2	4	4	-	Croydon.
Willesden	143,622	8·4	9·4	5·1	6·9	1·1	84	19	8	2	-	3	-	-	-	-	-	-	2	3	-	Willesden.
Hornsey	86,935	4·8	4·2	5·4	7·2	1·2	30	12	2	6	-	-	-	2	-	-	-	-	-	2	-	Hornsey.
Tottenham	119,503	9·2	9·2	9·2	9·6	2·2	87	22	5	4	-	-	1	-	3	1	-	3	3	4	-	Tottenham.
West Ham	301,617	9·2	11·4	10·0	8·8	0·9	188	51	15	15	-	1	1	-	1	1	1	6	8	8	-	West Ham.
East Ham	129,886	6·8	7·2	5·2	7·6	0·8	82	19	4	4	-	-	-	-	-	-	2	-	3	-	-	East Ham.
Leyton	118,287	10·6	10·1	9·3	5·7	-	64	13	1	5	-	-	-	-	-	-	-	-	1	3	-	Leyton.
Walthamstow	121,334	6·4	4·7	8·6	7·7	1·7	76	18	7	2	-	-	-	-	1	-	3	1	2	3	-	Walthamstow.
Hastings	67,144	7·8	7·0	14·8	13·2	-	26	17	2	6	-	-	-	-	-	-	-	-	-	2	1	Hastings.
Brighton	128,095	15·5	9·8	11·0	14·7	0·4	45	36	3	16	-	1	-	-	-	-	-	2	4	10	-	Brighton.
Portsmouth	205,118	11·9	13·7	11·2	11·2	0·8	130	44	11	13	-	1	-	-	-	2	-	3	5	13	-	Portsmouth.
Bournemouth	67,702	16·9	23·1	6·9	8·5	-	19	11	-	6	-	-	-	-	-	-	-	-	-	-	-	Bournemouth.
Southampton	117,312	12·9	11·6	11·1	12·4	1·8	64	28	2	14	-	-	-	2	-	-	2	1	3	6	-	Southampton.
Reading	78,987	10·6	10·6	7·3	10·6	1·3	44	16	3	4	-	-	-	1	1	-	-	1	1	2	-	Reading.
Northampton	93,749	12·2	8·9	7·8	10·6	0·6	30	19	5	5	-	-	-	-	-	1	-	-	-	2	1	Northampton.
Ipswich	71,809	10·9	10·9	16·0	13·1	1·5	34	18	4	3	-	-	-	-	1	-	1	2	2	5	-	Ipswich.
Great Yarmouth	52,613	12·9	15·9	14·9	11·9	5·0	20	12	5	2	-	1	-	-	-	-	3	-	-	4	-	Great Yarmouth.
Norwich	117,958	15·5	12·4	12·8	13·7	0·9	63	31	10	12	-	1	-	-	-	-	1	1	3	7	3	Norwich.
Plymouth	118,014	13·7	13·7	8·4	12·4	-	61	28	1	10	-	-	-	-	-	-	-	2	3	10	-	Plymouth.
Devonport	78,405	5·3	6·7	8·6	16·6	-	50	25	4	7	-	-	-	-	-	-	-	-	4	1	-	Devonport.
Bristol	363,223	12·6	11·2	10·3	12·6	1·0	210	88	13	34	-	2	1	1	2	-	1	2	6	20	1	Bristol.
Hanley‡	66,300	14·9	13·4	16·5	22·8	0·8	45	29	8	4	-	-	-	1	-	-	-	1	3	-	-	Hanley.‡
Burton-on-Trent	52,922	9·9	10·8	14·8	10·8	1·0	38	11	2	2	-	-	-	-	1	-	-	1	2	2	-	Burton-on-Trent.
Wolverhampton	100,729	15·5	13·5	15·5	7·8	1·6	60	15	3	4	-	-	-	3	-	-	-	-	-	4	-	Wolverhampton.
Walsall	94,577	9·4	7·7	16·5	11·6	1·7	58	21	4	5	-	-	-	1	-	-	2	-	-	1	-	Walsall.
Handsworth	63,819	5·7	5·7	9·0	5·7	0·8	38	7	3	2	-	-	-	-	1	-	-	-	-	-	-	Handsworth.
West Bromwich	68,469	17·5	10·7	9·1	15·2	3·0	54	20	7	4	-	1	-	-	2	-	1	1	1	2	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London

‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 23rd June, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 2nd June, 1906.	9th June, 1906.	16th June, 1906.	23rd June, 1906.	Rate from Diseases in Cols. 11-17. Week ended 23rd June, 1906.	Registered during the Week ended 23rd June, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	OWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	13·3	11·5	14·4	12·7	0·9	303	133	28	27	-	2	1	2	2	-	2	3	6	33	3	BIRMINGHAM.
KINGS NORTON -	72,608	5·7	10·1	7·2	10·8	-	49	15	4	5	-	-	-	-	-	-	-	-	-	1	1	KINGS NORTON.
SMETHWICK - -	64,531	16·2	12·9	10·5	6·5	-	29	8	1	5	-	-	-	-	-	-	-	-	-	1	-	SMETHWICK.
ASTON MANOR -	82,288	15·8	7·6	8·2	7·0	-	58	11	1	5	-	-	-	-	-	-	-	1	2	-	-	ASTON MANOR.
COVENTRY - -	76,374	15·0	10·9	13·7	13·0	1·4	45	19	5	6	-	-	-	-	2	-	-	-	1	3	-	COVENTRY.
LEICESTER - -	232,111	10·3	9·4	9·2	8·3	0·4	117	37	15	9	-	-	-	-	2	-	-	-	2	3	3	LEICESTER.
GRIMSBY - - -	69,359	10·5	9·0	8·3	12·0	-	40	16	5	5	-	-	-	-	-	-	-	2	3	3	-	GRIMSBY.
NOTTINGHAM - -	254,563	11·9	12·5	10·7	12·9	0·8	130	63	13	31	-	-	1	2	1	-	-	5	7	14	-	NOTTINGHAM.
DERBY - - -	123,981	13·9	10·1	12·6	13·0	1·3	53	31	3	12	-	-	-	2	-	-	1	3	4	3	-	DERBY.
STOCKPORT - -	99,646	19·9	15·7	13·6	14·7	0·5	41	28	4	10	-	-	1	-	-	-	-	2	4	4	-	STOCKPORT.
BIRKENHEAD - -	117,292	14·2	19·6	14·2	17·3	0·9	79	39	11	7	-	-	1	-	1	-	-	2	4	11	-	BIRKENHEAD.
WALLASEY - -	64,578	8·1	16·1	11·3	16·1	2·4	37	20	7	6	-	2	-	-	1	-	-	3	3	2	-	WALLASEY.
LIVERPOOL† - -	739,180	17·1	16·5	19·4	16·7	1·2	496	237	62	47	-	3	3	-	7	1	3	13	20	83	14	LIVERPOOL.†
BOOTLE† - - -	65,989	13·4	13·4	11·9	13·4	1·6	41	17	3	3	-	-	-	1	-	-	1	1	1	3	1	BOOTLE.†
ST. HELENS - -	91,153	9·7	11·4	20·6	10·3	-	58	18	3	3	-	-	-	-	-	-	-	3	3	3	1	ST. HELENS.
WIGAN - - -	87,588	16·1	17·9	11·9	12·5	0·6	56	21	8	3	-	-	-	-	-	-	1	1	1	3	-	WIGAN.
WARRINGTON -	69,280	8·3	14·3	18·8	18·1	1·5	42	24	7	5	-	-	-	-	1	-	1	1	1	4	-	WARRINGTON.
BOLTON - - -	180,502	11·8	15·6	13·6	13·0	0·3	101	45	7	12	-	-	-	1	-	-	-	-	1	9	-	BOLTON.
BURY - - -	58,744	18·6	16·9	13·3	16·0	-	42	18	5	8	-	-	-	-	-	-	-	2	2	2	1	BURY.
MANCHESTER - -	637,126	18·0	17·8	18·3	17·3	·6	398	211	39	55	-	27	-	-	4	1	-	5	17	52	4	MANCHESTER.
SALFORD - - -	234,077	18·0	13·6	16·9	15·8	3·1	143	71	16	12	-	10	1	3	-	-	-	2	5	15	-	SALFORD.
OLDHAM - - -	140,969	14·1	16·6	15·5	12·6	1·1	88	34	9	9	-	-	-	-	-	-	3	2	3	3	-	OLDHAM.
ROCHDALE - -	87,189	16·7	17·9	14·4	12·6	0·6	47	21	5	5	-	-	-	-	-	-	1	1	2	4	1	ROCHDALE.
BURNLEY - - -	102,808	13·2	18·3	17·8	19·8	3·6	42	39	6	14	-	6	1	-	-	-	-	-	2	10	-	BURNLEY.
BLACKBURN - -	134,015	12·8	14·4	12·5	10·5	1·6	87	27	6	11	-	2	-	-	-	-	2	-	-	2	2	BLACKBURN.
PRESTON - - -	116,399	19·7	13·4	11·6	14·3	1·3	78	32	10	9	-	2	1	-	-	-	-	1	2	6	2	PRESTON.
BARROW-IN-FURNESS.	60,967	15·4	7·7	7·7	12·8	0·9	39	15	5	5	-	-	-	-	-	-	1	-	-	3	-	BARROW-IN-FURNESS.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 2nd June, 1906.	9th June, 1906.	16th June, 1906.	23rd June, 1906.	Rate from Diseases in Cols. 11-17. Week ended 23rd June, 1906.	Registered during the Week ended 23rd June, 1906. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	18·1	9·9	17·6	13·2	1·1	50	24	2	5	-	1	1	-	-	-	-	-	-	2	-	Huddersfield.
Halifax	109,272	13·4	16·2	13·4	11·9	3·3	41	25	1	8	-	6	-	1	-	-	-	1	2	1	-	Halifax.
Bradford	288,544	15·9	14·3	17·7	18·3	1·6	121	101	20	34	-	8	-	-	-	-	1	2	10	10	-	Bradford.
Leeds	463,495	15·5	14·4	12·6	13·4	0·9	242	119	21	34	-	3	-	-	4	-	1	6	12	17	1	Leeds.
Sheffield	447,951	15·1	12·7	12·5	13·4	1·3	212	115	26	27	-	2	3	1	3	-	2	3	8	30	1	Sheffield.
Rotherham	61,098	11·9	9·4	17·1	7·7	1·7	41	9	5	2	-	-	-	-	1	-	1	-	-	3	-	Rotherham.
York	83,467	10·0	9·4	10·0	16·9	1·2	52	27	7	10	-	-	-	1	-	-	1	2	6	5	-	York.
Hull	262,426	14·5	14·7	10·9	15·1	0·8	149	76	17	27	-	-	-	2	1	-	1	2	7	15	1	Hull.
Middlesbrough	100,069	17·7	16·7	21·4	18·2	2·1	52	35	4	9	-	1	-	-	2	-	1	-	1	5	1	Middlesbrough.
Stockton-on-Tees	52,664	19·8	14·9	8·9	14·9	1·0	39	15	2	8	-	-	-	-	-	-	1	-	3	2	-	Stockton-on-Tees.
West Hartlepool	73,387	13·5	12·8	20·6	8·5	0·7	39	12	2	4	-	-	-	1	-	-	-	1	1	1	-	West Hartlepool.
Sunderland	154,385	17·2	14·9	13·5	17·6	2·0	95	52	11	14	-	1	-	1	3	1	-	1	2	5	1	Sunderland.
South Shields	111,402	12·6	14·0	13·6	13·1	0·5	71	28	7	7	-	-	-	1	-	-	-	-	1	4	-	South Shields.
Gateshead	123,191	13·5	11·4	13·5	12·7	1·7	73	30	7	9	-	-	-	1	1	1	1	-	-	-	2	Gateshead.
Newcastle-on-Tyne	268,721	15·9	15·1	16·3	14·2	1·2	171	73	18	17	-	1	-	-	1	2	2	3	5	15	-	Newcastle-on-Tyne.
Tynemouth	54,138	16·4	11·6	12·5	14·4	1·0	23	15	3	6	-	-	-	-	1	-	-	1	1	1	-	Tynemouth.
Newport (Mon.)	74,227	13·3	9·8	16·2	16·2	0·7	55	23	6	9	-	-	-	-	1	-	-	-	1	2	-	Newport (Mon.).
Cardiff	183,823	12·8	10·2	10·2	13·3	-	97	47	13	11	-	-	-	-	-	-	-	2	4	6	-	Cardiff.
Rhondda	127,684	12·3	13·1	15·5	11·0	0·8	87	27	11	6	-	-	1	-	-	-	1	-	-	1	-	Rhondda.
Merthyr Tydfil	74,961	16·0	11·8	13·9	19·5	2·8	55	28	10	9	-	-	-	1	1	-	2	-	1	4	-	Merthyr Tydfil
Swansea	96,848	19·9	15·1	12·9	12·4	1·6	75	23	7	3	-	1	-	-	2	-	-	-	-	3	-	Swansea.
Greater London	7,113,561	12·0	11·5	11·2	11·7	1·3	3837	1601	315	456	-	65	16	17	37	11	32	73	153	590	5	Greater London.
Outer Ring	2,392,344	8·8	9·0	9·0	8·6	1·2	1339	396	102	112	-	13	3	9	14	3	15	28	46	63	4	Outer Ring.
8 Towns in Outer Ring	1,172,195	8·5	8·7	8·0	8·0	1·2	688	180	48	46	-	7	2	2	6	2	7	12	23	27	-	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	9·0	9·4	10·1	9·2	1·3	651	216	54	66	-	6	1	7	8	1	8	16	23	36	4	Remainder of Outer Ring.
Edinburgh	341,035	17·6	13·9	14·5	15·6	1·8	149	102	15	27	-	5	-	1	1	1	4	5	?	47	8	Edinburgh.
Glasgow	835,625	18·2	17·5	16·9	17·1	2·2	514	274	47	54	-	9	1	1	10	3‡	12	15	?	86	8	Glasgow.
Dublin†	378,994	20·2	18·4	16·4	20·2	0·4	210	147	27	35	-	-	-	1	2	-	-	3	8	62	9	Dublin.†
Belfast†	358,680	21·8	19·8	19·5	19·0	2·3	222	131	26	16	-	-	-	-	14	-	2	5	9	36	-	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 8 deaths from Cerebro-spinal Fever were registered.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FIFTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2511	2110	2385	2422	2464	2451	2422	2886	2465	2527	2624·8	2498
Males - - -	1281	1083	1247	1223	1221	1254	1249	1426	1211	1302	1322·1	1252
Females - -	1230	10-7	1138	1199	1243	1197	1173	1460	1254	1225	1302·7	1246
TOTAL **Deaths** -	1371	1246	1257	1355	1171	1204	1266	1197	1143	1047	1185·7	1205
Males - -	694	624	654	739	644	649	672	588	625	533	616·1	639
Females - -	677	622	603	616	527	555	594	609	518	514	569·6	566

* The numbers in this column are the average weekly numbers in the twenty-fifth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	13 Weeks.
TOTAL **Births** -	2663	2594	2087	2459	2717	2547	2497	2480	2518	2384	2145	2447	2498	32036
TOTAL **Deaths** -	1674	1525	1578	1742	1562	1446	1417	1269	1156	1239	1149	1108	1205	18070
Ages at Death: Under 1 year -	296	269	288	305	290	239	255	251	200	228	225	197	213	3256
1—5 years -	228	225	192	238	211	223	169	163	139	140	149	137	139	2353
5—20 ,, -	76	83	76	85	68	64	77	66	79	71	67	59	79	950
20—40 ,, -	201	174	193	198	197	182	172	157	154	149	142	158	151	2228
40—60 ,, -	343	270	297	364	324	267	298	259	243	264	227	234	279	3669
60 yrs. & upwds.	530	504	532	552	472	471	446	373	341	387	339	323	344	5614
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	76	68	68	85	73	61	75	43	41	50	58	45	52	795
Scarlet Fever - -	8	8	7	19	6	17	11	10	15	12	6	15	13	147
Diphtheria - -	15	9	17	13	14	9	10	11	13	10	7	10	8	146
Whooping-cough -	53	42	37	37	43	38	26	38	32	35	24	17	23	445
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	2	2	2	3	-	5	3	8	1	1	2	8	41
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	7	13	14	18	14	12	16	16	10	21	17	15	17	190
All above Diseases -	163	142	145	174	154	137	143	121	119	129	113	104	121	1765
Dis. of Resp. System	165	175	173	177	159	164	122	96	88	75	62	54	58	1568
Pneumonia - -	172	157	186	222	202	145	151	148	124	111	90	83	79	1875
Phthisis - - -	169	142	161	165	147	148	139	117	111	145	116	90	129	1779
Dis. of Circ. System -	238	213	180	207	190	175	182	160	148	155	171	160	170	2349
Violence - - -	68	56	47	70	63	61	60	53	42	57	65	57	50	749
Inquest Cases - -	168	154	148	170	152	146	141	119	121	128	134	119	107	1807
Deaths in Institutions	655	556	577	654	574	583	567	507	453	512	464	486	527	7115
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	38·2	45·6	51·5	45·7	42·0	46·6	54·2	50·7	51·8	57·2	55·6	53·9	64·1	50·5
Mean of Highest -	46·0	56·7	64·7	57·3	52·1	56·1	64·1	61·2	60·3	67·4	68·6	64·6	76·8	61·2
Mean of Lowest -	32·6	34 5	39·4	34·0	33·7	38·1	45·4	41·1	44·6	49·7	42·2	46·9	51·9	41·1
Mean Humidity of the Air.	73	63	62	66	68	73	79	68	75	76	65	80	68	70
Rain-fall (in inches) -	0·14	0·00	0·03	0·05	0·43	0·26	0·05	0·17	1·08	0·19	0·00	0·30	0·01	2·71
Registered Sunshine (in hours).	18·0	55·7	64·4	42·0	44·2	38·4	22·8	43·3	27·5	39·1	80·6	35·6	61·0	572·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	8	8	7	7	6	3	1	2	2	5	6	7	13	6
Scarlet Fever - -	2386	2322	2302	2225	2240	2337	2378	2396	2453	2516	2603	2677	2692	2425
Diphtheria - -	929	908	909	881	862	828	791	782	783	762	774	749	766	825
Typhus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	63	68	61	60	56	60	56	42	44	41	41	65	76	56

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FIFTH Week of the Year 1906.

e terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 25th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
LL CAUSES	1185·7	1205	213	139	79	151	279	344
mall-pox*	6·6	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	51·0	52	8	42	2	-	-	-
Scarlet Fever	6·9	13	-	9	4	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	4·1	7	-	-	1	-	1	5
Whooping-cough	26·8	23	12	8	3	-	-	-
Diphtheria	14·5	8	-	6	1	1	-	-
Cerebro Spinal Fever	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	3·3	8	-	-	2	6	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	7·1	8	5	3	-	-	-	-
Diarrhœa, Dysentery	12·7	9	8	-	-	-	-	1
Tetanus	0·5	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	0·3	-	-	-	-	-	-	-
Venereal Dis.	7·6	6	4	-	-	1	-	1
Puerperal Septicæmia	3·1	1	-	-	-	1	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	0·8	-	-	-	-	-	-	-
Infective Endocarditis	3·3	2	-	-	1	-	1	-
Pneumonia: Lobar	8·9	9	-	-	-	4	2	3
Pneumonia: Broncho-	39·2	30	14	13	-	1	-	2
Pneumonia: Epidemic	0·3	-	-	-	-	-	-	-
Pneumonia: Not defined	38·0	40	4	5	3	5	13	10
Erysipelas	1·3	7	2	-	-	-	2	3
Septicæmia (not Puerperal)	0·8	3	1	-	1	-	-	1
Pyæmia (not Puerperal)	0·3	1	-	-	-	-	1	-
Other Infective Processes	4·3	4	-	-	-	1	1	2
Tuberculous Phthisis	62·2	81	1	1	9	29	36	5
"*Phthisis*"	56·1	48	-	-	5	17	24	2
Tuberculous Meningitis	21·2	25	7	10	7	1	-	-
Tuberculous Peritonitis	6·1	7	2	1	1	2	-	1
Tabes Mesenterica	1·5	1	1	-	-	-	-	-
Tuberculous Dis. (other)	23·7	21	4	3	5	5	4	-
Scrofula	-	-	-	-	-	-	-	-
Alcoholism	10·2	9	-	-	-	6	1	2
Rheumatic Fever	5·6	8	-	1	4	1	1	1
Gout	1·8	-	-	-	-	-	-	-
Carcinoma	50·5	66	-	-	-	4	40	22
Sarcoma	8·2	8	-	-	1	2	3	2
Cancer (undefined)	32·9	35	-	-	-	6	12	17
Diabetes Mellitus	7·9	9	-	-	-	1	4	4
Premature Birth	44·8	29	29	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 25th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	13·3	23	9	10	2	1	1	-
Insanity, Gen. Par. of Insane	12·2	10	-	-	1	4	4	1
Epilepsy	6·1	3	-	-	1	1	-	1
Convulsions	22·2	14	14	-	-	-	-	-
Locomotor Ataxy	1·3	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	5·4	6	-	-	1	1	2	2
Nervous Sys. (other dis.)	17·3	17	-	1	1	1	7	7
Valv. Dis., Endocarditis	37·5	41	-	-	2	5	14	20
Cerebr. Hæm. Thromb.	30·1	34	-	-	1	2	7	24
Apoplexy, Hemiplegia	18·4	15	-	-	-	-	5	10
Aneurysm	5·1	5	-	-	-	1	3	1
Embolism, Thrombosis (not cerebral)	0·8	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	75·5	75	-	-	1	9	20	45
Croup (not Spasm : nor Memb.)	-	-	-	-	-	-	-	-
Bronchitis	57·4	48	7	7	-	-	8	26
Asthma, Emphysema	2·0	2	-	-	-	-	2	-
Pleurisy	2·3	1	-	-	-	1	-	-
Respiratory Dis. (other)	7·1	7	1	-	-	1	1	4
Tonsillitis, Quinsy	0·5	-	-	-	-	-	-	-
Enteritis (not Epid.)	8·7	11	7	3	-	-	1	-
Gastro-Enteritis	4·8	3	3	-	-	-	-	-
Peritonitis (not Puerp.)	2·8	2	-	-	-	-	1	1
Cirrhosis of Liver	12·5	6	-	-	-	1	4	1
Liver Dis. (other)	6·1	7	-	1	-	2	3	1
Digestive Dis., Other	35·2	34	5	1	4	4	8	12
Nephritis, Acute	6·9	5	-	-	-	1	2	2
Bright's Dis., Albuminuria	30·8	45	-	-	2	4	18	21
Urinary Sys., Other Dis.	8·2	14	-	-	1	-	3	10
Generative Organs Dis.	3·8	2	-	-	-	-	1	1
Childbirth (Accid. of)	5·6	4	-	-	-	3	1	-
Old Age	41·0	51	-	-	-	-	-	51
Other Diseases	77·0	92	56	8	4	6	6	12
ACCIDENT.								
By Railways	2·3	-	-	-	-	-	-	-
By Vehicles and Horses	4·8	12	-	4	3	2	3	-
In Ships, Boats, Docks, (exclusive of Drowning)	-	-	-	-	-	-	-	-
In Building Operations	0·5	1	-	-	-	-	1	-
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	3·6	-	-	-	-	-	-	-
By Drowning	4·3	5	1	-	1	2	1	-
By Suffocation in Bed	8·7	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours	1·3	1	-	-	-	-	-	1
Other Deaths by Accident	16·1	18	3	2	4	2	2	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	1	-	-	-	1	-	-
Suicide	10·4	7	-	-	-	2	4	1
Execution	0·3	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 23rd June, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2498	1205	213	344	-	52	13	8	23	-	8	-	17	50	107	527
WEST DISTRICTS - - -	805,311	375	204	36	65	-	6	3	1	-	-	-	-	5	6	15	95
NORTH DISTRICTS - - -	1,056,070	545	257	53	75	-	15	2	1	5	-	-	-	1	11	28	89
CENTRAL DISTRICTS - - -	209,465	104	90	24	13	-	4	-	-	1	-	-	-	1	10	17	54
EAST DISTRICTS - - - -	715,739	489	203	39	45	-	9	-	2	4	-	4	-	3	4	16	96
SOUTH DISTRICTS - - -	1,749,844	985	420	61	140	-	16	6	3	13	-	3	-	7	19	31	162
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	31	-	6	-	2	2	1	-	-	1	-	-	-	-	31
WEST DISTRICTS.																	
St. Mary Paddington *W,2H* - -	93,178	50	24	5	11	-	1	-	-	-	-	-	-	1	1	2	10
St. John Paddington *H* - - -	33,617	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
North-West Paddington - -	17,181	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* - -	128,037	52	43	6	18	-	4	-	-	-	-	-	-	-	2	2	20
Brompton *2H* - - - - -	48,591	17	6	-	2	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith *2W,wH* -	49,192	30	8	1	2	-	1	-	-	-	-	-	-	-	-	1	-
South Hammersmith *w,2H* - -	63,047	37	15	1	3	-	-	-	-	-	-	-	-	-	1	2	3
North-west Fulham *W* - - -	45,180	46	20	5	6	-	-	-	-	-	-	-	-	-	-	4	10
North-east Fulham *F* - - -	46,405	26	12	3	2	-	-	3	1	-	-	-	-	1	-	-	4
South Fulham *W* - - - -	45,704	21	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H* - - -	42,514	16	32	2	10	-	-	-	-	-	-	-	-	-	-	-	27
Chelsea South *W,2H* - - -	31,328	13	8	4	3	-	-	-	-	-	-	-	-	-	-	-	3
Mayfair and Knightsbridge - -	28,743	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H* - - - -	55,815	24	12	5	2	-	-	-	-	-	-	-	-	3	2	3	5
St. Margaret & St. John *4H* - -	43,698	16	10	2	2	-	-	-	-	-	-	-	-	-	-	1	6
St. James and St. Anne *W,6H* -	33,081	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *8H* - -	35,391	10	10	1	3	-	-	-	-	-	-	-	-	-	-	-	6
St. Mary Marylebone *W,4H* -	37,948	38	8	3	3	-	-	-	1	-	-	-	-	-	-	1	3
Christchurch Marylebone *H* - -	39,536	24	8	2	-	-	1	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H* - -	20,426	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H* - - -	81,942	28	23	6	7	-	-	1	-	-	-	-	-	-	1	2	8
West St. Pancras *2H* - - -	60,562	30	9	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Tottenham-court *w,7H* - - -	21,258	9	20	-	3	-	-	-	-	-	-	-	-	-	3	4	15
Gray's Inn Lane *4H* - - -	34,449	13	16	3	4	-	5	-	-	-	-	-	-	-	1	3	7
East St. Pancras *W,2H* - - -	60,320	28	21	4	4	-	4	-	-	-	-	-	-	-	3	5	9
North St. Pancras *2W* - - -	58,728	29	14	3	4	-	-	-	-	-	-	-	-	-	-	-	9
Tufnell *W* - - - -	31,995	16	18	2	8	-	-	-	-	2	-	-	-	-	1	2	11
Upper Holloway *2W,w,H* - -	33,978	23	17	3	3	-	3	-	-	1	-	-	-	-	-	1	10
Tollington *WH* - - - -	33,922	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - -	41,424	22	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - - - -	54,478	39	9	4	4	-	-	-	-	1	-	-	-	-	-	-	-
Islington South-east *F* - - -	75,397	52	12	4	2	-	1	-	-	-	-	-	-	-	-	3	-
Highbury *2H* - - - - -	63,797	28	16	2	4	-	1	-	-	-	-	-	-	-	1	2	1
Stoke Newington *H* - - -	51,247	23	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - - - -	50,560	21	11	1	3	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney *2w,F* - - -	50,536	26	8	2	5	-	-	1	-	-	-	-	-	-	-	3	1
South-west Hackney *3H* - -	59,921	33	9	1	4	-	-	-	-	-	-	-	-	-	-	-	4
South-east Hackney *2W,w,H* - -	58,255	31	13	4	7	-	-	-	-	1	-	-	-	-	-	1	5

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub district contains more than one institution of either kind, the number is indicated by a figure prefixed to th letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

3 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd June, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
iles and Bloomsbury 2*W*,2*H* -	31,436	22	8	3	-	-	1	-	-	-	-	-	-	-	1	3	4	-
d *W*,4*H* - - - - -	21,674	3	20	4	5	-	-	-	-	-	-	-	-	-	4	4	13	-
d Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
orn *W*,6*H* - - - - -	29,612	10	22	12	2	-	2	-	-	-	-	-	-	1	-	1	18	-
n Clerkenwell - - -	28,676	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
h Clerkenwell *H* - - -	35,028	18	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
bury 3*H*,*L* - - - -	36,116	30	5	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-
orn Union Workhouse, *cham* - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph *H* - - - - -	10,299	4	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
epulchre and Allhallows *W*,2*H*	16,624	5	20	2	3	-	-	-	-	-	-	-	-	-	4	7	15	-
of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
editch South *H* - - -	46,362	20	8	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
editch North-West *W*,*w*,*H* -	36,127	22	7	-	2	-	-	-	1	-	-	-	-	-	-	-	6	-
editch North-East - - -	36,148	26	7	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
editch Union Workhouse, Wood *een* - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green North 2*H* - -	51,514	38	7	2	1	-	-	-	-	1	-	-	-	-	-	1	3	-
nal Green South - - -	33,472	34	6	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-
nal Green East 2*W*,*H*,*L* - -	44,694	33	18	1	5	-	-	-	-	-	-	-	-	1	-	1	11	-
ldfields - - - - -	27,969	17	4	1	2	-	-	-	-	-	-	1	-	-	-	1	-	-
End New Town *W*,*H* - -	28,718	33	49	5	6	-	2	-	1	-	-	3	-	1	1	2	44	-
tman's Fields - - - -	22,081	15	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge and St. John 2*W* - -	49,068	27	14	2	5	-	-	-	-	1	-	-	-	-	-	1	4	-
well and Ratcliff *W*,*H* - -	25,568	14	6	2	-	-	-	-	-	-	-	-	-	-	1	2	4	-
house *W* - - - - -	32,369	26	5	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
End Old Town South-stern *H* - - - -	63,698	60	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
End Old Town North-stern *W*,*w* - - -	49,129	33	15	1	2	-	-	-	-	-	-	-	-	-	-	1	5	-
L - - - - - - -	41,989	20	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ley 3*w*,*H* - - - - -	68,319	38	25	5	8	-	3	-	-	-	-	-	-	-	1	3	17	-
ar *W*,*w* - - - - -	58,514	33	17	3	7	-	2	-	-	1	-	-	-	-	-	3	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd June, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H* -	11,263	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H* - -	12,056	6	22	3	5	-	4	-	-	1	-	-	-	-	1	2	19
Kent-road - - - - -	21,904	13	5	2	-	-	1	-	-	-	-	-	-	1	1	1	-
St. George the Martyr West *W,2H,L* - - - - -	39,094	28	10	3	1	-	-	-	-	-	-	-	-	-	1	1	4
Newington North - - -	49,022	36	7	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Newington South *W* - - -	72,841	32	10	3	4	-	-	-	-	1	-	-	-	-	-	-	-
St. Olave *2W* - - - -	9,81	6	6	1	2	-	-	-	-	1	-	-	-	-	-	1	2
Bermondsey *W* - - - -	82,483	39	9	3	3	-	1	-	-	-	-	-	-	1	-	1	-
Rotherhithe *W,F* - - - -	38,460	23	13	-	2	-	2	-	-	1	-	-	-	-	1	1	5
Waterloo-road *2H* - - -	27,440	33	4	2	1	-	-	-	-	-	-	1	-	-	-	-	1
Lambeth Church 1st *H* - -	18,423	10	5	-	1	-	-	-	1	-	-	-	-	-	-	-	4
Lambeth Church 2nd *2W* - -	39,818	29	20	3	11	-	-	-	-	-	-	-	-	-	2	2	16
Kennington 1st *H* - - -	53,198	30	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd *H* - - -	42,896	20	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Brixton *F* - - - - -	84,232	37	18	2	8	-	-	3	-	-	-	1	-	-	-	-	4
Norwood *W,H* - - - -	35,888	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H* - - -	72,203	42	15	5	-	-	2	-	-	3	-	-	-	1	3	3	-
North-west Battersea - - -	49,656	25	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* - -	47,048	21	28	3	7	-	-	-	-	4	-	-	-	-	3	3	22
Clapham *2H* - - - -	51,361	29	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1
Streatham *W,2w,2F,2L* - -	88,019	60	23	2	7	-	-	1	1	-	-	-	-	-	-	2	7
Springfield *2W,L* - - - -	27,959	22	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Southfields *H* - - - -	40,444	25	11	1	6	-	-	-	-	-	-	-	-	-	-	-	-
Putney - - - - - -	24,139	9	5	-	4	-	-	-	-	-	-	-	-	-	1	1	-
Dulwich - - - - -	13,359	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w* - -	40,206	13	29	2	11	-	1	-	-	-	-	-	-	1	-	1	24
Camberwell North *W,2L* - -	65,584	32	28	2	15	-	-	-	-	-	-	-	-	-	2	4	22
St. George - - - - -	47,331	30	8	1	2	-	-	-	-	1	-	-	-	1	-	-	-
Peckham North - - - -	48,913	25	8	2	2	-	1	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w* - - -	43,946	23	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - - -	37,613	25	8	2	1	-	1	-	-	-	-	-	-	-	1	1	-
Deptford Central - - - -	45,481	34	8	1	5	-	1	-	-	-	-	-	-	-	-	1	-
Deptford South - - - -	34,625	16	10	-	5	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich West *2H* - - -	23,456	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H* - -	43,859	23	19	1	10	-	-	-	-	-	-	-	-	-	-	1	13
Eltham *w,H* - - - -	7,226	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Lee *wH* - - - - -	25,490	14	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham *W w,F* - - -	58,352	36	17	2	7	-	-	-	1	1	-	-	-	1	-	-	7
Sydenham *H* - - - -	43,653	19	4	-	1	-	-	-	-	-	-	-	-	-	1	2	-
Charlton *F,2H* - - - -	21,134	9	7	-	-	-	-	2	-	-	-	1	-	-	-	-	4
Woolwich *5H* - - - -	41,625	20	5	2	1	-	-	-	-	-	-	-	-	-	1	1	2
Plumstead West *W* - - -	18,063	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H* - -	50,264	36	7	1	2	-	-	-	-	-	-	-	-	-	-	-	3
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
M. A. B. Small-pox Hospitals:—																	
Joyce Green - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern - - - -	—	-	5	-	-	-	2	1	1	-	-	1	-	-	-	-	5
Northern - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
M. A. B. Imbecile Asylums:—																	
Caterham - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Darenth - - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Leavesden - - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London County Lunatic Asylums:—																	
Banstead - - - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5
Ewell (Epileptic Colony) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Manor - - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Dartford Heath - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell - - - - -	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Colney Hatch - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Claybury - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd June, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368 302	2,044,973	1339	396	102	112	-	13	3	9	14	3	15	28	46	63	4
Carshalton 2F,3H	12,228	32,997	14	6	2	1	-	-	-	-	1	-	-	2	2	2	-
Epsom, *part of** W,w,2F,H	10,423	15,548	9	2	1	1	-	-	-	-	-	-	-	-	-	-	1
Godstone, *part of** W,F	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	2	2	-	1	-	-	-	-	-	-	-	1	1	-	-
South Croydon w	4,200	49,309	19	8	2	-	-	-	-	-	1	-	-	-	-	1	-
West Croydon 3W,F,H	2,168	42,888	33	11	1	4	-	-	-	-	-	-	-	3	4	7	-
North Croydon H	2,644	41,698	25	11	3	6	-	3	-	-	-	-	1	-	1	-	-
Penge w,H	770	22,465	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-
Mitcham w	11,711	30,015	22	6	1	2	-	-	-	-	-	-	1	1	2	-	-
Wimbledon F,3H	3,221	41,652	17	8	4	-	-	1	-	1	-	-	1	-	-	-	-
Kingston 2W,H	6,224	42,068	31	7	-	1	-	-	-	-	-	-	-	-	-	3	-
Surbiton F,H	3,046	15,017	7	6	-	2	-	-	-	-	1	-	-	1	1	2	-
Esher, *part of** H	5,402	13,100	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L	4,534	23,456	13	7	2	2	-	-	-	-	-	-	-	2	2	-	-
Richmond W,H	2,162	28,865	13	5	-	2	-	-	-	-	-	-	-	-	-	1	-
Mortlake F	2,847	20,628	11	3	1	1	-	1	-	-	-	-	-	1	1	-	-
Bromley F,2H	4,703	27,354	18	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Beckenham H	7,825	28,497	20	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Orpington *part of** W	10,113	9,857	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Chislehurst 2H	7,333	16,446	6	5	-	1	-	-	-	-	1	-	1	-	-	-	-
Bexley w F,H	8,678	21,151	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Erith F,H	3,854	25,296	17	5	2	2	-	-	-	1	-	-	-	-	-	1	-
Dartford W,F, *part of**	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Sunbury w	11,054	18,683	12	3	-	2	-	-	-	-	-	-	2	-	-	1	-
Staines W,H	13,277	15,178	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Hillingdon W,F,H	6,035	13,661	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Uxbridge H	12,757	8,984	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Hayes w2 F,H	8,066	16,358	12	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Isleworth 3W,2F,H	6,859	30,863	22	8	3	-	-	-	-	-	1	-	-	1	1	2	-
Twickenham F,H	2,421	20,991	16	4	1	1	-	1	-	-	-	-	-	2	2	1	-
Brentford 3F,2H	4,319	48,289	25	14	8	2	-	-	-	2	1	1	1	-	-	2	1
Chiswick H	1,249	29,809	13	6	2	3	-	-	-	-	-	-	1	-	-	-	-
Acton w,F,3H	6,132	48,914	43	8	2	1	-	1	-	-	1	-	-	-	-	-	-
Harrow F,H	13,809	25,523	16	3	-	1	-	-	-	-	-	-	-	1	1	-	-
Edgware 2F,2H	6,994	4,521	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H	4,384	114,811	84	18	8	2	-	3	-	-	-	-	-	-	2	2	-
Hendon W,F	8,382	22,450	10	3	-	-	-	-	1	-	-	-	-	-	-	1	-
South Mimms 2F,H	17,755	7,308	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Finchley F,2H	4,688	33,692	21	6	-	5	-	-	-	-	-	-	-	-	-	-	-
Hornsey F,H	2,875	72,056	30	11	2	6	-	-	-	2	-	-	-	-	-	1	-
Wood Green H	1,625	34,233	18	4	1	2	-	-	-	-	1	-	-	-	1	-	-
West Tottenham F	996	48,853	43	6	2	1	-	-	-	-	1	-	-	1	1	-	-
East Tottenham 2H	2,017	53,688	44	13	3	3	-	-	-	-	1	1	-	2	2	1	-
Edmonton W,w,2F	7,491	61,892	50	27	8	10	-	-	-	-	1	-	-	1	4	8	-
Enfield 2W,F,H	12,601	42,738	32	6	-	2	-	-	-	1	-	-	-	-	-	2	-
Waltham Abbey F	11,017	6,549	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	12	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Hatfield, *part of** W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	23	8	1	4	-	-	-	-	-	-	-	-	1	1	-
Plaistow F,2H	1,249	90,921	73	18	6	1	-	1	-	-	-	-	-	2	3	-	-
Canning Town H	1,556	70,718	54	12	3	6	-	-	1	-	-	1	-	2	2	-	-
Forest Gate w	806	60,892	38	6	4	1	-	-	-	-	1	-	-	-	-	-	-
North East Ham w H	1,333	58,676	50	13	2	3	-	-	-	-	-	-	1	-	2	-	-
South East Ham 2F	1,993	37,342	32	6	2	1	-	-	-	-	-	-	1	-	1	-	-
Wanstead F	1,679	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	26	1	-	1	-	-	-	-	-	-	-	-	-	-	-
North Leyton 2W,w,F	1,963	48,445	38	23	3	10	-	-	-	-	-	-	3	2	4	14	-
Walthamstow 3H,L	6,504	108,929	84	17	6	2	-	-	-	-	1	-	1	1	1	-	-
Chigwell, *part of** 2F,3H	11,778	16,397	9	5	2	1	-	-	-	1	-	-	-	1	1	-	-
Epping W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** W,2F	6,556	6,091	6	3	1	1	-	1	-	-	-	-	-	-	-	1	-
Ilford F,L	8,496	41,234	35	14	5	4	-	1	-	-	1	-	1	-	1	1	-
Barking Town F	3,803	21,547	10	4	1	-	-	-	-	1	-	-	-	-	-	1	-
N.E. Hosp., Tottenham	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring, are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Hardon Bois parish, and part of Epping parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup*	Whooping-cough.	Fever.
London	4,721,217	June 23	2498	1205	13·3	-	52	13	8	23	8
Calcutta	910,117	May 12	-	492	30·1	57	4	-	-	-	168†
Bombay	776,006	June 5	337	1047	70·1	7	26	-	-	1	287†
Madras	509,246	May 25	299	386	39·4	4	5	?	?	?	94
Paris	2,750,000	June 9	1101	846	16·5	-	11	-	1	6	-
		„ 16	988	840	16·3	-	11	-	-	4	5
Brussels	612,401	„ 16	203	136	11·5	-	1	1	1	3	-
Antwerp	291,949	„ 16	118	72	12·6	-	6	1	-	-	-
Amsterdam	560,249	„ 9	291	143	13·3	-	10	-	-	5	2
Copenhagen	425,000	„ 16	217	140	17·2	-	2	-	-	3	-
Stockholm	324,488	„ 9	141	81	13·0	-	-	1	2	2	-
Christiania	222,373	„ 16	106	65	15·2	-	-	-	6	1	-
St. Petersburg	1,424,700	„ 2	549	741	26·9	2	32	21	29	6	26
		„ 9	788	806	29·3	1	33	25	17	7	33
Moscow	1,154,000	„ 2	-	917	41·4	2	13	2	4	1	6
		„ 9	-	908	41·0	4	15	5	7	4	4
Berlin	2,060,699	„ 2	963	608	15·4	-	18	6	5	8	-
Hamburg	819,380	„ 16	-	251	16·3	-	9	-	2	5	1
Breslau	475,000	„ 16	-	196	21·5	-	8	-	-	1	-
Munich	540,000	„ 9	-	186	17·9	-	1	-	-	1	-
		„ 16	-	189	18·2	-	2	1	1	-	-
Vienna	1,956,949	„ 16	1039	665	17·8	-	24	6	3	2	1
Prague	455 241	„ 9	185	159	17·9	-	2	1	2	2	2
Buda-Pesth	859,134	„ 9	326	348	21·1	-	8	6	-	1	1
Trieste	196,637	„ 16	130	75	19·8	-	2	-	1	-	-
Rome	526,170	April 21	229	201	19·9	-	10	-	1	3	-
		„ 28	205	182	18·0	-	7	-	-	-	1
Venice	171,709	—	-	-	-	-	-	-	-	-	-
Bucharest	291,138	June 9	143	124	22·2	-	-	-	-	-	-
New York	4,152,860	„ 9	2086	1303	16·4	-	31	10	43	7	8
Chicago	2,049,185	„ 2	-	465	11·8	-	7	20	6	6	4
Philadelphia	1,469,126	„ 2	-	444	15·7	-	7	1	10	13	28
		„ 9	-	496	17·6	-	3	1	7	9	24
Boston	617,950	—	-	-	-	-	-	-	-	-	-
Rio de Janeiro	912,900	May 20	-	270	15·4	-	-	-	-	-	3

* Excluding deaths from croup in the Indian Cities.
† Including 92 deaths from plague in Calcutta, and 180 in Bombay.
‡ Including 42 deaths from cholera in Calcutta, and 16 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 23rd June, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
London (Greenwich)	82·0	43·1	64·4	0·01	Bradford	74·2	48·2	61·2	1·86
Brighton	70·4	45·9	60·5	0·33	Leeds	77·0	50·0	63 3	1·41
Portsmouth	76 5	48·5	62·1	0·03	Hull	78·0	44·0	60 8	0·98
Norwich	78·2	45 0	62·8	0·23	Tynemouth	76·0	46 0	58 9	0·63
Plymouth	71·0	48·0	59·2	0·02	Cardiff ‡	74·3	43·0	59·0	0·74
Bristol	76·5	41·0	59·8	0·45	Edinburgh	69·7	48·4	57·1	1·00
Birmingham	76·7	44·3	61·9	0·55	Glasgow	72·2	44·5	60·2	0·78
Nottingham	75·0	44·3	60·1	0·25	Dublin: Phœnix Park.	75·3	46·1	60·1	0·79
Liverpool Observatory.	77·0	48·0	61·7	0·59	Dublin: Fitzwilliam Square.†	76·2	48 8	61·8	0 43
Manchester	75·0	47·3	61·2	0·67					
Preston	76·2	51·5	61·5	0·50					
Huddersfield	73·2	47·2	60·4	0·54	Belfast	71·5	45·5	59·3	0·69

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote t the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. Th correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to th above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin
‡ ERRATUM.—Week ended 16th June, Cardiff, Rainfall should read 0·84 in.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	17	..	29·859	70·1	47·9	22·2	57·9	− 1·2	49·5	8·4	19·6	0·0	74	138·0	38·5	55·62	ENE. & SE.	S. & SSW.	1·2	0·0	0·1	161	− 81	0·01	2·0
MONDAY -	18	Apogee	29·991	75·9	43·1	32·8	59·2	− 0·0	49·0	10·2	24·1	0·4	69	146·3	33·8	55·60	Variable & calm.	SW., SE. & SSE.	0·1	0·0	0·0	92	−148	0·00	4·0
TUESDAY -	19	..	30·107	75·0	46·4	28·6	60·4	+ 0·9	51·6	8·8	22·6	0·4	73	120·0	35·7	55·72	SW & WSW.	SE. & ENE.	0·2	0·0	0·0	102	−136	0·00	0·0
WEDNESDAY	20	..	30·190	82·0	51·1	30·9	67·7	+ 7·8	48·7	19·0	30·4	1·4	51	141·6	41·0	56·18	SW. & WSW.	SW., WSW. & W.	1·6	0·0	0·1	201	− 36	0·00	3·0
THURSDAY -	21	New	30·139	77·7	59·1	18·6	67·8	+ 7·5	59·6	8·2	16·5	3·1	75	138·2	51·0	56·50	WSW. & W.	W., WNW. & NNW.	0·9	0·0	0·0	188	− 49	0·00	0·0
FRIDAY -	22	Greatest Dec. N.	29·980	78·6	61·0	17·6	69·3	+ 8·6	55·9	13·4	22·3	1·7	62	137·8	51·0	57·16	W., NW. & NNW.	NW., NNW. & N.	0·9	0·0	0·1	185	− 53	0·00	0·0
SATURDAY -	23	..	29·800	78·5	54·7	23·8	66·3	+ 5·3	56·9	9·4	18·9	0·2	72	140·5	44·3	57·92	Calm & ESE.	ESE. & E.	1·5	0·0	0·1	172	− 67	0·00	7·0
MEANS	-		30·009	76·8	51·9	24·9	64·1	+ 4·1	53·0	11·1	22·1	1·0	68	137·5	42·2	56·39	Variable		..	..	..	Sum 1101	Sum −570	Sum 0·01	2·3
No. of Column	-		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. June.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	17	w. P. generally.	10·1	16·5
MONDAY -	18	w. P. generally.	8·5	16·6
TUESDAY -	19	v. P. generally.	6·3	16·6
WEDNESDAY	20	w. P. generally till 6h. P.M.; m. P. afterwards.	14·5	16·6
THURSDAY -	21	w. P. generally.	3·1	16·6
FRIDAY -	22	w. P. throughout.	9·2	16·6
SATURDAY -	23	w. P. throughout.	9·3	16·6
			Sum 61·0	Sum 116·1
No. of Col. -		27	28	29

GENERAL REMARKS.

Overcast till 8h. 30m. A.M. with sharp shower at 6h. A.M.; fine but cloudy till afternoon; generally cloudless after 2h. P.M.

Cloudless in early morning; very fine generally with variable amounts of cloud afterwards. Solar halo in forenoon.

Cloudless in morning; fine and partially cloudy afterwards.

Very fine and warm throughout; the amount of cloud was usually small.

Generally cloudy; light shower shortly after 11h. P.M.; very warm.

Generally cloudy in morning with slight shower at 4h. 30m. A.M.; very fine generally afterwards; very warm.

Cloudless in morning; very fine generally till evening; overcast with frequent lightning at night. Solar halo observed at 6h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·82 in. at the beginning of the week to 30·21 in. by 8h. A.M. on the 20th; and decreased to 29·69 in. by midnight on the 23rd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th June, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	17	4	-	1	1	-	1	-
Kensington	180,952	-	10	1	-	-	-	-	1	-
Hammersmith	120,679	-	7	3	-	1	-	-	4	-
Fulham	161,965	-	7	7	-	1	-	-	3	-
Chelsea	74,672	-	6	1	-	2	-	-	2	-
City of Westminster	173,905	-	18	1	-	3	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	7	2	-	-	-	-	4	1
Hampstead	89,633	-	4	-	-	-	-	-	-	-
St. Pancras	236,455	-	17	5	-	1	-	-	7	-
Islington	344,987	-	28	11	-	5	-	-	2	1
Stoke Newington	53,217	-	-	-	-	-	-	-	1	-
Hackney	230,721	-	11	11	-	1	-	-	6	-
CENTRAL.										
Holborn	55,805	-	6	-	-	-	-	-	1	-
Finsbury	97,466	-	9	8	-	3	-	-	3	-
City of London	21,367	-	7	-	-	-	-	-	1	-
EAST.										
Shoreditch	116,108	-	15	1	-	3	-	-	4	1
Bethnal Green	130,609	1	13	5	-	2	-	-	1	-
Stepney	307,176	-	37	13	-	-	-	-	13	-
Poplar	170,673	-	12	4	-	1	-	-	3	-
SOUTH.										
Southwark	209,143	-	22	7	-	6	-	-	6	-
Bermondsey	128,629	-	13	7	-	-	-	-	3	-
Lambeth	315,774	-	26	8	-	11	-	-	3	1
Battersea	179,622	-	15	-	-	-	-	-	6	-
Wandsworth	273,381	-	29	7	-	1	-	-	8	-
Camberwell	274,132	-	20	6	-	1	-	-	8	-
Deptford	115,495	-	11	3	-	-	-	-	1	-
Greenwich	105,350	-	9	2	-	1	-	-	1	-
Lewisham	148,463	-	10	1	-	-	-	-	1	-
Woolwich	127,345	-	7	4	-	-	-	-	2	-
Port of London	—	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	1	393	122	-	45	1	-	97	4
Ages 0-1		-	2	4	-	-	-	-	6	-
" 1-5		-	130	50	-	1	-	-	4	-
" 5-		-	152	38	-	6	-	-	2	-
" 10-		-	58	8	-	9	-	-	3	-
" 15-		-	19	7	-	8	-	-	7	-
" 20-		-	15	3	-	8	-	-	11	1
" 25-		-	13	5	-	6	1	-	12	2
" 35-		1	3	5	-	3	-	-	19	1
" 45-		-	1	1	-	2	-	-	15	-
" 55-		-	-	1	-	2	-	-	12	-
" 65 and upwards		-	-	-	-	-	-	-	6	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 26. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JUNE 30. [Price 1½*d.*

General Register Office, Somerset House,

July 2nd, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·4 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 12·9, 12·9, and 13·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 16·1 in Gateshead, 16·2 in Halifax, 16·3 in Manchester, 16·7 in Ipswich, 18·2 in Middlesbrough, 19·2 in Oldham, and 21·5 in South Shields; from *measles*, 1·1 in Huddersfield, 1·3 in Leyton, 1·7 in Manchester, 2·9 in Halifax, and 3·0 in Burnley; from *scarlet fever*, 1·1 in St. Helens; from *diphtheria*, 1·3 in Salford and 1·6 in Hull; from *whooping-cough*, 1·6 in Bootle; and from *diarrhœa*, 1·6 in Handsworth (Staffs.) and 1·8 in Wigan. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2386 BIRTHS and 1060 DEATHS were registered. Allowing for increase of population, the births were 38 and the deaths 141 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 12·7, 12·2, and 13·3 per 1000 in the preceding three weeks, fell last week to 11·7. The death-rate in the four weeks ended last Saturday averaged 12·5 per 1000, being 0·8 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 6/06 D & S 3 25314 2 C

The 1060 deaths included 46 from measles, 5 from scarlet fever, 9 from diphtheria, 14 from whooping-cough, 9 from enteric fever, and 22 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 105 deaths were referred to these diseases in the aggregate, being 17 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 58, 45, and 52 in the preceding three weeks, fell to 46 last week, but were 2 above the corrected average; 7 deaths belonged to the Borough of Poplar, and 4 each to Finsbury and Stepney. The deaths from *scarlet fever*, which had been 6, 15, and 13 in the preceding three weeks, fell to 5 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 7, 10, and 8 in the preceding three weeks, were 9 last week, the corrected average being 10; 3 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 24, 17, and 23 in the preceding three weeks, fell to 14 last week, and were 15 below the corrected average; 3 deaths belonged to St. Pancras and 3 to Battersea. The fatal cases of *enteric fever*, which had been 1, 2, and 8 in the preceding three weeks, were 9 last week, and were 5 above the corrected average. The deaths from *diarrhœa*, which had been 17, 15, and 17 in the preceding three weeks, rose to 22 last week, but were 1 below the corrected average; 3 deaths belonged to Fulham and 3 to Shoreditch. Of the 22 deaths from diarrhœa, 20 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 other deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 11, 6, and 7 in the preceding three weeks. The death of a solderer, aged 28, was certified after inquest as due to *lead poisoning*.

Different forms of *violence* caused 71 deaths, concerning all but one of which inquests were held. Of these 71 deaths, 16 were cases of suicide, and 1 of homicide, while the remaining 54 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, 11 to drowning, 1 to sunstroke, 1 to the effects of an anæsthetic administered for surgical purposes, and 4, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 11 cases of small-pox, 2752 of scarlet fever, 783 of diphtheria, and 93 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 1, 1, and 7; of scarlet fever, 366 cases, against 344, 355, and 380; of diphtheria, 126 cases, against 106, 106, and 118; and of enteric fever, 20 cases, against 8, 31, and 21. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 23rd, 1906.

Greater London.

In Greater London 3671 births and 1495 deaths were registered. Allowing for increase of population, these numbers are 6 above and 146 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 8 deaths from measles, 2 from scarlet fever, 5 from diphtheria, 2 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·84 inches, and that of the Thermometer 60°·0, the latter being 1°·3 below the week's average in the 50 years 1841–90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 35 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 58·1 hours; the measured rainfall amounted to 2·46 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE I.—76 GREAT TOWNS, during the Week ended Saturday, 30th June, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 9th June, 1906.	16th June, 1906.	23rd June, 1906.	30th June, 1906.	Rate from Diseases in Cols. 11–17. Week ended 30th June, 1906.	Registered during the Week ended 30th June, 1906 BIRTHS.	DEATHS.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**12·9**	**12·9**	**13·2**	**12·4**	**1·2**	**8441**	**3762**	**740**	**1045**	**–**	**126**	**32**	**57**	**62**	**21**	**74**	**184**	**333**	**1014**	**41**	**76 TOWNS.**
LONDON - - -	4,721,217	12·7	12·2	13·3	11·7	1·1	2386	1060	189	315	-	46	5	9	14	9	22	71	123	452	2	LONDON.
CROYDON - -	151,011	7·9	7·9	9·0	10·7	0·7	103	31	5	9	-	-	-	1	1	-	-	2	2	7	-	CROYDON.
WILLESDEN - -	143,622	9·4	5·1	6·9	9·1	0·7	84	25	9	3	-	-	-	1	-	-	1	1	1	4	1	WILLESDEN.
HORNSEY - -	86,935	4·2	5·4	7·2	6·6	-	40	11	4	5	-	-	-	-	-	-	-	-	-	2	-	HORNSEY.
TOTTENHAM - -	119,503	9·2	9·2	9·6	5·2	0·9	70	12	2	4	-	-	-	-	1	-	1	1	5	5	-	TOTTENHAM.
WEST HAM - -	301,617	11·4	10·0	8·8	11·4	0·9	179	66	11	21	-	-	-	4	-	1	-	3	6	21	1	WEST HAM.
EAST HAM - -	129,886	7·2	5·2	7·6	6·4	1·2	49	16	2	6	-	1	-	1	-	-	1	-	-	5	1	EAST HAM.
LEYTON - - -	118,287	10·1	9·3	5·7	12·3	2·6	67	28	8	4	-	3	-	-	2	1	-	1	1	4	-	LEYTON.
WALTHAMSTOW -	121,334	4·7	8·6	7·7	9·0	0·4	50	21	5	8	-	-	-	-	-	1	-	-	2	4	-	WALTHAMSTOW.
HASTINGS - - -	67,144	7·0	14·8	13·2	14·8	-	22	19	3	10	-	-	-	-	-	-	-	1	1	4	-	HASTINGS.
BRIGHTON - -	128,095	9·8	11·0	14·7	13·8	0·4	50	34	3	12	-	-	-	1	-	-	-	2	3	8	-	BRIGHTON.
PORTSMOUTH - -	205,118	13·7	11·2	11·2	15·3	0·5	99	60	8	28	-	1	-	-	1	-	-	2	3	17	-	PORTSMOUTH.
BOURNEMOUTH -	67,702	23·1	6·9	8·5	8·5	-	27	11	-	4	-	-	-	-	-	-	-	2	3	4	-	BOURNEMOUTH.
SOUTHAMPTON -	117,312	11·6	11·1	12·4	7·6	-	68	17	3	6	-	-	-	-	-	-	-	2	3	5	-	SOUTHAMPTON.
READING - - -	78,987	10·6	7·3	10·6	6·6	-	33	10	1	3	-	-	-	-	-	-	-	2	2	1	2	READING.
NORTHAMPTON -	93,749	8·9	7·8	10·6	11·1	-	35	20	4	10	-	-	-	-	-	-	-	2	3	3	1	NORTHAMPTON.
IPSWICH - - -	71,809	10·9	16·0	13·1	16·7	-	40	23	5	7	-	-	-	-	-	-	-	1	3	3	1	IPSWICH.
GREAT YARMOUTH -	52,613	15·9	14·9	11·9	8·9	1·0	20	9	4	2	-	1	-	-	-	-	-	-	-	2	-	GREAT YARMOUTH.
NORWICH - -	117,958	12·4	12·8	13·7	12·4	0·9	55	28	6	10	-	-	-	1	-	-	1	-	1	7	-	NORWICH.
PLYMOUTH - -	118,014	13·7	8·4	12·4	13·3	1·3	63	30	5	8	-	-	-	2	-	-	1	-	3	5	-	PLYMOUTH.
DEVONPORT - -	78,405	6·7	8·6	16·6	12·0	-	39	18	2	9	-	-	-	-	-	-	-	2	3	1	-	DEVONPORT.
BRISTOL - - -	363,223	11·2	10·3	12·6	10·5	0·6	160	73	8	24	-	1	1	1	1	-	-	5	7	9	-	BRISTOL.
HANLEY‡ - - -	66,360	13·4	16·5	22·8	13·4	0·8	41	17	4	6	-	-	1	-	-	-	-	1	2	4	1	HANLEY.‡
BURTON-ON-TRENT	52,922	10·8	14·8	10·8	15·8	-	23	16	3	8	-	-	-	-	-	-	-	-	-	3	1	BURTON-ON-TRENT.
WOLVERHAMPTON -	100,729	13·5	15·5	7·8	7·8	0·5	59	15	1	5	-	-	-	-	-	1	-	1	2	-	-	WOLVERHAMPTON.
WALSALL - - -	94,577	7·7	16·5	11·6	13·2	0·6	63	24	8	7	-	-	-	-	-	-	1	-	-	3	-	WALSALL.
HANDSWORTH -	63,819	5·7	9·0	5·7	11·4	1·6	24	14	3	5	-	-	-	-	-	-	2	-	1	2	-	HANDSWORTH.
WEST BROMWICH -	68,469	10·7	9·1	15·2	11·4	-	31	15	7	2	-	-	-	-	-	-	-	-	-	2	1	WEST BROMWICH.

* See note † on first page of this return. † These towns are included within the area of Greater London ‡ As enlarged in 1905.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 30th June, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 9th June, 1906.	16th June, 1906.	23rd June, 1906.	30th June, 1906.	Rate from Diseases in Cols. 11-17. Week ended 30th June, 1906.	Registered during the Week ended 30th June, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	11·5	14·4	12·7	12·2	1·2	277	128	30	36	-	6	-	4	-	-	3	7	8	29	4	BIRMINGHAM.
KINGS NORTON -	72,608	10·1	7·2	10·8	9·3	0·7	37	13	1	5	-	-	-	-	-	-	1	1	1	-	-	KINGS NORTON.
SMETHWICK - -	64,531	12·9	10·5	6·5	8·9	0·8	44	11	3	1	-	-	-	1	-	-	-	-	-	-	-	SMETHWICK.
ASTON MANOR -	82,288	7·6	8·2	7·0	8·2	-	47	13	1	7	-	-	-	-	-	-	-	-	-	4	-	ASTON MANOR.
COVENTRY - -	76,374	10·9	13·7	13·0	14·3	1·4	33	21	7	3	-	-	-	-	-	1	1	-	1	3	1	COVENTRY.
LEICESTER - -	232,111	9·4	9·2	8·3	8·3	0·2	94	37	7	7	-	-	-	1	-	-	-	3	4	4	-	LEICESTER.
GRIMSBY - - -	69,359	9·0	8·3	12·0	6·8	-	47	9	4	1	-	-	-	-	-	-	-	-	2	-	-	GRIMSBY.
NOTTINGHAM - -	254,563	12·5	10·7	12·9	12·5	0·6	123	61	21	15	-	-	-	1	1	-	1	2	5	9	-	NOTTINGHAM.
DERBY - - -	123,981	10·1	12·6	13·0	13·0	0·8	56	31	3	9	-	-	-	1	1	-	-	-	1	12	-	DERBY.
STOCKPORT - -	69,646	15·7	13·6	14·7	9·4	-	60	18	-	10	-	-	-	-	-	-	-	1	1	3	-	STOCKPORT.
BIRKENHEAD - -	117,292	19·6	14·2	17·3	13·3	1·8	72	30	8	7	-	-	2	-	1	-	1	3	4	5	-	BIRKENHEAD.
WALLASEY - -	64,578	16·1	11·3	16·1	9·7	1·6	32	12	1	3	-	-	-	-	1	1	-	1	1	2	-	WALLASEY.
LIVERPOOL† - -	739,180	16·5	19·4	16·7	15·2	2·5	485	215	40	42	-	11	2	2	12	2	7	3	7	72	8	LIVERPOOL.†
BOOTLE† - - -	65,989	13·4	11·9	13·4	15·0	2·4	49	19	6	7	-	-	-	1	2	-	-	1	1	1	2	BOOTLE.†
ST. HELENS - -	91,153	11·4	20·6	10·3	10·3	1·1	52	18	-	4	-	-	2	-	-	-	-	2	2	11	-	ST. HELENS.
WIGAN - - -	87,588	17·9	11·9	12·5	14·9	2·4	54	25	5	4	-	-	-	-	-	1	3	4	4	4	-	WIGAN.
WARRINGTON -	69,280	14·3	18·8	18·1	14·3	1·5	35	19	6	2	-	-	-	-	1	-	1	1	1	2	1	WARRINGTON.
BOLTON - - -	180,502	15·6	13·6	13·0	12·4	0·3	89	43	6	18	-	-	-	-	1	-	-	2	5	5	-	BOLTON.
BURY - - -	58,744	16·9	13·3	16·0	9·8	0·9	29	11	5	4	-	-	-	-	1	-	-	-	-	-	-	BURY.
MANCHESTER - -	637,126	17·8	18·3	17·3	16·3	2·8	389	199	37	45	-	21	3	2	4	1	3	9	16	44	-	MANCHESTER.
SALFORD - - -	234,077	13·6	16·9	15·8	15·4	2·9	123	69	9	13	-	4	1	6	-	-	2	4	7	23	-	SALFORD.
OLDHAM - - -	140,969	16·6	15·5	12·6	19·2	1·8	68	52	8	9	-	2	1	1	1	-	-	5	11	10	-	OLDHAM.
ROCHDALE - -	87,189	17·9	14·4	12·6	11·4	1·2	37	19	2	6	-	-	1	1	-	-	-	-	-	1	-	ROCHDALE.
BURNLEY - - -	102,808	18·3	17·8	19·8	15·7	3·6	59	31	6	10	-	6	-	-	-	-	1	-	3	4	-	BURNLEY.
BLACKBURN - -	134,015	14·4	12·5	10·5	12·1	0·8	68	31	2	8	-	1	1	-	-	-	-	2	2	7	-	BLACKBURN.
PRESTON - - -	116,399	13·4	11·6	14·3	15·2	1·3	82	34	9	11	-	2	-	1	-	-	-	1	1	10	-	PRESTON.
BARROW-IN-FURNESS	60,967	7·7	7·7	12·8	13·7	-	36	16	1	4	-	-	-	-	-	-	-	1	1	2	1	BARROW-IN-FURNESS.

TABLE 1 (*cont.*).—76 GREAT ... ended Saturday, 30th June, 1906, and DEATH-RATES in each of the ...

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 9th June, 1906.	16th June 1906.	23rd June, 1906.	30th June, 1906.	Rate from Diseases in Cols. 11-17. Week ended 30th June, 1906.	Registered during the Week ended 30th June, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	9·9	17·6	13·2	15·9	2·2	39	29	7	9	-	2	-	-	1	-	1	-	-	7	-	HUDDERSFIELD.
HALIFAX - - -	109,272	16·2	13·4	11·9	16·2	3·3	38	34	3	9	-	6	-	-	-	-	1	-	-	5	-	HALIFAX.
BRADFORD - -	288,544	14·3	17·7	18·3	11·9	1·1	112	66	9	28	-	3	-	-	1	-	2	3	7	14	-	BRADFORD.
LEEDS - - -	463,495	14·4	12·6	13·4	11·8	0·9	252	105	21	27	-	1	-	1	5	-	1	5	13	17	-	LEEDS.
SHEFFIELD - -	447,951	12·7	12·5	13·4	12·2	1·4	240	105	29	23	-	-	6	1	3	-	2	4	7	25	1	SHEFFIELD.
ROTHERHAM - -	61,098	9·4	17·1	7·7	10·2	1·7	32	12	3	1	-	-	-	-	1	-	1	-	-	3	-	ROTHERHAM.
YORK - - -	83,467	9·4	10·0	16·9	8·7	1·9	47	14	4	4	-	1	1	-	-	-	1	-	2	4	-	YORK.
HULL - - -	262,426	14·7	10·9	15·1	13·3	1·6	150	67	20	16	-	-	-	8	-	-	-	1	5	16	-	HULL.
MIDDLESBROUGH -	100,069	16·7	21·4	18·2	18·2	2·1	71	35	5	6	-	1	-	1	-	1	1	1	2	4	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	14·9	8·9	14·9	12·9	-	39	13	3	4	-	-	-	-	-	-	-	1	1	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	12·8	20·6	8·5	8·5	-	51	12	2	3	-	-	-	-	-	-	-	-	2	6	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	14·9	13·5	17·6	14·2	0·7	126	42	16	8	-	-	-	-	-	-	2	-	3	5	3	SUNDERLAND.
SOUTH SHIELDS -	111,402	14·0	13·6	13·1	21·5	2·3	80	46	11	6	-	-	1	1	1	-	2	5	6	8	5	SOUTH SHIELDS.
GATESHEAD - -	123,191	11·4	13·5	12·7	16·1	1·3	58	38	10	16	-	1	-	-	2	-	-	1	1	6	2	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	15·1	16·3	14·2	15·5	2·1	140	80	13	19	-	5	2	1	-	-	3	4	7	26	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	11·6	12·5	14·4	14·4	1·0	36	15	2	2	-	-	1	-	-	-	-	1	1	2	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	9·8	16·2	16·2	14·0	0·7	56	20	3	5	-	-	-	1	-	-	-	1	2	4	-	NEWPORT (MON.).
CARDIFF - - -	183,823	10·2	10·2	13·3	11·3	0·3	103	40	8	12	-	-	-	-	-	-	1	-	2	-	-	CARDIFF.
RHONDDA- - -	127,684	13·1	15·5	11·0	13·5	1·6	81	33	12	8	-	-	1	-	1	-	2	1	-	1	-	RHONDDA.
MERTHYR TYDFIL -	74,961	11·8	13·9	19·5	13·9	0·7	53	20	12	1	-	-	-	-	1	-	-	-	1	4	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	15·1	12·9	12·4	15·1	0·5	80	28	6	6	-	-	-	-	-	1	-	1	2	3	-	SWANSEA.
GREATER LONDON -	7,113,561	11·5	11·2	11·7	11·0	1·1	3671	1495	272	454	-	58	7	21	20	12	27	85	159	544	6	GREATER LONDON.
OUTER RING - -	2,392,344	9·0	9·0	8·6	9·5	0·9	1285	435	83	139	-	12	2	12	6	3	5	14	36	92	4	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	8·7	8·0	8·0	9·3	0·9	642	210	46	60	-	4	-	7	4	3	3	8	17	52	3	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	9·4	10·1	9·2	9·6	0·8	643	225	37	79	-	8	2	5	2	-	2	6	19	40	1	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	13·9	14·5	15·6	14·8	2·3	160	97	17	27	-	3	1	2	1	1	7	3	?	44	4	EDINBURGH.
GLASGOW - - -	835,625	17·5	16·9	17·1	14·9	1·7	512	238	42	41	-	7	2	4	4	1‡	9	14	?	72	9	GLASGOW.
DUBLIN† - - -	378,994	18·4	16·4	20·2	16·4	0·7	238	119	12	27	-	-	-	-	1	2	2	3	3	42	4	DUBLIN.†
BELFAST†- - -	358,680	19·8	19·5	19·0	16·4	2·0	218	113	24	17	-	-	1	2	7	-	4	-	2	23	1	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ In addition to the above, 8 deaths from Cerebro-spinal fever were registered.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SIXTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2501	2821	2475	2441	2483	2478	1980	2528	2514	2490	2424·0	2386
Males - - -	1283	1442	1200	1260	1257	1283	1007	1284	1274	1269	1231·9	1242
Females - -	1218	1379	1275	1181	1226	1195	973	1244	1240	1221	1192·1	1144
TOTAL **Deaths** -	1370	1156	1256	1297	1273	1210	1251	1234	1148	1080	1201·0	1060
Males - -	698	624	661	692	699	643	657	659	604	592	640·1	562
Females - -	672	532	595	605	574	567	594	575	544	488	560·9	498

* The numbers in this column are the average weekly numbers in the twenty-sixth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	13 Weeks.
TOTAL **Births** -	2594	2087	2459	2717	2547	2497	2480	2518	2384	2145	2447	2498	2386	31759
TOTAL **Deaths** -	1525	1578	1742	1562	1446	1417	1269	1156	1239	1149	1108	1205	1060	17456
Ages at Death: Under 1 year -	269	288	305	290	239	255	251	200	228	225	197	213	189	3149
1—5 years -	225	192	238	211	223	169	163	139	140	149	137	139	113	2238
5—20 " -	83	76	85	68	64	77	66	79	71	67	59	79	67	941
20—40 " -	174	193	198	197	182	172	157	154	149	142	158	151	136	2163
40—60 " -	270	297	364	324	267	298	259	243	264	227	234	279	240	3566
60 yrs. & upwds	504	532	552	472	471	446	373	341	387	339	323	344	315	5399
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	68	68	85	73	61	75	43	41	50	58	45	52	46	765
Scarlet Fever - -	8	7	19	6	17	11	10	15	12	6	15	13	5	144
Diphtheria - -	9	17	13	14	9	10	11	13	10	7	10	8	9	140
Whooping-cough -	42	37	37	43	38	26	38	32	35	24	17	23	14	406
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	2	2	3	-	5	3	8	1	1	2	8	9	46
Pyrexia (origin uncertain).	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	13	14	18	14	12	16	16	10	21	17	15	17	22	205
All above Diseases -	142	145	174	154	137	143	121	119	129	113	104	121	105	1707
Dis. of Resp. System	175	173	177	159	164	122	96	88	75	62	54	58	41	1444
Pneumonia - -	157	186	222	202	145	151	148	124	111	90	88	79	91	1794
Phthisis - - -	142	161	165	147	148	139	117	111	145	116	90	129	111	1721
Dis. of Circ. System -	213	180	207	190	175	182	160	148	155	171	160	170	166	2277
Violence - - -	56	47	70	63	61	60	53	42	57	65	57	50	71	752
Inquest Cases - -	154	148	170	152	146	141	119	121	128	134	119	107	123	1762
Deaths in Institutions	556	577	654	574	583	567	507	453	512	464	486	527	452	6912
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	45·6	51·5	45·7	42·0	46·6	54·2	50·7	51·8	57·2	55·6	53·9	64·1	60·0	52·2
Mean of Highest -	56·7	64·7	57·3	52·1	56·1	64·1	61·2	60·3	67·4	68·6	64·6	76·8	71·5	63·2
Mean of Lowest -	34·5	39·4	34·0	33·7	38·1	45·4	41·1	44·6	49·7	42·2	46·9	51·9	51·4	42·5
Mean Humidity of the Air.	63	62	66	68	73	79	68	75	76	65	80	68	76	71
Rain-fall (in inches) -	0·00	0·03	0·05	0·13	0·26	0·05	0·17	1·08	0·19	0·00	0·30	0·01	2·46	5·03
Registered Sunshine (in hours).	55·7	64·4	42·0	44·2	38·4	22·8	43·3	27·5	39·1	30·6	35·6	61·0	58·1	612·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	8	7	7	6	3	1	2	2	5	6	7	13	11	6
Scarlet Fever - -	2322	2302	2225	2240	2337	2378	2396	2453	2516	2603	2677	2692	2752	2453
Diphtheria - -	908	909	881	862	828	791	782	783	762	774	749	766	783	814
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	68	61	60	56	60	56	42	44	41	41	65	76	93	59

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. J. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SIXTH Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 26th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1201·0	1060	189	113	67	136	240	315
Small-pox*	4·8	-	-	-	-	-	-	-
Cowpox	0·3	-	-	-	-	-	-	-
Measles (Morbilli)	43·8	46	12	30	4	-	-	-
Scarlet Fever	7·9	5	-	4	1	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	4·1	3	-	-	-	-	1	2
Whooping-cough	28·5	14	4	9	1	-	-	-
Diphtheria	10·2	9	-	8	-	1	-	-
Cerebro Spinal Fever	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·3	9	-	-	1	4	4	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	9·7	9	8	-	-	1	-	-
Diarrhœa, Dysentery	13·0	13	11	1	-	-	1	-
Tetanus	1·0	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	8·2	7	6	-	-	-	1	-
Puerperal Septicæmia	2·3	-	-	-	-	-	-	-
Puerperal Pyæmia	-	1	-	-	-	1	-	-
Puerperal Fever	0·5	1	-	-	-	-	1	-
Infective Endocarditis	0·8	3	-	-	2	-	1	-
Pneumonia: Lobar	10·2	14	2	4	-	2	3	3
Pneumonia: Broncho-	35·7	34	12	11	2	-	6	3
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	48·7	43	4	5	4	7	15	8
Erysipelas	4·1	3	1	-	-	1	1	-
Septicæmia (not Puerperal)	2·0	3	1	-	-	-	2	-
Pyæmia (not Puerperal)	1·3	-	-	-	-	-	-	-
Other Infective Processes	5·1	1	-	-	-	-	-	1
Tuberculous Phthisis	62·4	70	2	4	8	20	27	9
"*Phthisis*"	55·0	41	-	-	4	18	14	5
Tuberculous Meningitis	26·8	13	5	5	2	-	1	-
Tuberculous Peritonitis	5·9	5	-	2	3	-	-	-
Tabes Mesenterica	1·8	-	-	-	-	-	-	-
Tuberculous Dis. (other)	18·3	6	1	1	1	3	-	-
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	9·9	4	-	-	-	2	2	-
Rheumatic Fever	6·1	4	-	-	-	2	-	2
Gout	2·0	2	-	-	-	-	-	2
Carcinoma	49·9	51	-	-	-	3	20	28
Sarcoma	6·4	6	-	-	1	-	4	1
Cancer (undefined)	38·5	24	-	-	-	4	8	12
Diabetes Mellitus	7·4	6	-	-	-	-	1	5
Premature Birth	49·7	33	33	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 26th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	16·3	14	4	4	2	2	1	1
Insanity, Gen. Par. of Insane	9·9	13	-	-	-	2	4	7
Epilepsy	6·1	5	-	-	2	1	-	2
Convulsions	19·6	13	13	-	-	-	-	-
Locomotor Ataxy	2·5	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	5·1	6	-	-	-	1	2	3
Nervous Sys. (other dis.)	18·3	18	-	1	3	3	2	9
Valv. Dis., Endocarditis	37·7	41	-	-	5	9	16	11
Cerebr. Hæm. Thromb.	26·0	25	-	-	-	2	8	15
Apoplexy, Hemiplegia	14·8	14	-	-	-	1	1	12
Aneurysm	6·9	2	-	-	-	-	1	1
Embolism, Thrombosis (not cerebral)	1·8	2	-	-	-	2	-	-
Heart & Blood Vessel Dis.	68·3	82	-	1	7	3	18	53
Croup (not Spasm : nor Memb.)	0·8	-	-	-	-	-	-	-
Bronchitis	54·0	29	5	-	-	-	7	17
Asthma, Emphysema	2·8	-	-	-	-	-	-	-
Pleurisy	3·6	2	-	1	-	-	-	1
Respiratory Dis. (other)	8·7	10	-	1	1	1	2	5
Tonsillitis, Quinsy	0·5	1	-	-	-	-	-	1
Enteritis (not Epid.)	6·9	9	5	-	-	2	2	-
Gastro-Enteritis	2·5	6	5	1	-	-	-	-
Peritonitis (not Puerp.)	2·8	1	-	-	1	-	-	-
Cirrhosis of Liver	12·7	12	-	-	-	1	7	4
Liver Dis. (other)	5·6	4	-	-	-	-	1	3
Digestive Dis., Other	39·8	40	5	4	2	9	11	9
Nephritis, Acute	5·9	8	1	1	1	-	3	2
Bright's Dis., Albuminuria	34·7	36	-	-	-	5	13	18
Urinary Sys., Other Dis.	8·2	7	-	-	-	-	-	7
Generative Organs Dis.	5·4	3	-	-	-	2	-	1
Childbirth (Accid. of)	3·6	3	-	-	-	3	-	-
Old Age	45·1	37	-	-	-	-	-	37
Other Diseases	75·3	63	40	10	3	3	3	4
ACCIDENT.								
By Railways	1·3	3	-	-	-	1	2	-
By Vehicles and Horses	5·9	10	-	2	1	3	2	2
In Ships, Boats, Docks, (exclusive of Drowning)	-	-	-	-	-	-	-	-
In Building Operations	1·3	-	-	-	-	-	-	-
In Conflagrations	0·3	2	-	1	-	1	-	-
By Burns, Scalds, Explosions	8·2	2	-	1	-	1	-	-
By Drowning	6·4	11	-	1	1	2	7	-
By Suffocation in Bed	7·6	4	4	-	-	-	-	-
By Poisons or Poisonous Vapours	2·8	3	-	-	-	1	1	1
Other Deaths by Accident	16·6	19	4	-	2	3	5	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·8	1	1	-	-	-	-	-
Suicide	9·4	16	-	-	2	3	8	3
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 30th June, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2386	1060	189	315	-	46	5	9	14	-	9	-	22	71	123	452
WEST DISTRICTS	805,311	326	214	38	66	-	7	2	3	1	-	-	-	7	11	19	103
NORTH DISTRICTS	1,056,070	504	210	28	72	-	12	1	1	3	-	-	-	4	14	24	79
CENTRAL DISTRICTS	209,465	112	56	15	13	-	4	-	2	1	-	1	-	-	4	7	34
EAST DISTRICTS	715,739	460	178	32	41	-	14	-	2	1	-	1	-	4	15	26	82
SOUTH DISTRICTS	1,749,844	984	373	76	114	-	9	2	1	8	-	-	-	7	27	47	125
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	29	-	9	-	-	-	-	-	-	7	-	-	-	-	29
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	49	16	3	5	-	1	-	-	-	-	-	-	1	-	-	9
St. John Paddington *H*	33,617	6	10	-	1	-	-	-	-	-	-	-	-	-	3	3	6
North-West Paddington	17,181	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	53	49	10	22	-	3	-	-	1	-	-	-	1	1	3	27
Brompton *2H*	48,591	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1
North Hammersmith *2W,wH*	49,192	30	11	1	6	-	-	-	-	-	-	-	-	-	-	-	3
South Hammersmith *w,2H*	63,047	24	11	5	1	-	-	-	-	-	-	-	-	-	-	-	4
North-west Fulham *W*	45,180	38	13	3	3	-	-	-	-	-	-	-	-	2	2	2	8
North-east Fulham *F*	46,405	20	13	2	2	-	1	2	2	-	-	-	-	-	-	-	4
South Fulham *W*	45,704	19	7	3	2	-	1	-	-	-	-	-	-	-	-	1	-
Chelsea North *W,w,3H*	42,514	14	24	2	10	-	-	-	-	-	-	-	-	-	-	-	20
Chelsea South *W,2H*	31,328	11	11	3	3	-	1	-	-	-	-	-	-	3	1	1	4
Mayfair and Knightsbridge	28,743	-	3	-	2	-	-	-	-	-	-	-	-	-	2	1	-
Belgrave *W,2H*	55,815	15	14	-	4	-	-	-	-	-	-	-	-	-	1	4	8
St. Margaret & St. John *4H*	43,698	18	15	3	2	-	-	-	1	-	-	-	-	-	1	3	6
St. James and St. Anne *W,6H*	33,081	10	10	2	2	-	-	-	-	-	-	-	-	-	-	1	3
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	4	18	1	5	-	1	-	-	-	-	-	-	1	1	3	10
St. Mary Marylebone *W,4H*	37,948	44	8	-	3	-	1	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *H*	39,536	16	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	10	4	-	2	-	-	-	-	-	-	-	-	1	1	-	-
Hampstead *W,F,7H*	81,942	17	11	2	5	-	-	-	-	-	-	-	-	1	1	3	4
West St. Pancras *2H*	60,562	27	4	1	2	-	1	-	-	-	-	-	-	-	-	-	1
Tottenham-court *w,7H*	21,258	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	6
Gray's Inn Lane *4H*	34,449	15	7	2	1	-	1	-	-	-	-	-	-	1	1	1	1
East St. Pancras *W,2H*	60,320	40	18	2	7	-	1	1	-	1	-	-	-	-	-	-	10
North St. Pancras *2W*	58,728	24	9	-	3	-	-	-	-	1	-	-	-	1	1	2	-
Tufnell *W*	31,995	21	15	-	6	-	-	-	-	-	-	-	-	1	1	10	-
Upper Holloway *2W,w,H*	33,978	19	19	3	4	-	1	-	-	-	-	-	-	1	4	13	-
Pollington *WH*	33,922	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	24	5	1	1	-	1	-	-	-	-	-	-	1	1	-	-
Barnsbury	54,478	22	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	34	6	3	1	-	1	-	-	-	-	-	-	-	-	-	-
Highbury *2H*	63,797	34	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	22	9	1	6	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	21	7	1	3	-	-	-	-	-	-	-	-	1	1	2	-
Central Hackney *2w,F*	50,536	36	10	2	5	-	1	-	1	-	-	-	-	-	-	1	1
South-west Hackney *3H*	59,921	30	10	1	2	-	-	-	-	1	-	-	-	-	2	3	5
South-east Hackney *2W,w,H*	58,255	24	24	5	7	-	2	-	-	-	-	-	-	1	3	3	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th June, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
iles and Bloomsbury 2*W*,2*H* -	31,436	17	5	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
d *W*,4*H* - - - - -	21,674	5	10	1	4	-	-	-	1	-	-	1	-	-	1	1	7	-
d Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
orn *W*,6*H* - - - - -	29,612	13	15	5	1	-	1	-	-	1	-	-	-	-	1	2	11	-
n Clerkenwell - - -	28,676	21	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
n Clerkenwell *H* - - -	35,028	26	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ury 3*H*,*L* - - - - -	36,116	25	6	2	2	-	1	-	-	-	-	-	-	-	-	2	1	-
rn Union Workhouse, cham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tolph *H* - - - -	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pulchre and Allhallows *W*,2*H*	16,624	4	12	3	1	-	1	-	1	-	-	-	-	-	2	2	11	-
f London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
litch South *H* - - -	46,362	26	7	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-
litch North-West *W*,*w*,*H* -	36,127	21	17	2	6	-	-	-	-	-	-	-	-	1	-	-	12	-
litch North-East - - -	36,148	24	5	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
itch Union Workhouse, Wood n - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
al Green North 2*H* - -	51,514	30	6	2	-	-	-	-	-	1	-	-	-	-	-	-	3	-
al Green South - - -	33,472	27	5	1	1	-	1	-	-	-	-	-	-	-	2	2	-	-
al Green East 2*W*,*H*,*L* - -	44,694	25	16	-	6	-	1	-	-	-	-	-	-	-	1	2	9	-
fields - - - - -	27,969	11	6	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
nd New Town *W*,*H* - -	28,718	33	32	7	5	-	1	-	-	-	-	1	-	1	5	6	31	-
an's Fields - - - -	22,081	7	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
rge and St. John 2*W* - -	49,068	37	11	1	3	-	-	-	-	-	-	-	-	-	1	2	3	-
ell and Ratcliff *W*,*H* - -	25,568	8	10	3	2	-	-	-	2	-	-	-	-	-	1	1	5	-
ouse *W* - - - - -	32,369	24	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
End Old Town South-ern *H* - - - -	63,698	55	8	3	2	-	-	-	-	-	-	-	-	-	2	4	-	-
End Old Town North-ern *W*,*w* - - -	49,129	33	11	1	5	-	1	-	-	-	-	-	-	-	-	1	5	-
L - - - - - - -	41,989	24	7	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
y 3*w*,*H* - - - - -	68,319	30	23	1	7	-	2	-	-	-	-	-	-	-	2	4	14	-
W,*w* - - - - -	58,514	45	8	1	1	-	4	-	-	-	-	-	-	-	1	1	-	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th June, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	5	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Saviour Southwark *H*	12,056	13	14	5	1	–	1	–	–	–	–	–	–	1	1	1	12
Kent-road	21,904	9	3	2	1	–	–	–	–	–	–	–	–	1	–	–	–
St. George the Martyr West *W,2H,L*	39,094	19	9	4	2	–	–	–	–	–	–	–	–	–	–	2	3
Newington North	49,022	19	4	1	–	–	1	–	–	–	–	–	–	1	–	1	–
Newington South *W*	72,841	49	10	4	2	–	1	–	–	1	–	–	–	–	–	1	1
St. Olave *2W*	9,81	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bermondsey *W*	82,483	41	21	9	3	–	1	–	–	1	–	–	–	–	1	5	–
Rotherhithe *W,F*	38,460	22	11	–	3	–	–	–	–	1	–	–	–	–	–	–	7
Waterloo-road *2H*	27,440	27	6	2	–	–	1	–	–	1	–	–	–	–	1	1	2
Lambeth Church 1st *H*	18,423	14	11	1	3	–	–	–	–	–	–	–	–	–	5	6	13
Lambeth Church 2nd *2W*	39,818	27	21	1	9	–	–	–	–	–	–	–	–	–	2	3	16
Kennington 1st *H*	53,198	55	6	1	3	–	–	–	–	–	–	–	–	–	–	–	–
Kennington 2nd *H*	42,896	23	5	4	–	–	–	–	–	–	–	–	–	–	–	–	3
Brixton *F*	84,232	39	13	3	8	–	–	1	–	–	–	–	–	–	–	–	1
Norwood *W,H*	35,888	6	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
East Battersea *H*	72,203	44	19	4	2	–	–	–	–	–	–	–	–	1	–	1	–
North-west Battersea	49,656	34	8	3	2	–	–	–	–	–	–	–	–	–	1	1	–
South-west Battersea *2W,H*	47,048	16	21	1	8	–	–	–	–	3	–	–	–	–	1	2	13
Clapham *2H*	51,361	28	6	1	–	–	–	–	–	–	–	–	–	1	–	–	1
Streatham *W,2w,2F,2L*	88,019	56	20	–	10	–	–	1	1	1	–	–	–	–	1	2	11
Springfield *2W,L*	27,959	26	4	1	–	–	2	–	–	–	–	–	–	–	–	1	–
Southfields *H*	40,444	16	8	2	3	–	–	–	–	–	–	–	–	–	–	1	–
Putney	24,139	8	4	–	1	–	–	–	–	–	–	–	–	–	1	2	–
Dulwich	13,359	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell South *W,w*	40,206	19	19	–	12	–	–	–	–	–	–	–	–	–	–	–	16
Camberwell North *W,2L*	65,584	40	18	5	4	–	–	–	–	–	–	–	–	2	1	1	6
St George	47,331	26	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Peckham North	48,913	20	8	1	5	–	–	–	–	–	–	–	–	–	1	1	–
Peckham South *2W,w*	43,916	29	7	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Deptford North	37,613	20	4	1	–	–	–	–	–	–	–	–	–	–	1	1	–
Deptford Central	45,481	31	7	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Deptford South	34,625	15	7	1	2	–	–	–	–	–	–	–	–	–	1	1	–
Greenwich West *2H*	23,456	9	2	–	1	–	–	–	–	–	–	–	–	–	1	2	–
Greenwich East *2W,H*	43,859	28	15	4	6	–	–	–	–	–	–	–	–	–	1	2	7
Eltham *w,H*	7,226	2	3	–	2	–	–	–	–	–	–	–	–	–	1	1	–
Lee *wH*	25,490	5	6	–	1	–	1	–	–	–	–	–	–	–	–	–	1
Lewisham *W w,F*	58,352	44	24	4	9	–	1	–	–	–	–	–	–	–	3	3	7
Sydenham *H*	44,653	27	4	–	3	–	–	–	–	–	–	–	–	–	1	1	–
Charlton *F,2H*	21,134	10	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Woolwich *5H*	41,625	22	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead West *W*	18,063	7	7	3	1	–	–	–	–	–	–	–	–	–	–	1	–
Plumstead East *2W,H*	50,264	21	6	1	–	–	–	–	–	–	–	–	–	–	2	2	–
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Long Reach	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North-Eastern	—	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Northern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Imbecile Asylums:—																	
Belmont	—	–	7	–	–	–	–	–	–	–	–	6	–	–	–	–	–
Caterham	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Darenth	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
London County Lunatic Asylums:—																	
Banstead	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Ewell (Epileptic Colony)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Manor	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cane Hill	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dartford Heath	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanwell	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Colney Hatch	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Claybury	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th June, 1906.

gis tion trict id ib- trict um- rs.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1,285	435	83	139	-	12	2	12	6	3	5	14	36	92	4
):1	Carshalton 2F,3H - -	12,228	32,997	9	13	2	3	-	-	-	-	-	-	-	-	-	-	1
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	8	4		2	-	-	-	-	-	-	-	-	-	2	-
:1	Godstone, *part of** W,F -	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
):1	Coulsdon - - - -	11,069	8,166	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	27	8	1	2	-	-	-	-	-	-	-	1	1	-	-
3	West Croydon 3W,F,H -	2,168	42,888	40	15	1	7	-	-	-	1	1	-	-	1	1	8	-
4	North Croydon H - -	2,644	41,698	36	9	3	-	-	-	-	-	-	-	-	-	-	-	-
5	Penge w,H - - - -	770	22,465	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30,015	36	6	2	2	-	1	-	-	-	-	-	-	-	-	-
:1	Wimbledon F,3H - -	3,221	41,652	21	10	2	5	-	-	-	-	-	-	-	-	-	3	-
2	Kingston 2W,H - - -	6,224	42,068	14	9	-	5	-	-	-	-	-	-	-	-	-	3	-
3	Surbiton F,H - - -	3,046	15,017	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L - - -	4,534	23,456	12	4	-	1	-	-	-	-	-	-	-	-	-	1	-
:1	Richmond W,H - - -	2,162	28,865	8	4	-	2	-	-	-	-	-	-	-	1	1	-	-
2	Mortlake F - - -	2,847	20,628	10	3	1	-	-	-	-	1	-	-	-	-	-	1	-
:1	Bromley F,2H - - -	4,703	27,354	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H - - -	7,825	28,497	14	4	-	1	-	-	-	-	1	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	4	5	-	1	-	-	-	-	-	-	-	-	1	4	-
4	Chislehurst 2H - - -	7,333	16,446	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley w F,H - - -	8,678	21,151	19	7	-	3	-	-	-	-	-	-	-	-	1	-	-
2	Erith F,H - - - -	3,854	25,296	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
:1	Sunbury w - - - -	11,054	18,683	13	6	1	4	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	9	2	-	1	-	-	-	-	-	-	-	-	1	-	-
:1	Hillingdon W,F,H - -	6,035	13,661	3	6	1	2	-	-	-	-	-	-	1	-	-	2	-
2	Uxbridge H - - -	12,757	8,984	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2F,H - - -	8,066	16,358	13	5	1	3	-	-	-	-	-	-	-	-	-	-	-
:1	Isleworth 3W,2F,H - -	6,859	30,863	34	14	5	3	-	4	-	-	-	-	-	-	-	6	-
2	Twickenham F,H - -	2,421	20,991	15	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H - - -	4,319	48,289	35	9	1	2	-	-	-	-	-	-	-	1	1	-	-
4	Chiswick H- - - -	1,249	29,809	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	45	7	1	3	-	-	-	-	-	-	-	1	1	1	-
:1	Harrow F,H - - -	13,809	25,523	21	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H - - -	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	84	26	9	3	-	-	-	2	-	-	1	1	1	5	1
4	Hendon W,F - - -	8,382	22,450	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	South Mimms 2F,H - -	17,755	7,308	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	7	4	-	1	-	1	-	-	-	-	-	1	1	1	-
3	Finchley F,2H - - -	4,688	33,692	23	9	-	4	-	-	-	-	-	-	-	-	1	1	-
:1	Hornsey F,H - - -	2,875	72,056	40	9	4	4	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H - - -	1,625	34,233	20	7	2	1	-	1	-	-	-	-	-	-	1	1	-
3	West Tottenham F - -	996	48,853	34	3	1	1	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H - -	2,017	53,688	36	7	1	3	-	-	-	-	1	-	1	1	5	3	-
5	Edmonton W,w,2F - -	7,491	61,892	46	23	7	5	-	-	-	-	1	-	1	-	4	6	-
6	Enfield 2W,F,H - - -	12,601	42,738	35	12	3	3	-	-	1	1	-	-	-	-	3	4	-
7	Waltham Abbey F - -	11,017	6,549	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
:1	Hatfield, *part of** W -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey H - - - -	9,333	9,173	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1	Stratford H - - -	1,072	44,827	36	11	1	5	-	-	-	-	-	-	-	-	1	2	-
2	Plaistow F,2H - - -	1,249	90,921	55	18	4	4	-	-	-	3	-	-	-	1	2	4	-
3	Canning Town H - -	1,556	70,718	60	14	2	3	-	-	-	1	-	1	-	2	3	-	-
4	Forest Gate w - - -	806	60,892	28	8	3	2	-	-	-	-	-	-	-	-	-	-	1
5	North East Ham w H -	1,333	58,676	20	5	-	1	-	-	-	-	-	-	-	-	-	-	1
6	South East Ham 2F - -	1,993	37,342	29	7	2	2	-	1	-	1	-	-	-	-	-	1	-
7	Wanstead F - - -	1,679	9,179	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	27	21	6	6	-	3	-	-	2	-	-	-	-	5	-
9	North Leyton 2W,w,F -	1,963	48,445	40	27	3	10	-	-	-	-	-	1	-	1	1	19	-
10	Walthamstow 3H,L - -	6,504	108,929	58	20	6	6	-	-	-	1	-	1	-	-	2	-	-
:1	Chigwell, *part of** 2F,3H -	11,778	16,397	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
):1	Romford, *part of** W,2F -	6,556	6,091	2	4	-	1	-	-	1	-	-	-	-	-	-	3	-
2	Ilford F,L - - - -	8,496	41,234	32	16	1	8	-	1	-	1	-	-	-	1	2	3	-
3	Barking Town F - -	3,803	31,547	17	3	1	1	-	-	-	-	-	-	-	1	1	-	-
	Branch Workhouse of West Ham, Hackney.	—	—	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ing are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher rish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting heydon Bois parish, and part of Epping parish: 189: 1. Dagenham parish. Deaths in Workhouses and Infectious iseases Hospitals belonging to the Outer Ring in 42: 3 137: 2, and 187: 2 are also included

TABLE 7.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup*	Whooping-cough.	Fever.	Diarrhœal Diseases
LONDON - -	4,721,217	June 30	2386	1060	11·7	-	46	5	9	14	9	22
CALCUTTA - -	910,117	May 19	-	441	27·0	44	3	-	-	1	138†	68
BOMBAY - -	776,006	June 12	373	806	54·0	8	28	-	-	-	194‡	91
MADRAS - -	509,346	" 1	283	452	46·1	9	7	?	?	?	85	80
PARIS - - -	2,750,000	" 23	1055	892	17·3	-	10	2	4	5	1	49
BRUSSELS - -	612,401	" 23	227	143	12·1	-	2	1	-	-	1	11
ANTWERP - -	291,949	" 23	121	63	11·0	-	3	-	-	-	1	3
AMSTERDAM -	560,249	" 16	287	137	12·8	-	5	-	1	1	2	6
COPENHAGEN -	425,000	" 23	186	107	13·1	-	3	-	-	1	1	10
STOCKHOLM -	324,488	" 16	176	78	12·5	-	1	-	-	2	-	3
CHRISTIANIA -	222,373	" 23	93	65	15·2	-	-	-	2	2	-	9
ST. PETERSBURG	1,424,700	" 16	-	733	26·7	1	29	28	13	6	34	92
MOSCOW - -	1,154,000	" 16	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,059,378	" 9	876	618	15·6	-	24	5	1	11	1	61
HAMBURG - -	819,380	" 23	-	212	13·7	-	7	2	3	6	1	26
BRESLAU - -	475,000	" 23	-	200	22·5	-	4	1	2	-	1	26
MUNICH - -	540,000	" 23	-	167	16·1	-	1	-	3	-	-	28
VIENNA - -	1,956,949	" 23	888	633	17·0	-	25	4	7	4	1	39
PRAGUE - -	455 241	" 16	222	196	22·1	-	2	2	1	1	3	11
BUDA-PESTH -	859,134	" 16	429	295	17·9	-	3	5	1	5	2	16
TRIESTE - -	196,637	" 23	124	86	22·7	-	-	1	1	2	1	2
ROME - -	526,170	May 5	206	187	18·5	-	8	-	1	7	1§	3
		" 12	204	165	16·4	-	7	-	1	3	1	6
VENICE - -	171,709	—	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	June 16	136	128	22·9	-	-	1	-	-	1	20
NEW YORK -	4,152,860	" 16	2033	1260	15·8	-	30	10	26	3	6	85
CHICAGO - -	2,049,185	" 9	-	523	13·3	-	5	12	6	3	7	27
PHILADELPHIA -	1,469,126	" 16	-	-	-	-	-	-	-	-	-	-
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	May 27	-	288	16·4	-	-	-	1	1	1	?

* Excluding deaths from croup in the Indian Cities.
† Including 42 deaths from plague in Calcutta, and 106 in Bombay.
‡ Including 37 deaths from cholera in Calcutta, and 21 in Bombay.
§ Malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th June, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	78·3	41·2	61·5	2·46	BRADFORD - -	72·0	43·4	59·3	0·09
BRIGHTON - -	66·0	44·9	57·9	1·66	LEEDS - - -	68·0	44·0	57·9	0·08
PORTSMOUTH - -	70·5	48·0	60·3	1·10	HULL - - -	76·6	42·0	59·1	0·62
NORWICH - -	78·4	42·0	60·1	1·50	TYNEMOUTH - -	71·0	40·0	57·5	0·15
PLYMOUTH - -	68·0	44·5	58·2	1·74	CARDIFF ‡ - -	67·6	41·2	57·7	1·05
BRISTOL - - -	67·8	43·0	58·6	1·38	EDINBURGH - -	70·7	42·7	54·9	0·04
BIRMINGHAM - -	70·0	43·0	57·3	1·34	GLASGOW - -	70·4	41·8	55·7	0·41
NOTTINGHAM - -	71·6	39·1	58·0	0·65	DUBLIN Phœnix Park.	70·2	37·3	56·6	0·45
LIVERPOOL OBSERVATORY.	67·0	48·0	57·6	0·48	DUBLIN Fitzwilliam Square.†	71·1	42·7	53·1	0·34
MANCHESTER -	68·0	43·6	57·3	0·43					
PRESTON - -	66·1	48·2	58·1	0·55					
HUDDERSFIELD -	70·0	43·3	57·2	0·18	BELFAST - -	65·0	48·5	57·0	0·62

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 30th June, 1906.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY	24	..	29·768	73·0	56·1	16·9	60·9	− 0·3	57·7	3·2	15·1	0·0	89	120·2	52·0	58·31	E. variable & WSW.	W. & WSW.	4·3	0·0	0·3	312	+ 71	0·56	7·5
MONDAY	25	..	29·950	72·1	53·9	18·2	61·8	+ 0·5	54·9	6·9	15·2	2·0	78	120·0	48·0	58·64	WSW. & SW.	SW.	3·1	0·0	0·4	387	+144	0·00	12·2
TUESDAY	26	..	29·875	74·4	55·6	18·8	64·4	+ 3·0	54·9	9·5	16·8	2·5	71	138·0	48·0	58·87	SW.	SW.	2·8	0·0	0·3	356	+110	0·00	5·8
WEDNESDAY	27	..	29·765	77·8	51·4	26·4	64·4	+ 3·0	54·0	10·4	21·2	1·0	69	110·0	43·1	53·03	SW., SSW. & WSW.	WSW. & SW	2·9	0·0	0·3	335	+ 87	0·00	6·5
THURSDAY	28	..	29·661	78·3	56·2	22·1	64·3	+ 3·0	58·1	6·2	20·7	1·7	80	141·0	55·8	59·24	SW.	SW., WSW. & NE.	2·4	0·0	0·2	298	+ 48	0·00	5·0
FRIDAY	29	First Qr. In Eqr.	29·838	59·1	45·6	13·5	50·1	−11·1	44·1	6·0	16·2	0·0	80	118·3	37·0	59·88	NNE. & N.	N. & NNW.	10·7	0·0	1·0	438	+187	1·90	0·0
SATURDAY	30	..	29·990	66·0	41·2	24·8	53·8	− 7·4	42·1	11·7	20·7	0·5	65	133·8	34·1	59·54	SW. & NW.	W., WNW. & WSW.	2·2	0·0	0·1	215	− 37	0·00	3·0
MEANS			29·835	71·5	51·4	20·1	60·0	− 1·3	52·3	7·7	18·0	1·1	76	130·2	45·4	59·07	SW.		..	..	..	Sum 2341	Sum +610	Sum 2·46	5·7
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY	24	v. P. and v. N. till 11h. A.M.; w.P. afterwards.	4·2	16·6
MONDAY	25	w. P. throughout.	4·4	16·6
TUESDAY	26	w. P. throughout.	14·9	16·6
WEDNESDAY	27	w. P. throughout.	12·4	16·5
THURSDAY	28	w. P. throughout.	7·6	16·5
FRIDAY	29	v. P. and v. N. till 1h. P.M.; m. P. generally afterwards.	3·8	16·5
SATURDAY	30	m. P. generally.	10·8	16·5
			Sum 58·1	Sum 115·8
No. of Col.		27	28	29

GENERAL REMARKS.

Overcast till 1h. P.M.; fine and partially cloudy afterwards; thunderstorm between 2h. and 3h. A.M.; and heavy shower at 6h. 30m. A.M.

Cloudless in early morning; generally cloudy between 4h. A.M. and noon; fine with variable amounts of cloud afterwards.

Cloudy in early morning; very fine with small amounts of cloud till evening; cloudless at night.

Very fine throughout; the amount of cloud was usually small.

Nearly cloudless till 1h. 30m. A.M.; generally overcast till 10h. A.M.; very fine generally till 8h. P.M.; overcast afterwards.

Overcast till 2h. P.M.; very fine generally afterwards; a very cold day; continuous heavy rain between 0h. and 8h. A.M., followed by steady rain till noon; strong gusty wind prevalent between 7h. A.M. and 2h. P.M.

Cloudy in early morning; very fine with variable amounts of cloud afterwards.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·69 in. at the beginning of the week to 29·62 in. by 5h. A.M. on the 24th; increased to 29·98 in. by 8h. A.M. on the 25th; decreased to 29·55 in. by 4h. A.M. on the 29th; increased to 30·05 in. by 6h. A.M. on the 30th; and decreased to 29·94 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd June, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	10	3	-	-	-	-	3	-
Kensington	180,952	-	11	1	-	1	-	-	6	-
Hammersmith	120,679	-	17	5	-	-	-	-	5	-
Fulham	161,965	-	8	8	-	-	-	-	5	-
Chelsea	74,672	-	3	2	-	-	-	-	2	-
City of Westminster	173,905	-	18	6	-	3	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	8	3	-	1	-	-	3	-
Hampstead	89,633	-	8	-	-	2	-	-	2	-
St. Pancras	236,455	-	23	9	-	3	-	-	6	1
Islington	344,987	-	19	7	-	11	-	-	5	1
Stoke Newington	53,217	-	1	1	-	-	-	-	-	-
Hackney	230,721	-	18	3	-	1	-	-	4	-
CENTRAL.										
Holborn	55,805	-	6	1	-	-	-	-	-	-
Finsbury	97,466	-	9	10	-	6	-	-	1	1
City of London	21,367	-	2	-	-	-	-	-	1	-
EAST.										
Shoreditch	116,108	-	22	3	-	1	-	-	2	-
Bethnal Green	130,609	-	7	6	-	1	-	-	2	-
Stepney	307,176	-	20	15	-	3	-	-	5	-
Poplar	170,673	-	10	4	-	1	-	-	6	-
SOUTH.										
Southwark	209,143	-	28	8	-	5	-	-	4	-
Bermondsey	128,629	-	12	11	-	-	-	-	7	-
Lambeth	315,774	-	29	11	-	5	-	-	4	2
Battersea	179,622	-	26	9	-	1	-	-	2	1
Wandsworth	273,381	-	14	5	-	1	-	-	6	-
Camberwell	274,132	6	28	4	-	2	-	-	5	-
Deptford	115,495	-	5	4	-	-	-	-	3	-
Greenwich	105,350	-	8	5	-	-	-	-	2	-
Lewisham	148,463	-	19	5	-	-	-	-	1	-
Woolwich	127,345	-	13	3	-	-	-	-	3	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	6	402	152	-	48	-	-	96	6
Ages 0-1		-	4	2	-	-	-	-	4	-
" 1-5		2	118	52	-	1	-	-	7	-
" 5-		1	190	52	-	7	-	-	9	-
" 10-		-	50	19	-	12	-	-	3	-
" 15-		1	15	7	-	14	-	-	2	-
" 20-		-	13	8	-	4	-	-	7	4
" 25-		1	7	6	-	5	-	-	13	2
" 35-		1	4	4	-	2	-	-	12	-
" 45-		-	1	2	-	3	-	-	13	-
" 55-		-	-	-	-	-	-	-	13	-
" 65 and upwards		-	-	-	-	-	-	-	13	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 27. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JULY 7. [Price 1½*d*.

General Register Office, Somerset House,

July 9th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·3 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 12·9, 13·2, and 12·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 16·3 in Oldham, 16·4 in Manchester and in Tynemouth, 17·1 in Barrow in Furness, 17·2 in Swansea, 17·4 in Merthyr Tydfil, 19·1 in Rochdale, 19·6 in Wigan, and 20·2 in Wallasey; from *measles*, 1·2 in Wigan, 1·6 in Wallasey and in Manchester, 1·8 in Salford, 2·9 in Halifax, and 4·6 in Burnley; from *whooping-cough*, 1·4 in Sunderland, 1·6 in Smethwick, 1·7 in Walsall, 2·0 in Coventry, 2·4 in Wallasey and in Bootle, and 3·0 in West Bromwich; from "*fever*," 1·2 in Wigan; and from *diarrhœa*, 1·3 in Devonport and 1·4 in Cardiff. One death from *small-pox* was registered in Hull, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2496 BIRTHS and 1113 DEATHS were registered. Allowing for increase of population, the births were 128 and the deaths 75 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 12·2, 13·3, and 11·7 per 1000 in the preceding three weeks, rose last week to 12·3. The death-rate in the four weeks ended last Saturday averaged 12·4 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 7/06 D & S 3 25390

The 1113 deaths included 39 from measles, 17 from scarlet fever, 12 from diphtheria, 12 from whooping-cough, 12 from enteric fever, and 31 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 123 deaths were referred to these diseases in the aggregate, being 8 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 45, 52, and 46 in the preceding three weeks, fell to 39 last week, but were 2 above the corrected average; 7 deaths belonged to the Borough of Poplar, and 3 each to Fulham and St. Pancras. The deaths from *scarlet fever*, which had been 15, 13, and 5 in the preceding three weeks, rose to 17 last week, and were 6 above the corrected average; 3 deaths belonged to Battersea. The deaths from *diphtheria*, which had been 10, 8, and 9 in the preceding three weeks, rose to 12 last week, and were 2 above the corrected average. The deaths from *whooping-cough*, which had been 17, 23, and 14 in the preceding three weeks, fell to 12 last week, and were 16 below the corrected average. The fatal cases of *enteric fever*, which had been 2, 8, and 9 in the preceding three weeks, rose to 12 last week, and were 5 above the corrected average; 5 deaths belonged to Lambeth. The deaths from *diarrhœa*, which had been 15, 17, and 22 in the preceding three weeks, rose to 31 last week, but were 4 below the corrected average; 5 deaths belonged to Stepney. Of the 31 deaths from diarrhœa, 25 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 5, having been 6, 7, and 3 in the preceding three weeks.

Different forms of *violence* caused 51 deaths, concerning all of which inquests were held. Of these 51 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 39 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 8 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 3, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 7 cases of small-pox, 2767 of scarlet fever, 828 of diphtheria, and 86 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 1, 7, and 0; of scarlet fever, 376 cases, against 355, 380, and 366; of diphtheria, 139 cases, against 106, 118, and 126; and of enteric fever, 9 cases, against 31, 21, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 30th, 1906.

Greater London.

In Greater London 3803 births and 1525 deaths were registered. Allowing for increase of population, these numbers are 245 and 113 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 4 from scarlet fever, 6 from diphtheria, 5 from whooping-cough, and 6 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·89 inches, and that of the Thermometer 61°·9, the latter being 0°·1 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 28 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 75·4 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Causes. Week ended 16th June, 1906.	23rd June, 1906.	30th June, 1906.	7th July, 1906.	Diseases in Cols. 11–17. Week ended 7th July, 1906.	Registered during the Week ended 7th July, 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**12·9**	**13·2**	**12·4**	**12·3**	**1·3**	**3708**	**3721**	**774**	**1022**	**1**	**122**	**45**	**46**	**74**	**26**	**92**	**157**	**319**	**1042**	**39**	**76 Towns.**
London - - -	4,721,217	12·2	13·3	11·7	12·3	1·4	2496	1113	208	297	-	39	17	12	12	12	31	51	109	474	-	London.
† Croydon - -	151,011	7·9	9·0	10·7	8·3	-	77	24	7	8	-	-	-	-	-	-	-	-	-	3	-	Croydon.
† Willesden - -	143,622	5·1	6·9	9·1	11·6	1·1	82	32	8	6	-	-	2	1	-	-	-	1	3	9	-	Willesden.
† Hornsey - -	86,935	5·4	7·2	6·6	9·6	-	37	16	-	9	-	-	-	-	-	-	-	-	1	6	-	Hornsey.
† Tottenham - -	119,503	9·2	9·6	5·2	8·3	0·4	75	19	5	6	-	-	-	-	-	-	1	1	1	3	-	Tottenham.
† West Ham - -	301,617	10·0	8·8	11·4	8·1	1·2	191	47	10	13	-	-	-	2	1	-	4	5	5	20	-	West Ham.
† East Ham - -	129,886	5·2	7·6	6·4	7·2	0·4	72	18	6	4	-	1	-	-	-	-	-	1	1	4	-	East Ham.
† Leyton - - -	118,287	9·3	5·7	12·3	7·9	1·8	56	18	3	4	-	1	1	1	1	-	-	-	-	3	-	Leyton.
† Walthamstow -	121,334	8·6	7·7	9·0	6·0	0·4	73	14	5	4	-	-	1	-	-	-	-	1	2	3	-	Walthamstow.
Hastings - - -	67,144	14·8	13·2	14·8	7·8	-	21	10	-	8	-	-	-	-	-	-	-	-	-	2	-	Hastings.
Brighton - -	128,095	11·0	14·7	13·8	9·4	1·2	60	23	3	8	-	-	-	1	1	1	-	1	2	7	-	Brighton.
Portsmouth - -	205,118	11·2	11·2	15·3	9·9	1·0	143	39	9	12	-	1	-	-	1	-	2	2	4	12	1	Portsmouth.
Bournemouth -	67,702	6·9	8·5	8·5	10·0	-	29	13	2	8	-	-	-	-	-	-	-	2	2	-	-	Bournemouth.
Southampton -	117,312	11·1	12·4	7·6	10·7	0·4	63	24	3	11	-	-	-	-	-	1	-	1	5	5	-	Southampton.
Reading - - -	78,987	7·3	10·6	6·6	11·2	-	40	17	3	8	-	-	-	-	-	-	-	-	-	7	1	Reading.
Northampton -	93,749	7·8	10·6	11·1	8·3	-	34	15	4	4	-	-	-	-	-	-	-	-	-	5	-	Northampton.
Ipswich - - -	71,809	16·0	13·1	16·7	10·9	0·7	36	15	6	3	-	-	-	-	-	-	1	2	5	1	-	Ipswich.
Great Yarmouth -	52,613	14·9	11·9	8·9	10·9	1·0	23	11	1	7	-	-	-	-	-	1	-	4	4	2	-	Great Yarmouth.
Norwich - -	117,958	12·8	13·7	12·4	11·9	0·9	67	27	4	10	-	-	1	-	-	-	1	1	4	7	-	Norwich.
Plymouth - -	118,014	8·4	12·4	13·3	11·9	-	48	27	3	8	-	-	-	-	-	-	-	1	1	3	-	Plymouth.
Devonport - -	78,405	8·6	16·6	12·0	8·0	2·7	30	12	2	2	-	-	-	1	-	1	2	-	1	2	-	Devonport.
Bristol - - -	363,223	10·3	12·6	10·5	13·9	1·4	169	97	13	35	-	4	1	-	3	-	2	3	10	19	-	Bristol.
Hanley - - -	66,300	16·5	22·8	13·4	12·6	1·6	49	16	3	7	-	-	1	-	-	-	1	1	1	1	-	Hanley.
Burton-on-Trent	52,922	14·8	10·8	15·8	7·9	-	29	8	2	1	-	-	-	-	-	-	-	-	-	1	-	Burton-on-Trent.
Wolverhampton -	100,729	15·5	7·8	7·8	14·5	0·5	50	28	5	6	-	-	-	-	-	-	1	1	2	7	-	Wolverhampton.
Walsall - - -	94,577	16·5	11·6	13·2	10·5	1·7	42	19	4	4	-	-	-	-	3	-	-	-	2	3	-	Walsall.
Handsworth -	63,819	9·0	5·7	11·4	12·3	-	29	15	1	6	-	-	-	-	-	-	-	1	1	1	-	Handsworth.
West Bromwich -	68,469	9·1	15·2	11·4	11·4	3·0	34	15	3	6	-	-	-	-	4	-	-	-	-	2	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 7th July, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 16th June, 1906.	23rd June, 1906.	30th June, 1906.	7th July, 1906.	Rate from Diseases in Cols. 11-17. Week ended 7th July, 1906.	Registered during the Week ended 7th July, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	14·4	12·7	12·2	12·1	0·8	298	127	28	37	-	3	-	1	1	-	3	5	9	41	3	BIRMINGHAM.
KINGS NORTON -	72,608	7·2	10·8	9·3	7·9	0·7	55	11	4	1	-	-	-	-	1	-	-	1	2	-	-	KINGS NORTON.
SMETHWICK - -	64,531	10·5	6·5	8·9	13·7	1·6	25	17	3	2	-	-	-	-	2	-	-	1	1	-	-	SMETHWICK.
ASTON MANOR -	82,288	8·2	7·0	8·2	11·4	-	52	18	7	3	-	-	-	-	-	-	-	-	-	3	1	ASTON MANOR.
COVENTRY - -	76,374	13·7	13·0	14·3	10·2	3·4	44	15	3	-	-	-	-	1	3	-	1	-	1	1	-	COVENTRY.
LEICESTER - -	232,111	9·2	8·3	8·3	7·0	0·4	119	31	11	8	-	-	1	-	-	-	1	1	3	6	1	LEICESTER.
GRIMSBY - - -	69,359	8·3	12·0	6·8	14·3	1·5	32	19	6	5	-	-	-	1	-	-	1	-	1	3	-	GRIMSBY.
NOTTINGHAM - -	254,563	10·7	12·9	12·5	10·9	0·8	129	53	10	21	-	-	1	1	-	1	1	1	2	21	-	NOTTINGHAM.
DERBY - - -	123,981	12·6	13·0	13·0	10·5	0·4	83	25	5	10	-	-	-	-	1	-	-	-	2	6	-	DERBY.
STOCKPORT - -	32,646	13·6	14·7	9·4	13·6	1·6	47	26	4	8	-	1	-	1	1	-	-	2	3	3	-	STOCKPORT.
BIRKENHEAD - -	117,292	14·2	17·3	13·3	11·1	0·9	79	25	6	5	-	-	-	1	1	-	-	1	3	6	-	BIRKENHEAD.
WALLASEY - -	64,578	11·3	16·1	9·7	20·2	4·0	41	25	3	6	-	2	-	-	3	-	-	-	2	4	-	WALLASEY.
LIVERPOOL - -	739,180	19·4	16·7	15·2	15·7	2·3	431	222	43	60	-	10	5	1	10	2	5	12	16	81	10	LIVERPOOL.
BOOTLE - - -	65,989	11·9	13·4	15·8	11·9	4·0	32	15	1	3	-	1	-	-	3	-	1	-	-	2	-	BOOTLE.
ST. HELENS - -	91,153	20·6	10·3	10·3	13·2	0·6	69	23	9	3	-	-	-	-	-	-	1	1	1	2	-	ST. HELENS.
WIGAN - - -	87,588	11·9	12·5	14·9	19·6	3·0	73	33	11	7	-	2	-	-	-	2	1	2	2	7	-	WIGAN.
WARRINGTON -	69,280	18·8	18·1	14·3	13·5	-	35	18	3	8	-	-	-	-	-	-	-	1	1	5	1	WARRINGTON.
BOLTON - - -	180,502	13·6	13·0	12·4	9·8	-	90	34	3	13	-	-	-	-	-	-	-	-	1	6	-	BOLTON.
BURY - - -	58,744	13·3	16·0	9·8	12·4	-	18	14	1	7	-	-	-	-	-	-	-	-	-	2	3	BURY.
MANCHESTER - -	637,126	18·3	17·3	16·3	16·4	2·9	343	201	35	40	-	20	4	4	4	1	3	9	18	64	2	MANCHESTER.
SALFORD - - -	234,077	16·9	15·8	15·4	14·7	3·3	128	66	18	11	-	8	1	3	1	-	2	1	5	17	1	SALFORD.
OLDHAM - - -	140,969	15·5	12·6	19·2	16·3	1·1	83	41	13	11	-	-	-	1	2	-	-	1	6	5	-	OLDHAM.
ROCHDALE - -	87,189	14·4	12·6	11·4	19·1	2·4	44	32	11	7	-	-	-	1	1	1	1	1	2	6	1	ROCHDALE.
BURNLEY - - -	102,808	17·8	19·8	15·7	14·2	4·6	58	28	9	2	-	9	-	-	-	-	-	-	2	7	1	BURNLEY.
BLACKBURN - -	134,015	12·5	10·5	12·1	10·9	0·8	83	28	8	6	-	2	-	-	-	-	-	-	1	1	-	BLACKBURN.
PRESTON - - -	116,399	11·6	14·3	15·2	14·3	2·2	59	32	6	9	-	-	-	1	-	2	2	1	1	6	2	PRESTON.

Towns.	Population estimated to the middle of the Year 1906.*	Week ended 16th June 1906.	Week ended 23rd June, 1906.	Week ended 30th June, 1906.	Week ended 7th July, 1906.	in Cols. 11-17. Week ended 7th July, 1906.	during the Week ended 7th July, 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield -	94,851	17·6	13·2	15·9	8·2	0·5	53	15	2	8	-	-	-	1	-	-	-	-	-	2	-	Huddersfield.
Halifax - - -	109,272	13·4	11·9	16·2	12·9	3·3	36	27	4	8	-	6	-	1	-	-	-	-	1	5	1	Halifax.
Bradford - -	288,544	17·7	18·3	11·9	11·7	0·9	126	65	12	23	-	2	-	1	-	-	2	3	8	15	-	Bradford.
Leeds - - -	463,495	12·6	13·4	11·8	11·9	0·8	257	106	34	28	-	1	3	-	1	-	2	4	11	15	-	Leeds.
Sheffield - -	447,951	12·5	13·4	12·2	12·9	1·0	281	111	15	32	-	-	2	3	3	-	1	7	10	33	2	Sheffield.
Rotherham - -	61,098	17·1	7·7	10·2	11·1	0·9	39	13	6	2	-	1	-	-	-	-	-	-	1	-	-	Rotherham.
York - - -	83,467	10·0	16·9	9·4	8·1	0·6	36	13	2	8	-	-	-	-	-	-	1	-	-	1	-	York.
Hull - - -	262,426	10·9	15·1	13·3	12·1	0·6	151	61	11	20	1	-	1	-	1	-	-	1	5	13	2	Hull.
Middlesbrough -	100,069	21·4	18·2	18·2	12·0	2·1	65	23	8	5	-	1	-	1	1	-	1	-	1	4	-	Middlesbrough.
Stockton-on-Tees	52,664	8·9	14·9	12·9	14·9	-	41	15	2	4	-	-	-	-	-	-	-	1	1	2	-	Stockton-on-Tees.
West Hartlepool	73,387	20·6	8·5	8·5	15·6	0·7	47	22	6	5	-	-	-	-	-	-	1	1	1	2	-	West Hartlepool.
Sunderland - -	154,385	13·5	17·6	14·2	12·5	2·4	119	37	7	4	-	1	1	-	4	-	1	2	3	5	1	Sunderland.
South Shields -	111,402	13·6	13·1	21·5	13·1	1·4	68	28	6	5	-	1	-	-	-	-	2	3	3	2	2	South Shields.
Gateshead - -	123,191	13·5	12·7	16·1	11·9	1·3	89	28	6	9	-	1	1	-	-	-	1	1	1	-	1	Gateshead.
Newcastle-on-Tyne	268,721	16·3	14·2	15·5	14·4	1·4	176	74	16	18	-	2	-	2	-	-	3	5	9	10	-	Newcastle-on-Tyne.
Tynemouth - -	54,138	12·5	14·4	14·4	16·4	1·0	31	17	3	8	-	-	1	-	-	-	-	-	-	1	2	Tynemouth.
Newport (Mon.) -	74,227	16·2	16·2	14·0	10·5	-	59	15	5	3	-	-	-	-	-	-	-	2	3	3	-	Newport (Mon.).
Cardiff - - -	183,823	10·2	13·3	11·3	9·4	1·7	92	33	10	10	-	-	-	-	-	1	5	1	3	5	-	Cardiff.
Rhondda - - -	127,684	15·5	11·0	13·5	11·0	0·8	84	27	8	6	-	-	-	-	1	-	1	1	1	-	-	Rhondda.
Merthyr Tydfil -	74,961	13·9	19·5	13·9	17·4	1·4	54	25	10	4	-	-	-	1	1	-	-	-	1	4	-	Merthyr Tydfil
Swansea - - -	96,848	12·9	12·4	15·1	17·2	2·7	63	32	16	4	-	2	-	-	2	-	1	3	4	-	-	Swansea.
Greater London -	7,113,561	11·2	11·7	11·0	11·2	1·2	3803	1525	297	414	-	48	25	22	19	12	42	74	145	550	1	Greater London.
Outer Ring - -	2,392,344	9·0	8·6	9·5	9·0	1·0	1307	412	89	117	-	9	8	10	7	-	11	23	36	85	1	Outer Ring.
8 Towns in Outer Ring	1,172,195	8·0	8·0	9·3	8·4	0·8	663	188	44	54	-	2	4	4	2	-	5	9	13	51	-	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	10·1	9·2	9·6	9·6	1·2	644	224	45	63	-	7	4	6	5	-	6	14	23	34	1	Remainder of Outer Ring.
Edinburgh - -	341,035	14·5	15·6	14·8	13·8	0·5	141	90	14	29	-	2	-	-	-	-	1	3	?	37	7	Edinburgh.
Glasgow - - -	835,625	16·9	17·1	14·9	16·7	1·5	469	268	49	58	-	5	-	4	4	3‡	8	19	?	98	10	Glasgow.
Dublin† - - -	378,994	16·4	20·2	16·4	16·9	0·6	189	123	19	27	-	-	-	-	4	-	-	4	5	41	3	Dublin.†
Belfast† - - -	366,220§	19·1	18·7	16·1	15·0	1·6	225	105	24	23	-	1	-	2	4	-	4	3	5	39	1	Belfast.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 6 deaths from Cerebro-spinal meningitis were registered. § Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SEVENTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	190
TOTAL **Births** -	2446	2689	2502	2484	2466	2413	2663	2597	2526	2509	2623·5	249
Males - - -	1279	1401	1235	1247	1263	1287	1363	1290	1271	1277	1325·4	126
Females - -	1167	1288	1267	1237	1203	1126	1300	1307	1255	1232	1298·1	122
TOTAL **Deaths** -	1552	1293	1232	1310	1191	1256	1325	1176	1154	1006	1187·8	111
Males - -	783	712	622	705	665	646	705	635	610	541	634·8	59
Females - -	769	581	610	605	526	610	620	541	544	465	553·0	51

* The numbers in this column are the average weekly numbers in the twenty-seventh week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	13 Week.
TOTAL **Births** -	2087	2459	2717	2547	2497	2480	2518	2384	2145	2447	2498	2386	2496	3166
TOTAL **Deaths** -	1578	1742	1562	1446	1417	1269	1156	1239	1149	1108	1205	1060	1113	1704
Ages at Death: Under 1 year -	288	305	290	239	255	251	200	228	225	197	213	189	208	308
1—5 years -	192	238	211	223	169	163	139	140	149	137	139	113	144	215
5—20 " -	76	85	68	64	77	66	79	71	67	59	79	67	79	93
20—40 " -	193	198	197	182	172	157	154	149	142	158	151	136	132	212
40—60 " -	297	364	324	267	298	259	243	264	227	234	279	240	253	354
60 yrs. & upwds.	532	552	472	471	446	373	341	387	339	323	344	315	297	519
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	68	85	73	61	75	43	41	50	58	45	52	46	39	73
Scarlet Fever - -	7	19	6	17	11	10	15	12	6	15	13	5	17	15
Diphtheria - -	17	13	14	9	10	11	13	10	7	10	8	9	12	14
Whooping-cough -	37	37	43	38	26	38	32	35	24	17	23	14	12	37
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	2	3	-	5	3	8	1	1	2	8	9	12	5
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	-	-	-	-	-	-	
Diarrhœa, Dysentery	14	18	14	12	16	16	10	21	17	15	17	22	31	22
All above Diseases -	145	174	154	137	143	121	119	129	113	104	121	105	123	168
Dis. of Resp. System	173	177	159	164	122	96	88	75	62	54	58	41	41	131
Pneumonia - -	186	222	202	145	151	148	124	111	90	88	79	91	77	171
Phthisis - - -	161	165	147	148	139	117	111	145	116	90	129	111	127	170
Dis. of Circ. System -	180	207	190	175	182	160	148	155	171	160	170	166	144	220
Violence - - -	47	70	63	61	60	53	42	57	65	57	50	71	51	74
Inquest Cases - -	148	170	152	146	141	119	121	128	134	119	107	123	109	171
Deaths in Institutions	577	654	574	583	567	507	453	512	464	486	527	452	474	683
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	51·5	45·7	42·0	46·6	54·2	50·7	51·8	57·2	55·6	53·9	64·1	60·0	61·9	53
Mean of Highest -	64·7	57·3	52·1	56·1	64·1	61·2	60·3	67·4	68·6	64·6	76·8	71·5	74·0	64
Mean of Lowest -	39·4	34·0	33·7	38·1	45·4	41·1	44·6	49·7	42·2	46·9	51·9	51·4	49·5	43
Mean Humidity of the Air.	62	66	68	73	79	68	75	76	65	80	68	76	65	7
Rain-fall (in inches) -	0·03	0·05	0·43	0·26	0·05	0·17	1·08	0·19	0·00	0·30	0·01	2·46	0·00	5·0
Registered Sunshine (in hours).	64·4	42·0	44·2	38·4	22·8	43·3	27·5	39·1	80·6	35·6	61·0	58·1	75·4	632
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	7	7	6	3	1	2	2	5	6	7	13	11	7	6
Scarlet Fever - -	2302	2225	2240	2337	2378	2396	2453	2516	2603	2677	2692	2752	2767	248
Diphtheria - -	909	881	862	828	791	782	783	762	774	749	766	783	828	80
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	61	60	56	60	56	42	44	41	41	65	76	93	86	6

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham: W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SEVENTH Week of the Year 1906.

rms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 27th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1187·8	1113	208	144	79	132	253	297
...ll-pox*	3·3	-	-	-	-	-	-	-
...pox	-	-	-	-	-	-	-	-
...sles (Morbilli)	37·2	39	8	30	1	-	-	-
...let Fever	10·7	17	1	12	4	-	-	-
...hus	-	-	-	-	-	-	-	-
...rue	-	-	-	-	-	-	-	-
...enza	5·6	5	-	1	-	1	-	3
...ooping-cough	28·3	12	5	5	2	-	-	-
...htheria	9·9	12	-	10	2	-	-	-
...ebro Spinal Fever	-	-	-	-	-	-	-	-
...ecta,† (Origin uncertain)	0·3	-	-	-	-	-	-	-
...eric Fever	6·9	12	-	1	3	7	1	-
...atic Cholera	-	-	-	-	-	-	-	-
...demic Diarrhœa (Infective Enteritis)	16·1	14	11	2	1	-	-	-
...rrhœa, Dysentery	18·6	17	11	1	-	1	2	2
...anus	0·3	1	-	1	-	-	-	-
...bies, *Hydrophobia*	-	-	-	-	-	-	-	-
...nders	-	-	-	-	-	-	-	-
...hrax (Splenic Fever)	0·3	-	-	-	-	-	-	-
...ereal Dis.	6·9	3	3	-	-	-	-	-
...erperal Septicæmia	2·5	3	-	-	-	2	1	-
...erperal Pyæmia	-	-	-	-	-	-	-	-
...*erperal Fever*	-	-	-	-	-	-	-	-
...ective Endocarditis	3·1	1	-	-	1	-	-	-
...eumonia: Lobar	8·9	12	-	2	-	-	9	1
...eumonia: Broncho-	30·6	32	11	13	2	-	2	4
...eumonia: Epidemic	-	-	-	-	-	-	-	-
...eumonia: Not defined	37·5	33	5	2	2	6	8	10
...ysipelas	3·1	4	2	-	-	-	2	-
...pticæmia (not Puerperal)	-	2	-	1	-	1	-	-
...æmia (not Puerperal)	0·5	3	-	1	-	1	-	1
...her Infective Processes	9·7	4	-	1	-	-	1	2
...berculous Phthisis	67·3	71	-	-	9	25	31	6
...*hthisis*"	59·4	53	-	1	4	26	23	2
...berculous Meningitis	21·7	28	4	20	4	-	-	-
...berculous Peritonitis	8·4	11	2	4	2	2	-	1
...*bes Mesenterica*	4·6	1	1	-	-	-	-	-
...berculous Dis. (other)	17·1	8	1	2	3	1	-	1
...*rofula*	-	-	-	-	-	-	-	-
...coholism	12·5	6	-	-	-	-	5	1
...eumatic Fever	6·1	3	-	-	1	2	-	-
...out	1·3	-	-	-	-	-	-	-
...rcinoma	44·9	65	-	-	-	1	37	27
...rcoma	5·9	8	-	-	-	3	4	1
...ncer (undefined)	31·9	36	-	-	-	6	13	17
...abetes Mellitus	5·6	10	-	-	-	2	4	4
...emature Birth	50·2	43	43	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 27th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	14·3	19	8	7	3	-	1	-
Insanity, Gen. Par. of Insane	10·4	12	-	-	-	1	5	6
Epilepsy	5·6	3	-	-	-	1	1	1
Convulsions	24·2	12	12	-	-	-	-	-
Locomotor Ataxy	1·8	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	5·1	5	-	1	-	-	1	3
Nervous Sys. (other dis.)	21·4	14	-	-	1	1	2	10
Valv. Dis., Endocarditis	33·6	24	-	-	2	5	9	8
Cerebr. Hæm. Thromb.	27·3	32	-	1	-	1	10	20
Apoplexy, Hemiplegia	15·5	14	-	-	-	-	-	14
Aneurysm	5·1	4	-	-	-	1	2	1
Embolism, Thrombosis (not cerebral)	1·3	1	-	-	-	-	1	-
Heart & Blood Vessel Dis.	76·7	69	-	-	6	8	16	39
Croup (not Spasm: nor Memb.)	0·3	-	-	-	-	-	-	-
Bronchitis	43·1	33	5	2	1	-	2	23
Asthma, Emphysema	1·5	4	-	-	-	-	2	2
Pleurisy	2·3	1	-	1	-	-	-	-
Respiratory Dis. (other)	8·2	3	-	-	-	1	-	2
Tonsillitis, Quinsy	0·3	1	-	-	1	-	-	-
Enteritis (not Epid.)	9·9	17	11	2	-	1	2	1
Gastro-Enteritis	4·1	4	4	-	-	-	-	-
Peritonitis (not Puerp.)	1·5	4	-	1	2	-	-	1
Cirrhosis of Liver	12·5	13	-	-	-	3	7	3
Liver Dis. (other)	4·8	8	1	-	-	1	1	5
Digestive Dis., Other	40·0	36	8	3	9	2	6	8
Nephritis, Acute	6·6	8	-	1	1	1	2	3
Bright's Dis., Albuminuria	33·4	30	-	-	1	5	16	8
Urinary Sys., Other Dis.	6·9	8	-	-	-	1	3	4
Generative Organs Dis.	3·3	8	-	-	-	2	4	2
Childbirth (Accid. of)	2·5	3	-	-	-	3	-	-
Old Age	40·3	31	-	-	-	-	-	31
Other Diseases	80·3	69	46	6	4	-	3	10
ACCIDENT.								
By Railways	1·3	-	-	-	-	-	-	-
By Vehicles and Horses	7·4	9	-	5	3	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning)	1·0	1	-	-	-	-	1	-
In Building Operations	0·5	-	-	-	-	-	-	-
In Conflagrations	-	1	-	-	-	1	-	-
By Burns, Scalds, Explosions	4·8	2	-	2	-	-	-	-
By Drowning	5·9	8	-	-	4	-	3	1
By Suffocation in Bed	6·6	3	3	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	1	-	-	-	1	-	-
Other Deaths by Accident	23·7	14	2	2	-	2	3	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	2·0	1	-	-	-	1	-	-
Suicide	11·5	11	-	-	-	1	7	3
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis in each SUB-DISTRICT during the Week ended Saturday, 7th July, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2496	1113	208	297	-	39	17	12	12	-	12	-	31	51	109	474
WEST DISTRICTS	805,311	380	181	30	52	-	7	1	1	2	-	2	-	5	9	19	87
NORTH DISTRICTS	1,056,070	512	240	40	72	-	11	6	2	4	-	2	-	5	14	24	94
CENTRAL DISTRICTS	209,465	89	68	17	14	-	4	-	1	2	-	-	-	1	1	5	38
EAST DISTRICTS	715,739	451	177	39	37	-	9	-	-	1	-	2	-	7	10	25	86
SOUTH DISTRICTS	1,749,844	1064	419	82	113	-	8	9	8	3	-	5	-	12	17	35	141
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	28	-	9	-	-	1	-	-	-	1	-	1	-	1	28
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	52	20	5	3	-	1	-	-	-	-	-	-	1	1	4	8
St. John Paddington *H*	33,617	4	5	-	2	-	-	-	-	-	-	-	-	-	-	-	3
North-West Paddington	17,181	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	54	40	8	12	-	1	-	-	1	-	-	-	-	1	4	19
Brompton *2H*	48,591	8	9	1	6	-	-	-	-	-	-	-	-	-	-	1	1
North Hammersmith *2W,wH*	49,192	35	8	2	4	-	-	-	-	-	-	-	-	1	1	1	3
South Hammersmith *w,2H*	63,047	23	8	1	2	-	1	-	-	-	-	-	-	-	1	1	4
North-west Fulham *W*	45,180	52	10	1	3	-	1	-	-	-	-	-	-	-	-	-	7
North-east Fulham *F*	46,405	30	9	-	1	-	2	1	1	-	-	2	-	-	-	-	4
South Fulham *W*	45,704	33	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Chelsea North *W,w,3H*	42,514	10	15	-	6	-	1	-	-	-	-	-	-	-	-	-	13
Chelsea South *W,2H*	31,328	15	11	5	2	-	-	-	-	1	-	-	-	1	1	1	4
Mayfair and Knightsbridge	28,743	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	15	14	3	4	-	-	-	-	-	-	-	-	-	2	3	7
St. Margaret & St. John *4H*	43,698	20	14	1	2	-	-	-	-	-	-	-	-	1	2	2	10
St. James and St. Anne *W,6H*	33,081	10	12	1	3	-	-	-	-	-	-	-	-	-	-	2	4
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	11	16	2	2	-	-	-	-	-	-	-	-	-	2	3	8
St Mary Marylebone *W,4H*	37,048	34	6	-	2	-	1	-	-	-	-	-	-	1	-	-	1
Christchurch Marylebone *H*	39,536	20	8	1	5	-	-	-	-	1	-	-	-	-	1	1	-
St. John Marylebone *2H*	20,426	9	4	2	1	-	-	-	-	-	-	-	-	-	-	1	1
Hampstead *W,F,7H*	81,942	24	17	2	7	-	1	3	-	-	-	1	-	-	-	-	10
West St. Pancras *2H*	60,562	35	9	2	1	-	-	-	-	-	-	-	-	-	-	-	3
Tottenham-court *w,7H*	21,258	9	10	1	4	-	-	-	-	-	-	-	-	-	-	-	9
Gray's Inn Lane *4H*	34,449	8	10	1	2	-	1	-	-	-	-	-	-	-	2	4	3
East St. Pancras *W,2H*	60,320	23	16	4	5	-	2	-	-	-	-	-	-	-	1	2	6
North St. Pancras *2W*	58,728	43	14	4	2	-	-	-	-	1	-	-	-	-	2	2	2
Tufnell *W*	31,995	14	21	1	13	-	-	-	-	-	-	-	-	1	-	-	17
Upper Holloway *2W,w,H*	33,978	13	20	-	4	-	-	-	1	-	-	1	-	-	2	5	16
Tollington *WH*	33,922	23	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	28	9	3	2	-	-	-	-	1	-	-	-	1	2	3	-
Barnsbury	54,478	24	8	1	3	-	1	-	-	1	-	-	-	-	-	-	-
Islington South-east *F*	75,397	28	8	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Highbury *2H*	63,797	33	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	23	8	-	5	-	1	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	18	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	17	14	2	1	-	1	3	1	-	-	-	-	-	1	1	-
South-west Hackney *3H*	59,921	33	13	4	2	-	-	-	-	-	-	-	-	1	1	2	6
South-east Hackney *2W,w,H*	58,255	42	11	4	2	-	2	-	-	-	-	-	-	1	-	-	6

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a si district contains more than one institution of either kind, the number is indicated by a figure prefixed to t letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th July, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
iles and Bloomsbury 2*W*,2*H* -	31,436	16	5	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-
nd *W*,4*H* - - - - -	21,674	5	13	1	4	-	2	-	-	-	-	-	-	-	1	2	8	-
d Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn *W*,6*H* - - - - -	29,612	12	20	8	4	-	1	-	-	1	-	-	-	-	-	1	14	-
h Clerkenwell - - -	28,676	7	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
h Clerkenwell *H* - - -	35,028	19	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
bury 3*H*,*L* - - - - -	36,116	24	7	2	2	-	-	-	-	1	-	-	-	-	-	1	-	-
orn Union Workhouse, tcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph *H* - - - -	10,299	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre and Allhallows *W*,2*H*	16,624	3	16	3	-	-	-	-	1	-	-	-	-	-	-	1	15	-
of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *H* - - -	46,362	24	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
editch North-West *W*,*w*,*H* -	36,127	33	17	4	7	-	1	-	-	-	-	-	-	-	2	3	13	-
editch North-East - - -	36,148	21	8	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
editch Union Workhouse, Wood een - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green North 2*H* - -	51,514	27	9	2	-	-	-	-	-	-	-	1	-	-	1	1	7	-
nal Green South - - -	33,472	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green East 2*W*,*H*,*L* - -	44,694	30	15	2	2	-	1	-	-	-	-	-	-	-	1	2	8	-
alfields - - - - -	27,969	20	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
End New Town *W*,*H* - -	28,718	29	38	6	7	-	-	-	-	-	-	-	-	-	2	4	34	-
lman's Fields - - - -	22,081	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge and St. John 2*W* - -	49,068	29	7	1	2	-	-	-	-	-	-	-	-	-	-	1	2	-
iwell and Ratcliff *W*,*H* - -	25,568	12	9	2	1	-	-	-	-	-	-	-	-	1	-	-	6	-
ehouse *W* - - - - -	32,369	18	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
End Old Town South-estern *H* - - - -	63,698	55	13	5	3	-	-	-	-	1	-	-	-	3	1	2	-	-
End Old Town North-stern *W*,*w* - - -	49,129	27	6	2	2	-	-	-	-	-	-	-	-	1	-	-	1	-
L - - - - - - - -	41,989	28	8	3	1	-	-	-	-	-	-	-	-	1	1	1	-	-
nley 3*w*,*H* - - - - -	68,319	29	26	5	8	-	3	-	-	-	-	1	-	1	1	5	14	-
lar *W*,*w* - - - - -	58,514	28	13	2	3	-	4	-	-	-	-	-	-	-	-	2	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th July, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H*	11,263	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H*	12,056	6	13	2	2	-	-	-	1	-	-	-	-	-	3	3	10
Kent-road	21,904	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	21	8	4	1	-	-	-	-	-	-	-	-	1	-	-	3
Newington North	49,022	38	7	4	1	-	1	-	-	-	-	-	-	1	-	-	-
Newington South *W*	72,841	42	13	4	3	-	-	-	-	-	-	-	-	1	-	-	-
St. Olave *2W*	9,81	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	53	19	6	5	-	1	-	1	-	-	-	-	2	1	2	-
Rotherhithe *W,F*	38,460	17	17	2	3	-	1	-	-	1	-	-	-	1	3	4	8
Waterloo-road *2H*	27,440	29	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Lambeth Church 1st *H*	18,423	7	18	2	2	-	-	-	-	-	-	1	-	-	2	3	17
Lambeth Church 2nd *2W*	39,818	35	19	4	6	-	-	-	-	-	-	-	-	1	-	-	11
Kennington 1st *H*	53,198	25	11	3	5	-	1	-	-	-	-	-	-	-	-	1	-
Kennington 2nd *H*	42,896	25	19	5	5	-	-	-	-	-	-	-	-	-	-	2	6
Brixton *F*	84,232	53	17	3	3	-	-	3	2	-	-	2	-	-	1	2	8
Norwood *W,H*	35,888	24	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	42	8	-	1	-	1	-	-	-	-	-	-	-	1	1	1
North-west Battersea	49,656	36	6	2	2	-	1	-	-	-	-	-	-	-	-	1	-
South-west Battersea *2W,H*	47,048	23	21	3	8	-	-	-	-	2	-	-	-	-	-	1	14
Clapham *2H*	51,361	32	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	44	21	3	5	-	-	3	3	-	-	-	-	-	-	2	9
Springfield *2W,L*	27,959	31	4	1	-	-	1	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	34	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	6	8	2	1	-	-	-	-	-	-	1	-	1	1	2	-
Dulwich	13,359	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	29	21	1	8	-	-	-	-	-	-	1	-	-	-	-	14
Camberwell North *W,2L*	65,584	35	25	5	6	-	-	-	-	-	-	-	-	1	-	-	13
St George	47,331	32	6	2	3	-	-	-	-	-	-	-	-	1	-	-	-
Peckham North	48,913	26	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	18	12	2	7	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	28	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Deptford Central	45,481	27	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford South	34,625	16	6	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	10	6	1	3	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich East *2W,H*	43,859	25	17	1	4	-	-	-	-	-	-	-	-	1	2	3	11
Eltham *w,H*	7,226	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	10	6	2	2	-	-	-	-	-	-	-	-	-	-	1	1
Lewisham *W w,F*	58,352	46	17	1	5	-	-	1	-	-	-	-	-	-	-	2	10
Sydenham *H*	43,653	23	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	13	5	-	1	-	-	2	-	-	-	-	-	-	-	-	3
Woolwich *5H*	41,625	27	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Plumstead West *W*	18,063	10	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead East *2W,H*	50,264	33	4	-	3	-	-	-	-	-	-	-	-	-	-	-	2
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Leavesden	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	1	4
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Dartford Heath	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Hanwell	—	-	3	-	2	-	-	-	-	-	-	-	-	1	-	-	3
Colney Hatch	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Claybury	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 7th July, 1906.

Registration District	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,302	2,044,973	1,307	412	89	117	-	9	8	10	7	-	11	23	36	85	1
:1	Carshalton 2F,3H	12,228	32,997	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H	10,423	15,548	7	4	1	-	-	1	-	-	-	-	2	-	-	2	-
:1	Godstone, *part of** W,F	2,754	2,692	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Coulsdon	11,069	8,166	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	22	7	3	2	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	32	9	4	1	-	-	-	-	-	-	-	-	-	3	-
4	North Croydon H	2,644	41,698	23	10	1	5	-	-	-	1	-	-	-	-	-	2	-
5	Penge w,H	770	22,465	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	23	7	1	1	-	-	-	-	-	-	-	-	-	-	-
:1	Wimbledon F,3H	3,221	41,652	35	11	6	1	-	-	-	-	-	-	2	1	3	-	-
2	Kingston 2W,H	6,224	42,068	23	5	1	2	-	-	-	1	-	-	-	-	-	1	-
3	Surbiton F,H	3,046	15,017	10	5	1	1	-	-	1	-	-	-	-	2	2	2	-
4	Esher, *part of** H	5,402	13,100	9	3	1	-	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L	4,564	23,456	13	6	2	1	-	-	-	-	-	-	-	1	1	2	1
:1	Richmond W,H	2,162	28,865	3	3	-	1	-	-	-	-	-	-	-	-	1	1	-
2	Mortlake F	2,847	20,628	19	7	4	1	-	-	-	1	-	-	-	1	1	1	-
:1	Bromley F,2H	4,703	27,354	16	4	-	1	-	-	-	1	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W	10,113	9,857	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	6	5	-	-	-	-	-	-	-	-	-	1	1	-	-
:1	Bexley w F,H	8,678	21,151	9	4	2	-	-	-	-	-	-	-	-	-	1	-	-
2	Erith F,H	3,854	25,296	15	3	-	-	-	-	-	2	-	-	-	-	1	1	-
3	Dartford W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1:1	Sunbury w	11,054	18,683	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1:1	Hillingdon W,F,H	6,035	13,661	7	2	1	1	-	-	-	-	1	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2F,H	8,066	16,358	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-
1:1	Isleworth 3W,2F,H	6,859	30,863	12	6	1	-	-	1	-	-	1	-	-	-	-	2	-
2	Twickenham F,H	2,421	20,991	14	5	-	1	-	1	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	39	16	3	8	-	-	-	-	1	-	-	2	2	2	-
4	Chiswick H	1,249	29,809	15	4	-	1	-	-	-	-	-	-	-	1	2	-	-
5	Acton w,F,3H	6,132	48,914	32	19	2	9	-	-	-	-	-	-	-	-	1	3	-
1:1	Harrow F,H	13,809	25,523	21	4	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	82	20	8	6	-	-	1	1	-	-	-	1	3	6	-
4	Hendon W,F	8,382	22,450	10	5	1	3	-	-	-	-	-	-	1	2	2	2	-
1:1	South Mimms 2F,H	17,755	7,308	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	4,688	33,692	23	2	1	-	-	-	-	-	-	-	-	-	-	-	-
:1	Hornsey F,H	2,875	72,056	37	12	-	6	-	-	2	-	-	-	-	-	1	2	-
2	Wood Green H	1,625	34,233	26	7	1	2	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham F	996	48,853	30	6	2	1	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	2,017	53,688	45	11	3	2	-	-	-	-	-	-	1	1	1	1	-
5	Edmonton W,w,2F	7,491	61,892	40	23	3	12	-	-	-	-	-	-	1	-	-	9	-
6	Enfield 2W,F,H	12,601	42,738	32	7	2	2	-	-	-	-	-	-	-	-	-	1	-
7	Waltham Abbey F	11,017	6,549	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Hatfield, *part of** W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey H	9,333	9,173	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of**	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Stratford H	1,072	44,827	31	6	1	1	-	-	-	-	-	-	-	3	3	3	-
2	Plaistow F,2H	1,249	90,921	74	8	2	2	-	-	-	2	1	-	-	-	-	2	-
3	Canning Town H	1,556	70,718	61	13	5	3	-	-	-	-	-	-	3	-	-	-	-
4	Forest Gate w	806	60,892	25	5	-	1	-	-	-	-	-	-	-	2	2	-	-
5	North East Ham w H	1,333	58,676	43	7	4	1	-	-	-	-	-	-	-	1	1	1	-
6	South East Ham 2F	1,993	37,342	29	8	2	1	-	1	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	27	15	4	5	-	1	-	1	1	-	1	-	-	8	-
9	North Leyton 2W,w,F	1,963	48,445	29	22	1	8	-	-	1	-	-	-	-	1	1	14	-
10	Walthamstow 3H,L	6,504	108,929	88	12	5	3	-	-	-	-	-	-	-	1	2	-	-
:1	Chigwell, *part of** 2F,3H	11,778	16,397	2	3	1	1	-	-	1	-	-	-	-	1	1	1	-
2	Epping W,F, *part of**	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
:1	Romford, *part of** W,2F	6,556	6,091	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,234	30	17	3	4	-	2	-	-	1	-	-	-	-	3	-
3	Barking Town F	3,803	21,547	13	8	1	2	-	2	-	-	1	-	-	-	1	-	-
	Central London Sick Asylum, Hendon.	—	—	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-
	Western Hosp., Fulham	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	N.E. Hosp., Tottenham	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1 Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,721,217	July	7	2496	1113	12·3	-	39	17	12	12	12	31
CALCUTTA - -	910,117	May	26	-	445	27·2	35	2	-	-	-	156†	51‡
BOMBAY - -	776,006	June	19	371	738	49·4	3	15	-	-	1	137†	91‡
MADRAS - -	509,346	"	8	352	344	35·1	2	1	?	?	?	90	61‡
PARIS - - -	2,750,000	"	30	1018	823	16·0	-	6	1	3	4	2	34
BRUSSELS - -	612,401	"	30	177	137	11·6	-	-	1	1	1	-	13
ANTWERP - -	291,949	"	30	126	67	11·7	-	2	2	-	1	-	5
AMSTERDAM -	560,249	"	23	298	142	13·2	-	5	-	1	2	1	10
COPENHAGEN -	425,000	"	30	218	130	15·9	-	-	-	1	2	-	7
STOCKHOLM -	324,488	"	23	156	93	14·9	-	-	3	-	1	-	5
CHRISTIANIA -	222,373	"	30	108	70	16·4	-	-	-	4	-	-	7
ST. PETERSBURG	1,424,700	"	23	709	713	26·0	2	40	15	12	2	28	112
MOSCOW - -	1,154,000	"	16	-	854	38·6	2	5	2	4	3	3	377
BERLIN - -	2,058,760	"	16	908	576	14·6	-	30	5	4	10	2	42
HAMBURG - -	819,380	"	30	-	229	14·8	-	6	1	3	5	3	17
BRESLAU - -	475,000	"	30	-	241	26·5	-	3	-	2	2	2	38
MUNICH - -	540,000	"	30	-	184	17·7	-	1	-	1	2	-	31
VIENNA - -	1,956,949	"	30	1052	629	16·9	-	20	4	4	2	1	71
PRAGUE - -	455 241	"	23	211	189	21·3	-	-	1	1	1	3	12
BUDA-PESTH -	859,134	"	23	382	262	15·9	-	3	3	2	1	-	20
TRIESTE - -	196,637	"	30	112	96	25·4	-	1	-	1	3	-	13
ROME - -	526,170	May	19	223	171	16·9	-	6	-	1	2	2§	10
VENICE - -	171,709	—		-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	June	23	158	161	28·8	-	-	-	-	1	2	26
NEW YORK -	4,152,860	"	23	1982	1228	15·4	-	20	4	16	4	2	125
CHICAGO - -	2,049,185	"	16	-	436	11·1	-	5	15	9	4	11	33
PHILADELPHIA -	1,469,126	"	23	-	429	15·2	-	2	1	8	4	18	48
BOSTON - -	617,950	—		-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	June	3	-	260	14·8	-	-	-	1	-	3†	?

* Excluding deaths from croup in the Indian Cities.
† Including 43 deaths from plague in Calcutta, 67 in Bombay, and 1 in Rio de Janeiro.
‡ Including 25 deaths from cholera in Calcutta, 20 in Bombay, and 2 in Madras.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 7th July, 1906.

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	79·1	45·1	61·7	-	BRADFORD - -	74·6	47·2	59·4	0·18
BRIGHTON - -	77·2	48·0	61·8	-	LEEDS - - -	77·0	50·0	60·5	0·24
PORTSMOUTH - -	?	?	?	?	HULL - - -	74·0	42·0	58·6	0·21
NORWICH - -	77·0	44·2	59·1	-	TYNEMOUTH - -	73·0	45·0	55·6	0·22
PLYMOUTH - -	72·0	45·0	59·6	0·29	CARDIFF - -	75·3	43·2	53·7	0·01
BRISTOL - - -	77·0	42·0	60·1	0·01					
BIRMINGHAM - -	74·6	42·7	59·9	0·04	EDINBURGH - -	66·6	44·0	54·8	0·60
NOTTINGHAM - -	75·8	42·3	61·5	-	GLASGOW - -	76·8	42·2	57·5	0·26
LIVERPOOL OBSERVATORY	70·0	50·0	59·2	0·06	DUBLIN Phœnix Park.	70·9	40·1	55·8	0·39
MANCHESTER -	76·0	47·7	60·2	0·09	DUBLIN Fitzwilliam Square.†	71·2	47·4	53·3	0·38
PRESTON - -	72·1	49·5	60·0	0·20					
HUDDERSFIELD -	75·2	45·5	58·5	0·32	BELFAST - -	66·5	43·0	56·0	0·92

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	1	..	29·919	66·1	45·1	21·0	57·0	− 4·3	43·8	13·2	19·2	0·8	62	123·2	37·1	59·11	WSW. & N.	W., E. & ESE.	0·6	0·0	0·0	113	−139	0·00	0·0
MONDAY -	2	..	29·935	69·2	45·2	24·0	58·0	− 3·4	47·0	11·0	19·6	0·0	67	136·2	34·9	58·89	ESE.	ESE. & E.	1·1	0·0	0·1	151	−100	0·00	4·5
TUESDAY -	3	..	29·962	70·9	50·1	20·8	60·7	− 1·0	51·2	9·5	17·5	1·9	71	135·8	41·7	58·80	NE. & ENE.	E. & ENE.	1·7	0·0	0·1	228	− 22	0·00	4·5
WEDNESDAY	4	Perigee	29·926	76·8	48·5	28·3	61·9	0·0	51·3	10·6	20·4	0·0	68	141·9	35·2	58·92	NNE. & NE.	NE. & ESE.	1·3	0·0	0·1	176	− 72	0·00	4·0
THURSDAY -	5	..	29·802	76·6	49·9	26·7	63·7	+ 1·6	49·7	14·0	23·6	0·2	61	133·0	38·9	59·20	NNE., N. & NE.	NE. & SE.	1·1	0·0	0·0	160	− 85	0·00	0·0
FRIDAY -	6	Gr. Dec S. Full.	29·778	79·1	53·1	26·0	66·0	+ 3·8	51·9	14·1	23·1	0·6	60	134·7	41·0	59·48	SE., calm & SW.	W., WSW. & SW.	2·0	0·0	0·1	179	− 63	0·00	2·0
SATURDAY -	7	..	29·895	79·0	54·3	24·7	66·0	+ 3·9	53·5	12·5	24·5	0·2	64	145·9	44·1	59·75	SW. & WSW.	WSW. & W.	1·4	0·0	0·1	233	− 6	0·00	6·0
MEANS	-		29·888	74·0	49·5	24·5	61·9	+ 0·1	49·8	12·1	21·1	0·5	65	136·5	39·0	59·16	Variable.		..	..	..	Sum 1240	Sum −485	Sum 0·00	3·0
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. July.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	1	w P. throughout.	7·0	16·5	Fine; partially cloudy. Lunar halo observed at 10h. P.M.
MONDAY -	2	w. P. throughout.	11·1	16·5	Very fine generally; heavy mist in morning.
TUESDAY -	3	w. P. throughout.	9·3	16·5	Generally cloudy in morning; very fine with variable amounts of cloud till evening; cloudless at night. Solar halo observed in forenoon.
WEDNESDAY	4	w. P. throughout.	12·7	16·4	Cloudless in morning; very fine with small amounts of cloud generally afterwards. Solar halo seen at 9h. 20m. A.M.
THURSDAY -	5	w. P. throughout.	14·3	16·4	Very fine throughout; cloudless in morning; small amounts of cloud prevalent afterwards.
FRIDAY	6	w. P. throughout.	8·5	16·4	Fine with occasional cloudy intervals till 5h. P.M.; overcast with slight exceptions afterwards.
SATURDAY -	7	w. P. generally.	12·5	16·4	Partially cloudy in morning; very fine afterwards and cloudless at night.
			Sum 75·4	Sum 115·1	
No. of Col. -	•	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·94 in. at the beginning of the week to 29·90 in. by 5h. P.M. on the 1st; increased to 30·00 in. by 9h. P.M. on the 3rd; decreased to 29·76 in. by 4h. P.M. on the 6th; and increased to 29·96 in. by midnight on the 7th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th June, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	9	2	-	-	-	-	4	-
Kensington	180,952	-	9	3	-	2	-	-	2	-
Hammersmith	120,679	-	10	3	-	-	-	-	3	-
Fulham	161,965	-	8	4	-	1	-	-	3	-
Chelsea	74,672	-	6	2	-	-	-	-	3	-
City of Westminster	173,905	-	13	12	-	-	-	-	3	-
NORTH.										
St. Marylebone	128,580	-	9	4	-	2	-	-	2	-
Hampstead	89,633	-	7	1	-	1	-	-	-	-
St. Pancras	236,455	-	28	6	-	1	-	-	5	-
Islington	344,987	-	15	9	-	1	-	-	3	1
Stoke Newington	53,217	-	3	-	-	-	-	-	-	-
Hackney	230,721	1	19	8	-	-	-	-	6	-
CENTRAL.										
Holborn	55,805	-	4	-	-	-	-	-	-	-
Finsbury	97,466	-	10	8	-	3	-	-	4	-
City of London	21,367	-	5	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	18	2	-	1	-	-	1	-
Bethnal Green	130,609	-	22	3	-	2	-	-	3	-
Stepney	307,176	-	32	23	1	5	-	-	11	-
Poplar	170,673	-	15	1	-	1	-	-	1	-
SOUTH.										
Southwark	209,143	-	21	6	-	3	-	-	4	-
Bermondsey	128,629	-	25	7	-	-	-	-	2	-
Lambeth	315,774	-	15	15	-	6	-	-	2	-
Battersea	179,623	-	20	2	-	1	-	-	2	-
Wandsworth	273,381	-	11	7	-	3	-	-	6	1
Camberwell	274,132	-	27	10	-	-	-	-	6	-
Deptford	115,495	-	7	6	-	-	-	-	2	-
Greenwich	105,350	-	20	3	-	-	-	-	1	-
Lewisham	148,463	-	9	3	-	1	-	-	-	-
Woolwich	127,345	-	9	4	-	1	-	-	4	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	1	406	154	1	35	-	-	83	2
Ages 0-1		-	7	2	-	1	-	-	5	-
" 1-5		-	117	57	-	2	-	-	4	-
" 5-		-	190	40	-	1	-	-	2	-
" 10-		-	53	24	-	4	-	-	3	-
" 15-		-	18	9	-	9	-	-	6	-
" 20-		-	13	8	-	5	-	-	2	1
" 25-		1	6	12	1	7	-	-	15	-
" 35-		-	2	2	-	2	-	-	12	-
" 45-		-	-	-	-	4	-	-	15	1
" 55-		-	-	-	-	-	-	-	8	-
" 65 and upwards		-	-	-	-	-	-	-	11	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 30th JUNE, 1906.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia** (origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON -	16,734	-	761	144	138	403	-	44	1	199	1,671	3,067	97
West.													
PADDINGTON - - -	432	-	8	8	2	4	-	2	-	5	47	64	80
KENSINGTON - - -	628	-	32	5	3	5	-	2	-	2	62	90	107
HAMMERSMITH - -	440	-	19	10	1	4	-	2	-	4	42	81	113
FULHAM - - -	477	-	15	6	6	7	-	2	-	15	49	113	93
CHELSEA - - -	355	-	41	5	6	11	-	-	-	4	30	52	138
CITY OF WESTMINSTER -	579	-	4	4	2	10	-	1	1	7	69	67	100
North.													
ST. MARYLEBONE - -	472	-	13	1	4	2	-	-	-	2	47	61	59
HAMPSTEAD - - -	225	-	7	-	3	1	-	-	-	2	19	26	72
ST. PANCRAS - - -	918	-	62	9	6	16	-	3	-	9	128	145	101
ISLINGTON - - -	1,163	-	78	10	11	19	-	4	-	7	98	206	93
STOKE NEWINGTON - -	165	-	5	-	-	6	-	-	-	2	13	27	108
HACKNEY - - -	707	-	43	5	8	9	-	4	-	7	66	136	95
Central.													
HOLBORN - - -	252	-	19	2	1	5	-	1	-	4	26	34	84
FINSBURY - - -	501	-	82	4	5	22	-	4	-	3	42	97	110
CITY OF LONDON - -	93	-	1	2	-	1	-	-	-	-	10	7	77
East.													
SHOREDITCH - - -	544	-	52	1	3	20	-	1	-	9	59	134	136
BETHNAL GREEN - -	561	-	17	5	3	23	-	2	-	4	69	113	100
STEPNEY - - -	1,197	-	31	11	13	21	-	2	-	20	128	275	98
POPLAR - - -	658	-	35	2	3	16	-	1	-	8	75	122	92
South.													
SOUTHWARK - - -	902	-	42	7	4	16	-	2	-	12	114	165	115
BERMONDSEY - - -	604	-	50	10	7	21	-	1	-	9	69	121	118
LAMBETH - - -	1,027	-	16	8	15	20	-	2	-	10	86	193	84
BATTERSEA - - -	545	-	6	3	4	30	-	2	-	12	50	106	92
WANDSWORTH - -	827	-	21	5	9	22	-	3	-	6	58	154	82
CAMBERWELL - -	952	-	28	7	5	25	-	1	-	15	80	179	101
DEPTFORD - - -	428	-	11	5	2	29	-	1	-	12	42	93	114
GREENWICH - - -	334	-	11	2	5	21	-	1	-	3	29	60	88
LEWISHAM - - -	389	-	7	5	4	9	-	-	-	4	20	68	77
WOOLWICH - - -	359	-	5	2	3	8	-	-	-	2	44	78	93

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 538 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 740 cases the previous residence was outside London and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

Analysis of Metropolitan Water Supply during June, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th July, 1906.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of June.

Eleven samples were taken in each district, except in the Eastern and Kent districts, in each of which twelve samples were collected; making a total of 90 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea	June 11th, Cab Rank, Victoria Street, near Christ Church.	16·3	26·30	·136	·015	0	·171	·186	1·6	19·0
West Middlesex	June 11th, Cab Rank, Albert Road, N.W.	16·2	24·68	·163	·015	0	·151	·166	1·6	18·1
Southwark	June 11th, Cab Rank, St. George's Church, Borough.	17·0	26·04	·156	·017	0	·160	·177	1·6	18·7
Grand Junction	June 11th, Cab Rank, Pickering Place, Westbourne Grove.	17·0	24·92	·148	·014	0	·158	·172	1·65	18·1
Lambeth	June 11th, Cab Rank, Waterloo Road, opposite St. John's Church.	18·5	23·16	·149	·014	0	·192	·206	1·6	19·4
Lea, Wells, etc.										
New River	June 11th, Cab Rank, Bayham Street, Camden Town.	17·6	27·60	·072	·006	0	·183	·189	1·75	19·6
Eastern	June 11th, Tap on Main at Lea Bridge Works.	17·5	29·26	·110	·013	0	·110	·123	2·0	19·1
Deep Wells.										
Kent	June 11th, Cab Rank, Jerningham Road, near New Cross Station.	13·0	38·16	·048	·004	0	·503	·507	2·0	27·2
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4 to 11 relate to 100,000 parts of water. The Table is to be read thus:—The water collected in the Chelsea district, at the cab-rank in Victoria Street, on the 11th June, had a temperature of 16·3° C.; 100,000 lbs. of it contained 26·30 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·136 lb. of carbon and ·015 lb. of nitrogen. The above quantity of water also contained ·171 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·186 lb. The above weight of water also contained 1·6 lbs. of chlorine and 19·0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 11th of June were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the district works was: Kent, 0·9; New River, 1·3; Eastern, 2·1; Chelsea, 2·6; Grand Junction, 2·7; Lambeth, 2·8; Southwark, 2·9 and West Middlesex, 3·0.

The samples representing the filtered supplies furnished by the five district works operating with Thames water all contained nearly the same proportion of organic matter, and this was slightly higher than was found in the corresponding examination in the previous month. All these samples were clear and of good quality.

The New River district water contained less than half the amount of organic impurity contained in the Thames-derived supplies and was clear and of good quality. The Eastern district supply, obtained chiefly from the River Lea, was also clear and of good quality.

The Kent district deep-well water was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, and that from the New River area nearly colourless; the samples collected in the six remaining districts had only a very pale yellow colour.

In addition to the above analytical examination the 90 samples, collected during June at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains) has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
lsea	·060	·053	·057	·068	·056	·064	0	0	0	·006	·006	·006
st Middlesex	·063	·054	·060	·070	·061	·067	0	0	0	·007	·0065	·007
thwark	·073	·067	·070	·080	·074	·077	0	0	0	·008	·007	·0075
nd Junction	·072	·056	·066	·077	·064	·073	0	0	0	·007	·0065	·007
nbeth	·071	·063	·068	·078	·068	·074	0	0	0	·0065	·0065	·0065
A, WELLS, THAMES, ETC.												
w River	·042	·022	·032	·050	·023	·035	0	0	0	·0045	·0025	·003
stern	·064	·043	·050	·067	·046	·055	0	0	0	·0065	·005	·0055
DEEP WELLS.												
nt	·011	·008	·009	·011	·009	·010	0	0	0	·002	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With reference to the five supplies derived from the River Thames, the above results show that they were of nearly uniform chemical quality throughout the month, and the average proportion of organic impurity present was only slightly greater than that observed in May. All the samples examined were of good quality.

The New River district water, obtained chiefly from the River Lea and wells, contained on the average, slightly less organic matter than in the previous month; it was of very good quality throughout the month. The quality of the Eastern district supply was also good, the mean proportion of organic impurity being a little lower than in the average filtered Thamas water supply.

All the samples of deep-well water tested were, as usual, of high organic purity and excellent quality.

All the samples taken in the Chelsea, Grand Junction, Lambeth, New River. and Kent districts were clear, and all those collected in the West Middlesex area were also clear, except one, which was very faintly opalescent. With regard to the other supplies, on several occasions, minute amounts of rust stained suspended matters were observed, and these appearances were most frequently recorded in the case of the Southwark District water.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of June, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 229 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	JUNE, 1905.	JUNE, 1906.	JUNE, 1905.	JUNE, 1906.
TOTAL SUPPLY - - -	1,029,999	1,049,175	232,858,526	240,651,009
From Thames - - - - - -	479,458	489,224	123,173,101	127,317,773
From Lea and from other Sources -	550,541	559,951	109,685,425	113,333,236
THAMES.				
SOUTHERN { Southwark and Vauxhall	130,891	132,623	31,541,000	32,166,000
SOUTHERN { Lambeth - - - - -	137,037	141,159	32,956,187	35,417,800
WESTERN { West Middlesex - -	92,071	92,799	25,969,900	26,924,633
WESTERN { Grand Junction - -	79,490	82,705	19,259,347	19,160,640
WESTERN { Chelsea - - - - -	39,969	39,938	13,446,667	13,648,700
LEA AND OTHER SOURCES.				
New River - - - - - - -	205,286	208,451	43,697,921	46,103,000
Eastern - - - - - - - -	232,898	236,817	46,307,800	46,018,100
Kent - - - - - - - - -	112,357	114,683	19,679,704	21,212,136

Note.—The Return for June, 1906, as compared with that for the corresponding month of 1905, shows an increase of 19,176 services, and of 7,792,483 gallons of water supplied daily.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 28. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JULY 14. [Price 1½*d.*

General Register Office, Somerset House,

July 16*th*, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 11·7 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 13·2, 12·4, and 12·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 16·0 in Manchester, 16·2 in Middlesbrough, 16·5 in Sunderland, 16·7 in Newcastle on Tyne, 16·8 in Norwich, 17·2 in Burnley and in St. Helens, 19·8 in Huddersfield, and 20·3 in Rochdale; from *measles*, 1·1 in Huddersfield, 1·4 in Halifax, 1·6 in Manchester, and 3·6 in Burnley; from *scarlet fever*, 1·7 in Rotherham; from *whooping-cough*, 1·0 in Middlesbrough and in Sunderland, and 1·7 in Rotherham; and from *diarrhœa*, 1·2 in West Ham, 1·3 in Preston, 1·6 in Bootle, and 1·8 in Norwich. One death from *small-pox* was registered in Hull, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2413 BIRTHS and 1072 DEATHS were registered. Allowing for increase of population, the births were 116 and the deaths 106 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 13·3, 11·7, and 12·3 per 1000 in the preceding three weeks, fell last week to 11·8. The death-rate in the four weeks ended last Saturday averaged 12·3 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 7/06 D & S 3 25454

The 1072 deaths included 22 from measles, 6 from scarlet fever, 9 from diphtheria, 18 from whooping-cough, 4 from enteric fever, and 35 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 94 deaths were referred to these diseases in the aggregate, being 52 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 52, 46, and 39 in the preceding three weeks, fell to 22 last week, and were 11 below the corrected average; 4 deaths belonged to the Borough of Islington, and 3 each to Kensington and Shoreditch. The deaths from *scarlet fever*, which had been 13, 5, and 17 in the preceding three weeks, fell to 6 last week, and were 2 below the corrected average. The deaths from *diphtheria*, which had been 8, 9, and 12 in the preceding three weeks, fell to 9 last week, the corrected average being 10. The deaths from *whooping-cough*, which had been 23, 14, and 12 in the preceding three weeks, rose to 18 last week, but were 15 below the corrected average; 3 deaths belonged to Islington, 3 to Battersea, and 3 to Wandsworth. The fatal cases of *enteric fever*, which had been 8, 9, and 12 in the preceding three weeks, fell to 4 last week, and were 3 below the corrected average. The deaths from *diarrhœa*, which had been 17, 22, and 31 in the preceding three weeks, rose to 35 last week, but were 17 below the corrected average; 6 deaths belonged to Lambeth, 4 to Fulham, and 3 apiece to St. Marylebone, Wandsworth, and Deptford. Of the 35 deaths from diarrhœa, 30 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 6, having been 7, 3, and 5 in the preceding three weeks.

Different forms of *violence* caused 60 deaths, concerning all of which inquests were held. Of these 60 deaths, 14 were cases of suicide, and 1 of homicide, while the remaining 45 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 5 to burns or scalds, 9 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 2, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4 cases of small-pox, 2840 of scarlet fever, 841 of diphtheria, and 89 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 7, 0, and 0; of scarlet fever, 406 cases, against 380, 366, and 377; of diphtheria, 129 cases, against 118, 126, and 138; and of enteric fever, 14 cases, against 21, 20, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 7th, 1906.

Greater London.

In Greater London 3688 births and 1474 deaths were registered. Allowing for increase of population, these numbers are 162 and 161 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 2 from scarlet fever, 2 from diphtheria, 1 from whooping-cough, 1 from "fever," and 6 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·99 inches, and that of the Thermometer 61°·5, the latter being 0°·9 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 4 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 47·9 hours; the measured rainfall amounted to 0·01 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 23rd June, 1906.	30th June, 1906.	7th July, 1906.	14th July, 1906.	Rate from Diseases in Cols. 11–17. Week ended 14th July, 1906.	Registered during the Week ended 14th July, 1906. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	15,818,360	13·2	12·4	12·3	11·7	1·2	8322	3556	706	954	1	97	25	39	59	27	113	166	305	921	33	76 Towns.
London	4,721,217	13·3	11·7	12·3	11·8	1·0	2413	1072	192	305	-	22	6	9	18	4	35	60	117	451	1	London.
Croydon	151,011	9·0	10·7	8·3	8·6	0·7	93	25	7	8	-	-	1	-	-	-	1	2	5	7	-	Croydon.
Willesden	143,622	6·9	9·1	11·6	8·7	0·4	76	24	3	12	-	-	-	-	1	-	-	1	1	5	-	Willesden.
Hornsey	86,935	7·2	6·6	9·6	9·0	-	33	15	1	9	-	-	-	-	-	-	-	-	2	-	-	Hornsey.
Tottenham	119,503	9·6	5·2	8·3	9·6	0·9	87	22	5	5	-	-	-	-	1	-	1	1	5	2	-	Tottenham.
West Ham	301,617	8·8	11·4	8·1	10·4	3·1	164	60	13	12	-	5	1	-	1	4	7	1	5	15	-	West Ham.
East Ham	129,886	7·6	6·4	7·2	5·6	1·2	63	14	4	3	-	1	-	1	-	1	-	1	1	2	-	East Ham.
Leyton	118,287	5·7	12·3	7·9	8·8	2·2	58	20	4	8	-	1	-	1	1	-	2	-	1	2	-	Leyton.
Walthamstow	121,334	7·7	9·0	6·0	7·7	0·4	73	18	6	3	-	-	1	-	-	-	-	-	2	3	-	Walthamstow.
Hastings	67,144	13·2	14·8	7·8	6·2	-	30	8	2	4	-	-	-	-	-	-	-	1	1	-	-	Hastings.
Brighton	128,095	14·7	13·8	9·4	12·2	0·4	49	30	3	14	-	-	-	-	1	-	-	-	1	12	-	Brighton.
Portsmouth	205,118	11·2	15·3	9·9	8·4	1·5	99	33	5	8	-	1	-	-	1	-	4	1	1	6	-	Portsmouth.
Bournemouth	67,702	8·5	8·5	10·0	6·9	0·8	19	9	1	2	-	-	-	-	1	-	-	-	1	-	1	Bournemouth.
Southampton	117,312	12·4	7·6	10·7	9·8	-	56	22	3	12	-	-	-	-	-	-	-	-	1	3	-	Southampton.
Reading	78,987	10·6	6·6	11·2	7·9	0·7	35	12	3	4	-	-	-	1	-	-	-	-	-	4	-	Reading.
Northampton	93,749	10·6	11·1	8·3	7·2	0·6	44	13	2	2	-	-	-	-	-	-	1	-	1	2	-	Northampton.
Ipswich	71,809	13·1	16·7	10·9	10·2	-	23	14	3	4	-	-	-	-	-	-	-	1	2	4	1	Ipswich.
Great Yarmouth	52,613	11·9	8·9	10·9	11·9	-	31	12	1	7	-	-	-	-	-	-	-	-	2	1	-	Great Yarmouth.
Norwich	117,958	13·7	12·4	11·9	16·8	2·2	62	38	7	18	-	1	-	-	-	-	4	1	1	5	1	Norwich.
Plymouth	118,014	12·4	13·3	11·9	14·6	0·9	49	33	5	13	-	-	-	-	1	-	1	3	4	2	-	Plymouth.
Devonport	78,405	16·6	12·0	8·0	13·3	0·7	41	20	3	5	-	1	-	-	-	-	-	-	-	2	-	Devonport.
Bristol	363,223	12·6	10·5	13·9	9·8	1·1	187	68	14	21	-	-	-	3	2	-	3	2	6	8	-	Bristol.
Hanley	66,300	22·8	13·4	12·6	9·4	1·6	37	12	2	1	-	-	-	-	-	1	1	1	1	1	1	Hanley.
Burton-on-Trent	52,922	10·8	15·8	7·9	10·8	2·0	23	11	2	4	-	-	1	-	-	-	1	-	-	1	-	Burton-on-Trent.
Wolverhampton	100,729	7·8	7·8	14·5	8·8	-	49	17	4	4	-	-	-	-	-	-	-	1	2	2	-	Wolverhampton.
Walsall	94,577	11·6	13·2	10·5	8·8	-	65	16	8	3	-	-	-	-	-	-	-	1	1	3	-	Walsall.
Handsworth	63,819	5·7	11·4	12·3	8·2	-	26	10	2	4	-	-	-	-	-	-	-	-	-	-	1	Handsworth.
West Bromwich	68,469	15·2	11·4	11·4	11·4	0·8	36	15	6	5	-	-	-	-	1	-	-	-	-	1	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 14th July, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 23rd June, 1906	30th June, 1906.	7th July, 1906.	14th July, 1906.	Rate from Diseases in Cols. 11-17. Week ended 14th July, 1906.	Registered during the Week ended 14th July, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	12·7	12·2	12·1	10·0	0·8	321	105	25	26	-	2	2	1	1	-	2	3	4	22	1	BIRMINGHAM.
KINGS NORTON -	72,608	10·8	9·3	7·9	7·9	0·7	22	11	-	6	-	1	-	-	-	-	-	-	-	-	1	KINGS NORTON.
SMETHWICK - -	64,531	6·5	8·9	13·7	10·5	-	31	13	2	6	-	-	-	-	-	-	-	-	-	-	1	SMETHWICK.
ASTON MANOR -	82,288	7·0	8·2	11·4	7·6	1·9	39	12	2	1	-	1	-	-	1	-	1	2	2	1	-	ASTON MANOR.
COVENTRY - -	76,374	13·0	14·3	10·2	7·5	1·4	36	11	2	3	-	-	-	1	1	-	-	2	4	1	-	COVENTRY.
LEICESTER - -	232,111	8·3	8·3	7·0	9·0	0·7	116	40	7	11	-	2	-	-	-	-	1	1	3	1	3	LEICESTER.
GRIMSBY - - -	69,359	12·0	6·8	14·3	6·8	0·8	39	9	2	-	-	-	-	1	-	-	-	-	1	-	-	GRIMSBY.
NOTTINGHAM - -	254,563	12·9	12·5	10·9	11·5	0·8	126	56	11	14	-	-	-	-	-	1	3	2	3	8	1	NOTTINGHAM.
DERBY - - -	123,981	13·0	13·0	10·5	11·4	0·4	66	27	3	8	-	-	-	1	-	-	-	1	4	11	-	DERBY.
STOCKPORT - -	99,616	14·7	9·4	13·6	14·7	-	46	28	9	2	-	-	-	-	-	-	-	-	-	-	-	STOCKPORT.
BIRKENHEAD - -	117,292	17·3	13·3	11·1	10·2	1·3	60	23	4	6	-	-	-	-	1	-	2		2	1	-	BIRKENHEAD.
WALLASEY - -	64,578	16·1	9·7	20·2	8·9	0·8	27	11	3	3	-	-	-	-	1	-	-	1	2	1	-	WALLASEY.
LIVERPOOL - -	739,180	16·7	15·2	15·7	12·8	1·3	470	182	38	44	-	5	1	4	2	1	6	18	21	54	3	LIVERPOOL.
BOOTLE - - -	65,989	13·4	15·8	11·9	12·6	2·4	37	16	4	3	-	1	-	-	-	-	2	1	1	3	1	BOOTLE.
ST. HELENS - -	91,153	10·3	10·3	13·2	17·2	1·7	52	30	5	4	-	-	-	1	-	1	1	-	-	8	1	ST. HELENS.
WIGAN - - -	87,588	12·5	14·9	19·6	9·5	1·8	48	16	5	-	-	-	-	1	-	1	1	-	-	1	-	WIGAN.
WARRINGTON -	69,280	18·1	14·3	13·5	9·8	0·8	49	13	2	5	-	-	-	-	-	-	1	-	-	2	-	WARRINGTON.
BOLTON - - -	180,502	13·0	12·4	9·8	12·1	0·3	83	42	6	14	-	-	-	-	-	-	1	-	1	2	-	BOLTON.
BURY - - -	58,744	16·0	9·8	12·4	12·4	-	21	14	4	2	-	-	-	-	-	-	-	1	2	2	-	BURY.
MANCHESTER - -	637,126	17·3	16·3	16·4	16·0	2·9	365	195	30	41	-	20	1	2	5	1	6	9	17	69	-	MANCHESTER.
SALFORD - - -	234,077	15·8	15·4	14·7	14·0	2·0	142	63	12	8	-	3	1	2	-	1	2	-	2	19	-	SALFORD.
OLDHAM - - -	140,969	12·6	19·2	16·3	15·5	1·8	71	42	7	9	-	2	1	-	-	2	-	1	3	10	-	OLDHAM.
ROCHDALE - -	87,189	12·6	11·4	19·1	20·3	1·8	39	34	4	9	-	-	-	1	-	1	1	1	2	6	-	ROCHDALE.
BURNLEY - - -	102,808	19·8	15·7	14·2	17·2	5·6	47	34	14	5	-	7	1	-	-	1	2	2	3	3	1	BURNLEY.
BLACKBURN - -	134,015	10·5	12·1	10·9	13·2	1·6	74	34	6	15	-	-	-	1	1	-	2	1	1	7	1	BLACKBURN.
PRESTON - - -	116,399	14·3	15·2	14·3	13·0	3·1	56	29	9	3	-	1	1	1	-	1	3	2	2	2	1	PRESTON.
BARROW-IN-	60,967	12·8	13·7	17·1	13·7	0·9	39	16	1	0	-	-	-	1	-	-	-	1	1	4	1	BARROW-IN-

Towns.	Population estimated to the middle of the Year 1906.*	Death-rates from all Causes. Week ended 23rd June, 1906.	30th June, 1906.	7th July, 1906.	14th July, 1906.	Death-rates from Diseases in Cols. 11-17. Week ended 14th July, 1906.	Registered during the Week ended 14th July, 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	13·2	15·9	8·2	19·8	2·2	36	36	6	14	-	2	-	-	1	1	-	1	1	3	-	Huddersfield.
Halifax	109,272	11·9	16·2	12·9	8·6	1·9	45	18	5	5	-	3	1	-	-	-	-	2	2	5	-	Halifax.
Bradford	288,544	18·3	11·9	11·7	12·5	0·9	133	69	14	18	-	2	-	-	1	-	2	2	4	6	-	Bradford.
Leeds	463,495	13·4	11·8	11·9	12·4	1·3	228	110	18	39	-	5	-	-	2	1	4	7	11	26	-	Leeds.
Sheffield	447,951	13·4	12·2	12·9	12·0	1·4	251	103	20	23	-	2	4	1	1	1	3	5	9	18	-	Sheffield.
Rotherham	61,098	7·7	10·2	11·1	14·5	3·4	25	17	2	3	-	-	2	-	2	-	-	1	1	6	1	Rotherham.
York	83,467	16·9	9·4	8·1	7·5	-	29	12	2	5	-	-	-	-	-	-	-	2	2	2	-	York.
Hull	262,426	15·1	13·3	12·1	11·5	0·8	134	58	12	17	1	-	-	2	-	1	-	3	3	19	1	Hull.
Middlesbrough	100,069	18·2	18·2	12·0	16·2	2·6	74	31	8	5	-	-	-	-	2	1	2	2	2	9	1	Middlesbrough.
Stockton-on-Tees	52,664	14·9	12·9	14·9	10·9	-	34	11	2	1	-	-	-	-	-	-	-	-	1	2	-	Stockton-on-Tees.
West Hartlepool	73,387	8·5	8·5	15·6	11·4	-	52	16	6	3	-	-	-	-	-	-	-	-	-	1	-	West Hartlepool.
Sunderland	154,385	17·6	14·2	12·5	16·5	2·0	109	49	12	16	-	-	-	1	3	-	2	2	2	11	2	Sunderland.
South Shields	111,402	13·1	21·5	13·1	10·3	0·5	63	22	7	5	-	-	-	-	1	-	-	-	-	3	-	South Shields.
Gateshead	123,191	12·7	16·1	11·9	10·6	0·8	59	25	6	5	-	1	-	-	1	-	-	-	-	3	3	Gateshead.
Newcastle-on-Tyne	268,721	14·2	15·5	14·4	16·7	1·0	145	86	25	19	-	4	-	-	-	-	1	4	7	14	1	Newcastle-on-Tyne.
Tynemouth	54,138	14·4	14·4	16·4	13·5	-	35	14	2	4	-	-	-	-	-	-	-	-	1	3	1	Tynemouth.
Newport (Mon.)	74,227	16·2	14·0	10·5	4·9	-	46	7	2	1	-	-	-	-	-	-	-	1	1	-	-	Newport (Mon.)
Cardiff	183,823	13·3	11·3	9·4	9·1	0·9	83	32	8	4	-	-	-	-	1	1	1	2	5	5	-	Cardiff.
Rhondda	127,684	11·0	13·5	11·0	11·8	-	77	29	8	5	-	-	-	-	-	-	-	2	3	-	-	Rhondda.
Merthyr Tydfil	74,961	19·5	13·9	17·4	9·7	1·4	50	14	6	-	-	-	-	1	1	-	-	1	1	-	1	Merthyr Tydfil
Swansea	96,848	12·4	15·1	17·2	15·1	1·6	71	28	7	8	-	1	-	1	1	-	-	2	4	3	-	Swansea.
Greater London	7,113,561	11·7	11·0	11·2	10·8	1·0	3688	1474	285	415	-	31	11	13	23	10	52	86	163	523	3	Greater London.
Outer Ring	2,392,344	8·6	9·5	9·0	8·8	1·0	1275	402	93	110	-	9	5	4	5	6	17	26	46	72	2	Outer Ring.
8 Towns in Outer Ring	1,172,195	8·0	9·3	8·4	8·8	1·4	647	198	43	60	-	7	3	2	4	5	11	6	22	36	-	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	9·2	9·6	9·6	8·7	0·6	628	204	50	50	-	2	2	2	1	1	6	20	24	36	2	Remainder of Outer Ring.
Edinburgh	341,035	15·6	14·8	13·8	13·1	1·4	152	86	8	33	-	7	1	-	-	-	1	1	?	37	10	Edinburgh.
Glasgow	835,625	17·1	14·9	16·7	15·5	2·1	456	248	57	44	-	5	-	2	9	3‡	14	10	?	71	13	Glasgow.
Dublin†	378,994	20·2	16·4	16·9	18·7	1·7	230	136	25	32	-	1	-	-	6	2	3	2	4	61	2	Dublin.†
Belfast†	366,220§	18·7	16·1	15·0	16·9	2·3	162	119	27	17	-	-	-	-	9	1	6	6	6	23	2	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ In addition to the above, 4 deaths from Cerebro-spinal meningitis were registered.

§ Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-EIGHTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2634	2579	2502	2351	2479	2526	2530	2581	2450	2363	2529·0	2413
Males - - -	1353	1308	1255	1202	1296	1251	1305	1265	1246	1186	1274·7	1253
Females - -	1281	1271	1247	1149	1183	1275	1225	1316	1204	1177	1254·3	1160
TOTAL **Deaths** -	1770	1391	1214	1387	1252	1237	1280	1145	1152	1047	1178·4	1072
Males - -	912	695	649	733	666	652	699	601	605	546	624·6	577
Females - -	858	696	565	654	586	585	581	544	547	501	553·8	495

* The numbers in this column are the average weekly numbers in the twenty-eighth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	13 Weeks.
TOTAL **Births** -	2459	2717	2547	2497	2480	2518	2384	2145	2447	2498	2386	2496	2413	31987
TOTAL **Deaths** -	1742	1562	1446	1417	1269	1156	1239	1149	1108	1205	1060	1113	1072	16538
Ages at Death: Under 1 year -	305	290	239	255	251	200	228	225	197	213	189	208	192	2992
1–5 years -	238	211	223	169	163	139	140	149	137	139	113	144	126	2091
5–20 " -	85	68	64	77	66	79	71	67	59	79	67	79	71	932
20–40 " -	198	197	182	172	157	154	149	142	158	151	136	132	151	2079
40–60 " -	364	324	267	298	259	243	264	227	234	279	240	253	227	3479
60 yrs. & upwds.	552	472	471	446	373	341	387	339	323	344	315	297	305	4965
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	85	73	61	75	43	41	50	58	45	52	46	39	22	690
Scarlet Fever - -	19	6	17	11	10	15	12	6	15	13	5	17	6	152
Diphtheria - -	13	14	9	10	11	13	10	7	10	8	9	12	9	135
Whooping-cough -	37	43	38	26	38	32	35	24	17	23	14	12	18	357
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	3	-	5	3	8	1	1	2	8	9	12	4	58
Pyrexia (origin uncertain).	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	18	14	12	16	16	10	21	17	15	17	22	31	35	244
All above Diseases -	174	154	137	143	121	119	129	113	104	121	105	123	94	1637
Dis. of Resp. System	177	159	164	122	96	88	75	62	54	58	41	41	47	1184
Pneumonia - -	222	202	145	151	148	124	111	90	88	79	91	77	72	1600
Phthisis - - -	165	147	148	139	117	111	145	116	90	129	111	127	108	1653
Dis. of Circ. System -	207	190	175	182	160	148	155	171	160	170	166	144	153	2181
Violence - - -	70	63	61	60	53	42	57	65	57	50	71	51	60	760
Inquest Cases - -	170	152	146	141	119	121	128	134	119	107	123	109	117	1686
Deaths in Institutions	654	574	583	567	507	453	512	464	486	527	452	474	451	6704
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	45·7	42·0	46·6	54·2	50·7	51·8	57·2	55·6	53·9	64·1	60·0	61·9	61·5	54·2
Mean of Highest -	57·3	52·1	56·1	64·1	61·2	60·3	67·4	68·6	64·6	76·8	71·5	74·0	72·8	65·1
Mean of Lowest -	34·0	33·7	38·1	45·4	41·1	44·6	49·7	42·2	46·9	51·9	51·4	49·5	52·7	44·7
Mean Humidity of the Air.	66	68	73	79	68	75	76	65	80	68	76	65	70	71
Rain-fall (in inches) -	0·05	0·43	0·26	0·05	0·17	1·08	0·19	0·00	0·30	0·01	2·46	0·00	0·01	5·01
Registered Sunshine (in hours).	42·0	44·2	38·4	22·8	43·3	27·5	39·1	30·6	35·6	61·0	58·1	75·4	47·9	615·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	7	6	3	1	2	2	5	6	7	13	11	7	4	6
Scarlet Fever - -	2225	2240	2337	2378	2396	2453	2516	2603	2677	2692	2752	2767	2840	2529
Diphtheria - -	881	862	828	791	782	783	762	774	749	766	783	828	841	802
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	60	56	60	56	42	44	41	41	65	76	93	86	89	62

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst.C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-EIGHTH Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 28th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages						
		ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1178·4	1072	192	126	71	151	227	305
Small-pox*	3·3	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	33·4	22	5	17	-	-	-	-
Scarlet Fever	7·6	6	-	3	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	6·1	6	-	-	1	-	-	5
Whooping-cough	32·9	18	8	10	-	-	-	-
Diphtheria	9·7	9	-	3	6	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	0·3	-	-	-	-	-	-	-
Enteric Fever	7·4	4	-	-	2	2	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	26·2	20	16	4	-	-	-	-
Diarrhœa, Dysentery	25·5	15	4	6	-	2	1	2
Tetanus	0·3	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	6·4	3	2	-	-	1	-	-
Puerperal Septicæmia	2·0	2	-	-	-	1	1	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	0·3	-	-	-	-	-	-	-
Infective Endocarditis	2·0	3	-	-	-	2	1	-
Pneumonia: Lobar	7·4	11	2	-	-	1	4	4
Pneumonia: Broncho-	25·7	29	7	15	-	1	1	5
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	40·3	32	-	3	-	9	11	9
Erysipelas	3·3	4	-	-	-	-	2	2
Septicæmia (not Puerperal)	1·0	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	1·8	1	1	-	-	-	-	-
Other Infective Processes	7·4	5	1	-	2	-	1	1
Tuberculous Phthisis	58·9	64	4	5	7	20	21	7
"*Phthisis*"	54·3	44	-	-	3	21	15	5
Tuberculous Meningitis	24·7	20	4	11	4	1	-	-
Tuberculous Peritonitis	6·9	13	7	2	1	1	1	1
Tabes Mesenterica	5·1	2	2	-	-	-	-	-
Tuberculous Dis. (other)	17·3	17	-	8	3	4	2	-
Scrofula	0·5	-	-	-	-	-	-	-
Alcoholism	13·0	5	-	-	-	1	4	-
Rheumatic Fever	2·8	7	-	-	3	3	1	-
Gout	1·5	1	-	-	-	-	-	1
Carcinoma	53·5	54	-	-	-	6	25	23
Sarcoma	6·4	4	-	1	-	2	1	-
Cancer (undefined)	33·6	31	-	-	-	-	13	18
Diabetes Mellitus	4·8	5	-	-	-	-	1	4
Premature Birth	46·9	44	44	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 28th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages						
		ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	14·0	16	2	11	1	-	-	2
Insanity, Gen. Par. of Insane	11·0	15	-	-	2	4	5	4
Epilepsy	5·6	6	-	-	1	4	1	-
Convulsions	13·6	13	11	2	-	-	-	-
Locomotor Ataxy	2·3	1	-	-	-	-	1	-
Paraplegia, Dis. of Cord	6·1	7	-	-	1	1	1	4
Nervous Sys. (other dis.)	16·8	16	-	-	-	1	7	8
Valv. Dis., Endocarditis	34·9	43	1	-	2	11	14	15
Cerebr. Hæm. Thromb.	26·8	31	-	-	-	1	13	17
Apoplexy, Hemiplegia	14·3	7	-	-	-	-	4	3
Aneurysm	4·3	3	-	-	-	1	2	-
Embolism, Thrombosis (not cerebral)	1·5	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	77·7	69	-	-	4	6	16	43
Croup (not Spasm: nor Memb.)	0·5	-	-	-	-	-	-	-
Bronchitis	46·1	31	5	6	-	-	6	17
Asthma, Emphysema	1·3	3	-	-	-	1	-	2
Pleurisy	2·8	4	2	1	-	1	-	-
Respiratory Dis. (other)	11·7	6	-	1	1	-	1	3
Tonsillitis, Quinsy	0·3	2	-	1	1	-	-	-
Enteritis (not Epid.)	7·1	9	3	2	-	-	1	3
Gastro-Enteritis	6·4	4	3	-	-	-	-	1
Peritonitis (not Puerp.)	2·8	4	-	1	-	1	1	1
Cirrhosis of Liver	13·8	10	-	-	-	1	5	4
Liver Dis. (other)	5·9	7	-	-	-	2	1	4
Digestive Dis., Other	37·0	32	3	1	1	7	7	7
Nephritis, Acute	6·6	5	-	-	1	-	3	1
Bright's Dis., Albuminuria	26·8	21	-	1	-	3	10	7
Urinary Sys., Other Dis.	7·9	14	-	-	1	1	2	10
Generative Organs Dis.	5·4	6	-	-	-	3	3	-
Childbirth (Accid. of)	3·1	4	-	-	-	4	-	-
Old Age	43·3	40	-	-	-	-	-	40
Other Diseases	79·3	79	49	4	5	5	4	12
ACCIDENT.								
By Railways	1·8	2	-	-	1	1	-	-
By Vehicles and Horses	5·4	6	-	1	3	1	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	1	-	-	1	-	-	-
In Building Operations	1·5	1	-	-	-	-	1	-
In Conflagrations	0·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	3·6	5	1	3	-	1		-
By Drowning	6·1	9	-	-	3	2	3	1
By Suffocation in Bed	4·1	2	2	-		-		-
By Poisons or Poisonous Vapours	2·0	2	-	-		-	-	2
Other Deaths by Accident	16·3	17	3	3	-	3	5	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·5	1	-	-	-	1	-	-
Suicide	12·5	14	-	-	1	6	4	3
Execution	0·3	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ME SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., reg in each SUB-DISTRICT during the Week ended Saturday, 14th July, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.
LONDON	4,536,429	2413	1072	192	305	-	22	6	9	18	-	4	-	35	60	117
WEST DISTRICTS	805,311	369	170	38	50	-	3	-	2	2	-	1	-	8	8	16
NORTH DISTRICTS	1,056,070	515	236	34	75	-	8	1	2	2	-	-	-	7	11	24
CENTRAL DISTRICTS	209,465	109	75	14	16	-	1	-	-	3	-	3	-	2	4	10
EAST DISTRICTS	715,739	462	173	28	40	-	6	1	2	-	-	-	-	2	10	25
SOUTH DISTRICTS	1,749,844	958	380	78	112	-	4	3	2	11	-	-	-	15	27	41
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	38	-	12	-	-	1	1	-	-	-	-	1	-	1
WEST DISTRICTS.																
St. Mary Paddington *W,2H*	93,178	54	20	4	10	-	-	-	-	-	-	-	-	-	1	2
St. John Paddington *H*	33,617	10	10	-	1	-	-	-	-	-	-	-	-	-	-	-
North-West Paddington	17,181	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	54	26	6	4	-	3	-	1	1	-	-	-	-	1	1
Brompton *2H*	48,591	12	11	-	8	-	-	-	-	-	-	-	-	-	-	2
North Hammersmith *2W,wH*	49,192	25	15	4	4	-	-	-	-	1	-	-	-	1	1	3
South Hammersmith *w,2H*	63,047	32	10	-	3	-	-	-	-	-	-	-	-	1	-	-
North-west Fulham *W*	45,180	34	17	7	4	-	-	-	-	-	-	-	-	4	2	3
North-east Fulham *F*	46,405	24	5	1	1	-	-	-	1	-	-	-	-	1	1	1
South Fulham *W*	45,704	35	6	3	1	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	16	16	1	7	-	-	-	-	-	-	-	-	-	-	1
Chelsea South *W,2H*	31,328	23	5	2	1	-	-	-	-	-	-	-	-	-	-	-
Mayfair and Knightsbridge	28,743	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1
Belgrave *W,2H*	55,815	17	14	4	4	-	-	-	-	-	-	1	-	-	-	-
St. Margaret & St. John *4H*	43,698	9	12	5	1	-	-	-	-	-	-	-	-	1	1	1
St. James and St. Anne *W,6H*	33,081	14	2	1	1	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																
All Souls Marylebone *8H*	35,391	8	9	1	4	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *W,4H*	37,948	47	9	2	1	-	-	-	-	-	-	-	-	1	-	-
Christchurch Marylebone *H*	39,536	24	5	2	2	-	2	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	36	17	1	9	-	-	-	2	-	-	-	-	1	2	4
West St. Pancras *2H*	60,562	36	8	3	-	-	-	-	-	-	-	-	-	1	-	2
Tottenham-court *w,7H*	21,258	2	10	-	5	-	-	-	-	-	-	-	-	1	-	1
Gray's Inn Lane *4H*	34,449	17	5	1	1	-	-	-	-	-	-	-	-	-	-	1
East St. Pancras *W,2H*	60,320	33	22	3	5	-	-	-	-	-	-	-	-	-	1	1
North St. Pancras *2W*	58,728	25	15	1	8	-	1	-	-	-	-	-	-	1	1	4
Tufnell *W*	31,995	12	14	1	7	-	-	-	-	-	-	-	-	-	-	-
Upper Holloway *2W,w,H*	33,978	21	22	1	7	-	-	-	-	-	-	-	-	4	5	18
Tollington *WH*	33,922	9	7	1	3	-	-	-	-	-	-	-	-	-	1	-
Lower Holloway	41,424	21	6	-	3	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	31	8	2	-	-	3	-	-	1	-	-	-	-	-	-
Islington South-east *F*	75,397	36	10	2	3	-	-	-	-	-	-	-	-	-	1	-
Highbury *2H*	63,797	22	12	3	3	-	1	-	-	1	-	-	-	1	-	-
Stoke Newington *H*	51,247	24	8	1	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	17	7	-	1	-	1	-	-	-	-	-	-	-	3	3
Central Hackney *2w,F*	50,536	26	10	3	1	-	-	1	-	-	-	-	-	1	1	1
South-west Hackney *3H*	59,921	31	10	4	3	-	-	-	-	-	-	-	-	-	-	1
South-east Hackney *2W,w,H*	58,255	30	20	1	8	-	-	-	-	-	-	-	-	1	-	2

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a s district contains more than one institution of either kind, the number is indicated by a figure prefixed to letter.

* See also note * on first page of this return

† Formerly described as "Simple Continued Fever

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th July, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
iles and Bloomsbury 2*W*,2*H* -	31,436	14	6	1	2	-	-	-	-	-	-	-	-	-	-	-	3	-
nd *W*,4*H* - - - - -	21,674	4	14	1	4	-	-	-	-	-	-	-	-	-	1	3	11	-
d Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn *W*,6*H* - - - - -	29,612	17	10	5	-	-	-	-	-	1	-	-	-	2	-	-	10	-
h Clerkenwell - - -	28,676	18	4	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
h Clerkenwell *H* - - -	35,028	18	8	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
bury 3*H*,*L* - - - -	36,116	32	3	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-
orn Union Workhouse, tcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph *H* - - - -	10,299	2	3	-	1	-	-	-	-	-	-	-	-	-	1	3	-	-
epulchre and Allhallows *W*,2*H*	16,624	4	27	2	4	-	-	-	-	-	-	3	-	-	2	4	23	-
of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *H* - - -	46,362	19	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
editch North-West *W*,*w*,*H* -	36,127	31	17	3	6	-	1	-	-	-	-	-	-	-	-	2	10	-
editch North-East - - -	36,148	27	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
editch Union Workhouse, Wood een - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green North 2*H* - -	51,514	49	8	1	2	-	-	-	-	-	-	-	-	1	1	3	3	-
nal Green South - - -	33,472	18	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green East 2*W*,*H*,*L* - -	44,694	29	14	3	3	-	-	-	-	-	-	-	-	-	-	-	10	-
alfields - - - - -	27,969	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
End New Town *W*,*H* - -	28,718	23	41	2	9	-	-	1	1	-	-	-	-	-	2	3	41	-
dman's Fields - - - -	22,081	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge and St. John 2*W* - -	49,068	43	6	2	1	-	-	-	-	-	-	-	-	1	2	2	2	-
dwell and Ratcliff *W*,*H* - -	25,568	14	9	3	-	-	-	-	-	-	-	-	-	-	2	3	5	-
enouse *W* - - - - -	32,369	16	6	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-
End Old Town South-estern *H* - - - -	63,698	63	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
End Old Town North-astern *W*,*w* - - -	49,129	23	13	4	2	-	1	-	1	-	-	-	-	-	-	2	3	-
L - - - - - - -	41,989	21	8	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
mley 3*w*,*H* - - - - -	68,719	33	29	3	7	-	1	-	-	-	-	-	-	-	3	5	17	-
ar *W*,*w* - - - - -	58,514	31	9	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-P MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registe in each SUB-DISTRICT during the Week ended Saturday, 14th July, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark W,H	11,263	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H	12,056	2	13	3	-	-	-	-	-	-	-	-	-	-	1	1	12
Kent-road	21,904	14	4	1	-	-	1	-	-	-	-	-	-	-	1	1	-
St. George the Martyr West W,2H,L	39,094	22	11	6	2	-	-	-	1	-	-	-	-	-	-	-	5
Newington North	49,022	22	9	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Newington South W	72,841	43	11	2	4	-	-	-	-	-	-	-	-	-	-	-	1
St. Olave 2W	9,81	6	5	2	1	-	1	-	-	-	-	-	-	-	1	1	1
Bermondsey W	82,483	45	15	5	4	-	-	-	-	1	-	-	-	-	-	2	-
Rotherhithe W,F	38,480	16	10	1	4	-	-	-	-	-	-	-	-	-	-	-	4
Waterloo-road 2H	27,440	25	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Lambeth Church 1st H	18,423	7	12	2	2	-	-	-	-	-	-	-	-	-	3	3	11
Lambeth Church 2nd 2W	39,818	35	15	2	4	-	-	-	-	-	-	-	-	1	1	1	9
Kennington 1st H	53,198	32	7	-	4	-	-	-	-	-	-	-	-	1	-	-	-
Kennington 2nd H	42,896	14	14	6	-	-	-	-	-	-	-	-	-	3	-	-	10
Brixton F	84,232	51	18	4	7	-	-	1	-	2	-	-	-	1	-	-	1
Norwood W,H	35,888	19	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea H	72,203	39	12	2	1	-	1	-	-	1	-	-	-	2	-	2	-
North-west Battersea	49,656	25	8	1	2	-	1	-	-	-	-	-	-	-	-	-	-
South-west Battersea 2W,H	47,048	20	18	4	6	-	-	-	-	3	-	-	-	-	2	3	13
Clapham 2H	51,361	27	10	1	4	-	-	-	-	-	-	-	-	1	-	-	-
Streatham W,2w,2F,2L	88,019	52	21	5	7	-	-	-	-	1	-	-	-	2	2	3	2
Springfield 2W,L	27,959	15	8	5	1	-	-	-	-	1	-	-	-	-	1	1	-
Southfields H	40,444	18	7	-	2	-	-	-	-	-	-	-	-	-	1	2	-
Putney	24,139	8	3	1	-	-	-	-	-	-	-	-	-	-	2	2	-
Dulwich	13,359	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w	40,206	22	17	-	9	-	-	-	-	-	-	-	-	-	1	2	11
Camberwell North W,2L	65,584	44	22	2	7	-	-	-	-	-	-	-	-	1	2	3	11
St George	47,331	18	4	1	2	-	-	-	-	-	-	-	-	-	1	1	-
Peckham North	48,913	36	8	1	4	-	-	-	1	1	-	-	-	-	2	2	-
Peckham South 2W,w	43,946	22	6	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Deptford North	37,613	25	7	2	2	-		-	-	-	-	-	-	2	-	-	-
Deptford Central	45,481	29	7	3	1	-	-	-	-	-	-	-	-	-	-	2	-
Deptford South	34,625	16	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H	23,456	15	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W,H	43,859	28	13	2	5	-	-	-	-	-	-	-	-	-	2	3	8
Eltham w,H	7,226	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Lee wH	25,490	8	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W w,F	58,352	37	16	2	8	-	-	-	-	1	-	-	-	1	2	3	8
Sydenham H	43,653	22	6	-	3	-	-	-	-	-	-	-	-	-	1	1	-
Charlton F,2H	21,134	8	4	-	-	-	-	1	-	-	-	-	-	-	-	-	3
Woolwich 5H	41,625	17	6	1	1	-	-	-	-	-	-	-	-	-	1	1	1
Plumstead West W	18,063	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H	50,264	34	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	1	1	-	-	-	-	-	-	-	3
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Leavesden	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	1	4
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	3	-	-	-	-	-	-	-	-	1	-	-	6
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Dartford Heath	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
Hanwell	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Colney Hatch	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Claybury	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4

E 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 14th July, 1906.

Registration District	Sub-District	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		LONDON—OUTER RING	368 302	2,044,973	1,275	402	93	110	–	9	5	4	5	6	17	26	46	72	2
3	1	Carshalton 2F,3H	12,228	32,997	11	3	1	–	–	–	1	–	–	–	–	–	–	1	–
	2	Epsom, *part of** W,w,2F,H	10,423	15,548	7	4	1	1	–	–	–	–	–	–	–	–	–	–	1
3	1	Godstone, *part of** W,F	2,754	2,692	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	1	Coulsdon	11,069	8,166	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	South Croydon w	4,200	49,309	28	7	2	3	–	–	–	–	–	–	1	1	1	–	–
	3	West Croydon 3W,F,H	2,168	42,888	42	15	4	5	–	–	1	–	–	–	1	1	3	10	–
	4	North Croydon H	2,644	41,698	23	6	2	1	–	–	–	–	–	–	–	–	2	–	–
	5	Penge w,H	770	22,465	9	4	1	2	–	–	–	–	–	–	–	–	–	–	–
	6	Mitcham w	11,711	30,015	25	10	2	2	–	–	–	–	–	–	1	–	–	–	–
3	1	Wimbledon F,3H	3,221	41,652	25	9	2	1	–	–	–	–	–	–	–	1	1	–	–
	2	Kingston 2W,H	6,224	42,068	21	9	1	2	–	–	–	1	–	–	–	1	1	1	–
	3	Surbiton F,H	3,046	15,017	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	4	Esher, *part of** H	5,432	13,100	7	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	5	Hampton H,F,L	4,534	23,456	13	4	–	1	–	–	–	–	–	–	–	–	–	1	–
4	1	Richmond W,H	2,182	28,865	11	5	1	–	–	–	–	–	–	–	–	–	–	1	–
	2	Mortlake F	2,847	20,628	10	4	1	–	–	–	–	–	–	–	–	1	2	–	–
4	1	Bromley F,2H	4,703	27,354	19	6	4	2	–	–	–	–	–	–	–	–	–	–	–
	2	Beckenham H	7,825	28,497	8	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	3	Orpington *part of** W	10,113	9,857	7	6	–	2	–	–	–	–	–	–	–	1	1	5	–
	4	Chislehurst 2H	7,333	16,446	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	1	Bexley w F,H	8,678	21,151	6	3	–	1	–	–	–	–	–	–	–	–	–	1	–
	2	Erith F,H	3,854	25,296	16	2	1	–	–	–	–	–	–	–	1	1	1	–	–
	3	Dartford W,F, *part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	1	Sunbury w	11,054	18,683	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	2	Staines W,H	13,277	15,178	9	2	–	–	–	–	–	–	–	–	–	–	–	–	–
12	1	Hillingdon W,F,H	6,035	13,661	8	3	–	2	–	–	–	–	–	–	–	–	–	1	–
	2	Uxbridge H	12,757	8,984	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	Hayes w2F,H	8,066	16,358	15	5	3	–	–	–	–	–	1	–	–	2	2	–	–
12	1	Isleworth 3W,2F,H	6,859	30,863	13	11	1	3	–	–	–	–	–	1	–	1	1	3	–
	2	Twickenham F,H	2,421	20,991	15	4	2	–	–	1	–	–	–	–	–	–	–	1	–
	3	Brentford 3F,2H	4,319	48,289	27	10	1	6	–	–	–	–	–	–	–	3	3	–	–
	4	Chiswick H	1,249	29,809	15	3	–	1	–	–	–	–	–	–	–	–	–	–	–
	5	Acton w,F,3H	6,132	48,914	42	10	2	2	–	1	–	–	–	–	1	1	1	2	1
12	1	Harrow F,H	13,809	25,523	20	10	3	6	–	–	–	–	–	–	–	–	–	–	–
	2	Edgware 2F,2H	6,994	4,521	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	Willesden W,F,2H	4,384	114,811	76	24	3	12	–	–	–	–	1	–	–	1	1	5	–
	4	Hendon W,F	8,382	22,450	12	6	1	1	–	–	–	–	–	–	–	1	1	3	–
12	1	South Mimms 2F,H	17,755	7,308	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	Barnet W,2H	3,324	17,970	8	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3	Finchley F,2H	4,688	33,692	30	4	1	2	–	–	–	–	–	–	–	1	1	–	–
12	1	Hornsey F,H	2,875	72,056	33	16	1	9	–	–	1	–	–	–	–	–	2	1	–
	2	Wood Green H	1,625	34,233	24	3	1	–	–	–	–	–	–	–	–	1	1	–	–
	3	West Tottenham F	996	48,853	40	8	1	4	–	–	–	–	–	–	–	–	3	–	–
	4	East Tottenham 2H	2,017	53,688	47	13	4	1	–	–	–	–	1	–	1	1	2	1	–
	5	Edmonton W,w,2F	7,491	61,892	40	16	5	1	–	–	–	–	–	–	–	–	2	6	–
	6	Enfield 2W,F,H	12,601	42,738	27	10	5	3	–	–	–	–	–	–	1	1	2	–	–
	7	Waltham Abbey F	11,017	6,549	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	Cheshunt F,H	8,479	12,292	7	2	–	1	–	–	–	–	–	–	–	–	–	1	–
13	1	Hatfield, *part of** W	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	1	Bushey H	9,333	9,173	8	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	2	Watford W,2F *part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	1	Stratford H	1,072	44,827	25	6	1	–	–	1	–	–	–	–	–	2	3	3	–
	2	Plaistow F,2H	1,249	90,921	62	18	5	3	–	1	–	–	1	3	–	–	1	3	–
	3	Canning Town H	1,556	70,718	51	20	6	3	–	–	1	–	–	1	7	–	2	–	–
	4	Forest Gate w	806	60,892	26	7	1	3	–	2	–	–	–	–	–	–	–	–	–
	5	North East Ham w H	1,333	58,676	32	8	3	2	–	–	–	–	–	1	–	1	1	–	–
	6	South East Ham 2F	1,993	37,342	31	5	1	1	–	1	–	1	–	–	–	–	–	1	–
	7	Wanstead F	1,679	9,179	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	South Leyton 2W	631	50,467	24	11	2	5	–	1	–	1	–	–	1	–	–	3	–
	9	North Leyton 2W,w,F	1,963	48,445	34	22	2	8	–	1	–	–	1	–	1	–	1	12	–
	10	Walthamstow 3H,L	6,504	108,929	79	16	7	1	–	–	–	–	–	–	–	1	3	–	–
18	1	Chigwell, *part of** 2F,3H	11,778	16,397	10	4	–	2	–	–	1	–	–	–	–	1	1	1	–
	2	Epping W,F, *part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	1	Romford, *part of** W,2F	6,556	6,091	8	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	2	Ilford F,L	8,493	41,234	26	7	2	–	–	–	–	–	–	–	1	–	–	1	–
	3	Barking Town F	3,803	21,547	16	5	2	1	–	–	–	1	–	–	–	–	–	–	–
		Middlesex County Asylum, Wandsworth.	—	—	–	3	–	1	–	–	–	–	–	–	–	–	–	3	–
		City of London Lunatic Asylum, Stone.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ing are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher rish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish: 189: 1. Dagenham parish. Deaths in Workhouses and Infectious eases Hospitals belonging to the Outer Ring in 42: 3 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	July 14	2413	1072	11·8	-	22	6	9	18	4	[illegible]
CALCUTTA - -	910,117	June 2	-	496	30·4	40	4	-	1	1	159†	[illegible]
BOMBAY - -	776,006	" 26	357	737	49·4	1	11	-	-	-	131†	11
MADRAS - -	509,346	" 15	297	348	35·5	7	-	?	?	?	81	[illegible]
PARIS - - -	2,750,000	July 7	1000	770	15·0	-	8	1	6	6	3	[illegible]
BRUSSELS - -	612,401	" 7	222	162	13·8	-	5	-	-	2	2	1
ANTWERP - -	291,949	" 7	118	64	11·2	1	5	-	-	-	-	
AMSTERDAM -	560,249	June 30	277	137	12·7	-	9	-	1	7	1	
COPENHAGEN -	425,000	July 7	209	104	12·8	-	-	-	-	3	-	
STOCKHOLM -	324,488	June 30	177	83	13·3	-	1	-	-	-	2	
CHRISTIANIA -	222,373	July 7	113	43	10·0	-	-	-	1	1	-	
ST. PETERSBURG	1,424,700	June 30	-	760	27·6	-	33	15	14	5	39	[illegible]
MOSCOW - -	1,154,000	" 23	-	897	40·5	1	8	3	6	5	3	[illegible]
BERLIN - -	2,059,623	" 23	892	629	15·9	-	32	2	3	10	2	[illegible]
HAMBURG - -	819,380	July 7	-	195	12·6	-	3	1	2	2	-	[illegible]
BRESLAU - -	475,000	" 7	-	-	-	-	-	-	-	-	-	
MUNICH - -	540,000	" 7	-	158	15·2	-	7	1	1	1	-	[illegible]
VIENNA - -	1,956,949	" 7	847	554	14·9	-	16	2	7	2	1	
PRAGUE - -	455 241	June 30	194	203	22·9	-	3	-	1	2	2	
BUDA-PESTH -	859,134	" 30	417	357	21·6	-	6	6	1	3	-	
TRIESTE - -	196,637	July 7	133	82	21·7	-	1	2	-	3	-	
ROME - -	526,170	May 26	221	184	18·2	-	10	-	-	3	1	
VENICE - -	171,709	—	-	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	June 30	-	-	-	-	-	-	-	-	-	
NEW YORK -	4,152,860	" 30	1880	1362	17·1	-	12	9	30	4	14	[illegible]
CHICAGO - -	2,049,185	" 23	-	423	10·8	-	2	11	5	3	4	
PHILADELPHIA -	1,469,126	" 30	-	-	-	-	-	-	-	-	-	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	June 10	-	292	16·7	-	-	-	4	1	2	

* Excluding deaths from croup in the Indian Cities.
† Including 57 deaths from plague in Calcutta, and 47 in Bombay.
‡ Including 41 deaths from cholera in Calcutta, 39 in Bombay, and 3 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 14th July, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	77·4	47·5	62·8	0·01	BRADFORD - -	69·2	47·4	57·4	0·27
BRIGHTON - -	74·6	47·6	60·1	0·09	LEEDS - - -	74·0	49·0	59·8	0·12
PORTSMOUTH - -	?	?	?	0·10	HULL - - -	72·0	42·0	58 4	1·01
NORWICH - -	72·8	46·8	60 7	0·02	TYNEMOUTH - -	71·0	45 0	57 7	0·09
PLYMOUTH - -	70·4	46·5	58·6	0·21	CARDIFF - -	69·6	43·0	57·0	0·36
BRISTOL - - -	71·0	44·0	58·2	0·37	EDINBURGH - -	67·7	45·0	56·1	0·39
BIRMINGHAM - -	74·1	46·0	57·7	0·43	GLASGOW - -	69·2	41·0	56 2	0·59
NOTTINGHAM - -	75·4	43·8	59·2	0·20	DUBLIN Phœnix Park.	68·9	44·9	57·5	0·24
LIVERPOOL OBSERVATORY.	66·0	49·0	57·1	0·45	DUBLIN Fitzwilliam Square.†	70·1	50 0	59 1	0·23
MANCHESTER -	70·0	43·8	55·8	0·44					
PRESTON - -	66·0	48·8	57·1	0·55					
HUDDERSFIELD -	69·5	43·8	56·0	0·39	BELFAST - -	66·0	44·0	56·4	0·26

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. Th correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to t above was 1°·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit)	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	8	..	30·006	76·6	55·2	21·4	64·1	+ 2·1	57·0	7·1	17·0	0·6	78	125·1	46·0	60·13	WSW., SW. & W.	W., WSW. & SW.	1·2	0·0	0·1	213	- 24	0·00	0·0
MONDAY -	9	..	30·082	74·1	54·1	20·0	63·9	+ 1·9	57·7	6·2	15·5	0·2	80	134·3	41·8	60·58	WSW., NNW. & N.	NE. & ENE.	0·5	0·0	0·0	161	- 73	0·00	0·0
TUESDAY -	10	..	30·000	71·0	54·5	16·5	61·6	- 0·5	49·7	11·9	18·6	3·6	65	134·0	46·0	60·80	NE. & N.	N.	2·5	0·0	0·2	224	- 8	0·00	4·0
WEDNESDAY	11	..	30·012	69·0	52·0	17·0	58·5	- 3·8	46·2	12·3	21·6	4·4	64	123·0	43·8	60·89	N.	N., NE. & NNW.	2·7	0·0	0·2	250	+ 20	0·00	0·5
THURSDAY-	12	In Equator Last Quarter	30·022	67·6	49·7	17·9	57·3	- 5·3	45·5	11·8	20·9	3·4	65	137·2	41·0	60·86	N. & NNE.	Variable	3·0	0·0	0·1	177	- 52	0·00	1·5
FRIDAY -	13		29·908	73·9	47·5	26·4	59·4	- 3·5	48·6	10·8	23·5	0·8	68	138·8	37·6	60·80	WSW.	WSW. & SW.	3·0	0·0	0·2	269	+ 40	0·00	0·0
SATURDAY-	14	..	29·881	77·4	56·2	21·2	66·0	+ 2·9	50·1	15·9	24·3	2·3	70	136·5	50·0	60·72	SW., NW. & W.	WNW., W. & WSW.	1·8	0·0	0·2	269	+ 40	0·01	1·0
MEANS	-		29·987	72·8	52·7	20·1	61·5	- 0·9	50·7	10·9	20·2	2·2	70	133·4	43·7	60·68	WSW. & NNE.		..	..	..	Sum 1563	Sum - 57	Sum 0·01	1·0
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. July.		Electricity (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	8	w P. throughout.	6·1	16·4	Cloudless in morning; generally cloudy till 4h. P.M.; very fine afterwards.
MONDAY -	9	w. P. throughout.	5·3	16·3	Very fine till 11h. A.M.; generally overcast afterwards.
TUESDAY -	10	w. P. generally; occasional m. P.	3·8	16·3	Generally cloudy: fine in forenoon and at night. Partial Solar halo observed at noon.
WEDNESDAY	11	w. P. till 8h. A.M.; m. P. afterwards.	5·6	16·3	Cloudy in early morning; fine with variable amounts of cloud till 5h. P.M.; generally overcast afterwards.
THURSDAY-	12	m. P. generally till 3h. P.M.; v. P. till 8h. P.M.: w. P. afterwards.	8·2	16·2	Cloudy in early morning: very fine generally between 5h. A.M. and 4h. P.M.; overcast with slight exceptions afterwards; very threatening at times.
FRIDAY -	13	w. P. generally till 2h. P.M.: m. P. principally afterwards.	8·0	16·2	Overcast till 5h. A.M.; very fine till afternoon; generally overcast after 2h. P.M.; a little thin rain (unmeasurable) in evening. Solar halo observed in forenoon.
SATURDAY-	14	w. P. generally: m. P. between 9h. and 11h. A.M.	10·9	16·2	Generally overcast in morning with thin rain between 4h. and 5h. A.M.; very fine after 7h. A.M.
			Sum 47·9	Sum 113·9	
No. of Col -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·96 in. at the beginning of the week to 30·10 in. by 9h. A.M. on the 9th; decreased to 29·97 in. by 4h. P.M. on the 10th; increased to 30·04 in. by 7h. A.M. on the 12th; decreased to 29·84 in. by 2h. A.M. on the 14th; and increased to 29·91 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 7th July, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	11	10	-	-	-	-	1	-
Kensington	180,952	-	7	5	-	1	-	-	1	-
Hammersmith	120,679	-	16	6	-	-	-	-	-	-
Fulham	161,965	-	8	13	-	2	-	-	1	1
Chelsea	74,672	-	4	2	-	-	-	-	2	-
City of Westminster	173,905	-	10	5	-	1	1	-	2	-
NORTH.										
St. Marylebone	128,580	-	8	4	-	-	-	-	1	-
Hampstead	89,633	-	13	-	-	-	-	-	-	-
St. Pancras	236,455	-	25	9	-	-	-	-	5	-
Islington	344,987	-	21	12	-	4	-	-	3	-
Stoke Newington	53,217	-	1	1	-	-	-	-	-	-
Hackney	230,721	-	17	2	-	2	-	-	8	-
CENTRAL.										
Holborn	55,805	-	4	-	-	1	-	-	-	-
Finsbury	97,466	-	9	3	-	1	-	-	3	1
City of London	21,367	-	5	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	12	3	-	-	-	-	1	-
Bethnal Green	130,609	-	9	3	-	-	-	-	7	1
Stepney	307,176	-	22	10	-	1	-	-	4	-
Poplar	170,673	-	8	6	-	3	-	-	5	-
SOUTH.										
Southwark	209,143	-	34	4	-	1	-	-	9	-
Bermondsey	128,629	-	12	4	-	-	-	-	1	-
Lambeth	315,774	-	28	6	-	2	-	-	3	1
Battersea	179,622	-	24	2	-	-	-	-	-	-
Wandsworth	273,381	-	9	9	-	-	-	-	4	-
Camberwell	274,132	-	32	6	-	-	-	-	9	-
Deptford	115,495	-	8	6	-	-	-	-	1	-
Greenwich	105,350	-	16	2	-	1	-	-	1	-
Lewisham	148,463	-	18	7	-	-	-	-	2	-
Woolwich	127,345	-	8	3	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	399	143	-	20	1	-	75	4
Ages 0-1		-	5	1	-	-	-	-	5	-
" 1-5		-	117	49	-	2	-	-	2	-
" 5-		-	180	67	-	2	1	-	3	-
" 10-		-	62	10	-	1	-	-	3	-
" 15-		-	14	7	-	2	-	-	3	-
" 20-		-	12	5	-	2	-	-	3	-
" 25-		-	7	3	-	5	-	-	15	4
" 35-		-	1	1	-	3	-	-	7	-
" 45-		-	1	-	-	3	-	-	12	-
" 55-		-	-	-	-	-	-	-	10	-
" 65 and upwards		-	-	-	-	-	-	-	12	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 29. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JULY 21. [Price 1½*d*

General Register Office, Somerset House,

July 23rd, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·0 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 12·4, 12·3, and 11·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 16·1 in Wigan, 16·2 in Middlesbrough, 16·3 in Newcastle on Tyne, 16·4 in Tynemouth, 16·5 in Liverpool, 17·0 in Huddersfield, 17·4 in Merthyr Tydfil, and 17·8 in Stockport and in Burnley; from *measles*, 1·1 in Salford, 2·0 in Burnley, and 3·8 in Huddersfield; from *scarlet fever*, 1·2 in Hornsey; from *diphtheria*, 1·5 in Grimsby; from *whooping-cough*, 1·1 in Swansea, 1·2 in York, and 1·3 in Birkenhead; from "*fever*," 1·2 in Wigan; and from *diarrhœa*, 1·1 in Walsall, in Liverpool, and in Salford, 1·3 in Birkenhead, 1·5 in Willesden and in Burnley, 1·6 in Rhondda, 2·2 in Norwich, 2·3 in St. Helens, and 2·4 in Wigan. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2468 BIRTHS and 1054 DEATHS were registered. Allowing for increase of population, the births were 90 and the deaths 175 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 11·7, 12·3, and 11·8 per 1000 in the preceding three weeks, fell last week to 11·6. The death-rate in the four weeks ended last Saturday averaged 11·9 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 7/06 D & S 3 25528

The 1054 deaths included 35 from measles, 12 from scarlet fever, 10 from diphtheria, 20 from whooping-cough, 5 from enteric fever, 1 from ill-defined pyrexia, and 56 from diarrhœa, but not one death from small-pox, or from typhus; thus, 139 deaths were referred to these diseases in the aggregate, being 41 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 46, 39, and 22 in the preceding three weeks, rose to 35 last week, but were 3 below the corrected average; 8 deaths belonged to the Borough of Poplar and 5 to St. Marylebone. The deaths from *scarlet fever*, which had been 5, 17, and 6 in the preceding three weeks, rose to 12 last week, and were 4 above the corrected average; 3 deaths belonged to Southwark. The deaths from *diphtheria*, which had been 9, 12, and 9 in the preceding three weeks, rose to 10 last week, but were 4 below the corrected average. The deaths from *whooping-cough*, which had been 14, 12, and 18 in the preceding three weeks, rose to 20 last week, but were 2 below the corrected average; 3 deaths belonged to Wandsworth. The fatal cases of *enteric fever*, which had been 9, 12, and 4 in the preceding three weeks, rose to 5 last week, but were 2 below the corrected average; 3 deaths belonged to Camberwell. The deaths from *diarrhœa*, which had been 22, 31, and 35 in the preceding three weeks, rose to 56 last week, but were 30 below the corrected average; 6 deaths belonged to Stepney, 6 to Southwark, 5 apiece to Islington, Hackney and Shoreditch, and 4 to St. Pancras. Of the 56 deaths from diarrhœa, 49 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 8, having been 3, 5, and 6 in the preceding three weeks.

Different forms of *violence* caused 54 deaths, concerning all of which inquests were held. Of these 54 deaths, 15 were cases of suicide, and 2 of homicide, while the remaining 37 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 4 to burns, scalds, or explosions, 6 to drowning, 1 to sunstroke, and 4, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2942 of scarlet fever, 873 of diphtheria, and 99 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 0, 0, and 0; of scarlet fever, 413 cases, against 366, 378, and 406; of diphtheria, 140 cases, against 126, 138, and 129; and of enteric fever, 18 cases, against 20, 9, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 14th, 1906.

Greater London.

In Greater London 3796 births and 1472 deaths were registered. Allowing for increase of population, these numbers are 131 and 231 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 2 from scarlet fever, 1 from diphtheria, 2 from whooping-cough, and 9 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·80 inches, and that of the Thermometer 62°·7, the latter being 0°·3 below the week's average in the 50 years 1841–90. The general direction of the wind was Westerly, the horizontal movement of the air being 39 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 43·8 hours; the measured rainfall amounted to 0·19 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 21st July, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 30th June, 1906.	7th July, 1906.	14th July, 1906.	21st July, 1906.	Rate from Diseases in Cols. 11–17. Week ended 21st July, 1906.	Registered during the Week ended 21st July, 1906 BIRTHS.	DEATHS.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**12·4**	**12·3**	**11·7**	**12·0**	**1·4**	**8717**	**3650**	**841**	**1034**	**–**	**104**	**38**	**43**	**59**	**15**	**165**	**142**	**287**	**919**	**39**	**76 TOWNS.**
LONDON - - -	4,721,217	11·7	12·3	11·8	11·6	1·5	2468	1054	221	313	-	35	12	10	20	6	56	54	104	425	5	LONDON.
† CROYDON - -	151,011	10·7	8·3	8·6	11·7	1·7	71	34	7	8	-	1	-	2	-	-	2	1	2	6	-	CROYDON.
† WILLESDEN - -	143,622	9·1	11·6	8·7	6·5	1·5	101	18	7	7	-	-	-	-	-	-	4	2	2	2	-	WILLESDEN.
† HORNSEY - -	86,935	6·6	9·6	9·0	8·4	1·8	41	14	1	5	-	-	2	-	-	-	1	-	-	5	-	HORNSEY.
† TOTTENHAM - -	119,503	5·2	8·3	9·6	8·7	0·4	71	20	4	5	-	1	-	-	-	-	-	-	4	4	-	TOTTENHAM.
† WEST HAM - -	301,617	11·4	8·1	10·4	10·9	1·2	175	63	10	15	-	2	-	-	-	2	3	-	1	20	-	WEST HAM.
† EAST HAM - -	129,886	6·4	7·2	5·6	8·4	0·4	59	21	11	1	-	-	-	-	-	-	1	2	3	-	-	EAST HAM.
† LEYTON - - -	118,287	12·3	7·9	8·8	5·7	0·4	68	13	3	5	-	-	-	-	1	-	-	-	-	4	-	LEYTON.
† WALTHAMSTOW -	121,334	9·0	6·0	7·7	8·6	1·3	60	20	6	8	-	-	-	2	1	-	-	2	2	9	-	WALTHAMSTOW.
HASTINGS - - -	67,144	14·8	7·8	6·2	9·3	-	15	12	2	7	-	-	-	-	-	-	-	-	1	1	-	HASTINGS.
BRIGHTON - -	128,095	13·8	9·4	12·2	9·0	0·8	68	22	1	9	-	2	-	-	-	-	-	-	1	7	-	BRIGHTON.
PORTSMOUTH - -	205,118	15·3	9·9	8·4	11·9	1·0	134	47	13	10	-	-	-	1	2	-	1	2	5	9	-	PORTSMOUTH.
BOURNEMOUTH -	67,702	8·5	10·0	6·9	10·0	-	28	13	1	8	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON -	117,312	7·6	10·7	9·8	8·0	-	68	18	3	8	-	-	-	-	-	-	-	-	2	4	-	SOUTHAMPTON.
READING - - -	78,987	6·6	11·2	7·9	5·9	0·7	36	9	-	4	-	-	-	1	-	-	-	-	-	2	-	READING.
NORTHAMPTON -	93,749	11·1	8·3	7·2	9·5	0·6	41	17	1	8	-	-	-	-	-	-	1	2	2	5	-	NORTHAMPTON.
IPSWICH - - -	71,809	16·7	10·9	10·2	10·9	0·7	42	15	5	5	-	-	-	-	-	-	1	-	3	2	-	IPSWICH.
GREAT YARMOUTH -	52,613	8·9	10·9	11·9	11·9	1·0	26	12	3	4	-	-	-	-	-	-	1	-	1	1	-	GREAT YARMOUTH.
NORWICH - -	117,958	12·4	11·9	16·8	10·6	3·1	46	24	10	6	-	2	-	-	-	-	5	-	-	1	1	NORWICH.
PLYMOUTH - -	118,014	13·3	11·9	14·6	11·0	1·3	53	25	7	4	-	1	-	2	-	-	-	-	-	5	-	PLYMOUTH.
DEVONPORT - -	78,405	12·0	8·0	13·3	11·3	0·7	54	17	2	7	-	-	-	-	-	-	1	2	2	1	-	DEVONPORT.
BRISTOL - - -	363,223	10·5	13·9	9·8	11·5	1·6	214	80	17	28	-	3	2	2	1	1	2	-	7	19	1	BRISTOL.
HANLEY - - -	66,360	13·4	12·6	9·4	4·7	-	49	6	2	3	-	-	-	-	-	-	-	-	-	-	-	HANLEY.
BURTON-ON-TRENT	52,922	15·8	7·9	10·8	9·9	1·0	31	10	3	2	-	-	-	-	-	-	1	-	-	2	1	BURTON-ON-TRENT.
WOLVERHAMPTON -	100,729	7·8	14·5	8·8	13·5	1·6	70	26	8	5	-	-	-	-	1	1	1	-	1	4	-	WOLVERHAMPTON.
WALSALL - - -	94,577	13·2	10·5	8·8	14·9	1·1	53	27	7	5	-	-	-	-	-	-	2	-	1	3	-	WALSALL.
HANDSWORTH -	63,819	11·4	12·3	8·2	4·9	-	26	6	-	4	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	68,469	11·4	11·4	11·4	12·2	1·5	40	16	6	2	-	1	-	-	1	-	-	-	-	2	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 21st July, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 30th June, 1906.	7th July, 1906.	14th July, 1906.	21st July, 1906.	Rate from Diseases in Cols. 11-17. Week ended 21st July, 1906.	Registered during the Week ended 21st July, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	12·1	12·1	10·0	13·0	1·7	326	137	31	30	-	2	3	2	3	-	8	4	7	35	4	BIRMINGHAM.
KINGS NORTON -	72,608	9·3	7·9	7·9	7·2	0·7	46	10	3	3	-	-	-	1	-	-	-	-	-	2	-	KINGS NORTON.
SMETHWICK - -	64,531	8·9	13·7	10·5	8·1	-	46	10	3	4	-	-	-	-	-	-	-	1	1	2	-	SMETHWICK.
ASTON MANOR -	82,288	8·2	11·4	7·6	13·3	1·9	65	21	5	6	-	1	1	1	-	-	-	2	2	3	1	ASTON MANOR.
COVENTRY - -	76,374	14·3	10·2	7·5	10·2	-	47	15	2	5	-	-	-	-	-	-	-	2	3	1	-	COVENTRY.
LEICESTER - -	232,111	8·3	7·0	9·0	9·4	1·1	113	42	10	12	-	1	2	-	1	-	1	1	5	5	-	LEICESTER.
GRIMSBY - - -	69,359	6·8	14·3	6·8	12·8	2·3	43	17	8	1	-	-	-	2	-	-	1	-	-	3	-	GRIMSBY.
NOTTINGHAM - -	254,563	12·5	10·9	11·5	14·1	0·8	132	69	15	26	-	-	-	1	-	-	3	2	9	10	-	NOTTINGHAM.
DERBY - - -	123,981	13·0	10·5	11·4	10·5	1·3	48	25	5	7	-	-	-	2	-	-	1	-	3	5	-	DERBY.
STOCKPORT - -	39,646	9·4	13·6	14·7	17·8	0·5	41	34	6	15	-	1	-	-	-	-	-	1	1	7	-	STOCKPORT.
BIRKENHEAD - -	117,292	13·3	11·1	10·2	12·4	3·6	78	28	6	6	-	-	1	1	3	-	3	1	4	3	1	BIRKENHEAD.
WALLASEY - -	64,578	9·7	20·2	8·9	6·5	1·6	37	8	1	3	-	1	-	-	-	-	1	-	-	1	1	WALLASEY.
LIVERPOOL - -	739,180	15·2	15·7	12·8	16·5	2·5	459	234	55	66	-	8	4	3	5	-	15	10	14	67	9	LIVERPOOL.
BOOTLE - - -	65,989	15·8	11·9	12·6	13·4	-	34	17	4	3	-	-	-	-	-	-	-	1	1	7	-	BOOTLE.
ST. HELENS - -	91,153	10·3	13·2	17·2	12·0	2·3	68	21	9	2	-	-	-	-	-	-	4	-	-	2	2	ST. HELENS.
WIGAN - - -	87,588	14·9	19·6	9·5	16·1	3·6	58	27	11	4	-	-	-	-	-	2	4	3	3	4	-	WIGAN.
WARRINGTON -	69,280	14·3	13·5	9·8	9·0	-	53	12	-	4	-	-	-	-	-	-	-	-	-	2	-	WARRINGTON.
BOLTON - - -	180,502	12·4	9·8	12·1	12·7	1·4	82	44	9	8	-	-	1	1	1	-	2	3	4	7	1	BOLTON.
BURY - - -	58,744	9·8	12·4	12·4	8·0	-	35	9	1	4	-	-	-	-	-	-	-	2	2	1	-	BURY.
MANCHESTER - -	637,126	16·3	16·4	16·0	15·5	1·7	371	190	48	51	-	11	3	-	2	-	5	7	12	53	3	MANCHESTER.
SALFORD - - -	234,077	15·4	14·7	14·0	14·3	2·5	129	64	13	17	-	5	-	1	-	-	5	2	6	17	-	SALFORD.
OLDHAM - - -	140,969	19·2	16·3	15·5	11·8	0·7	65	32	5	12	-	-	1	-	1	-	-	1	1	4	-	OLDHAM.
ROCHDALE - -	87,189	11·4	19·1	20·3	5·4	1·2	39	9	2	3	-	-	-	1	1	-	-	-	-	1	1	ROCHDALE.
BURNLEY - - -	102,808	15·7	14·2	17·2	17·8	3·6	43	35	9	8	-	4	-	-	-	-	3	1	1	7	-	BURNLEY.
BLACKBURN - -	134,015	12·1	10·9	13·2	15·2	1·2	73	39	9	8	-	-	1	-	1	1	-	3	4	4	1	BLACKBURN.
PRESTON - - -	116,399	15·2	14·3	13·0	11·6	1·8	56	23	6	4	-	1	-	-	1	-	2	-	2	2	-	PRESTON.
BARROW-IN-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BARROW-IN-

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates per 1000 Causes. Week ended 30th June, 1906.	7th July, 1906.	14th July, 1906.	21st July, 1906.	Diseases in Cols. 11-17. Week ended 21st July, 1906.	Registered during the Week ended 21st July, 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	15·9	8·2	19·8	17·0	3·8	40	31	7	8	-	7	-	-	-	-	-	-	-	3	-	HUDDERSFIELD.
HALIFAX - - -	109,272	16·2	12·9	8·6	8·6	1·0	42	18	1	6	-	2	-	-	-	-	-	1	2	6	-	HALIFAX.
BRADFORD - -	288,544	11·9	11·7	12·5	12 5	0·9	104	69	17	24	-	3	-	-	1	-	1	4	8	13	2	BRADFORD.
LEEDS - - -	463,495	11·8	11·9	12·4	13·5	1·3	235	120	34	35	-	-	2	-	3	1	6	3	6	16	1	LEEDS.
SHEFFIELD - -	447,951	12·2	12·9	12·0	11·6	0·7	271	100	27	28	-	1	1	1	1	-	2	6	10	18	-	SHEFFIELD.
ROTHERHAM - -	61,098	10·2	11·1	14·5	14·5	3·4	29	17	6	1	-	1	-	1	1	-	1	-	-	1	-	ROTHERHAM.
YORK - - -	83,467	9·4	8·1	7·5	11·9	1·2	34	19	5	7	-	-	-	-	2	-	-	-	-	5	-	YORK.
HULL - - -	262,426	13·3	12·1	11·5	14·3	0·8	155	72	10	28	-	-	-	1	-	1	2	5	11	14	1	HULL.
MIDDLESBROUGH -	100,069	18·2	12·0	16·2	16·2	0·5	62	31	5	7	-	1	-	-	-	-	-	-	2	3	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	12·9	14·9	10·9	10·9	-	30	11	2	5	-	-	-	-	-	-	-	-	-	2	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	8·5	15·6	11·4	9·2	-	44	13	2	4	-	-	-	-	-	-	-	1	1	3	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	14·2	12·5	16·5	12·5	2·0	112	37	10	10	-	1	-	-	2	-	3	-	2	2	-	SUNDERLAND.
SOUTH SHIELDS -	111,402	21·5	13·1	10·3	10·3	0·9	80	22	6	1	-	1	-	-	-	-	1	-	-	2	1	SOUTH SHIELDS.
GATESHEAD - -	123,191	16·1	11·9	10·6	14·4	1·3	80	34	11	5	-	1	1	1	-	-	-	3	3	2	-	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	15·5	14·4	16·7	16·3	1·2	182	84	23	18	-	2	-	1	-	-	3	1	5	9	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	14·4	16·4	13·5	16·4	1·9	40	17	4	5	-	1	-	-	1	-	-	1	1	3	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	14·0	10·5	4·9	11·9	0·7	40	17	5	5	-	-	-	1	-	-	-	-	1	3	-	NEWPORT (MON.).
CARDIFF - - -	183,823	11·3	9·4	9·1	6·2	0·3	102	22	6	6	-	-	-	-	-	-	1	1	3	5	-	CARDIFF.
RHONDDA- - -	127,684	13·5	11·0	11·8	10·2	1·6	80	25	8	4	-	-	-	-	-	-	4	-	-	1	1	RHONDDA.
MERTHYR TYDFIL -	74,961	13·9	17·4	9·7	17·4	0·7	57	25	4	9	-	-	-	1	-	-	-	1	1	3	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	15·1	17·2	15·1	10·2	1·6	70	19	7	5	-	-	1	-	2	-	-	-	1	3	-	SWANSEA.
GREATER LONDON -	7,113,561	10·9	11·2	10·8	10·8	1·3	3796	1472	321	437	-	43	16	15	24	8	76	71	139	512	7	GREATER LONDON.
OUTER RING - -	2,392,344	9·3	9·0	8·8	9·1	0·9	1328	418	100	124	-	8	4	5	4	2	20	17	35	87	2	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	9·3	8·4	8·8	9·0	1·1	646	203	49	54	-	4	2	4	2	2	11	7	14	50	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	9·3	9·6	8·7	9·2	0·8	682	215	51	79	-	4	2	1	2	-	9	10	21	37	2	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	14·8	13·8	13·1	10·7	0·5	133	70	12	20	-	2	-	1	-	-	-	3	?	29	3	EDINBURGH.
GLASGOW - - -	835,625	14·9	16·7	15·5	15·3	1 2	461	245	48	49	-	3	-	3	8	-‡	6	7	?	67	9	GLASGOW.
DUBLIN† - - -	378,994	16·4	16·9	18·7	20·9	1·4	199	152	26	47	-	2	-	1	3	1	3	3	5	59	5	DUBLIN.†
BELFAST† - - -	366,220§	16·1	15·0	16·9	17·2	1·9	271	121	21	28	-	-	2	-	3	1	7	4	8	33	-	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively

‡ Four deaths from Cerebro-spinal meningitis were registered during the week. § Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-NINTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2429	2601	2505	2444	2384	2519	2657	2442	2472	2466	2557·8	2468
Males - - -	1203	1366	1256	1279	1239	1261	1379	1199	1273	1217	1291·5	1215
Females - -	1226	1235	1249	1165	1145	1258	1278	1243	1199	1249	1266·3	1253
TOTAL **Deaths** -	1891	1708	1330	1539	1417	1411	1236	1128	1320	1137	1228·6	1054
Males - -	999	921	713	855	777	709	690	605	689	607	660·3	572
Females - -	892	787	617	734	640	702	546	523	631	530	568·3	482

* The numbers in this column are the average weekly numbers in the twenty-ninth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	13 Weeks.
TOTAL **Births** -	2717	2547	2497	2480	2518	2384	2145	2447	2498	2386	2496	2413	2468	31996
TOTAL **Deaths** -	1562	1446	1417	1269	1156	1239	1149	1108	1205	1060	1113	1072	1054	15850
Ages at Death: Under 1 year -	290	239	255	251	200	228	225	197	213	189	208	192	221	2908
1—5 years -	211	223	169	163	139	140	149	137	139	113	144	126	128	1981
5—20 ,, -	68	64	77	66	79	71	67	59	79	67	79	71	60	907
20—40 ,, -	197	182	172	157	154	149	142	158	151	136	132	151	110	1991
40—60 ,, -	324	267	298	259	243	264	227	234	279	240	253	227	222	3337
60 yrs. & upwds.	472	471	446	373	341	387	339	323	344	315	297	305	313	4726
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	73	61	75	43	41	50	58	45	52	46	39	22	35	640
Scarlet Fever - -	6	17	11	10	15	12	6	15	13	5	17	6	12	145
Diphtheria - -	14	9	10	11	13	10	7	9	8	9	12	9	10	131
Whooping-cough -	43	38	26	38	32	35	24	17	23	14	12	18	20	340
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	-	5	3	8	1	1	2	8	9	12	4	5	61
Pyrexia (origin uncertain).	1	-	-	-	-	-	-	-	-	-	-	-	1	2
Diarrhœa, Dysentery	14	12	16	16	10	21	17	15	17	22	31	35	56	282
All above Diseases -	154	137	143	121	119	129	113	103	121	105	123	94	139	1601
Dis. of Resp. System	159	164	122	96	88	75	62	54	58	41	41	47	52	1059
Pneumonia - -	202	145	151	148	124	111	90	88	79	91	77	72	81	1459
Phthisis - - -	147	148	139	117	111	145	116	90	129	111	127	108	103	1591
Dis. of Circ. System -	190	175	182	160	148	155	171	160	170	166	144	153	125	2099
Violence - - -	63	61	60	53	42	57	65	57	50	71	51	60	54	744
Inquest Cases - -	152	146	141	119	121	128	134	119	107	123	109	117	104	1620
Deaths in Institutions	574	583	567	507	453	512	464	486	527	452	474	451	425	6475
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	42·0	46·6	54·2	50·7	51·8	57·2	55·6	53·9	64·1	60·0	61·9	61·5	62·7	55·6
Mean of Highest -	52·1	56·1	64·1	61·2	60·3	67·4	68·6	64·6	76·8	71·5	74·0	72·8	74·2	66·4
Mean of Lowest -	33·7	38·1	45·4	41·1	44·6	49·7	42·2	46·9	51·9	51·4	49·5	52·7	52·7	46·1
Mean Humidity of the Air.	68	73	79	68	75	76	65	80	68	73	65	70	70	72
Rain-fall (in inches) -	0·43	0·26	0·05	0·17	1·08	0·19	0·00	0·30	0·01	2·46	0·00	0·01	0·19	5·15
Registered Sunshine (in hours).	44·2	38·4	22·8	43·3	27·5	39·1	80·6	35·6	61·0	58·1	75·4	47·9	43·8	617·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	6	3	1	2	2	5	6	7	13	11	7	5	2	5
Scarlet Fever - -	2240	2337	2378	2399	2453	2515	2603	2676	2692	2752	2769	2842	2942	2534
Diphtheria - -	862	828	791	779	783	763	773	749	766	783	827	840	873	801
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	56	60	56	42	44	41	41	65	76	93	86	89	99	65

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-NINTH Week of the Year 1906.

ns printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

USES OF DEATH.	Corrected Average for the 29th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
AUSES - - -	1228·6	1054	221	128	60	110	222	313
m-pox* - - -	4·1	-	-	-	-	-	-	-
oox - - - -	-	-	-	-	-	-	-	-
les (Morbilli) - -	38·2	35	12	22	-	-	1	-
et Fever - - -	8·2	12	-	8	4	-	-	-
us - - - -	-	-	-	-	-	-	-	-
ie - - - -	-	-	-	-	-	-	-	-
enza - - - -	3·3	8	-	-	-	1	3	4
oping-cough - -	22·4	20	8	12	-	-	-	-
itheria - - -	13·5	10	-	6	3	-	1	-
ero Spinal Fever -	-	-	-	-	-	-	-	-
ia,† (Origin un- tain) - - -	1	1	1	-	-	-	-	-
ric Fever - - -	6·9	5	-	-	3	2	-	-
ic Cholera - -	..	-	-	-	-	-	-	-
Septic Diarrhœa (Infective Enteritis)	46·6	33	23	6	-	-	2	2
rhœa, Dysentery -	39·8	23	15	5	-	-	1	2
nus - - - -	0·3	1	-	-	1	-	-	-
es, *Hydrophobia* -	-	-	-	-	-	-	-	-
lders - - - -	-	-	-	-	-	-	-	-
rax (Splenic Fever)-	0·3	-	-	-	-	-	-	-
real Dis. - - -	6·4	3	3	-	-	-	-	-
peral Septicæmia -	4·1	2	-	-	-	2	-	-
peral Pyæmia -	-	-	-	-	-	-	-	-
peral Fever - -	1·0	1	-	-	-	-	1	-
tive Endocarditis -	2·3	3	-	-	1	-	2	-
monia, Lobar - -	11·0	16	1	1	1	1	8	4
monia, Broncho- -	28·8	27	10	10	2	-	-	5
monia, Epidemic -	-	-	-	-	-	-	-	-
monia, Not defined	42·3	38	3	5	3	6	8	13
sipelas - - -	3·1	3	1	1	-	-	1	-
ticæmia (not Puer- ral) - - -	0·8	1	-	-	-	-	1	-
mia (not Puerperal)	0·5	-	-	-	-	-	-	-
er Infective Processes	6·4	2	-	-	-	-	-	2
rculous Phthisis -	59·4	72	1	1	5	30	26	9
thisis" - - -	58·1	31	-	2	2	7	17	3
rculous Meningitis -	20·9	20	3	15	1	1	-	-
rculous Peritonitis -	7·6	4	1	2	-	1	-	-
s Mesenterica - -	3·6	2	2	-	-	-	-	-
rculous Dis. (other)-	15·5	14	2	2	4	2	4	-
fula - - - -	-	-	-	-	-	-	-	-
holism - - -	13·3	9	-	-	-	3	3	3
umatic Fever - -	2·3	3	-	-	2	-	1	-
out - - - - -	1·3	1	-	-	-	-	1	-
cinoma - - -	48·9	47	-	-	-	5	19	23
coma - - - -	7·4	6	-	-	2	-	2	2
cer (undefined) - -	29·3	32	-	-	-	1	12	19
betes Mellitus - -	5·6	10	-	-	1	1	6	2
mature Birth - -	50·0	43	43	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 29th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	17·1	13	6	5	1	-	1	-
Insanity, Gen. Par. of Insane - - -	13·0	6	-	-	-	-	5	1
	5·6	3	-	-	1	-	1	1
Epilepsy - - - -	21·9	14	12	2	-	-	-	-
Convulsions - - -	-	3	-	-	-	-	1	2
Locomotor Ataxy - -	4·8	4	-	-	-	-	1	3
Paraplegia, Dis. of Cord	17·8	12	-	1	-	2	2	7
Nervous Sys. (other dis.)								
Valv. Dis., Endocarditis-	37·2	35	-	-	3	2	14	16
Cerebr. Hæm. Thromb. -	25·0	24	-	-	-	-	7	17
Apoplexy, Hemiplegia -	13·5	17	-	-	-	-	7	10
Aneurysm - - -	4·3	5	-	-	-	2	1	2
Embolism, Thrombosis (not cerebral) -	1·3	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	71·9	44	-	1	2	3	14	24
Croup (not Spasm : nor Memb.) - -	-	-	-	-	-	-	-	-
Bronchitis - - -	36·7	42	5	3	1	1	3	29
Asthma, Emphysema -	2·0	1	-	-	-	-	1	-
Pleurisy - - - -	3·1	2	-	1	-	-	1	-
Respiratory Dis. (other)	9·9	7	-	-	3	-	3	1
Tonsillitis, Quinsy - -	1·0	-	-	-	-	-	-	-
Enteritis (not Epid.) -	14·0	20	11	3	2	1	-	3
Gastro-Enteritis - -	8·9	6	5	-	-	-	-	1
Peritonitis (not Puerp.) -	2·0	2	1	-	-	-	1	-
Cirrhosis of Liver - -	14·5	9	-	-	-	1	6	2
Liver Dis. (other) - -	6·4	4	-	-	-	2	-	2
Digestive Dis., Other -	41·3	29	5	1	2	9	5	7
Nephritis, Acute - -	4·6	4	-	1	-	-	1	2
Bright's Dis., Albuminuria - - -	27·3	27	-	-	-	7	10	10
Urinary Sys., Other Dis.	12·2	9	-	-	1	-	1	7
Generative Organs Dis.-	5·9	3	-	-	-	2	1	-
Childbirth (Accid. of) -	3·1	1	-	-	-	1	-	-
Old Age - - - -	35·9	52	-	-	-	-	1	51
Other Diseases - -	83·2	64	41	7	3	5	2	6
ACCIDENT.								
By Railways - -	1·8	-	-	-	-	-	-	-
By Vehicles and Horses-	7·4	5	-	1	2	-	1	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -	1·3	-	-	-	-	-	-	-
In Building Operations -	1·8	1	-	-	-	-	1	-
In Conflagrations - -	0·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·6	4	-	3	-	-	-	1
By Drowning - - -	8·9	6	-	-	2	2	1	1
By Suffocation in Bed -	8·9	4	4	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·5	-	-	-	-	-	-	-
Other Deaths by Accident - - -	18·1	17	2	1	1	1	3	9
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	0·8	2	-	-	-	2	-	-
Suicide - - - -	13·3	15	-	-	1	4	6	4
Execution - - -	-	-	-	-	-	-	-	-

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty perienced in obtaining full particulars in time for publication in the successive weekly returns.

Formerly described as "Simple Continued Fever.

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis in each SUB-DISTRICT during the Week ended Saturday, 21st July, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexial† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2468	1054	221	313	-	35	12	10	20	-	5	1	56	54	104	42
WEST DISTRICTS	805,311	398	182	29	63	-	6	1	4	3	-	-	-	6	11	15	7
NORTH DISTRICTS	1,056,070	490	208	47	61	-	9	3	1	2	-	-	-	14	11	19	5
CENTRAL DISTRICTS	209,465	116	76	20	13	-	3	-	-	2	-	-	-	5	3	8	4
EAST DISTRICTS	715,739	469	191	50	59	-	10	-	1	1	-	-	-	14	16	40	9
SOUTH DISTRICTS	1,749,844	995	365	75	116	-	7	5	2	12	-	3	1	15	13	22	12
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	32	-	10	-	-	3	2	-	-	2	-	2	-	-	3
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	45	17	2	8	-	1	-	-	-	-	-	-	1	1	1	4
St. John Paddington *H*	33,617	13	13	2	4	-	-	-	-	-	-	-	-	-	1	1	8
North-West Paddington	17,181	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	59	35	5	15	-	1	-	-		-	-	-	1	1	3	21
Brompton *2H*	48,591	8	8	-	3	-	-	-	-	-	-	-	-	-	-	-	2
North Hammersmith *2W,wH*	49,192	37	10	2	5	-	-	-	-	-	-	-	-	-	-	-	2
South Hammersmith *w,2H*	63,047	26	10	3	1	-	-	-	1	1	-	-	-	1	-	-	1
North-west Fulham *W*	45,180	46	8	4	2	-	1	-	-	-	-	-	-	1	-	1	1
North-east Fulham *F*	46,405	23	10	3	3	-	-	1	2	1	-	-	-	-	-	-	3
South Fulham *W*	45,704	29	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	23	23	2	7	-	1	-	-	-	-	-	-	-	1	2	17
Chelsea South *W,2H*	31,328	18	8	4	-	-	-	-	-	-	-	-	-	1	1	1	5
Mayfair and Knightsbridge	28,743	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	24	12	1	5	-	1	-	-	-	-	-	-	-	1	1	7
St. Margaret & St. John *4H*	43,698	19	13	1	3	-	-	-	-	-	-	-	-	1	3	3	3
St. James and St. Anne *W,6H*	33,081	9	6	-	3	-	-	-	1	1	-	-	-	-	2	2	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	14	14	4	3	-	1	-	-	-	-	-	-	-	-	2	5
St. Mary Marylebone *W,4H*	37,948	38	9	3	2	-	2	-	-	-	-	-	-	1	-	1	1
Christchurch Marylebone *H*	39,536	17	8	2	1	-	2	-	1	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	21	18	2	7	-	-	2	-	-	-	-	-	-	-	1	5
West St. Pancras *2H*	60,562	24	10	1	3	-	-	-	-	-	-	-	-	1	3	3	3
Tottenham-court *w,7H*	21,258	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Gray's Inn Lane *4H*	34,449	22	11	4	3	-	1	-	-	-	-	-	-	1	1	1	2
East St. Pancras *W,2H*	60,320	30	11	1	3	-	1	-	-	-	-	-	-	1	1	1	3
North St. Pancras *2W*	58,728	26	14	6	2	-	-	-	-	2	-	-	-	-	1	2	5
Tufnell *W*	31,995	13	14	2	5	-	-	-	-	-	-	-	-	-	-	-	10
Upper Holloway *2W,w,H*	33,978	22	12	1	4	-	-	-	-	-	-	-	-	1	-	1	7
Tollington *WH*	33,922	8	4	-	2	-	-	-	-	-	-	-	-	1	-	-	-
Lower Holloway	41,424	22	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Barnsbury	54,478	27	9	3	2	-	1	-	-	-	-	-	-	1	-	-	-
Islington South-east *F*	75,397	31	10	4	2	-	-	-	-	-	-	-	-	1	-	-	-
Highbury *2H*	63,797	33	7	-	3	-	-	-	-	-	-	-	-	-	-	1	-
Stoke Newington *H*	51,247	24	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	18	10	2	5	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney *2w,F*	50,536	23	14	4	5	-	-	1	-	-	-	-	-	2	1	1	2
South-west Hackney *3H*	59,921	28	14	4	2	-	-	-	-	-	-	-	-	2	2	2	6
South-east Hackney *2W,w,H*	58,255	36	8	2	3	-	-	-	-	-	-	-	-	1	1	2	3

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a s district contains more than one institution of either kind, the number is indicated by a figure prefixed to letter.

* See also note * on first page of this return

† Formerly described as "Simple Continued Fever

AB. 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st July, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* -	31,436	18	7	5	1	-	1	-	-	-	-	-	-	-	-	-	4	-
Strand *W*,4*H* - - - - -	21,674	4	10	1	4	-	-	-	-	-	-	-	-	1	-	1	6	-
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,6*H* - - - - -	29,612	13	21	8	2	-	-	-	-	1	-	-	-	2	-	-	15	-
South Clerkenwell - - -	28,676	15	4	2	1	-	1	-	-	1	-	-	-	-	2	2	-	-
North Clerkenwell *H* - - -	35,028	18	4	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-
Finsbury 3*H*,*L* - - - - -	36,116	38	4	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Holborn Union Workhouse, Upcham - - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	1
St. Giles-in-the-Fields *H* - - - -	10,299	3	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	7	19	2	1	-	-	-	-	-	-	-	-	-	-	1	16	-
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South *H* - - - -	46,362	23	10	5	2	-	-	-	-	-	-	-	-	2	-	2	-	-
Shoreditch North-West *W*,*w*,*H* -	36,127	20	19	5	8	-	-	-	-	-	-	-	-	3	5	7	12	-
Shoreditch North-East - - -	36,148	19	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch Union Workhouse, Woodseen - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North 2*H* - -	51,514	32	11	4	2	-	-	-	-	-	-	-	-	1	1	3	4	1
Bethnal Green South - - -	33,472	18	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Bethnal Green East 2*W*,*H*,*L* - -	44,694	37	11	2	4	-	1	-	-	-	-	-	-	-	-	1	9	-
Shoreditch Union Workhouse, Woodseen - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spitalfields - - - - -	27,969	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H* - -	28,718	30	28	5	5	-	-	-	-	-	-	-	-	1	2	5	28	-
Goodman's Fields - - - -	22,081	9	4	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-
St. George and St. John 2*W* - -	49,068	43	17	5	6	-	-	-	-	-	-	-	-	2	1	3	7	-
Shadwell and Ratcliff *W*,*H* - -	25,568	11	10	4	-	-	-	-	-	1	-	-	-	-	3	6	7	-
Limehouse *W* - - - - -	32,369	19	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Mile End Old Town South-Eastern *H* - - - -	63,698	68	11	4	4	-	-	-	-	-	-	-	-	3	-	-	1	-
Mile End Old Town North-Eastern *W*,*w* - - -	49,129	26	9	4	1	-	1	-	-	-	-	-	-	1	1	1	4	-
Poplar *L* - - - - - -	41,989	35	6	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H* - - - - -	68,319	40	27	2	11	-	3	-	-	-	-	-	-	-	1	7	18	-
Bow *W*,*w* - - - - -	58,514	24	13	4	2	-	5	-	-	-	-	-	-	-	-	-	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st July, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H* -	11,263	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H* - -	12,056	6	10	-	1	-	-	-	-	-	-	-	-	-	1	2	1
Kent-road - - - - -	21,904	19	6	-	3	-	-	-	-	1	-	-	-	1	-	-	-
St. George the Martyr West *W,2H,L* - - - -	39,091	25	9	7	-	-	-	-	-	-	-	-	-	1	1	2	2
Newington North - - -	49,022	25	7	2	3	-	-	-	-	-	-	-	-	2	-	1	-
Newington South *W* - - -	72,811	49	14	3	7	-	-	-	-	-	-	-	-	1	2	3	-
St. Olave *2W* - - - -	9,81	1	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Bermondsey *W* - - - -	82,483	53	21	9	5	-	-	-	-	-	-	-	-	3	2	3	-
Rotherhithe *W,F* - - - -	38,460	20	19	-	5	-	-	-	-	1	-	-	-	-	-	-	10
Waterloo-road *2H* - - -	27,440	25	6	4	-	-	-	-	-	-	-	-	1	-	1	1	-
Lambeth Church 1st *H* - -	18,423	7	13	4	1	-	1	-	-	-	-	1	-	-	1	1	6
Lambeth Church 2nd *2W* - -	39,818	34	17	2	8	-	-	-	-	-	-	-	-	-	-	-	12
Kennington 1st *H* - - -	53,198	36	5	1	2	-	-	-	-	-	-	-	-	1	-	-	-
Kennington 2nd *H* - - -	42,896	18	6	1	3	-	-	-	-	-	-	-	-	1	-	-	1
Brixton *F* - - - - -	84,232	42	10	-	2	-	-	1	1	1	-	1	-	-	-	-	4
Norwood *W,H* - - - -	35,888	13	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
East Battersea *H* - - -	72,203	43	12	6	-	-	1	-	-	1	-	-	-	-	-	2	-
North-west Battersea - - -	49,656	28	6	3	2	-	1	-	-	-	-	-	-	1	-	1	-
South-west Battersea *2W,H* - -	47,048	17	21	2	6	-	-	-	-	2	-	-	-	-	1	1	17
Clapham *2H* - - - -	51,361	18	9	-	6	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L* - -	83,019	35	25	7	9	-	2	-	-	2	-	-	-	1	1	1	3
Springfield *2W,L* - - - -	27,959	23	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H* - - - -	40,444	27	4	1	2	-	-	-	-	-	-	-	-	-	1	1	-
Putney - - - - - -	24,139	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - -	13,359	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w* - -	40,206	20	20	1	11	-	1	-	-	-	-	-	-	-	-	-	16
Camberwell North *W,2L* - -	65,584	28	17	4	6	-	-	-	-	-	-	1	-	-	-	-	9
St George - - - - -	47,331	34	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North - - - -	48,913	29	5	3	-	-	-	-	-	1	-	-	-	-	-	-	-
Peckham South *2W,w* - - -	43,946	27	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - - -	37,613	22	5	2	1	-	-	-	1	1	-	-	-	-	-	-	-
Deptford Central - - - -	45,481	32	8	2	2	-	1	2	-	-	-	-	-	1	-	-	-
Deptford South - - - -	34,625	23	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H* - - -	23,456	11	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H* - -	43,859	20	14	3	7	-	-	-	-	-	-	-	-	1	-	1	10
Eltham *w,H* - - - -	7,226	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH* - - - - -	25,490	4	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Lewisham *W w,F* - - -	58,352	51	7	-	3	-	-	-	-	-	-	-	-	-	-	-	3
Sydenham *H* - - - -	43,653	22	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H* - - - -	21,134	10	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Woolwich *5H* - - - -	41,625	25	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Plumstead West *W* - - -	18,063	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H* - -	50,264	39	18	-	4	-	-	-	-	-	-	-	-	-	1	1	-
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) -	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern - - - -	—	-	5	-	-	-	-	2	2	-	-	1	-	-	-	-	-
Northern - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont - - - - -	—	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Caterham - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth - - - - -	—	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Leavesden - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead - - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony) - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton - - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Manor - - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell - - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury - - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	2	-	-	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 21st July, 1906.

Districts of Metropolitan Police District and Sub-districts.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1,328	418	100	124	-	8	4	5	4	2	20	17	35	87	2
:1	Carshalton 2F,3H - -	12,228	32,997	17	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H-	10,423	15,548	10	1	-	-	-	-	-	-	-	-	-	-	-	1	-
:1	Godstone, *part of** W,F -	2,754	2,692	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Coulsdon - - - -	11,069	8,166	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon *w* - -	4,200	49,309	24	17	5	4	-	-	-	1	-	-	1	-	1	-	-
3	West Croydon 3W,F,H -	2,168	42,888	26	13	1	2	-	1	-	1	-	-	1	-	-	8	-
4	North Croydon *H* - -	2,644	41,698	21	7	1	2	-	-	-	-	-	-	-	1	1	1	-
5	Penge *w,H* - - - -	770	22,465	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham *w* - - -	11,711	30,015	45	5	2	3	-	-	-	-	-	-	-	-	-	-	2
:1	Wimbledon F,3H - -	3,221	41,652	23	5	2	-	-	-	-	-	-	-	2	-	-	1	-
2	Kingston 2W,H - - -	6,224	42,068	20	9	1	5	-	-	-	-	1	-	-	1	2	2	-
3	Surbiton F,H - - -	3,046	15,017	4	2	-	-	-	-	-	-	-	-	-	1	1	-	-
4	Esher, *part of** H -	5,402	13,100	8	1	-	-	-	-	-	-	-	-	-	1	1	1	-
5	Hampton H,F,L - -	4,534	23,456	10	8	2	1	-	1	-	-	-	-	1	-	-	1	-
:1	Richmond W,H - - -	2,162	28,865	10	5	2	2	-	-	-	-	-	-	-	1	2	-	-
2	Mortlake F - - -	2,847	20,628	22	4	3	-	-	-	-	-	-	-	-	-	1	-	-
:1	Bromley F,2H - - -	4,703	27,354	18	4	-	3	-	-	-	-	-	-	-	-	1	1	-
2	Beckenham H - - -	7,825	28,497	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	5	8	1	3	-	-	-	-	-	-	-	1	1	4	-
4	Chislehurst 2H - - -	7,333	16,446	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley *w* F,H - - -	8,678	21,151	9	7	2	2	-	-	-	-	-	-	-	-	2	-	-
2	Erith F,H - - - -	3,854	25,296	15	3	-	-	-	-	-	-	-	-	-	1	1	-	-
3	Dartford W,F, *part of** -	—	—	-	3	-	3	-	-	-	-	-	-	-	-	-	3	-
1:1	Sunbury *w* - - - -	11,054	18,683	13	5	-	1	-	-	-	1	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	10	6	-	4	-	-	-	-	-	-	-	-	-	3	-
1:1	Hillingdon W,F,H - -	6,035	13,661	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge *H* - - -	12,757	8,984	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *w*2F,H - - -	8,066	16,358	17	3	2	1	-	-	-	-	-	-	1	-	-	-	-
1:1	Isleworth 3W,2F,H - -	6,859	30,863	16	10	2	3	-	1	1	-	-	-	-	-	-	3	-
2	Twickenham F,H - -	2,421	20,991	11	4	2	1	-	1	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H - - -	4,319	48,289	30	11	3	4	-	-	-	-	-	-	1	-	-	2	-
4	Chiswick *H*- - - -	1,249	29,809	17	7	2	3	-	-	-	-	-	-	2	-	-	-	-
5	Acton *w,F*,3H - - -	6,132	48,914	45	8	2	2	-	1	-	-	-	-	-	-	1	-	-
1:1	Harrow F,H - - -	13,809	25,523	17	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H - - -	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	101	18	7	7	-	-	-	-	-	-	4	2	2	2	-
4	Hendon W,F - - -	8,382	22,450	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1:1	South Mimms 2F,H - -	17,755	7,308	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	12	2	1	-	-	-	-	-	-	-	-	1	1	-	-
3	Finchley F,2H - - -	4,688	33,692	12	8	1	5	-	-	-	-	-	-	-	-	1	-	-
1:1	Hornsey F,H - - -	2,875	72,056	41	10	1	3	-	-	1	-	-	-	-	-	-	1	-
2	Wood Green *H* - - -	1,625	34,233	29	7	2	2	-	-	-	-	-	-	-	-	-	2	-
3	West Tottenham *F* - -	996	48,853	34	7	1	2	-	1	-	-	-	-	-	-	2	-	-
4	East Tottenham 2H - -	2,017	53,688	37	11	2	3	-	-	-	-	-	-	-	1	3	2	-
5	Edmonton *W,w*,2F - -	7,491	61,892	45	15	2	7	-	-	-	-	-	-	2	-	2	7	-
6	Enfield 2W,F,H - - -	12,601	42,738	20	6	2	2	-	-	1	-	1	-	-	1	1	2	-
7	Waltham Abbey *F* - -	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Hatfield, *part of** W -	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H* - - - -	9,333	9,173	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	1,072	44,827	23	5	-	1	-	-	-	-	-	-	1	1	1	2	-
2	Plaistow F,3H - - -	1,249	90,921	69	19	7	2	-	1	-	-	-	2	-	-	-	3	-
3	Canning Town *H* - -	1,558	70,718	54	10	2	1	-	-	-	-	-	-	1	-	1	-	-
4	Forest Gate *w* - - -	806	60,892	29	14	-	6	-	1	-	-	-	-	-	-	-	-	-
5	North East Ham *w H* -	1,333	58,676	31	13	8	-	-	-	-	-	-	-	-	2	2	-	-
6	South East Ham 2F - -	1,993	37,342	28	8	3	1	-	-	-	-	-	-	1	-	1	-	-
7	Wanstead *F* - - -	1,679	9,179	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	32	8	1	5	-	-	-	-	1	-	-	-	-	5	-
9	North Leyton 2W,*w,F* -	1,963	48,445	36	28	5	11	-	-	-	-	-	-	1	-	-	22	-
10	Walthamstow 3H,L - -	6,504	108,929	64	14	5	3	-	-	-	1	1	-	-	2	2	1	-
:1	Chigwell, *part of** 2F,3H -	11,778	16,397	13	3	-	1	-	-	-	1	-	-	-	-	-	1	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** W,2F -	6,556	6,091	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L - - - -	8,493	41,234	32	14	2	2	-	-	-	-	-	-	-	-	-	3	-
3	Barking Town *F* - -	3,803	21,547	15	7	5	1	-	-	-	-	-	-	1	-	1	-	-
	London Fever Hospital, Islington.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Asylum, Colney Hatch.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1 Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	July 21	2468	1054	11·6	-	35	12	10	20	6	
CALCUTTA - -	910,117	June 9	-	429	26·3	33	1	-	-	-	12‡	
BOMBAY - -	773,006	July 3	339	749	39·8	4	13	-	-	-	113†	1
MADRAS - -	509,346	June 22	304	364	37·1	3	2	?	?	?	80	
PARIS - - -	2,750,000	July 14	997	756	14·7	-	11	2	-	4	8	
BRUSSELS - -	612,401	" 14	-	-	-	-	-	-	-	-	-	
ANTWERP - -	291,949	" 14	-	-	-	-	-	-	-	-	-	
AMSTERDAM -	560,249	" 7	279	129	12·0	-	5	-	4	2	2	
COPENHAGEN -	425,000	" 14	254	120	14·7	-	3	1	-	4	-	
STOCKHOLM -	324,488	" 7	151	83	13·3	-	-	-	2	4	-	
CHRISTIANIA -	222,373	" 14	118	54	12·6	-	-	-	3	2	1	
ST. PETERSBURG	1,424,700	" 7	-	699	25·3	2	22	12	14	6	43	1
MOSCOW - -	1,154,000	June 30	-	846	38·2	1	9	6	2	3	4	3
BERLIN - -	2,060,650	" 30	907	627	15·9	-	25	9	9	10	-	
HAMBURG - -	819,380	July 14	-	225	14·6	-	10	1	2	4	-	
BRESLAU - -	475,000	" 7	-	215	23·6	-	-	2	2	2	-	
MUNICH - -	540,000	" 14	-	177	17·0	-	2	-	1	2	1	
VIENNA - -	1,956,949	" 14	947	546	14·6	-	14	6	9	2	1	
PRAGUE - -	455 241	" 7	183	203	22·9	-	2	-	2	1	-	
BUDA-PESTH -	859,134	" 7	393	302	18·3	-	3	2	2	1	-	
TRIESTE - -	196,637	" 14	132	99	26·2	-	1	-	-	-	-	
ROME - -	526,170	June 2	-	-	-	-	-	-	-	-	-	
VENICE - -	171,709	—	-	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	June 30	136	121	21·7	-	-	1	-	-	-	
		July 7	140	157	28·1	-	-	-	1	1	2	
NEW YORK -	4,152,860	" 7	2263	1528	19·2	-	19	6	27	4	10	2
CHICAGO - -	2,049,185	June 30	-	476	12·1	-	5	19	3	1	7	
PHILADELPHIA -	1,469,126	July 7	-	651	23·0	-	4	1	2	24	12	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	June 17	-	263	15·0	-	-	-	2	-	1	

* Excluding deaths from croup in the Indian Cities.
† Including 43 deaths from plague in Calcutta, and 40 in Bombay.
‡ Including 38 deaths from cholera in Calcutta, 41 in Bombay, and 2 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 21st July, 1906.

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	86·2	46·8	63·4	0·19	BRADFORD - -	72·2	48·6	58·9	0·2
BRIGHTON - -	70·4	47·1	60·0	0·16	LEEDS - - -	75·0	49·0	61·4	0·0
PORTSMOUTH - -	75·5	50·0	62·1	0·33	HULL - - -	71·0	47·0	59·8	0·0
NORWICH - -	?	?	?	?	TYNEMOUTH - -	70·0	44·0	53·4	0·1
PLYMOUTH - -	66·7	50·0	59·7	0·52	CARDIFF - -	72·1	45·2	59·0	0·2
BRISTOL - - -	73·0	48·3	60·7	0·23	EDINBURGH - -	63·2	43·7	55·9	0·1
BIRMINGHAM - -	74·2	49·3	60·2	0·05	GLASGOW - -	69·0	44·0	55·6	0·1
NOTTINGHAM - -	78·1	47·6	61·5	0·07	DUBLIN Phœnix Park.	71·0	47·4	59·0	0·1
LIVERPOOL OBSERVATORY.	71·0	51·0	59·4	0·14	DUBLIN Fitzwilliam Square.†	72·1	49·8	60·4	0·1
MANCHESTER -	72·0	47·8	58·4	0·78					
PRESTON - -	68·5	51·0	58·6	0·68					
HUDDERSFIELD -	71·3	47·3	58·1	0·51	BELFAST - -	63·5	45·5	57·5	0·1

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures, a correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to above was 1°·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit)	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	15	..	29·812	70·2	54·2	16·0	62·5	− 0·7	52·5	10·0	14·0	2·2	70	120·9	47·8	60·79	SW. & WSW.	WSW., W. & NW.	4·5	0·0	0·6	403	+173	0·02	3·2
MONDAY -	16	Apogee	29·852	75·2	50·3	24·9	62·7	− 0·5	52·9	9·8	17·3	3·2	70	131·2	40·2	60·87	WSW.	WSW. & W.	7·0	0·0	0·7	462	+232	0·00	4·0
TUESDAY -	17	..	29·910	80·7	56·8	23·9	68·4	+ 5·3	55·7	12·7	22·1	1·0	64	145·1	48·8	61·12	WSW. & W.	WSW. SSW. & SW.	2·5	0·0	0·3	304	+ 73	0·00	4·8
WEDNESDAY	18	..	29·743	86·2	56·2	30·0	69·9	+ 6·9	57·2	12·7	27·1	0·6	64	145·7	47·9	61·40	SW & WSW.	WSW. & SW.	1·4	0·0	0·1	219	− 12	0·00	2·5
THURSDAY-	19	..	29·728	66·9	53·3	13·6	58·4	− 4·6	50·6	7·8	15·8	3·8	75	110·8	47·9	61·50	WSW. & SW.	W. & WSW.	2·6	0·0	0·3	369	+137	0·17	2·7
FRIDAY -	20	Greatest Dec. N.	29·722	69·8	51·2	18·6	58·2	− 4·8	45·3	12·9	22·9	5·2	62	133·0	40·4	61·76	WSW	WSW., WNW. & NW.	3·1	0·0	0·2	322	+ 90	0·00	3·8
SATURDAY -	21	New	29·831	70·2	46·8	23·4	59·1	− 3·9	53·4	5·7	14·8	1·5	82	120·6	33·8	61·60	WSW. & SW.	SW.	0·8	0·0	0·0	174	− 58	0·00	2·0
MEANS	-		29·800	74·2	52·7	21·5	62·7	− 0·3	52·5	10·2	19·1	2·5	70	129·6	43·8	61·29	WSW.		..	..	..	Sum 2253	Sum +635	Sum 0·19	3·3
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. July.		Electricity (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	15	w. P. generally; w. N. at 1h. P.M.	3·2	16·2	Generally cloudy; occasional fine intervals; light showers in afternoon.
MONDAY -	16	w. P. generally; occasional w. N. between noon and 2h. P.M.	9·9	16·1	Very fine generally; cloudy in forenoon; brisk wind prevalent after 9h. A.M.
TUESDAY -	17	w. P. throughout.	12·0	16·1	Cloudy in early morning: very fine afterwards; very warm.
WEDNESDAY	18	w. P. throughout.	10·7	16·0	Generally overcast till 8h. A.M.; very fine with small amounts of cloud generally afterwards; very warm.
THURSDAY-	19	w. P. till 7h. A.M.; v. P. and s. N. till 11h. A.M.; m. P. generally afterwards.	1·8	16·0	Generally overcast; fine interval between 3h. and 6h. P.M.; rain between 7h. and 10h. A.M. Faint Solar halo observed about 4h. P.M.
FRIDAY -	20	w. P. till 3h. P.M.; m. P. generally with occasional s. P. afterwards.	5·9	16·0	Generally overcast till 10h. A.M.; fine with variable amounts of cloud afterwards.
SATURDAY-	21	m. P. till 5h. A.M.; w. P. afterwards.	0·3	15·9	Cloudless till 2h. A.M.; overcast with slight exceptions afterwards.
			Sum 43·8	Sum 112·3	
No. of Col	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·91 in. at the beginning of the week to 29·77 in. by 4h. P.M. on the 15th; increased to 29·89 in. by 4h. A.M. on the 16th; decreased to 29·81 in. by 6h. P.M. on the same day; increased to 29·93 in. by 8h. A.M. on the 17th; decreased to 29·64 in. by 6h. A.M. on the 19th; increased to 29·79 in. by 9h. P.M. on the same day; decreased to 29·71 in. by 5h. P.M. on the 20th; increased to 29·84 in. by 10h. A.M. on the 21st; and was 29·82 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 14th July, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	9	3	-	-	-	-	3	1
Kensington	180,952	-	12	7	-	-	-	-	3	1
Hammersmith	120,679	-	13	6	-	-	-	-	5	-
Fulham	161,965	-	12	4	-	-	-	-	4	1
Chelsea	74,672	-	6	1	-	-	-	-	-	1
City of Westminster	173,905	-	11	9	-	1	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	8	3	-	-	-	-	3	-
Hampstead	89,633	-	17	2	-	-	-	-	1	-
St. Pancras	236,455	-	14	10	-	-	-	-	5	-
Islington	344,987	-	26	10	-	5	-	-	3	1
Stoke Newington	53,217	-	4	-	-	-	-	-	-	-
Hackney	230,721	-	16	11	-	1	1	-	2	-
CENTRAL.										
Holborn	55,805	-	1	1	-	1	-	-	-	-
Finsbury	97,466	-	18	3	-	1	-	-	1	-
City of London	21,367	-	4	2	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	22	2	-	1	-	-	1	-
Bethnal Green	130,609	-	23	6	-	-	-	-	4	-
Stepney	307,176	-	21	16	-	1	-	-	4	-
Poplar	170,673	-	9	4	-	-	-	-	2	-
SOUTH.										
Southwark	209,143	-	41	8	-	1	-	-	5	-
Bermondsey	128,629	-	17	5	-	-	-	-	4	1
Lambeth	315,774	-	26	9	-	1	-	-	2	2
Battersea	179,622	-	8	4	-	2	-	-	2	-
Wandsworth	273,381	-	25	7	-	2	-	-	3	-
Camberwell	274,132	-	11	5	-	2	-	-	4	-
Deptford	115,495	-	23	9	-	1	-	-	5	1
Greenwich	105,350	-	11	7	-	2	-	-	2	-
Lewisham	148,463	-	11	3	-	1	-	-	1	-
Woolwich	127,345	-	8	8	-	-	-	-	3	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	427	165	-	23	1	-	73	9
Ages 0-1		-	2	3	-	-	-	-	2	-
" 1-5		-	126	58	-	1	-	-	5	-
" 5-		-	204	60	-	3	-	-	2	-
" 10-		-	51	14	-	5	-	-	-	-
" 15-		-	15	12	-	3	-	-	11	-
" 20-		-	11	4	-	6	-	-	5	2
" 25-		-	14	10	-	4	1	-	13	4
" 35-		-	4	3	-	1	-	-	11	2
" 45-		-	-	-	-	-	-	-	12	1
" 55-		-	-	-	-	-	-	-	4	-
" 65 and upwards		-	-	1	-	-	-	-	8	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 30. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, JULY 28. [Price 1½*d.*

General Register Office, Somerset House,

July 30th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·6 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 12·3, 11·7, and 12·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 16·5 in Gateshead, 16·6 in Bootle, 16·7 in Rochdale, 17·3 in Warrington, 18·5 in Wigan, 18·7 in Huddersfield, 19·1 in Manchester, 19·5 in Bury, and 21·6 in Merthyr Tydfil; from *measles*, 1·3 in Salford, 1·4 in Manchester, 1·7 in Rotherham, 2·9 in Halifax, and 5·5 in Huddersfield; from *diphtheria*, 2·1 in West Hartlepool; from *whooping-cough*, 1·3 in Birkenhead; from "*fever*," 1·3 in Devonport; and from *diarrhœa*, 1·4 in West Ham, 1·6 in East Ham and in Handsworth (Staffs.), 1·8 in Norwich, 1·9 in Leeds, and 2·3 in Warrington. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2352 BIRTHS and 1056 DEATHS were registered. Allowing for increase of population, the births were 193 and the deaths 259 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 12·3, 11·8, and 11·6 per 1000 in the preceding three weeks, was 11·7 last week. The death-rate in the four weeks ended last Saturday averaged 11·9 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 7/06 D & S 3 25585

The 1056 deaths included 30 from measles, 6 from scarlet fever, 10 from diphtheria, 10 from whooping-cough, 3 from enteric fever, and 74 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 133 deaths were referred to these diseases in the aggregate, being 112 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 39, 22, and 35 in the preceding three weeks, were 30 last week, and were 3 above the corrected average; 8 deaths belonged to the Borough of Kensington, and 3 each to St. Marylebone, Finsbury, Bermondsey, and Battersea. The deaths from *scarlet fever*, which had been 17, 6, and 12 in the preceding three weeks, fell to 6 last week, and were 2 below the corrected average. The deaths from *diphtheria*, which had been 12, 9, and 10 in the preceding three weeks, were again 10 last week, the corrected average being 15. The deaths from *whooping-cough*, which had been 12, 18, and 20 in the preceding three weeks, fell to 10 last week, and were 17 below the corrected average. The fatal cases of *enteric fever*, which had been 12, 4, and 5 in the preceding three weeks, were 3 last week, the corrected average being 9. The deaths from *diarrhœa*, which had been 31, 35, and 56 in the preceding three weeks, further rose to 74 last week, but were 84 below the corrected average; 11 deaths belonged to Stepney, 7 to Poplar, 6 to Lambeth, and 5 to Islington. Of the 74 deaths from diarrhœa, 67 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 9 other deaths at this age. The deaths attributed directly to *influenza* numbered 2, having been 5, 6, and 8 in the preceding three weeks.

Different forms of *violence* caused 61 deaths, concerning all but one of which inquests were held. Of these 61 deaths, 12 were cases of suicide, while the remaining 49 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 2 to burns, scalds, or explosions, 5 to drowning, 2 to heat stroke, 3 to the effects of anæsthetics administered for surgical purposes, and 6, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 3042 of scarlet fever, 880 of diphtheria, and 99 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 0, 0, and 0; of scarlet fever, 408 cases, against 378, 406, and 413; of diphtheria, 135 cases, against 138, 129, and 140; and of enteric fever, 17 cases, against 9, 14, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 21st, 1906.

Greater London.

In Greater London 3606 births and 1476 deaths were registered. Allowing for increase of population, these numbers are 307 and 360 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 2 from whooping-cough, 1 from "fever," and 19 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 66°·3, the latter being 3°·8 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 1 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 69·5 hours; the measured rainfall amounted to 0·15 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE I.—76 GREAT TOWNS.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 7th July, 1906.	14th July, 1906.	21st July, 1906.	28th July, 1906.	Rate from Diseases in Cols. 11-17. Week ended 28th July, 1906.	Registered during the Week ended 28th July, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	15,818,360	12·3	11·7	12·0	12·6	1·6	8348	3813	940	991	-	110	29	56	48	23	220	169	322	977	24	76 Towns.
London	4,721,217	12·3	11·8	11·6	11·7	1·5	2352	1056	233	264	-	30	6	10	10	3	74	61	120	449	3	London.
Croydon	151,011	8·3	8·6	11·7	10·7	1·4	78	31	9	10	-	-	-	1	2	-	1	-	3	5	-	Croydon.
Willesden	143,622	11·6	8·7	6·5	8·4	1·8	84	23	7	8	-	-	1	1	1	-	2	1	2	5	-	Willesden.
Hornsey	86,935	9·6	9·0	8·4	4·8	0·6	26	8	1	2	-	-	-	-	-	-	1	2	2	-	-	Hornsey.
Tottenham	119,503	8·3	9·6	8·7	7·9	0·9	63	18	5	6	-	-	-	-	-	-	2	2	2	2	-	Tottenham.
West Ham	301,617	8·1	10·4	10·9	11·6	2·9	173	67	22	14	-	3	-	3	1	2	8	1	2	19	-	West Ham.
East Ham	129,886	7·2	5·6	8·4	10·0	2·0	74	25	13	4	-	-	-	-	-	1	4	1	3	4	-	East Ham.
Leyton	118,287	7·9	8·8	5·7	7·5	1·3	76	17	6	3	-	-	-	-	1	-	2	2	3	3	-	Leyton.
Walthamstow	121,334	6·0	7·7	8·6	9·5	2·1	64	22	5	2	-	-	1	2	-	-	2	-	2	5	-	Walthamstow.
Hastings	67,144	7·8	6·2	9·3	6·2	-	16	8	-	3	-	-	-	-	-	-	-	1	1	1	-	Hastings.
Brighton	128,095	9·4	12·2	9·0	13·0	0·4	40	32	2	16	-	-	-	-	1	-	-	-	2	14	-	Brighton.
Portsmouth	205,118	9·9	8·4	11·9	14·0	1·0	98	55	9	20	-	-	-	1	-	-	3	-	2	8	1	Portsmouth.
Bournemouth	67,702	10·0	6·9	10·0	6·9	1·5	11	9	1	4	-	-	-	1	-	-	1	-	-	3	-	Bournemouth.
Southampton	117,312	10·7	9·8	8·0	12·0	0·4	46	27	5	9	-	-	-	-	-	1	-	-	-	4	-	Southampton.
Reading	78,987	11·2	7·9	5·9	12·5	2·0	43	19	3	7	-	-	-	1	1	-	1	-	-	6	-	Reading.
Northampton	93,749	8·3	7·2	9·5	5·6	0·6	34	10	2	3	-	-	-	-	-	-	1	1	1	2	-	Northampton.
Ipswich	71,809	10·9	10·2	10·9	12·3	0·7	44	17	3	9	-	-	-	-	-	-	1	1	1	2	-	Ipswich.
Great Yarmouth	52,613	10·9	11·9	11·9	11·9	1·0	18	12	1	3	-	1	-	-	-	-	-	-	1	2	-	Great Yarmouth.
Norwich	117,958	11·9	16·8	10·6	13·7	2·2	65	31	8	9	-	1	-	-	-	-	4	-	1	3	-	Norwich.
Plymouth	118,014	11·9	14·6	11·0	11·0	1·3	58	25	4	8	-	1	-	1	-	1	-	-	1	4	-	Plymouth.
Devonport	78,405	8·0	13·3	11·3	12·0	4·0	35	18	2	8	-	-	1	-	1	2	2	-	-	3	-	Devonport.
Bristol	363,223	13·9	9·8	11·5	12·5	0·6	190	87	12	32	-	4	-	-	-	-	-	4	9	27	-	Bristol.
Hanley	66,300	12·6	9·4	4·7	13·4	0·8	43	17	5	4	-	-	-	-	-	-	1	1	2	1	-	Hanley.
Burton-on-Trent	52,922	7·9	10·8	9·9	11·8	3·0	12	12	3	4	-	-	1	-	1	-	1	1	1	2	-	Burton-on-Trent.
Wolverhampton	100,729	14·5	8·8	13·5	12·9	1·0	59	25	8	10	-	-	1	-	1	-	-	1	4	5	-	Wolverhampton.
Walsall	94,577	10·5	8·8	14·9	8·8	1·1	49	16	6	6	-	-	-	-	-	-	2	1	2	1	-	Walsall.
Handsworth	63,819	12·3	8·2	4·9	4·9	1·6	33	6	1	2	-	-	-	-	-	-	2	-	-	-	-	Handsworth.
West Bromwich	68,469	11·4	11·4	12·2	14·5	0·8	37	19	7	5	-	1	-	-	-	-	-	-	2	4	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 28th July, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 7th July, 1906.	14th July, 1906.	21st July, 1906.	28th July, 1906.	Rate from Diseases in Cols. 11-17. Week ended 28th July, 1906.	Registered during the Week ended 28th July, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols
BIRMINGHAM - -	548,022	12·1	10·0	13·0	12·0	2·0	331	126	34	33	-	4	-	2	3	-	12	5	7	20	3	BIRMINGHAM.
KINGS NORTON -	72,608	7·9	7·9	7·2	7·2	0·7	22	10	-	1	-	-	1	-	-	-	-	-	-	2	-	KINGS NORTON.
SMETHWICK - -	64,531	13·7	10·5	8·1	8·1	-	41	10	4	3	-	-	-	-	-	-	-	-	-	-	-	SMETHWICK.
ASTON MANOR -	82,288	11·4	7·6	13·3	12·7	0·6	36	20	8	3	-	1	-	-	-	-	-	1	4	1	-	ASTON MANOR.
COVENTRY - -	76,374	10·2	7·5	10·2	7·5	-	50	11	1	6	-	-	-	-	-	-	-	1	1	3	-	COVENTRY.
LEICESTER - -	232,111	8·5	9·9	10·3	12·4	0·9	110	55	11	14	-	1	-	-	-	-	3	4	8	14	-	LEICESTER.
GRIMSBY - - -	69,359	14·3	6·8	12·8	15·8	1·5	36	21	5	5	-	-	-	1	-	1	-	1	1	1	-	GRIMSBY.
NOTTINGHAM - -	254,563	10·9	11·5	13·5	14·7	0·6	144	72	19	25	-	-	-	1	-	-	2	5	5	20	-	NOTTINGHAM.
DERBY - - -	123,981	10·5	11·4	10·5	10·1	1·3	59	24	3	11	-	-	-	1	1	1	-	-	-	5	-	DERBY.
STOCKPORT - -	39,646	13·6	14·7	17·8	15·2	2·6	63	29	10	6	-	2	-	-	1	-	2	1	2	4	-	STOCKPORT.
BIRKENHEAD - -	117,292	11·1	10·2	12·4	13·3	2·7	70	30	12	5	-	-	-	-	3	-	3	1	1	2	-	BIRKENHEAD.
WALLASEY - -	64,578	20·2	8·9	6·5	13·7	-	25	17	4	5	-	-	-	-	-	-	-	1	2	2	-	WALLASEY.
LIVERPOOL - -	739,180	15·7	12·8	16·5	15·2	1·9	452	216	63	48	-	7	3	2	4	1	10	11	16	63	1	LIVERPOOL.
BOOTLE - - -	65,989	11·9	12·6	13·4	16·6	2·4	47	21	3	5	-	1	-	1	-	-	1	2	2	8	-	BOOTLE.
ST. HELENS - -	91,153	13·2	17·2	12·0	13·7	0·6	56	24	7	2	-	-	-	-	-	-	1	1	1	7	1	ST. HELENS.
WIGAN - - -	87,588	19·6	9·5	16·1	18·5	1·2	54	31	9	5	-	-	-	-	-	-	2	1	3	1	1	WIGAN.
WARRINGTON -	69,280	13·5	9·8	9·0	17·3	2·3	46	23	10	4	-	-	-	-	-	-	3	-	-	1	1	WARRINGTON.
BOLTON - - -	180,502	9·8	12·1	12·7	13·6	1·4	81	47	13	13	-	-	-	-	1	-	4	3	4	7	-	BOLTON.
BURY - - -	58,744	12·4	12·4	8·0	19·5	1·8	33	22	5	5	-	-	-	-	-	1	1	2	3	3	1	BURY.
MANCHESTER - -	637,126	16·4	16·0	15·5	19·1	3·1	324	233	60	46	-	17	2	2	3	3	11	13	25	57	2	MANCHESTER.
SALFORD - - -	234,077	14·7	14·0	14·3	12·7	2·5	101	57	16	10	-	6	-	3	-	1	1	1	1	12	-	SALFORD.
OLDHAM - - -	140,969	16·3	15·5	11·8	12·9	0·7	86	35	8	12	-	1	-	-	-	-	1	3	2	5	-	OLDHAM.
ROCHDALE - -	87,189	19·1	20·3	5·4	16·7	1·2	43	28	7	8	-	-	-	1	1	-	-	-	2	4	1	ROCHDALE.
BURNLEY - - -	102,808	14·2	17·2	17·8	15·7	2·0	72	31	8	4	-	2	-	-	-	-	2	1	1	9	1	BURNLEY.
BLACKBURN - -	134,015	10·9	13·2	15·2	10·1	0·8	52	26	5	7	-	-	1	1	-	-	-	3	3	8	-	BLACKBURN.
PRESTON - - -	116,399	14·3	13·0	11·6	13·9	1·8	71	31	6	7	-	-	-	1	-	1	2	1	1	6	-	PRESTON.
BARROW-IN-FURNESS.	60,967	17·1	13·7	11·1	10·3	-	39	12	2	4	-	-	-	-	-	-	-	1	1	1	-	BARROW-IN-

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 7th July, 1906.	14th July, 1906.	21st July, 1906.	28th July, 1906.	Rate from Diseases in Cols. 11-17. Week ended 28th July, 1906.	Registered during the Week ended 28th July, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	8·2	19·8	17·0	18·7	6·6	42	34	10	6	-	10	-	-	1	-	1	1	2	-	-	Huddersfield.
Halifax	109,272	12·9	8·6	8·6	13·8	3·8	40	29	2	12	-	6	1	1	-	-	-	-	-	7	-	Halifax.
Bradford	288,544	11·7	12·5	12·5	11·9	1·4	123	66	6	25	-	1	1	-	-	1	5	2	4	13	1	Bradford.
Leeds	463,495	11·9	12·4	13·5	12·7	2·8	253	113	30	28	-	2	3	2	1	-	17	4	7	17	2	Leeds.
Sheffield	447,951	12·9	12·0	11·6	15·9	2·1	257	137	49	37	-	1	5	2	-	-	10	3	6	22	-	Sheffield.
Rotherham	61,098	11·1	14·5	14·5	10·2	2·6	33	12	3	4	-	2	-	-	1	-	-	-	-	3	2	Rotherham.
York	83,467	8·1	7·5	11·9	6·2	0·6	37	10	2	4	-	-	-	-	1	-	-	-	-	1	-	York.
Hull	262,426	12·1	11·5	14·3	13·1	1·8	150	66	21	16	-	-	1	3	1	1	3	1	5	13	-	Hull.
Middlesbrough	100,069	12·0	16·2	16·2	13·0	2·1	65	25	4	6	-	1	-	1	-	-	2	-	-	2	-	Middlesbrough.
Stockton-on-Tees	52,664	14·9	10·9	10·9	5·9	-	37	6	1	2	-	-	-	-	-	-	-	-	-	-	1	Stockton-on-Tees.
West Hartlepool	73,387	15·6	11·4	9·2	14·2	2·1	36	20	6	1	-	-	-	3	-	-	-	2	2	1	-	West Hartlepool.
Sunderland	154,385	12·5	16·5	12·5	15·9	1·7	113	47	13	10	-	-	-	1	2	1	1	-	-	5	-	Sunderland.
South Shields	111,402	13·1	10·3	10·3	12·2	1·9	66	26	6	3	-	1	-	-	2	-	1	2	3	2	-	South Shields.
Gateshead	123,191	11·9	10·6	14·4	16·5	1·3	80	39	13	8	-	1	-	2	-	-	-	2	3	5	2	Gateshead.
Newcastle-on-Tyne	268,721	14·4	16·7	16·3	10·3	-	167	53	14	9	-	-	-	-	-	-	-	2	7	8	-	Newcastle-on-Tyne.
Tynemouth	54,138	16·4	13·5	16·4	13·5	1·0	35	14	3	5	-	1	-	-	-	-	-	-	1	3	-	Tynemouth.
Newport (Mon.)	74,227	10·5	4·9	11·9	15·5	0·7	32	22	6	11	-	-	-	1	-	-	-	-	2	5	-	Newport (Mon.).
Cardiff	183,823	9·4	9·1	6·2	9·9	0·6	105	35	8	13	-	-	-	-	1	-	1	1	5	7	-	Cardiff.
Rhondda	127,684	11·0	11·8	10·2	13·1	2·0	100	32	15	7	-	1	-	2	-	-	2	1	2	1	-	Rhondda.
Merthyr Tydfil	74,961	17·4	9·7	17·4	21·6	2·1	46	31	9	5	-	-	-	1	1	-	1	1	4	6	-	Merthyr Tydfil
Swansea	96,848	17·2	15·1	10·2	11·8	0·5	66	22	3	7	-	-	-	-	-	1	-	3	4	6	-	Swansea.
Greater London	7,113,561	11·2	10·8	10·8	10·8	1·5	3606	1476	350	377	-	38	9	21	17	7	115	87	163	525	6	Greater London.
Outer Ring	2,392,344	9·0	8·8	9·1	9·2	1·6	1254	420	117	113	-	8	3	11	7	4	41	26	43	76	3	Outer Ring.
8 Towns in Outer Ring	1,172,195	8·4	8·8	9·0	9·4	1·9	638	211	68	40	-	3	2	7	5	3	22	9	19	43	-	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	9·6	8·7	9·2	8·9	1·4	616	209	49	64	-	5	1	4	2	1	19	17	24	33	3	Remainder of Outer Ring.
Edinburgh	341,035	13·8	13·1	10·7	14·8	1·5	151	97	11	34	-	4	1	-	1	-	4	7	?	43	8	Edinburgh.
Glasgow	835,625	16·7	15·5	15·3	14·5	1·6	489	233	43	51	-	2	1	1	7	2‡	13	11	?	87	7	Glasgow.
Dublin†	378,994	16·9	18·7	20·9	20·1	2·2	223	146	21	31	-	2	2	-	2	-	10	4	5	58	4	Dublin.†
Belfast†	366,220§	15·0	16·9	17·2	18·1	1·4	225	127	21	30	-	2	-	1	1	2	4	-	3	30	3	Belfast.

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ In addition to the above, 7 deaths from Cerebro-spinal meningitis were registered.

§ Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTIETH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2448	2599	2696	2494	2507	2384	2521	2519	2467	2480	2545·0	2352
Males - - -	1236	1320	1381	1240	1267	1234	1274	1280	1293	1285	1307·8	1186
Females - -	1212	1279	1315	1254	1240	1150	1247	1239	1174	1195	1237·2	1166
TOTAL **Deaths** -	2146	2023	1452	1884	1846	1582	1260	1191	1423	1285	1314·7	1056
Males - -	1136	1101	777	1039	968	817	649	670	786	682	604·5	549
Females - -	1010	922	675	845	878	765	611	521	637	603	710·2	507

* The numbers in this column are the average weekly numbers in the thirtieth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	13 Weeks.
TOTAL **Births** -	2547	2497	2480	2518	2384	2145	2447	2499	2386	2496	2413	2468	2352	31632
TOTAL **Deaths** -	1446	1423	1270	1159	1240	1150	1112	1205	1060	1113	1072	1054	1056	15360
Ages at Death: Under 1 year -	239	255	251	200	228	225	197	213	189	208	192	221	233	2851
1—5 years -	223	169	163	139	140	149	137	139	113	144	126	128	121	1891
5—20 ,, -	64	78	66	79	71	67	59	79	67	79	71	60	74	914
20—40 ,, -	182	176	153	157	149	143	161	151	136	132	151	110	147	1953
40—60 ,, -	267	299	259	243	265	227	235	279	240	253	227	222	217	3233
60 yrs. & upwds.	471	446	373	341	387	339	323	344	315	297	305	313	264	4518
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	61	75	43	41	50	58	45	52	46	39	22	35	30	597
Scarlet Fever - -	17	11	10	15	12	6	15	13	5	17	6	12	6	145
Diphtheria - -	9	10	11	13	10	7	9	8	9	12	9	10	10	127
Whooping-cough -	38	26	38	32	35	24	17	23	14	12	18	20	10	307
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	-	5	3	8	1	2	4	8	9	12	4	5	3	64
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diarrhœa, Dysentery	12	16	16	10	21	17	15	17	22	31	35	56	74	342
All above Diseases -	137	143	121	119	129	114	105	121	105	123	94	139	133	1583
Dis. of Resp. System	164	122	96	88	75	62	54	58	41	41	47	52	42	942
Pneumonia - -	145	152	148	124	111	90	88	79	91	77	72	81	59	1317
Phthisis - - -	148	141	117	114	145	116	90	129	111	127	108	103	111	1530
Dis. of Circ. System -	175	182	160	148	155	171	160	170	166	144	153	125	134	2043
Violence - - -	61	60	53	42	57	65	57	59	71	51	60	54	61	742
Inquest Cases - -	146	141	119	121	128	134	119	107	123	109	117	104	120	1583
Deaths in Institutions	583	573	507	456	513	465	490	527	452	474	451	425	449	6365
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	46·6	54·2	50·7	51·8	57·2	55·6	53·9	64·1	60·0	61·9	61·5	62·7	66·3	57·4
Mean of Highest -	56·1	64·1	61·2	60·3	67·4	68·6	61·6	76·8	71·5	74·0	72·8	74·2	77·8	68·4
Mean of Lowest -	38·1	45·4	41·1	44·6	49·7	42·2	46·9	51·9	51·4	49·5	52·7	52·7	56·5	47·9
Mean Humidity of the Air.	73	79	68	75	76	65	80	68	76	65	70	70	68	72
Rain-fall (in inches) -	0·26	0·05	0·17	1·08	0·19	0·00	0·30	0·01	2·46	0·00	0·01	0·19	0·15	4·87
Registered Sunshine (in hours).	38·4	22·8	43·3	27·5	39·1	80·6	35·6	61·0	58·1	75·4	47·9	43·8	69·5	643·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	3	1	2	2	5	6	7	13	11	7	5	2	1	5
Scarlet Fever - -	2337	2378	2399	2453	2515	2603	2676	2692	2752	2769	2842	2943	3042	2646
Diphtheria - -	828	791	779	783	763	773	749	766	783	827	840	872	880	803
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	60	56	42	44	41	41	65	76	93	86	89	99	99	69

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst.C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTIETH Week of the Year 1906.

erms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 30th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
. CAUSES - - -	1314·7	1056	233	121	74	147	217	264
all-pox* - - -	1·5	-	-	-	-	-	-	-
wpox - - - -	-	-	-	-	-	-	-	-
asles (Morbilli) - -	27·0	30	8	20	2	-	-	-
arlet Fever - - -	7·6	6	-	2	4	-	-	-
phus - - - -	-	-	-	-	-	-	-	-
ague - - - -	-	-	-	-	-	-	-	-
luenza - - - -	2·5	2	-	-	1	-	-	1
hooping-cough - -	27·0	10	6	4	-	-	-	-
phtheria - - -	15·0	10	1	9	-	-	-	-
rebro Spinal Fever -	0·3	-	-	-	-	-	-	-
rexia,† (Origin uncertain) - - -	-	-	-	-	-	-	-	-
teric Fever - - -	9·2	3	-	-	1	2	-	-
iatic Cholera - -	-	-	-	-	-	-	-	-
pidemic Diarrhœa (Infective Enteritis)	93·3	47	34	12	-	1	-	-
arrhœa, Dysentery -	64·2	27	18	3	-	1	2	3
tanus - - - -	0·8	2	1	-	1	-	-	-
bies, *Hydrophobia* -	-	-	-	-	-	-	-	-
anders - - - -	-	-	-	-	-	-	-	-
thrax (Splenic Fever) -	-	-	-	-	-	-	-	-
nereal Dis. - - -	5·9	3	2	-	-	-	1	-
erperal Septicæmia -	3·1	2	-	-	-	2	-	-
erperal Pyæmia -	0·3	-	-	-	-	-	-	-
erperal Fever - -	0·8	-	-	-	-	-	-	-
fective Endocarditis -	2·0	3	-	-	1	2	-	-
eumonia: Lobar - -	5·6	8	-	2	-	2	1	3
eumonia: Broncho- -	25·5	16	5	6	-	1	1	3
eumonia: Epidemic -	-	-	-	-	-	-	-	-
eumonia: Not defined	37·2	35	5	6	2	5	7	10
ysipelas - - -	2·0	6	2	1	-	2	-	1
pticæmia (not Puerperal) - - -	-	-	-	-	-	-	-	-
æmia (not Puerperal)	0·5	1	-	-	-	-	1	-
her Infective Processes	4·1	7	-	-	-	3	4	-
berculous Phthisis -	61·9	73	1	7	7	29	21	8
hthisis" - - -	58·1	38	-	-	-	29	7	2
berculous Meningitis -	21·9	18	4	5	8	-	-	1
berculous Peritonitis -	8·2	16	5	3	6	1	1	-
bes Mesenterica - -	3·1	8	5	2	1	-	-	-
berculous Dis. (other) -	15·8	16	3	2	3	4	3	1
rofula - - - -	0·3	-	-	-	-	-	-	-
coholism - - -	8·7	9	-	-	-	1	6	2
eumatic Fever - -	3·3	6	-	-	4	2	-	-
out - - - -	1·8	2	-	-	-	-	1	1
rcinoma - - -	56·8	57	-	-	-	2	22	33
rcoma - - - -	4·8	7	-	-	-	2	3	2
ncer (undefined) - -	36·4	32	-	-	-	3	15	14
iabetes Mellitus - -	7·4	2	-	-	1	-	1	-
remature Birth - -	46·9	24	24	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 30th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	17·6	13	3	8	1	1	-	-
Insanity, Gen. Par. of Insane - -	17·6	10	-	-	-	1	4	5
Epilepsy - - - -	4·3	4	-	-	1	-	2	1
Convulsions - - -	22·4	14	13	1	-	-	-	-
Locomotor Ataxy - -	0·5	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	5·6	7	-	-	-	1	4	2
Nervous Sys. (other dis.)	21·7	12	1	-	1	1	3	6
Valv. Dis., Endocarditis	36·7	36	-	-	5	7	10	14
Cerebr. Hæm. Thromb. -	25·0	30	-	-	-	1	13	16
Apoplexy, Hemiplegia -	14·5	12	-	-	-	1	4	7
Aneurysm - - -	4·3	4	-	-	-	1	1	2
Embolism, Thrombosis (not cerebral) -	2·8	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	73·4	52	-	-	3	5	14	30
Croup (not Spasm : nor Memb.) - -	0·5	-	-	-	-	-	-	-
Bronchitis - - -	41·3	30	6	5	-	-	5	14
Asthma, Emphysema -	0·8	2	-	-	-	-	-	2
Pleurisy - - - -	2·8	2	-	1	-	1	-	-
Respiratory Dis. (other)	6·6	8	1	1	-	-	2	4
Tonsillitis, Quinsy - -	0·5	1	-	-	1	-	-	-
Enteritis (not Epid.) -	18·6	12	6	2	-	2	2	-
Gastro-Enteritis - -	14·8	9	5	4	-	-	-	-
Peritonitis (not Puerp.) -	3·6	2	-	-	2	-	-	-
Cirrhosis of Liver - -	15·0	15	-	-	-	2	9	4
Liver Dis. (other) - -	5·6	8	-	-	-	1	5	2
Digestive Dis., Other -	38·0	29	2	-	2	9	7	9
Nephritis, Acute - -	4·8	3	-	-	1	-	2	-
Bright's Dis., Albuminuria - - -	31·4	20	-	-	-	3	12	5
Urinary Sys., Other Dis.	9·9	9	1	-	-	1	-	7
Generative Organs Dis. -	5·4	5	-	-	1	3	1	-
Childbirth (Accid. of) -	4·1	4	-	-	-	3	-	-
Old Age - - - -	40·0	31	-	-	-	-	-	31
Other Diseases - -	88·2	85	56	7	7	2	4	9
ACCIDENT.								
By Railways - - -	2·3	1	-	-	-	1	-	-
By Vehicles and Horses	6·1	3	-	-	2	-	-	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·3	1	-	-	-	-	1	-
In Building Operations -	0·3	2	-	-	-	-	2	-
In Conflagrations - -	0·5	1	-	-	-	-	1	-
By Burns, Scalds, Explosions - -	6·9	2	-	1	-	1	-	-
By Drowning - - -	8·9	5	-	1	3	-	1	-
By Suffocation in Bed -	8·9	6	6	-		-	-	-
By Poisons or Poisonous Vapours - -	1·5	5	-	2	-	1	2	-
Other Deaths by Accident - - -	17·1	23	9	4	2	1	3	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	0·8	-	-	-	-	-	-	-
Suicide - - - -	12·0	12	-	-	-	2	6	4
Execution - - -	-	-	-		-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis in each SUB-DISTRICT during the Week ended Saturday, 28th July, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexial† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2352	1056	233	264	–	30	6	10	10	–	3	–	74	61	120	449
WEST DISTRICTS	805,311	377	187	41	46	–	10	–	2	1	–	1	–	14	9	22	85
NORTH DISTRICTS	1,056,070	493	225	40	66	–	7	–	1	2	–	–	–	5	21	35	90
CENTRAL DISTRICTS	209,465	81	58	10	14	–	4	–	–	2	–	–	–	2	5	9	28
EAST DISTRICTS	715,739	468	191	58	37	–	3	–	1	3	–	–	–	25	11	25	101
SOUTH DISTRICTS	1,749,844	933	369	84	93	–	6	4	5	2	–	2	–	25	15	29	119
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	26	–	8	–	–	2	1	–	–	–	–	3	–	–	26
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	49	21	6	5	–	–	–	–	–	–	–	–	4	–	1	8
St. John Paddington *H*	33,617	11	5	–	1	–	–	–	–	–	–	–	–	–	–	1	5
North-West Paddington	17,181	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H*	128,037	55	52	12	18	–	7	–	–	1	–	–	–	3	2	5	29
Brompton *2H*	48,591	14	10	1	1	–	–	–	–	–	–	–	–	–	1	1	2
North Hammersmith *2W,wH*	49,192	30	9	4	3	–	–	–	–	–	–	–	–	1	–	–	2
South Hammersmith *w,2H*	63,047	21	18	5	6	–	–	–	–	–	–	–	–	–	1	3	6
North-west Fulham *W*	45,180	44	10	1	3	–	–	–	–	–	–	–	–	2	–	3	3
North-east Fulham *F*	46,405	27	11	3	–	–	1	–	2	–	–	–	–	1	1	2	4
South Fulham *W*	45,704	27	8	1	3	–	1	–	–	–	–	1	–	–	–	–	–
Chelsea North *W,w,3H*	42,514	13	10	2	3	–	1	–	–	–	–	–	–	–	1	1	7
Chelsea South *W,2H*	31,328	11	3	2	–	–	–	–	–	–	–	–	–	–	1	2	–
Mayfair and Knightsbridge	28,743	9	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	28	13	1	–	–	–	–	–	–	–	–	–	1	1	1	12
St. Margaret & St. John *4H*	43,698	22	10	1	1	–	–	–	–	–	–	–	–	1	1	1	5
St. James and St. Anne *W,6H*	33,081	13	6	2	1	–	–	–	–	–	–	–	–	1	–	1	2
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	10	15	–	4	–	1	–	–	–	–	–	–	–	1	2	9
St. Mary Marylebone *W,4H*	37,948	34	6	3	–	–	–	–	–	–	–	–	–	1	–	–	4
Christchurch Marylebone *H*	39,536	13	6	2	1	–	2	–	–	–	–	–	–	–	–	–	–
St. John Marylebone *2H*	20,426	7	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Hampstead *W,F,7H*	81,942	24	18	–	7	–	1	–	–	–	–	–	–	–	–	–	10
West St. Pancras *2H*	60,562	27	13	1	5	–	–	–	–	–	–	–	–	–	1	4	3
Tottenham-court *w,7H*	21,258	9	11	–	2	–	1	–	–	–	–	–	–	–	1	1	10
Gray's Inn Lane *4H*	34,449	13	6	2	2	–	–	–	–	–	–	–	–	–	–	–	5
East St. Pancras *W,2H*	60,320	31	12	2	5	–	–	–	–	–	–	–	–	–	1	1	4
North St. Pancras *2W*	58,728	40	15	–	4	–	–	–	–	–	–	–	–	–	2	3	7
Tufnell *W*	31,995	11	15	1	6	–	–	–	–	–	–	–	–	–	–	–	10
Upper Holloway *2W,w,H*	33,978	14	20	2	3	–	1	–	–	–	–	–	–	–	3	5	13
Tollington *WH*	33,922	16	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–
Lower Holloway	41,424	28	8	1	3	–	–	–	–	1	–	–	–	1	–	1	–
Barnsbury	54,478	35	7	2	–	–	1	–	–	–	–	–	–	1	1	1	–
Islington South-east *F*	75,397	38	14	4	4	–	–	–	1	–	–	–	–	–	3	3	1
Highbury *2H*	63,797	22	5	1	3	–	–	–	–	–	–	–	–	–	–	1	–
Stoke Newington *H*	51,247	25	7	3	2	–	–	–	–	–	–	–	–	–	–	1	–
North Hackney	50,560	19	6	1	3	–	–	–	–	–	–	–	–	–	2	4	–
Central Hackney *2w,F*	50,536	24	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–
South-west Hackney *3H*	59,921	30	18	5	4	–	–	–	–	–	–	–	–	–	4	6	10
South-east Hackney *2W,w,H*	58,255	23	13	6	5	–	–	–	–	1	–	–	–	1	2	2	3

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated ther namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a si district contains more than one institution of either kind, the number is indicated by a figure prefixed to letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever.

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th July, 1906—*continued.*

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
S iles and Bloomsbury 2*W*,2*H* -	31,436	16	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
S nd *W*,4*H* - - - - - -	21,674	1	7	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
S nd Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H born *W*,6*H* - - - - -	29,612	12	23	6	3	-	2	-	-	2	-	-	-	1	1	2	17	-
S th Clerkenwell - - -	28,676	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N th Clerkenwell *H* - - -	35,028	22	4	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
F bury 3*H*,*L* - - - - -	36,116	12	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
H born Union Workhouse, Hitcham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S Botolph *H* - - - -	10,299	-	3	-	2	-	-	-	-	-	-	-	-	-	1	2	-	-
S epulchre and Allhallows *W*,2*H*	16,624	5	11	1	6	-	-	-	-	-	-	-	-	1	1	3	6	-
C of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
S reditch South *H* - - -	46,362	31	7	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
S reditch North-West *W*,*w*,*H* -	36,127	17	13	2	6	-	-	-	-	-	-	-	-	1	-	1	12	-
S reditch North-East - - -	36,148	19	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
S reditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B nal Green North 2*H* - -	51,514	42	13	6	1	-	-	-	-	-	-	-	-	3	1	1	4	-
B nal Green South - - -	33,472	21	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
B nal Green East 2*W*,*H*,*L* - -	44,694	40	12	4	-	-	-	-	-	1	-	-	-	1	-	1	5	-
S alfields - - - - -	27,969	15	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
D End New Town *W*,*H* - -	28,718	27	48	14	5	-	-	-	1	-	-	-	-	3	2	4	44	-
C dman's Fields - - - -	22,081	10	2	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-
S George and St. John 2*W* - -	49,068	39	10	3	2	-	-	-	-	-	-	-	-	3	-	-	6	-
S dwell and Ratcliff *W*,*H* - -	25,568	10	13	6	-	-	1	-	-	1	-	-	-	1	-	1	10	-
L hehouse *W* - - - - -	32,369	16	6	1	2	-	-	-	-	-	-	-	-	2	-	1	-	-
T e End Old Town South-Western *H* - - - -	63,698	61	6	2	2	-	-	-	-	-	-	-	-	2	-	1	-	-
T e End Old Town North-Eastern *W*,*w* - - -	49,129	26	6	1	4	-	-	-	-	1	-	-	-	-	1	2	1	-
v *L* - - - - - -	41,989	18	7	4	1	-	-	-	-	-	-	-	-	3	1	1	-	-
mley 3*w*,*H* - - - -	68,319	47	34	7	12	-	1	-	-	-	-	-	-	1	4	8	19	-
olar *W*,*w* - - - - -	58,514	29	5	1	-	-	-	-	-	-	-	-	-	3	-	1	-	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th July, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total Births.	Total Deaths.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *W,H* -	11,363	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark *H* - -	12,056	7	19	5	-	-	1	-	-	-	-	-	-	-	1	3	18
Kent-road - - - - - -	21,904	6	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-
St. George the Martyr West *W,2H,L* - - - -	39,094	27	9	3	-	-	-	-	-	-	-	-	-	-	-	1	5
Newington North - - -	49,022	24	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Newington South *W* - - -	72,841	33	10	5	1	-	-	-	-	-	-	-	-	2		-	-
St. Olave *2W* - - - -	9,817	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W* - - - -	82,483	48	15	4	4	-	1	-	-	-	-	-	-	1	3	5	-
Rotherhithe *W,F* - - - -	38,460	12	14	-	5	-	-	-	-	-	-	-	-	2	-	1	9
Waterloo-road *2H* - - -	27,440	28	5	4	-	-	-	-	-	-	-	-	-	1	-	-	3
Lambeth Church 1st *H* - -	18,423	10	12	2	4	-	-	-	-	-	-	-	-	1	1	1	9
Lambeth Church 2nd *2W* - -	39,818	20	22	3	11	-	-	-	-	-	-	-	-	2	1	1	16
Kennington 1st *H* - - -	53,198	31	9	3	1	-	-	-	-	-	-	-	-	1	-	1	2
Kennington 2nd *H* - - -	42,896	29	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *F* - - - - -	84,232	34	13	4	3	-	-	2	1	-	-	1	-	2	-	-	4
Norwood *W,H* - - - - -	35,388	12	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea *H* - - -	72,203	44	12	3	3	-	3	-	-	1	-	-	-	-	1	2	-
North-west Battersea - - -	49,656	20	5	1	-	-	-	-	-	-	-	-	-	1	1	2	-
South-west Battersea *2W,H* - -	47,048	17	22	3	9	-	-	-	1	-	-	-	-	1	-	-	10
Clapham *2H* - - - - -	51,361	19	7	2	3	-	-	-	-	-	-	1	-	-	-	-	-
Streatham *W,2w,2F,2L* - -	88,019	70	18	5	3	-	-	-	1	1	-	-	-	1	-	1	3
Springfield *2W,L* - - - -	27,959	17	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H* - - - -	40,444	29	7	2	1	-	-	-	-	-	-	-	-	-	2	2	1
Putney - - - - - -	24,139	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - -	13,359	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w* - -	40,206	31	14	2	6	-	-	-	-	-	-	-	-	-	-	-	8
Camberwell North *W,2L* - -	65,581	29	17	1	5	-	-	-	-	-	-	-	-	-	-	1	7
St George - - - - -	47,331	31	12	5	3	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North - - - -	48,913	18	5	2	-	-	-	1	-	-	-	-	-	1	-	-	-
Peckham South *2W,w* - - -	43,946	16	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - - -	37,613	18	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central - - - -	45,481	21	9	3	1	-	-	1	1	-	-	-	-	1	2	2	2
Deptford South - - - -	34,625	22	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich West *2H* - - -	23,456	16	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H* - -	43,859	27	15	1	7	-	-	-	-	-	-	-	-	1	-	1	9
Eltham *w,H* - - - - -	7,226	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH* - - - - - -	25,490	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F* - - -	58,352	35	17	1	5	-	-	-	1	-	-	-	-	1	2	2	5
Sydenham *H* - - - - -	43,653	21	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Charlton *F,2H* - - - -	21,134	14	8	2	1	-	-	-	-	-	-	-	-	-	-	1	3
Woolwich *5H* - - - -	41,625	30	7	3	-	-	-	-	-	-	-	-	-	1	-	-	2
Plumstead West *W* - - -	18,063	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H* - -	50,264	29	11	1	3	-	-	-	-	-	-	-	-	1	1	2	2
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary) - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
North-Eastern - - - -	—	-	4	-	-	-	-	1	1	-	-	-	-	-	-	-	4
Northern - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont - - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Caterham - - - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Darenth - - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Leavesden - - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
London County Lunatic Asylums:—																	
Banstead - - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony) - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Horton - - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Manor - - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Dartford Heath - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell - - - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Colney Hatch - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Claybury - - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	3	-	-	3

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 28th July, 1906.

Registration District.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368.302	2,044,973	1,254	420	117	113	-	8	3	11	7	4	41	26	43	76	3
1	Carshalton 2F,3H - -	12,228	32,997	17	5	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	8	2	-	-	-	-	-	-	-	-	-	-	1	1	-
1	Godstone, *part of** W,F -	2,754	3,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Coulsdon - - - -	11,069	8,166	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	26	14	3	4	-	-	-	-	2	-	-	-	2	-	-
3	West Croydon 3W,F,H -	2,168	42,888	23	14	5	5	-	-	-	1	-	-	1	-	1	6	-
4	North Croydon H - -	2,644	41,698	29	4	1	2	-	-	-	-	-	-	-	-	-	-	-
5	Penge w,H - - - -	770	22,465	4	3	1	-	-	-	-	-	-	-	-	1	1	1	-
6	Mitcham w - - -	11,711	30.015	19	6	2	1	-	-	-	-	-	-	2	-	-	-	-
1	Wimbledon F,3H - -	3,221	41,652	24	6	2	1	-	-	-	1	-	-	1	-	-	1	-
2	Kingston 2W,H - - -	6,224	42,068	24	8	1	2	-	-	-	-	-	-	-	1	3	2	-
3	Surbiton F,H - - -	3,046	15,017	5	2	-	2	-	-	-	-	-	-	-	-	-	1	-
4	Esher, *part of** H -	5,402	13,100	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L - - -	4,534	23,456	17	6	-	6	-	-	-	-	-	-	-	-	-	1	-
1	Richmond W,H - - -	2,162	28,865	9	8	-	4	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F - - -	2,847	20,628	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-
1	Bromley F,2H - - -	4,703	27,354	12	9	4	1	-	-	-	1	-	-	-	-	-	2	-
2	Beckenham H - - -	7,825	28,497	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H - - -	7,333	16,446	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Bexley w F,H - - -	8,678	21,151	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - - -	3,854	25,296	17	3	1	-	-	-	-	-	-	-	2	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury w - - - -	11,054	18,683	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-
1	Hillingdon W,F,H - -	6,035	13,661	6	8	2	1	-	-	-	-	-	-	1	4	4	2	-
2	Uxbridge H - - -	12,757	8,984	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2F,H - - -	8,066	16,358	16	8	4	-	-	-	-	-	-	-	2	-	1	-	-
1	Isleworth 3W,2F,H - -	6,859	30,863	21	12	2	6	-	-	-	-	1	-	1	1	1	7	-
2	Twickenham F,H - -	2,421	20,991	23	5	2	-	-	2	-	-	-	-	1	1	1	-	-
3	Brentford 3F,2H - - -	4,319	48,289	20	8	1	2	-	-	-	-	1	-	-	-	-	1	-
4	Chiswick H- - - -	1,249	29,809	20	8	2	4	-	-	-	-	-	-	1	1	1	-	-
5	Acton w,F,3H - - -	6,132	48,914	40	7	1	2	-	1	-	-	-	-	-	1	2	-	1
1	Harrow F,H - - -	13,809	25,523	16	3	-	3	-	-	-	-	-	-	-	-	-	-	1
2	Edgware 2F,2H - - -	6,994	4,521	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	84	23	7	8	-	-	1	1	1	-	2	1	2	5	-
4	Hendon W,F - - -	8,382	22,450	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-
1	South Mimms 2F,H - -	17,755	7,308	8	1	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Barnet W,2H - - -	3,324	17,970	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	19	8	1	5	-	-	-	-	-	-	-	1	1	1	-
1	Hornsey F,H - - -	2,875	72,056	26	10	1	2	-	-	1	1	-	-	1	3	2	2	-
2	Wood Green H - - -	1,625	34,233	29	6	3	1	-	-	-	-	-	-	-	-	-	2	-
3	West Tottenham F - -	996	48,853	35	7	3	2	-	-	-	-	-	-	2	-	-	-	-
4	East Tottenham 2H - -	2,017	53,688	28	10	2	4	-	-	-	-	-	-	-	2	2	1	-
5	Edmonton W,w,2F - -	7,491	61,892	47	17	5	4	-	-	-	-	-	-	2	1	1	2	-
6	Enfield 2W,F,H - - -	12,601	42,738	32	7	3	3	-	1	-	-	-	-	2	2	2	1	-
7	Waltham Abbey F - -	11,017	6,549	6	2	1	1	-	-	-	-	-	-	1	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey H - - - -	9,333	9,173	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford H - - -	1,072	44,827	33	6	1	3	-	-	-	-	-	1	1	-	-	-	-
2	Plaistow F,2H - - -	1,249	90,921	61	22	8	2	-	3	-	3	1	-	3	1	1	3	-
3	Canning Town H - -	1,556	70,718	53	12	8	-	-	-	-	-	-	-	3	-	-	-	-
4	Forest Gate w - - -	806	60,892	26	11	3	4	-	-	-	-	-	-	1	-	1	-	-
5	North East Ham w H -	1,333	58,676	35	8	2	3	-	-	-	-	-	-	1	-	-	-	-
6	South East Ham 2F - -	1,993	37,342	39	14	9	1	-	-	-	-	-	1	1	1	3	1	-
7	Wanstead F - - -	1,679	9,179	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
8	South Leyton 2W - -	631	50,467	36	12	5	4	-	-	-	-	1	-	2	1	2	4	-
9	North Leyton 2W,w,F -	1,963	48,445	40	27	5	4	-	-	-	-	-	1	2	1	1	21	-
0	Walthamstow 3H,L - -	6,504	108,929	70	17	5	2	-	-	-	1	-	-	2	-	2	-	-
1	Chigwell, *part of** 2F,3H -	11,778	16,397	4	6	-	2	-	-	1	1	-	-	-	1	1	2	-
2	Epping W,F, *part of** - -	—	—	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
1	Romford, *part of** W,2F -	6,556	6,091	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L - - - -	8,496	41,234	27	6	1	-	-	-	-	1	-	-	1	-	-	1	1
3	Barking Town F - -	3,803	21,547	14	9	4	2	-	1	-	-	-	-	2	-	1	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer g are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher ish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 185: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1 Dagenham parish. Deaths in Workhouses and Infectious eases Hospitals belonging to the Outer Ring in 42: 3 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases
LONDON - -	4,721,217	July 28	2352	1056	11·7	-	30	6	10	10	3	74
CALCUTTA - -	910,117	June 16	-	379	23·2	23	-	-	-	-	124†	55
		" 23	-	379	23·2	8	3	-	-	-	113†	64
BOMBAY - -	776,006	July 10	415	782	52·4	3	10	-	-	-	124†	131
MADRAS - -	509,346	June 29	345	378	38·5	2	1	?	?	?	91	83
PARIS - - -	2,750,000	July 21	1069	833	16·2	-	7	-	2	9	1	47
BRUSSELS - -	612,401	" 14	255	135	11·5	-	3	-	1	3	-	5
		" 21	209	175	14·9	-	6	1	1	-	1	16
ANTWERP - -	291,949	" 14	118	75	13·1	-	3	-	-	-	-	17
		" 21	137	35	6·1	-	3	-	-	-	1	5
AMSTERDAM -	560,249	" 14	264	124	11·5	-	4	2	-	2	2	7
COPENHAGEN -	425,000	" 21	200	124	15·2	-	-	-	-	2	-	11
STOCKHOLM -	324,488	" 14	148	71	11·4	-	-	-	2	4	-	3
CHRISTIANIA -	222,373	" 21	93	46	10·7	-	-	-	2	-	-	3
ST. PETERSBURG	1,424,700	" 14	-	-	-	-	-	-	-	-	-	-
MOSCOW - -	1,154,000	" 7	-	791	35·7	1	8	-	7	1	5	330
BERLIN - -	2,060,804	" 7	938	571	14·4	-	10	7	6	3	1	112
HAMBURG - -	819,380	" 21	-	206	13·3	-	8	3	4	4	2	33
BRESLAU - -	475,000	" 14	-	190	20·9	-	3	-	1	3	-	32
MUNICH - -	540,000	" 21	-	168	16·2	-	1	-	1	1	-	20
VIENNA - -	1,956,949	" 21	896	539	14·5	-	8	3	5	2	-	65
PRAGUE - -	455 241	" 14	182	167	18·8	-	-	-	1	1	-	13
BUDA-PESTH -	859,134	" 14	404	257	16·8	-	3	-	1	1	1	38
TRIESTE - -	196,637	" 21	119	96	25·4	-	-	-	-	-	-	11
ROME - -	526,170	June 21	-	-	-	-	-	-	-	-	-	-
VENICE - -	171,709	—	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	July 14	150	146	26·2	-	-	-	-	1	-	39
NEW YORK -	4,152,860	" 14	2357	1575	19·8	-	15	10	36	10	11	371
CHICAGO - -	2,049,185	" 7	-	471	12·0	-	5	10	5	3	5	56
PHILADELPHIA -	1,469,126	" 14	-	-	-	-	-	-	-	-	-	-
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	June 24	-	227	13·0	-	-	-	3	1	1†	?

* Excluding deaths from croup in the Indian Cities.
† Including 38 and 29 deaths from plague in Calcutta, 34 in Bombay, and 1 in Rio de Janeiro.
‡ Including 28 and 31 deaths from cholera in Calcutta, 37 in Bombay, and 8 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 28th July, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°				°	°	°	
LONDON (Greenwich)	84·7	50·4	67·1	0·15	BRADFORD - -	73·4	49·0	62·4	0·36
BRIGHTON - -	74·6	52·4	63·7	0·01	LEEDS - - -	76·0	51·0	64·5	0·23
PORTSMOUTH - -	76·0	51·0	65·4	0·00	HULL - - -	81·0	47·0	63·7	0·45
NORWICH - -	?	?	?	?	TYNEMOUTH - -	75·0	46·0	59·2	0·12
PLYMOUTH - -	70·4	48·5	62·4	0·44	CARDIFF - -	75·6	42·5	61·1	0·05
BRISTOL - - -	76·4	46·0	62·8	0·51	EDINBURGH - -	69·8	48·8	58·1	0·26
BIRMINGHAM - -	75·9	47·3	63·3	0·38	GLASGOW - -	76·0	47·5	59·2	0·16
NOTTINGHAM - -	79·3	46·0	64·0	0·24	DUBLIN (Phœnix Park)	75·8	45·4	60·6	0·22
LIVERPOOL OBSERVATORY	77·0	51·0	63·0	0·32	DUBLIN (Fitzwilliam Square.†)	76·5	51·1	62·4	0·14
MANCHESTER -	75·0	44·8	62·0	0·20					
PRESTON - -	74·0	50·0	62·6	0·30					
HUDDERSFIELD -	73·5	47·3	61·2	0·16	BELFAST - -	71·5	45·5	60·8	0·54

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY - 22	..	29·838	81·0	62·4	18·6	70·6	+ 7·7	60·2	10·4	19·8	1·7	70	138·4	55·0	61·61	SW., WSW. & W.	W. & WSW.	2·6	0·0	0·2	323	+ 90	0·02	0·0
MONDAY - 23	..	29·798	84·7	60·1	24·6	71·4	+ 8·6	61·4	10·0	22·4	0·2	71	144·1	50·0	61·83	WSW. & SW.	SW.	2·0	0·0	0·1	243	+ 10	0·00	3·0
TUESDAY - 24	..	29·859	73·8	58·3	15·5	65·2	+ 2·6	46·6	18·6	25·7	2·4	51	137·5	45·6	62·10	W., WNW. & N.	N.	1·4	0·0	0·1	238	+ 4	0·00	0·0
WEDNESDAY 25	..	29·990	74·0	50·4	23·6	62·0	− 0·4	49·9	12·1	20·2	1·8	65	141·5	37·0	62·44	N., NE. & ENE.	NE., ESE. & E.	1·5	0·0	0·0	193	− 41	0·00	1·0
THURSDAY - 26	..	29·768	73·5	52·3	21·2	63·8	+ 1·5	53·2	10·6	17·4	0·4	69	139·3	42·2	62·53	E. & ESE.	E.	2·3	0·0	0·2	250	+ 15	0·00	2·0
FRIDAY - 27	In Equator	29·711	79·0	56·4	22·6	65·2	+ 2·9	61·9	3·3	18·8	0·2	89	130·0	47·8	62·58	Calm, variable & N.E.	NNE., W. & WSW.	1·7	0·0	0·1	145	− 90	0·13	0·0
SATURDAY - 28	First Quarter	29·777	78·6	55·5	23·1	65·7	+ 3·4	52·1	13·6	24·3	1·9	61	145·0	50·3	62·70	WSW.	WSW., SW. & SSW.	1·6	0·0	0·1	259	+ 23	0·00	0·0
MEANS -		29·820	77·8	56·5	21·3	66·3	+ 3·8	55·0	11·2	21·2	1·2	68	139·4	46·8	62·26	Variable		..	..	..	Sum 1651	Sum + 11	Sum 0·15	0·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.	Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 22	w. P. throughout.	7·5	15·9	Overcast with small rain until after 2h. A.M.; fine but cloudy generally until 6h. P.M.; nearly cloudless afterwards.
MONDAY - 23	w. P. throughout.	9·6	15·8	Nearly cloudless at first; variably cloudy from 3h. A.M. throughout the day; at times nearly overcast or very hazy; close and warm.
TUESDAY - 24	w. P. till 9h. A.M.; m.P. generally afterwards.	10·2	15·8	Fine and partially cloudy; nearly cloudless after 8h. P.M.
WEDNESDAY 25	v. P. throughout.	12·3	15·7	Cloudless; hazy until 10h. 30m. A.M.; partially cloudy afterwards. Solar halo at 3h. P.M. Heavy dew morning and evening.
THURSDAY - 26	v. P. throughout.	13·8	15·7	Cloudless generally until 6h. P.M.; mist and heavy dew in morning; cloudy at night.
FRIDAY - 27	v. P. throughout.	4·0	15·6	Cloudy generally; sharp thunderstorm at 8h. 30m. A.M.; hazy with occasional thunder throughout the afternoon; slight showers in evening.
SATURDAY - 28	w. P. throughout.	12·1	15·6	Cloudless at first: overcast after 2h. A.M.; very fine with little cloud throughout the day from 6h. A.M.; cloudy again after sunset.
		Sum 69·5	Sum 110·1	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·82 in. at the beginning of the week to 29·87 in. by midnight on the 22nd; decreased to 29·75 in. by 8h. P.M. on the 23rd; increased to 30·01 in. by 9h. A.M. on the 25th; decreased to 29·67 in. by 6h. A.M. on the 27th; and increased generally to 29·78 in. by midnight on the 28th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 21st July, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	14	2	-	-	-	-	1	-
Kensington	180,952	-	11	6	-	1	-	-	3	-
Hammersmith	120,679	-	8	8	-	1	-	-	1	-
Fulham	161,965	-	12	3	-	1	-	-	1	-
Chelsea	74,672	-	7	1	-	-	-	-	3	-
City of Westminster	173,905	-	12	3	-	1	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	7	5	-	1	-	-	2	1
Hampstead	89,633	-	18	1	-	-	-	-	3	-
St. Pancras	236,455	-	21	3	-	1	-	-	8	-
Islington	344,987	-	32	9	-	4	-	-	3	-
Stoke Newington	53,217	-	3	1	-	-	-	-	1	-
Hackney	230,721	-	14	8	-	1	-	-	3	1
CENTRAL.										
Holborn	55,805	-	3	-	-	-	-	-	1	-
Finsbury	97,466	-	7	8	-	-	-	-	1	-
City of London	21,367	-	3	-	-	-	-	-	1	-
EAST.										
Shoreditch	116,108	-	20	3	-	-	-	-	3	-
Bethnal Green	130,609	-	20	9	-	2	-	-	6	-
Stepney	307,176	-	26	12	-	1	-	-	6	1
Poplar	170,673	-	6	10	-	4	-	-	5	-
SOUTH.										
Southwark	209,143	-	51	4	-	1	-	-	12	-
Bermondsey	128,629	-	9	5	-	1	-	-	4	-
Lambeth	315,774	-	22	15	-	2	-	-	5	-
Battersea	179,622	-	19	4	-	-	-	-	1	1
Wandsworth	273,381	-	23	12	-	2	-	-	9	2
Camberwell	274,132	-	19	7	-	2	-	-	3	-
Deptford	115,495	-	9	5	-	-	-	-	4	-
Greenwich	105,350	-	13	9	-	1	-	-	3	-
Lewisham	148,463	-	11	2	-	-	-	-	1	-
Woolwich	127,345	-	14	1	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	1	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	434	156	-	27	-	-	96	6
Ages 0-1		-	3	4	-	-	-	-	-	-
" 1-5		-	124	55	-	-	-	-	4	-
" 5-		-	196	57	-	3	-	-	2	-
" 10-		-	72	20	-	6	-	-	9	-
" 15-		-	20	5	-	4	-	-	4	1
" 20-		-	8	4	-	5	-	-	7	2
" 25-		-	8	9	-	2	-	-	12	1
" 35-		-	2	2	-	5	-	-	16	2
" 45-		-	1	-	-	2	-	-	15	-
" 55-		-	-	-	-	-	-	-	10	-
" 65 and upwards		-	-	-	-	-	-	-	17	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 31. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, AUG. 4. [Price 1½*d*.

General Register Office, Somerset House,

August 7th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·8 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 11·7, 12·0, and 12·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 19·0 in Newport (Mon.), 19·7 in South Shields, 19·8 in Stockton on Tees, 20·3 in Rochdale, 20·5 in Wigan, 21·2 in Coventry, 21·4 in Huddersfield, and 26·9 in Bootle; from *measles*, 2·0 in Salford, 2·5 in Burnley, and 3·8 in Huddersfield; from *whooping-cough*, 1·3 in Portsmouth and in Birkenhead; and from *diarrhœa*, 3·0 in Leeds, 3·1 in Birkenhead, 3·3 in Walsall, 3·5 in West Ham and in Merthyr Tydfil, 4·2 in Wigan, 4·4 in Leyton and in Aston Manor, and 5·5 in Bootle. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2576 BIRTHS and 1272 DEATHS were registered. Allowing for increase of population, the births were 22 above and the deaths 120 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 11·8, 11·6, and 11·7 per 1000 in the preceding three weeks, rose last week to 14·0. The death-rate in the four weeks ended last Saturday averaged 12·3 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 8/06 D & S 3 25644

The 1272 deaths included 22 from measles, 6 from scarlet fever, 10 from diphtheria, 13 from whooping-cough, 4 from enteric fever, and 184 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 239 deaths were referred to these diseases in the aggregate, being 102 below the corrected average weekly number in the 31st week of the preceding four years.

The deaths from *measles*, which had been 22, 35, and 30 in the preceding three weeks, fell to 22 last week, the corrected average being 23; 5 deaths belonged to the Borough of Kensington. The deaths from *scarlet fever*, which had been 6, 12, and 6 in the preceding three weeks, were 6 last week, the corrected average being 7. The deaths from *diphtheria*, which had been 9, 10, and 10 in the preceding three weeks, were again 10 last week, and were 4 below the corrected average; 4 deaths belonged to Poplar. The deaths from *whooping-cough*, which had been 18, 20, and 10 in the preceding three weeks, were 13 last week, and were 8 below the corrected average; 3 deaths belonged to Hackney. The fatal cases of *enteric fever*, which had been 4, 5, and 3 in the preceding three weeks, were 4 last week, and were 5 below the corrected average. The deaths from *diarrhœa*, which had been 35, 56, and 74 in the preceding three weeks, further rose to 184 last week, but were 80 below the corrected average; 23 deaths belonged to Poplar, 21 to Lambeth, 17 to Stepney, 14 to Southwark, 11 to Camberwell, and 10 to Battersea. Of the 184 deaths from diarrhœa, 179 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 19 other deaths at this age. The deaths attributed directly to *influenza* numbered 5, having been 6, 8, and 2 in the preceding three weeks.

Different forms of *violence* caused 62 deaths, concerning all of which inquests were held. Of these 62 deaths, 14 were cases of suicide, while the remaining 48 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 3 to a conflagration, 5 to burns, scalds, or explosions, 9 to drowning, 1 to heat stroke, 2 to the effects of anæsthetics administered for surgical purposes, and 8, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 3120 of scarlet fever, 879 of diphtheria, and 109 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 415 cases, against 406, 413, and 408; of diphtheria, 133 cases, against 129, 140, and 135; and of enteric fever, 26 cases, against 14, 18, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 28th, 1906.

Greater London.

In Greater London 3999 births and 1797 deaths were registered. Allowing for increase of population, these numbers are 103 above and 203 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 3 from scarlet fever, 2 from diphtheria, 4 from whooping-cough, 1 from "fever," and 62 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·79 inches, and that of the Thermometer 67°·3, the latter being 5°·0 above the week's average in the 50 years 1841–90. The general direction of the wind was Westerly, the horizontal movement of the air being 11 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 76·5 hours; the measured rainfall amounted to 0·86 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 14th July, 1906.	21st July, 1906.	28th July, 1906.	4th Aug., 1906.	Rate from Diseases in Cols. 11–17. Week ended 4th August, 1906.	Registered during the Week ended 4th August, 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**11·7**	**12·0**	**12·6**	**13·8**	**2·5**	**8988**	**4188**	**1193**	**1011**	**–**	**108**	**31**	**43**	**59**	**20**	**492**	**194**	**374**	**1019**	**43**	**76 Towns.**
London	4,721,217	11·8	11·6	11·7	14·0	2·6	2576	1272	346	315	–	22	6	10	13	4	184	62	140	500	4	London.
Croydon	151,011	8·6	11·7	10·7	10·7	1·7	89	31	6	8	–	2	–	–	1	–	2	1	4	5	–	Croydon.
Willesden	143,622	8·7	6·5	8·4	8·0	1·5	95	22	4	4	–	1	–	–	–	–	3	2	2	7	–	Willesden.
Hornsey	86,935	9·0	8·4	4·8	4·2	–	25	7	2	4	–	–	–	–	–	–	–	–	–	–	–	Hornsey.
Tottenham	119,503	9·6	8·7	7·9	8·3	2·2	83	19	9	4	–	–	–	–	–	–	5	–	–	2	–	Tottenham.
West Ham	301,617	10·4	10·9	11·6	15·4	4·7	185	89	34	15	–	4	–	1	–	2	20	5	9	14	–	West Ham.
East Ham	129,886	5·6	8·4	10·0	7·6	3·2	75	19	9	4	–	–	1	1	–	–	6	1	1	4	–	East Ham.
Leyton	118,287	8·8	5·7	7·5	11·9	5·3	59	27	8	3	–	1	–	–	1	–	10	–	1	4	–	Leyton.
Walthamstow	121,334	7·7	8·6	9·5	14·2	3·9	68	33	11	9	–	–	1	1	1	–	6	1	1	11	–	Walthamstow.
Hastings	67,144	6·2	9·3	6·2	11·6	0·8	23	15	2	6	–	–	1	–	–	–	–	1	1	3	–	Hastings.
Brighton	128,095	12·2	9·0	13·0	12·2	1·2	71	30	5	10	–	1	–	–	1	–	1	3	5	3	–	Brighton.
Portsmouth	205,118	8·4	11·9	14·0	11·7	3·1	128	46	15	11	–	–	–	2	5	–	5	–	3	9	1	Portsmouth.
Bournemouth	67,702	6·9	10·0	6·9	8·5	–	18	11	3	3	–	–	–	–	–	–	–	1	1	2	–	Bournemouth.
Southampton	117,312	9·8	8·0	12·0	11·1	–	48	25	7	7	–	–	–	–	–	–	–	2	3	4	–	Southampton.
Reading	78,987	7·9	5·9	12·5	9·9	0·7	42	15	4	5	–	–	–	1	–	–	–	–	1	3	–	Reading.
Northampton	93,749	7·2	9·5	5·6	16·1	2·8	52	29	7	7	–	–	1	1	–	–	3	1	3	7	–	Northampton.
Ipswich	71,809	10·2	10·9	12·3	10·2	–	37	14	2	4	–	–	–	–	–	–	–	2	4	2	–	Ipswich.
Great Yarmouth	52,613	11·9	11·9	11·9	10·9	1·0	45	11	5	2	–	–	–	–	–	–	1	–	–	1	–	Great Yarmouth.
Norwich	117,958	16·8	10·6	13·7	15·9	3·5	62	36	14	11	–	2	–	–	–	–	6	2	4	8	–	Norwich.
Plymouth	118,014	14·6	11·0	11·0	13·7	1·8	55	31	11	9	–	–	–	–	–	–	4	2	3	4	–	Plymouth.
Devonport	78,405	13·3	11·3	12·0	9·3	2·7	44	14	2	4	–	2	–	–	1	1	–	1	3	2	–	Devonport.
Bristol	363,223	9·8	11·5	12·5	11·2	1·1	212	78	22	15	–	3	–	2	1	–	2	3	9	22	–	Bristol.
Hanley	66,300	9·4	4·7	13·4	12·6	3·9	37	16	2	1	–	–	2	–	–	1	2	1	3	3	–	Hanley.
Burton-on-Trent	52,922	10·8	9·9	11·8	7·9	–	29	8	2	1	–	–	–	–	–	–	–	1	1	1	1	Burton-on-Trent.
Wolverhampton	100,729	8·8	13·5	12·9	11·9	2·1	44	23	4	9	–	1	–	1	–	–	2	1	1	6	–	Wolverhampton.
Walsall	94,577	8·8	14·9	8·8	17·6	4·4	44	32	15	5	–	–	–	–	2	–	6	1	1	4	–	Walsall.
Handsworth	63,819	8·2	4·9	4·9	9·0	–	31	11	2	6	–	–	–	–	–	–	–	1	1	–	–	Handsworth.
West Bromwich	68,469	11·4	12·2	14·5	3·0	–	39	4	1	2	–	–	–	–	–	–	–	1	1	1	–	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 4th August, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 14th July, 1906.	21st July, 1906.	28th July, 1906.	4th Aug., 1906.	Rate from Diseases in Cols. 11-17. Week ended 4th August, 1906.	Registered during the Week ended 4th August, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	10·0	13·0	12·0	12·9	2·4	343	136	44	33	-	4	-	1	1	-	19	4	6	35	6	BIRMINGHAM.
KINGS NORTON -	72,608	7·9	7·2	7·2	12·9	0·7	28	18	6	4	-	-	-	-	-	1	-	1	1	3	-	KINGS NORTON.
SMETHWICK - -	64,531	10·5	8·1	8·1	14·5	1·6	42	18	7	3	-	-	-	-	-	1	1	2	2	1	-	SMETHWICK.
ASTON MANOR -	82,288	7·6	13·3	12·7	18·4	7·6	51	29	12	9	-	1	2	1	1	-	7	-	-	3	-	ASTON MANOR.
COVENTRY - -	76,374	7·5	10·2	7·5	21·2	0·7	41	31	4	9	-	-	-	-	-	-	1	1	1	4	-	COVENTRY.
LEICESTER - -	232,111	9·9	10·3	12·4	9·7	1·1	122	43	11	9	-	1	-	1	-	-	3	1	2	6	-	LEICESTER.
GRIMSBY - - -	69,359	6·8	12·8	15·8	14·3	-	42	19	6	6	-	-	-	-	-	-	-	1	4	1	1	GRIMSBY.
NOTTINGHAM - -	254,563	11·5	13·5	14·7	13·5	2·3	132	66	20	25	-	-	-	1	-	2	8	2	2	7	2	NOTTINGHAM.
DERBY - - -	123,981	11·4	10·5	10·1	8·8	1·3	45	21	5	6	-	-	-	2	1	-	-	-	1	6	-	DERBY.
STOCKPORT - -	39,646	14·7	17·8	15·2	14·1	2·1	67	27	9	6	-	1	-	-	1	-	2	-	1	2	-	STOCKPORT.
BIRKENHEAD - -	117,292	10·2	12·4	13·3	17·8	4·9	75	40	12	9	-	-	-	1	3	-	7	3	4	3	-	BIRKENHEAD.
WALLASEY - -	64,578	8·9	6·5	13·7	8·1	-	37	10	4	1	-	-	-	-	-	-	-	1	1	1	-	WALLASEY.
LIVERPOOL - -	739,180	12·8	16·5	15·2	17·0	4·0	507	241	66	47	-	10	1	4	7	1	33	12	17	60	5	LIVERPOOL.
BOOTLE - - -	65,989	12·6	13·4	16·6	26·9	6·3	37	34	12	6	-	-	1	-	-	-	7	1	2	6	1	BOOTLE.
ST. HELENS - -	91,153	17·2	12·0	13·7	12·6	2·9	63	22	11	5	-	-	-	-	-	-	5	-	-	1	2	ST. HELENS.
WIGAN - - -	87,588	9·5	16·1	18·5	20·5	4·8	64	35	12	9	-	-	-	-	-	1	7	-	2	5	-	WIGAN.
WARRINGTON -	69,280	9·8	9·0	17·3	9·8	-	45	13	1	2	-	-	-	-	-	-	-	1	1	3	1	WARRINGTON.
BOLTON - - -	180,502	12·1	12·7	13·6	11·8	0·6	79	41	9	14	-	-	-	-	-	-	2	5	5	7	-	BOLTON.
BURY - - -	58,744	12·4	8·0	19·5	14·2	1·8	23	16	2	8	-	-	-	-	-	-	2	-	1	3	-	BURY.
MANCHESTER - -	637,126	16·0	15·5	19·1	15·7	2·9	346	192	50	49	-	14	2	1	2	-	16	7	15	43	1	MANCHESTER.
SALFORD - - -	234,077	14·0	14·3	12·7	16·5	3·1	148	74	24	19	-	9	-	-	-	-	5	7	9	17	2	SALFORD.
OLDHAM - - -	140,969	15·5	11·8	12·9	14·8	2·2	65	40	7	6	-	2	1	-	-	-	3	2	2	5	-	OLDHAM.
ROCHDALE - -	87,189	20·3	5·4	16·7	20·3	1·8	42	34	7	11	-	1	-	1	-	-	1	1	1	8	-	ROCHDALE.
BURNLEY - - -	102,808	17·2	17·8	15·7	17·2	4·1	71	34	11	6	-	5	-	-	-	-	3	3	5	1	-	BURNLEY.
BLACKBURN - -	134,015	13·2	15·2	10·1	12·8	1·6	75	33	6	12	-	2	-	-	-	-	2	-	2	3	-	BLACKBURN.
PRESTON - - -	116,399	13·0	11·6	13·9	9·9	0·4	69	22	10	4	-	-	-	-	-	-	1	1	1	2	1	PRESTON.
BARROW-IN-FURNESS.	60,967	13·7	11·1	10·3	9·4	-	35	11	2	2	-	-	-	-	-	-	-	1	1	4	1	BARROW-IN-FURNESS.

TABLE I (*cont.*).—78 GREAT TOWNS, Week ended Saturday, 4th August, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 14th July, 1906.	21st July, 1906.	28th July, 1906.	4th Aug., 1906.	Rate from Diseases in Cols. 11-17. Week ended 4th August, 1906.	Registered during the Week ended 4th August, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	19·8	17·0	18·7	21·4	5·5	40	39	8	9	-	7	1	-	-	-	2	-	2	7	1	HUDDERSFIELD.
HALIFAX - - -	109,272	8·6	8·6	13·8	14·3	-	43	30	3	14	-	-	-	-	-	-	-	1	1	4	-	HALIFAX.
BRADFORD - -	288,544	12·5	12·5	11·9	13·6	1·3	137	75	13	33	-	1	1	1	-	-	4	3	9	17	1	BRADFORD.
LEEDS - - -	463,495	12·4	13·5	12·7	15·9	3·7	247	141	50	28	-	2	1	1	2	-	27	5	7	16	2	LEEDS.
SHEFFIELD - -	447,951	12·0	11·6	15·9	16·3	4·1	269	140	44	23	-	1	5	1	2	1	25	7	16	30	1	SHEFFIELD.
ROTHERHAM - -	61,098	14·5	14·5	10·2	9·4	1·7	32	11	5	2	-	1	-	-	1	-	-	-	-	2	1	ROTHERHAM.
YORK - - -	83,467	7·5	11·9	6·2	13·1	1·2	56	21	3	4	-	-	1	-	-	1	-	1	3	6	-	YORK.
HULL - - -	262,426	11·5	14·3	13·1	15·9	2·6	176	80	32	19	-	-	-	2	1	-	10	2	7	15	-	HULL.
MIDDLESBROUGH -	100,069	16·2	16·2	13·0	14·1	-	75	27	9	3	-	-	-	-	-	-	-	2	2	3	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	10·9	10·9	5·9	19·8	2·0	29	20	7	4	-	-	-	-	-	1	1	2	2	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	11·4	9·2	14·2	9·2	0·7	48	13	4	4	-	-	-	-	1	-	-	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	16·5	12·5	15·9	13·8	1·7	100	41	12	8	-	-	-	-	2	-	3	2	3	3	2	SUNDERLAND.
SOUTH SHIELDS -	111,402	10·3	10·3	12·2	19·7	3·7	65	42	7	10	-	1	1	1	2	-	3	4	4	9	5	SOUTH SHIELDS.
GATESHEAD - -	123,191	10·6	14·4	16·5	11·9	0·8	70	28	9	8	-	-	-	-	-	-	2	3	3	1	1	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	16·7	16·3	10·3	12·2	1·2	168	63	17	10	-	1	-	1	1	-	3	3	7	12	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	13·5	16·4	13·5	14·4	1·9	35	15	1	5	-	1	1	-	-	-	-	-	1	5	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	4·9	11·9	15·5	19·0	2·8	68	27	9	3	-	-	-	1	2	-	1	3	7	1	-	NEWPORT (MON.).
CARDIFF - - -	183,823	9·1	6·2	9·9	8·8	1·4	87	31	9	4	-	-	-	1	1	1	2	2	2	8	-	CARDIFF.
RHONDDA- - -	127,684	11·8	10·2	13·1	9·8	2·5	95	24	8	4	-	3	-	1	-	1	1	-	1	-	-	RHONDDA.
MERTHYR TYDFIL -	74,961	9·7	17·4	21·6	18·1	4·9	66	26	10	5	-	-	1	-	-	1	5	1	1	5	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	15·1	10·2	11·8	14·0	1·6	72	26	9	7	-	1	-	-	2	-	-	-	1	1	-	SWANSEA.
GREATER LONDON -	7,113,561	10·8	10·8	10·8	13·2	2·8	3999	1797	525	427	-	33	11	15	20	7	298	81	179	589	5	GREATER LONDON.
OUTER RING - -	2,392,344	8·8	9·1	9·2	11·4	3·2	1423	525	179	112	-	11	5	5	7	3	114	19	39	89	1	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	8·8	9·0	9·4	11·0	3·1	679	247	83	51	-	8	2	3	3	2	52	10	18	47	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	8·7	9·2	8·9	11·9	3·2	744	278	96	61	-	3	3	2	4	1	62	9	21	42	1	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	13·1	10·7	14·8	11·2	1·8	120	73	12	14	-	5	-	1	1	1	4	3	?	28	1	EDINBURGH.
GLASGOW - - -	835,625	15·5	15·3	14·5	12·2	1·8	440	196	49	49	-	3	-	-	7	1‡	18	10	?	56	6	GLASGOW.
DUBLIN† - - -	378,994	18·7	20·9	20·1	16·8	1·9	235	122	28	36	-	-	-	-	2	1	11	2	4	48	3	DUBLIN.†
BELFAST† - - -	366,220§	16·9	17·2	18·1	17·2	2·1	241	121	30	18	-	1	-	-	4	3	7	2	3	24	-	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 2 deaths from Cerebro-spinal meningitis were registered. § Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FIRST Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2623	2395	2335	2577	2701	2844	2719	2481	2302	2522	2554·5	2576
Males - - -	1343	1227	1171	1338	1387	1414	1395	1303	1161	1315	1318·5	1300
Females - -	1280	1168	1164	1239	1314	1430	1324	1178	1141	1207	1236·0	1276
TOTAL **Deaths** -	2058	2202	1583	2200	1763	1747	1164	1149	1745	1404	1391·9	1272
Males - -	1103	1176	852	1120	921	959	627	640	930	721	743·6	680
Females - -	955	1026	734	1080	847	788	537	509	815	683	648·3	592

* The numbers in this column are the average weekly numbers in the thirty-first week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	13 Weeks.
TOTAL **Births** -	2497	2480	2518	2384	2145	2447	2499	2386	2496	2413	2468	2352	2576	31661
TOTAL **Deaths** -	1423	1270	1159	1240	1150	1112	1205	1060	1113	1072	1054	1056	1272	15186
Ages at Death: Under 1 year -	255	251	200	228	225	197	213	189	208	192	221	233	346	2958
1—5 years -	169	163	139	140	149	137	139	113	144	126	128	121	148	1816
5—20 ,, -	78	66	79	71	67	59	79	67	79	71	60	74	68	918
20—40 ,, -	176	158	157	149	143	161	151	136	132	151	110	147	141	1912
40—60 ,, -	299	259	243	265	227	235	279	240	253	227	222	217	254	3220
60 yrs. & upwds	446	373	341	387	339	323	344	315	297	305	313	264	315	4362
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	75	43	41	50	58	45	52	46	39	22	35	30	22	558
Scarlet Fever - -	11	10	15	12	6	15	13	5	17	6	12	6	6	134
Diphtheria - -	10	11	13	10	7	9	8	9	12	9	10	10	10	128
Whooping-cough -	26	38	32	35	24	17	23	14	12	18	20	10	13	232
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	3	8	1	2	4	8	9	12	4	5	3	4	68
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diarrhœa, Dysentery	16	16	10	21	17	15	17	22	31	35	56	74	184	514
All above Diseases -	143	121	119	129	114	105	121	105	123	94	139	133	239	1685
Dis. of Resp. System	122	96	88	75	62	54	58	41	41	47	52	42	52	830
Pneumonia - -	152	148	124	111	90	88	79	91	77	72	81	59	59	1231
Phthisis - - -	141	117	114	145	116	90	129	111	127	108	103	111	108	1520
Dis. of Circ. System -	182	160	148	155	171	160	170	166	144	153	125	134	161	2029
Violence - - -	60	53	42	57	65	57	50	71	51	60	54	61	62	743
Inquest Cases - -	141	119	121	128	134	119	107	123	109	117	104	120	140	1582
Deaths in Institutions	573	507	456	513	465	490	527	452	474	451	425	449	500	6282
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	54·2	50·7	51·8	57·2	55·6	53·9	64·1	60·0	61·9	61·5	62·7	66·3	67·3	59·0
Mean of Highest -	64·1	61·2	60·3	67·4	68·6	64·6	76·8	71·5	74·0	72·8	74·2	77·8	80·1	70·3
Mean of Lowest -	45·4	41·1	44·6	49·7	42·2	46·9	51·9	51·4	49·5	52·7	52·7	56·5	56·0	49·3
Mean Humidity of the Air.	79	68	75	76	65	80	68	73	65	70	70	63	64	71
Rain-fall (in inches) -	0·05	0·17	1·38	0·19	0·00	0·30	0·01	2·46	0·00	0·01	0·19	0·15	0·86	5·47
Registered Sunshine (in hours).	22·8	43·3	27·5	39·1	80·6	35·6	61·0	53·1	75·4	47·9	43·8	69·5	76·5	681·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	1	2	2	5	6	7	13	11	7	5	2	1	1	5
Scarlet Fever - -	2378	2399	2453	2515	2603	2676	2692	2752	2769	2842	2943	3048	3120	2707
Diphtheria - -	791	779	783	763	773	749	766	783	827	840	872	874	879	806
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	56	42	44	41	41	65	76	93	86	89	99	99	109	72

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FIRST Week of the Year 1906.

erms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 31st week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
. CAUSES - - -	1391·9	1272	346	148	68	141	254	315
all-pox* - - -	2·0	-	-	-	-	-	-	-
wpox - - - -	-	-	-	-	-	-	-	-
asles (Morbilli) - -	23·4	22	4	18	-	-	-	-
arlet Fever - - -	6·9	6	-	4	1	1	-	-
phus - - - -	-	-	-	-	-	-	-	-
ague - - - -	-	-	-	-	-	-	-	-
luenza - - - -	1·3	5	-	-	1	-	3	1
hooping-cough - -	21·2	13	4	8	1	-	-	-
phtheria - - -	14·3	10	2	6	2	-	-	-
rebro Spinal Fever -	-	-	-	-	-	-	-	-
rexia,† (Origin uncertain) - - -	0·3	-	-	-	-	-	-	-
teric Fever - - -	8·7	4	-	-	3	1	-	-
iatic Cholera - -	-	-	-	-	-	-	-	-
idemic Diarrhœa (Infective Enteritis)	169·2	122	98	23	1	-	-	-
arrhœa, Dysentery -	94·8	62	47	11	-	1	-	3
tanus - - - -	0·3	1	1	-	-	-	-	-
bies, *Hydrophobia* -	-	-	-	-	-	-	-	-
anders - - - -	-	-	-	-	-	-	-	-
thrax (Splenic Fever) -	-	-	-	-	-	-	-	-
nereal Dis. - - -	10·4	6	4	-	-	1	1	-
erperal Septicæmia -	3·3	5	-	-	-	5	-	-
erperal Pyæmia -	0·3	1	-	-	-	1	-	-
erperal Fever - -	0·5	1	-	-	-	-	1	-
fective Endocarditis -	2·3	5	-	-	-	4	1	-
eumonia: Lobar - -	6·9	7	-	-	-	1	3	3
eumonia: Broncho- -	26·8	21	5	11	-	-	2	3
eumonia: Epidemic -	-	-	-	-	-	-	-	-
eumonia: Not defined	32·1	31	1	2	2	6	12	8
ysipelas - - -	1·3	3	1	-	-	1	1	-
pticæmia (not Puerperal) - - -	1·5	-	-	-	-	-	-	-
æmia (not Puerperal)	0·5	3	-	-	1	1	1	-
her Infective Processes	9·2	3	-	-	-	-	2	1
berculous Phthisis -	60·7	66	1	5	7	22	23	8
hthisis" - - -	60·4	42	-	-	2	15	18	7
berculous Meningitis -	22·4	28	8	11	7	1	-	1
berculous Peritonitis -	9·7	9	4	3	1	-	-	1
bes Mesenterica - -	4·6	2	1	-	-	1	-	-
berculous Dis. (other) -	15·5	12	2	1	3	3	1	2
rofula - - - -	0·3	-	-	-	-	-	-	-
coholism - - -	10·2	10	-	-	-	2	6	2
eumatic Fever - -	2·8	4	-	-	2	1	1	-
out - - - - -	1·5	1	-	-	-	-	1	-
rcinoma - - -	51·0	62	-	-	-	4	34	24
rcoma - - - -	5·9	4	-	-	1	2	1	-
ncer (undefined) - -	31·1	41	-	-	-	4	16	21
abetes Mellitus - -	6·9	2	-	-	-	-	1	1
emature Birth - -	53·0	41	41	-	-	-	-	-

CAUSES OF DEATH	Corrected Average for the 31st week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	18·1	18	7	6	4	1	-	-
Insanity, Gen. Par. of Insane - - -	12·0	10	-	-	-	2	4	4
Epilepsy - - - -	3·8	2	-	-	-	2	-	-
Convulsions - - -	21·9	15	14	1	-	-	-	-
Locomotor Ataxy - -	1·0	2	-	-	-	-	2	-
Paraplegia, Dis. of Cord	3·8	4	-	-	-	1	1	2
Nervous Sys. (other dis.)	19·9	21	1	2	1	2	4	11
Valv. Dis., Endocarditis	29·8	44	-	-	3	7	20	14
Cerebr. Hæm. Thromb. -	28·8	26	-	-	-	1	7	18
Apoplexy, Hemiplegia -	15·3	19	-	-	-	-	1	18
Aneurysm - - -	4·1	7	-	-	-	1	5	1
Embolism, Thrombosis (not cerebral) -	1·8	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	64·0	65	-	-	3	9	18	35
Croup (not Spasm: nor Memb.) - -	0·3	1	-	1	-	-	-	-
Bronchitis - - -	40·3	40	6	2	-	1	6	25
Asthma, Emphysema -	0·8	-	-	-	-	-	-	-
Pleurisy - - - -	1·8	4	-	1	-	-	-	3
Respiratory Dis. (other)	9·7	7	1	-	-	-	2	4
Tonsillitis, Quinsy -	-	2	-	1	1	-	-	-
Enteritis (not Epid.) -	17·8	20	12	2	-	1	2	3
Gastro-Enteritis - -	16·1	19	13	6	-	-	-	-
Peritonitis (not Puerp.) -	1·0	3	-	1	1	1	-	-
Cirrhosis of Liver - -	12·0	15	-	-	-	1	9	5
Liver Dis. (other) - -	5·4	5	-	-	-	1	1	3
Digestive Dis., Other -	35·7	31	5	1	6	8	5	9
Nephritis, Acute - -	6·4	4	1	-	-	2	1	-
Bright's Dis., Albuminuria - - -	26·8	35	-	-	1	3	11	20
Urinary Sys., Other Dis.	8·9	10	-	-	-	-	-	10
Generative Organs Dis. -	4·8	6	-	-	1	-	3	2
Childbirth (Accid. of) -	3·8	3	-	-	-	3	-	-
Old Age - - - -	38·0	34	-	-	-	-	-	34
Other Diseases - -	101·5	80	50	15	2	5	5	3
ACCIDENT.								
By Railways - - -	1·0	1	-	-	-	-	1	-
By Vehicles and Horses -	6·1	7	-	2	2	-	2	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -	1·3	-	-	-	-	-	-	-
In Building Operations -	1·0	1	-	-	-	1	-	-
In Conflagrations - -	2·5	3	1	-	2	-	-	-
By Burns, Scalds, Explosions - -	2·3	5	1	3	1	-	-	-
By Drowning - - -	7·6	9	-	-	3	3	3	-
By Suffocation in Bed -	7·9	8	8	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·5	3	-	-	1	-	2	-
Other Deaths by Accident - - -	18·6	11	2	1	1	1	4	2
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	1·8	-	-	-	-	-	-	-
Suicide - - - -	10·4	14	-	-	-	6	6	2
Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th August, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2576	1272	346	315	-	22	6	10	13	-	4	-	184	62	140	500
WEST DISTRICTS	805,311	374	216	56	67	-	9	-	-	2	-	-	-	28	11	18	87
NORTH DISTRICTS	1,056,070	586	256	54	69	-	3	3	4	3	-	1	-	19	9	31	90
CENTRAL DISTRICTS	209,465	107	76	21	10	-	1	-	-	1	-	-	-	12	8	11	41
EAST DISTRICTS	715,739	461	248	85	42	-	5	-	1	3	-	-	-	52	14	44	114
SOUTH DISTRICTS	1,749,844	1048	443	130	108	-	4	3	5	4	-	3	-	73	20	36	135
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	33	-	19	-	-	-	-	-	-	-	-	-	-	-	33
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	52	27	10	8	-	-	-	-	1	-	-	-	6	1	2	9
St. John Paddington *H*	33,617	7	10	1	2	-	-	-	-	1	-	-	-	-	-	-	7
North-West Paddington	17,181	9	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	54	44	9	14	-	5	-	-	-	-	-	-	5	2	4	17
Brompton *2H*	48,591	11	12	1	9	-	-	-	-	-	-	-	-	-	-	1	1
North Hammersmith *2W,wH*	49,192	39	17	8	2	-	-	-	-	-	-	-	-	6	1	1	5
South Hammersmith *w,2H*	63,047	26	10	3	3	-	1	-	-	-	-	-	-	-	1	1	2
North-west Fulham *W*	45,180	41	12	6	3	-	-	-	-	-	-	-	-	2	1	1	5
North-east Fulham *F*	46,405	30	7	3	1	-	1	-	-	-	-	-	-	2	1	1	-
South Fulham *W*	45,704	31	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-
Chelsea North *W,w,3H*	42,514	17	23	2	13	-	-	-	-	-	-	-	-	2	1	1	21
Chelsea South *W,2H*	31,328	13	7	2	2	-	-	-	-	-	-	-	-	-	-	-	3
Mayfair and Knightsbridge	28,743	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Belgrave *W,2H*	55,815	13	15	4	3	-	1	-	-	-	-	-	-	2	2	2	8
St. Margaret & St. John *4H*	43,698	18	19	3	5	-	-	-	-	-	-	-	-	3	-	2	8
St. James and St. Anne *W,6H*	33,081	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	14	17	2	4	-	-	-	-	-	-	-	-	1	1	4	7
St. Mary Marylebone *W,4H*	37,948	43	9	4	3	-	-	-	-	-	-	-	-	1	-	-	8
Christchurch Marylebone *H*	39,536	19	9	3	1	-	2	-	-	-	-	-	-	2	1	3	-
St. John Marylebone *2H*	20,426	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	30	13	-	3	-	-	-	1	-	-	-	-	-	1	1	8
West St. Pancras *2H*	60,562	29	9	3	4	-	-	-	-	-	-	-	-	1	1	3	-
Tottenham-court *w,7H*	21,258	8	16	1	4	-	-	-	-	-	-	-	-	2	1	1	13
Gray's Inn Lane *4H*	34,449	15	7	-	-	-	-	-	-	-	-	-	-	1	-	2	3
East St. Pancras *W,2H*	60,320	33	16	7	5	-	-	-	-	-	-	-	-	3	1	4	5
North St. Pancras *2W*	58,728	39	12	1	5	-	-	-	-	-	-	-	-	-	-	-	6
Tufnell *W*	31,995	12	17	2	8	-	-	-	-	-	-	-	-	-	1	2	11
Upper Holloway *2W,w,H*	33,978	23	11	4	1	-	-	-	-	-	-	-	-	3	-	-	6
Tollington *WH*	33,922	18	5	1	2	-	-	-	-	-	-	-	-	1	-	-	-
Lower Holloway	41,424	26	7	2	-	-	1	-	-	-	-	-	-	1	-	-	-
Barnsbury	54,478	28	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	39	7	1	3	-	-	1	-	-	-	-	-	-	-	1	1
Highbury *2H*	63,797	29	12	2	2	-	-	-	-	-	-	-	-	-	-	3	1
Stoke Newington *H*	51,247	46	10	3	3	-	-	-	-	1	-	-	-	-	1	1	-
North Hackney	50,560	18	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	31	19	5	2	-	-	2	3	1	-	1	-	-	-	-	9
South-west Hackney *3H*	59,921	35	14	1	3	-	-	-	-	-	-	-	-	-	1	5	7
South-east Hackney *2W,w,H*	58,255	41	31	10	10	-	-	-	-	1	-	-	-	3	-	1	10

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th August, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
S Giles and Bloomsbury 2*W*,2*H* -	31,436	20	7	1	-	-	-	-	-	-	-	-	-	-	4	4	1	-
Strand *W*,4*H* - - - - -	21,674	3	12	-	2	-	-	-	-	-	-	-	-	1	1	1	11	-
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,6*H* - - - - -	29,612	16	17	8	1	-	-	-	-	-	-	-	-	6	1	1	15	-
St Clerkenwell - - -	28,676	21	5	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-
N Clerkenwell *H* - - -	35,028	20	7	2	2	-	1	-	-	1	-	-	-	1	-	-	-	-
Finsbury 3*H*,*L* - - - - -	36,116	24	10	6	2	-	-	-	-	-	-	-	-	3	-	2	-	-
Holborn Union Workhouse, Hitcham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Botolph *H* - - - -	10,299	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St Sepulchre and Allhallows *W*,2*H*	16,624	2	15	1	2	-	-	-	-	-	-	-	-	-	2	2	13	-
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South *H* - - -	46,362	25	8	2	-	-	1	-	-	-	-	-	-	1	1	1	-	-
Shoreditch North-West *W*,*w*,*H* -	36,127	19	20	8	1	-	-	-	-	2	-	-	-	1	2	3	10	-
Shoreditch North-East - - -	36,148	21	7	4	1	-	-	-	-	-	-	-	-	2	1	2	-	-
Shoreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East* 2*W*, *L*	65,138	101	48	15	10	-	-	-	-	-	-	-	-	6	3	6	24	-
Bethnal Green South-West* *H* -	64,542																	
Spitalfields - - - - -	27,969	19	5	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
Mile End New Town *W*,*H* - -	28,718	25	30	5	4	-	-	-	-	-	-	-	-	4	2	6	30	-
Goodman's Fields - - - -	22,081	7	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St George and St. John 2*W* - -	49,068	35	13	1	5	-	-	-	-	-	-	-	-	1	1	3	7	-
Stepney and Ratcliff *W*,*H* - -	25,568	7	18	10	1	-	-	-	-	1	-	-	-	6	-	1	16	-
Limehouse *W* - - - - -	32,369	25	10	7	1	-	-	-	-	-	-	-	-	4	-	2	-	-
Mile End Old Town South-Eastern *H* - - - -	63,698	59	10	4	1	-	-	-	-	-	-	-	-	3	1	2	-	-
Mile End Old Town North-Eastern *W*,*w* - - -	49,129	25	14	3	3	-	2	-	-	-	-	-	-	1	-	3	6	-
Poplar *L* - - - - - - -	41,989	26	17	12	3	-	-	-	-	-	-	-	-	10	2	3	-	-
Bromley 3*w*,*H* - - - - -	68,319	37	35	8	9	-	-	-	1	-	-	-	-	8	1	7	20	-
Bow *W*,*w* - - - - - -	58,514	30	10	4	2	-	2	-	-	-	-	-	-	3	-	4	1	-

* On 1st August, 1906, Bethnal Green North, Bethnal Green South, and Bethnal Green East sub-districts were rearranged into two new sub-districts as above.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-PO MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., register in each SUB-DISTRICT during the Week ended Saturday, 4th August, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark* *W,2H*	23,319	14	22	4	3	-	1	-	1	-	-	-	-	2	2	2	17
Kent-road	21,904	11	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-
St. George the Martyr West *W,2H,L*	39,094	22	22	8	1	-	-	-	-	1	-	-	-	4	-	2	10
Newington North	49,022	36	19	9	3	-	-	-	-	1	-	-	-	5	1	5	-
Newington South *W*	72,841	40	16	6	6	-	-	-	-	-	-	-	-	2	1	4	1
St. Olave *2W*	9,817	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Bermondsey *W*	82,483	40	9	5	-	-	-	-	-	-	-	-	-	2	-	-	-
Rotherhithe *W,F*	38,460	28	14	3	6	-	-	-	-	-	-	-	-	3	1	2	4
Waterloo-road *2H*	27,440	30	4	2	-	-	1	-	-	-	-	-	-	2	-	-	-
Lambeth Church 1st *H*	18,423	11	26	7	3	-	-	-	-	-	-	1	-	6	2	3	20
Lambeth Church 2nd *2W*	39,818	32	30	11	9	-	-	-	-	1	-	-	-	7	1	1	18
Kennington 1st *H*	53,198	37	10	3	1	-	1	-	-	-	-	-	-	2	-	-	1
Kennington 2nd *H*	42,896	12	10	3	3	-	-	-	-	-	-	-	-	1	-	-	2
Brixton *F*	84,232	47	14	2	3	-	-	1	-	-	-	1	-	3	-	-	3
Norwood *W,H*	35,888	16	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	47	21	9	2	-	1	-	-	-	-	-	-	9	1	2	-
North-west Battersea	49,656	26	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	16	11	5	2	-	-	-	-	1	-	-	-	-	-	-	9
Clapham *2H*	51,361	34	15	6	6	-	-	-	-	-	-	-	-	1	1	2	3
Streatham *W,2w,2F,2L*	88,019	64	22	6	9	-	-	2	1	-	-	-	-	2	-	-	7
Springfield *2W,L*	27,959	34	8	2	2	-	-	-	-	-	-	-	-	1	-	-	1
Southfields *H*	40,444	37	6	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Putney	24,139	8	4	1	1	-	-	-	-	-	-	-	-	2	-	-	-
Dulwich	13,359	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	19	22	2	8	-	-	-	-	-	-	-	-	1	-	-	11
Camberwell North *W,2L*	65,584	36	16	3	7	-	-	-	-	-	-	-	-	4	-	-	7
St. George	47,331	33	8	5	-	-	-	-	-	-	-	-	-	3	1	2	-
Peckham North	48,913	35	10	3	-	-	-	-	-	-	-	-	-	3	-	-	-
Peckham South *2W,w*	43,946	17	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	19	11	4	1	-	-	-	1	-	-	-	-	3	1	1	-
Deptford Central	45,481	28	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Deptford South	34,625	15	5	1	-	-	-	-	-	-	-	-	-	-	2	2	-
Greenwich West *2H*	23,456	8	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich East *2W,H*	43,859	23	14	3	7	-	-	-	-	-	-	1	-	1	-	-	10
Eltham *w,H*	7,226	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F*	58,352	38	11	2	4	-	-	-	-	-	-	-	-	-	1	2	5
Sydenham *H*	43,653	29	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	11	6	1	-	-	-	-	2	-	-	-	-	-	-	-	4
Woolwich *5H*	41,625	26	9	3	3	-	-	-	-	-	-	-	-	1	2	2	-
Plumstead West *W*	18,063	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	40	7	1	-	-	-	-	-	-	-	-	-	-	1	2	2
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4
Manor	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Dartford Heath	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8
Hanwell	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
Colney Hatch	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Claybury	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1

* On 1st August, 1906, Christchurch Southwark and St. Saviour Southwark sub-districts were united and named as abov

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 4th August, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING -	368 302	2,044,973	1,423	525	179	112	-	11	5	5	7	3	114	19	39	89	1
30 Carshalton 2F,3H - -	12,228	32,997	30	5	3	1	-	-	-	-	-	-	2	-	-	-	-
Epsom, *part of** W,w,2F,H -	10,423	15,548	5	4	-	1	-	-	-	-	-	-	-	-	-	2	-
37 Godstone, *part of** W,F -	2,754	2,692	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
38 Coulsdon - - - -	11,069	8,166	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w - -	4,200	49,309	24	6	-	2	-	-	-	-	-	-	-	1	3	-	-
West Croydon 3W,F,H -	2,168	42,888	33	22	4	5	-	2	-	-	1	-	-	-	2	8	-
North Croydon H - -	2,644	41,698	27	7	2	1	-	-	-	-	-	-	2	-	-	1	-
Penge w,H - - - -	770	22,465	11	4	1	-	-	-	-	-	-	-	-	1	1	-	-
Mitcham w - - -	11,711	30,015	32	12	7	3	-	-	-	-	-	-	6	-	-	-	-
39 Wimbledon F,3H - -	3,221	41,652	21	15	5	1	-	-	-	-	-	1	6	-	1	2	-
Kingston 2W,H - - -	6,224	42,068	33	8	1	4	-	-	-	-	-	-	-	-	-	1	-
Surbiton F,H - - -	3,046	15,017	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** H -	5,402	13,100	9	2	-	-	-	1	-	-	-	-	-	-	1	-	-
Hampton H,F,L - - -	4,534	23,456	12	5	1	1	-	-	-	-	-	-	1	-	1	1	-
40 Richmond W,H - - -	2,162	28,865	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Mortlake F - - -	2,847	20,628	17	1	-	1	-	-	-	-	-	-	-	-	-	-	-
41 Bromley F,2H - - -	4,703	27,354	14	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Beckenham H - - -	7,825	28,497	12	4	2	-	-	-	-	-	-	-	1	1	2	-	-
Orpington *part of** W -	10,113	9,857	10	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Chislehurst 2H - - -	7,333	16,446	6	2	1	1	-	-	-	-	-	-	1	-	-	-	-
42 Bexley w F,H - - -	8,678	21,151	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Erith F,H - - - -	3,854	25,296	14	13	4	1	-	-	-	1	-	-	3	1	2	1	-
Dartford W,F, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
24 Sunbury w - - - -	11,054	18,683	10	5	1	-	-	-	-	-	-	-	-	1	1	1	-
Staines W,H - - -	13,277	15,178	11	5	2	2	-	-	-	-	-	-	2	-	-	2	-
25 Hillingdon W,F,H - -	6,035	13,661	9	3	-	2	-	-	-	-	-	-	-	-	-	1	-
Uxbridge H - - -	12,757	8,984	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes w2F,H - - -	8,066	16,358	12	13	7	2	-	-	-	-	3	-	3	1	1	-	-
36 Isleworth 3W,2F,H - -	6,859	30,863	25	14	6	3	-	-	-	-	-	-	3	-	-	6	-
Twickenham F,H - -	2,421	20,991	8	10	5	3	-	1	-	-	-	-	4	-	1	1	-
Brentford 3F,2H - - -	4,319	48,289	35	10	3	3	-	-	1	-	-	-	2	-	-	3	-
Chiswick H - - - -	1,249	29,809	25	5	1	1	-	-	-	1	-	-	1	-	-	-	-
Acton w,F,3H - - -	6,132	48,914	33	11	5	2	-	-	-	-	-	-	3	-	1	-	-
27 Harrow F,H - - -	13,809	25,523	17	8	2	2	-	-	-	-	-	-	2	-	1	-	-
Edgware 2F,2H - - -	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H - -	4,384	114,811	95	22	4	4	-	1	-	-	-	-	3	2	2	7	-
Hendon W,F - - -	8,382	22,450	21	7	3	1	-	-	-	-	-	-	-	-	-	2	-
28 South Mimms 2F,H - -	17,755	7,308	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H - - -	3,324	17,970	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Finchley F,2H - - -	4,688	33,692	17	4	-	-	-	-	-	-	-	-	1	-	-	2	-
29 Hornsey F,H - - -	2,875	72,056	25	7	2	4	-	-	-	-	-	-	-	-	-	-	-
Wood Green H - - -	1,625	34,233	30	9	1	2	-	-	-	-	1	-	-	2	2	2	-
West Tottenham F - -	996	48,853	38	9	5	1	-	-	-	-	-	-	4	-	-	-	-
East Tottenham 2H - -	2,017	53,688	45	11	4	3	-	-	-	-	-	-	1	1	1	3	-
Edmonton W,w,2F - -	7,491	61,892	64	14	5	2	-	-	1	-	-	-	3	-	1	3	-
Enfield 2W,F,H - - -	12,601	42,738	33	15	9	2	-	-	1	-	-	-	3	-	1	1	-
Waltham Abbey F - -	11,017	6,549	6	6	-	2	-	-	-	-	-	-	2	1	1	-	-
Cheshunt F,H - - -	8,479	12,292	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-
135 Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 Bushey H - - - -	9,333	9,173	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Watford W,2F *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
186 Stratford H - - -	1,072	44,827	26	15	6	3	-	1	-	-	-	1	5	-	-	1	-
Plaistow F,2H - - -	1,249	90,921	70	25	9	2	-	1	-	1	-	-	-	2	3	3	-
Canning Town H - -	1,556	70,718	52	29	15	5	-	1	-	-	-	1	13	2	3	-	-
Forest Gate w - - -	806	60,892	37	10	3	2	-	1	-	-	-	-	1	1	2	-	-
North East Ham w H -	1,333	58,676	32	8	4	2	-	-	1	-	-	-	2	1	1	-	-
South East Ham 2F - -	1,993	37,342	43	8	4	1	-	-	-	1	-	-	3	-	-	1	-
Wanstead F - - -	1,679	9,179	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-
South Leyton 2W - -	631	50,467	30	21	9	3	-	1	-	-	1	-	11	-	-	6	-
North Leyton 2W,w,F -	1,963	48,445	29	24	2	9	-	-	-	-	-	-	1	-	2	16	-
Walthamstow 3H,L - -	6,504	108,929	81	26	12	4	-	-	-	-	1	-	6	1	1	-	-
187 Chigwell, *part of** 2F,3H -	11,778	16,397	13	5	1	2	-	-	1	1	-	-	1	-	-	2	-
Epping W,F, *part of** - -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 Romford, *part of** W,2F -	6,556	6,091	2	2	1	-	-	-	-	-	-	-	1	-	-	-	-
Ilford F,L - - - -	8,496	41,234	38	11	1	3	-	-	-	-	-	-	2	-	-	5	-
Barking Town F - -	3,803	21,547	25	14	10	1	-	-	-	-	-	-	8	-	-	-	1
Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

*The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher ish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious ases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases
LONDON - -	4,721,217	Aug. 4	2576	1272	14·0	-	22	6	11	13	4	184
CALCUTTA - -	955,926	June 30	-	408	25·0	19	1	-	2	-	101†	61
BOMBAY - -	982 000	July 17	389	848	56·8	3	6	-	-	-	127†	157
MADRAS - -	509,346	" 6	374	500	51·0	4	3	?	?	?	120	100
PARIS - - -	2,750,000	" 28	1009	826	16·1	-	7	1	2	6	3	78
BRUSSELS - -	612,401	" 28	203	173	14·7	-	5	-	1	-	1	28
ANTWERP - -	297,311	" 28	126	84	14·7	-	6	-	-	-	-	22
AMSTERDAM -	560,482	" 21	288	150	13·9	-	5	1	1	-	2	16
COPENHAGEN -	425,000	" 28	238	111	13·6	-	3	1	2	4	-	17
STOCKHOLM -	324,488	" 21	137	76	12·2	-	2	-	1	-	1	6
CHRISTIANIA -	222,373	" 28	113	45	10·5	-	-	-	2	3	-	4
ST. PETERSBURG	1,424,700	" 14	763	756	27·6	3	28	25	24	4	45	169
MOSCOW - -	1,154,000	" 14	-	764	34·5	4	8	3	9	6	5	320
BERLIN - -	2,059,716	" 14	948	595	15·1	-	8	7	1	7	1	106
HAMBURG - -	819,380	" 28	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	475,000	" 21	268	182	20·0	-	2	1	2	1	-	35
MUNICH - -	544,000	" 28	-	196	18·9	-	1	-	1	4	1	21
VIENNA - -	1,956,949	" 28	958	603	16·2	-	5	4	10	1	5	77
PRAGUE - -	460,849	" 21	174	168	18·9	-	2	-	-	-	-	16
BUDA-PESTH -	859,134	" 21	387	291	19·0	-	2	9	2	2	2	38
TRIESTE - -	196,637	" 28	144	108	28·6	-	1	-	-	-	1	18
ROME - -	531,179	June 16	202	191	18·8	-	8	-	-	5	3	25
VENICE - -	171,709	—	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	July 21	151	119	21·3	-	-	-	-	3	2	19
NEW YORK -	4,152,860	" 21	2112	1600	20·1	-	8	6	28	7	17	384
CHICAGO - -	2,049,185	" 14	-	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,469,126	" 14	-	539	19·1	-	3	-	4	11	15	127
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	July 1	-	268	15·3	-	-	-	1	-	1	?

* Excluding deaths from croup in the Indian Cities.
† Including 23 deaths from plague in Calcutta, and 29 in Bombay.
‡ Including 28 deaths from cholera in Calcutta, 71 in Bombay, and 17 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 4th August, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	85·0	50·4	68·1	0·86	BRADFORD - -	76·4	52·2	63·9	0·87
BRIGHTON - -	78·0	56·6	65·9	0·03	LEEDS - - -	79·0	54·0	66·2	0·57
PORTSMOUTH - -	76·0	57·0	66·1	0·25	HULL - - -	82·0	55·0	66·4	0·13
NORWICH - -	83·2	54·0	67·5	0·39	TYNEMOUTH - -	75·0	52·0	61·1	0·78
PLYMOUTH - -	71·0	51·0	61·5	1·28	CARDIFF - -	78·6	47·5	62·2	0·91
BRISTOL - - -	81·3	51·3	63·3	0·65	EDINBURGH - -	68·0	49·6	60·4	1·57
BIRMINGHAM - -	77·7	52·3	63·9	0·08	GLASGOW - -	72·8	47·5	60·5	0·87
NOTTINGHAM - -	81·9	51·2	65·8	0·22	DUBLIN Phœnix Park.	71·8	45·2	60·5	0·45
LIVERPOOL OBSERVATORY.	76·0	54·0	63·2	0·48	DUBLIN Fitz-william Square.†	73·1	53·3	62·2	0·46
MANCHESTER -	76·6	49·8	63·5	0·26					
PRESTON - -	79·0	55·5	64·2	0·45					
HUDDERSFIELD -	75·2	48·5	63·0	0·59	BELFAST - -	69·8	50·0	60·4	0·54

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
JULY.																									
SUNDAY -	29	..	29·795	83·0	56·3	26·7	67·0	+ 4·7	56·9	10·1	28·9	1·3	70	141·0	47·9	62·72	SSW., variable & WSW	Variable, calm & ESE.	1·6	0·0	0·0	152	- 85	0·04	0·0
MONDAY -	30	..	29·767	78·3	59·5	18·8	68·5	+ 6·2	60·3	8·2	17·0	0·6	75	138·8	53·7	62·92	E.	E. & ESE.	2·7	0·0	0·2	228	- 11	0·03	0·0
TUESDAY -	31	..	29·773	84·2	58·1	26·1	68·6	+ 6·3	55·2	13·4	29·7	0·0	62	147·0	48·6	63·00	Calm & W.	W. & WSW.	2·5	0·0	0·1	219	- 23	0·00	0·0
AUGUST. WEDNESDAY	1	..	29·921	79·5	50·4	29·1	65·7	+ 3·5	50·3	15·4	26·9	0·6	58	153·9	38·9	63·30	WSW.	SW. & SSW.	2·0	0·0	0·1	206	- 38	0·00	0·0
THURSDAY -	2	Greatest Dec. S.	29·673	85·0	56·1	28·9	71·3	+ 9·2	56·9	14·4	27·5	0·0	61	149·0	48·0	63·48	S. & SSW.	SSW., ESE. & WSW.	14·5	0·0	0·2	226	- 21	0·79	0·2
FRIDAY -	3	..	29·665	75·9	57·4	18·5	65·6	+ 3·5	52·6	13·0	22·6	3·0	63	144·7	47·3	63·57	WSW. & SW.	WSW. & SW.	5·7	0·0	0·6	424	+174	0·00	3·8
SATURDAY -	4	Full	29·904	74·6	54·5	20·1	64·1	+ 1·9	49·5	14·6	24·1	2·4	59	149·2	41·3	63·77	SW. & WSW.	WSW. & W.	5·7	0·0	0·7	446	+193	0·00	3·0
MEANS -			29·785	80·1	56·0	24·0	67·3	+ 5·0	54·5	12·7	25·2	1·1	64	146·2	46·5	63·25	WSW.		..	..	..	Sum 1901	Sum +189	Sum 0·86	1·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
JULY.					
SUNDAY -	29	w. P. generally.	4·8	15·5	Fine but generally cloudy until 3h. P.M.; slight rain almost continuous afterwards. Partial solar halo at 2h. P.M.
MONDAY -	30	w. P. throughout.	13·2	15·5	Shower of rain just after midnight; clearing to nearly cloudless about 5h. A.M.; partially cloudy again by 9h. P.M. A very fine day.
TUESDAY -	31	w. P. throughout.	8·0	15·4	Cloudy generally until 8h. A.M. with a few drops of rain at times not measurable. Fine and partially cloudy until 4h. P.M., then becoming nearly cloudless. Very warm in afternoon.
AUGUST. WEDNESDAY	1	w. P. throughout.	12·4	15·4	Very fine throughout with varying quantity of light clouds. Warm.
THURSDAY -	2	Instrument out of order.	11·6	15·3	Very fine and oppressively hot until evening. Partial solar halo at 9h. A.M. Light clouds prevalent all day; very threatening after 6h. P.M. with frequent brilliant lightning; severe thunderstorm between 9h. and 10h. P.M.
FRIDAY -	3	No register.	13·0	15·3	Cloudy until about 5h. A.M.; then very fine throughout with light cloud in varying amounts.
SATURDAY -	4	No register until 11h. A.M.; afterwards m. P.	13·5	15·2	Fine and variably cloudy throughout.
			Sum 76·5	Sum 107·6	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·78 in. at the beginning of the week to 29·82 in. by midnight on July 29th; decreased to 29·69 in. by 5h. A.M. on July 31st; increased to 29·94 in. by 10h. A.M. on August 1st; decreased to 29·47 in. by 9h. P.M. on August 2nd; and increased to 30·03 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 28th July, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	17	2	-	-	-	-	8	-
Kensington	180,952	-	13	2	-	-	-	-	3	-
Hammersmith	120,679	-	13	5	-	-	-	-	1	-
Fulham	161,965	-	25	10	-	1	-	-	1	-
Chelsea	74,672	-	7	3	-	1	-	-	-	1
City of Westminster	173,905	-	10	4	-	2	-	-	2	-
NORTH.										
St. Marylebone	128,580	-	8	3	-	-	-	-	4	-
Hampstead	89,633	-	21	2	-	1	-	-	1	-
St. Pancras	236,455	-	16	1	-	3	-	-	4	1
Islington	344,987	-	29	9	-	2	-	-	3	-
Stoke Newington	53,217	-	3	1	-	-	-	-	1	-
Hackney	230,721	-	13	7	-	-	-	-	6	-
CENTRAL.										
Holborn	55,805	-	4	2	-	1	-	-	2	-
Finsbury	97,466	-	11	4	-	-	-	-	1	-
City of London	21,367	-	3	-	-	-	-	-	1	-
EAST.										
Shoreditch	116,108	-	17	2	-	-	-	-	3	-
Bethnal Green	130,609	-	12	13	-	1	-	-	11	1
Stepney	307,176	-	26	24	-	2	-	-	11	-
Poplar	170,673	-	10	8	-	1	-	-	4	-
SOUTH.										
Southwark	209,143	-	39	9	-	4	-	-	2	-
Bermondsey	128,629	-	15	11	-	-	-	-	3	-
Lambeth	315,774	-	17	7	-	-	-	-	3	-
Battersea	179,622	-	17	4	-	-	-	-	5	1
Wandsworth	273,381	-	18	5	-	4	-	-	4	-
Camberwell	274,132	-	16	10	-	1	-	-	7	1
Deptford	115,495	-	14	3	-	-	-	-	6	1
Greenwich	105,350	-	12	5	-	-	-	-	-	1
Lewisham	148,463	-	11	6	-	2	-	-	1	-
Woolwich	127,345	-	14	1	-	1	-	-	-	-
Port of London	—	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	431	163	-	28	-	-	98	7
Ages 0-1		-	4	4	-	-	-	-	5	-
" 1-5		-	131	68	-	-	-	-	9	-
" 5-		-	191	59	-	3	-	-	3	-
" 10-		-	62	17	-	3	-	-	6	-
" 15-		-	23	3	-	5	-	-	5	1
" 20-		-	8	4	-	3	-	-	8	4
" 25-		-	9	6	-	9	-	-	11	2
" 35-		-	2	-	-	3	-	-	18	-
" 45-		-	1	1	-	-	-	-	15	-
" 55-		-	-	1	-	2	-	-	9	-
" 65 and upwards		-	-	-	-	-	-	-	9	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 32. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, AUG. 11. [Price 1½*d.*

General Register Office, Somerset House,

August 13th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·6 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 12·0, 12·6, and 13·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 20·3 in Middlesbrough, 20·4 in Birkenhead, 20·6 in St. Helens, 21·2 in Salford, 22·0 in Hanley, and 23·0 in West Ham; from *measles*, 1·3 in Norwich, 1·6 in Huddersfield, 1·9 in South Shields, 2·5 in Burnley, and 3·6 in Salford; from *whooping-cough*, 1·6 in Middlesbrough and 1·8 in Birkenhead; and from *diarrhœa*, 5·1 in St. Helens, 6·0 in Wigan, 6·2 in Birkenhead, 6·6 in Nottingham, 7·6 in Aston Manor, and 10·2 in West Ham. One death from *small-pox* was registered in Liverpool, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2155 BIRTHS and 1352 DEATHS were registered. Allowing for increase of population, the births were 250 and the deaths 151 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 11·6, 11·7, and 14·0 per 1000 in the preceding three weeks, further rose last week to 14·9. The death-rate in the four weeks ended last Saturday averaged 13·1 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 8/06 D & S 3 25678

The 1352 deaths included 25 from measles, 10 from scarlet fever, 13 from diphtheria, 14 from whooping-cough, 5 from enteric fever, and 288 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 355 deaths were referred to these diseases in the aggregate, being 61 below the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 35, 30, and 22 in the preceding three weeks, were 25 last week, and were 4 below the corrected average; 4 deaths belonged to the Borough of Poplar, and 3 each to Westminster, St. Marylebone, Stepney, and Battersea. The deaths from *scarlet fever*, which had been 12, 6, and 6 in the preceding three weeks, rose to 10 last week, but were 3 below the corrected average. The deaths from *diphtheria*, which had been 10, 10, and 10 in the preceding three weeks, rose to 13 last week, and were 3 above the corrected average; 4 deaths belonged to Bethnal Green. The deaths from *whooping-cough*, which had been 20, 10, and 13 in the preceding three weeks, were 14 last week, and were 12 below the corrected average. The fatal cases of *enteric fever*, which had been 5, 3, and 4 in the preceding three weeks, were 5 last week, the corrected average being 7. The deaths from *diarrhœa*, which had been 56, 74, and 184 in the preceding three weeks, further rose to 288 last week, but were 41 below the corrected average; 25 deaths belonged to Stepney, 21 to Lambeth, 20 to Poplar, 19 to St. Pancras, and 16 to Kensington. Of the 288 deaths from diarrhœa, 272 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 22 other deaths at this age. The deaths attributed directly to *influenza* numbered 5, having been 8, 2, and 5 in the preceding three weeks.

Different forms of *violence* caused 65 deaths, concerning all but 3 of which inquests were held. Of these 65 deaths, 8 were cases of suicide, while the remaining 57 were attributed to accident or negligence. Thirteen of these latter were referred to vehicles in the streets, 10 to drowning, 4 to burns or scalds, 4 to heat stroke, 2 to the effects of anæsthetics administered for surgical purposes, and 9 (including 8 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3051 cases of scarlet fever, 861 of diphtheria, and 101 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 308 cases, against 413, 408, and 415; of diphtheria, 100 cases, against 140, 135, and 133; and of enteric fever, 7 cases, against 18, 17, and 26. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 4th, 1906.

Greater London.

In Greater London 3266 births and 1989 deaths were registered. Allowing for increase of population, these numbers are 422 and 170 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 2 from whooping-cough, and 93 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 66°·1, the latter being 3°·6 above the week's average in the 50 years 1841–90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 10 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 54·1 hours; the measured rainfall amounted to 0·01 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 21st July, 1906.	28th July, 1906.	4th Aug., 1906.	11th Aug., 1906.	Rate from Diseases in Cols. 11-17. Week ended 11th August, 1906.	Registered during the Week ended 11th August, 1906. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**12·0**	**12·6**	**13·8**	**14·6**	**3·6**	**7361**	**4424**	**1513**	**907**	**1**	**103**	**27**	**39**	**50**	**20**	**865**	**184**	**359**	**1004**	**43**	**76 Towns.**
London	4,721,217	11·6	11·7	14·0	14·9	3·9	2155	1352	464	292	-	25	10	13	14	5	288	65	141	481	2	London.
Croydon	151,011	11·7	10·7	10·7	11·7	2·1	63	34	10	9	-	1	-	1	-	-	4	-	4	3	-	Croydon.
Willesden	143,622	6·5	8·4	8·0	10·9	3·3	75	30	11	6	-	-	-	1	-	-	8	-	-	4	-	Willesden.
Hornsey	86,935	8·4	4·8	4·2	6·6	0·6	36	11	3	4	-	-	-	-	-	-	1	-	-	-	-	Hornsey.
Tottenham	119,503	8·7	7·9	8·3	9·6	2·2	52	22	9	2	-	-	-	-	1	-	4	1	2	6	-	Tottenham.
West Ham	301,617	10·9	11·6	15·4	23·0	11·1	134	133	72	12	-	2	-	1	2	-	59	4	5	15	-	West Ham.
East Ham	129,886	8·4	10·0	7·6	11·2	3·2	45	28	8	7	-	-	-	1	-	-	7	-	2	7	-	East Ham.
Leyton	118,287	5·7	7·5	11·9	12·8	4·8	58	29	14	6	-	1	-	-	-	-	10	1	1	2	-	Leyton.
Walthamstow	121,334	8·6	9·5	14·2	14·6	3·9	65	34	11	5	-	-	1	-	-	-	8	-	-	7	-	Walthamstow.
Hastings	67,144	9·3	6·2	11·6	10·9	0·8	11	14	1	5	-	-	-	-	-	-	1	1	1	2	-	Hastings.
Brighton	128,095	9·0	13·0	12·2	9·4	0·8	45	23	1	5	-	-	-	-	1	-	1	1	3	7	-	Brighton.
Portsmouth	205,118	11·9	14·0	11·7	11·7	3·3	101	46	11	13	-	-	-	-	3	-	10	1	4	9	1	Portsmouth.
Bournemouth	67,702	10·0	6·9	8·5	7·7	-	31	10	1	6	-	-	-	-	-	-	-	-	-	-	-	Bournemouth.
Southampton	117,312	8·0	12·0	11·1	10·7	1·8	43	24	2	7	-	-	-	-	-	1	3	1	6	7	-	Southampton.
Reading	78,987	5·9	12·5	9·9	5·9	0·7	21	9	2	2	-	-	-	-	-	-	1	-	-	4	-	Reading.
Northampton	93,749	9·5	5·6	16·1	10·6	3·9	32	19	9	5	-	-	-	-	-	1	6	-	-	2	-	Northampton.
Ipswich	71,809	10·9	12·3	10·2	17·4	-	46	24	1	13	-	-	-	-	-	-	-	-	2	7	-	Ipswich.
Great Yarmouth	52,613	11·9	11·9	10·9	11·9	3·0	18	12	4	3	-	-	-	-	-	-	3	1	1	3	-	Great Yarmouth.
Norwich	117,958	10·6	13·7	15·9	15·0	6·6	60	34	17	5	-	3	1	-	-	-	11	-	3	4	-	Norwich.
Plymouth	118,014	11·0	11·0	13·7	16·8	3·1	45	38	12	8	-	-	-	1	-	-	6	-	2	7	-	Plymouth.
Devonport	78,405	11·3	12·0	9·3	10·0	2·0	47	15	7	2	-	-	-	-	-	-	3	1	4	-	-	Devonport.
Bristol	363,223	11·5	12·5	11·2	10·3	0·7	154	72	21	18	-	1	1	-	2	-	1	10	11	17	1	Bristol.
Hanley	66,300	4·7	13·4	12·6	22·0	4·7	19	28	5	7	-	1	2	1	-	-	2	1	3	5	-	Hanley.
Burton-on-Trent	52,922	9·9	11·8	7·9	7·9	-	20	8	1	1	-	-	-	-	-	-	-	-	-	2	-	Burton-on-Trent.
Wolverhampton	100,729	13·5	12·9	11·0	15·0	2·1	37	29	6	10	-	-	-	-	-	-	4	1	2	6	-	Wolverhampton.
Walsall	94,577	14·9	8·8	17·6	19·3	5·0	38	35	11	8	-	-	-	-	1	-	8	3	3	2	-	Walsall.
Handsworth	63,819	4·9	4·9	9·0	6·5	0·8	18	8	1	-	-	-	1	-	-	-	-	-	-	1	-	Handsworth.
West Bromwich	68,469	12·2	14·5	3·0	12·2	0·8	33	16	3	4	-	-	-	-	1	-	-	-	1	1	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 11th August, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 21st July, 1906.	28th July, 1906.	4th Aug., 1906.	11th Aug., 1906.	Rate from Diseases in Cols. 11-17. Week ended 11th August, 1906.	Registered during the Week ended 11th August, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	13·0	12·0	12·9	15·5	4·9	257	163	63	33	-	3	-	2	-	1	45	10	10	28	6	BIRMINGHAM.
KINGS NORTON -	72,608	7·2	7·2	12·9	5·7	-	38	8	2	1	-	-	-	-	-	-	-	2	2	-	-	KINGS NORTON.
SMETHWICK - -	64,531	8·1	8·1	14·5	12·1	0·8	19	15	2	6	-	-	-	-	-	-	1	-	-	1	-	SMETHWICK.
ASTON MANOR -	82,288	13·3	12·7	18·4	19·6	8·9	24	31	17	3	-	1	-	-	1	-	12	-	-	1	-	ASTON MANOR.
COVENTRY - -	76,374	10·2	7·5	21·2	12·3	2·7	50	18	7	6	-	-	-	-	-	-	4	1	1	4	1	COVENTRY.
LEICESTER - -	232,111	10·3	12·4	9·7	14·4	2·9	81	64	20	13	-	4	-	-	-	-	9	4	7	12	-	LEICESTER.
GRIMSBY - - -	69,359	12·8	15·8	14·3	12·8	0·8	35	17	4	5	-	1	-	-	-	-	-	1	1	3	-	GRIMSBY.
NOTTINGHAM - -	254,563	13·5	14·7	13·3	16·8	7·0	118	82	38	15	-	-	1	-	-	1	32	3	5	15	-	NOTTINGHAM.
DERBY - - -	123,981	10·5	10·1	8·8	10·1	0·8	47	24	8	5	-	-	-	-	1	-	1	1	2	9	-	DERBY.
STOCKPORT - -	39,646	17·8	15·2	14·1	16·2	1·6	44	31	8	7	-	1	-	-		-	2	1	3	4	-	STOCKPORT.
BIRKENHEAD - -	117,292	12·4	13·3	17·8	20·4	8·9	67	46	20	7	-	-	1		4	1	14	1	2	3	-	BIRKENHEAD.
WALLASEY - -	64,578	6·5	13·7	8·1	6·5	1·6	36	8	1	4	-	-	-	-	-	-	2	-	1	1	-	WALLASEY.
LIVERPOOL - -	739,180	16·5	15·2	17·0	18·8	4·9	386	267	89	50	1	3	1	1	2	3	58	13	18	76	10	LIVERPOOL.
BOOTLE - - -	65,989	13·4	16·6	26·9	17·4	4·0	37	22	8	5	-	1	-	-	-	-	4	-	1	3	1	BOOTLE.
ST. HELENS - -	91,153	12·0	13·7	12·6	20·6	5·1	47	36	15	3	-	-	-	-	-	-	9	2	2	7	-	ST. HELENS.
WIGAN - - -	87,588	16·1	18·5	20·5	13·7	6·5	44	23	14	-	-	1	-	-	-	-	10	-	-	1	-	WIGAN.
WARRINGTON -	69,280	9·0	17·3	9·8	8·3	3·0	41	11	8	-	-	-	-	-	-	-	4	-	-	1	-	WARRINGTON.
BOLTON - - -	180,502	12·7	13·6	11·8	11·0	1·7	102	38	12	5	-	-	-	1		-	5	3	3	3	-	BOLTON.
BURY - - -	58,744	8·0	19·5	14·2	11·5	0·9	25	13	5	5	-	-	-	-	-	-	1	-	-	1	-	BURY.
MANCHESTER - -	637,126	15·5	19·1	15·7	16·2	4·3	324	198	55	29	-	11	2	1	4	-	34	11	17	46	-	MANCHESTER.
SALFORD - - -	234,077	14·3	12·7	16·5	21·2	6·2	112	95	29	17	-	16	-	3	-	-	9	3	7	22	2	SALFORD.
OLDHAM - - -	140,969	11·8	12·9	14·8	13·7	2·6	51	37	4	17	-	2	1	-	1	-	3	1	2	11	-	OLDHAM.
ROCHDALE - -	87,189	5·4	16·7	20·3	12·0	0·6	46	20	3	9	-	-	-	-	-	-	1	1	1	7	-	ROCHDALE.
BURNLEY - - -	102,808	17·8	15·7	17·2	18·8	4·6	53	37	13	6	-	5	-	-	-	-	4	-	-	4	-	BURNLEY.
BLACKBURN - -	134,015	15·2	10·1	12·8	13·6	1·2	82	35	8	9	-	1	-	1	1	-	-	-	1	2	2	BLACKBURN.
PRESTON - - -	116,399	11·6	13·9	9·9	17·0	0·9	57	38	5	14	-	-	-	-	-	-	2	-	-	5	3	PRESTON.
BARROW-IN-FURNESS	60,967	11·1	10·3	9·4	10·3	4·3	29	12	5	1	-	-	-	-	-	-	5	-	-	2	-	BARROW-IN-

Towns.	Population estimated to the middle of the Year 1906.*	Week ended 21st July, 1906.	Week ended 28th July, 1906.	Week ended 4th Aug., 1906.	Week ended 11th Aug., 1906.	In Cols. 11-17. Week ended 11th August, 1906.	During the Week ended 11th August, 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	17·0	18·7	21·4	12·6	2·7	32	23	6	6	-	3	-	-	1	-	1	1	2	4	1	Huddersfield.
Halifax	109,272	8·6	13·8	14·3	11·9	1·4	31	25	6	5	-	-	-	2	-	-	1	-	-	4	-	Halifax.
Bradford	288,544	12·5	11·9	13·6	13·6	2·2	94	75	16	22	-	1	-	2	-	2	7	3	10	18	-	Bradford.
Leeds	463,495	13·5	12·7	15·9	13·5	4·5	188	120	57	20	-	2	1	-	-	2	35	7	11	14	-	Leeds.
Sheffield	447,951	11·6	15·9	16·3	16·1	5·6	205	138	60	26	-	1	4	1	1	1	40	3	7	20	4	Sheffield.
Rotherham	61,098	14·5	10·2	9·4	15·4	2·6	39	18	9	2	-	1	-	-	-	-	2	-	-	3	1	Rotherham.
York	83,467	11·9	6·2	13·1	10·0	1·2	39	16	4	6	-	-	-	-	-	-	2	-	1	-	-	York.
Hull	262,426	14·3	13·1	15·9	19·3	5·4	122	97	46	17	-	-	-	3	1	-	23	2	2	16	3	Hull.
Middlesbrough	100,069	16·2	13·0	14·1	20·3	5·2	51	39	14	4	-	-	-	-	3	-	7	2	3	5	-	Middlesbrough.
Stockton-on-Tees	52,664	10·9	5·9	19·8	12·9	3·0	33	13	4	4	-	-	-	-	1	-	2	1	3	1	-	Stockton-on-Tees.
West Hartlepool	73,387	9·2	14·2	9·2	8·5	0·7	27	12	5	3	-	-	-	1	-	-	-	-	-	2	-	West Hartlepool.
Sunderland	154,385	12·5	15·9	13·8	12·2	2·4	117	36	11	6	-	1	-	2	-	1	3	2	4	3	1	Sunderland.
South Shields	111,402	10·3	12·2	19·7	11·7	1·9	56	25	4	5	-	4	-	-	-	-	-	2	2	4	1	South Shields.
Gateshead	123,191	14·4	16·5	11·9	14·0	2·5	83	33	10	4	-	2	-	-	-	-	4	2	3	8	3	Gateshead.
Newcastle-on-Tyne	268,721	16·3	10·3	12·2	13·6	1·4	128	70	25	12	-	2	-	-	-	-	5	3	7	12	-	Newcastle-on-Tyne.
Tynemouth	54,138	16·4	13·5	14·4	13·5	-	25	14	4	3	-	-	-	-	-	-	-	1	2	-	-	Tynemouth.
Newport (Mon.)	74,227	11·9	15·5	19·0	5·6	1·4	45	8	3	-	-	-	-	-	1	-	1	-	-	-	-	Newport (Mon.).
Cardiff	183,823	6·2	9·9	8·8	12·2	1·4	102	43	10	7	-	-	-	-	1	-	4	2	5	6	-	Cardiff.
Rhondda	127,684	10·2	13·1	9·8	18·0	3·3	88	44	20	6	-	1	-	-	-	1	6	1	2	1	-	Rhondda.
Merthyr Tydfil	74,961	17·4	21·6	18·1	12·5	0·7	45	18	6	2	-	-	-	-	1	-	-	-	1	-	-	Merthyr Tydfil
Swansea	96,848	10·2	11·8	14·0	16·7	2·2	57	31	12	7	-	1	-	-	1	-	2	2	7	-	-	Swansea.
Greater London	7,113,561	10·8	10·8	13·2	14·6	4·2	3266	1989	739	412	-	33	13	20	19	5	482	80	171	552	3	Greater London.
Outer Ring	2,392,344	9·1	9·2	11·4	13·9	4·7	1111	637	275	120	-	8	3	7	5	-	194	15	30	71	1	Outer Ring.
8 Towns in Outer Ring	1,172,195	9·0	9·4	11·0	14·3	5·0	528	321	138	51	-	4	1	4	3	-	101	6	14	44	-	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	9·2	8·9	11·9	13·5	4·4	583	316	137	69	-	4	2	3	2	-	93	9	16	27	1	Remainder of Outer Ring.
Edinburgh	341,035	10·7	14·8	11·2	13·1	1·4	167	86	13	29	-	5	-	-	-	1	3	4	?	26	5	Edinburgh.
Glasgow	835,625	15·3	14·5	12·2	15·2	2·0	473	243	60	51	-	5	1	2	6	-‡	18	11	?	76	14	Glasgow.
Dublin†	378,994	20·9	20·1	16·8	17·3	2·6	186	126	34	24	-	2	-	2	3	2	10	3	3	39	5	Dublin.†
Belfast†	366,220§	17·2	18·1	17·2	18·1	2·4	220	127	29	28	-	-	-	1	2	2	12	4	6	26	3	Belfast.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ Five deaths from Cerebro-spinal meningitis were registered during the week. § Revised population.

TABLE 2. LONDON.—**Births and Deaths** Registered in the THIRTY-SECOND Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2291	2728	2807	2214	2332	2322	1929	2563	2730	2215	2404·9	2155
Males - - -	1145	1385	1391	1139	1188	1240	940	1329	1369	1124	1213·6	1149
Females - -	1146	1343	1416	1075	1144	1082	989	1234	1361	1091	1191·3	1006
TOTAL **Deaths** -	1790	2246	1772	2068	1804	1636	1176	1255	1912	1555	1503·0	1352
Males - -	972	1187	932	1130	1015	882	607	650	992	834	785·6	767
Females - -	818	1059	840	938	789	754	569	605	920	721	717·4	585

* The numbers in this column are the average weekly numbers in the thirty-second week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	13 Weeks
TOTAL **Births** -	2480	2518	2384	2145	2447	2499	2386	2496	2413	2468	2352	2576	2155	31319
TOTAL **Deaths** -	1270	1159	1240	1150	1112	1205	1060	1113	1072	1054	1056	1272	1352	15115
Ages at Death: Under 1 year -	251	200	228	225	197	213	189	208	192	221	233	346	464	3167
1—5 years -	163	139	140	149	137	139	113	144	126	128	121	148	162	1809
5—20 ,, -	66	79	71	67	59	79	67	79	71	60	74	68	79	919
20—40 ,, -	158	157	149	143	161	151	136	132	151	110	147	141	145	1881
40—60 ,, -	259	243	265	227	235	279	240	253	227	222	217	254	210	3131
60 yrs. & upwds.	373	341	387	339	323	344	315	297	305	313	264	315	292	4208
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	43	41	50	58	45	52	46	39	22	35	30	22	25	508
Scarlet Fever - -	10	15	12	6	15	13	5	17	6	12	6	6	10	132
Diphtheria - -	11	13	10	7	9	8	9	12	9	10	10	10	13	131
Whooping-cough -	38	32	35	24	17	23	14	12	18	20	10	13	14	270
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	8	1	2	4	8	9	12	4	5	3	4	5	68
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhœa, Dysentery	16	10	21	17	15	17	22	31	35	56	74	184	288	786
All above Diseases -	121	119	129	114	105	121	105	123	94	139	133	239	355	1897
Dis. of Resp. System	96	88	75	62	54	58	41	41	47	52	42	52	47	755
Pneumonia - -	148	124	111	90	88	79	91	77	72	81	59	59	65	1144
Phthisis - - -	117	114	145	116	90	129	111	127	108	103	111	108	112	1491
Dis. of Circ. System -	160	148	155	171	160	170	166	144	153	125	134	161	145	1992
Violence - - -	53	42	57	65	57	50	71	51	60	54	61	62	65	748
Inquest Cases - -	119	121	128	134	119	107	123	109	117	104	120	140	141	1582
Deaths in Institutions	507	456	513	465	490	527	452	474	451	425	449	500	481	6190
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	50·7	51·8	57·2	55·6	53·9	64·1	60·0	61·9	61·5	62·7	66·3	67·3	66·1	59·9
Mean of Highest -	61·2	60·3	67·4	68·6	64·6	76·8	71·5	74·0	72·8	74·2	77·8	80·1	78·8	71·4
Mean of Lowest -	41·1	44·6	49·7	42·2	46·9	51·9	51·4	49·5	52·7	52·7	56·5	56·0	56·1	50·1
Mean Humidity of the Air.	68	75	76	65	80	68	76	65	70	70	63	64	68	70
Rain-fall (in inches) -	0·17	1·08	0·19	0·00	0·30	0·01	2·46	0·00	0·01	0·19	0·15	0·86	0·01	5·43
Registered Sunshine (in hours).	43·3	27·5	39·1	80·6	35·6	61·0	58·1	75·4	47·9	43·8	69·5	76·5	54·1	712·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	2	2	5	6	7	13	11	7	5	2	1	1	–	5
Scarlet Fever - -	2399	2453	2515	2603	2676	2692	2752	2769	2842	2943	3048	3120	3051	2759
Diphtheria - -	779	783	763	773	749	766	783	827	840	872	874	879	861	811
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	42	44	41	41	65	76	93	86	89	99	99	109	101	76

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SECOND Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 32nd week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1503·0	1352	464	162	79	145	210	292
Small-pox*	1·3	-	-	-	-	-	-	-
Cow-pox	-	-	-	-	-	-	-	-
Measles (Morbilli)	29·1	25	6	19	-	-	-	-
Scarlet Fever	12·7	10	1	6	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	1·5	5	-	-	-	3	1	1
Whooping-cough	25·7	14	7	7	-	-	-	-
Diphtheria	10·4	13	1	8	4	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin unknown)	0·3	-	-	-	-	-	-	-
Enteric Fever	7·4	5	-	-	1	3	-	1
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	205·2	201	170	26	2	-	-	3
Dysentery, Dysentery	123·8	87	61	15	1	-	1	9
Tetanus	1·0	1	-	-	1	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	7·9	8	8	-	-	-	-	-
Puerperal Septicæmia	2·3	4	-	-	-	4	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	0·5	1	-	-	-	1	-	-
Infective Endocarditis	2·5	2	-	-	1	-	1	-
Pneumonia: Lobar	6·9	4	1	-	-	2	1	-
Pneumonia: Broncho-	31·6	26	8	11	1	1	3	2
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	30·8	35	3	5	2	5	12	8
Erysipelas	3·6	5	3	1	-	-	1	-
Septicæmia (not Puerperal)	1·3	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	0·3	1	-	-	-	-	-	1
Other Infective Processes	8·9	1	1	-	-	-	-	-
Tuberculous Phthisis	61·4	64	-	2	6	25	26	5
"*Phthisis*"	56·8	48	2	-	6	21	16	3
Tuberculous Meningitis	21·2	19	6	11	2	-	-	-
Tuberculous Peritonitis	12·7	15	7	4	-	4	-	-
Tabes Mesenterica	5·4	3	1	2	-	-	-	-
Tuberculous Dis. (other)	15·8	14	4	1	4	4	1	-
Scurvy	0·3	-	-	-	-	-	-	-
Alcoholism	11·7	10	-	-	-	2	4	4
Rheumatic Fever	4·8	1	-	-	-	1	-	-
Gout	1·0	-	-	-	-	-	-	-
Cancer: Carcinoma	57·6	47	-	-	-	3	20	24
Cancer: Sarcoma	5·6	6	-	1	-	2	1	2
Cancer (undefined)	35·7	22	-	-	1	-	11	10
Diabetes Mellitus	8·7	4	-	-	-	1	-	3
Premature Birth	52·0	45	45	-	-	-	-	-

CAUSES OF DEATH	Corrected Average for the 32nd week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	16·3	14	5	5	3	-	1	-
Insanity, Gen. Par. of Insane	9·9	15	-	-	1	2	8	4
Epilepsy	5·6	5	-	-	1	1	2	1
Convulsions	25·5	11	10	1	-	-	-	-
Locomotor Ataxy	0·8	2	-	-	-	-	1	1
Paraplegia, Dis. of Cord	4·8	3	-	-	-	-	1	2
Nervous Sys. (other dis.)	15·0	13	-	1	-	3	4	5
Valv. Dis., Endocarditis	31·9	38	-	-	6	6	5	21
Cerebr. Hæm. Thromb.	26·8	23	-	-	-	3	4	16
Apoplexy, Hemiplegia	11·2	11	-	-	-	-	-	11
Aneurysm	2·8	4	-	-	-	2	2	-
Embolism, Thrombosis (not cerebral)	0·5	1	-	-	-	1	-	-
Heart & Blood Vessel Dis.	64·0	68	-	1	6	6	21	34
Croup (not Spasm : nor Memb.)	0·5	-	-	-	-	-	-	-
Bronchitis	41·3	34	6	2	-	1	4	21
Asthma, Emphysema	0·3	2	-	-	-	-	1	1
Pleurisy	2·0	5	1	-	1	1	-	2
Respiratory Dis. (other)	10·4	6	3	1	-	-	1	1
Tonsillitis, Quinsy	0·8	2	-	-	1	-	1	-
Enteritis (not Epid.)	28·0	28	18	8	-	1	-	1
Gastro-Enteritis	26·0	23	17	5	-	-	1	-
Peritonitis (not Puerp.)	2·5	3	1	-	1	-	-	1
Cirrhosis of Liver	16·1	15	-	-	-	4	8	3
Liver Dis. (other)	5·4	7	-	1	-	1	1	4
Digestive Dis., Other	43·8	37	7	5	7	6	4	8
Nephritis, Acute	6·4	3	1	-	1	1	-	-
Bright's Dis., Albuminuria	28·3	35	-	1	1	4	15	14
Urinary Sys., Other Dis.	9·9	13	-	-	-	1	3	9
Generative Organs Dis.	4·3	-	-	-	-	-	-	-
Childbirth (Accid. of)	3·1	5	-	-	-	4	1	-
Old Age	33·9	39	-	-	-	-	-	39
Other Diseases	95·8	76	52	8	3	1	5	7
ACCIDENT.								
By Railways	1·0	-	-	-	-	-	-	-
By Vehicles and Horses	6·6	13	-	1	5	4	2	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	-	-	-	-	-	-	-
In Building Operations	1·0	1	-	-	-	1	-	-
In Conflagrations	0·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	2·5	4	-	-	1	-	-	3
By Drowning	7·6	10	-	-	3	2	5	-
By Suffocation in Bed	7·1	9	8	1		-		-
By Poisons or Poisonous Vapours	0·8	3	-	1	-	1	-	1
Other Deaths by Accident	21·9	17	-	1	3	4	5	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	2·3	-	-	-	-	-	-	-
Suicide	11·2	8	-	-	-	2	5	1
Execution	0·3	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever.

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th August, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexial† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2155	1352	464	292	-	25	10	13	14	-	5	-	288	65	141	481
WEST DISTRICTS	805,311	335	224	70	62	-	6	-	1	1	-	-	-	53	12	24	67
NORTH DISTRICTS	1,056,070	464	256	77	53	-	3	2	2	-	-	2	-	45	10	25	87
CENTRAL DISTRICTS	209,465	110	72	18	14	-	1	-	2	-	-	-	-	11	6	9	41
EAST DISTRICTS	715,739	403	284	116	48	-	8	-	-	4	-	-	-	71	17	43	122
SOUTH DISTRICTS	1,749,844	843	482	183	106	-	6	6	5	9	-	1	-	106	20	39	130
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	34	-	9	-	1	2	3	-	-	2	-	2	-	1	34
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	48	24	7	4	-	1	-	-	-	-	-	-	3	1	1	9
St. John Paddington *H*	33,617	9	11	5	-	-	-	-	-	-	-	-	-	5	1	1	5
North-West Paddington	17,181	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	58	58	17	20	-	2	-	-	-	-	-	-	15	2	7	19
Brompton *2H*	48,591	4	12	2	5	-	-	-	-	-	-	-	-	2	1	2	2
North Hammersmith *2W,wH*	49,192	24	19	10	2	-	-	-	-	1	-	-	-	8	-	1	3
South Hammersmith *w,2H*	63,047	18	17	7	5	-	1	-	-	-	-	-	-	4	1	1	7
North-west Fulham *W*	45,180	29	13	6	2	-	-	-	-	-	-	-	-	9	-	1	4
North-east Fulham *F*	46,405	26	10	1	5	-	-	-	1	-	-	-	-	-	-	1	1
South Fulham *W*	45,704	25	10	4	2	-	-	-	-	-	-	-	-	1	3	4	-
Chelsea North *W,w,3H*	42,514	17	11	1	6	-	-	-	-	-	-	-	-	2	1	1	7
Chelsea South *W,2H*	31,328	16	9	2	3	-	-	-	-	-	-	-	-	-	1	2	-
Mayfair and Knightsbridge	28,743	10	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Belgrave *W,2H*	55,815	16	10	2	5	-	-	-	-	-	-	-	-	-	1	1	5
St. Margaret & St. John *4H*	43,698	10	9	5	1	-	1	-	-	-	-	-	-	4	-	-	3
St. James and St. Anne *W,6H*	33,081	13	7	-	2	-	1	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	12	10	1	1	-	-	-	-	-	-	-	-	-	2	3	7
St. Mary Marylebone *W,4H*	37,948	45	12	5	2	-	1	-	-	-	-	-	-	2	-	-	4
Christchurch Marylebone *H*	39,536	13	5	-	1	-	1	-	-	-	-	-	-	-	1	-	-
St. John Marylebone *2H*	20,426	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	35	11	-	4	-	-	2	-	-	-	-	-	-	-	-	5
West St. Pancras *2H*	60,562	26	17	7	1	-	-	-	-	-	-	-	-	6	1	2	4
Tottenham-court *w,7H*	21,258	5	12	2	1	-	-	-	-	-	-	-	-	3	-	-	12
Gray's Inn Lane *4H*	34,449	17	7	3	2	-	-	-	-	-	-	-	-	1	-	1	2
East St. Pancras *W,2H*	60,320	27	19	9	6	-	-	-	-	-	-	1	-	4	-	1	8
North St. Pancras *2W*	58,728	24	16	5	5	-	-	-	1	-	-	-	-	4	-	-	5
Tufnell *W*	31,995	16	15	3	6	-	-	-	-	-	-	-	-	1	-	-	10
Upper Holloway *2W,w,H*	33,978	21	15	3	4	-	-	-	-	-	-	-	-	1	-	1	6
Tollington *WH*	33,922	10	3	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Lower Holloway	41,424	17	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	20	5	3	-	-	-	-	-	-	-	-	-	1	-	1	-
Islington South-east *F*	75,397	41	21	6	1	-	-	-	-	-	-	-	-	5	3	6	-
Highbury *2H*	63,797	14	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Stoke Newington *H*	51,247	17	13	2	7	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney	50,560	24	10	1	4	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney *2w,F*	50,536	25	11	5	1	-	1	-	1	-	-	1	-	4	-	1	3
South-west Hackney *3H*	59,921	26	16	6	2	-	-	-	-	-	-	-	-	3	1	1	10
South-east Hackney *2W,w,H*	58,255	26	26	11	2	-	-	-	-	-	-	-	-	9	1	4	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

BLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th August, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Giles and Bloomsbury 2*W*,2*H* -	31,436	30	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
and *W*,4*H* - - - - -	21,674	6	10	1	-	-	-	-	-	-	-	-	-	-	1	-	10	-
and Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
lborn *W*,6*H* - - - - -	29,612	6	15	6	2	-	-	-	-	-	-	-	-	5	1	1	13	-
ith Clerkenwell - - -	28,676	7	6	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-
rth Clerkenwell *H* - - -	35,028	14	7	1	2	-	-	-	-	-	-	-	-	2	-	3	-	-
sbury 3*H*,*L* - - - - -	36,116	42	6	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-
lborn Union Workhouse, Hitcham - - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Botolph *H* - - - -	10,299	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows *W*,2*H*	16,624	3	20	1	4	-	1	-	2	-	-	-	-	1	4	5	15	-
y of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South *H* - - -	46,362	18	8	5	-	-	-	-	-	-	-	-	-	3	-	1	-	-
reditch North-West *W*,*w*,*H* -	36,127	28	35	12	9	-	-	-	-	-	-	-	-	3	1	2	23	-
reditch North-East - - -	36,148	22	9	8	1	-	-	-	-	-	-	-	-	5	-	-	-	-
reditch Union Workhouse, Wood Green - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North-East* 2*W*, *L*.	65,138	35	35	17	5	-	2	-	-	1	-	-	-	7	1	3	20	-
hnal Green South-West* *H* -	64,542	38	16	9	2	-	-	-	-	-	-	-	-	5	1	3	-	-
talfields - - - - -	27,969	9	5	-	2	-	-	-	-	-	-	-	-	1	-	-		
e End New Town *W*,*H* - -	28,718	18	45	9	6	-	-	-	-	-	-	-	-	5	4	8	41	
dman's Fields - - - -	22,081	10	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
George and St. John 2*W* - -	49,068	27	5	3	-	-	-	-	-	-	-	-	-	3	1	2	-	-
dwell and Ratcliff *W*,*H* - -	25,568	15	17	11	1	-	-	-	-	1	-	-	-	6	1	3	13	
ehouse *W* - - - - -	32,369	19	5	2	1	-	-	-	-	1	-	-	-	1	-	2	-	
e End Old Town South-Western *H* - - - -	63,698	62	19	8	2	-	1	-	-	-	-	-	-	6	2	2	-	
e End Old Town North-Eastern *W*,*w* - - -	49,129	18	20	6	4	-	1	-	-	-	-	-	-	4	1	3	8	
w L - - - - - -	41,989	19	14	7	3	-	-	-	-	-	-	-	-	7	1	3	-	-
mley 3*w*.*H* - - - - -	68,319	33	33	12	9	-	4	-	-	-	-	-	-	10	1	7	16	-
nar *W*.*w* - - - - -	58,514	32	14	5	3	-	-	-	-	1	-	-	-	5	2	3	1	-

* On 1st August, 1906, Bethnal Green North, Bethnal Green South, and Bethnal Green East sub-districts were arranged into two new sub-districts as above.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th August, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark* *W,2H*	23,319	17	19	6	3	-	-	-	2	-	-	-	-	3	1	1	15
Kent-road	21,904	11	10	7	1	-	-	-	-	-	-	-	-	6	1	2	-
St. George the Martyr West *W,2H,L*	39,094	19	19	8	2	-	-	-	-	1	-	-	-	1	1	2	11
Newington North	49,022	26	6	2	1	-	-	-	-	-	-	-	-	2	2	2	-
Newington South *W*	72,841	35	9	4	2	-	-	-	-	1	-	-	-	2	-	1	1
St. Olave *2W*	9,817	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Bermondsey *W*	82,483	41	13	5	4	-	-	-	-	-	-	-	-	5	-	2	-
Rotherhithe *W,F*	38,460	18	16	3	5	-	1	-	-	-	-	-	-	3	-	-	9
Waterloo-road *2H*	27,440	32	8	4	-	-	-	-	-	-	-	-	-	3	-	1	-
Lambeth Church 1st *H*	18,423	14	16	1	2	-	-	-	-	1	-	-	-	2	2	3	12
Lambeth Church 2nd *2W*	39,818	19	25	12	4	-	-	-	-	-	-	1	-	6	-	2	14
Kennington 1st *H*	53,198	21	8	4	2	-	-	-	-	-	-	-	-	2	1	1	-
Kennington 2nd *H*	42,896	20	11	5	2	-	-	-	-	-	-	-	-	5	-	-	3
Brixton *F*	84,232	33	10	3	2	-	1	1	-	-	-	-	-	2	-	-	2
Norwood *W,H*	35,888	14	6	2	1	-	-	-	-	-	-	-	-	3	-	-	-
East Battersea *H*	72,203	29	16	9	3	-	2	-	-	2	-	-	-	4	-	1	-
North-west Battersea	49,656	25	13	7	4	-	1	-	-	-	-	-	-	6	-	1	-
South-west Battersea *2W,H*	47,048	18	15	2	5	-	-	-	-	-	-	-	-	1	-	1	9
Clapham *2H*	51,361	31	10	3	-	-	-	-	-	-	-	-	-	1	-	-	2
Streatham *W,2w,2F,2L*	88,019	41	35	15	8	-	-	2	2	1	-	-	-	9	2	2	10
Springfield *2W,L*	27,959	24	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	26	11	6	2	-	-	-	-	-	-	-	-	3	1	2	-
Putney	24,139	13	7	4	2	-	-	-	-	-	-	-	-	2	-	-	-
Dulwich	13,359	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	21	15	1	7	-	-	-	-	-	-	-	-	-	-	-	10
Camberwell North *W,2L*	65,584	26	26	5	6	-	-	-	-	-	-	-	-	2	-	1	9
St George	47,331	27	14	8	1	-	-	-	-	-	-	-	-	4	2	2	-
Peckham North	48,913	30	15	13	-	-	-	-	-	-	-	-	-	7	-	-	-
Peckham South *2W,w*	43,946	10	6	2	2	-	-	-	-	-	-	-	-	-	1	1	-
Deptford North	37,613	20	10	6	2	-	-	-	-	-	-	-	-	4	1	1	-
Deptford Central	45,481	18	16	8	1	-	-	1	-	-	-	-	-	5	-	-	-
Deptford South	34,625	13	5	1	3	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich West *2H*	23,456	13	8	3	3	-	-	-	-	-	-	-	-	1	1	1	-
Greenwich East *2W,H*	43,859	17	12	3	3	-	-	-	-	-	-	-	-	-	2	3	7
Eltham *w,H*	7,226	6	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Lee *wH*	25,490	8	3	2	1	-	-	-	-	-	-	-	-	2	-	1	-
Lewisham *W w,F*	58,352	37	19	7	7	-	-	1	-	1	-	-	-	3	2	2	5
Sydenham *H*	43,653	22	8	-	2	-	-	-	-	1	-	-	-	-	-	1	-
Charlton *F,2H*	21,134	10	7	2	1	-	1	1	1	1	-	-	-	-	-	-	3
Woolwich *5H*	41,625	19	10	3	4	-	-	-	-	-	-	-	-	1	-	-	-
Plumstead West *W*	18,063	4	4	2	1	-	-	-	-	-	-	-	-	2	-	-	-
Plumstead East *2W,H*	50,264	19	13	4	4	-	-	-	-	-	-	-	-	3	-	-	7
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	2
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	6	-	-	-	-	2	3	-	-	1	-	-	-	-	6
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4
Darenth	—	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	2
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	2
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Dartford Heath	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Colney Hatch	—	-	3	-	2	-	-	-	-	-	-	-	-	2	-	-	3
Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2

* On 1st August, 1906, Christchurch Southwark and St. Saviour Southwark sub-districts were united and named as above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 11th August, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,302	2,044,973	1111	637	275	120	-	8	3	7	5	-	194	15	30	71	1
Carshalton 2F,3H	12,228	32,997	17	10	4	5	-	-	-	-	-	-	3	-	-	-	-
Epsom, *part of** W,w,2F,H	10,423	15,548	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Godstone, *part of** W,F	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	22	11	2	3	-	1	-	-	-	-	2	-	1	-	-
West Croydon 3W,F,H	2,168	42,888	24	19	6	5	-	-	-	1	-	-	2	-	1	6	-
North Croydon H	2,644	41,698	17	7	2	2	-	-	-	-	-	-	-	-	2	-	-
Penge w,H	770	22,465	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Mitcham w	11,711	30,015	20	16	8	3	-	-	-	-	-	-	10	-	1	-	-
Wimbledon F,3H	3,221	41,652	24	13	5	4	-	1	-	-	-	-	4	-	-	1	-
Kingston 2W,H	6,224	42,068	19	11	2	3	-	-	-	1	-	-	-	2	3	2	-
Surbiton F,H	3,046	15,017	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** H	5,402	13,100	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L	4,534	23,456	11	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Richmond W,H	2,182	28,865	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Mortlake F	2,847	20,628	21	4	3	-	-	-	-	-	-	-	2	-	-	-	-
Bromley F,2H	4,703	27,354	7	3	1	2	-	-	-	-	-	-	-	-	-	1	-
Beckenham H	7,825	28,497	13	4	3	1	-	-	-	-	-	-	-	-	-	-	-
Orpington *part of** W	10,113	9,857	7	3	1	1	-	-	-	-	-	-	1	-	-	1	-
Chislehurst 2H	7,333	16,446	12	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Bexley w F,H	8,678	21,151	11	11	6	1	-	-	-	-	-	-	5	-	-	1	-
Erith F,H	3,854	25,296	12	8	4	2	-	-	-	-	-	-	3	-	-	-	-
Dartford W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury w	11,054	18,683	13	5	1	2	-	-	-	-	-	-	-	-	-	-	-
Staines W,H	13,277	15,178	7	7	2	1	-	-	-	-	-	-	2	-	-	-	-
Hillingdon W,F,H	6,035	13,661	10	3	1	1	-	-	-	-	-	-	1	-	-	-	-
Uxbridge H	12,757	8,984	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Hayes w2 F,H	8,066	16,358	16	12	5	3	-	-	-	-	-	-	3	1	1	-	-
Isleworth 3W,2F,H	6,859	30,863	9	12	3	3	-	-	-	-	-	-	2	-	1	3	-
Twickenham F,H	2,421	20,991	14	7	2	-	-	-	-	-	-	-	4	-	-	-	-
Brentford 3F,2H	4,319	48,289	25	11	3	2	-	-	-	2	-	-	1	1	1	-	-
Chiswick H	1,249	29,809	12	6	4	-	-	-	-	-	-	-	2	-	-	-	-
Acton w,F,3H	6,132	48,914	37	25	15	3	-	1	-	-	-	-	10	2	1	-	-
Harrow F,H	13,809	25,523	19	5	3	1	-	-	-	-	-	-	1	-	-	-	-
Edgware 2F,2H	6,994	4,521	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H	4,384	114,811	75	29	11	5	-	-	-	1	-	-	8	-	-	3	-
Hendon W,F	8,382	22,450	13	5	2	1	-	-	-	-	-	-	2	-	-	-	-
South Mimms 2F,H	17,755	7,308	1	4	1	-	-	-	-	-	1	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	5	3	-	2	-	-	-	-	-	-	-	-	-	1	-
Finchley F,2H	4,688	33,692	13	10	6	1	-	-	-	-	-	-	4	-	-	2	-
Hornsey F,H	2,875	72,056	36	11	3	4	-	-	-	-	-	-	1	-	-	-	-
Wood Green H	1,625	34,233	19	7	1	3	-	-	-	-	-	-	1	1	1	2	-
West Tottenham F	996	48,853	30	5	3	1	-	-	-	-	-	-	1	1	2	-	-
East Tottenham 2H	2,017	53,688	22	18	7	1	-	-	-	-	1	-	3	-	-	7	-
Edmonton W,w,2F	7,491	61,892	34	31	17	5	-	1	-	-	-	-	10	-	3	4	-
Enfield 2W,F,H	12,601	42,738	30	12	6	3	-	-	-	-	1	-	3	1	1	-	-
Waltham Abbey F	11,017	6,549	2	2	1	-	-	-	-	-	-	-	-	1	1	-	-
Cheshunt F,H	8,479	12,292	6	2	1	1	-	-	-	-	-	-	2	-	-	-	1
Hatfield, *part of** W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	23	30	18	-	-	1	-	-	1	-	13	2	1	1	-
Plaistow F,2H	1,249	90,921	62	41	26	5	-	-	-	1	-	-	21	-	1	4	-
Canning Town H	1,556	70,718	30	33	20	1	-	-	-	-	1	-	19	2	3	-	-
Forest Gate w	806	60,892	19	19	6	5	-	1	-	-	-	-	5	-	-	-	-
North East Ham w H	1,333	58,676	27	11	4	2	-	-	-	1	-	-	3	-	1	-	-
South East Ham 2F	1,993	37,342	18	11	4	1	-	-	-	-	-	-	4	-	1	1	-
Wanstead F	1,679	9,179	2	2	-	2	-	-	-	-	-	-	1	-	-	-	-
South Leyton 2W	631	50,467	23	14	5	4	-	1	-	-	-	-	3	-	-	2	-
North Leyton 2W,w,F	1,963	48,445	35	32	12	7	-	-	-	-	-	-	9	1	1	17	-
Walthamstow 3H,L	6,504	108,929	68	31	10	4	-	-	1	-	-	-	8	-	-	2	-
Chigwell, *part of** 2F,3H	11,778	16,397	9	6	2	1	-	-	1	-	-	-	2	-	-	1	-
Epping W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** W,2F	6,556	6,091	3	8	5	2	-	-	-	-	-	-	3	-	-	1	-
Ilford F,L	8,496	41,234	42	13	7	1	-	-	-	-	-	-	3	-	1	3	-
Barking Town F	3,803	21,547	19	13	9	2	-	-	1	-	-	-	7	-	-	1	-
Middlesex County Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
City of London Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Colney Hatch.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Claybury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher sh; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended		Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal
London	4,721,217	Aug.	11	2155	1352	14·9	-	25	10	13	14	5	28
Calcutta	955,926	July	7	-	361	22·1	11	-	-	-	-	111†	4
Bombay	982,000	"	24	371	957	64·1	3	7	-	-	-	126†	21
Madras	509,346	"	13	378	481	49·1	3	2	-	-	-	133	9
Paris	2,750,000	Aug.	4	985	873	17·1	-	6	1	1	-	4	14
Brussels	612,401	"	4	203	152	12·9	-	2	2	1	-	-	2
Antwerp	29[illegible],311	"	4	112	106	18·5	-	3	-	1	1	-	4
Amsterdam	560,482	July	28	295	137	12·7	-	5	-	-	3	1	1
Copenhagen	425,000	Aug.	4	249	159	19·5	-	4	-	-	3	1	3
Stockholm	324,488	July	28	125	81	13·0	-	1	2	-	-	2	
Christiania	222,373	Aug.	4	126	59	13·4	-	-	-	3	-	-	
St. Petersburg	1,424,700	July	21	542	705	25·7	-	28	19	18	2	36	12
Moscow	1,154,000	"	21	-	655	29·6	2	8	4	3	4	7	26
Berlin	2,061,074	"	21	967	646	16·3	-	11	4	7	6	3	16
Hamburg	819,380	"	28	435	220	14·2	-	9	-	3	1	-	3
		Aug.	4	-	324	21·0	-	9	-	1	4	-	10
Breslau	475,000	July	28	-	206	22·6	-	3	-	1	-	-	3
Munich	544,000	Aug,	4	-	209	20·1	-	1	-	2	3	2	4
Vienna	1,956,949	"	4	-	-	-	-	-	-	-	-	-	-
Prague	460,849	July	28	191	167	18·8	-	1	-	-	-	2	1
Buda-Pesth	859,134	"	28	375	256	16·8	-	1	4	2	3	2	3
Trieste	196,637	Aug.	4	122	96	25·4	-	1	-	-	-	1	2
Rome	531,179	June	23	222	182	17·9	-	2	-	-	1	-	3
Venice	171,709	—		-	-	-	-	-	-	-	-	-	-
Bucharest	291,138	July	28	137	120	21·5	-	-	3	-	-	-	2
New York	4,152,860	"	28	-	-	-	-	-	-	-	-	-	-
Chicago	2,049,185	"	14	-	498	12·7	-	1	5	8	2	5	6
		"	21	-	517	13·1	-	3	11	14	5	4	9
Philadelphia	1,469,126	"	21	-	528	18·7	-	1	1	3	14	8	12
Boston	617,950	—		-	-	-	-	-	-	-	-	-	-
Rio de Janeiro	912,900	July	8	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.
† Including 9 deaths from plague in Calcutta, and 34 in Bombay.
‡ Including 18 deaths from cholera in Calcutta, 97 in Bombay, and 12 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 11th August, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
London (Greenwich)	86·7	54·3	67·5	0·01	Bradford	73·2	51·0	62·2	0·63
Brighton	71·8	55·2	63·6	0·01	Leeds	79·0	53·0	62·7	0·31
Portsmouth	76·0	57·0	65·6	0·00	Hull	72·0	49·0	60·1	0·63
Norwich	81·2	49·4	64·2	0·96	Tynemouth	69·0	50·0	56·7	0·97
Plymouth	76·0	57·2	64·0	0·44	Cardiff	78·6	51·1	63·4	0·20
Bristol	76·8	52·4	64·2	0·19	Edinburgh	65·6	47·3	56·3	1·02
Birmingham	79·4	52·8	64·5	0·08	Glasgow	75·2	46·6	59·5	1·10
Nottingham	83·5	51·9	64·9	0·04	Dublin: Phœnix Park.	73·6	49·7	61·3	0·32
Liverpool Observatory.	74·0	55·0	61·9	0·37	Dublin: Fitzwilliam Square.†	74·0	52·3	62·7	0·47
Manchester	79·8	48·3	61·8	0·82					
Preston	74·5	55·0	62·8	0·68					
Huddersfield	75·2	49·6	61·2	0·66	Belfast	72·8	47·5	60·6	1·08

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, R.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind reduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	5	..	30·064	78·6	54·3	24·3	63·4	+ 1·1	59·1	4·3	19·9	1·1	86	146·1	47·1	63·72	WSW.	SW. & WSW.	2·0	0·0	0·1	264	+ 8	0·00	2·0
MONDAY -	6	..	30·034	79·5	57·5	22·0	68·6	+ 6·2	54·7	13·9	23·9	0·2	61	139·7	50·3	63·74	WSW. & Variable.	NNE. & ESE.	0·4	0·0	0·0	105	− 153	0·00	0·0
TUESDAY -	7	..	29·923	84·5	55·1	29·4	68·3	+ 5·8	57·7	10·6	27·1	0·6	69	142·0	45·1	63·80	ESE. & WSW.	WSW. & SSW.	1·2	0·0	0·0	163	− 96	0·00	0·0
WEDNESDAY	8	In Equator	29·767	86·7	56·9	29·8	71·8	+ 9·3	56·0	15·3	31·3	3·3	56	151·2	49·0	64·02	SSW.	SSW., SW. & W.	1·3	0·0	0·1	211	− 48	0·00	0·0
THURSDAY -	9	..	29·711	75·0	57·5	17·5	64·9	+ 2·4	52·3	12·6	19·6	4·1	64	144·8	51·1	64·10	W. & WNW.	W., WNW. & WSW.	2·0	0·0	0·2	332	+ 74	0·00	0·0
FRIDAY -	10	..	29·619	75·9	57·1	18·8	64·1	+ 1·6	54·0	10·1	20·3	3·5	70	146·0	50·0	64·32	WSW. & WNW.	SSW., SW. & WSW.	2·7	0·0	0·1	263	+ 7	0·01	0·0
SATURDAY -	11	..	29·640	71·4	54·5	16·9	61·3	− 1·2	51·4	9·9	21·1	1·6	70	135·0	49·9	64·29	WSW. & W.	W. & WSW.	1·5	0·0	0·1	275	+ 22	0·00	0·7
MEANS	-		29·823	78·8	56·1	22·7	66·1	+ 3·6	55·0	11·0	23·3	2·1	68	143·5	48·9	64·00	WSW.		..	..	..	Sum 1613	Sum −186	Sum 0·01	0·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. August.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	5	w. P. throughout.	7·5	15·2	Fine generally with thin cloud prevalent; a few drops of rain at times between 11h. A.M. and 1h. P.M.; nearly cloudless after 9h. P.M.
MONDAY -	6	w. P. till 6h and after 21h.; otherwise w. N.	11·1	15·1	Very cloudy generally from 1h. A.M. to 6h. A.M.; very fine with little cloud through the day until after 6h. P.M.; then becoming nearly overcast.
TUESDAY -	7	w. P. throughout.	9·2	15·1	Very fine and partially cloudy.
WEDNESDAY	8	w. P. with a little v. P.	12·5	15·0	Very fine generally with little cloud; a cloudy interval with sharp very brief shower between 1h. 30m. and 2h. P.M.; nearly overcast by 11h. P.M.; lightning in East.
THURSDAY -	9	m. P. generally.	8·2	15·0	Cloudy generally with numerous bright intervals.
FRIDAY -	10	m. P. generally.	3·7	14·9	Very cloudy generally with few intervals; light rain between 4h. 30m. and 5h. 30m. P.M.
SATURDAY -	11	m. P. generally.	1·9	14·9	Very cloudy generally with very few intervals.
			Sum 54·1	Sum 105·2	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 3). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·03 in. at the beginning of the week to 30·08 in. by 10h. A.M. on the 5th; decreased to 29·68 in. by 10h. P.M. on the 8th; increased to 29·73 in. by 10h. A.M. on the 9th; decreased to 29·57 in. by 6h. P.M. on the 10th; and increased to 29·70 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 4th August, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	11	7	-	-	-	-	2	-
Kensington	180,952	-	9	2	-	-	-	-	4	1
Hammersmith	120,679	-	11	2	-	-	-	-	-	1
Fulham	161,965	-	18	8	-	-	-	-	2	-
Chelsea	74,672	-	3	1	-	2	-	-	1	-
City of Westminster	173,905	-	7	2	-	-	-	-	2	-
NORTH.										
St. Marylebone	128,580	-	8	3	-	1	-	-	4	-
Hampstead	89,633	-	11	2	-	-	-	-	-	-
St. Pancras	236,455	-	9	2	-	6	-	-	4	-
Islington	344,987	1	27	6	-	6	-	-	5	-
Stoke Newington	53,217	-	6	1	-	1	-	-	-	-
Hackney	230,721	-	16	4	-	-	-	-	5	-
CENTRAL.										
Holborn	55,805	-	3	1	-	-	-	-	2	-
Finsbury	97,466	-	10	3	-	-	-	-	2	1
City of London	21,367	-	2	1	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	26	5	-	-	-	-	3	-
Bethnal Green	130,609	-	25	10	-	2	-	-	7	-
Stepney	307,176	-	21	14	-	1	-	-	10	-
Poplar	170,673	-	12	6	-	-	-	-	4	1
SOUTH.										
Southwark	209,143	-	53	8	-	3	-	-	-	2
Bermondsey	128,629	-	25	6	-	2	-	-	3	-
Lambeth	315,774	-	30	16	-	2	-	-	1	-
Battersea	179,622	-	23	6	-	2	-	-	1	-
Wandsworth	273,381	-	16	9	-	1	-	-	6	1
Camberwell	274,132	-	22	4	-	-	-	-	2	-
Deptford	115,495	-	14	7	-	-	-	-	3	-
Greenwich	105,350	-	25	13	-	1	-	-	2	-
Lewisham	148,463	-	9	4	-	-	-	-	1	-
Woolwich	127,345	-	11	4	-	3	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	1	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	1	463	157	-	33	-	-	78	7
Ages 0-1		-	6	6	-	-	-	-	2	-
" 1-5		-	145	65	-	-	-	-	2	-
" 5-		-	197	49	-	5	-	-	6	-
" 10-		-	60	17	-	4	-	-	3	-
" 15-		-	25	5	-	3	-	-	7	-
" 20-		-	10	2	-	6	-	-	5	4
" 25-		-	15	6	-	9	-	-	10	2
" 35-		-	4	6	-	2	-	-	12	1
" 45-		-	-	1	-	4	-	-	15	-
" 55-		1	1	-	-	-	-	-	10	-
" 65 and upwards		-	-	-	-	-	-	-	6	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during July, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
3rd August, 1906.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of July.

Thirteen samples were taken in each district, except in the New River area, in which fourteen samples were drawn; making a total of 105 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea	July 16th, Cab Rank, Horse Guards, Whitehall.	18·6	25·68	·145	·015	0	·148	·163	1·6	21·6
West Middlesex	July 16th, Cab Rank, Riding House Street.	16·9	23·80	·141	·016	0	·117	·133	1·6	17·1
Southwark	July 16th, Drinking Fountain, High Street, Peckham.	19·8	25·22	·182	·020	0	·121	·141	1·65	17·3
Grand Junction	July 16th, Cab Rank, Haymarket, near Charles Street.	19·1	24·80	·133	·017	0	·130	·147	1·65	17·1
Lambeth	July 16th, Cab Rank, Station Road, Brixton.	17·9	25·74	·170	·015	0	·146	·161	1·65	18·1
Lea, Wells, etc.										
New River	July 16th, Cab Rank by St. Clement Dane's Church.	19·4	26·42	·104	·008	0	·136	·144	1·75	18·7
Eastern	July 16th, Poplar Police Station.	18·0	33·44	·139	·014	0	·096	·110	2·5	20·0
Deep Wells.										
Kent	July 16th, Cab Rank by Woolwich Arsenal Station.	15·0	49·72	·047	·005	0	·612	·617	4·2	31·9
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4 to 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district, at the Horse Guards cab-rank on the 16th July, had a temperature of 18·6° C.; 100,000 lbs. of it contained 25·68 lbs. of solid matter in solution; the organic substances constituting a portion of the matter contained ·145 lb. of carbon and ·015 lb. of nitrogen. The above quantity of water also contained ·148 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·163 lb. The above weight of water also contained 1·6 lbs. of chlorine and 18·1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 16th of July were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the district works was: Kent, 0·9; New River, 1·9; Grand Junction, 2·5; Eastern, 2·6; Chelsea and West Middlesex, 2·7; Lambeth, 3·1; and Southwark, 3·4.

Of the five supplies furnished by the works dealing with Thames water, two, viz., Southwark and Lambeth, contained a little more organic impurity than was found in the similar examination made in June. All the samples taken on the 16th July were clear and of good quality.

The filtered supplies from the New River and Eastern works also contained slightly more organic matter than in the previous month, but both were clear and of good quality.

The deep-well water from the Kent district, collected on 16th July, was drawn in the area partly supplied from the Plumstead pumping station; the water was clear and of high organic purity, but the hardness was, as usual with the supply in this neighbourhood, a little greater than that distributed in other parts of the Kent district.

Seen through a stratum two feet deep the Kent district water was colourless; the samples collected in the other districts had a very pale yellow tint.

In addition to the above analytical examination the 105 samples, collected during July at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains) has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Me
THAMES.												
Chelsea	·079	·058	·068	·086	·063	·076	0	0	0	·007	·006	·00
West Middlesex	·073	·061	·067	·082	·068	·074	0	0	0	·0075	·007	·00
Southwark	·102	·074	·085	·106	·080	·092	0	0	0	·0085	·007	·00
Grand Junction	·074	·056	·068	·081	·062	·075	0	0	0	·008	·006	·00
Lambeth	·094	·074	·084	·105	·076	·090	0	0	0	·0085	·007	·00
LEA, WELLS, THAMES, ETC.												
New River	·061	·024	·042	·064	·027	·047	0	0	0	·005	·003	·00
Eastern	·081	·047	·063	·089	·051	·069	0	0	0	·0075	·006	·00
DEEP WELLS.												
Kent	·010	·007	·009	·012	·007	·010	0	0	0	·0015	·001	·00

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The results given above show that the Southwark and Lambeth district waters contained, on the average, more organic matter than the other three Thames supplies, but the maximum proportions of impurity noted were not excessive, and all the samples of filtered Thames water examined were of good quality.

The New River and Eastern supplies, obtained chiefly from the River Lea and wells, contained, on the average, slightly more organic impurity than in the previous month, but all the samples tested were of good quality.

The thirteen samples of deep-well water examined from the Kent district were, as usual, of uniform high organic purity and excellent quality.

All the samples collected in the Chelsea, West Middlesex, New River, and Kent areas were clear, but in the cases of the other supplies, on several occasions, traces of rust-stained suspended matters were observed, and these appearances were most frequently noted in the Southwark district water.

I am, Sir,
Your obedient Servant,
p.p. T. E. Thorpe,
H. W. Davis.

The Registrar General, etc., etc.,
Somerset House.

Returns of London Water Districts.

The following is an account of the number of services and the average daily amount of water supplied during the month of July, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 239 gallons to one service.

Districts	Number of Services.		Average Daily Supply of Water in Gallons.	
	July, 1905.	July, 1906.	July, 1905.	July, 1906.
Total Supply - - -	1,031,822	1,050,679	252,814,205	251,009,189
From Thames - - - - -	480,356	489,964	133,258,457	134,893,771
From Lea and from other Sources -	551,466	560,715	119,555,748	116,115,418
Thames.				
Southern .. Southwark and Vauxhall	131,008	132,841	34,181,000	35,075,830
Southern .. Lambeth - - - -	137,453	141,441	36,327,261	36,446,693
Western .. West Middlesex - -	92,111	92,750	27,680,806	27,852,290
Western .. Grand Junction - -	79,792	82,982	20,938,100	21,254,765
Western .. Chelsea - - - -	39,992	39,950	14,131,290	14,264,193
Lea and other Sources.				
New River - - - - - -	205,614	208,706	47,331,960	48,646,000
Eastern - - - - - - -	233,330	237,180	50,579,400	44,909,000
Kent - - - - - - -	112,522	114,829	21,644,388	22,560,418

Note.—The Return for July, 1906, as compared with that for the corresponding month of 1905, shows an increase of 18,857 services, and a decrease of 1,805,016 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 33. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, AUG. 18. [Price 1½*d.*

General Register Office, Somerset House,

August 20th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·0 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 12·6, 13·8, and 14·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 23·4 in Norwich, 23·5 in West Ham, 26·0 in Tynemouth, 26·1 in Middlesbrough, 26·8 in Wigan, and 28·9 in Birkenhead; from *measles*, 1·7 in Rotherham, 1·9 in Tynemouth, 2·1 in Stockport, 4·0 in Norwich, and 4·4 in Huddersfield; from *diphtheria*, 1·1 in Salford; from *whooping-cough*, 1·1 in Walsall and in Swansea; and from *diarrhœa*, 7·0 in Hull and in Aston Manor, 7·1 in Wigan, 7·3 in Walthamstow, 7·5 in Norwich and in Coventry, 7·8 in Liverpool, 8·0 in East Ham, 8·2 in Birmingham, 11·5 in Leyton, 14·0 in West Ham, and 14·2 in Birkenhead. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2550 BIRTHS and 1584 DEATHS were registered. Allowing for increase of population, the births were 162 below and the deaths 29 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 11·7, 14·0, and 14·9 per 1000 in the preceding three weeks, further rose last week to 17·5. The death-rate in the four weeks ended last Saturday averaged 14·5 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 8/06 D & S 3 25717 2 K

The 1584 deaths included 21 from measles, 8 from scarlet fever, 15 from diphtheria, 13 from whooping-cough, 4 from enteric fever, and 424 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 485 deaths were referred to these diseases in the aggregate, being 48 above the corrected average weekly number in the preceding four years.

The deaths from *measles*, which had been 30, 22, and 25 in the preceding three weeks, fell to 21 last week, and were 10 below the corrected average; 3 deaths belonged to the Borough of Kensington, and 3 each to St. Marylebone and Stepney. The deaths from *scarlet fever*, which had been 6, 6, and 10 in the preceding three weeks, were 8 last week, the corrected average being 7. The deaths from *diphtheria*, which had been 10, 10, and 13 in the preceding three weeks, rose to 15 last week, and were 4 above the corrected average; 3 deaths belonged to Poplar. The deaths from *whooping-cough*, which had been 10, 13, and 14 in the preceding three weeks, were 13 last week, and were 10 below the corrected average. The fatal cases of *enteric fever*, which had been 3, 4, and 5 in the preceding three weeks, were 4 last week, and were 2 below the corrected average. The deaths from *diarrhœa*, which had been 74, 184, and 288 in the preceding three weeks, further rose to 424 last week, and were 67 above the corrected average; 40 deaths belonged to Stepney, 35 to Poplar, 29 to Wandsworth, 27 to Lambeth, 22 to Shoreditch, and 22 to Bermondsey. Of the 424 deaths from diarrhœa, 413 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 49 other deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 2, 5, and 5 in the preceding three weeks.

Different forms of *violence* caused 52 deaths, concerning all but 2 of which inquests were held. Of these 52 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 41 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, 3 to drowning, 2 to heat stroke, 1 to the effects of an anæsthetic administered for surgical purposes, and 6, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3046 cases of scarlet fever, 846 of diphtheria, and 95 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 317 cases, against 408, 415, and 308; of diphtheria, 112 cases, against 135, 133, and 100; and of enteric fever, 12 cases, against 17, 26, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 11th, 1906.

Greater London.

In Greater London 3988 births and 2365 deaths were registered. Allowing for increase of population, these numbers are 187 below and 124 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 4 from diphtheria, 2 from whooping-cough, 2 from "fever," and 172 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·64 inches, and that of the Thermometer 61°·5, the latter being 0°·6 below the week's average in the 50 years 1841–90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 30 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 35·7 hours; the measured rainfall amounted to 0·33 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 28th July, 1906.	4th Aug., 1906.	11th Aug., 1906.	18th Aug., 1906.	Rate from Diseases in Cols. 11–17. Week ended 18th August, 1906.	Registered during the Week ended 18th August, 1906. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	15,818,360	12·6	13·8	14·6	17·0	5·3	8877	5157	2125	940	-	103	25	50	42	18	1385	162	346	1058	39	76 Towns.
London - - -	4,721,217	11·7	14·0	14·9	17·5	5·4	2550	1584	653	293	-	21	8	15	13	4	424	52	129	533	-	London.
† Croydon - -	151,011	10·7	10·7	11·7	14·2	2·8	95	41	13	17	-	-	1	-	-	1	6	3	9	9	-	Croydon.
† Willesden - -	143,622	8·4	8·0	10·9	8·0	3·3	87	22	10	5	-	-	-	-	1	-	8	1	1	3	1	Willesden.
† Hornsey - -	86,935	4·8	4·2	6·6	6·6	1·8	28	11	4	4	-	-	-	-	-	-	3	-	2	-	-	Hornsey.
† Tottenham - -	119,503	7·9	8·3	9·6	12·7	2·2	80	29	15	3	-	-	-	-	-	-	5	1	2	5	-	Tottenham.
† West Ham - -	301,617	11·6	15·4	23·0	23·5	15·0	168	136	85	10	-	3	1	-	1	1	81	4	12	18	-	West Ham.
† East Ham - -	129,886	10·0	7·6	11·2	13·6	8·0	65	34	17	2	-	-	-	-	-	-	20	1	3	3	-	East Ham.
† Leyton - - -	118,287	7·5	11·9	12·8	17·2	11·9	62	39	30	3	-	-	-	-	-	1	26	2	3	3	-	Leyton.
† Walthamstow -	121,334	9·5	14·2	14·6	20·2	8·6	91	47	21	6	-	-	1	2	-	-	17	-	-	9	-	Walthamstow.
Hastings - - -	67,144	6·2	11·6	10·9	9·3	1·6	17	12	-	1	-	1	-	-	-	-	1	-	-	4	-	Hastings.
Brighton - -	128,095	13·0	12·2	9·4	11·8	1·6	55	29	9	7	-	-	-	-	-	-	4	-	3	5	-	Brighton.
Portsmouth - -	205,118	14·0	11·7	11·7	18·3	6·9	104	72	28	10	-	-	-	3	-	3	21	2	2	11	1	Portsmouth.
Bournemouth -	67,702	6·9	8·5	7·7	10·8	-	23	14	5	5	-	-	-	-	-	-	-	-	2	-	-	Bournemouth.
Southampton -	117,312	12·0	11·1	10·7	12·4	1·8	65	28	4	7	-	-	-	-	-	-	4	2	7	7	-	Southampton.
Reading - - -	78,987	12·5	9·9	5·9	8·6	-	20	13	-	10	-	-	-	-	-	-	-	1	1	2	-	Reading.
Northampton -	93,749	5·6	16·1	10·6	16·7	3·3	39	30	6	12	-	-	-	-	-	1	5	-	2	4	-	Northampton.
Ipswich - - -	71,809	12·3	10·2	17·4	13·8	1·5	36	19	1	5	-	-	-	1	-	-	1	1	1	5	-	Ipswich.
Great Yarmouth -	52,613	11·9	10·9	11·9	16·8	3·0	23	17	7	3	-	-	-	-	-	1	2	1	1	1	-	Great Yarmouth.
Norwich - -	117,958	13·7	15·9	15·0	23·4	11·9	58	53	21	11	-	9	-	-	-	1	17	1	3	7	-	Norwich.
Plymouth - -	118,014	11·0	13·7	16·8	15·5	3·5	53	35	11	11	-	1	-	-	-	-	7	-	-	1	-	Plymouth.
Devonport - -	78,405	12·0	9·3	10·0	7·3	0·7	46	11	5	2	-	-	-	-	-	-	1	-	1	-	-	Devonport.
Bristol - - -	363,223	12·5	11·2	10·3	11·9	2·0	191	83	30	19	-	1	1	-	1	-	11	3	8	22	-	Bristol.
Hanley - - -	66,360	13·4	12·6	22·0	13·4	2·4	69	17	5	4	-	-	1	-	-	-	2	-	1	2	1	Hanley.
Burton-on-Trent	52,922	11·8	7·9	7·9	10·8	2·0	24	11	3	2	-	-	-	-	-	1	1	-	-	1	-	Burton-on-Trent.
Wolverhampton -	100,729	12·9	11·9	15·0	16·0	1·6	71	31	7	9	-	-	-	-	-	-	3	5	6	8	-	Wolverhampton.
Walsall - - -	94,577	8·8	17·6	19·3	18·7	6·1	54	34	13	6	-	-	-	-	2	1	8	2	2	1	-	Walsall.
Handsworth -	63,819	4·9	9·0	6·5	6·5	1·6	32	8	4	2	-	-	-	-	-	-	2	-	1	-	-	Handsworth.
West Bromwich -	68,469	14·5	3·0	12·2	13·7	1·5	34	18	3	5	-	-	-	-	-	-	2	-	-	2	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 18th August, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 28th July, 1906.	4th Aug., 1906.	11th Aug., 1906.	18th Aug., 1906.	Rate from Diseases in Cols. 11-17. Week ended 18th August, 1906.	Registered during the Week ended 18th August, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	12·0	12·9	15·5	21·3	9·1	352	224	107	38	-	6	2	-	2	-	86	6	7	34	1	BIRMINGHAM.
KINGS NORTON -	72,608	7·2	12·9	5·7	7·2	1·4	28	10	5	1	-	-	-	-	-	-	2	-	-	-	-	KINGS NORTON.
SMETHWICK - -	64,531	8·1	14·5	12·1	12·9	4·8	12	16	8	1	-	-	-	-	-	-	6	-	-	2	-	SMETHWICK.
ASTON MANOR -	82,288	12·7	18·4	19·6	12·7	7·0	37	20	9	2	-	-	-	-	-	-	11	-	-	-	-	ASTON MANOR.
COVENTRY - -	76,374	7·5	21·2	12·3	19·1	7·5	48	28	12	2	-	-	-	-	-	-	11	1	1	2	-	COVENTRY.
LEICESTER - -	232,111	12·4	9·7	14·4	14·4	5·4	121	64	35	8	-	4	1	1	-	-	18	1	3	8	1	LEICESTER.
GRIMSBY - - -	69,359	15·8	14·3	12·8	14·3	5·3	49	19	8	8	-	-	-	-	-	-	7	1	2	3	-	GRIMSBY.
NOTTINGHAM - -	254,563	14·7	13·3	16·8	16·0	4·7	149	78	30	14	-	-	-	-	-	-	23	3	6	14	-	NOTTINGHAM.
DERBY - - -	123,981	10·1	8·8	10·1	10·5	1·7	51	25	8	10	-	-	-	1	-	-	3	-	2	5	-	DERBY.
STOCKPORT - -	39,646	15·2	14·1	16·2	21·5	8·4	55	41	21	4	-	4	-	-	-	-	12	-	-	2	-	STOCKPORT.
BIRKENHEAD - -	117,292	13·3	17·8	20·4	28·9	16·0	55	65	34	8	-	1	-	2	2	-	31	-	1	4	-	BIRKENHEAD.
WALLASEY - -	64,578	13·7	8·1	6·5	10·5	3·2	43	13	2	5	-	-	-	-	1	-	3	-	2	1	-	WALLASEY.
LIVERPOOL - -	739,180	15·2	17·0	18·8	22·9	8·7	454	324	147	46	-	6	1	2	4	-	110	11	18	79	5	LIVERPOOL.
BOOTLE - - -	65,989	16·6	26·9	17·4	14·2	4·7	48	18	6	2	-	1	-	-	-	-	5	-	2	2	-	BOOTLE.
ST. HELENS - -	91,153	13·7	12·6	20·6	20·6	5·1	70	36	17	4	-	-	-	-	-	-	9	-	-	1	1	ST. HELENS.
WIGAN - - -	87,588	18·5	20·5	13·7	26·8	7·7	67	45	28	4	-	1	-	-	-	-	12	1	1	5	3	WIGAN.
WARRINGTON -	69,280	17·3	9·8	8·3	15·1	0·8	44	20	4	3	-	-	-	-	-	-	1	1	1	4	1	WARRINGTON.
BOLTON - - -	180,502	13·6	11·8	11·0	17·3	5·8	92	60	23	12	-	-	-	1	-	-	19	1	2	4	-	BOLTON.
BURY - - -	58,744	19·5	14·2	11·5	16·0	4·4	21	18		4	-	-	-	-	-	-	5	-	-	2	-	BURY.
MANCHESTER - -	637,126	19·1	15·7	16·2	21·3	8·3	392	260	111	35	-	12	4	3	-	2	80	5	13	45	2	MANCHESTER.
SALFORD - - -	234,077	12·7	16·5	21·2	22·9	6·0	140	103	35	26	-	4	-	5	-	-	18	5	7	24	1	SALFORD.
OLDHAM - - -	140,969	12·9	14·8	13·7	14·8	1·8	76	40	13	6	-	1	-	1	-	-	3	1	3	1	-	OLDHAM.
ROCHDALE - -	87,189	16·7	20·3	12·0	12·0	0·6	41	20	5	7	-	-	-	1	-	-	-	1	2	2	1	ROCHDALE.
BURNLEY - - -	102,808	15·7	17·2	18·8	19·8	4·6	61	39	14	7	-	2	-	1	-	-	6	-	1	4	-	BURNLEY.
BLACKBURN - -	134,015	10·1	12·8	13·6	14·0	0·8	46	36	7	6	-	1	1	-	-	-	-	-	-	6	1	BLACKBURN.
PRESTON - - -	116,399	13·9	9·9	17·0	7·6	0·4	33	17	1	7	-	-	-	1	-	-	-	1	1	3	1	PRESTON.
BARROW-IN-FURNESS.	60,967	10·3	9·4	10·3	15·4	4·3	39	18	8	5	-	-	-	-	-	-	5	-	-	3	1	BARROW-IN-FURNESS.

TABLE 1 (*cont.*).—78 GREAT TOWNS, with Population, Death-Rates, Birth-Rates, and Death-Rates in each of the preceding three weeks, ended Saturday, 18th August, 1906, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 28th July, 1906.	4th Aug., 1906.	11th Aug., 1906.	18th Aug., 1906.	Rate from Diseases in Cols. 11-17. Week ended 18th August, 1906.	Registered during the Week ended 18th August, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	18·7	21·4	12·6	22·0	8·2	42	40	10	7	-	8	-	1	1	1	4	2	2	2	-	HUDDERSFIELD.
HALIFAX - - -	109,272	13·8	14·3	11·9	8·1	-	37	17	2	9	-	-	-	-	-	-	-	-	-	6	-	HALIFAX.
BRADFORD - -	288,544	11·9	13·6	13·6	15·0	5·1	119	83	25	11	-	-	-	3	-	-	25	4	6	23	-	BRADFORD.
LEEDS - - -	463,495	12·7	15·9	13·5	17·0	6·4	242	151	71	22	-	4	1	-	1	-	51	4	9	16	-	LEEDS.
SHEFFIELD - -	447,951	15·9	16·3	16·1	19·9	5·7	302	171	68	38	-	-	1	-	1	-	47	6	12	19	3	SHEFFIELD.
ROTHERHAM - -	61,098	10·2	9·4	15·4	17·9	5·1	45	21	8	4	-	2	-	-	1	-	3	-	-	4	1	ROTHERHAM.
YORK - - -	83,467	6·2	13·1	10·0	10·6	3·1	48	17	5	3	-	-	-	1	-	-	4	2	3	4	-	YORK.
HULL - - -	262,426	13·1	15·9	19·3	17·7	7·6	176	89	51	16	-	-	-	1	2	-	35	4	7	11	1	HULL.
MIDDLESBROUGH -	100,069	13·0	14·1	20·3	26·1	5·2	84	50	26	7	-	-	-	1	2	-	7	-	2	5	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	5·9	19·8	12·9	14·9	-	42	15	-	8	-	-	-	-	-	-	-	1	1	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	14·2	9·2	8·5	9·2	0·7	63	13	8	-	-	-	-	-	-	-	1	-	-	-	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	15·9	13·8	12·2	13·5	1·7	129	40	16	5	-	3	-	-	2	-	-	-	2	5	2	SUNDERLAND.
SOUTH SHIELDS -	111,402	12·2	19·7	11·7	13·1	2·8	67	28	8	7	-	1	-	-	2	-	3	1	2	4	2	SOUTH SHIELDS.
GATESHEAD - -	123,191	16·5	11·9	14·0	15·2	5·1	83	36	21	4	-	1	-	2	-	-	9	1	2	1	6	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	10·3	12·2	13·6	14·9	2·3	140	77	28	18	-	1	-	-	-	-	11	5	8	12	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	13·5	14·4	13·5	26·0	1·9	31	27	3	8	-	2	-	-	-	-	-	2	2	6	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	15·5	19·0	5·6	11·9	2·1	45	17	2	6	-	-	1	1	-	-	1	-	-	3	-	NEWPORT (MON.).
CARDIFF - - -	183,823	9·9	8·8	12·2	10·5	1·4	104	37	14	7	-	-	-	-	1	-	4	4	5	2	-	CARDIFF.
RHONDDA - - -	127,684	13·1	9·8	18·0	18·0	4·9	92	44	27	1	-	2	-	-	-	-	10	1	1	1	1	RHONDDA.
MERTHYR TYDFIL -	74,961	21·6	18·1	12·5	16·0	0·7	65	23	9	3	-	-	-	-	-	-	1	1	1	3	-	MERTHYR TYDFIL
SWANSEA - - -	96,848	11·8	14·0	16·7	14·0	1·6	57	26	7	7	-	-	-	-	2	-	1	3	4	2	-	SWANSEA.
GREATER LONDON -	7,113,561	10·8	13·2	14·6	17·3	6·2	3988	2365	1075	421	-	29	11	21	17	9	762	73	177	618	5	GREATER LONDON.
OUTER RING - -	2,392,344	9·2	11·4	13·9	17·0	7·9	1438	781	422	128	-	8	3	6	4	5	338	21	48	85	5	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	9·4	11·0	14·3	16·0	8·0	676	359	195	50	-	3	3	2	2	3	166	12	32	50	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	8·9	11·9	13·5	18·0	7·9	762	422	227	78	-	5	-	4	2	2	172	9	16	35	4	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	14·8	11·2	13·1	13·1	0·9	148	86	9	23	-	1	-	1	1	-	3	2	?	40	2	EDINBURGH.
GLASGOW - - -	835,625	14·5	12·2	15·2	14·9	1·8	441	239	63	47	-	1	1	1	7	1‡	18	16	?	75	4	GLASGOW.
DUBLIN† - - -	378,994	20·1	16·8	17·3	19·7	4·4	226	143	36	43	-	1	-	-	1	1	29	2	3	54	1	DUBLIN.†
BELFAST‖ - - -	366,220§	18·1	17·2	18·1	17·8	4·7	203	125	37	17	-	2	-	1	4	1	25	2	9	15	1	BELFAST.†

* See note † on first page of this return.

‖ Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ In addition to the above, 2 deaths from Cerebro-spinal meningitis were registered.

§ Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-THIRD Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2624	2662	2489	2671	2621	2659	2821	2748	2525	2549	2712·2	2550
Males - - -	1324	1334	1280	1412	1301	1339	1340	1331	1315	1314	1350·6	1308
Females - -	1300	1328	1209	1259	1320	1320	1481	1417	1210	1235	1361·6	1242
TOTAL **Deaths** -	1663	2074	2019	2208	1706	1705	1385	1272	1923	1523	1555·2	1584
Males - -	880	1088	1025	1167	894	882	773	661	1027	835	839·9	814
Females - -	786	986	994	1041	812	823	612	611	896	688	715·3	770

* The numbers in this column are the average weekly numbers in the thirty-third week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	13 Weeks.
TOTAL **Births** -	2518	2384	2145	2447	2499	2386	2496	2413	2468	2352	2576	2155	2550	31389
TOTAL **Deaths** -	1159	1240	1150	1112	1205	1060	1113	1072	1054	1056	1272	1352	1584	15429
Ages at Death: Under 1 year -	200	228	225	197	213	189	208	192	221	233	346	464	653	3569
1—5 years -	139	140	149	137	139	113	144	126	128	121	148	162	194	1840
5—20 " -	79	71	67	59	79	67	79	71	60	74	68	79	59	912
20—40 " -	157	149	143	161	151	136	132	151	110	147	141	145	142	1865
40—60 " -	243	265	227	235	279	240	253	227	222	217	254	210	243	3115
60 yrs. & upwds.	341	387	339	323	344	315	297	305	313	264	315	292	293	4128
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	41	50	58	45	52	46	39	22	35	30	22	25	21	486
Scarlet Fever - -	15	12	6	15	13	5	17	6	12	6	6	10	8	131
Diphtheria - -	13	10	7	9	8	9	12	9	10	10	10	13	15	135
Whooping-cough -	32	35	24	17	23	14	12	18	20	10	13	14	13	245
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	8	1	2	4	8	9	12	4	5	3	4	5	4	69
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diarrhœa, Dysentery	10	21	17	15	17	22	31	35	56	74	184	288	424	1194
All above Diseases -	119	129	114	105	121	105	123	94	139	133	239	355	485	2261
Dis. of Resp. System	88	75	62	54	58	41	41	47	52	42	52	47	45	704
Pneumonia - -	124	111	90	88	79	91	77	72	81	59	59	65	74	1070
Phthisis - - -	114	145	116	90	129	111	127	108	103	111	108	112	109	1483
Dis. of Circ. System -	148	155	171	160	170	166	144	153	125	134	161	145	151	1933
Violence - - -	42	57	65	57	50	71	51	60	54	61	62	65	52	747
Inquest Cases - -	121	128	134	119	107	123	109	117	104	120	140	141	129	1592
Deaths in Institutions	456	513	465	490	527	452	474	451	425	449	500	481	533	6216
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	51·8	57·2	55·6	53·9	64·1	60·0	61·9	61·5	62·7	66·3	67·3	66·1	61·5	60·8
Mean of Highest -	60·3	67·4	68·6	64·6	76·8	71·5	74·0	72·8	74·2	77·8	80·1	78·8	71·3	72·2
Mean of Lowest -	44·6	49·7	42·2	46·9	51·9	51·4	49·5	52·7	52·7	56·5	56·0	56·1	51·3	51·1
Mean Humidity of the Air.	75	76	65	80	68	76	65	70	70	63	64	68	77	71
Rain-fall (in inches) -	1·08	0·19	0·00	0·30	0·01	2·46	0·00	0·01	0·19	0·15	0·86	0·01	0·33	5·59
Registered Sunshine (in hours).	27·5	39·1	80·6	35·6	61·0	53·1	75·4	47·9	43·8	69·5	76·5	54·1	35·7	704·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	2	5	6	7	13	11	7	5	2	1	1	-	-	5
Scarlet Fever - -	2453	2515	2603	2676	2692	2752	2769	2842	2943	3048	3120	3051	2046	2808
Diphtheria - -	783	763	773	749	766	783	827	840	872	874	879	861	846	817
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	44	41	41	65	76	93	86	89	99	99	109	101	95	80

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-THIRD Week of the Year 1906.

rms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 33rd week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	Under 20: 1-5.	Under 20: 5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
CAUSES - - -	1555·2	1584	653	194	59	142	213	293
all-pox[a] - - -	1·3	-	-	-	-	-	-	-
rpox - - - -	-	-	-	-	-	-	-	-
asles (Morbilli) - -	30·6	21	7	14	-	-	-	-
arlet Fever - - -	7·4	8	-	6	1	1	-	-
hus - - - -	-	-	-	-	-	-	-	-
lgue - - - -	-	-	-	-	-	-	-	-
luenza - - - -	3·8	4	-	-	1	-	1	2
hooping-cough - -	22·9	13	3	8	2	-	-	-
hthteria - - -	11·2	15	4	8	2	1	-	-
ebro Spinal Fever -	-	-	-	-	-	-	-	-
axia,† (Origin uncertain) - - -	0·3	-	-	-	-	-	-	-
eric Fever - - -	6·4	4	-	-	1	2	1	-
atic Cholera - -	-	-	-	-	-	-	-	-
demic Diarrhœa (Infective Enteritis)	223·0	267	223	41	2	-	-	1
rrhœa, Dysentery -	134·3	157	124	25	1	-	2	5
anus - - - -	0·3	-	-	-	-	-	-	-
bies, *Hydrophobia* -	-	-	-	-	-	-	-	-
nders - - - -	0·3	-	-	-	-	-	-	-
hrax (Splenic Fever) -	-	-	-	-	-	-	-	-
nereal Dis. - - -	9·7	9	7	-	-	1	1	-
erperal Septicæmia -	3·1	1	-	-	-	1	-	-
erperal Pyæmia -	0·3	-	-	-	-	-	-	-
erperal Fever - -	0·3	-	-	-	-	-	-	-
ective Endocarditis -	2·5	2	-	-	-	-	1	1
eumonia: Lobar - -	7·6	9	-	1	1	5	1	1
eumonia: Broncho- -	26·5	25	8	11	2	2	-	2
eumonia: Epidemic -	0·5	-	-	-	-	-	-	-
eumonia: Not defined	34·7	40	3	8	3	6	6	14
ysipelas - - -	3·1	5	2	-	1	-	-	2
ticæmia (not Puerperal) - - -	0·8	-	-	-	-	-	-	-
emia (not Puerperal)	0·5	1	-	-	-	-	1	-
her Infective Processes	6·6	1	-	-	-	-	-	1
berculous Phthisis -	68·8	65	-	1	4	31	27	2
thisis" - - -	63·2	44	-	1	4	21	14	4
berculous Meningitis -	20·4	21	8	10	3	-	-	-
berculous Peritonitis -	11·5	13	8	1	3	1	-	-
es Mesenterica - -	6·1	4	1	3	-	-	-	-
berculous Dis. (other) -	20·9	20	4	6	4	3	1	2
rofula - - - -	0·8	-	-	-	-	-	-	-
boholism - - -	15·0	12	-	-	-	3	9	-
eumatic Fever - -	2·5	6	-	-	3	2	1	-
out - - - - -	1·0	-	-	-	-	-	-	-
rcinoma - - -	50·2	58	-	-	-	4	27	27
rcoma - - - -	5·6	5	-	-	-	1	3	1
ncer (undefined) - -	32·1	27	-	-	-	-	14	13
abetes Mellitus - -	7·4	7	-	-	1	-	4	2
emature Birth - -	51·7	42	42	-	-	-	-	-

CAUSES OF DEATH	Corrected Average for the 33rd week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1	Under 20: 1-5.	Under 20: 5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	15·0	19	10	9	-	-	-	-
Insanity, Gen. Par. of	9·7	12	-	-	-	2	5	5
Insane - - -	6·9	7	1	-	-	3	2	1
Epilepsy - - - -	24·2	17	15	2	-	-	-	-
Convulsions - - -	1·8	2	-	-	-	1	1	-
Locomotor Ataxy - -	6·6	3	-	-	-	-	1	2
Paraplegia, Dis. of Cord	15·8	19	-	-	-	4	8	7
Nervous Sys. (other dis.)								
Valv. Dis., Endocarditis	37·5	30	-	-	3	5	10	12
Cerebr. Hæm. Thromb. -	24·7	35	-	-	-	2	8	25
Apoplexy, Hemiplegia -	16·3	15	-	-	-	-	5	10
Aneurysm - - -	5·6	7	-	-	-	1	3	3
Embolism, Thrombosis (not cerebral) -	1·3	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	63·2	64	-	-	2	3	24	35
Croup (not Spasm : nor Memb.) - -	0·3	-	-	-	-	-	-	-
Bronchitis - - -	43·6	35	8	4	1	2	1	19
Asthma, Emphysema -	3·1	-	-	-	-	-	-	-
Pleurisy - - - -	2·0	1	-	-	-	1	-	-
Respiratory Dis. (other)	10·2	9	-	3	-	-	2	4
Tonsillitis, Quinsy - -	0·5	1	-	-	-	-	-	1
Enteritis (not Epid.) -	21·4	42	28	7	1	1	2	3
Gastro-Enteritis - -	29·3	52	41	5	-	2	-	1
Peritonitis (not Puerp.) -	4·1	2	-	1	-	1	-	-
Cirrhosis of Liver - -	13·8	8	-	-	-	2	5	1
Liver Dis. (other) - -	6·6	5	-	-	-	1	-	4
Digestive Dis., Other -	46·6	34	3	4	4	5	10	8
Nephritis, Acute - -	6·6	5	-	-	-	-	3	2
Bright's Dis., Albuminuria - - -	30·8	35	-	1	-	6	19	9
Urinary Sys., Other Dis.	9·4	10	1	-	-	-	1	8
Generative Organs Dis. -	5·6	2	-	-	-	-	1	1
Childbirth (Accid. of) -	3·1	3	-	-	-	3	-	-
Old Age - - - -	35·9	36	-	-	-	-	-	36
Other Diseases - -	105·1	116	8[a]	6	3	5	5	8
ACCIDENT.								
By Railways - - -	0·8	-	-	-	-	-	-	-
By Vehicles and Horses -	6·9	10	-	4	3	-	2	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -	1·0	1	-	-	-	-	1	-
In Building Operations -	1·0	1	-	-	-	-	1	-
In Conflagrations - -	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·3	2	1	1	-	-	-	-
By Drowning - - -	6·1	3	1	-	-	2	-	-
By Suffocation in Bed -	4·3	6	6	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·0	2	-	-	-	1	-	1
Other Deaths by Accident - - -	17·6	16	2	3	2	-	5	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	1·0	1	-	-	1	-	-	-
Suicide - - - -	7·9	10	-	-	-	4	4	2
Execution - - -	0·5	-	-	-	-	-	-	-

[a] In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever.

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th August, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2550	1584	653	293	-	21	8	15	13	-	4	-	424	52	129	533
WEST DISTRICTS	805,311	406	247	96	53	-	5	2	3	3	-	-	-	62	5	18	88
NORTH DISTRICTS	1,056,070	545	298	95	73	-	7	1	1	2	-	1	-	48	16	30	98
CENTRAL DISTRICTS	209,465	104	89	33	11	-	-	-	1	1	-	-	-	14	8	12	57
EAST DISTRICTS	715,739	502	317	156	42	-	7	-	2	2	-	1	-	121	7	28	110
SOUTH DISTRICTS	1,749,844	993	596	273	101	-	2	3	8	5	-	1	-	176	16	41	143
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	37	-	13	-	-	2	-	-	-	1	-	3	-	-	37
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	50	25	10	8	-	-	-	-	-	-	-	-	4	-	2	8
St. John Paddington *H*	33,617	11	13	3	2	-	-	-	1	-	-	-	-	-	-	1	7
North-West Paddington	17,181	6	3	1	1	-	-	-	-	-	-	-	-	2	-	-	-
Kensington Town *2W,w,2H*	128,037	67	52	21	13	-	3	-	-	1	-	-	-	13	1	2	15
Brompton *2H*	48,591	8	4	1	-	-	-	-	1	-	-	-	-	-	-	1	1
North Hammersmith *2W,wH*	49,192	30	21	13	3	-	-	-	-	-	-	-	-	11	-	3	1
South Hammersmith *w,2H*	63,047	44	14	6	1	-	-	-	-	-	-	-	-	2	-	1	3
North-west Fulham *W*	45,180	35	17	10	4	-	1	-	-	-	-	-	-	9	-	-	6
North-east Fulham *F*	46,405	24	15	4	4	-	-	2	1	1	-	-	-	4	-	1	3
South Fulham *W*	45,704	35	6	4	-	-	-	-	-	-	-	-	-	3	-	1	-
Chelsea North *W,w,3H*	42,514	14	22	4	8	-	1	-	-	1	-	-	-	1	-	-	19
Chelsea South *W,2H*	31,328	18	11	7	3	-	-	-	-	-	-	-	-	3	-	-	7
Mayfair and Knightsbridge	28,743	3	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Belgrave *W,2H*	55,815	30	18	3	4	-	-	-	-	-	-	-	-	3	2	2	7
St. Margaret & St. John *4H*	43,698	20	23	7	2	-	-	-	-	-	-	-	-	7	1	3	11
St. James and St. Anne *W,6H*	33,081	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	6	9	1	3	-	-	-	-	-	-	-	-	2	1	2	4
St Mary Marylebone *W,4H*	37,948	42	5	1	2	-	1	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone *H*	39,536	28	13	3	1	-	2	-	-	-	-	-	-	4	1	1	-
St. John Marylebone *2H*	20,426	14	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Hampstead *W,F,7H*	81,942	35	13	3	3	-	-	-	-	-	-	-	-	-	-	-	7
West St. Pancras *2H*	60,562	19	11	6	-	-	-	-	-	-	-	-	-	1	-	-	3
Tottenham-court *w,7H*	21,258	8	13	3	4	-	-	-	-	-	-	-	-	1	1	1	9
Gray's Inn Lane *4H*	34,449	27	11	7	2	-	-	-	-	-	-	-	-	4	-	-	4
East St. Pancras *W,2H*	60,320	35	19	7	5	-	1	-	-	-	-	-	-	2	2	4	11
North St. Pancras *2W*	58,728	28	13	5	3	-	-	-	-	-	-	-	-	3	1	2	4
Tufnell *W*	31,995	16	17	2	9	-	-	-	-	-	-	-	-	1	-	-	14
Upper Holloway *2W,w,H*	33,978	8	19	5	2	-	-	-	-	-	-	-	-	-	1	2	13
Tollington *WH*	33,922	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	14	10	3	2	-	-	-	-	-	-	-	-	1	-	1	-
Barnsbury	54,478	23	9	2	2	-	1	-	-	-	-	-	-	2	1	2	-
Islington South-east *F*	75,397	44	18	9	4	-	-	-	-	-	-	-	-	4	4	4	-
Highbury *2H*	63,797	28	11	2	1	-	-	-	-	-	-	-	-	2	-	1	-
Stoke Newington *H*	51,247	20	12	3	5	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	24	14	2	7	-	1	-	-	-	-	-	-	2	-	-	-
Central Hackney *2w,F*	50,536	36	20	11	3	-	-	1	1	-	-	1	-	9	1	2	5
South-west Hackney *3H*	59,921	34	20	5	5	-	-	-	-	1	-	-	-	3	2	2	9
South-east Hackney *2W,w,H*	58,255	34	36	13	9	-	1	-	-	1	-	-	-	6	1	5	15

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

BLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th August, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
. Giles and Bloomsbury 2*W*,2*H* -	31,436	9	7	-	1	-	-	-	-	-	-	-	-	-	-	2	5	-
rand *W*,4*H* - - - - -	21,674	2	11	2	2	-	-	-	-	-	-	-	-	1	2	2	7	-
rand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn *W*,6*H* - - - - -	29,612	20	37	19	2	-	-	-	1	1	-	-	-	8	2	2	30	-
uth Clerkenwell - - -	28,676	14	3	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
orth Clerkenwell *H* - - -	35,028	19	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nsbury 3*H*,*L* - - - - -	36,116	29	5	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-
olborn Union Workhouse, Mitcham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. Botolph *H* - - - -	10,299	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
. Sepulchre and Allhallows *W*,2*H*	16,624	10	20	4	5	-	-	-	-	-	-	-	-	2	4	5	15	-
ty of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *H* - - -	46,362	33	9	5	1	-	-	-	-	-	-	-	-	7	-	-	-	-
oreditch North-West *W*,*w*,*H* -	36,127	36	25	7	4	-	-	-	-	-	-	-	-	6	1	5	12	-
oreditch North-East - - -	36,148	16	17	10	3	-	-	-	-	1	-	-	-	9	-	-	-	-
oreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North-East* 2*W*, *HL.*	65,138	42	38	18	4	-	2	-	-	1	-	-	-	10	2	4	14	-
thnal Green South-West* *H* -	64,542	53	13	9	-	-	-	-	-	-	-	-	-	8	1	2	-	-
italfields - - - - - -	27,969	12	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
le End New Town *W*,*H* - -	28,718	22	42	15	4	-	-	-	-	-	-	1	-	6	-	2	37	-
odman's Fields - - - -	22,081	14	4	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
. George and St. John 2*W* - -	49,068	45	18	9	3	-	2	-	-	-	-	-	-	9	-	2	5	-
adwell and Ratcliff *W*,*H* - -	25,568	22	23	16	-	-	-	-	1	-	-	-	-	14	-	2	16	-
mehouse *W* - - - - -	32,369	21	12	5	1	-	-	-	-	-	-	-	-	8	-	2	-	-
le End Old Town South-Western *H* - - - -	63,698	58	17	11	2	-	-	-	-	-	-	-	-	6	1	-	-	-
le End Old Town North-Eastern *W*,*w* - - -	49,129	34	18	8	3	-	1	-	-	-	-	-	-	5	-	-	7	-
w *L* - - - - - - -	41,989	20	9	3	2	-	1	-	-	-	-	-	-	4	-	3	-	-
omley 3*w*,*H* - - - - -	68,319	33	47	24	10	-	1	-	1	-	-	-	-	20	-	2	19	-
piar *W*,*w* - - - - - -	58,514	41	19	11	2	-	-	-	-	-	-	-	-	8	2	4	-	-

* On 1st August, 1906, Bethnal Green North, Bethnal Green South, and Bethnal Green East sub-districts, were -arranged into two new sub-districts as above.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th August, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark* *W,2H*	23,319	11	15	4	3	-	-	-	-	-	-	-	-	3	2	3	11	-
Kent-road	21,904	14	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	28	20	12	2	-	-	-	-	1	-	-	-	4	-	-	10	-
Newington North	49,022	27	18	11	1	-	-	-	-	-	-	-	-	3	-	4	-	-
Newington South *W*	72,841	48	19	13	2	-	-	-	-	-	-	-	-	7	1	1	-	-
St. Olave *2W*	9,817	5	3	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Bermondsey *W*	82,483	67	25	13	3	-	1	-	-	1	-	-	-	10	1	2	-	-
Rotherhithe *W,F*	38,460	15	21	10	4	-	-	-	-	-	-	-	-	9	-	1	11	-
Waterloo-road *2H*	27,440	30	15	7	-	-	1	-	-	1	-	-	-	4	2	2	1	-
Lambeth Church 1st *H*	18,423	7	18	1	-	-	-	-	-	-	-	-	-	1	2	4	15	-
Lambeth Church 2nd *2W*	39,818	25	32	9	8	-	-	-	-	-	-	-	-	7	1	2	22	-
Kennington 1st *H*	53,198	37	19	7	5	-	-	-	-	-	-	-	-	4	-	1	1	-
Kennington 2nd *H*	42,896	18	14	8	2	-	-	-	-	-	-	-	-	5	1	1	5	-
Brixton *F*	84,232	40	19	5	6	-	-	-	1	-	-	-	-	4	-	-	1	-
Norwood *W,H*	36,888	16	14	8	4	-	-	-	1	-	-	-	-	3	-	-	-	-
East Battersea *H*	72,203	42	22	14	3	-	-	-	-	-	-	-	-	8	-	1	-	-
North-west Battersea	49,656	29	10	4	3	-	-	-	-	-	-	-	-	5	-	-	-	-
South-west Battersea *2W,H*	47,048	17	16	5	4	-	-	-	-	1	-	-	-	2	-	-	7	-
Clapham *2H*	51,361	21	11	6	-	-	-	-	-	-	-	-	-	4	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	67	24	14	6	-	-	-	1	-	-	1	-	9	-	1	8	-
Springfield *2W,L*	27,959	10	9	7	1	-	-	-	-	-	-	-	-	5	-	2	-	-
Southfields *H*	40,444	26	16	10	2	-	-	-	-	-	-	-	-	9	-	2	-	-
Putney	24,139	5	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dulwich	13,359	1	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	25	15	2	6	-	-	-	-	-	-	-	-	-	-	-	12	-
Camberwell North *W,2L*	65,584	25	34	12	3	-	-	-	-	-	-	-	-	5	-	1	13	-
St George	47,331	30	13	7	4	-	-	-	-	-	-	-	-	4	-	-	-	-
Peckham North	48,913	35	12	9	-	-	-	-	-	-	-	-	-	6	-	1	-	-
Peckham South *2W,w*	43,946	14	4	2	-	-	-	-	-	1	-	-	-	2	-	-	-	-
Deptford North	37,613	22	18	14	1	-	-	-	-	-	-	-	-	11	-	-	-	-
Deptford Central	45,481	25	11	5	1	-	-	1	1	-	-	-	-	6	-	-	2	-
Deptford South	34,625	21	9	1	4	-	-	-	-	-	-	-	-	2	-	-	-	-
Greenwich West *2H*	23,456	10	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich East *2W,H*	43,859	28	19	8	5	-	-	-	-	-	-	-	-	4	1	1	7	-
Eltham *w,H*	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	8	4	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Lewisham *W w,F*	58,352	39	30	13	2	-	-	1	1	-	-	-	-	8	2	2	7	-
Sydenham *H*	43,653	18	16	6	4	-	-	-	-	-	-	-	-	5	1	2	-	-
Charlton *F,2H*	21,134	13	10	5	2	-	-	1	3	-	-	-	-	-	-	-	6	-
Woolwich *5H*	41,625	22	13	9	2	-	-	-	-	-	-	-	-	8	1	2	-	-
Plumstead West *W*	18,063	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,261	40	15	4	2	-	-	-	-	-	-	-	-	3	-	1	3	-
Workhouse:—																		
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Belmont	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	7	-	3	-	-	1	-	-	-	-	-	1	-	-	7	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-
Cane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hartford Heath	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Colney Hatch	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury	—	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-

* On 1st August, 1906, Christchurch Southwark and St. Saviour Southwark sub-districts were united and named as above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 18th August, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
ONDON—OUTER RING -	368 302	2,044,973	1438	781	122	128	-	8	3	6	4	5	338	21	48	85	5
Carshalton 2F,3H - -	12,228	32,997	21	9	5	2	-	-	-	1	-	-	3	-	-	1	1
Epsom, *part of** W,w,2F,H-	10,423	15,548	15	4	1	2	-	-	-	-	-	-	1	-	-	1	-
Godstone, *part of** W,F -	2,754	2,692	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon - - - -	11,069	8,166	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w - -	4,200	49,309	29	13	3	6	-	-	-	-	-	-	2	-	1	-	-
West Croydon 3W,F,H -	2,168	42,888	37	20	5	8	-	-	1	-	-	1	3	3	6	9	-
North Croydon H - -	2,644	41,698	29	8	5	3	-	-	-	-	-	-	1	-	2	-	-
Penge w,H - - - -	770	22,465	7	6	1	2	-	-	-	-	-	-	1	-	1	-	-
Mitcham w - - -	11,711	30,015	42	27	17	7	-	-	-	-	-	-	14	-	1	-	1
Wimbledon F,3H - -	3,221	41,652	22	19	12	2	-	-	-	-	-	-	12	-	1	-	-
Kingston 2W,H - - -	6,224	42,068	21	9	3	3	-	-	-	-	-	-	1	-	1	2	-
Surbiton F,H - - -	3,046	15,017	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** H -	5,402	13,100	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L - - -	4,584	23,456	11	6	4	-	-	-	-	-	-	-	2	1	1	1	-
Richmond W,H - - -	2,162	28,865	9	7	5	1	-	-	-	-	-	-	3	-	-	1	-
Mortlake F - - -	2,847	20,628	11	10	5	1	-	-	-	1	-	-	4	-	-	1	-
Bromley F,2H - - -	4,703	27,354	17	8	3	3	-	-	-	-	-	-	2	1	1	-	-
Beckenham H - - -	7,825	28,497	10	6	2	-	-	-	-	-	-	-	1	-	-	-	-
Orpington *part of** W -	10,113	9,857	6	3	1	2	-	-	-	-	-	-	-	1	1	1	-
Chislehurst 2H - - -	7,333	16,446	12	7	4	1	-	-	-	-	-	-	6	-	-	-	-
Bexley w F,H - - -	8,678	21,151	17	10	5	1	-	-	-	-	-	-	5	-	-	-	-
Erith F,H - - - -	3,854	25,296	20	10	4	2	-	1	-	1	-	-	3	-	-	-	-
Dartford W,F, *part of** -	—	—	-	2	-	-	-	-	-	-	-	1	1	-	-	2	-
Sunbury w - - - -	11,054	18,683	9	4	1	1	-	1	-	-	-	-	-	-	-	-	-
Staines W,H - - -	13,277	15,178	12	9	3	2	-	-	-	-	-	-	1	1	1	3	-
Hillingdon W,F,H - -	6,035	13,661	8	6	1	3	-	-	-	-	-	-	1	-	-	3	-
Uxbridge H - - -	12,757	8,984	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes w2 F,H - - -	8,066	16,358	13	10	6	-	-	-	-	-	-	-	3	-	-	-	-
Isleworth 3W,2F,H - -	6,859	30,863	28	22	14	5	-	-	-	-	-	-	11	1	-	4	-
Twickenham F,H - -	2,421	20,991	13	18	9	3	-	1	-	-	-	-	9	-	1	-	1
Brentford 3F,2H - - -	4,319	48,289	36	22	16	-	-	-	-	-	1	-	7	1	2	1	-
Chiswick H- - - -	1,249	29,809	20	10	6	1	-	-	-	-	-	-	6	-	-	-	-
Acton w,F,3H - - -	6,132	48,914	52	30	22	2	-	-	-	-	-	-	19	-	-	1	-
Harrow F,H - - -	13,809	26,523	19	9	4	3	-	-	-	-	-	-	4	-	-	1	1
Edgware 2F,2H - - -	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H - -	4,384	114,811	87	22	10	5	-	-	-	1	1	-	8	1	1	3	1
Hendon W,F - - -	8,382	22,450	17	7	3	1	-	-	-	-	-	-	1	-	-	-	-
South Mimms 2F,H - -	17,755	7,308	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H - - -	3,324	17,970	18	4	4	-	-	-	-	-	-	-	2	1	1	-	-
Finchley F,2H - - -	4,688	33,692	23	9	3	5	-	-	-	-	-	-	1	-	-	-	-
Hornsey F,H - - -	2,875	72,056	28	11	4	4	-	-	-	-	-	-	3	-	2	-	-
Wood Green H - - -	1,625	34,233	33	11	4	2	-	-	-	-	1	1	3	-	-	1	-
West Tottenham F - -	996	48,853	40	8	4	-	-	-	-	-	-	-	-	1	2	-	-
East Tottenham 2H - -	2,017	53,688	40	20	12	1	-	-	-	-	-	-	6	-	-	4	-
Edmonton W,w,2F - -	7,491	61,892	58	47	22	11	-	-	-	-	-	-	19	1	3	7	-
Enfield 2W,F,H - - -	12,601	42,738	33	11	5	5	-	-	-	-	-	-	4	1	1	3	-
Waltham Abbey F - -	11,017	6,549	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Cheshunt F,H - - -	8,479	12,292	7	3	3	-	-	-	-	-	-	-	2	-	-	-	-
Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H - - - -	9,333	9,173	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H - - -	1,072	44,827	26	11	8	-	-	-	-	-	-	-	6	-	-	1	-
Plaistow F,2H - - -	1,249	90,921	62	55	33	3	-	3	1	-	-	1	34	1	3	5	-
Canning Town H - -	1,556	70,718	53	52	36	2	-	-	-	-	1	-	36	3	9	-	-
Forest Gate w - - -	806	60,892	27	6	6	-	-	-	-	-	-	-	3	-	-	-	-
North East Ham w H -	1,333	58,676	36	10	4	1	-	-	-	-	-	-	6	1	2	-	-
South East Ham 2F - -	1,993	37,342	29	21	13	-	-	-	-	-	-	-	13	-	1	-	-
Wanstead F - - -	1,679	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W - -	631	50,467	19	21	13	5	-	-	-	-	-	-	13	2	2	6	-
North Leyton 2W,w,F -	1,963	48,445	43	39	20	5	-	-	-	-	-	1	17	-	1	18	-
Walthamstow 3H,L - -	6,504	108,929	101	42	23	4	-	-	1	1	-	-	19	-	-	-	-
Chigwell, *part of** 2F,3H -	11,778	16,397	6	3	-	-	-	-	-	1	-	-	-	-	-	1	-
Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** W,2F -	6,556	6,091	5	6	5	1	-	-	-	-	-	-	3	-	-	-	-
Ilford F,L - - - -	8,496	41,234	40	14	6	2	-	1	-	-	-	-	4	-	-	3	-
Barking Town F - -	3,803	21,547	22	15	12	2	-	1	-	-	-	-	8	-	-	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher sh; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious ases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended		Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœa
LONDON - -	4,721,217	Aug.	18	2550	1584	17·5	-	21	8	15	13	4	
CALCUTTA - -	977,822	July	14	-	365	22·3	3	3	-	-	3	119†	
BOMBAY - -	982 000	„	31	388	976	51·9	2	11	-	-	1	138†	
MADRAS - -	523,316	„	20	355	400	40·8	3	2	-	-	-	98	
PARIS - - -	2,750,000	Aug.	11	941	860	16·7	-	2	-	1	9	5	
BRUSSELS - -	612,401	„	11	210	183	15·5	-	3	2	2	1	-	
ANTWERP - -	297,311	„	11	128	106	18·5	-	3	-	-	-	-	
AMSTERDAM -	560,482	„	4	267	147	13·7	-	5	-	-	3	3	
COPENHAGEN -	425,000	„	11	192	156	19·1	-	3	-	-	5	1	
STOCKHOLM -	324,488	„	4	139	96	15·4	-	-	-	-	1	-	
CHRISTIANIA -	222,373	„	11	97	78	18·2	-	-	-	1	1	-	
ST. PETERSBURG	1,424,700	July	28	599	620	22·6	-	22	4	14	5	33	
MOSCOW - -	1,154,000	„	28	-	663	30·0	1	5	8	4	7	6	
BERLIN - -	2,062,028	„	28	1021	677	17·1	-	12	3	4	9	3	
HAMBURG - -	819,380	Aug.	11	-	272	17·6	-	10	3	1	2	1	
BRESLAU - -	475,000	„	4	-	229	25·1	-	2	-	1	4	1	
MUNICH - -	544,000	„	11	-	168	16·2	-	-	-	1	1	1	
VIENNA - -	1,956,949	„	11	906	595	16·0	-	11	2	7	3	1	
PRAGUE - -	460,849	„	4	173	176	19·8	-	1	-	-	-	2	
BUDA-PESTH -	859,134	„	4	395	304	20·2	-	1	3	1	3	1	
TRIESTE - -	196,637	„	11	127	88	23·3	-	-	1	-	1	-	
ROME - -	531,179	June	30	246	198	19·5	-	5	-	-	2	4	
VENICE - -	171,709	Aug.	4	98	89	-	-	1	-	-	-	4	
BUCHAREST -	291,138	Aug.	4	194	107	19·2	-	-	-	1	1	1	
NEW YORK -	4,152,860	„	4	2483	1482	18·6	-	10	4	17	12	17	
CHICAGO - -	2,049,185	July	28	-	-	-	-	-	-	-	-	-	
PHILADELPHIA -	1,469,126	„	28	-	557	19·6	-	4	2	7	9	13	
BOSTON - -	617,950	.—		-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	July	8	-	240	13·7	-	1	-	-	-	1	
		„	15	-	240	13·7	-	-	-	2	1	-	

* Excluding deaths from croup in the Indian Cities.
† Including 10 deaths from plague in Calcutta, and 36 in Bombay.
‡ Including 8 deaths from cholera in Calcutta, 119 in Bombay, and 9 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 18th August, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	81·1	51·2	62·8	0·33	BRADFORD - -	71·8	51·4	60·4	0·
BRIGHTON - -	69·8	50·4	61·7	0·80	LEEDS - - -	74·0	52·0	61·1	0·
PORTSMOUTH - -	73·7	56·0	63·7	0·40	HULL - - -	76·0	52·0	62·0	0·
NORWICH - -	79·0	49·8	62·8	0·40	TYNEMOUTH - -	70·0	50·0	58·1	0·
PLYMOUTH - -	68·0	52·0	60·8	0·72	CARDIFF - -	69·1	48·1	59·7	1·
BRISTOL - - -	71·6	49·0	61·1	0·39	EDINBURGH - -	65·5	49·7	56·6	1·
BIRMINGHAM - -	71·5	49·2	59·3	0·42	GLASGOW - -	69·2	46·6	58·0	1·
NOTTINGHAM - -	76·6	49·6	60·3	0·46	DUBLIN Phœnix Park.	70·2	51·1	58·9	0·
LIVERPOOL OBSERVATORY.	70·0	52·0	59·5	1·41	DUBLIN Fitzwilliam Square.†	73·1	52·7	60·5	0·
MANCHESTER -	69·8	49·8	58·9	2·04					
PRESTON - -	67·5	52·0	59·3	1·70					
HUDDERSFIELD -	70·3	49·5	58·8	0·82	BELFAST - -	68·0	50·0	58·8	1·

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	12	Last Qr.	29·687	72·0	54·7	17·3	63·0	+ 0·5	59·3	3·7	11·4	1·1	88	111·4	46·5	64·21	SW. & SSW.	SW. & SSW.	1·4	0·0	0·1	225	- 24	0·00	7·5
MONDAY -	13	Apogee	29·480	81·1	58·9	22·2	68·8	+ 6·4	60·8	8·0	22·3	0·0	76	139·1	52·2	64·20	SSE., S. & SSW.	SSW. & SW.	3·1	0·0	0·2	272	+ 27	0·19	8·6
TUESDAY -	14	..	29·513	72·5	57·0	15·5	63·0	+ 0·7	55·4	7·6	14·8	0·6	76	130·2	51·4	64·01	SW. & SSW.	SSW. & SW.	2·0	0·0	0·2	260	+ 19	0·00	5·2
WEDNESDAY	15	..	29·613	71·0	54·8	16·2	60·7	- 1·4	53·0	7·7	18·4	1·4	76	133·0	49·7	63·96	SW.	SW. & SSW.	3·9	0·0	0·5	374	+136	0·05	10·2
THURSDAY-	16	Greatest Dec. N.	29·694	68·8	52·2	16·6	59·7	- 2·3	49·2	10·5	17·8	3·2	69	132·3	46·7	63·79	SW. & WSW.	SW. & WSW.	4·0	0·0	0·5	400	+166	0·01	8·0
FRIDAY -	17	..	29·676	68·9	51·6	17·3	57·5	- 4·3	51·6	5·9	17·5	0·0	81	132·0	46·6	63·39	WSW. & W.	W., WSW. & NW.	2·7	0·0	0·3	320	+ 89	0·08	0·8
SATURDAY-	18	..	29·846	65·1	51·2	13·9	57·5	- 4·1	47·8	9·7	15·5	2·0	70	115·0	46·1	63·10	W., WNW. & N.	NW. & NNW.	2·4	0·0	0·3	308	+ 80	0·00	0·0
MEANS - -			29·614	71·3	54·3	17·0	61·5	- 0·6	53·9	7·6	16·8	1·2	77	127·6	48·5	63·81	SW.		..	..	..	Sum 2159	Sum +493	Sum 0·33	5·8
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	12	w. P. throughout.	0·0	14·8	Fine and partially cloudy till 2h. A.M.; generally overcast till 10h. P.M.; fine and partially cloudy afterwards.
MONDAY -	13	w. P. till 6h. P.M.; v. P. and s. N. till 9h. P.M.; w. P. afterwards.	3·1	14·7	Very fine with lunar halo till 4h. A.M.; generally cloudy with occasional showers afterwards; slight thunderstorm at and about 7h. 30m. P.M. Solar halo observed at 7h. A.M.
TUESDAY -	14	w. P. throughout.	6·0	14·7	Generally overcast till noon; very fine generally afterwards. Solar halo observed at intervals in forenoon.
WEDNESDAY	15	w.P. generally; occasional s. N. after 11h. A.M.	9·1	14·6	Very fine generally; occasional threatening periods with showers.
THURSDAY-	16	w.P. generally; occasional s. N. after 11h. A.M.	11·5	14·6	Very fine generally; occasional light showers.
FRIDAY -	17	w. P. till 9h. A.M.; v. P. and s. N. till 7h. P.M.; m. P. afterwards.	3·9	14·5	Variably cloudy; showery, lightning and thunder in forenoon. Solar halo at 4h. P.M.
SATURDAY-	18	m. P. generally.	2·1	14·4	Generally cloudy; cloudless interval in evening.
			Sum 35·7	Sum 102·3	
No. of Col.-		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·70 in. at the beginning of the week to 29·45 in. by 3h. P.M. on the 13th; increased to 29·71 in. by 9h. P.M. on the 16th; decreased to 29·66 in. by 3h. P.M. on the 17th; and increased to 29·97 in. by midnight on the 18th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 11th August, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	9	1	-	-	-	-	5	1
Kensington	180,952	-	10	7	-	-	-	-	3	-
Hammersmith	120,679	-	10	5	-	-	-	-	3	-
Fulham	161,965	-	9	7	-	-	-	-	2	-
Chelsea	74,672	-	3	2	-	-	-	-	1	-
City of Westminster	173,905	-	8	1	-	1	-	-	-	-
NORTH.										
St. Marylebone	128,580	-	15	1	-	1	-	-	2	-
Hampstead	89,633	-	8	3	-	-	-	-	1	-
St. Pancras	236,455	-	11	6	-	3	-	-	7	-
Islington	344,987	-	22	4	-	2	-	-	5	1
Stoke Newington	53,217	-	1	1	-	-	-	-	-	-
Hackney	230,721	-	11	4	-	-	-	-	5	-
CENTRAL.										
Holborn	55,805	-	-	1	-	-	-	-	2	-
Finsbury	97,466	-	3	4	-	1	-	-	1	-
City of London	21,367	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	17	3	-	1	-	-	-	-
Bethnal Green	130,609	-	15	4	-	-	-	-	8	1
Stepney	307,176	-	29	10	-	1	-	-	8	-
Poplar	170,673	-	13	1	-	-	-	-	3	-
SOUTH.										
Southwark	209,143	-	36	14	-	2	-	-	4	-
Bermondsey	128,629	-	15	13	-	1	-	-	4	-
Lambeth	315,774	-	11	7	-	3	-	-	2	-
Battersea	179,622	-	24	2	-	1	-	-	-	-
Wandsworth	273,381	-	14	4	-	3	-	-	4	1
Camberwell	274,132	-	13	4	-	-	-	-	3	-
Deptford	115,495	-	16	4	-	-	-	-	5	1
Greenwich	105,350	-	10	10	-	-	-	-	1	-
Lewisham	148,463	-	5	4	-	-	-	-	2	-
Woolwich	127,345	-	6	6	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	345	133	-	20	-	-	82	5
Ages 0-1		-	5	5	-	-	-	-	8	-
" 1-5		-	121	46	-	2	-	-	2	-
" 5-		-	131	45	-	3	-	-	2	-
" 10-		-	57	14	-	2	-	-	4	-
" 15-		-	14	8	-	3	-	-	2	-
" 20-		-	8	4	-	2	-	-	6	-
" 25-		-	6	6	-	-	-	-	10	4
" 35-		-	1	5	-	4	-	-	18	1
" 45-		-	2	-	-	2	-	-	10	-
" 55-		-	-	-	-	1	-	-	13	-
" 65 and upwards		-	-	-	-	1	-	-	7	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 34. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, AUG. 25. [Price 1½*d.*

General Register Office, Somerset House,

August 27th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·4 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 13·8, 14·6, and 17·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 23·4 in Aston Manor and in Nottingham, 23·6 in Portsmouth, 24·2 in Liverpool, 24·9 in Birkenhead, 25·9 in Coventry, 28·3 in Stockport, 29·2 in Wigan, and 29·7 in Great Yarmouth; from *measles*, 1·4 in South Shields, 2·1 in Stockport, 2·2 in Norwich, and 2·6 in Rotherham; from *scarlet fever*, 1·0 in Middlesbrough; from *diphtheria*, 1·0 in Halifax and in Middlesbrough; from *whooping-cough*, 1·1 in Walsall, 1·7 in Rotherham, and 2·0 in Burton on Trent; and from *diarrhœa*, 10·1 in Aston Manor, 10·3 in Bootle, 10·8 in Birmingham, 10·9 in Nottingham, 11·4 in West Ham, 12·4 in Birkenhead, and 13·6 in Stockport. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2466 BIRTHS and 1654 DEATHS were registered. Allowing for increase of population, the births were 120 below and the deaths 198 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 14·0, 14·9, and 17·5 per 1000 in the preceding three weeks, further rose last week to 18·3. The death-rate in the four weeks ended last Saturday averaged 16·2 per 1000, being 0·2 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 8/06 D & S 3 25771

The 1654 deaths included 13 from measles, 9 from scarlet fever, 9 from diphtheria, 12 from whooping-cough, 7 from enteric fever, and 458 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 508 deaths were referred to these diseases in the aggregate, being 129 above the corrected average number for the 34th week in the preceding four years.

The deaths from *measles*, which had been 22, 25, and 21 in the preceding three weeks, fell to 13 last week, and were 12 below the corrected average; 4 deaths belonged to the Borough of Battersea. The deaths from *scarlet fever*, which had been 6, 10, and 8 in the preceding three weeks, were 9 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 10, 13, and 15 in the preceding three weeks, fell to 9 last week, and were 6 below the corrected average. The deaths from *whooping-cough*, which had been 13, 14, and 13 in the preceding three weeks, were 12 last week, and were 8 below the corrected average. The fatal cases of *enteric fever*, which had been 4, 5, and 4 in the preceding three weeks, were 7 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 184, 288, and 424 in the preceding three weeks, further rose to 458 last week, and were 158 above the corrected average; 43 deaths belonged to Poplar, 41 to Stepney, 30 to Wandsworth, 29 to Camberwell, 27 to Southwark, and 25 to Lambeth. Of the 458 deaths from diarrhœa, 436 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 51 other deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 5, 5, and 4 in the preceding three weeks.

Different forms of *violence* caused 72 deaths, concerning all but 3 of which inquests were held. Of these 72 deaths, 12 were cases of suicide, while the remaining 60 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 4 to building operations, 7 to burns or scalds, 4 to drowning, 2 to heat stroke, 2 to the effects of anæsthetics administered for surgical purposes, and 10 (including 9 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3078 cases of scarlet fever, 859 of diphtheria, and 101 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 350 cases, against 415, 308, and 317; of diphtheria, 109 cases, against 133, 100, and 112; and of enteric fever, 18 cases, against 26, 7, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 18th, 1906.

Greater London.

In Greater London 3855 births and 2503 deaths were registered. Allowing for increase of population, these numbers are 108 below and 383 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 7 from whooping-cough, and 162 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·86 inches, and that of the Thermometer 64°·9, the latter being 3°·8 above the week's average in the 50 years 1841–90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 28 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 49·9 hours; the measured rainfall amounted to 0·26 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 25th August, 1906, and DEATH-RATES in each of the preceding three weeks.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 4th Aug., 1906.	11th Aug., 1906.	18th Aug., 1906.	25th Aug., 1906.	Rate from Diseases in Cols. 11-17. Week ended 25th August, 1906.	Registered during the Week ended 25th August, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**13·8**	**14·6**	**17·0**	**18·4**	**6·2**	**8784**	**5592**	**2321**	**1067**	**-**	**73**	**25**	**49**	**53**	**25**	**1651**	**176**	**353**	**1132**	**47**	**76 TOWNS.**
LONDON - - -	4,721,217	14·0	14·9	17·5	18·3	5·6	2466	1654	645	333	-	13	9	9	12	7	458	72	139	567	1	LONDON.
CROYDON - -	151,011	10·7	11·7	14·2	13·8	4·8	69	40	18	12	-	-	-	-	-	1	13	-	2	8	-	CROYDON.
WILLESDEN - -	143,622	8·0	10·9	8·0	14·9	5·4	76	41	27	4	-	-	-	-	-	-	15	-	-	3	-	WILLESDEN.
HORNSEY - -	86,935	4·2	6·6	6·6	10·8	2·4	31	18	6	6	-	-	-	-	-	-	4	1	1	-	-	HORNSEY.
TOTTENHAM - -	119,503	8·3	9·6	12·7	19·2	7·4	71	44	26	9	-	-	-	-	-	-	17	-	3	4	-	TOTTENHAM.
† WEST HAM - -	301,617	15·4	23·0	23·5	22·8	13·8	177	132	63	17	-	6	-	4	1	3	66	2	5	32	-	WEST HAM.
EAST HAM - -	129,886	7·6	11·2	13·6	20·1	10·0	64	50	26	7	-	1	-	1	-	-	23	1	3	1	-	EAST HAM.
LEYTON - - -	118,287	11·9	12·8	17·2	20·3	7·5	64	46	18	10	-	-	-	1	-	-	16	1	1	10	-	LEYTON.
WALTHAMSTOW -	121,334	14·2	14·6	20·2	15·9	9·0	71	37	20	6	-	-	1	-	-	-	20	1	2	6	-	WALTHAMSTOW.
HASTINGS - - -	67,144	11·6	10·9	9·3	17·1	1·6	26	22	3	9	-	-	-	1	-	-	1	-	-	1	1	HASTINGS.
BRIGHTON - -	128,095	12·2	9·4	11·8	11·8	1·6	55	29	5	9	-	1	-	-	-	-	3	2	2	9	-	BRIGHTON.
PORTSMOUTH - -	205,118	11·7	11·7	18·3	23·6	6·4	114	93	38	21	-	-	-	1	2	-	22	-	5	16	1	PORTSMOUTH.
BOURNEMOUTH -	67,702	8·5	7·7	10·8	11·6	0·8	20	15	4	5	-	-	-	-	1	-	-	-	1	4	-	BOURNEMOUTH.
SOUTHAMPTON -	117,312	11·1	10·7	12·4	8·4	1·3	55	19	3	6	-	-	-	-	-	-	3	-	1	3	-	SOUTHAMPTON.
READING - - -	78,987	9·9	5·9	8·6	9·2	0·7	37	14	5	3	-	-	-	-	-	-	1	-	-	4	-	READING.
NORTHAMPTON -	93,749	16·1	10·6	16·7	11·1	3·3	34	20	10	2	-	-	-	-	-	-	6	1	2	5	-	NORTHAMPTON.
IPSWICH - - -	71,809	10·2	17·4	13·8	11·6	2·2	30	16	7	4	-	-	-	-	-	1	2	-	-	3	-	IPSWICH.
GREAT YARMOUTH -	52,613	10·9	11·9	16·8	29·7	9·9	27	30	13	8	-	-	-	-	-	-	10	-	2	2	-	GREAT YARMOUTH.
NORWICH - -	117,958	15·9	15·0	23·4	18·1	7·1	59	41	20	8	-	5	-	1	1	-	9	-	-	7	-	NORWICH.
PLYMOUTH - -	118,014	13·7	16·8	15·5	17·2	4·9	59	39	18	11	-	1	1	1	-	-	8	-	4	6	-	PLYMOUTH.
DEVONPORT - -	78,405	9·3	10·0	7·3	14·6	2·7	33	22	9	6	-	2	-	-	-	-	2	-	3	1	-	DEVONPORT.
BRISTOL - - -	363,223	11·2	10·3	11·9	13·2	2·6	187	92	31	23	-	1	-	1	1	-	15	5	10	16	-	BRISTOL.
HANLEY - - -	66,360	12·6	22·0	13·4	18·1	7·1	43	23	12	2	-	-	-	1	-	-	8	1	1	2	-	HANLEY.
BURTON-ON-TRENT	52,922	7·9	7·9	10·8	9·9	4·9	27	10	4	5	-	-	-	-	2	-	3	-	-	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	100,729	11·9	15·0	16·0	16·0	5·2	58	31	16	5	-	-	-	-	-	-	10	-	2	3	-	WOLVERHAMPTON.
WALSALL - - -	94,577	17·6	19·3	18·7	17·1	6·6	59	31	14	5	-	-	-	-	2	-	10	-	1	1	-	WALSALL.
HANDSWORTH -	63,819	9·0	6·5	6·5	9·8	-	23	12	2	5	-	-	-	-	-	-	-	-	2	3	-	HANDSWORTH
WEST BROMWICH -	68,469	3·0	12·2	13 7	10·7	4·6	51	14	6	1	-	-	-	-	-	-	6	1	1	2	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 25th August, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 4th Aug., 1906.	11th Aug., 1906.	18th Aug., 1906.	25th Aug., 1906.	Rate from Diseases in Cols. 11-17. Week ended 25th August, 1906.	Registered during the Week ended 25th August, 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM	548,022	12·9	15·5	21·3	22·9	11·5	330	241	130	25	-	5	-	1	2	-	113	5	6	24	1	BIRMINGHAM.
KINGS NORTON	72,608	12·9	5·7	7·2	8·6	0·7	46	12	3	4	-	-	-	1	-	-	-	2	2	-	1	KINGS NORTON.
SMETHWICK	64,531	14·5	12·1	12·9	8·1	2·4	51	10	4	4	-	-	-	-	-	-	3	1	1	1	-	SMETHWICK.
ASTON MANOR	82,288	18·4	19·6	12·7	23·4	11·4	38	37	20	4	-	-	-	1	1	-	16	-	-	-	-	ASTON MANOR.
COVENTRY	76,374	21·2	12·3	19·1	25·9	8·2	66	38	14	13	-	-	-	-	1	-	11	2	4	2	2	COVENTRY.
LEICESTER	232,111	9·7	14·4	14·4	18·9	7·9	127	84	41	16	-	1	1	1	-	-	32	3	5	8	-	LEICESTER.
GRIMSBY	69,359	14·3	12·8	14·3	20·3	6·8	42	27	14	4	-	-	-	-	-	-	9	-	1	3	-	GRIMSBY.
NOTTINGHAM	254,563	13·3	16·8	16·0	23·4	11·1	143	114	53	29	-	-	-	-	-	1	53	2	9	8	-	NOTTINGHAM.
DERBY	123,981	8·8	10·1	10·5	14·7	2·9	51	35	11	10	-	-	-	2	-	1	4	3	4	8	-	DERBY.
STOCKPORT	99,646	14·1	16·2	21·5	28·3	15·7	66	54	30	10	-	4	-	-	-	-	26	2	2	7	-	STOCKPORT.
BIRKENHEAD	117,292	17·8	20·4	28·9	24·9	13·3	81	56	29	9	-	-	-	-	2	-	28	1	3	6	-	BIRKENHEAD.
WALLASEY	64,578	8·1	6·5	10·5	15·3	6·5	33	19	6	6	-	-	-	1	-	1	6	-	1	4	-	WALLASEY.
LIVERPOOL	739,180	17·0	18·8	22·9	24·2	9·5	485	343	161	49	-	1	2	2	4	-	126	10	17	80	15	LIVERPOOL.
BOOTLE	65,989	26·9	17·4	14·2	22·1	11·1	34	28	13	3	-	-	-	1	-	-	13	1	1	4	-	BOOTLE.
ST. HELENS	91,153	12·6	20·6	20·6	20·0	3·4	51	35	14	6	-	-	-	-	-	-	6	-	-	7	2	ST. HELENS.
WIGAN	87,588	20·5	13·7	26·8	29·2	8·9	73	49	21	8	-	2	-	-	1	-	12	1	2	1	1	WIGAN.
WARRINGTON	69,280	9·8	8·3	15·1	15·1	3·8	40	20	8	5	-	-	-	1	-	-	4	-	-	3	1	WARRINGTON.
BOLTON	180,502	11·8	11·0	17·3	16·2	4·0	80	56	17	12	-	-	-	-	-	-	14	2	6	4	-	BOLTON.
BURY	58,744	14·2	11·5	16·0	12·4	1·8	27	14	7	2	-	-	-	-	-	-	2	-	1	3	-	BURY.
MANCHESTER	637,126	15·7	16·2	21·3	22·3	8·5	409	273	114	34	-	5	1	2	2	-	94	8	14	55	1	MANCHESTER.
SALFORD	234,077	16·5	21·2	22·9	20·0	6·9	147	90	35	15	-	3	1	-	1	-	26	2	4	18	-	SALFORD.
OLDHAM	140,969	14·8	13·7	14·8	20·0	4·4	101	54	11	11	-	3	-	-	-	1	8	2	3	6	-	OLDHAM.
ROCHDALE	87,189	20·3	12·0	12·0	16·1	1·2	41	27	8	8	-	-	1	1	-	-	-	2	3	2	-	ROCHDALE.
BURNLEY	102,808	17·2	18·8	19·8	15·2	4·6	51	30	13	6	-	-	-	1	-	-	8	-	1	3	-	BURNLEY.
BLACKBURN	134,015	12·8	13·6	14·0	13·6	1·2	81	35	14	10	-	-	1	-	-	-	2	1	1	4	1	BLACKBURN.
PRESTON	116,399	9·9	17·0	7·6	13·9	3·1	92	31	11	5	-	1	-	-	1	-	5	-	-	4	3	PRESTON.
BARROW-IN-FURNESS	60,967	9·4	10·3	15·4	11·1	6·0	43	13	8	1	-	-	-	-	-	-	7	-	-	-	-	BARROW-IN-

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	Week ended 4th Aug., 1906.	Week ended 11th Aug., 1906.	Week ended 18th Aug., 1906.	Week ended 25th Aug., 1906.	11-17. Week ended 25th August, 1906.	Week ended 25th August, 1906. BIRTHS.	Week ended 25th August, 1906. DEATHS.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Deaths from Measles.	Deaths from Scarlet Fever.	Deaths from Diphtheria.	Deaths from Whooping-cough.	Deaths from Fever.	Deaths from Diarrhœa.	Deaths from Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	21·4	12·6	22·0	16·5	5·5	63	30	12	7	-	2	-	1	1	-	6	-	1	-	-	HUDDERSFIELD.
HALIFAX - - -	109,272	14·3	11·9	8·1	11·9	1·9	35	25	7	10	-	2	-	2	-	-	-	-	-	7	-	HALIFAX.
BRADFORD - -	288,544	13·6	13·6	15·0	17·0	3·8	130	94	30	23	-	-	2	2	-	-	17	2	5	24	2	BRADFORD.
LEEDS - - -	463,495	15·9	13·5	17·0	19·0	6·0	240	169	68	31	-	5	-	1	3	-	44	3	7	14	-	LEEDS.
SHEFFIELD - -	447,951	16·3	16·1	19·9	21·1	9·3	250	181	92	26	-	-	1	1	-	1	77	7	10	17	4	SHEFFIELD.
ROTHERHAM - -	61,098	9·4	15·4	17·9	18·8	8·5	41	22	13	5	-	3	1	-	2	-	4	-	-	2	1	ROTHERHAM.
YORK - - -	83,467	13·1	10·0	10·6	12·5	1·9	37	20	4	8	-	-	-	-	-	-	3	1	4	4	-	YORK.
HULL - - -	262,426	15·9	19·3	17·7	21·7	8·7	153	109	52	22	-	-	-	2	1	2	39	4	8	14	-	HULL.
MIDDLESBROUGH -	100,069	14·1	20·3	26·1	20·3	9·9	59	39	17	4	-	-	2	2	1	-	14	-	1	1	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	19·8	12·9	14·9	19·8	5·9	27	20	5	7	-	-	-	-	-	-	6	1	1	2	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	9·2	8·5	9·2	13·5	2·8	51	19	11	3	-	-	-	-	-	-	4	1	1	2	1	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	13·8	12·2	13·5	18·2	3·4	107	54	16	10	-	-	-	-	2	1	7	2	4	7	2	SUNDERLAND.
SOUTH SHIELDS -	111,402	19·7	11·7	13·1	19·7	3·3	65	42	12	5	-	3	-	-	1	-	3	7	7	12	2	SOUTH SHIELDS.
GATESHEAD - -	123,191	11·9	14·0	15·2	14·4	4·2	69	34	14	3	-	1	-	-	-	1	8	-	-	8	1	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	12·2	13·6	14·9	15·1	2·5	149	78	21	20	-	1	-	2	-	-	10	2	5	15	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	14·4	13·5	26·0	19·3	6·7	31	20	7	5	-	-	-	-	1	1	5	-	-	2	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	19·0	5·6	11·9	14·0	2·8	39	20	5	2	-	-	-	-	1	-	3	1	2	5	-	NEWPORT (MON.).
CARDIFF - - -	183,823	8·8	12·2	10·5	12·8	2·0	119	45	11	10	-	-	-	-	2	1	4	1	2	6	-	CARDIFF.
RHONDDA- - -	127,684	9·8	18·0	18·0	20·8	6·9	99	51	28	5	-	1	1	-	-	1	14	4	4	-	1	RHONDDA.
MERTHYR TYDFIL -	74,961	18·1	12·5	16·0	18·8	1·4	47	27	8	5	-	-	-	-	-	1	1	-	-	5	1	MERTHYR TYDFIL
SWANSEA- - -	96,848	14·0	16·7	14·0	17·8	2·2	58	33	9	5	-	-	-	-	1	-	3	2	7	1	-	SWANSEA.
GREATER LONDON -	7,113,561	13·2	14·6	17·3	18·3	6·5	3855	2503	1076	485	-	27	11	18	20	11	794	86	176	671	3	GREATER LONDON.
OUTER RING - -	2,392,344	11·4	13·9	17·0	18·5	8·1	1389	849	431	152	-	14	2	9	8	4	336	14	37	104	2	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	11·0	14·3	16·0	18·1	8·6	623	408	204	71	-	7	1	6	1	4	174	6	17	64	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	11·9	13·5	18·0	18·8	7·7	766	441	227	81	-	7	1	3	7	-	162	8	20	40	2	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	11·2	13·1	13·1	12·2	1·2	158	80	14	26	-	1	1	-	-	-	6	4	?	25	3	EDINBURGH.
GLASGOW - - -	835,625	12·2	15·2	14·9	14·4	2·8	444	231	74	49	-	2	-	3	9	1‡	30	16	?	73	12	GLASGOW.
DUBLIN† - - -	378,994	16·8	17·3	19·7	21·5	3·7	230	156	48	33	-	-	-	-	-	-	27	8	6	48	2	DUBLIN.†
BELFAST† - - -	366,220§	17·2	18·1	17·8	19·8	4·0	204	139	43	23	-	-	-	2	2	-	24	3	4	18	1	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 4 deaths from Cerebro-spinal meningitis were registered. § Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FOURTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2498	2718	2551	2646	2677	2643	2568	2473	2575	2530	2585·5	2466
Males - - -	1254	1409	1283	1354	1349	1347	1316	1255	1323	1282	1319·0	1243
Females - -	1244	1309	1268	1292	1328	1296	1252	1218	1252	1248	1266·5	1223
TOTAL **Deaths** -	1426	1748	1856	2100	1691	1676	1269	1266	1682	1497	1456·1	1654
Males - -	720	924	985	1104	905	895	676	668	878	813	773·4	871
Females - -	706	824	871	996	786	781	593	598	804	684	682·7	783

* The numbers in this column are the average weekly numbers in the thirty-fourth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	13 Weeks.
TOTAL **Births** -	2384	2145	2447	2499	2386	2496	2413	2468	2352	2576	2155	2550	2466	31337
TOTAL **Deaths** -	1240	1150	1112	1205	1060	1113	1072	1054	1056	1272	1352	1584	1654	15924
Ages at Death: Under 1 year -	228	225	197	213	189	208	192	221	233	346	464	653	645	4014
1—5 years -	140	149	137	139	113	144	126	128	121	148	162	194	205	1906
5—20 ,, -	71	67	59	79	67	79	71	60	74	68	79	59	67	900
20—40 ,, -	149	143	161	151	136	132	151	110	147	141	145	142	159	1867
40—60 ,, -	265	227	235	279	240	253	227	222	217	254	210	243	245	3117
60 yrs. & upwds.	387	339	323	344	315	297	305	313	264	315	292	293	333	4120
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	50	58	45	52	46	39	22	35	30	22	25	21	13	458
Scarlet Fever - -	12	6	15	13	5	17	6	12	6	6	10	8	9	125
Diphtheria - -	10	7	9	8	9	12	9	10	10	10	13	15	9	131
Whooping-cough -	35	24	17	23	14	12	18	20	10	13	14	13	12	225
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	2	4	8	9	12	4	5	3	4	5	4	7	68
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Diarrhœa, Dysentery	21	17	15	17	22	31	35	56	74	184	288	424	458	1642
All above Diseases -	129	114	105	121	105	123	94	139	133	239	355	485	508	2650
Dis. of Resp. System	75	62	54	58	41	41	47	52	42	52	47	45	45	661
Pneumonia - -	111	90	88	79	91	77	72	81	59	59	65	74	58	1004
Phthisis - - -	145	116	90	129	111	127	108	103	111	108	112	109	119	1488
Dis. of Circ. System -	155	171	160	170	166	144	153	125	134	161	145	151	141	1976
Violence - - -	57	65	57	50	71	51	60	54	61	62	65	52	72	777
Inquest Cases - -	128	134	119	107	123	109	117	104	120	140	141	129	139	1610
Deaths in Institutions	513	465	490	527	452	474	451	425	449	500	481	533	567	6327
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	57·2	55·6	53·9	64·1	60·0	61·9	61·5	62·7	66·3	67·3	66·1	61·5	64·9	61·8
Mean of Highest -	67·4	68·6	64·6	76·8	71·5	74·0	72·8	74·2	77·8	80·1	78·8	71·3	77·4	73·5
Mean of Lowest -	49·7	42·2	46·9	51·9	51·4	49·5	52·7	52·7	56·5	56·0	56·1	54·3	55·4	51·9
Mean Humidity of the Air.	76	65	80	68	76	65	70	70	63	64	68	77	72	71
Rain-fall (in inches) -	0·19	0·00	0·30	0·01	2·46	0·00	0·01	0·19	0·15	0·86	0·01	0·33	0·26	4·77
Registered Sunshine (in hours).	39·1	80·6	35·6	61·0	58·1	75·4	47·9	43·8	69·5	76·5	54·1	35·7	49·9	727·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	5	6	7	13	11	7	5	2	1	1	–	–	–	4
Scarlet Fever - -	2515	2603	2676	2692	2752	2769	2842	2943	3048	3120	3051	3046	3078	2857
Diphtheria - -	763	773	749	766	783	827	840	872	874	879	861	846	859	822
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	41	41	65	76	93	86	89	99	99	109	101	95	101	84

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

Table 4. LONDON.—Deaths Registered in the Thirty-fourth Week of the Year 1906.

e terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

Causes of Death	Corrected Average for the 34th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
LL CAUSES	1456·1	1654	645	205	67	159	215	333
mall-pox*	0·8	-	-	-	-	-	-	-
owpox	-	-	-	-	-	-	-	-
easles (Morbilli)	25·0	13	3	10	-	-	-	-
carlet Fever	11·5	9	-	7	2	-	-	-
yphus	-	-	-	-	-	-	-	-
lague	-	-	-	-	-	-	-	-
nfluenza	2·0	4	1	-	-	1	1	1
hooping-cough	19·6	12	7	5	-	-	-	-
iphtheria	15·0	9	3	4	2	-	-	-
erebro Spinal Fever	-	-	-	-	-	-	-	-
yrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
nteric Fever	7·1	7	-	-	-	5	2	-
siatic Cholera	-	-	-	-	-	-	-	-
pidemic Diarrhœa (Infective Enteritis)	196·5	308	242	64	1	-	1	-
iarrhœa, Dysentery	103·2	150	110	20	1	2	1	16
etanus	1·0	-	-	-	-	-	-	-
abies, *Hydrophobia*	0·3	-	-	-	-	-	-	-
landers	0·3	-	-	-	-	-	-	-
nthrax (Splenic Fever)	-	-	-	-	-	-	-	-
enereal Dis.	9·2	7	6	1	-	-	-	-
uerperal Septicæmia	2·5	2	-	-	-	1	1	-
uerperal Pyæmia	0·3	1	-	-	-	-	1	-
uerperal Fever	1·0	-	-	-	-	-	-	-
nfective Endocarditis	3·8	3	-	-	-	3	-	-
neumonia: Lobar	7·6	5	-	2	-	2	1	-
neumonia: Broncho-	27·5	26	8	14	1	-	2	1
neumonia: Epidemic	0·3	-	-	-	-	-	-	-
neumonia: Not defined	35·2	27	5	5	4	5	3	5
rysipelas	4·1	1	-	-	-	-	-	1
epticæmia (not Puerperal)	0·8	2	-	-	-	-	1	1
yæmia (not Puerperal)	0·5	2	1	-	-	-	1	-
ther Infective Processes	8·4	4	-	-	-	-	1	3
uberculous Phthisis	64·5	82	-	3	9	32	30	8
Phthisis"	62·2	37	-	-	5	14	16	2
uberculous Meningitis	20·6	13	6	6	1	-	-	-
uberculous Peritonitis	11·0	15	5	6	2	1	1	-
abes Mesentertca	5·4	3	3	-	-	-	-	-
uberculous Dis. (other)	15·3	15	3	3	5	1	3	-
crofula	0·5	-	-	-	-	-	-	-
lcoholism	10·2	11	-	-	-	6	5	-
heumatic Fever	3·3	2	-	-	1	1	-	-
out	2·3	3	-	-	-	-	-	3
arcinoma	52·0	68	-	-	1	8	28	31
arcoma	3·8	4	-	2	-	1	-	1
ancer (undefined)	32·9	42	-	-	-	2	19	21
iabetes Mellitus	5·9	10	-	-	-	1	2	7
remature Birth	49·9	55	54	1	-	-	-	-

Causes of Death	Corrected Average for the 34th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	16·6	13	6	4	-	1	2	-
Insanity, Gen. Par. of Insane	12·5	14	-	-	-	3	8	3
Epilepsy	6·9	10	1	-	-	7	1	1
Convulsions	20·4	11	10	1	-	-	-	-
Locomotor Ataxy	1·0	2	-	-	-	1	-	1
Paraplegia, Dis. of Cord	4·1	4	-	-	1	1	1	1
Nervous Sys. (other dis.)	14·5	17	1	-	1	-	2	13
Valv. Dis., Endocarditis	36·2	40	-	-	6	1	17	16
Cerebr. Hæm. Thromb.	24·7	31	1	-	-	2	9	19
Apoplexy, Hemiplegia	15·8	6	-	-	-	1	-	5
Aneurysm	3·3	2	-	-	-	1	1	-
Embolism, Thrombosis (not cerebral)	1·3	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	70·9	62	-	2	3	8	20	29
Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	-
Bronchitis	39·5	26	8	1	1	-	2	14
Asthma, Emphysema	1·3	1	-	-	-	-	-	1
Pleurisy	4·1	4	1	2	-	1	-	-
Respiratory Dis. (other)	4·3	14	1	1	-	2	1	9
Tonsillitis, Quinsy	0·3	1	-	-	1	-	-	-
Enteritis (not Epid.)	25·7	38	30	4	-	-	1	3
Gastro-Enteritis	24·0	52	41	10	-	-	-	1
Peritonitis (not Puerp.)	3·6	3	-	-	-	2	-	1
Cirrhosis of Liver	12·5	21	-	-	-	2	12	7
Liver Dis. (other)	4·8	8	-	-	-	1	4	3
Digestive Dis., Other	32·1	48	11	2	3	9	12	11
Nephritis, Acute	5·9	7	-	1	1	1	2	2
Bright's Dis., Albuminuria	26·0	32	-	-	1	3	9	19
Urinary Sys., Other Dis.	6·9	10	-	-	-	1	-	9
Generative Organs Dis.	5·1	3	-	-	-	1	2	-
Childbirth (Accid. of)	2·3	4	-	-	-	4	-	-
Old Age	45·1	43	-	-	-	-	-	43
Other Diseases	104·8	103	63	13	8	7	5	7
ACCIDENT.								
By Railways	2·0	1	-	-	-	-	1	-
By Vehicles and Horses	6·4	8	-	3	2	-	-	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·3	-	-	-	-	-	-	-
In Building Operations	0·8	4	-	-	-	-	3	1
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	4·1	7	1	2	1	-	2	1
By Drowning	5·1	4	-	-	1	2	1	-
By Suffocation in Bed	7·1	10	9	1	-	-	-	-
By Poisons or Poisonous Vapours	2·0	5	-	-	1	4	-	-
Other Deaths by Accident	17·6	21	4	5	1	1	2	8
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·5	-	-	-	-	-	-	-
Suicide	9·4	12	-	-	-	6	5	1
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registe in each SUB-DISTRICT during the Week ended Saturday, 25th August, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	*Pyrexial* Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2466	1654	645	333	-	13	9	9	12	-	7	-	458	72	139	567
WEST DISTRICTS - - -	805,311	359	258	93	58	-	-	3	-	1	-	1	-	66	13	22	96
NORTH DISTRICTS - - -	1,056,070	475	307	104	61	-	2	2	3	1	-	-	-	58	12	25	93
CENTRAL DISTRICTS - - -	209,465	113	71	30	8	-	2	-	2	-	-	-	-	18	6	11	36
EAST DISTRICTS - - - -	715,739	497	344	150	51	-	2	-	1	1	-	3	-	121	17	41	156
SOUTH DISTRICTS - - -	1,749,844	1022	637	268	144	-	6	4	3	9	-	3	-	194	23	40	149
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	37	-	11	-	1	-	-	-	-	-	-	1	1	-	37
WEST DISTRICTS.																	
St. Mary Paddington *W,2H* - -	93,178	36	19	8	8	-	-	-	-	-	-	-	-	5	-	-	7
St. John Paddington *H* - - -	33,617	6	14	2	5	-	-	-	-	-	-	1	-	2	-	1	7
North-West Paddington - - -	17,181	8	5	3	-	-	-	-	-	-	-	-	-	2	-	-	-
Kensington Town *2W,w,2H* - -	128,037	64	57	18	17	-	-	-	-	-	-	-	-	14	2	5	20
Brompton *2H* - - - - -	48,591	12	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
North Hammersmith *2W,wH* -	49,192	39	16	11	1	-	-	-	-	-	-	-	-	9	-	3	3
South Hammersmith *w,2H* - -	63,047	30	23	10	2	-	-	-	-	-	-	-	-	12	-	-	7
North-west Fulham *W* - - -	45,180	36	27	10	3	-	-	-	-	-	-	-	-	7	2	4	15
North-east Fulham *F* - - -	46,405	27	12	5	1	-	-	3	-	-	-	-	-	3	1	1	3
South Fulham *W* - - - -	45,704	17	7	3	1	-	-	-	-	1	-	-	-	-	2	1	-
Chelsea North *W,w,3H* - - -	42,514	12	15	4	3	-	-	-	-	-	-	-	-	-	-	1	7
Chelsea South *W,2H* - - -	31,328	17	12	4	2	-	-	-	-	-	-	-	-	1	1	1	5
Mayfair and Knightsbridge - -	28,743	2	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Belgrave *W,2H* - - - -	55,815	21	24	7	10	-	-	-	-	-	-	-	-	3	1	1	12
St. Margaret & St. John *4H* - -	43,698	20	15	7	1	-	-	-	-	-	-	-	-	7	3	3	8
St. James and St. Anne *W,6H* -	33,081	9	7	-	3	-	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone *8H* - -	35,391	8	18	3	5	-	-	-	1	-	-	-	-	3	1	4	9
St. Mary Marylebone *W,4H* -	37,948	31	6	4	1	-	-	-	-	-	-	-	-	3	-	-	-
Christchurch Marylebone *H* -	39,536	16	10	5	2	-	-	-	-	-	-	-	-	1	-	-	-
St. John Marylebone *2H* - -	20,426	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H* - - -	81,942	30	20	3	7	-	-	2	-	-	-	-	-	1	1	2	10
West St. Pancras *2H* - - -	60,562	22	18	7	2	-	-	-	-	-	-	-	-	3	1	1	3
Tottenham-court *w,7H* - - -	21,258	4	18	5	4	-	-	-	2	-	-	-	-	1	1	1	14
Gray's Inn Lane *4H* - - -	34,449	9	7	2	-	-	-	-	-	-	-	-	-	1	-	-	4
East St. Pancras *W,2H* - - -	60,320	33	13	5	4	-	-	-	-	-	-	-	-	2	2	2	6
North St. Pancras *2W* - - -	58,728	35	20	8	1	-	-	-	-	-	-	-	-	6	1	1	8
Tufnell *W* - - - - -	31,995	13	12	3	3	-	-	-	-	-	-	-	-	-	-	-	10
Upper Holloway *2W,w,H* - -	33,978	21	20	4	5	-	-	-	-	-	-	-	-	-	1	1	10
Tollington *WH* - - - -	33,922	17	8	5	-	-	-	-	-	-	-	-	-	4	1	2	-
Lower Holloway - - - -	41,424	22	9	1	1	-	-	-	-	-	-	-	-	2	-	-	-
Barnsbury - - - - -	54,478	31	14	4	2	-	-	-	-	-	-	-	-	5	-	1	-
Islington South-east *F* - - -	75,397	36	15	8	2	-	-	-	-	-	-	-	-	4	-	1	-
Highbury *2H* - - - -	63,797	20	16	6	5	-	1	-	-	-	-	-	-	3	-	2	-
Stoke Newington *H* - - -	51,247	22	14	5	5	-	-	-	-	-	-	-	-	-	1	3	-
North Hackney - - - - -	50,560	14	15	3	2	-	1	-	-	1	-	-	-	2	-	1	-
Central Hackney *2w,F* - - -	50,536	26	12	9	2	-	-	-	-	-	-	-	-	4	-	-	-
South-west Hackney *3H* - -	59,921	30	15	4	2	-	-	-	-	-	-	-	-	5	-	-	6
South-east Hackney *2W,w,H* - -	58,255	27	27	10	6	-	-	-	-	-	-	-	-	8	2	3	13

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, EASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 25th August, 1906—*continued.*

STRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyræxia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
JENTRAL DISTRICTS.																		
s and Bloomsbury 2*W*,2*H* -	31,436	14	3	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-
W,4*H* - - - - - -	21,674	2	6	-	1	-	-	-	-	-	-	-	-	-	-	1	5	-
Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n *W*,6*H* - - - - -	29,612	13	27	18	1	-	1	-	-	-	-	-	-	10	-	-	20	-
Clerkenwell - - - -	28,676	28	5	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-
Clerkenwell *H* - - -	35,028	18	11	4	2	-	1	-	-	-	-	-	-	3	1	4	-	-
ry 3*H*,*L* - - - -	36,116	28	7	2	-	-	-	-	-	-	-	-	-	2	1	1	-	-
Union Workhouse, am - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olph *H* - - - -	10,299	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ulchre and Allhallows *W*,2*H*	16,624	3	10	1	2	-	-	-	2	-	-	-	-	-	4	4	10	-
London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
tch South *H* - - -	46,362	22	14	1	-	-	-	-	-	-	-	-	-	8	3	3	-	-
tch North-West *W*,*w*,*H* -	36,127	25	31	9	9	-	-	-	-	-	-	-	-	3	3	3	19	-
tch North-East - - -	36,148	21	6	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-
ch Union Workhouse, Wood - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Green North-East* 2*W*,	65,138	41	40	19	6	-	-	-	1	1	-	-	-	13	-	2	23	-
Green South-West* *H* -	64,542	47	17	11	1	-	-	-	-	-	-	-	-	10	-	2	-	-
elds - - - - -	27,969	25	4	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-
d New Town *W*,*H* - -	28,718	31	65	16	11	-	-	-	-	-	-	-	-	7	4	9	59	-
n's Fields - - - -	22,081	10	4	1	2	-	-	-	-	-	-	-	-	1	-	2	-	-
ge and St. John 2*W* - -	49,068	41	12	8	-	-	-	-	-	-	-	-	-	4	-	3	3	-
ll and Ratcliff *W*,*H* - -	25,568	22	30	14	-	-	1	-	-	-	-	-	-	15	1	1	23	-
use *W* - - - - -	32,369	13	7	4	-	-	-	-	-	-	-	-	-	3	1	2	-	-
nd Old Town South-rn *H* - - - -	63,698	59	13	7	1	-	-	-	-	-	-	-	-	4	-	2	-	-
nd Old Town North-n *W*,*w* - - -	49,129	32	27	14	8	-	-	-	-	-	-	1	-	10	-	2	10	-
- - - - - -	41,989	29	16	8	2	-	1	-	-	-	-	-	-	8	2	4	-	-
3*w*,*H* - - - - -	68,319	39	41	15	10	-	-	-	-	-	-	2	-	19	3	3	17	-
W,*w* - - - - -	58,514	40	17	8	1	-	-	-	-	-	-	-	-	12	-	2	2	-

1st August, 1906, Bethnal Green North, Bethnal Green South, and Bethnal Green East sub-districts, were ged into two new sub-districts as above

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-P MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 25th August, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark* *W,2H*	23,319	16	17	5	1	-	-	-	-	-	-	-	-	5	-	1	13
Kent-road	21,904	13	9	6	-	-	-	-	-	1	-	-	-	5	-	-	-
St. George the Martyr West *W,2H,L*	39,091	27	18	7	2	-	-	-	-	1	-	1	-	3	1	2	5
Newington North	49,022	29	17	10	2	-	-	-	-	-	-	-	-	9	-	-	-
Newington South *W*	72,841	38	20	13	4	-	-	-	-	-	-	-	-	7	-	1	-
St. Olave *2W*	9,817	5	3	3	-	-	-	-	-	-	-	-	-	2	-	-	-
Bermondsey *W*	82,483	60	34	19	5	-	-	-	-	2	-	-	-	9	4	5	-
Rotherhithe *W,F*	38,460	21	16	3	5	-	-	-	-	-	-	-	-	2	2	2	8
Waterloo-road *2H*	27,440	29	8	3	1	-	-	-	-	-	-	-	-	3	-	-	-
Lambeth Church 1st *H*	18,423	12	22	4	2	-	-	-	-	1	-	-	-	3	1	1	19
Lambeth Church 2nd *2W*	39,818	25	23	7	7	-	-	-	-	-	-	-	-	3	-	2	16
Kennington 1st *H*	53,198	39	11	5	1	-	1	-	-	-	-	-	-	2	-	1	1
Kennington 2nd *H*	42,896	23	11	5	1	-	-	-	-	-	-	-	-	2	-	-	3
Brixton *F*	84,232	47	21	12	3	-	-	-	-	-	-	-	-	8	1	1	1
Norwood *W,H*	35,888	11	13	3	6	-	-	-	-	-	-	-	-	3	-	1	-
East Battersea *H*	72,203	33	17	10	1	-	1	-	-	1	-	-	-	8	-	-	-
North-west Battersea	49,656	26	12	5	2	-	3	-	-	-	-	-	-	3	-	1	-
South-west Battersea *2W,H*	47,048	16	18	3	7	-	-	-	-	-	-	-	-	2	1	1	14
Clapham *2H*	51,361	32	18	7	7	-	-	-	-	-	-	-	-	5	-	1	2
Streatham *W,2w,2F,2L*	88,019	54	38	13	15	-	-	2	-	1	-	1	-	8	-	2	12
Springfield *2W,L*	27,959	22	7	4	-	-	-	-	-	-	-	-	-	6	-	1	-
Southfields *H*	40,444	32	21	12	3	-	-	-	-	-	-	-	-	9	-	-	-
Putney	24,139	11	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Dulwich	13,359	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	28	19	6	7	-	-	-	-	-	-	-	-	2	1	1	7
Camberwell North *W,2L*	65,584	32	30	11	5	-	-	-	-	1	-	-	-	11	2	2	13
St George	47,331	20	18	13	-	-	-	-	-	-	-	-	-	11	-	-	-
Peckham North	48,913	33	7	4	3	-	-	-	-	-	-	-	-	2	-	1	-
Peckham South *2W,w*	43,946	24	11	3	3	-	-	-	1	-	-	-	-	3	-	-	-
Deptford North	37,613	24	12	7	3	-	-	-	-	-	-	-	-	5	1	1	-
Deptford Central	45,481	24	19	10	4	-	-	-	-	-	-	-	-	11	-	-	-
Deptford South	34,625	21	8	4	3	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich West *2H*	33,456	11	11	4	4	-	-	-	-	-	-	-	-	4	-	-	1
Greenwich East *2W,H*	43,859	28	23	7	7	-	-	-	-	1	-	-	-	4	3	2	10
Eltham *w,H*	7,226	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	3	8	3	5	-	-	-	-	-	-	-	-	5	-	-	-
Lewisham *W w,F*	58,352	45	39	19	10	-	-	1	1	-	-	-	-	16	4	6	13
Sydenham *H*	43,653	21	8	2	3	-	-	-	-	-	-	-	-	1	-	-	-
Charlton *F,2H*	21,134	8	7	3	-	-	-	1	1	-	-	1	-	3	1	1	3
Woolwich *5H*	41,625	27	14	5	3	-	-	-	-	-	-	-	-	3	1	3	2
Plumstead West *W*	18,063	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	31	18	5	6	-	1	-	-	-	-	-	-	4	-	-	6
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Caterham	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Dartford Heath	—	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	4
Hanwell	—	-	5	-	2	-	-	-	-	-	-	-	-	-	1	-	5
Colney Hatch	—	-	11	-	6	-	-	-	-	-	-	-	-	-	-	-	11
Claybury	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4

* On 1st August, 1906, Christchurch Southwark and St. Saviour Southwark sub-districts were united and named as ab

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 25th August, 1906.

gis ion rict id ub- rict m- rs.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1389	849	131	152	-	14	2	9	8	4	336	14	37	104	2
:1	Carshalton 2F,3H - - -	12,228	32,997	22	13	7	3	-	-	-	2	-	-	5	-	1	3	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	6	7	2	4	-	-	-	-	-	-	2	-	-	-	-
:1	Godstone, *part of** W,F -	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Coulsdon - - - -	11,069	8,166	5	2	1	-	-	-	-	-	-	-	-	-	1	-	-
2	South Croydon w - -	4,200	49,309	18	12	5	3	-	-	-	-	-	-	1	-	1	-	-
3	West Croydon 3W,F,H -	2,168	42,888	23	21	8	8	-	-	-	-	-	-	9	-	1	8	-
4	North Croydon H - -	2,644	41,698	28	8	5	2	-	-	-	-	-	1	3	-	-	1	-
5	Penge w,H - - - -	770	22,465	7	5	1	2	-	-	-	-	-	-	-	-	-	2	-
6	Mitcham w - - -	11,711	30,015	34	18	8	3	-	-	-	-	-	-	8	1	3	-	-
:1	Wimbledon F,3H - -	3,221	41,652	30	19	10	3	-	-	1	-	-	-	6	-	-	1	-
2	Kingston 2W,H - - -	6,224	42,068	23	13	5	3	-	-	-	-	-	-	4	-	1	3	-
3	Surbiton F,H - - -	3,046	15,017	7	2	-	-	-	-	-	-	-	-	-	-	1	-	-
4	Esher, *part of** H -	5,402	13,100	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L - - -	4,564	23,456	17	6	4	-	-	1	-	-	-	-	1	-	-	-	-
:1	Richmond W,H - - -	2,162	28,865	13	7	2	1	-	-	-	-	-	-	1	-	-	-	-
2	Mortlake F - - -	2,847	20,628	18	7	3	1	-	-	-	-	-	-	2	1	2	-	-
:1	Bromley F,2H - - -	4,703	27,354	22	8	4	1	-	1	-	-	-	-	-	1	1	2	-
2	Beckenham H - - -	7,825	28,497	18	14	6	5	-	-	-	-	-	-	4	-	-	1	-
3	Orpington *part of** W -	10,113	9,857	5	3	1	1	-	-	-	-	-	-	1	-	-	-	-
4	Chislehurst 2H - - -	7,333	16,446	7	6	3	1	-	-	-	-	-	-	2	-	-	-	-
:1	Bexley w F,H - - -	8,678	21,151	12	11	9	1	-	-	-	-	-	-	4	1	1	1	-
2	Erith F,H - - - -	3,854	25,296	25	8	6	1	-	1	-	-	-	-	3	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	2	2	-	-	-	-	-	-	-	2	-	-	2	-
:1	Sunbury w - - - -	11,054	18,683	12	7	4	2	-	-	-	-	-	-	1	-	-	-	-
2	Staines W,H - - -	13,277	15,178	3	5	4	-	-	-	-	-	1	-	2	-	-	1	-
:1	Hillingdon W,F,H - -	6,035	13,661	11	9	3	2	-	-	-	-	2	-	2	-	-	1	1
2	Uxbridge H - - -	12,757	8,984	3	6	2	2	-	-	-	-	-	-	2	-	-	-	1
3	Hayes w2F,H - - -	8,066	16,358	12	7	4	-	-	-	-	-	1	-	2	1	1	-	-
:1	Isleworth 3W,2F,H - -	6,859	30,863	22	24	12	5	-	1	-	-	-	-	11	-	-	10	-
2	Twickenham F,H - -	2,421	20,991	19	13	8	3	-	-	-	-	-	-	5	-	-	-	-
3	Brentford 3F,2H - - -	4,319	48,289	40	17	10	3	-	-	-	-	-	-	10	1	1	1	-
4	Chiswick H - - - -	1,249	29,809	27	9	6	2	-	-	-	-	-	-	4	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	44	28	24	-	-	-	-	-	2	-	13	-	-	-	-
:1	Harrow F,H - - -	13,809	25,523	24	6	2	2	-	-	-	1	-	-	3	-	-	-	-
2	Edgware 2F,2H - - -	6,994	4,521	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	76	40	27	3	-	-	-	-	-	-	15	-	-	2	-
4	Hendon W,F - - -	8,382	22,450	17	12	5	4	-	1	-	-	-	-	5	-	2	1	-
:1	South Mimms 2F,H - -	17,755	7,308	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	3	9	6	2	-	-	-	-	-	-	6	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	27	13	9	-	-	-	-	-	-	-	6	-	-	-	-
:1	Hornsey F,H - - -	2,875	72,056	31	18	6	6	-	-	-	-	-	-	4	1	1	-	-
2	Wood Green H - - -	1,625	34,233	26	17	9	3	-	-	-	-	-	-	7	-	-	-	-
3	West Tottenham F - -	996	48,853	33	20	10	4	-	-	-	-	-	-	7	-	3	-	-
4	East Tottenham 2H - -	2,017	53,688	38	24	16	3	-	-	-	-	1	-	10	-	-	4	-
5	Edmonton W,w,2F - -	7,491	61,892	48	34	13	9	-	-	-	-	-	-	15	1	3	6	-
6	Enfield 2W,F,H - - -	12,601	42,738	34	16	7	3	-	-	-	-	-	-	7	-	-	-	-
7	Waltham Abbey F - -	11,017	6,549	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	10	6	3	1	-	-	-	-	-	-	3	-	-	1	-
:1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey H - - - -	9,333	9,173	3	3	-	2	-	-	-	-	-	-	-	1	1	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford H - - -	1,072	44,827	30	17	8	3	-	-	-	-	-	-	8	-	3	1	-
2	Plaistow F,2H - - -	1,249	90,921	64	43	25	3	-	6	-	4	-	-	21	1	1	11	-
3	Canning Town H - -	1,556	70,718	59	35	24	-	-	-	-	-	-	1	29	1	1	1	-
4	Forest Gate w - - -	806	60,892	24	13	4	2	-	-	-	-	1	-	5	-	-	-	-
5	North East Ham w H -	1,333	58,676	33	22	11	4	-	-	-	-	-	-	11	1	1	-	-
6	South East Ham 2F - -	1,993	37,342	31	28	15	3	-	1	-	1	-	-	12	-	2	1	-
7	Wanstead F - - -	1,679	9,179	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	30	24	9	6	-	-	-	-	-	-	8	1	1	6	-
9	North Leyton 2W,w,F -	1,963	48,445	34	45	12	13	-	-	-	1	-	2	14	-	-	27	-
10	Walthamstow 3H,L -	6,504	108,929	85	34	20	6	-	-	1	-	-	-	17	1	2	-	-
:1	Chigwell, *part of** 2F,3H -	11,778	16,397	7	2	-	2	-	-	-	-	-	-	1	-	-	-	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** W,2F -	16,556	6,091	6	6	4	-	-	-	-	-	-	-	1	-	1	-	-
2	Ilford F,L - - - -	8,496	41,234	38	24	11	4	-	1	-	-	-	-	6	-	-	3	-
3	Barking Town F - -	3,803	21,547	22	8	4	1	-	-	-	-	-	-	4	-	-	-	-
	Grove Hospital, Tooting -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,721,217	August 25	2466	1654	18·3	-	13	9	9	12	7	458
CALCUTTA - -	977,822	July 21	-	381	23·3	12	4	-	1	2	114†	40[illegible]
BOMBAY - -	982 000	August 7	383	973	51·7	1	4	-	-	-	148†	218[illegible]
MADRAS - -	509,346	July 27	400	458	46·7	4	1	-	-	-	104	96[illegible]
PARIS - - -	2,750,000	August 18	855	842	16·4	-	1	-	1	5	2	142
BRUSSELS - -	612,401	" 18	212	189	16·0	-	1	1	-	2	3	51
ANTWERP - -	297,311	" 18	130	99	17·3	-	5	-	-	-	-	44
AMSTERDAM -	560,482	" 11	287	138	12·8	-	4	-	-	-	-	18
COPENHAGEN -	425,000	" 18	244	170	20·9	-	3	-	-	3	1	50
STOCKHOLM -	324,488	" 11	132	74	11·9	-	-	-	-	4	-	9
CHRISTIANIA -	222,373	" 18	129	57	13·3	-	-	-	4	-	-	11
ST. PETERSBURG	1,424,700	" 4	595	689	25·2	-	25	26	33	6	35	148
MOSCOW - -	1,154,000	" 4	-	572	25·8	3	4	4	10	6	6	212
BERLIN - -	2,062,990	" 4	1044	830	21·0	-	12	5	5	3	2	275
HAMBURG - -	819,380	" 18	-	291	18·8	-	3	1	1	7	-	96
BRESLAU - -	475,000	" 11	-	233	25·6	-	2	-	1	2	1	61
MUNICH - -	544,000	" 18	-	184	17·7	-	1	-	1	2	-	43
VIENNA - -	1,956,949	" 18	1012	636	17·1	-	6	2	3	-	4	124
PRAGUE - -	460,849	" 11	182	152	17·1	-	-	-	-	-	1	17
BUDA-PESTH -	859,134	" 11	444	310	20·4	-	3	7	1	3	2	55
TRIESTE - -	196,637	" 18	120	90	23·8	-	2	1	-	2	3	13
ROME - -	531,179	July 7	210	203	20·0	-	2	-	1	2	4	46
VENICE - -	171,709	August 11	89	68	20·6	-	-	-	-	-	1	9
BUCHAREST -	291,138	" 11	106	116	20·8	-	-	-	1	2	3	21
NEW YORK -	4,152,860	" 11	2229	1626	20·4	-	4	-	16	11	16	400
CHICAGO - -	2,049,185	" 4	-	501	12·7	-	-	7	9	2	4	116
PHILADELPHIA -	1,469,126	" 4	-	511	18·1	-	1	-	6	10	10	119
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	July 22	-	222	12·7	-	-	-	1	-	1	1

* Excluding deaths from croup in the Indian Cities.
† Including 8 deaths from plague in Calcutta, and 33 in Bombay.
‡ Including 14 deaths from cholera in Calcutta, 83 in Bombay, and 4 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 25th August, 1906.

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	88·4	49·7	66·4	0·26	BRADFORD - -	72·8	50·0	61·4	0·61
BRIGHTON - -	71·6	51·0	62·4	0·24	LEEDS - - -	77·0	50·0	62·3	0·63
PORTSMOUTH - -	77·0	52·0	65·1	0·21	HULL - - -	82·0	49·0	62·8	0·63
NORWICH - -	87·0	47·8	64·1	0·25	TYNEMOUTH - -	74·0	50·0	59·5	1·62
PLYMOUTH - -	75·2	53·3	62·2	0·21	CARDIFF - -	80·5	50·7	62·8	0·78
BRISTOL - - -	84·0	52·4	64·3	0·44	EDINBURGH - -	67·0	45·8	55·8	1·62
BIRMINGHAM - -	83·8	46·6	64·6	0·33	GLASGOW - -	69·8	44·0	57·8	1·53
NOTTINGHAM - -	82·3	45·6	63·6	0·39	DUBLIN { Phœnix Park.	73·9	43·9	61·8	0·70
LIVERPOOL OBSERVATORY.	73·0	52·0	61·7	0·98	DUBLIN { Fitzwilliam Square.†	75·9	49·1	63·8	0·52
MANCHESTER -	76·7	47·4	61·7	1·39					
PRESTON - -	71·0	50·3	61·0	0·97					
HUDDERSFIELD -	76·6	48·5	60·9	0·71	BELFAST - -	71·5	43·0	60·5	1·49

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·6 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	19	..	30·031	68·0	51·5	16·5	57·6	− 3·8	45·6	12·0	22·7	4·0	61	120·0	41·0	62·72	NNW., W. & NW.	NW., WNW. & WSW.	1·3	0·0	0·1	207	− 19	0·00	1·2
MONDAY	20	New	29·953	75·4	49·7	25·7	62·1	+ 0·8	57·6	4·5	14·3	1·6	85	124·7	39·4	62·56	SW. & WSW.	SW. & WSW.	3·0	0·0	0·4	367	+142	0·00	9·8
TUESDAY -	21	..	29·966	82·5	60·4	22·1	69·3	+ 8·2	59·5	9·8	23·8	1·3	71	138·3	50·2	62·50	WSW. & W.	WSW. & SW.	2·8	0·0	0·2	293	+ 68	0·00	1·0
WEDNESDAY	22	..	29·811	88·4	55·4	33·0*	72·3	+11·3	57·4	14·9	27·6	0·0	60	149·0	45·5	62·70	SW.	SW., SSW. & WSW.	0·7	0·0	0·0	134	− 92	0·00	0·0
THURSDAY-	23	In Equator	29·797	80·4	55·5	24·9	65·2	+ 4·3	58·5	6·7	21·8	0·8	79	137·0	43·5	62·90	SW. & WSW.	SW., ESE. & E.	2·2	0·0	0·1	217	− 10	0·00	8·8
FRIDAY -	24	..	29·795	77·0	60·4	16·6	66·1	+ 5·3	58·0	8·1	23·8	1·9	75	127·6	57·4	63·05	ESE., SSW. & SW.	WSW., W. & SW.	2·4	0·0	0·2	246	+ 17	0·03	4·7
SATURDAY-	25	..	29·689	70·0	54·8	15·2	61·6	+ 0·8	50·4	11·2	20·0	1·7	67	113·9	48·7	63·20	SW., SSW. & WSW.	W., WNW. & WSW.	20·5	0·0	1·3	577	+345	0·23	8·7
MEANS - -			29·863	77·4	55·4	22·0	64·9	+ 3·8	55·3	9·6	22·0	1·6	72	130·1	46·5	62·80	SW.		..	..	..	Sum 2041	Sum +451	Sum 0·26	4·9
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	19	w. P. generally.	8·5	14·4	Overcast in morning; very fine after 9h. A.M.; and cloudless at night.
MONDAY -	20	w. P. throughout.	2·9	14·3	Cloudless in early morning; fine but generally cloudy afterwards.
TUESDAY -	21	w. P. throughout.	6·7	14·3	Generally overcast till 8h. 30m. A.M.; very fine with occasional cloudy intervals afterwards.
WEDNESDAY	22	w. P. throughout.	13·5	14·2	A very fine, hot day; cloudless in morning and at night.*
THURSDAY-	23	w.P. generally; occasional w. N. after 2h. P.M.	10·2	14·1	Cloudless in morning; very fine and warm with little cloud generally till afternoon; overcast after 5h. P.M.
FRIDAY -	24	w. P. throughout.	4·9	14·1	Generally overcast: fine in afternoon; rain between 10h. 45m. A.M. and 0h. 30m. P.M.
SATURDAY-	25	w. P. till 3h. A.M.; w. N. till 5h. A.M.; w. P. till 11h. A.M.; m. P. afterwards.	3·2	14·0	Generally overcast till afternoon; fine afterwards; rain between 0h. and 5h. A.M. followed by strong wind till 5h. P.M. Solar halo observed in afternoon.
			Sum 49·9	Sum 99·4	
No. of Col. -	-	27	28	29	

* The greatest range of shade temperature recorded on this date since the year 1841.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·97 in. at the beginning of the week to 30·05 in. by 10h. P.M. on the 19th; decreased to 29·73 in. by 6h. A.M. on the 23rd; increased to 29·86 in. by 10h. P.M. on the same day; decreased to 29·49 in. by 8h. A.M. on the 25th; and increased to 29·94 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 18th August, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	7	2	-	-	-	-	1	-
Kensington	180,952	-	8	1	-	1	-	-	1	-
Hammersmith	120,679	-	4	5	-	-	-	-	1	-
Fulham	161,965	-	10	3	-	-	-	-	4	1
Chelsea	74,672	-	2	2	-	-	-	-	1	-
City of Westminster	173,905	-	5	7	-	1	-	-	3	-
NORTH.										
St. Marylebone	128,580	-	6	2	-	-	-	-	5	1
Hampstead	89,633	-	6	-	-	1	-	-	-	-
St. Pancras	236,455	-	17	3	-	2	-	-	2	-
Islington	344,987	-	15	6	-	1	-	-	4	-
Stoke Newington	53,217	-	-	-	-	-	-	-	-	-
Hackney	230,721	-	18	9	-	1	-	-	4	-
CENTRAL.										
Holborn	55,805	-	1	-	-	-	-	-	2	-
Finsbury	97,466	-	4	5	-	1	-	-	-	-
City of London	21,367	-	3	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	18	2	-	1	-	-	5	-
Bethnal Green	130,609	-	21	6	-	1	-	-	5	-
Stepney	307,176	-	21	11	-	3	-	-	16	-
Poplar	170,673	-	12	12	-	1	-	-	4	-
SOUTH.										
Southwark	209,143	-	28	7	-	1	-	-	5	-
Bermondsey	128,629	-	29	14	-	2	-	-	6	-
Lambeth	315,774	-	17	9	-	2	-	-	5	1
Battersea	179,622	-	18	6	-	-	-	-	2	-
Wandsworth	273,381	-	15	5	-	3	-	-	5	-
Camberwell	274,132	-	12	3	-	-	-	-	3	-
Deptford	115,495	-	11	2	-	1	-	-	7	-
Greenwich	105,350	-	10	9	-	1	-	-	1	-
Lewisham	148,463	-	8	5	-	1	-	-	4	-
Woolwich	127,345	-	3	3	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	329	139	-	25	-	-	96	3
Ages 0-1		-	5	5	-	-	-	-	2	-
" 1-5		-	115	58	-	1	-	-	2	-
" 5-		-	120	39	-	3	-	-	6	-
" 10-		-	48	17	-	-	-	-	11	-
" 15-		-	22	5	-	5	-	-	5	-
" 20-		-	7	7	-	4	-	-	7	2
" 25-		-	7	6	-	4	-	-	4	1
" 35-		-	5	2	-	4	-	-	17	-
" 45-		-	-	-	-	2	-	-	16	-
" 55-		-	-	-	-	2	-	-	16	-
" 65 and upwards		-	-	-	-	-	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 35. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, SEPT. 1. [Price 1½*d*.

General Register Office, Somerset House,

September 3rd, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·3 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 14·6, 17·0, and 18·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 25·3 in Bootle, 25·6 in Liverpool, 25·8 in Hull, 25·9 in Coventry, 28·7 in Great Yarmouth, 29·7 in Middlesbrough, and 30·4 in Stockport; from *measles*, 1·2 in Wigan, 1·7 in Rotherham, and 3·7 in Stockport; from *scarlet fever*, 1·1 in Swansea; from *diphtheria*, 1·1 in St. Helens and 1·2 in Wigan and in Rochdale; from *whooping-cough*, 1·0 in Middlesbrough, 1·1 in Huddersfield, 1·3 in Birkenhead, and 1·4 in Merthyr Tydfil; and from *diarrhœa*, 9·2 in Sheffield, 9·3 in Norwich, in Liverpool, and in Hull, 9·5 in Bootle, 9·6 in Nottingham, 9·8 in Grimsby, 9·9 in West Ham, 11·4 in Aston Manor and in Salford, and 12·3 in Coventry. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2475 BIRTHS and 1570 DEATHS were registered. Allowing for increase of population, the births were 24 and the deaths 134 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 14·9, 17·5, and 18·3 per 1000 in the preceding three weeks fell last week to 17·3. The death-rate in the four weeks ended last Saturday averaged 17·0 per 1000, being 0·5 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 9/06 D & S 3 25823 2 M

The 1570 deaths included 16 from measles, 7 from scarlet fever, 11 from diphtheria, 11 from whooping-cough, 2 from enteric fever, 1 from ill-defined pyrexia, and 455 from diarrhœa, but not one death from small-pox, or from typhus; thus, 503 deaths were referred to these diseases in the aggregate, being 171 above the corrected average number in the 35th week of the preceding four years.

The deaths from *measles*, which had been 25, 21, and 13 in the preceding three weeks, numbered 16 last week, but were 2 below the corrected average; 3 deaths belonged to the Borough of St. Pancras, and 3 each to Stepney and Poplar. The deaths from *scarlet fever*, which had been 10, 8, and 9 in the preceding three weeks, were 7 last week, the corrected average being 8. The deaths from *diphtheria*, which had been 13, 15, and 9 in the preceding three weeks, were 11 last week, the corrected average being 13. The deaths from *whooping-cough*, which had been 14, 13, and 12 in the preceding three weeks, were 11 last week, and were 15 below the corrected average. The fatal cases of *enteric fever*, which had been 5, 4, and 7 in the preceding three weeks, fell to 2 last week, and were 8 below the corrected average. The deaths from *diarrhœa*, which had been 288, 424, and 458 in the preceding three weeks, were 455 last week, and were 199 above the corrected average; 46 deaths belonged to Stepney, 37 to Poplar, 33 to Lambeth, 29 to Fulham, 26 to Wandsworth, 21 to Kensington, and 20 to Paddington. Of the 455 deaths from diarrhœa, 439 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 43 other deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 5, 4, and 4 in the preceding three weeks. The death of a painter, aged 43, was certified after inquest as due to *lead poisoning*.

Different forms of *violence* caused 49 deaths, concerning all of which inquests were held. Of these 49 deaths, 9 were cases of suicide, while the remaining 40 were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, 5 to burns or scalds, 9 to drowning, 1 to heat apoplexy, 1 to the effects of an anæsthetic administered for surgical purposes, and 9, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3042 cases of scarlet fever, 835 of diphtheria, and 103 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 317 cases, against 308, 317, and 350; of diphtheria, 101 cases, against 100, 112, and 109; and of enteric fever, 17 cases, against 7, 12, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 25th, 1906.

Greater London.

In Greater London 3825 births and 2327 deaths were registered. Allowing for increase of population, these numbers are 36 and 296 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 1 from diphtheria, 5 from whooping-cough, 1 from "fever," and 154 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·03 inches, and that of the Thermometer 66°·5, the latter being 6°·2 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 25 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 70·9 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.

TOWNS	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 11th Aug., 1906.	18th Aug., 1906.	25th Aug., 1906.	1st Sept., 1906.	Rate from Diseases in Cols. 11–17. Week ended 1st Sept., 1906.	Registered during the Week ended 1st Sept., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**14·6**	**17·0**	**18·4**	**18·3**	**6·5**	**8663**	**5556**	**2398**	**1006**	**-**	**64**	**34**	**37**	**51**	**26**	**1765**	**160**	**311**	**1137**	**57**	**76 TOWNS.**
LONDON - - -	4,721,217	14·9	17·5	18·3	17·3	5·6	2475	1570	643	293	-	16	7	11	11	3	455	49	115	588	3	LONDON.
CROYDON - -	151,011	11·7	14·2	13·8	16·9	4·1	77	49	20	10	-	-	-	-	-	-	12	-	-	6	-	CROYDON.
WILLESDEN - -	143,622	10·9	8·0	14·9	13·4	5·1	77	37	19	6	-	-	1	-	1	-	12	-	2	3	1	WILLESDEN.
HORNSEY - -	86,935	6·6	6·6	10·8	10·2	3·6	34	17	7	5	-	-	-	-	-	-	6	-	-	1	-	HORNSEY.
† TOTTENHAM - -	119,503	9·6	12·7	19·2	17·5	7·9	71	40	17	5	-	-	1	-	-	-	17	-	2	7	-	† TOTTENHAM.
WEST HAM - -	301,617	23·0	23·5	22·8	18·3	10·5	185	106	62	7	-	-	-	1	-	3	57	-	6	14	-	WEST HAM.
EAST HAM - -	129,886	11·2	13·6	20·1	12·8	7·6	92	32	20	5	-	-	-	-	1	-	18	-	-	4	-	EAST HAM.
LEYTON - - -	118,267	12·8	17·2	20·3	13·7	7·1	66	31	18	5	-	1	-	-	-	-	15	-	1	4	-	LEYTON.
WALTHAMSTOW -	121,334	14·6	20·2	15·9	18·5	8·6	58	43	22	5	-	1	-	1	-	1	17	3	4	7	-	WALTHAMSTOW.
HASTINGS - - -	67,144	10·9	9·3	17·1	10·1	3·1	22	13	10	2	-	-	-	-	-	-	4	2	2	-	-	HASTINGS.
BRIGHTON - -	128,095	9·4	11·8	11·8	15·9	4·5	61	39	18	9	-	2	-	-	-	-	9	1	6	1	1	BRIGHTON.
PORTSMOUTH - -	205,118	11·7	18·3	23·6	18·0	6·6	122	71	29	21	-	-	-	1	2	1	22	2	4	9	1	PORTSMOUTH.
BOURNEMOUTH -	67,702	7·7	10·8	11·6	9·2	0·8	25	12	2	4	-	1	-	-	-	-	-	1	1	1	-	BOURNEMOUTH.
SOUTHAMPTON -	117,312	10·7	12·4	8·4	15·6	5·3	53	35	13	9	-	-	-	-	-	-	12	-	3	7	-	SOUTHAMPTON.
READING - - -	78,987	5·9	8·6	9·2	10·6	5·3	37	16	8	2	-	-	-	1	-	-	7	1	1	-	2	READING.
NORTHAMPTON -	93,749	10·6	16·7	11·1	7·2	3·3	40	13	5	2	-	-	-	-	-	-	6	-	-	-	1	NORTHAMPTON.
IPSWICH - - -	71,809	17·4	13·8	11·6	16·7	5·1	40	23	9	5	-	-	-	-	-	-	7	-	1	5	-	IPSWICH.
GREAT YARMOUTH -	52,613	11·9	16·8	29·7	28·7	5·9	38	29	13	8	-	-	-	-	-	-	6	-	1	4	-	GREAT YARMOUTH.
NORWICH - -	117,958	15·0	23·4	18·1	22·5	10·2	60	51	20	13	-	2	-	-	-	-	21	-	1	9	-	NORWICH.
PLYMOUTH - -	118,014	16·8	15·5	17·2	20·3	6·2	58	46	23	11	-	1	-	-	2	-	11	2	6	4	-	PLYMOUTH.
DEVONPORT - -	78,405	10·0	7·3	14·6	11·3	0·7	45	17	5	5	-	-	-	-	-	-	1	-	2	2	-	DEVONPORT.
BRISTOL - - -	363,223	10·3	11·9	13·2	11·6	2·3	185	81	37	27	-	-	-	1	-	1	14	4	7	18	-	BRISTOL.
HANLEY - - -	66,360	22·0	13·4	18·1	22·8	8·6	51	29	12	5	-	-	-	1	-	-	10	2	2	4	-	HANLEY.
BURTON-ON-TRENT	52,922	7·9	10·8	9·9	10·8	1·0	21	11	2	5	-	-	-	-	-	-	1	1	1	1	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	100,729	15·0	16·0	16·0	13·5	6·2	47	26	12	7	-	-	-	-	-	-	12	-	1	2	-	WOLVERHAMPTON.
WALSALL - -	94,577	19·3	18·7	17·1	13·2	4·4	63	24	12	3	-	-	-	-	1	-	7	1	2	3	-	WALSALL.
HANDSWORTH -	63,819	6·5	6·5	9·8	10·6	1·6	30	13	8	4	-	-	1	-	-	-	1	-	-	2	1	HANDSWORTH
WEST BROMWICH -	68,469	12·2	13·7	10·7	19·0	6·1	42	25	13	7	-	-	-	-	-	-	8	3	4	2	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 1st September, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 11th Aug., 1906.	18th Aug., 1906.	25th Aug., 1906.	1st Sept., 1906.	Rate from Diseases in Cols. 11-17. Week ended 1st Sept., 1906.	Registered during the Week ended 1st Sept., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	15·5	21·3	22·9	20·3	9·0	326	213	94	32	-	4	2	2	1	1	85	5	7	41	5	BIRMINGHAM.
KINGS NORTON -	72,608	5·7	7·2	8·6	11·5	1·4	30	16	8	2	-	-	-	-	-	-	2	1	1	-	-	KINGS NORTON.
SMETHWICK - -	64,531	12·1	12·9	8·1	20·2	7·3	48	25	11	3	-	-	-	-	1	-	8	-	1	-	2	SMETHWICK.
ASTON MANOR -	82,288	19·6	12·7	23·4	19·6	12·0	53	31	18	5	-	-	-	1	-	-	18	1	1	4	-	ASTON MANOR.
COVENTRY - -	76,374	12·3	19·1	25·9	25·9	12·3	41	38	16	6	-	-	-	-	-	-	18	4	4	4	-	COVENTRY.
LEICESTER - -	232,111	14·4	14·4	18·9	19·8	8·3	112	88	40	15	-	2	1	-	-	-	34	2	4	12	-	LEICESTER.
GRIMSBY - - -	69,359	12·8	14·3	20·3	24·1	10·5	45	32	16	4	-	-	1	-	-	-	13	-	1	3	-	GRIMSBY.
NOTTINGHAM - -	254,563	16·8	16·0	23·4	18·4	10·2	122	90	46	14	-	1	-	-	1	1	47	1	2	12	-	NOTTINGHAM.
DERBY - - -	123,981	10·1	10·5	14·7	11·4	2·1	59	27	10	7	-	-	-	-	-	-	5	1	2	7	-	DERBY.
STOCKPORT - -	99,646	16·2	21·5	28·3	30·4	12·0	49	58	20	6	-	7	1	-	-	-	15	1	1	7	-	STOCKPORT.
BIRKENHEAD - -	117,292	20·4	28·9	24·9	23·6	9·3	63	53	24	10	-	-	-	1	3	1	16	1	2	10	1	BIRKENHEAD.
WALLASEY - -	64,578	6·5	10·5	15·3	13·7	6·5	25	17	6	5	-	-	-	-	1	-	7	2	4	2	-	WALLASEY.
LIVERPOOL - -	739,180	18·8	22·9	24·2	25·6	10·2	519	363	158	62	-	6	3	1	3	-	132	6	12	83	10	LIVERPOOL.
BOOTLE - - -	65,989	17·4	14·2	22·1	25·3	10·3	55	32	12	9	-	1	-	-	-	-	12	-	-	4	-	BOOTLE.
ST. HELENS - -	91,153	20·6	20·6	20·0	22·3	6·9	58	39	17	9	-	-	-	2	-	-	10	1	1	3	3	ST. HELENS.
WIGAN - - -	87,588	13·7	26·8	29·2	19·6	6·5	60	33	13	4	-	2	-	2	-	1	6	1	1	3	-	WIGAN.
WARRINGTON -	69,280	8·3	15·1	15·1	18·1	4·5	49	24	10	4	-	-	-	-	-	-	6	2	2	5	-	WARRINGTON.
BOLTON - - -	180,502	11·0	17·3	16·2	17·9	4·6	100	62	22	12	-	-	1	1	-	2	12	-	-	7	-	BOLTON.
BURY - - -	58,744	11·5	16·0	12·4	16·9	3·6	26	19	7	3	-	-	-	-	-	-	4	-	-	2	-	BURY.
MANCHESTER - -	637,126	16·2	21·3	22·3	22·2	8·6	380	271	122	40	-	2	2	-	1	1	99	9	16	47	2	MANCHESTER.
SALFORD - - -	234,077	21·2	22·9	20·2	22·9	12·7	122	103	51	16	-	3	1	-	-	2	51	2	2	18	-	SALFORD.
OLDHAM - - -	140,969	13·7	14·8	20·0	12·9	2·2	53	35	9	10	-	2	-	-	-	-	4	2	2	8	-	OLDHAM.
ROCHDALE - -	87,189	12·0	12·0	16·1	18·5	4·2	46	31	7	5	-	-	1	2	-	1	3	1	2	2	2	ROCHDALE.
BURNLEY - - -	102,808	18·8	19·8	15·2	17·2	9·1	52	34	17	6	-	-	-	-	1	-	17	-	-	-	-	BURNLEY.
BLACKBURN - -	134,015	13·6	14·0	13·6	13·2	1·2	65	34	13	12	-	1	-	-	-	-	2	1	2	2	1	BLACKBURN.
PRESTON - - -	116,399	17·0	7·6	13·9	18·4	4·5	58	41	15	8	-	-	-	-	-	1	9	2	2	2	2	PRESTON.
BARROW-IN-FURNESS.	60,967	10·3	15·4	11·1	12·0	2·6	31	14	5	1	-	-	-	-	-	-	3	-	-	2	-	BARROW-IN-FURNESS.

TABLE I (*cont.*). 75 Towns in England and Wales, with Population, Birth-Rates, Death-Rates, and Death-Rates in each of the preceding three weeks, ended Saturday, 1st September, 1906, and Death-Rates in each of the preceding three weeks.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 11th Aug., 1906.	18th Aug., 1906.	25th Aug., 1906.	1st Sept. 1906.	Rate from Diseases in Cols. 11-17. Week ended 1st Sept., 1906.	Registered during the Week ended 1st Sept., 1906. Births.	Deaths.	The Deaths registered in the week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	12·6	22·0	16·5	21·4	6·6	47	39	15	8	-	1	-	-	2	-	9	1	1	1	-	Huddersfield.
Halifax	109,272	11·9	8·1	11·9	12·4	0·5	41	26	2	13	-	-	-	-	-	-	1	1	1	7	-	Halifax.
Bradford	288,544	13·6	15·0	17·0	15·7	4·7	103	87	27	26	-	-	1	-	2	2	21	3	6	15	2	Bradford.
Leeds	463,495	13·5	17·0	19·0	18·0	6·4	253	160	77	25	-	-	1	1	3	1	51	1	5	25	1	Leeds.
Sheffield	447,951	16·1	19·9	21·1	21·9	10·6	261	188	94	23	-	2	6	1	1	2	79	4	8	23		Sheffield.
Rotherham	61,098	15·4	17·9	18·8	23·0	9·4	35	27	13	4	-	2	-	-	1	-	8	1	1	-	-	Rotherham.
York	83,467	10·0	10·6	12·5	15·6	6·2	38	25	7	3	-	-	-	-	1	-	9	-	1	2	-	York.
Hull	262,426	19·3	17·7	21·7	25·8	10·3	152	130	67	19	-	-	-	2	3	-	47	5	10	12	2	Hull.
Middlesbrough	100,069	20·3	26·1	20·3	29·7	9·4	79	57	23	11	-	-	-	-	2	-	16	1	2	6	2	Middlesbrough.
Stockton-on-Tees	52,664	12·9	14·9	19·8	19·8	7·9	31	20	9	4	-	-	-	-	-	-	8	1	1	3	-	Stockton-on-Tees.
West Hartlepool	73,387	8·5	9·2	13·5	14·9	1·4	28	21	7	5	-	-	-	-	-	-	2	1	1	2	-	West Hartlepool.
Sunderland	154,285	12·2	13·5	18·2	17·6	6·1	92	52	24	4	-	-	-	-	1	-	17	1	2	8	2	Sunderland.
South Shields	111,402	11·7	13·1	19·7	15·4	2·3	63	33	7	8	-	1	-	-	1	-	3	1	1	4	1	South Shields.
Gateshead	123,191	14·0	15·2	14·4	16·5	6·8	72	39	20	5	-	-	-	2	-	-	14	1	1	2	2	Gateshead.
Newcastle-on-Tyne	268,721	13·6	14·9	15·1	21·5	5·6	162	111	40	20	-	2	1	1	-	1	24	5	6	8	2	Newcastle-on-Tyne.
Tynemouth	54,138	13·5	26·0	19·3	16·4	6·7	41	17	6	-	-	1	-	-	-	-	6	2	2	4	-	Tynemouth.
Newport (Mon.)	74,227	5·6	11·9	14·0	16·2	3·5	46	23	7	1	-	-	-	-	1	-	4	-	2	2	-	Newport (Mon.).
Cardiff	183,823	12·2	10·5	12·8	16·5	4·8	75	58	25	13	-	-	-	-	1	-	16	4	5	9	-	Cardiff.
Rhondda	127,684	18·0	18·0	20·8	20·8	6·5	101	51	29	4	-	-	-	1	-	-	15	5	4	1	-	Rhondda.
Merthyr Tydfil	74,961	12·5	16·0	18·8	18·1	2·8	51	26	11	2	-	-	-	-	2	-	2	3	3	3	-	Merthyr Tydfil.
Swansea	96,848	16·7	14·0	17·8	23·7	4·8	70	44	22	8	-	-	2	-	-	-	7	1	1	2	1	Swansea.
Greater London	7,113,561	14·6	17·3	18·3	17·1	6·1	3825	2327	1039	420	-	21	9	14	18	8	763	62	149	659	5	Greater London.
Outer Ring	2,392,344	13·9	17·0	18·5	16·5	7·2	1350	757	396	127	-	5	2	3	7	5	303	13	34	71	2	Outer Ring.
8 Towns in Outer Ring	1,172,195	14·3	16·0	18·1	15·8	7·4	660	355	185	48	-	2	2	2	2	4	154	3	15	46	1	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	13·5	18·0	18·8	17·2	7·0	690	402	211	79	-	3	-	1	5	1	154	10	19	25	1	Remainder of Outer Ring.
Edinburgh	341 035	13·1	13·1	12·2	11·5	1·4	147	75	10	24	-	1	-	3	-	1	4	1	?	24	3	Edinburgh.
Glasgow	835,625	15·2	14·9	14·4	13·9	2·9	441	223	76	37	-	2	1	2	8	5‡	28	7	?	68	10	Glasgow.
Dublin†	378,994	17·3	19·7	21·5	21·9	3·9	180	159	42	34	-	-	-	-	-	1	27	7	8	60	1	Dublin.†
Belfast†	366,220§	18·1	17·8	19·8	19·1	4·8	208	134	39	25	-	-	1	1	7	2	23	6	6	22	5	Belfast.†

* See note † on first page of this return.

‡ In addition to the above, 4 deaths from Cerebro-spinal meningitis were registered.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

§ Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FIFTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2651	2468	2650	2532	2763	2483	2633	2454	2160	2372	2451·2	2475
Males - - -	1346	1259	1371	1331	1443	1284	1328	1248	1161	1198	1257·6	1232
Females - -	1305	1209	1279	1201	1320	1199	1305	1206	999	1174	1193·6	1243
TOTAL **Deaths** -	1369	1452	1898	1931	1776	1623	1385	1245	1459	1548	1436·5	1570
Males - -	746	748	977	996	943	866	779	662	767	821	771·9	823
Females - -	623	704	921	935	833	757	606	583	692	727	664·6	747

* The numbers in this column are the average weekly numbers in the thirty-fifth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	13 Weeks.
TOTAL **Births** -	2145	2447	2499	2386	2496	2413	2468	2352	2576	2155	2550	2466	2475	31428
TOTAL **Deaths** -	1150	1112	1205	1060	1113	1072	1054	1056	1272	1352	1584	1654	1570	16254
Ages at Death: Under 1 year -	225	197	213	189	208	192	221	233	346	464	653	646	643	4430
1—5 years -	149	137	139	113	144	126	128	121	148	162	194	204	199	1964
5—20 " -	67	59	79	67	79	71	60	74	68	79	59	67	64	893
20—40 " -	143	161	151	136	132	151	110	147	141	145	142	159	136	1854
40—60 " -	227	235	279	240	253	227	222	217	254	210	243	245	235	3087
60 yrs. & upwds.	339	323	344	315	297	305	313	264	315	292	293	333	293	4026
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	58	45	52	46	39	22	35	30	22	25	21	13	16	424
Scarlet Fever - -	6	15	13	5	17	6	12	6	6	10	8	9	7	120
Diphtheria - -	7	9	8	9	12	9	10	10	10	13	15	9	11	132
Whooping-cough -	24	17	23	14	12	18	20	10	13	14	13	12	11	201
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	4	8	9	12	4	5	3	4	5	4	7	2	69
Pyrexia (origin uncertain).	-	-	-	-	-	-	1	-	-	-	-	-	1	2
Diarrhœa, Dysentery	17	15	17	22	31	35	56	74	184	288	424	458	455	2076
All above Diseases -	114	105	121	105	123	94	139	133	239	355	485	508	503	3024
Dis. of Resp. System	62	54	58	41	41	47	52	42	52	47	45	45	53	639
Pneumonia - -	90	88	79	91	77	72	81	59	59	65	74	58	56	949
Phthisis - - -	116	90	129	111	127	108	103	111	108	112	109	119	105	1443
Dis. of Circ. System -	171	160	170	166	144	153	125	134	161	145	151	141	137	1958
Violence - - -	65	57	50	71	51	60	54	61	62	65	52	72	49	769
Inquest Cases - -	134	119	107	123	109	117	104	120	140	141	129	139	115	1597
Deaths in Institutions	465	490	527	452	474	451	425	449	500	481	533	567	588	6402
TEMPERATURE OF THE AIR.														
Mean- - - -	° 55·6	° 53·9	° 64·1	° 60·0	° 61·9	° 61·5	° 62·7	° 66·3	° 67·3	° 66·1	° 61·5	° 64·9	° 66·5	° 62·5
Mean of Highest -	68·6	64·6	76·8	71·5	74·0	72·8	74·2	77·8	80·1	78·8	71·3	77·4	81·6	74·6
Mean of Lowest -	42·2	46·9	51·9	51·4	49·5	52·7	52·7	56·5	56·0	56·1	54·3	55·4	52·2	52·1
Mean Humidity of the Air.	65	80	68	76	65	70	70	63	64	68	77	72	62	70
Rain-fall (in inches) -	0·00	0·30	0·01	2·46	0·00	0·01	0·19	0·15	0·86	0·01	0·33	0·26	0·00	4·58
Registered Sunshine (in hours).	80·6	35·6	61·0	58·1	75·4	47·9	43·8	69·5	76·5	54·1	35·7	49·9	70·9	759·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	6	7	13	11	7	5	2	1	1	–	–	–	–	4
Scarlet Fever - -	2603	2676	2692	2752	2769	2842	2943	3048	3120	3051	3046	3078	3042	2897
Diphtheria - -	773	749	766	783	827	840	872	874	879	861	846	859	835	828
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	41	65	76	93	86	89	99	99	109	101	95	101	103	89

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FIFTH Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 35th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
LL CAUSES - - -	1436·5	1570	643	199	64	136	235	293
mall-pox* - - -	0·8	-	-	-	-	-	-	-
owpox - - - -	-	-	-	-	-	-	-	-
Measles (Morbilli) - -	18·3	16	5	11	-	-	-	-
Scarlet Fever - - -	7·9	7	-	2	4	1	-	-
Typhus - - - -	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-
Influenza - - - -	2·3	4	-	-	-	-	3	1
Whooping-cough - -	26·0	11	5	6	-	-	-	-
Diphtheria - - -	13·3	11	2	5	4	-	-	-
Cerebro Spinal Fever -	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain) - - -	-	1	-	-	1	-	-	-
Enteric Fever - - -	9·7	2	-	-	1	1	-	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	158·8	317	255	60	2	-	-	-
Diarrhœa, Dysentery -	97·6	138	109	15	2	1	3	8
Tetanus - - - -	1·0	2	-	1	-	1	-	-
Rabies, *Hydrophobia* -	-	-	-	-	-	-	-	-
Glanders - - - -	0·3	-	-	-	-	-	-	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-
Venereal Dis. - - -	7·4	7	5	-	-	-	-	2
Puerperal Septicæmia -	1·8	1	-	-	-	1	-	-
Puerperal Pyæmia -	0·8	-	-	-	-	-	-	-
Puerperal Fever - -	1·0	-	-	-	-	-	-	-
Infective Endocarditis -	3·3	2	-	-	-	2	-	-
Pneumonia — Lobar - -	7·6	10	-	-	1	2	5	2
Pneumonia — Broncho- -	29·6	23	9	9	-	1	1	3
Pneumonia — Epidemic -	-	-	-	-	-	-	-	-
Pneumonia — Not defined	31·9	23	3	4	1	2	8	5
Erysipelas - - -	5·1	5	-	-	-	1	3	1
Septicæmia (not Puerperal) - - -	1·8	1	-	-	-	-	1	-
Pyæmia (not Puerperal)	0·3	2	2	-	-	-	-	-
Other Infective Processes	4·1	2	1	1	-	-	-	-
Tuberculous Phthisis -	57·3	78	1	4	3	38	27	5
Phthisis" - - -	57·6	27	-	-	-	14	12	1
Tuberculous Meningitis -	18·6	17	3	10	2	-	2	-
Tuberculous Peritonitis -	14·3	18	7	5	4	1	1	-
Tabes Mesenterica - -	4·3	5	3	1	1	-	-	-
Tuberculous Dis. (other)-	17·3	22	5	9	5	1	1	1
Scrofula - - - -	0·5	-	-	-	-	-	-	-
Alcoholism - - -	12·0	7	-	-	-	1	5	1
Rheumatic Fever - -	4·3	2	-	-	1	1	-	-
Gout - - - - -	1·8	2	-	-	-	-	1	1
Cancer: Carcinoma - - -	58·1	67	-	-	-	3	28	36
Cancer: Sarcoma - - -	6·6	7	-	1	1	2	-	3
Cancer (undefined) - -	32·1	31	-	-	-	3	15	13
Diabetes Mellitus - -	9·2	6	-	-	-	2	3	1
Premature Birth - -	48·2	40	40	-	-	-	-	-

CAUSES OF DEATH	Corrected Average for the 35th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1	1-5.	5-20.			
Meningitis (not tubero.)	17·1	15	3	10	1	1	-	-
Insanity, Gen. Par. of Insane - - -	9·4	10	-	-	-	2	4	4
Epilepsy - - - -	5·9	3	-	-	1	1	1	-
Convulsions - - -	23·4	22	20	2	-	-	-	-
Locomotor Ataxy - -	1·5	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	4·6	7	-	-	-	1	1	5
Nervous Sys. (other dis.)	17·8	20	1	2	2	4	3	8
Valv. Dis., Endocarditis-	38·5	35	-	-	5	10	10	10
Cerebr. Hæm. Thromb. -	26·8	36	-	-	-	2	8	26
Apoplexy, Hemiplegia -	17·6	14	1	-	-	-	3	10
Aneurysm - - -	4·3	5	-	-	-	2	3	-
Embolism, Thrombosis (not cerebral) -	1·0	1	-	-	-	-	-	1
Heart & Blood Vessel Dis.	71·1	46	-	1	2	4	19	20
Croup (not Spasm: nor Memb.) - - -	0·5	-	-	-	-	-	-	-
Bronchitis - - -	45·3	39	7	7	1	-	3	21
Asthma, Emphysema -	2·3	1	-	-	-	-	-	1
Pleurisy - - - -	3·3	3	-	2	-	-	1	-
Respiratory Dis. (other)	7·1	10	1	-	1	-	3	5
Tonsillitis, Quinsy - -	0·5	1	-	-	1	-	-	-
Enteritis (not Epid.) -	23·4	41	30	3	1	1	-	6
Gastro-Enteritis - -	25·0	43	32	11	-	-	-	-
Peritonitis (not Puerp.) -	2·5	4	-	-	1	1	-	2
Cirrhosis of Liver - -	13·8	13	-	-	-	-	7	6
Liver Dis. (other) - -	5·9	8	-	-	-	1	3	4
Digestive Dis., Other -	35·2	38	6	2	3	4	9	14
Nephritis, Acute - -	5·9	3	-	1	-	1	1	-
Bright's Dis., Albuminuria - - -	29·8	36	-	-	-	2	20	14
Urinary Sys., Other Dis.	8·7	9	-	-	-	-	3	6
Generative Organs Dis.-	3·8	4	1	-	-	2	1	-
Childbirth (Accid. of) -	5·1	4	-	-	-	4	-	-
Old Age - - - -	43·8	35	-	-	-	-	-	35
Other Diseases - -	102·3	101	71	9	6	7	3	5
ACCIDENT.								
By Railways - - -	2·5	-	-	-	-	-	-	-
By Vehicles and Horses-	9·7	2	-	1	-	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·5	-	-	-	-	-	-	-
In Building Operations -	0·8	-	-	-	-	-	-	-
In Conflagrations - -	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	2·8	5	2	1	1	-	-	1
By Drowning - - -	4·8	9	-	-	3	3	3	-
By Suffocation in Bed -	7·4	9	9	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·8	1	-	-	1	-	-	-
Other Deaths by Accident - - -	15·3	14	4	3	1	-	2	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	1·3	-	-	-	-	-	-	-
Suicide - - - -	13·5	9	-	-	-	3	5	1
Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st September, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2475	1570	643	293	-	16	7	11	11	-	2	1	455	49	115	588
WEST DISTRICTS - - -	805,311	350	273	98	63	-	3	1	-	2	-	1	-	84	4	13	97
NORTH DISTRICTS - - -	1,056,070	532	307	108	76	-	3	-	4	2	-	-	-	58	9	27	115
CENTRAL DISTRICTS - - -	209,465	109	77	40	8	-	1	-	1	-	-	-	-	28	2	4	46
EAST DISTRICTS - - - -	715,739	476	325	137	49	-	8	-	1	2	-	1	-	113	19	45	144
SOUTH DISTRICTS - - -	1,749,844	1008	561	260	90	-	1	5	5	5	-	-	1	168	15	26	159
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	27	-	7	-	-	1	-	-	-	-	-	4	-	-	27
WEST DISTRICTS.																	
St. Mary Paddington *W,2H* - -	93,178	55	29	14	6	-	-	-	-	-	-	-	-	13	-	1	3
St. John Paddington *H* - - -	33,617	9	19	7	5	-	-	-	-	-	-	-	-	7	-	1	7
North-West Paddington - - -	17,181	8	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-
Kensington Town *2W,w,2H* - -	128,037	44	51	14	14	-	1	1	-	-	-	-	-	19	-	3	20
Brompton *2H* - - - - -	48,591	8	6	-	1	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith *2W,wH* -	49,192	24	20	9	4	-	-	-	-	-	-	-	-	5	-	-	7
South Hammersmith *w,2H* - -	63,047	22	20	6	4	-	-	-	-	-	-	-	-	2	1	1	6
North-west Fulham *W* - - -	45,180	43	26	12	4	-	-	-	-	1	-	-	-	16	-	-	8
North-east Fulham *F* - - -	46,405	27	14	6	4	-	-	-	-	-	-	1	-	4	-	-	1
South Fulham *W* - - - -	45,704	23	10	10	-	-	-	-	-	-	-	-	-	8	-	-	-
Chelsea North *W,w,3H* - - -	42,514	19	15	2	5	-	2	-	-	-	-	-	-	-	-	2	13
Chelsea South *W,2H* - - -	31,328	19	9	4	4	-	-	-	-	-	-	-	-	2	-	-	1
Mayfair and Knightsbridge - -	28,743	5	4	2	2	-	-	-	-	-	-	-	-	2	-	-	-
Belgrave *W,2H* - - - -	55,815	13	23	6	6	-	-	-	-	-	-	-	-	2	1	2	18
St. Margaret & St. John *4H* - -	43,698	18	18	3	4	-	-	-	-	1	-	-	-	2	2	2	10
St. James and St. Anne *W,6H* -	33,081	13	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *8H* - -	35,391	11	19	2	4	-	-	-	-	-	-	-	-	2	-	-	16
St. Mary Marylebone *W,4H* -	37,948	42	8	3	4	-	-	-	-	-	-	-	-	2	-	-	2
Christchurch Marylebone *H* - -	39,536	13	6	3	-	-	-	-	-	-	-	-	-	4	-	-	-
St. John Marylebone *2H* - -	20,426	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Hampstead *W,F,7H* - - -	81,942	30	19	4	6	-	-	-	1	-	-	-	-	3	-	1	8
West St. Pancras *2H* - - -	60,562	24	15	7	2	-	1	-	-	2	-	-	-	3	-	1	7
Tottenham-court *w,7H* - - -	21,258	11	10	4	1	-	2	-	-	-	-	-	-	-	-	-	8
Gray's Inn Lane *4H* - - -	34,449	14	8	5	-	-	-	-	-	-	-	-	-	1	-	1	2
East St. Pancras *W,2H* - - -	60,320	37	19	2	6	-	-	-	-	-	-	-	-	1	1	2	8
North St. Pancras *2W* - - -	58,728	26	21	4	6	-	-	-	-	-	-	-	-	5	-	1	8
Tufnell *W* - - - - -	31,995	17	29	11	9	-	-	-	-	-	-	-	-	1	-	1	17
Upper Holloway *2W,w,H* - -	33,978	21	16	6	4	-	-	-	-	-	-	-	-	3	1	1	11
Tollington *WH* - - - -	33,922	17	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Lower Holloway - - - -	41,424	17	8	3	2	-	-	-	-	-	-	-	-	2	-	-	-
Barnsbury - - - - - -	54,478	27	15	6	5	-	-	-	-	-	-	-	-	3	2	2	-
Islington South-east *F* - - -	75,397	41	16	3	5	-	-	-	-	-	-	-	-	1	-	2	-
Highbury *2H* - - - -	63,797	30	7	5	-	-	-	-	-	-	-	-	-	3	-	1	-
Stoke Newington *H* - - -	51,247	22	8	3	4	-	-	-	-	-	-	-	-	3	-	-	-
North Hackney - - - - -	50,560	23	13	6	6	-	-	-	-	-	-	-	-	3	2	4	-
Central Hackney *2w,F* - - -	50,536	35	14	7	2	-	-	-	3	-	-	-	-	3	-	2	3
South-west Hackney *3H* - -	59,921	38	30	18	4	-	-	-	-	-	-	-	-	11	2	4	12
South-east Hackney *2W,w,H* - -	58,255	29	18	4	6	-	-	-	-	-	-	-	-	4	1	3	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 1st September, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
s and Bloomsbury 2*W*,2*H* -	31,436	23	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
W,4*H* - - - - -	21,674	2	9	4	1	-	-	-	-	-	-	-	-	2	-	-	9	-
Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n *W*,6*H* - - - - -	29,612	14	25	18	-	-	-	-	-	-	-	-	-	18	-	-	23	-
lerkenwell - - -	28,676	17	4	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
lerkenwell *H* - - -	35,028	19	13	9	3	-	-	-	-	-	-	-	-	5	-	1	-	-
ry 3*H*,*L* - - - -	36,116	25	7	6	-	-	-	-	-	-	-	-	-	3	1	1	1	-
Union Workhouse, Islington - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olph *H* - - - -	10,299	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lchre and Allhallows *W*,2*H*	16,624	5	16	2	2	-	-	-	1	-	-	-	-	-	1	1	12	-
London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
tch South *H* - - -	46,362	30	9	3	2	-	-	-	-	-	-	-	-	2	1	2	1	-
tch North-West *W*,*w*,*H* -	36,127	27	22	7	7	-	-	-	-	-	-	-	-	4	1	1	13	-
tch North-East - - -	36,148	22	6	2	-	-	-	-	-	-	-	-	-	2	1	2	-	-
ch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
l Green North-East* 2*W*, *H*	65,138	29	43	21	7	-	2	-	1	-	-	-	-	12	1	2	25	-
l Green South-West* *H* -	64,542	45	16	7	4	-	-	-	-	-	-	-	-	6	2	3	-	-
elds - - - - -	27,969	12	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
d New Town *W*,*H* - -	28,718	26	46	14	6	-	-	-	-	-	-	-	-	6	3	5	40	-
an's Fields - - - -	22,081	15	6	4	-	-	-	-	-	-	-	-	-	2	1	2	-	-
rge and St. John 2*W* - -	49,068	34	18	9	-	-	-	-	-	-	-	-	-	6	-	-	4	-
ll and Ratcliff *W*,*H* - -	25,568	15	29	20	1	-	-	-	-	1	-	-	-	17	-	2	26	-
use *W* - - - - -	32,369	36	15	6	-	-	-	-	-	-	-	1	-	7	1	6	-	-
End Old Town Southern *H* - - - -	63,698	57	16	10	1	-	1	-	-	1	-	-	-	8	1	3	1	-
End Old Town Northern *W*,*w* - - -	49,129	32	17	3	7	-	2	-	-	-	-	-	-	5	1	3	10	-
w, - - - - - -	41,989	23	12	8	-	-	1	-	-	-	-	-	-	5	2	3	-	-
y 3*w*,*H* - - - -	68,319	44	51	11	13	-	1	-	-	-	-	-	-	24	2	9	24	-
W,*w* - - - - -	58,514	35	13	9	1	-	1	-	-	-	-	-	-	6	2	2	-	-

n 1st August, 1906, Bethnal Green North, Bethnal Green South, and Bethnal Green East sub-districts, were nged into two new sub-districts as above.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., regist in each SUB-DISTRICT during the Week ended Saturday, 1st September, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark* *W,2H*	23,319	8	20	7	1	-	-	-	-	-	-	-	-	6	2	2	1
Kent-road	21,904	13	4	2	-	-	-	-	-	-	-	-	-	3	-	-	-
St. George the Martyr West *W,2H,L*	39,094	21	11	6	-	-	-	-	-	-	-	-	-	2	-	1	[illegible]
Newington North	49,022	29	8	4	1	-	-	-	-	-	-	-	-	4	-	-	-
Newington South *W*	72,841	49	17	10	1	-	-	-	-	1	-	-	-	3	1	1	-
St. Olave *2W*	9,817	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	57	25	8	4	-	-	-	-	-	-	-	-	13	-	1	-
Rotherhithe *W,F*	38,460	21	20	4	4	-	-	-	-	-	-	-	-	3	2	2	1
Waterloo-road *2H*	27,440	33	11	7	-	-	-	-	-	-	-	-	-	1	1	1	-
Lambeth Church 1st *H*	18,423	12	18	5	1	-	-	-	-	-	-	-	-	3	1	2	1
Lambeth Church 2nd *2W*	39,818	19	29	10	10	-	-	-	-	2	-	-	-	8	-	-	1
Kennington 1st *H*	53,198	46	11	6	2	-	-	-	-	-	-	-	-	1	1	1	-
Kennington 2nd *H*	42,896	24	18	13	1	-	-	-	-	-	-	-	-	8	1	1	-
Brixton *F*	84,232	36	15	8	2	-	-	-	2	-	-	-	-	7	-	-	-
Norwood *W,H*	45,838	23	9	5	2	-	-	-	-	-	-	-	-	4	-	-	-
East Battersea *H*	72,203	34	15	9	-	-	-	-	-	1	-	-	-	4	-	-	-
North-west Battersea	49,656	34	12	7	1	-	-	-	-	-	-	-	-	5	1	1	-
South-west Battersea *2W,H*	47,048	23	17	5	4	-	-	-	-	1	-	-	-	-	-	-	1
Clapham *2H*	51,361	30	12	3	4	-	-	-	-	-	-	-	-	2	1	1	-
Streatham *W,2w,2F,2L*	88,019	53	36	17	8	-	-	-	1	-	-	-	-	9	1	2	-
Springfield *2W,L*	27,959	21	8	7	-	-	-	-	-	-	-	-	-	4	-	-	-
Southfields *H*	40,444	17	14	12	1	-	1	-	-	-	-	-	-	9	-	1	-
Putney	24,139	13	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Dulwich	13,359	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	24	22	6	6	-	-	-	-	-	-	-	-	3	-	-	1
Camberwell North *W,2L*	65,584	35	31	7	6	-	-	-	-	-	-	-	-	3	-	1	1
St George	47,331	23	16	10	1	-	-	-	-	-	-	-	-	6	-	1	-
Peckham North	48,913	27	7	3	2	-	-	-	-	-	-	-	-	3	-	-	-
Peckham South *2W,w*	43,916	20	9	5	3	-	-	-	-	-	-	-	-	2	-	-	-
Deptford North	37,613	21	15	9	-	-	-	-	-	-	-	-	-	5	-	-	-
Deptford Central *F*	45,481	29	15	6	2	-	-	3	-	-	-	-	-	3	1	1	-
Deptford South	34,625	16	7	4	2	-	-	-	-	-	-	-	-	4	-	-	-
Greenwich West *2H*	23,456	11	9	6	1	-	-	-	-	-	-	-	-	4	-	1	-
Greenwich East *2W,H*	43,859	27	11	6	2	-	-	-	-	-	-	-	-	3	1	1	-
Eltham *w,H*	7,226	7	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Lee *wH*	25,490	8	3	1	2	-	-	-	-	-	-	-	-	1	-	-	-
Lewisham *W w,F*	58,352	35	30	13	8	-	-	-	2	-	-	-	1	10	-	-	1
Sydenham *H*	43,653	31	14	10	1	-	-	-	-	-	-	-	-	8	1	1	-
Charlton *F,2H*	21,134	14	8	3	-	-	-	2	-	-	-	-	-	2	-	-	-
Woolwich *5H*	41,625	18	3	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Plumstead West *W*	18,063	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	24	17	9	1	-	-	-	-	-	-	-	-	9	-	3	-
Workhouse:— Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Manor	—	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	5	-	2	-	-	-	-	-	-	-	-	2	-	-	-
Claybury	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st August, 1906, Christchurch Southwark and St. Saviour Southwark sub-districts were unit d and named as a/o.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 1st September, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368 302	2,044,973	1350	757	396	127	-	5	2	3	7	5	308	13	34	71	2
Carshalton 2F,3H	12,228	32,997	17	6	2	3	-	-	-	-	-	-	3	-	1	-	-
Epsom, *part of** W,w,2F,H	10,423	15,548	5	4	2	1	-	-	-	-	-	-	1	1	1	-	-
Godstone, *part of** W,F	2,754	2,692	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Coulsdon	11,069	8,166	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	23	12	7	1	-	-	-	-	-	-	5	-	-	-	-
West Croydon 3W,F,H	2,168	42,888	33	25	7	6	-	-	-	-	-	-	3	-	-	5	-
North Croydon H	2,644	41,698	21	11	6	3	-	-	-	-	-	-	4	-	-	-	-
Penge w,H	770	22,465	13	7	6	1	-	-	-	-	-	-	3	-	-	-	-
Mitcham w	11,711	30,015	27	18	8	6	-	-	-	-	-	-	5	-	1	-	-
Wimbledon F,3H	3,221	41,652	23	20	12	3	-	-	-	-	-	1	6	-	-	1	-
Kingston 2W,H	6,224	42,068	29	8	3	2	-	-	-	1	-	-	1	2	2	-	-
Surbiton F,H	3,046	15,017	11	5	4	-	-	-	-	-	-	-	5	-	-	-	-
Esher, *part of** H	5,402	13,100	11	6	3	1	-	1	-	-	-	-	-	-	-	-	-
Hampton H,F,L	4,584	23,458	20	9	6	1	-	1	-	-	-	-	4	-	-	1	-
Richmond W,H	2,182	28,865	3	9	-	5	-	-	-	-	-	-	-	-	1	-	-
Mortlake F	2,847	20,628	19	5	2	2	-	-	-	-	-	-	1	-	1	-	-
Bromley F,2H	4,703	27,354	9	6	3	-	-	-	-	-	-	-	2	-	-	-	-
Beckenham H	7,825	28,497	14	13	7	2	-	-	-	-	-	-	5	-	-	-	-
Orpington *part of** W	10,113	9,857	7	5	3	1	-	-	-	-	-	-	4	-	-	1	-
Chislehurst 2H	7,333	16,446	6	4	1	1	-	-	-	-	-	-	-	1	1	1	-
Bexley w F,H	8,678	21,151	12	7	3	1	-	-	-	-	-	-	1	-	-	-	-
Erith F,H	3,854	25,296	20	8	3	1	-	1	-	-	-	-	2	-	-	-	-
Dartford W,F, *part of**	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Sunbury w	11,054	18,683	16	8	5	2	-	-	-	-	-	-	2	1	1	-	-
Staines W,H	13,277	15,178	4	5	1	3	-	-	-	-	-	-	4	-	-	1	-
Hillingdon W,F,H	6,035	13,661	16	5	2	2	-	-	-	-	-	-	1	-	-	1	-
Uxbridge H	12,757	8,984	4	4	3	-	-	-	-	-	-	-	4	-	-	-	-
Hayes w2F,H	8,066	16,358	16	7	4	1	-	-	-	-	-	-	3	-	-	-	-
Isleworth 3W,2F,H	6,859	30,863	25	17	8	6	-	-	-	-	1	-	4	1	1	5	-
Twickenham F,H	2,421	20,991	23	10	7	1	-	-	-	-	-	-	5	-	-	-	-
Brentford 3F,2H	4,319	48,289	36	33	20	2	-	-	-	-	1	-	18	-	-	-	-
Chiswick H	1,249	29,809	15	7	3	2	-	-	-	-	-	-	2	1	1	-	-
Acton w,F,3H	6,132	48,914	45	35	21	6	-	-	-	-	2	-	11	1	1	-	-
Harrow F,H	13,809	25,523	12	4	3	-	-	-	-	-	-	-	2	-	-	-	-
Edgware 2F,2H	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H	4,384	114,811	77	37	19	6	-	-	1	-	1	-	12	-	2	3	1
Hendon W,F	8,382	22,450	13	10	6	3	-	-	-	-	-	-	4	-	-	4	-
South Mimms 2F,H	17,755	7,308	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Barnet W,2H	3,324	17,970	5	3	2	-	-	-	-	-	-	-	2	1	1	-	-
Finchley F,2H	4,688	33,692	24	11	6	1	-	-	-	-	-	-	5	-	-	1	-
Hornsey F,H	2,875	72,056	34	16	7	5	-	-	-	-	-	-	6	-	-	-	-
Wood Green H	1,625	34,233	21	3	2	-	-	-	-	-	-	-	1	-	-	-	-
West Tottenham F	996	48,853	31	12	5	3	-	-	-	-	-	-	5	-	1	-	-
East Tottenham 2H	2,017	53,688	40	27	13	2	-	-	-	-	-	-	13	-	1	6	-
Edmonton W,w,2F	7,491	61,892	52	34	22	3	-	-	-	-	1	-	15	-	2	5	-
Enfield 2W,F,H	12,601	42,738	24	22	10	5	-	-	-	-	-	-	12	-	1	2	-
Waltham Abbey F	11,017	6,549	3	3	-	2	-	-	-	-	-	-	-	-	-	-	1
Cheshunt F,H	8,479	12,292	4	3	2	-	-	-	-	-	-	-	1	-	-	-	-
Hatfield, *part of** W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	29	15	10	2	-	-	-	-	-	-	12	-	1	-	-
Plaistow F,2H	1,249	90,921	71	38	22	1	-	-	-	1	-	1	19	-	2	7	-
Canning Town H	1,556	70,718	54	33	21	1	-	-	-	-	-	2	18	-	1	-	-
Forest Gate w	806	60,892	31	13	7	1	-	-	-	-	-	-	6	-	2	-	-
North East Ham w H	1,333	58,676	43	16	10	2	-	-	-	-	1	-	8	-	-	-	-
South East Ham 2F	1,993	37,342	49	12	7	2	-	-	-	-	-	-	7	-	-	-	-
Wanstead F	1,679	9,179	2	3	1	1	-	-	-	-	-	-	1	-	-	-	-
South Leyton 2W	631	50,467	28	15	4	7	-	-	-	-	-	-	4	-	1	5	-
North Leyton 2W,w,F	1,963	48,445	38	32	20	4	-	1	-	-	-	-	17	1	1	15	-
Walthamstow 3H,L	6,504	108,929	68	40	21	4	-	1	-	-	-	1	16	2	3	2	-
Chigwell, *part of** 2F,3H	11,778	16,397	7	7	3	1	-	-	-	1	-	-	1	1	1	1	-
Epping W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** W,2F	16,556	6,091	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Ilford F,L	8,496	41,234	35	7	4	-	-	-	-	-	-	-	3	-	1	-	-
Barking Town F	3,803	21,547	15	11	6	2	-	-	-	-	-	-	4	-	1	-	-
North-Eastern Hosp., Tottenham.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1 Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœa
LONDON - -	4,721,217	September 1	2475	1570	17·3	-	16	7	11	11	3	
CALCUTTA - -	977,822	July 28	-	371	22·7	9	2	-	1	-	123†	
BOMBAY - -	982 000	August 14	356	981	65·7	2	2	-	-	1	140†	
MADRAS - -	509,346	„ 3	-	-	-	-	-	-	-	-	-	
PARIS - - -	2,750,000	„ 25	825	844	16·4	-	4	2	2	4	3	
BRUSSELS - -	612,401	„ 25	194	176	14·9	-	2	-	1	2	-	
ANTWERP - -	297,311	„ 25	135	101	17·7	-	2	-	-	-	-	
AMSTERDAM -	560,482	„ 18	283	138	12·8	-	4	-	2	2	1	
COPENHAGEN -	425,000	„ 25	249	113	13·9	-	1	1	-	2	2	
STOCKHOLM -	324,488	„ 18	158	63	10·1	-	-	-	1	2	-	
CHRISTIANIA -	222,373	„ 25	101	54	12·6	-	-	-	1	1	-	
ST. PETERSBURG	1,424,700	„ 11	607	570	20·8	1	17	14	21	4	41	
MOSCOW - -	1,154,000	„ 11	-	621	28·1	2	6	9	10	1	7	
BERLIN - -	2,061,989	„ 11	888	726	18·4	-	5	5	7	4	-	
HAMBURG - -	819,380	„ 25	-	236	15·3	-	4	2	4	3	2	
BRESLAU - -	475,000	„ 18	-	202	22·2	-	-	-	2	1	-	
MUNICH - -	544,000	„ 25	-	175	16·9	-	-	1	-	3	-	
VIENNA - -	1,656,949	„ 25	878	605	16·2	-	6	2	3	2	1	
PRAGUE - -	460,849	„ 18	172	134	15·1	-	3	-	-	-	-	
BUDA-PESTH -	859,134	„ 18	361	245	16·1	-	1	5	3	1	1	
TRIESTE - -	196,637	„ 25	130	102	27·0	-	-	-	2	2	1	
ROME - -	531,179	July 14	196	210	20·7	-	8	-	1	1	-	
VENICE - -	171,709	August 18	86	69	20·9	-	-	-	-	-	1	
BUCHAREST -	291,138	„ 18	180	118	21·1	-	-	-	-	-	2	
NEW YORK -	4,152,860	„ 18	2346	1481	18·6	-	6	2	20	18	10	
CHICAGO - -	2,049,185	„ 11	-	603	15·3	-	3	5	6	3	6	
PHILADELPHIA -	1,469,126	„ 11	-	-	-	-	-	-	-	-	-	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	July 29	-	231	13·2	-	-	-	3	-	-	

* Excluding deaths from croup in the Indian Cities.
† Including 9 deaths from plague in Calcutta, and 33 in Bombay.
‡ Including 5 deaths from cholera in Calcutta, and 77 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 1st September, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	94·3	44·1	66·9	0·00	BRADFORD - -	83·8	52·2	65·3	0·
BRIGHTON - -	79 0	51·4	65·4	0·01	LEEDS - - -	92·0	51·0	66·8	0·
PORTSMOUTH - -	79·3	53·0	65·6	0·00	HULL - - -	91·0	44·0	61·3	0·
NORWICH - -	91·5	43·2	64 0	0·00	TYNEMOUTH - -	88·0	47 0	62·8	0·
PLYMOUTH - -	81·5	54·0	65 0	0·00	CARDIFF - -	84·4	46·2	63·7	0·
BRISTOL - - -	89·0	46 2	65·7	0·01	EDINBURGH - -	85·3	48·9	62·6	0·
BIRMINGHAM - -	90·6	50 3	67 4	0·00	GLASGOW - -	83·1	44·2	61·9	0·
NOTTINGHAM - -	93·0	50·1	67·5	0·00	DUBLIN Phœnix Park.	84·8	39·4	62·6	0·
LIVERPOOL OBSERVATORY.	87·0	52·0	65·7	0·00	DUBLIN Fitz-william Square.†	77·1	49·1	64·5	0·
MANCHESTER -	89·0	49 6	66·0	0 03					
PRESTON - -	?	?	?	?					
HUDDERSFIELD -	89·0	47 5	64·9	0·01	BELFAST - -	79·8	46·5	61·3	0·

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to above was 1°·6 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	26	..	29·982	76·0	53·1	22·9	62·4	+ 1·6	58·7	3·7	15·1	1·7	88	116·0	48·1	63·20	WSW. & SW.	WSW. & W.	3·1	0·0	0·3	320	+ 85	0·00	3·8
MONDAY	27	First Qr. Perigee.	30·087	77·4	54·8	22·6	65·9	+ 5·2	52·7	13·2	23·5	1·1	63	133·8	46·1	63·30	WSW., W. & NW.	N., NE. & E.	1·9	0·0	0·2	270	+ 32	0·00	0·0
TUESDAY -	28	..	30·240	71·9	48·9	23·0	59·8	− 0·8	47·8	12·0	22·4	0·4	65	133·9	37·2	63·11	ENE. & E.	ESE.	0·7	0·0	0·0	114	− 127	0·00	3·0
WEDNESDAY	29	Greatest Dec. S.	30·100	74·0	44·1	29·9	60·2	− 0·1	48·5	11·7	21·9	1·1	66	133·0	32·0	63·08	ESE.	E. & ESE.	1·2	0·0	0·0	129	− 115	0·00	5·0
THURSDAY -	30	..	29·955	85·8	50·4	35·4	66·1	+ 6·0	52·7	13·4	33·3	0·0	62	143·0	35·9	62·86	ESE. & NE.	SSE., S. & SE.	0·2	0·0	0·0	114	− 133	0·00	0·0
FRIDAY -	31	..	29·933	94·3	56·1	38·2	75·8	+15·9	51·3	24·5	37·4	3·4	42	152·0	45·9	62·93	ENE. & SSW.	S., SE. & E.	2·8	0·0	0·1	188	− 62	0·00	0·0
SEPTEMBER. SATURDAY -	1	..	29·885	91·9	58·3	33·6	75·1	+15·4	53·4	21·7	37·7	2·3	47	147·8	47·0	63·09	E., NE. & SE.	E., ESE. & SE.	1·8	0·0	0·1	138	− 115	0·00	0·0
MEANS - -			30·026	81·6	52·2	29·4	66·5	+ 6·2	52·2	14·3	27·3	1·4	62	137·1	41·7	63·08	Variable		..	..	..	Sum 1273	Sum −435	Sum 0·00	1·7
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	26	w. P. throughout.	2·6	13·9	Cloudless till 2h. 30m. A.M.; generally overcast with occasional fine intervals afterwards.
MONDAY -	27	w. P. throughout.	10·8	13·9	Partially cloudy in morning; very fine with small amounts of cloud generally afterwards.
TUESDAY -	28	w. P. throughout.	11·1	13·8	Very fine throughout; the amount of cloud was usually small. Solar halo in afternoon.
WEDNESDAY	29	w. P. throughout.	11·9	13·8	Cloudless; very fine; slight mist in morning.
THURSDAY -	30	w. P. throughout.	9·3	13·7	Cloudless with very slight exceptions; heavy mist in morning; very warm.
FRIDAY -	31	w. P. throughout.	12·7	13·6	Cloudless; very fine and hot.
SEPTEMBER. SATURDAY -	1	w. P. generally.	12·5	13·6	Cloudless; very fine and hot.
			Sum 70·9	Sum 96·3	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·94 in. at the beginning of the week to 30·23 in. by 9h. A.M. on Aug. 28th; decreased to 29·92 in. by 5h. P.M. on Aug. 30th; increased to 29·95 in. by 10h. P.M. on Aug. 31st; and decreased to 29·86 in. by midnight on Sept. 1st.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 25th August, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	21	4	-	-	-	-	1	-
Kensington	180,952	-	12	-	-	-	-	-	1	-
Hammersmith	120,679	-	7	5	-	-	-	-	2	-
Fulham	161,965	-	11	5	-	4	-	-	1	-
Chelsea	74,672	-	6	1	-	1	-	-	-	-
City of Westminster	173,905	-	6	3	-	1	-	-	-	-
NORTH.										
St. Marylebone	128,580	-	4	2	-	3	-	-	1	-
Hampstead	89,633	-	2	4	-	-	-	-	1	-
St. Pancras	236,455	-	15	11	-	-	-	-	4	-
Islington	344,987	-	22	8	-	-	-	-	4	-
Stoke Newington	53,217	-	4	-	-	-	-	-	1	-
Hackney	230,721	-	8	2	-	-	-	-	3	-
CENTRAL.										
Holborn	55,805	-	4	1	-	2	-	-	-	-
Finsbury	97,466	-	10	7	-	-	-	-	2	-
City of London	21,367	-	6	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	19	5	-	-	-	-	1	1
Bethnal Green	130,609	-	17	2	-	2	-	-	5	-
Stepney	307,176	-	17	13	-	1	-	-	7	1
Poplar	170,673	-	6	3	-	5	-	-	3	1
SOUTH.										
Southwark	209,143	-	45	6	-	5	-	-	3	-
Bermondsey	128,629	-	19	10	-	-	-	-	1	-
Lambeth	315,774	-	13	5	-	2	-	-	7	2
Battersea	179,622	-	8	2	-	-	-	-	7	-
Wandsworth	273,381	-	28	8	-	1	-	-	4	1
Camberwell	274,132	-	19	4	-	1	-	-	4	1
Deptford	115,495	-	14	1	-	-	-	-	4	-
Greenwich	105,350	-	9	11	-	1	-	-	2	-
Lewisham	148,463	-	8	1	-	-	-	-	1	-
Woolwich	127,345	-	4	5	-	1	-	-	1	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	364	129	-	30	-	-	71	8
Ages 0-1		-	4	3	-	1	-	-	3	-
" 1-5		-	126	62	-	1	-	-	5	-
" 5-		-	138	39	-	2	-	-	1	-
" 10-		-	46	14	-	2	-	-	3	-
" 15-		-	23	3	-	5	-	-	2	-
" 20-		-	14	2	-	4	-	-	5	2
" 25-		-	10	5	-	9	-	-	11	4
" 35-		-	2	1	-	5	-	-	13	1
" 45-		-	1	-	-	-	-	-	14	1
" 55-		-	-	-	-	1	-	-	8	-
" 65 and upwards		-	-	-	-	-	-	-	5	-
Age not stated		-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 35. WEEK ENDING SATURDAY, SEPTEMBER 1, 1906.

During the week ending 1st September 1906 there were registered in Eight of the Principal Towns of Scotland the births of 858 living children, and the deaths of 487 persons. These births are equivalent to an annual birth-rate of 25·0 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 14·2 per thousand.

The death-rates for the three preceding weeks were 13·8, 14·4, and 14·0. The death-rate for this week is thus 0·4 above that for the week immediately preceding, and 0·1 above the mean rate for the three preceding weeks.

The death-rate for the week was highest in Greenock, 22·9; and lowest in Paisley, 11·4. In Perth the rate was 19·6; in Dundee, 18·7; in Leith, 15·8; in Glasgow, 13·9; in Aberdeen, 12·8; and in Edinburgh, 11·5.

The principal epidemic diseases caused 80 deaths, which is 1 more than the number for the previous week, and is equivalent to an annual death-rate from these causes of 2·3 per thousand. These deaths include 3 from measles, 2 from scarlet fever, 5 from diphtheria, 11 from hooping-cough, 5 from enteric fever, 4 from cerebro-spinal meningitis (all in Glasgow), 1 from continued fever, and 48 from diarrhœal diseases. The deaths from measles, hooping-cough, and cerebro-spinal meningitis are of the same number as in the previous week, those from scarlet fever and diphtheria are each 1 more, those from enteric fever are 3 more, while those from diarrhœal diseases are 6 fewer. The death-rate from these causes ranged from 3·2 in Glasgow, to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 61; these are 9 more than in the previous week, and 8 more than in the corresponding week of 1905.

Deaths of infants under one year old numbered 132, and were 5 more than in the previous week, but 3 fewer than in the corresponding week of last year. Deaths of persons aged sixty years and upwards numbered 113, which is 3 fewer than in the preceding week, but 13 more than in the corresponding week of 1905.

The mean temperature was 61°·8, being 4°·8 above that for the week immediately preceding, and 6°·1 above that for the corresponding week of 1905. The mean rainfall was 0·10 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 1, 1906, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1906.	Persons to an Acre. 1906.	Proximity in Yards.	Registered during the Week ending Sept. 1, 1906.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,787,788	40·351	11·77	858	487	199	88·6	42·0	61·8	0·10
GLASGOW, . . .	12,789	835,625	65·339	9·25	441	223	105	88·1	44·2	61·9	0·04
EDINBURGH, . .	11,416	341,035	29·873	13·68	147	75	38	85·3	48·9	62·6	0·11
DUNDEE, . . .	4,162	165,007	39·646	11·87	68	59	16	82·0	46·1	60·8	0·10
ABERDEEN, . .	6,795	171,022	25·169	14·90	70	42	26	79·5	47·0	62·0	0·12
PAISLEY, . . .	3,538	87,142	24·630	15·06	39	19	4	88·6	46·8	63·3	0·04
LEITH, ...	2,044	82,660	40·440	11·76	46	25	2	82·9	48·8	62·7	0·19
GREENOCK, . .	1,440	70,758	49·138	10·66	37	31	5	77·0	48·0	59·8	0·10
PERTH, ...	2,122	34,539	16·277	18·53	10	13	3	82·5	42·0	61·2	0·09
Corresponding Week of 1905 — Eight Towns.	44,198	1,749,917	39·593	11·88	836	496	241	66·3	37·0	55·7	0·66

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—9/1906. 74/741.

[TURN OVER.

Week ending Saturday, SEPTEMBER 1, 1906.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 1, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·2	2·3	487	132	113	1	3	2	5	11	10	48	0	61	14	119	17	4
GLASGOW, .	13·9	3·2	223	76	37	*1	2	1	2	8	‡9	28	0	27	7	68	10	3
EDINBURGH,	11·5	1·4	75	10	24	0	1	0	3	0	1	4	0	14	1	24	3	0
DUNDEE, . .	18·7	2·5	59	15	14	0	0	1	0	1	0	6	0	8	1	9	0	0
ABERDEEN, .	12·8	1·2	42	9	13	0	0	0	0	2	0	2	0	5	1	3	1	1
PAISLEY, . .	11·4	1·8	19	4	7	0	0	0	0	0	0	3	0	0	0	5	0	0
LEITH, . . .	15·8	1·3	25	10	4	0	0	0	0	0	0	2	0	1	1	5	2	0
GREENOCK, .	22·9	2·2	31	8	7	0	0	0	0	0	0	3	0	6	1	3	0	0
PERTH, . . .	19·6	0·0	13	0	7	0	0	0	0	0	0	0	0	0	2	2	1	0

* Chicken-pox. ‡ 4 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 2, 1905.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·8	2·9	496	135	100	0	7	2	6	14	*4	63	0	53	16	124	18	2
GLASGOW, .	15·7	3·5	244	65	41	0	6	1	3	8	*3	34	0	29	11	67	11	2
EDINBURGH,	14·9	2·2	96	29	21	0	0	0	2	1	0	11	0	8	2	23	6	0
DUNDEE, . .	17·2	4·1	54	16	12	0	1	0	1	1	0	10	0	6	0	9	0	0
ABERDEEN, .	11·2	1·9	36	10	12	0	0	1	0	0	0	5	0	4	0	9	0	0
PAISLEY, . .	14·6	1·8	24	7	3	0	0	0	0	1	1	1	0	1	0	6	1	0
LEITH, . . .	10·2	0·6	16	4	4	0	0	0	0	1	0	0	0	2	3	4	0	0
GREENOCK, .	13·4	2·2	18	2	5	0	0	0	0	1	0	2	0	3	0	2	0	0
PERTH, . . .	12·2	1·5	8	2	2	0	0	0	0	1	0	0	0	0	0	4	0	0

* One Typhus.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 36. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, SEPT. 8. [Price 1½*d*.

General Register Office, Somerset House,
September 10th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 22·3 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·0, 18·4, and 18·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 30·7 in Croydon, 31·1 in Bury, 31·4 in Hanley and in Stockport, 31·5 in St. Helens, 32·0 in Merthyr Tydfil, 32·8 in Coventry, and 33·8 in Grimsby; from *measles*, 1·2 in West Ham, in East Ham, and in Wigan, 1·6 in Huddersfield, 1·8 in Bury, 2·1 in Stockport, and 2·6 in Rotherham; from *diphtheria*, 1·3 in Aston Manor and 1·6 in Smethwick; from *whooping-cough*, 1·6 in Swansea and 2·1 in Middlesbrough; from "*fever*," 1·2 in Hull and 1·3 in Aston Manor; and from *diarrhœa*, 13·9 in Aston Manor and in Sheffield, 14·7 in Stockport, 15·0 in Bootle, 15·8 in Grimsby, 16·1 in Preston, 17·3 in Hanley, and 22·5 in Coventry. One death from *small-pox* was registered in Devonport, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2329 BIRTHS and 1892 DEATHS were registered. Allowing for increase of population, the births were 182 below and the deaths 463 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 17·5, 18·3, and 17·3 per 1000 in the preceding three weeks rose last week to 20·9. The death-rate in the four weeks ended last Saturday averaged 18·5 per 1000, being 2·3 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 9/06 D & S 3 25899

The 1892 deaths included 9 from measles, 6 from scarlet fever, 13 from diphtheria, 17 from whooping-cough, 4 from enteric fever, and 529 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 578 deaths were referred to these diseases in the aggregate, being 270 above the corrected average number in the 36th week of the preceding four years.

The deaths from *measles*, which had been 21, 13, and 16 in the preceding three weeks, fell to 9 last week, and were 6 below the corrected average; 4 deaths belonged to the Borough of Poplar. The deaths from *scarlet fever*, which had been 8, 9, and 7 in the preceding three weeks, were 6 last week, the corrected average being 7. The deaths from *diphtheria*, which had been 15, 9, and 12 in the preceding three weeks, were 13 last week, the corrected average being 12; 4 deaths belonged to Lambeth. The deaths from *whooping-cough*, which had been 13, 12, and 11 in the preceding three weeks, rose to 17 last week, but were 5 below the corrected average; 3 deaths belonged to Islington and 3 to Battersea. The fatal cases of *enteric fever*, which had been 4, 7, and 2 in the preceding three weeks, were 4 last week, and were 6 below the corrected average. The deaths from *diarrhœa*, which had been 424, 458, and 455 in the preceding three weeks, rose to 529 last week, and were 288 above the corrected average; 56 deaths belonged to Stepney, 37 to Fulham, 34 to Camberwell, 30 to Wandsworth, 28 to Lambeth, and 27 to Islington. Of the 529 deaths from diarrhœa, 502 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 56 other deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 4, 4, and 4 in the preceding three weeks.

Different forms of *violence* caused 77 deaths, concerning all but 6 of which inquests were held. Of these 77 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 66 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 7 to burns or scalds, 9 to drowning, 12 to heat stroke (in addition to which 7 deaths from other causes were stated to have been accelerated by the heat), 1 to the effects of an anæsthetic administered for surgical purposes, and 10, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3067 cases of scarlet fever, 861 of diphtheria, and 115 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 415 cases, against 317, 350, and 317; of diphtheria, 140 cases, against 112, 109, and 101; and of enteric fever, 28 cases, against 12, 18, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended September 1st, 1906.

Greater London.

In Greater London 3634 births and 2779 deaths were registered. Allowing for increase of population, these numbers are 188 below and 754 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 2 from scarlet fever, 4 from diphtheria, 3 from whooping-cough, 1 from "fever," and 176 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·89 inches, and that of the Thermometer 68°·0, the latter being 8°·8 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 53·7 hours; the measured rainfall amounted to 0·85 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 18th Aug., 1906.	25th Aug., 1906.	1st Sept., 1906.	8th Sept., 1906.	Rate from Diseases in Cols. 11–17. Week ended 8th Sept., 1906.	Registered during the Week ended 8th Sept., 1906. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**17·0**	**18·4**	**18·3**	**22·3**	**8·5**	**8350**	**6754**	**3024**	**1207**	**1**	**65**	**24**	**42**	**60**	**37**	**2342**	**190**	**383**	**1343**	**42**	**76 Towns.**
London	4,721,217	17·5	18·3	17·3	20·9	6·4	2329	1892	760	392	-	9	6	13	17	4	529	77	153	671	6	London.
† Croydon	151,011	14·2	13·8	16·9	30·7	10·4	71	89	45	20	-	-	-	1	1	-	28	2	10	16	-	Croydon.
† Willesden	143,622	8·0	14·9	13·4	20·7	8·7	74	57	34	9	-	-	-	-	-	-	24	-	2	8	-	Willesden.
† Hornsey	86,935	6·6	10·8	10·2	8·4	-	32	14	4	4	-	-	-	-	-	-	-	1	1	1	-	Hornsey.
† Tottenham	119,503	12·7	19·2	17·5	20·5	8·3	64	47	34	3	-	-	-	-	-	-	19	1	3	1	-	Tottenham.
† West Ham	301,617	23·5	22·8	18·3	19·4	9·9	164	112	46	10	-	7	-	2	2	1	45	3	5	14	-	West Ham.
† East Ham	129,886	13·6	20·1	12·8	15·7	8·8	53	39	18	6	-	3	2	-	1	-	16	-	1	3	1	East Ham.
† Leyton	118,287	17·2	20·3	13·7	16·8	9·7	65	38	20	6	-	-	1	2	2	1	16	-	1	6	1	Leyton.
† Walthamstow	121,334	20·2	15·9	18·5	16·3	6·9	86	38	20	5	-	-	-	-	1	-	15	1	1	2	-	Walthamstow.
Hastings	67,144	9·3	17·1	10·1	20·2	7·0	25	26	9	4	-	1		-	-	1	7	-	1	5	1	Hastings.
Brighton	128,095	11·8	11·8	15·9	24·0	3·3	40	59	8	27	-	1	-	-	-	-	7	2	8	16	-	Brighton.
Portsmouth	205,118	18·3	23·6	18·0	24·9	9·2	108	98	45	22	-	-	-	-	-	1	35	1	2	14	-	Portsmouth.
Bournemouth	67,702	10·8	11·6	9·2	14·6	3·1	24	19	5	9	-	-	-	-	-	1	3	-	-	-	-	Bournemouth.
Southampton	117,312	12·4	8·4	15·6	21·3	8·4	55	48	19	10	-	-	-	-	-	-	19	-	3	8	-	Southampton.
Reading	78,987	8·6	9·2	10·6	18·5	7·9	31	28	14	7	-	-	-	-	-	-	12	-	-	3	2	Reading.
Northampton	93,749	16·7	11·1	7·2	21·7	8·9	38	39	16	11	-	-	-	-	-	-	16	1	1	7	-	Northampton.
Ipswich	71,869	13·8	11·6	16·7	21·8	5·1	41	30	12	11	-	-	-	-	-	-	7	1	3	2	1	Ipswich.
Great Yarmouth	52,613	16·8	29·7	28·7	19·8	6·9	24	20	13	3	-	-	-	-	-	-	7	-	1	-	-	Great Yarmouth.
Norwich	117,958	23·4	18·1	22·5	25·2	11·9	55	57	21	11	-	2	-	-	2	-	23	1	6	11	-	Norwich.
Plymouth	118,014	15·5	17·2	20·3	15·9	5·7	49	36	18	5	-	-	-	1	-	-	12	-	3	5	-	Plymouth.
Devonport	78,405	7·3	14·6	11·3	14·6	5·3	33	22	12	4	1	-	-	-	-	-	7	-	2	2	-	Devonport.
Bristol	363,223	11·9	13·2	11·6	14·9	4·0	152	104	44	21	-	-	-	2	1	2	23	4	6	29	-	Bristol.
Hanley	66,300	13·4	18·1	22·8	31·4	18·1	46	40	20	3	-	-	-	1	-	-	22	1	2	2	-	Hanley.
Burton-on-Trent	52,922	10·8	9·9	10·8	14·8	3·9	25	15	6	3	-	-	-	-	-	-	4	1	2	4	-	Burton-on-Trent.
Wolverhampton	100,729	16·0	16·0	13·5	19·2	9·8	37	37	20	6	-	-	1	-	-	-	18	1	1	4	-	Wolverhampton.
Walsall	94,577	18·7	17·1	13·2	24·3	11·0	70	44	18	6	-	-	-	-	-	1	19	3	4	3	-	Walsall.
Handsworth	63,819	6·5	9·8	10·6	17·2	7·4	24	21	11	5	-	-	-	-	-	-	9	-	-	-	-	Handsworth
West Bromwich	68,469	13·7	10·7	19·0	25·9	6·1	40	34	10	8	-	1	-	-	-	-	7	1	1	3	1	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 8th September, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 18th Aug., 1906.	25th Aug., 1906.	1st Sept., 1906.	8th Sept., 1906.	Rate from Diseases in Cols. 11-17. Week ended 8th Sept., 1906.	Registered during the Week ended 8th Sept., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM	548,022	21·3	22·9	20·3	26·0	10·9	335	273	140	41	-	3	1	1	1	1	108	6	7	52	3	BIRMINGHAM.
KINGS NORTON	72,608	7·2	8·6	11·5	10·8	1·4	46	15	7	4	-	-	-	-	-	-	2	-	1	2	1	KINGS NORTON.
SMETHWICK	64,531	12·9	8·1	20·2	19·4	9·7	40	24	8	4	-	-	-	2	-	-	10	-	-	1	-	SMETHWICK.
ASTON MANOR	82,288	12·7	23·4	19·6	24·7	16·5	34	39	23	3	-	-	-	2	-	2	22	-	-	1	-	ASTON MANOR.
COVENTRY	76,374	19·1	25·9	25·9	32·8	23·2	46	48	30	9	-	-	-	-	1	-	33	-	-	-	-	COVENTRY.
LEICESTER	232,111	14·4	18·9	19·8	20·9	11·0	105	93	55	11	-	1	-	1	1	-	46	3	5	8	-	LEICESTER.
GRIMSBY	69,359	14·3	20·3	24·1	33·8	15·8	51	45	24	7	-	-	-	-	-	-	21	2	2	3	-	GRIMSBY.
NOTTINGHAM	254,563	16·0	23·4	18·4	22·9	11·3	143	112	55	20	-	1	1	1	2	-	50	2	5	17	-	NOTTINGHAM.
DERBY	123,981	10·5	14·7	11·4	21·9	5·5	62	52	15	17	-	-	-	-	2	1	10	3	7	12	-	DERBY.
STOCKPORT	99,646	21·5	28·3	30·4	31·4	16·7	58	60	26	10	-	4	-	-	-	-	28	1	1	6	-	STOCKPORT.
BIRKENHEAD	117,292	28·9	24·9	23·6	25·8	12·0	75	58	27	11	-	-	2	1	1	-	23	2	4	6	-	BIRKENHEAD.
WALLASEY	64,578	10·5	15·3	13·7	21·0	9·7	31	26	14	4	-	1	-	-	-	1	10	2	2	4	-	WALLASEY.
LIVERPOOL	739,180	22·9	24·2	25·6	28·7	13·0	444	407	187	53	-	3	1	1	3	2	174	11	22	91	6	LIVERPOOL.
BOOTLE	65,989	14·2	22·1	25·3	27·7	17·4	31	35	13	2	-	-	1	1	-	1	19	2	2	7	-	BOOTLE.
ST. HELENS	91,153	20·6	20·0	22·3	31·5	10·9	59	55	30	8	-	-	-	-	-	1	18	2	2	5	1	ST. HELENS.
WIGAN	87,588	26·8	29·2	19·6	25·6	12·5	50	43	14	2	-	2	-	-	-	1	18	3	5	3	2	WIGAN.
WARRINGTON	69,280	15·1	15·1	18·1	26·3	12·8	51	35	17	4	-	-	-	-	1	-	16	1	1	2	-	WARRINGTON.
BOLTON	180,502	17·3	16·2	17·9	20·2	8·1	76	70	31	16	-	-	1	-	-	-	27	1	3	5	2	BOLTON.
BURY	58,744	16·0	12·4	16·9	31·1	10·7	31	35	17	3	-	2	-	-	-	-	10	1	1	3	1	BURY.
MANCHESTER	637,126	21·3	22·3	22·2	27·7	11·5	358	339	156	56	-	3	1	1	1	1	134	8	16	62	-	MANCHESTER.
SALFORD	234,077	22·9	20·2	22·9	22·7	11·4	128	102	47	13	-	3	2	2	1	1	42	2	4	17	-	SALFORD.
OLDHAM	140,969	14·8	20·0	12·9	27·7	9·6	82	75	31	19	-	2	-	-	2	-	22	3	2	5	-	OLDHAM.
ROCHDALE	87,189	12·0	16·1	18·5	21·5	2·4	38	36	12	11	-	-	-	-	-	-	4	-	1	4	2	ROCHDALE.
BURNLEY	102,808	19·8	15·2	17·2	28·4	12·7	41	56	30	7	-	1	-	-	-	1	23	-	-	5	-	BURNLEY.
BLACKBURN	134,015	14·0	13·6	13·2	17·1	6·6	48	44	19	8	-	-	-	-	-	-	17	-	-	2	-	BLACKBURN.
PRESTON	116,399	7·6	13·9	18·4	24·2	16·1	44	54	38	5	-	-	-	-	-	-	36	-	-	2	1	PRESTON.
BARROW-IN-FURNESS.	60,967	15·4	11·1	12·0	14·5	2·6	32	17	6	1	-	-	-	-	-	-	3	-	-	2	1	BARROW-IN-FURNESS.

TABLE I (*cont.*).—76 GREAT TOWNS, during the week ended 8th September, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 18th Aug., 1906.	25th Aug., 1906.	1st Sept., 1906.	8th Sept., 1906.	Rate from Diseases in Cols. 11-17. Week ended 8th Sept., 1906.	Registered during the Week ended 8th Sept., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	22·0	16·5	21·4	23·6	7·1	48	43	14	9	-	3	-	-	-	-	10	-	-	4	-	HUDDERSFIELD.
HALIFAX - - -	109,272	8·1	11·9	12·4	14·3	1·0	51	30	11	9	-	-	-	-	-	-	2	1	1	7	1	HALIFAX.
BRADFORD - -	288,544	15·0	17·0	15·7	23·5	9·6	107	130	37	41	-	3	-	-	2	1	47	1	7	23	3	BRADFORD.
LEEDS - - -	463,495	17·0	19·0	18·0	16·3	6·0	241	145	58	27	-	2	-	2	1	3	45	4	10	22	-	LEEDS.
SHEFFIELD - -	447,951	19·9	21·1	21·9	27·7	14·6	292	238	129	29	-	3	2	-	1	-	119	3	5	28	2	SHEFFIELD.
ROTHERHAM - -	61,098	17·9	18·8	23·0	27·3	10·2	38	32	19	4	-	3	-	-	-	1	8	1	1	2	-	ROTHERHAM.
YORK - - -	83,467	10·6	12·5	15·6	20·6	8·7	57	33	14	5	-	-	-	-	-	-	14	1	5	2	-	YORK.
HULL - - -	262,426	17·7	21·7	25·8	29·8	12·1	176	150	78	27	-	-	-	1	3	6	51	6	6	22	-	HULL.
MIDDLESBROUGH -	100,069	26·1	20·3	29·7	22·9	8·3	80	44	25	7	-	-	-	-	4	-	12	-	1	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	14·9	19·8	19·8	24·8	6·9	34	25	11	2	-	-	-	-	-	-	7	-	-	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	9·2	13·5	14·9	12·8	4·3	28	18	7	3	-	-	-	-	-	-	6	-	-	2	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	13·5	18·2	17·6	21·3	4·7	102	63	25	8	-	-	1	-	-	-	13	2	6	11	-	SUNDERLAND.
SOUTH SHIELDS -	111,402	13·1	19·7	15·4	13·1	1·9	68	28	11	3	-	-	-	-	1	-	3	-	-	6	-	SOUTH SHIELDS.
GATESHEAD - -	123,191	15·2	14·4	16·5	20·3	10·6	61	48	25	6	-	-	-	-	-	-	25	-	-	3	1	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	14·9	15·1	21·5	19·6	4·3	152	101	46	19	-	-	-	2	1	-	19	4	9	15	1	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	26·0	19·3	16·4	27·9	11·6	32	29	10	6	-	1	-	1	-	1	9	1	2	2	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	11·9	14·0	16·2	24·6	4·9	57	35	19	3	-	-	-	-	-	-	7	1	1	6	1	NEWPORT (MON.).
CARDIFF - - -	183,823	10·5	12·8	16·5	15·0	5·4	101	53	27	7	-	-	-	-	1	-	18	2	3	10	-	CARDIFF.
RHONDDA- - -	127,684	18·0	20·8	20·8	26·5	12·7	112	65	41	1	-	-	-	1	-	-	30	1	2	2	-	RHONDDA.
MERTHYR TYDFIL -	74,961	16·0	18·8	18·1	32·0	9·0	57	46	23	4	-	-	-	-	-	-	13	1	1	2	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	14·0	17·8	23·7	25·3	7·0	62	47	20	7	-	-	1	-	3	-	9	4	7	2	-	SWANSEA.
GREATER LONDON -	7,113,561	17·3	18·3	17·1	20·4	7·0	3634	2779	1211	537	-	24	11	22	27	7	868	97	208	762	10	GREATER LONDON.
OUTER RING - -	2,392,344	17·0	18·5	16·5	19·3	8·3	1305	887	451	145	-	15	5	9	10	3	339	20	55	91	4	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	16·0	18·1	15·8	19·3	8·5	609	434	221	63	-	10	3	5	7	2	163	8	21	51	2	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	18·0	18·8	17·2	19·4	8·2	696	453	230	82	-	5	2	4	3	1	176	12	31	40	2	REMAINDER OF OUTER RING.
EDINBURGH - -	341 035	13·1	12·2	11·5	14·7	1·8	163	96	21	25	-	-	-	-	2	1	9	6	?	30	1	EDINBURGH.
GLASGOW- - -	835,625	14·9	14·4	13·9	15·9	2·8	427	255	63	44	-	2	3	-	5	4‡	31	8	?	62	7	GLASGOW.
DUBLIN† - - -	378,994	19·7	21·5	21·9	24·1	7·2	268	175	63	31	-	-	-	-	1	2	49	5	9	54	1	DUBLIN.†
BELFAST†- - -	366,220§	17·8	19·8	19·1	21·5	7·0	240	151	59	16	-	1	1	-	7	1	39	3	7	29	-	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively. § Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SIXTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2449	2655	2446	2442	2628	2582	2515	2505	2504	2328	2510·6	2329
Males - - -	1281	1374	1222	1212	1307	1369	1280	1300	1291	1194	1290·7	1185
Females - -	1168	1281	1224	1230	1321	1213	1235	1205	1213	1134	1219·9	1144
TOTAL **Deaths** -	1308	1391	2007	1934	1582	1471	1477	1344	1354	1432	1428·9	1892
Males - -	685	708	1049	967	861	759	786	735	754	757	772·7	972
Females - -	623	683	958	967	721	712	691	609	600	675	656·2	920

* The numbers in this column are the average weekly numbers in the thirty-sixth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	13 Weeks.
TOTAL **Births** -	2447	2499	2386	2496	2413	2468	2352	2576	2155	2550	2466	2475	2329	31612
TOTAL **Deaths** -	1112	1205	1060	1113	1072	1054	1056	1272	1352	1584	1651	1570	1892	16996
Ages at Death: Under 1 year -	197	213	189	208	192	221	233	346	464	653	646	643	760	4965
1—5 years -	137	139	113	144	126	128	121	148	162	194	204	199	219	2034
5—20 ,, -	59	79	67	79	71	60	74	68	79	59	67	64	66	892
20—40 ,, -	161	151	136	132	151	110	147	141	145	142	159	136	187	1898
40—60 ,, -	235	279	240	253	227	222	217	254	210	243	245	235	268	3128
60 yrs. & upwds.	323	344	315	297	305	313	264	315	292	293	333	293	392	4079
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	45	52	46	39	22	35	30	22	25	21	13	16	9	375
Scarlet Fever - -	15	13	5	17	6	12	6	6	10	8	9	7	6	120
Diphtheria - -	9	8	9	12	9	10	10	10	13	15	9	12	13	139
Whooping-cough -	17	23	14	12	18	20	10	13	14	13	12	11	17	194
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	8	9	12	4	5	3	4	5	4	7	2	4	71
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	-	-	-	1	-	2
Diarrhœa, Dysentery	15	17	22	31	35	56	74	184	288	424	458	455	529	2588
All above Diseases -	105	121	105	123	94	139	133	239	355	485	508	504	578	3189
Dis. of Resp. System	54	58	41	41	47	52	42	52	47	45	45	53	53	630
Pneumonia - -	88	79	91	77	72	81	59	59	65	74	58	56	90	949
Phthisis - - -	90	129	111	127	108	103	111	103	112	109	119	105	123	1455
Dis. of Circ. System -	160	170	166	144	153	125	134	161	145	151	141	137	169	1956
Violence - - -	57	50	71	51	60	54	61	62	65	52	72	49	77	781
Inquest Cases - -	119	107	123	109	117	104	120	140	141	129	139	115	153	1616
Deaths in Institutions	490	527	452	474	451	425	449	500	481	533	567	588	671	6608
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	53·9	64·1	60·0	61·9	61·5	62·7	66·3	67·3	66·1	61·5	64·9	66·5	68·0	63·4
Mean of Highest -	64·6	76·8	71·5	74·0	72·8	74·2	77·8	80·1	78·8	71·3	77·4	81·6	80·9	75·5
Mean of Lowest -	46·9	51·9	51·4	49·5	52·7	52·7	56·5	56·0	56·1	51·3	55·4	52·2	55·8	53·3
Mean Humidity of the Air.	80	68	76	65	70	70	63	64	68	77	72	62	64	70·0
Rain-fall (in inches) -	0·30	0·01	2·46	0·00	0·01	0·19	0·15	0·86	0·01	0·33	0·26	0·00	0·85	5·43
Registered Sunshine (in hours).	35·6	61·0	53·1	75·4	47·9	43·8	69·5	76·5	54·1	35·7	49·9	70·9	51·7	732·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	7	13	11	7	5	2	1	1	–	–	–	–	–	4
Scarlet Fever - -	2676	2692	2752	2769	2842	2943	3048	3120	3051	3046	3078	3042	3067	2933
Diphtheria - -	749	766	783	827	840	872	874	879	861	846	859	835	861	835
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	65	76	93	86	89	99	99	109	101	95	101	103	115	95

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General and the results have been compiled at the Meteorological Office:—The Astronomer Royal at Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Wigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. D. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst.C.E., Bradford; H. Crowther, Esq., Leeds; F. E. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SIXTH Week of the Year 1906.

e terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 36th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1428·9	1892	760	219	66	187	268	392
Small-pox*	0·5	-	-	-	-	-	-	-
Cowpox	0·3	-	-	-	-	-	-	-
Measles (Morbilli)	14·8	9	3	6	-	-	-	-
Scarlet Fever	7·1	6	-	5	1	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	2·5	3	-	-	-	-	1	2
Whooping-cough	22·2	17	8	8	1	-	-	-
Diphtheria	12·0	13	-	10	2	1	-	-
Cerebro Spinal Fever	0·5	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	10·4	4	-	-	-	2	2	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	148·6	368	288	70	2	1	1	6
Diarrhœa, Dysentery	92·0	161	126	18	-	-	-	17
Tetanus	0·5	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	11·2	8	8	-	-	-	-	-
Puerperal Septicæmia	3·3	2	-	-	-	2	-	-
Puerperal Pyæmia	0·3	-	-	-	-	-	-	-
Puerperal Fever	0·5	-	-	-	-	-	-	-
Infective Endocarditis	2·0	3	-	-	1	1	-	1
Pneumonia: Lobar	8·9	16	-	1	1	7	3	4
Pneumonia: Broncho-	26·5	31	14	12	-	1	1	3
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	38·2	43	6	6	5	10	9	7
Erysipelas	3·8	3	-	-	-	-	3	-
Septicæmia (not Puerperal)	1·8	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	0·5	3	1	1	1	-	-	-
Other Infective Processes	6·9	5	2	-	-	3	-	-
Tuberculous Phthisis	66·0	78	-	1	6	33	28	10
"*Phthisis*"	68·8	45	-	-	2	24	16	3
Tuberculous Meningitis	22·4	34	15	16	3	-	-	-
Tuberculous Peritonitis	10·4	13	7	4	1	-	1	-
Tabes Mesenterica	8·7	3	3	-	-	-	-	-
Tuberculous Dis. (other)	17·6	18	6	3	5	3	1	-
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	10·2	15	-	-	-	4	9	2
Rheumatic Fever	5·9	3	-	-	1	1	-	1
Gout	1·8	2	-	-	-	-	-	2
Cancer: Carcinoma	53·3	75	-	-	-	5	32	38
Cancer: Sarcoma	5·1	6	-	1	1	1	3	-
Cancer (undefined)	36·4	28	-	-	1	2	12	13
Diabetes Mellitus	6·4	5	-	-	-	-	3	2
Premature Birth	45·4	47	47	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 36th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	15·8	27	15	9	3	-	-	-
Insanity, Gen. Par. of Insane	9·4	23	-	-	1	6	11	5
Epilepsy	5·4	7	-	-	2	2	1	2
Convulsions	24·2	19	19	-	-	-	-	-
Locomotor Ataxy	1·5	1	-	-	-	-	-	1
Paraplegia, Dis. of Cord	4·6	7	-	-	1	1	2	3
Nervous Sys. (other dis.)	18·4	23	2	-	1	4	5	11
Valv. Dis., Endocarditis	32·4	37	-	-	3	11	12	11
Cerebr. Hæm. Thromb.	26·5	36	-	-	-	2	10	24
Apoplexy, Hemiplegia	14·5	27	-	-	-	-	1	26
Aneurysm	5·4	4	-	-	-	-	4	-
Embolism, Thrombosis (not cerebral)	1·3	1	-	-	-	-	-	1
Heart & Blood Vessel Dis.	76·7	64	1	1	-	11	15	36
Croup (not Spasm : nor Memb.)	0·3	-	-	-	-	-	-	-
Bronchitis	42·0	42	10	3	-	-	3	26
Asthma, Emphysema	2·3	1	-	-	-	-	1	-
Pleurisy	3·1	1	-	-	-	-	1	-
Respiratory Dis. (other)	8·2	9	1	3	-	-	2	3
Tonsillitis, Quinsy	0·3	1	-	1	-	-	-	-
Enteritis (not Epid.)	19·6	49	35	6	-	2	4	2
Gastro-Enteritis	17·8	61	47	9	1	-	-	4
Peritonitis (not Puerp.)	2·5	4	-	-	2	1	-	1
Cirrhosis of Liver	16·6	18	-	-	-	2	11	5
Liver Dis. (other)	6·4	6	-	-	1	1	1	3
Digestive Dis., Other	40·5	47	8	4	11	7	8	9
Nephritis, Acute	6·6	5	-	1	-	2	1	1
Bright's Dis., Albuminuria	29·1	23	-	-	1	4	10	13
Urinary Sys., Other Dis.	9·4	18	-	-	-	-	5	13
Generative Organs Dis.	3·8	5	1	-	-	1	3	-
Childbirth (Accid. of)	3·8	6	-	-	-	6	-	-
Old Age	41·0	60	-	-	-	-	-	60
Other Diseases	105·2	111	70	13	2	8	8	10
ACCIDENT.								
By Railways	1·0	1	-	-	-	1	-	-
By Vehicles and Horses	5·1	5	-	1	-	2	-	2
In Ships, Boats, Docks, (exclusive of Drowning)	1·0	-	-	-	-	-	-	-
In Building Operations	1·3	3	-	-	-	2	1	-
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	2·5	7	-	1	1	2	1	2
By Drowning	8·7	9	-	-	1	1	6	1
By Suffocation in Bed	6·6	10	10	-	-	-	-	-
By Poisons or Poisonous Vapours	2·5	2	-	-	-	2	-	-
Other Deaths by Accident	17·1	29	7	5	1	1	7	8
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	2·5	1	-	-	-	1	-	-
Suicide	12·0	10	-	-	-	3	7	-
Execution	-	-			-	-		

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th September, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexiat Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2329	1892	760	392	-	9	6	13	17	-	4	-	529	77	153	671
WEST DISTRICTS	805,311	322	346	132	82	-	-	2	4	1	-	1	-	110	5	16	132
NORTH DISTRICTS	1,056,070	490	350	128	89	-	-	2	2	5	-	-	-	76	21	34	127
CENTRAL DISTRICTS	209,465	114	77	33	14	-	-	-	-	1	-	-	-	25	9	17	44
EAST DISTRICTS	715,739	446	376	177	60	-	7	-	-	2	-	1	-	117	16	47	144
SOUTH DISTRICTS	1,749,844	957	689	290	134	-	2	1	7	8	-	2	-	200	25	38	170
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	54	-	13	-	-	1	-	-	-	-	-	1	1	1	5
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	29	40	13	7	-	-	-	-	-	-	1	-	14	2	4	11
St. John Paddington *H*	33,617	5	16	6	3	-	-	-	-	-	-	-	-	4	1	1	8
North-West Paddington	17,181	16	6	3	1	-	-	-	-	-	-	-	-	4	-	1	-
Kensington Town *2W,w,2H*	128,037	43	47	16	14	-	-	-	-	-	-	-	-	10	1	2	19
Brompton *2H*	48,591	9	12	1	6	-	-	-	-	-	-	-	-	1	1	1	3
North Hammersmith *2W,wH*	49,192	33	34	22	7	-	-	-	-	-	-	-	-	15	-	1	13
South Hammersmith *w,2H*	63,047	26	26	8	10	-	-	-	-	-	-	-	-	8	-	1	8
North-west Fulham *W*	45,180	35	29	15	3	-	-	-	-	-	-	-	-	19	-	2	10
North-east Fulham *F*	46,405	25	19	9	2	-	-	2	4	-	-	-	-	7	-	2	6
South Fulham *W*	45,704	20	19	11	4	-	-	-	-	1	-	-	-	10	-	1	-
Chelsea North *W,w,3H*	42,514	9	30	4	12	-	-	-	-	-	-	-	-	5	-	-	23
Chelsea South *W,2H*	31,328	17	15	6	5	-	-	-	-	-	-	-	-	5	-	-	5
Mayfair and Knightsbridge	28,743	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	23	31	12	3	-	-	-	-	-	-	-	-	5	-	-	17
St. Margaret & St. John *4H*	43,698	18	16	6	1	-	-	-	-	-	-	-	-	3	-	-	7
St. James and St. Anne *W,6H*	33,081	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	5	9	3	2	-	-	-	-	-	-	-	-	1	-	-	5
St Mary Marylebone *W,4H*	37,948	39	7	4	1	-	-	-	-	-	-	-	-	1	-	-	4
Christchurch Marylebone *H*	39,536	11	8	3	2	-	-	-	-	-	-	-	-	2	1	3	-
St. John Marylebone *2H*	20,426	7	5	2	3	-	-	-	-	-	-	-	-	2	-	-	-
Hampstead *W,F,7H*	81,942	38	23	7	7	-	-	2	-	-	-	-	-	4	1	1	8
West St. Pancras *2H*	60,562	23	15	6	3	-	-	-	-	-	-	-	-	4	1	5	2
Tottenham-court *w,7H*	21,258	6	24	4	5	-	-	-	-	-	-	-	-	2	2	2	21
Gray's Inn Lane *4H*	34,449	16	10	4	1	-	-	-	-	-	-	-	-	4	3	4	7
East St. Pancras *W,2H*	60,320	41	25	8	6	-	-	-	-	-	-	-	-	3	-	1	12
North St. Pancras *2W*	58,728	30	17	5	5	-	-	-	1	-	-	-	-	1	-	1	3
Tufnell *W*	31,995	14	17	4	8	-	-	-	-	1	-	-	-	2	-	1	9
Upper Holloway *2W,w,H*	33,978	21	21	4	5	-	-	-	-	-	-	-	-	2	1	3	19
Tollington *WH*	33,922	12	12	5	4	-	-	-	-	-	-	-	-	4	1	-	-
Lower Holloway	41,424	10	18	8	8	-	-	-	-	-	-	-	-	7	1	2	-
Barnsbury	54,478	24	14	7	1	-	-	-	-	-	-	-	-	4	2	2	-
Islington South-east *F*	75,397	31	28	15	5	-	-	-	1	2	-	-	-	5	2	3	1
Highbury *2H*	63,797	31	9	7	2	-	-	-	-	-	-	-	-	3	-	-	-
Stoke Newington *H*	51,247	24	4	1	2	-	-	-	-	-	-	-	-	2	-	1	-
North Hackney	50,560	15	11	4	4	-	-	-	-	1	-	-	-	4	1	1	-
Central Hackney *2w,F*	50,536	22	9	4	5	-	-	-	-	-	-	-	-	3	-	-	-
South-west Hackney *3H*	59,921	31	31	14	5	-	-	-	-	1	-	-	-	7	2	2	17
South-east Hackney *2W,w,H*	58,255	39	33	9	5	-	-	-	-	-	-	-	-	9	3	2	19

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th September, 1906—*continued.*

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Giles and Bloomsbury 2*W*,2*H* -	31,436	25	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
and *W*,4*H* - - - - -	21,674	2	16	3	4	-	-	-	-	-	-	-	-	2	4	4	13	-
and Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lborn *W*,6*H* - - - - -	29,612	13	21	13	-	-	-	-	-	1	-	-	-	11	1	2	16	-
ith Clerkenwell - - -	28,676	11	7	4	-	-	-	-	-	-	-	-	-	3	-	1	-	-
rth Clerkenwell *H* - - -	35,028	23	9	6	2	-	-	-	-	-	-	-	-	3	1	2	-	-
sbury 3*H*,*L* - - - - -	36,116	34	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
lborn Union Workhouse, ftcham - - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Botolph *H* - - - -	10,299	3	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Sepulchre and Allhallows *W*,2*H*	16,624	3	17	4	4	-	-	-	-	-	-	-	-	3	3	8	14	-
y of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South *H* - - -	46,362	17	16	9	2	-	-	-	-	-	-	-	-	7	3	4	-	-
reditch North-West *W*,*w*,*H* -	36,127	12	29	11	8	-	-	-	-	1	-	-	-	6	1	4	15	-
reditch North-East - - -	36,148	22	6	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
reditch Union Workhouse, Wood reen - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hnal Green North-East* 2*W*, *L*.	65,138	41	47	21	6	-	-	-	-	-	-	-	-	12	-	4	26	-
hnal Green South-West* *H* -	64,542	44	26	16	2	-	-	-	-	-	-	-	-	12	2	2	1	-
taifields - - - - -	27,969	6	5	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-
e End New Town *W*,*H* - -	28,718	34	49	19	2	-	1	-	-	-	-	-	-	7	3	7	43	-
odman's Fields - - - -	22,081	6	6	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-
George and St. John 2*W* - -	49,068	49	31	21	5	-	-	-	-	-	-	-	-	16	1	5	5	-
dwell and Ratcliff *W*,*H* - -	25,568	8	30	22	2	-	-	-	-	-	-	-	-	15	2	3	19	-
ehouse *W* - - - - -	32,369	23	19	8	2	-	-	-	-	-	-	-	-	6	1	4	-	-
e End Old Town South-Western *H* - - - -	63,698	56	12	5	2	-	-	-	-	-	-	-	-	3	1	3	-	-
e End Old Town North-Eastern *W*,*w* - - - -	49,129	33	33	14	4	-	1	-	-	1	-	-	-	14	-	2	14	-
w *L* - - - - - - - -	41,989	20	9	7	2	-	-	-	-	-	-	-	-	4	-	2	-	-
mley 3*w*,*H* - - - - -	68,319	39	37	10	16	-	-	-	-	-	-	-	-	7	-	3	21	-
W,*w* - - - - - -	58,514	36	21	11	2	-	4	-	-	-	-	-	-	5	2	4	-	-

* On 1st August, 1906, Bethnal Green North, Bethnal Green South, and Bethnal Green East sub-districts, were arranged into two new sub-districts as above.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-PX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th September, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark* *W,2H*	23,319	15	22	7	1		-	-	-	1	-	-	-	3	2	3	17
Kent-road	21,904	13	9	4	-		-	-	-	-			-	5	1	2	-
St. George the Martyr West *W,2H,L*	39,094	25	15	8	1		-	-	-	-	-	-	-	3	1	1	10
Newington North	49,022	28	9	5	1		-		-	-		-		5	-		-
Newington South *W*	72,841	43	23	12	3	-	-		-	-				6	-	2	-
St. Olave *2W*	9,817	7	9	4	1		-			-		-		3	2	2	3
Bermondsey *W*	82,483	52	32	18	5		-	-	-	1		-	-	12	2	2	-
Rotherhithe *W,F*	38,460	19	21	8	5	-	1	-	-	-		-		6	-	1	6
Waterloo-road *2H*	27,440	24	9	3	-		1		-	-		-	-	2	2	2	1
Lambeth Church 1st *H*	18,423	14	25	1	1			-	2	-		-		3	1	1	19
Lambeth Church 2nd *2W*	39,818	25	31	8	7		-		-	1		-		4	1	1	19
Kennington 1st *H*	53,198	37	11	3	4		-		-			-	-	2	-	-	-
Kennington 2nd *H*	42,896	17	16	12	3	-	-	-	-		-			8	-	-	7
Brixton *F*	84,232	37	19	9	5		-	-	1	-	-	1		6	-	-	2
Norwood *W,H*	35,888	17	14	4	5		-		-	-			-	4	-	-	2
East Battersea *H*	72,203	36	23	12	2		-	-	-	2	-			8	1	2	-
North-west Battersea	49,656	32	12	7	3		-		-	-	-	-		4	2	3	-
South-west Battersea *2W,H*	47,048	22	27	9	7		-		-	1	-			2	2	2	13
Clapham *2H*	51,361	36	14	7	4		-	-	-	-	-	-		-	2	1	1
Streatham *W,2w,2F,2L*	88,019	58	46	24	13		-		1	-	-	1		19	1	2	7
Springfield *2W,L*	27,959	24	12	10	-		-	-	-	-	-	-		8	-	-	
Southfields *H*	40,444	22	19	8	5		-		-	-	-	-		3	-	2	-
Putney	24,139	9	4	1	1		-		-	-		-		1	-	-	-
Dulwich	13,359	5	2	2			-	-						-	-	-	-
Camberwell South *W,w*	40,206	24	34	11	13		-		1	-		-		8	-	-	17
Camberwell North *W,2L*	65,584	28	31	10	8		-	-	-	-		-		8	-	-	16
St George	47,331	21	14	6	1	-	-		-	1				6	-	-	-
Peckham North	48,913	32	18	14	1		-	-		-				10	-	1	-
Peckham South *2W,w*	43,946	9	12	4	-		-	-	-	1	-	-	-	3	2	2	-
Deptford North	37,613	23	18	11	3		-		-	-	-			8	1	2	-
Deptford Central *F*	45,481	27	20	8	-		-	1	-	-		-		8	-	-	1
Deptford South	34,625	12	11	2	8		-		-	-				1	1	-	-
Greenwich West *2H*	23,456	11	3	-	-		-	-	-	-				-	-	-	-
Greenwich East *2W,H*	43,859	22	21	5	6		-	-	-	-		-		5	1	1	14
Eltham *w,H*	7,226	1	3	-	1	-	-	-		-					-	-	1
Lee *wH*	25,490	11	4	1	2		-	-	-	-				1	-	-	-
Lewisham *W w,F*	58,352	25	18	6	3	-	-	-	1	-			-	5	-	-	6
Sydenham *H*	43,653	23	12	8	3	-	-	-	-	-				3	-	-	-
Charlton *F,2H*	21,134	3	6	1	1	-	-	-	1	-	-	-		2	-	-	1
Woolwich *5H*	41,625	22	13	7	1	-	-	-	-	-	-			4	-	1	3
Plumstead West *W*	18,063	6	6	2	2	-	-	-	-	-	-			1	-	1	-
Plumstead East *2W,H*	50,264	35	21	8	4	-	-	-	-	-				10	-	1	4
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	-	-	-		-	-	-			-	-	-	2
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-					-	-	-	-
Long Reach	—	-	-	-	-	-			-					-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-			-		-	-	-	-
North-Eastern	—	-	1	-	-	-	-	1	-					-	-	-	1
Northern	—	-	-	-	-	-	-		-					-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-
Caterham	—	-	1	-	1	-			-			-	-	-	-	-	1
Darenth	—	-	6	-	-	-			-			-	-	-	-	-	6
Leavesden	—	-	5	-	2				-				-	-	-	-	5
London County Lunatic Asylums:—																	
Banstead	—	-	10	-	3	-	-	-	-	-		-	-	-	-	-	10
Ewell (Epileptic Colony)	—	-	1	-	-	-			-		-	-	-	-	-	-	1
Horton	—	-	2	-	-	-	-	-	-		-	-	-	-	-	-	2
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Dartford Heath	—	-	5	-	1	-	-		-	-	-	-	-	-	-	-	5
Hanwell	—	-	7	-	4	-		-	-		-	-	-	-	-	-	7
Colney Hatch	—	-	5	-	-				-		-	-	-	-	1	1	5
Claybury	—	-	6	-	2	-			-				-	1	-	-	6

* On 1st August, 1906, Christchurch Southwark and St. Saviour Southwark sub-districts were united and named as above.

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 8th September, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368 302	2,044,973	1305	887	451	145	-	15	5	9	10	3	339	20	55	91	4
Carshalton 2F,3H	12,228	32,997	13	10	3	2	-	-	1	1	1	-	2	-	-	1	-
Epsom, *part of** W,w,2F,H	10,423	15,548	3	5	3	-	-	-	-	-	-	-	5	-	-	-	-
Godstone, *part of** W,F	2,754	2,692	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	14	13	7	2	-	-	-	-	-	-	3	-	1	-	-
West Croydon 3W,F,H	2,168	42,888	33	51	25	11	-	-	-	1	1	-	17	1	6	17	-
North Croydon H	2,644	41,698	24	26	13	6	-	-	-	-	-	-	8	1	3	-	-
Penge w,H	770	22,465	9	6	2	1	-	-	-	-	-	-	1	-	-	-	-
Mitcham w	11,711	30,015	24	12	8	-	-	-	-	-	-	-	9	-	1	-	-
Wimbledon F,3H	3,221	41,652	26	24	12	2	-	-	-	-	-	-	14	2	2	1	-
Kingston 2W,H	6,224	42,068	23	24	7	9	-	-	-	-	-	-	3	1	3	11	-
Surbiton F,H	3,046	15,017	10	5	4	-	-	-	-	-	-	-	-	-	2	-	-
Esher, *part of** H	5,402	13,100	11	2	2	-	-	-	-	-	-	-	1	-	-	-	-
Hampton H,F,L	4,534	23,456	13	11	4	2	-	1	-	-	-	-	2	1	1	1	-
Richmond W,H	2,162	28,865	11	7	1	3	-	-	-	-	-	-	2	-	1	2	-
Mortlake F	2,847	20,628	22	10	6	-	-	-	-	-	-	-	3	1	3	-	-
Bromley F,2H	4,703	27,354	10	9	5	1	-	-	-	-	-	-	3	-	-	1	-
Beckenham H	7,825	28,497	21	6	3	1	-	-	-	-	-	-	1	-	-	-	-
Orpington *part of** W	10,113	9,857	11	7	1	4	-	-	-	-	-	-	2	-	-	4	-
Chislehurst 2H	7,333	16,446	4	7	4	1	-	-	-	-	-	-	4	-	1	-	-
Bexley w F,H	8,678	21,151	16	6	2	2	-	-	-	-	-	-	4	1	1	-	-
Erith F,H	3,854	25,296	10	4	1	-	-	1	-	-	-	-	1	-	1	-	-
Dartford W,F, *part of**	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Sunbury w	11,054	18,683	8	7	3	2	-	-	-	-	-	-	3	-	-	-	-
Staines W,H	13,277	15,178	8	5	1	1	-	-	-	-	-	-	1	-	-	-	-
Hillingdon W,F,H	6,035	13,661	6	3	3	-	-	-	-	-	-	-	1	-	-	-	-
Uxbridge H	12,757	8,984	5	6	4	1	-	-	-	-	-	-	2	-	-	-	-
Hayes w2 F,H	8,066	16,358	13	6	4	1	-	-	-	-	-	-	3	-	-	-	-
Isleworth 3W,2F,H	6,859	30,863	23	24	11	8	-	-	-	1	-	-	6	1	2	5	-
Twickenham F,H	2,421	20,991	12	7	2	2	-	-	-	-	-	-	4	1	1	1	-
Brentford 3F,2H	4,319	48,289	40	33	20	3	-	-	-	1	-	-	16	1	1	1	1
Chiswick H	1,249	29,809	15	11	5	2	-	-	-	-	-	-	5	-	-	-	-
Acton w,F,3H	6,132	48,914	29	30	20	2	-	1	-	-	-	-	15	1	1	-	-
Harrow F,H	13,809	25,523	26	9	4	2	-	-	-	-	-	-	4	-	-	-	-
Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H	4,384	114,811	74	56	34	9	-	-	-	-	-	-	24	-	2	7	-
Hendon W,F	8,382	22,450	17	10	6	1	-	-	-	-	-	1	5	-	1	1	1
South Mimms 2F,H	17,755	7,308	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	18	4	4	-	-	-	-	-	-	-	3	-	-	-	-
Finchley F,2H	4,688	33,692	15	14	6	6	-	1	-	-	-	-	2	-	-	-	-
Hornsey F,H	2,875	72,056	32	13	4	3	-	-	-	-	-	-	-	1	1	-	-
Wood Green H	1,625	34,233	33	20	12	2	-	1	-	-	-	-	8	-	1	-	-
West Tottenham F	996	48,853	35	20	13	2	-	-	-	-	-	-	8	1	3	-	-
East Tottenham 2H	2,017	53,688	29	27	21	1	-	-	-	-	-	-	11	-	-	1	-
Edmonton W,w,2F	7,491	61,892	44	37	19	5	-	-	-	-	-	-	18	-	4	4	-
Enfield 2W,F,H	12,601	42,738	32	16	8	6	-	-	1	1	-	-	5	-	-	2	-
Waltham Abbey F	11,017	6,549	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Cheshunt F,H	8,479	12,292	6	3	1	2	-	-	-	-	-	-	1	-	-	-	-
Hatfield, *part of** W	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	29	13	5	1	-	2	-	-	-	-	2	1	3	-	-
Plaistow F,2H	1,249	90,921	58	34	17	2	-	2	-	2	2	1	15	1	1	4	-
Canning Town H	1,556	70,718	47	39	18	2	-	3	-	-	-	-	22	1	1	-	-
Forest Gate w	806	60,892	30	16	5	3	-	-	-	-	-	-	5	-	-	-	-
North East Ham w H	1,333	58,676	24	19	8	2	-	2	-	-	-	-	6	-	1	-	-
South East Ham 2F	1,993	37,342	29	18	9	3	-	1	2	-	1	-	9	-	-	1	1
Wanstead F	1,679	9,179	6	2	2	-	-	-	-	-	-	-	1	-	-	-	-
South Leyton 2W	631	50,467	28	16	8	5	-	-	-	1	1	1	6	-	-	6	-
North Leyton 2W,w,F	1,963	48,445	37	35	14	5	-	-	1	1	1	-	12	-	1	13	1
Walthamstow 3H,L	6,504	108,929	98	42	23	6	-	-	-	-	1	-	16	1	1	-	-
Chigwell, *part of** 2F,3H	11,778	16,397	6	9	5	-	-	-	-	-	-	-	3	-	1	-	-
Epping W,F, *part of**	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Romford, *part of** W,2F	6,556	6,091	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Ilford F,L	8,496	41,234	50	18	12	2	-	-	-	-	2	-	8	1	2	1	-
Barking Town F	3,803	21,547	17	8	4	3	-	-	-	-	-	-	4	-	-	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring, are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Upton Bois parish, and part of Epping parish: 189: 1. Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	September 8	2329	1892	20·9	-	9	6	13	17	4
CALCUTTA - -	977,822	August 4	-	370	22·6	3	-	-	1	-	127†
		" 11	-	404	24·7	2	3	-	-	2	154‡
BOMBAY - -	982,000	" 21	403	887	59·4	1	3	-	-	-	117†
MADRAS - -	509,346	" 3	395	443	45·2	1	-	?	?	?	108
PARIS - - -	2,750,000	September 1	866	827	16·1	-	-	2	2	8	6
BRUSSELS - -	612,401	" 1	221	163	13·8	-	4	-	1	2	-
ANTWERP - -	297,311	" 1	125	87	15·2	-	2	-	-	-	1
AMSTERDAM -	560,482	August 25	263	141	13·1	-	2	-	1	5	1
COPENHAGEN -	425,000	September 1	219	125	15·3	-	-	-	1	2	-
STOCKHOLM -	324,488	August 25	170	89	14·3	-	-	-	1	-	-
CHRISTIANIA -	222,373	September 1	108	64	15·0	-	-	1	1	1	-
ST. PETERSBURG	1,424,700	August 18	586	646	23·6	-	14	15	31	8	33
MOSCOW - -	1,154,000	" 18	-	572	25·8	-	1	5	4	3	7
BERLIN - -	2,062,679	" 18	938	758	19·2	-	2	7	4	9	2
HAMBURG - -	819,380	September 1	-	284	18·4	-	3	2	3	7	2
BRESLAU - -	475,000	August 25	-	203	22·3	-	-	-	4	2	2
MUNICH - -	544,000	September 1	-	171	16·5	-	-	-	1	1	-
VIENNA - -	1,956,949	" 1	923	520	14·0	-	3	2	3	1	3
PRAGUE - -	460,849	August 25	180	142	16·0	-	1	1	-	1	-
BUDA-PESTH -	859,134	" 25	415	236	15·5	-	7	2	-	1	1
TRIESTE - -	196,637	September 1	117	95	25·1	-	1	1	-	-	-
ROME - -	531,179	July 21	215	207	20·4	-	3	-	-	3	1
VENICE - -	171,709	August 25	83	60	18·2	-	-	-	-	-	1
BUCHAREST -	291,138	" 25	250	105	18·8	-	-	-	2	-	4
NEW YORK -	4,152,860	" 25	2070	1395	17·5	-	7	1	14	8	22
CHICAGO - -	2,049,185	" 18	-	531	13·5	-	1	7	4	3	5
PHILADELPHIA -	1,469,126	" 11	-	519	18·3	-	2	1	4	8	16
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	August 5	-	229	13·1	-	1	-	-	1	-

* Excluding deaths from croup in the Indian Cities.
† Including 17 and 2 deaths from plague in Calcutta, and 36 in Bombay.
‡ Including 6 and 8 deaths from cholera in Calcutta, 50 in Bombay, and 6 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 8th September, 1906

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Ra
	°	°	°			°	°	°	In
LONDON (Greenwich)	93·5	52·2	68·8	0·85	BRADFORD - -	88·8	51·0	64·2	5
BRIGHTON - -	76·4	54·0	63·5	0·26	LEEDS - - -	92·0	52·0	65·1	4
PORTSMOUTH - -	79·0	56·0	67·0	0·73	HULL - - -	?	?	?	
NORWICH - -	93·0	55·2	67 7	0·05	TYNEMOUTH - -	82·0	49·0	63·2	0
PLYMOUTH - -	75 0	50·0	64·4	0·00	CARDIFF - -	83·7	45·0	62·9	1
BRISTOL - - -	87·0	49·7	64·9	0·03	EDINBURGH - -	85·3	48 2	60·5	1
BIRMINGHAM - -	90·3	48·1	66 1	0·09	GLASGOW - -	87·8	44 2	59·0	3
NOTTINGHAM - -	94·2	47·3	67 2	0·06	DUBLIN Phœnix Park.	81·6	46·3	60·5	2
LIVERPOOL OBSERVATORY.	86·0	53·0	63·0	0·40	DUBLIN Fitzwilliam Square.†	77·8	52·0	62·8	2
MANCHESTER -	90·0	46 2	62·9	0·67					
PRESTON - -	85·0	51·0	62·4	0·34					
HUDDERSFIELD -	89·3	47·3	62 5	0·30	BELFAST - -	78·2	45·0	59·3	1

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footno the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period above was 1°·5 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SEPTEMBER.																									
SUNDAY -	2	Full	29·809	93·5	58·0	35·5	76·4	+16·7	51·1	25·3	39·5	1·1	41	147·0	46·1	63·41	Variable	S. & calm	1·7	0·0	0·1	153	−103	0·00	0·0
MONDAY	3	..	29·822	91·0	56·1	34·9	74·7	+15·1	51·1	23·6	38·1	0·4	44	151·8	47·1	63·75	E., calm & SSW.	SW. & WSW.	1·7	0·0	0·1	160	− 98	0·00	0·0
TUESDAY -	4	..	29·947	78·3	60·2	18·1	68·5	+ 9·1	58·5	10·0	17·3	0·0	70	124·7	50·1	63·94	N. & NNW.	N., NE. & E	1·1	0·0	0·0	141	−120	0·28	0·0
WEDNESDAY	5	In Equator	29·922	71·0	52·2	18·8	59·1	− 0·2	50·4	8·7	18·5	0·0	73	103·9	51·0	63·99	NNE., N. & NE.	SW. & WSW.	2·0	0·0	0·2	212	− 52	0·57	0·7
THURSDAY-	6	..	29·821	76·0	57·8	18·2	65·0	+ 5·3	59·0	6·0	15·8	3·8	81	117·5	52·9	64·05	SW. & WSW.	SW., W. & WSW.	2·6	0·0	0·5	400	+134	0·00	2·3
FRIDAY -	7	..	29·953	76·0	59·3	16·7	65·4	+ 6·5	59·8	5·6	15·1	2·6	82	133·4	51·7	63·88	W. & WSW.	WSW. & SW.	1·5	0·0	0·1	278	+ 9	0·00	1·0
SATURDAY -	8	..	29·938	80·3	54·1	26·2	67·0	+ 8·3	51·5	15·5	26·3	1·0	58	130·3	48·1	63·78	WSW. & W.	W., NW. & NNW.	1·0	0·0	0·0	184	− 87	0·00	0·0
MEANS -	-		29·887	80·9	56·8	24·1	68·0	+ 8·8	54·5	13·5	24·4	1·3	64	129·8	49·6	63·83	Variable & WSW.		..	..	..	Sum 1528	Sum −317	Sum 0·85	0·6
No of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SEPTEMBER.					
SUNDAY -	2	w. P. throughout.	12·6	13·5	Cloudless throughout; a very fine hot day.
MONDAY -	3	w. P. throughout.	11·9	13·4	Cloudless with slight exceptions; very fine and hot.
TUESDAY -	4	w. P. generally till 11h. P.M.; s. P. and v. N. afterwards.	4·9	13·4	Fine and variably cloudy till evening; overcast afterwards with continuous rain after 9h. 45m. P.M. Solar halo observed in afternoon.
WEDNESDAY	5	w. P. and w. N. generally till 9h. A.M.; m. P. till 2h. P.M.; w. P. afterwards.	5·0	13·3	Overcast till noon with continuous rain till 6h. A.M.; fine and partially cloudy afterwards.
THURSDAY-	6	w. P. throughout.	2·3	13·2	Generally cloudy.
FRIDAY -	7	w. P. throughout.	7·0	13·2	Generally overcast till 11h. A.M.: very fine with small amounts of cloud principally afterwards.
SATURDAY-	8	w. P. generally till 5h. P.M.; m. P. afterwards.	10·0	13·1	Cloudy in early morning; then very fine till 4h. P.M.; cloudy afterwards.
			Sum 53·7	Sum 93·1	
No. of Col.-		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*" and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·86 in. at the beginning of the week to 29·79 in. by 5h. P.M. on the 2nd; increased to 29·97 in. by 9h. A.M. on the 5th; decreased to 29·77 in. by 7h. A.M. on the 6th; increased to 29·98 in. by 10h. A.M. on the 7th; decreased to 29·92 in. by 5h. A.M. on the 8th; and increased to 29·99 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 1st September, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	18	3	-	2	-	-	3	-
Kensington	180,952	-	8	-	-	-	-	-	3	-
Hammersmith	120,679	-	6	1	-	-	-	-	5	1
Fulham	161,965	-	13	1	-	-	-	-	2	-
Chelsea	74,672	-	3	-	-	1	-	-	2	-
City of Westminster	173,905	-	4	1	-	2	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	9	5	-	1	-	-	8	-
Hampstead	89,633	-	4	3	-	1	-	-	1	-
St. Pancras	236,455	-	20	5	-	2	-	-	6	-
Islington	344,987	-	15	3	-	4	-	-	3	-
Stoke Newington	53,217	-	-	-	-	-	-	-	-	-
Hackney	230,721	-	7	1	-	-	-	-	2	1
CENTRAL.										
Holborn	55,805	-	-	-	-	-	-	-	2	-
Finsbury	97,466	-	11	8	-	1	-	-	-	-
City of London	21,367	-	2	3	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	10	3	-	1	-	-	4	-
Bethnal Green	130,609	-	10	4	-	-	-	-	1	-
Stepney	307,176	-	14	10	-	-	-	-	12	-
Poplar	170,673	-	9	5	-	-	-	-	4	-
SOUTH.										
Southwark	209,143	-	30	14	-	7	-	1	5	-
Bermondsey	128,629	-	10	2	-	1	-	-	2	-
Lambeth	315,774	-	16	10	-	3	-	-	9	-
Battersea	179,622	-	10	5	-	-	-	-	5	-
Wandsworth	273,381	-	18	2	-	1	-	-	4	-
Camberwell	274,132	-	20	4	-	1	-	-	6	-
Deptford	115,495	-	12	4	-	-	-	-	2	-
Greenwich	105,350	-	11	2	-	3	-	-	1	-
Lewisham	148,463	-	9	4	-	2	-	-	1	-
Woolwich	127,345	-	9	6	-	-	-	-	1	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	308	109	-	33	-	1	95	3
Ages 0-1		-	5	5	-	-	-	-	6	-
" 1-5		-	100	32	-	-	-	-	5	-
" 5-		-	120	34	-	5	-	-	4	-
" 10-		-	51	17	-	7	-	-	8	-
" 15-		-	9	4	-	8	-	-	8	1
" 20-		-	10	3	-	2	-	-	5	-
" 25-		-	11	8	-	5	-	-	8	2
" 35-		-	1	1	-	4	-	1	16	-
" 45-		-	1	5	-	2	-	-	15	-
" 55-		-	-	-	-	-	-	-	9	-
" 65 and upwards		-	-	-	-	-	-	-	11	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during August, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th September, 1906.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of August.

Thirteen samples were taken in each of the eight districts, making a total of 104 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - - -	August 13th, Drinking Fountain, Moor Park Road.	20·7	25·46	·136	·015	0	·135	·150	1·75	18·0
West Middlesex - -	August 13th, Cab Rank, High Street, Kensington, near Wright's Lane.	21·9	23·08	·147	·017	0	·091	·108	1·75	16·4
Southwark - - -	August 13th, Drinking Fountain, Victoria Circus, Battersea.	20·0	26·32	·143	·018	0	·142	·160	1·75	18·9
Grand Junction - -	August 13th, Cab Rank, Shepherd's Bush Green.	20·2	24·16	·130	·016	0	·106	·122	1·7	16·9
Lambeth - - - -	August 13th, Cab Rank, Westminster Bridge Road.	21·0	26·72	·143	·015	0	·151	·166	1·75	19·3
Lea, Wells, etc.										
New River - - -	August 13th, Cab Rank, Hart Street, Bloomsbury.	19·9	28·76	·061	·007	0	·144	·151	1·85	19·6
Eastern - - - -	August 13th, Tap on Main at Lea Bridge Works.	19·0	32·86	·179	·017	·003	·060	·080	2·3	18·0
Deep Wells.										
Kent - - - - -	August 13th, Police Station, Blackheath Road.	13·0	39·76	·037	·004	0	·514	·518	2·25	27·5
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4 to 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district, at the drinking fountain in Moor Park Road on the 13th August, had a temperature of 20·7° C.; 100,000 lbs. of it contained 25·46 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·136 lb. of carbon and ·015 lb. of nitrogen. The above quantity of water also contained ·135 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·150 lb. The above weight of water also contained 1·75 lbs. of chlorine and 18·0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 13th August were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water from each of the district works was: Kent, 0·7; New River, 1·2; Grand Junction, 2·5; Chelsea, 2·6; Southwark and Lambeth, 2·7; West Middlesex, 2·8; and Eastern, 3·2.

The filtered water furnished by the five district works which take their supplies from the river Thames contained, on the average, less organic matter than in July, and all the samples taken on the 13th August were clear and of uniform good quality.

The New River district water contained a lower proportion of organic impurity than was found in the corresponding examination in July, and was clear and of good quality.

The Eastern district filtered water, obtained chiefly from the Lea, contained, on the 13th August, a little more organic matter than the Thames-derived supplies on the same date, but the actual amount of impurity was not excessive and the water of good quality and clear.

The Kent district deep-well water maintained its usual high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, and that from the New River area nearly colourless; the supplies from the six remaining districts had a very pale yellow tint.

In addition to the above analytical examination the 104 samples, collected during the month at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains) has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Me
THAMES.												
Chelsea	·066	·054	·062	·075	·059	·069	0	0	0	·007	·006	·0
West Middlesex	·072	·060	·066	·078	·062	·072	0	0	0	·0075	·006	·0
Southwark	·078	·062	·070	·084	·069	·076	0	0	0	·008	·0065	·0
Grand Junction	·069	·058	·064	·076	·065	·070	0	0	0	·0075	·0065	·0
Lambeth	·077	·062	·070	·083	·067	·076	0	0	0	·008	·0065	·0
LEA, WELLS, THAMES, ETC.												
New River	·044	·023	·028	·045	·025	·030	0	0	0	·004	·0025	·0
Eastern	·075	·056	·062	·081	·061	·068	·003	0	·001	·0085	·006	·0
DEEP WELLS.												
Kent	·010	·008	·009	·015	·009	·011	0	0	0	·001	·001	·0

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With regard to the five Thames-derived waters the above results show that there was but little variation in the proportion of organic matter found during the month; the mean amount of impurity was less than in July, and all the samples tested were of good quality.

The thirteen samples of New River district water examined all contained only small amounts of organic matter, and were of uniform good quality.

The Eastern district supply, taken at various places, contained on the average, slightly less organic impurity than the filtered Thames water and was of good quality throughout the month.

All the samples of deep well water collected in the Kent area were of excellent quality.

All samples taken in the Kent, New River, and Grand Junction districts were clear, but in those from the remaining districts, on a few occasions, minute traces of rust-stained suspended matters were observed, and these appearances were most frequently noted in the Eastern district water.

I am, Sir,
Your obedient Servant,
p.p. T. E. THORPE,
H. W. D.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of August, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 235 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	AUGUST, 1905.	AUGUST, 1906.	AUGUST, 1905.	AUGUST, 1906.
TOTAL SUPPLY - - -	1,033,732	1,052,213	233,468,750	247,765,262
New River - - - - - - -	206,004	208,923	43,982,900	47,855,000
Eastern - - - - - - - -	233,673	237,402	47,276,200	46,396,000
Western .. Chelsea - - - -	40,030	39,959	12,360,000	13,239,355
Western .. Grand Junction - -	80,046	83,228	17,699,648	19,742,303
Western .. West Middlesex - -	92,191	92,796	24,846,097	26,228,935
Southern.. Lambeth - - - -	137,841	141,809	34,499,826	36,229,047
Southern.. Southwark and Vauxhall	131,185	132,987	32,788,000	35,536,590
Kent - - - - - - - -	112,762	115,109	20,016,079	22,538,032

Note.—The Return for August, 1906, as compared with that for the corresponding month of 1905, shows an increase of 18,481 services, and of 14,296,512 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 37. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, SEPT. 15. [Price 1½*d.*

General Register Office, Somerset House,
September 17th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 21·1 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 18·4, 18·3, and 22·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 32·6 in Gateshead, 32·7 in Great Yarmouth, 33·7 in Tynemouth, 34·9 in Preston, 35·4 in Hanley and in Warrington, 36·0 in Burnley, 36·1 in Grimsby, and 39·6 in Merthyr Tydfil; from *measles*, 1·5 in Oldham and 1·6 in Stockport; from *scarlet fever*, 1·2 in Rochdale; from *diphtheria*, 1·2 in Rhondda and 2·6 in Reading; from *whooping-cough*, 1·3 in Birkenhead, 1·4 in Merthyr Tydfil, and 2·2 in Swansea; from "*fever*," 2·3 in Grimsby; and from *diarrhœa*, 14·2 in Burnley, 14·8 in Gateshead, 15·4 in Tynemouth, 15·7 in Coventry and in Preston, 18·0 in Grimsby, 19·6 in Warrington, and 20·4 in Hanley. One death from *small-pox* was registered in Devonport, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2319 BIRTHS and 1589 DEATHS were registered. Allowing for increase of population, the births were 189 below and the deaths 208 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 18·3, 17·3, and 20·9 per 1000 in the preceding three weeks fell last week to 17·6. The death-rate in the four weeks ended last Saturday averaged 18·5 per 1000, being 2·7 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 9/06 D & S 3 25955 2 O

The 1589 deaths included 7 from measles, 4 from scarlet fever, 10 from diphtheria, 22 from whooping-cough, 3 from enteric fever, and 455 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 501 deaths were referred to these diseases in the aggregate, being 233 above the corrected average number in the 37th week of the preceding four years.

The deaths from *measles*, which had been 13, 16, and 9 in the preceding three weeks, fell to 7 last week, and were 4 below the corrected average; 3 deaths belonged to the Borough of Poplar. The deaths from *scarlet fever*, which had been 9, 7, and 6 in the preceding three weeks, further fell to 4 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 9, 12, and 13 in the preceding three weeks, fell to 10 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 12, 11, and 17 in the preceding three weeks, rose to 22 last week, and were equal to the corrected average; 4 deaths belonged to Battersea and 3 to Wandsworth. The fatal cases of *enteric fever*, which had been 7, 2, and 4 in the preceding three weeks, were 3 last week, and were 7 below the corrected average. The deaths from *diarrhœa*, which had been 458, 455, and 529 in the preceding three weeks, fell to 455 last week, but were 254 above the corrected average; 24 deaths belonged to Islington, 24 each to Hackney and Wandsworth, 25 to Lambeth, 26 each to Fulham and Southwark, 40 to Camberwell, and 44 to Stepney. Of the 455 deaths from diarrhœa, 433 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 54 other deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 4, 4, and 3 in the preceding three weeks.

Different forms of *violence* caused 56 deaths, concerning all but 3 of which inquests were held. Of these 56 deaths, 9 were cases of suicide, and 4 of homicide, while the remaining 43 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 3 to burns or scalds, 5 to drowning, 4 to heat stroke (in addition to which 2 deaths from other causes were stated to have been accelerated by the heat), 2 to the effects of anæsthetics administered for surgical purposes, and 5 (including 4 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3075 cases of scarlet fever, 862 of diphtheria, and 116 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 440 cases, against 350, 317, and 415; of diphtheria, 120 cases, against 109, 101, and 140; and of enteric fever, 27 cases, against 18, 17, and 28. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended September 8th, 1906.

Greater London.

In Greater London 3588 births and 2359 deaths were registered. Allowing for increase of population, these numbers are 267 below and 391 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 4 deaths from diphtheria, 7 from whooping-cough, 4 from "fever," and 168 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·90 inches, and that of the Thermometer 57°·6, the latter being 0°·4 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 15 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 48·8 hours; the measured rainfall amounted to 0·74 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 25th Aug., 1906.	1st Sept., 1906.	8th Sept., 1906.	15th Sept., 1906.	Rate from Diseases in Cols. 11–17. Week ended 15th Sept., 1906.	Registered during the Week ended 15th Sept., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**18·4**	**18·3**	**22·3**	**21·1**	**8·3**	**8349**	**6398**	**2850**	**1077**	**1**	**34**	**27**	**52**	**66**	**32**	**2311**	**148**	**350**	**1118**	**40**	**76 Towns.**
London	4,721,217	18·3	17·3	20·9	17·6	5·5	2319	1589	631	292	-	7	4	10	22	3	455	56	130	538	3	London.
† Croydon	151,011	13·8	16·9	30·7	20·4	8·3	88	59	31	15	-	-	-	1	1	-	22	-	1	6	-	Croydon.
† Willesden	143,622	14·9	13·4	20·7	14·9	6·2	61	41	23	7	-	-	-	1	1	1	14	-	2	3	1	Willesden.
† Hornsey	86,935	10·8	10·2	8·4	4·8	1·2	25	8	5	1	-	-	-	-	-	-	2	-	-	-	-	Hornsey.
† Tottenham	119,503	19·2	17·5	20·5	23·6	9·2	83	54	29	6	-	-	-	-	-	1	20	1	4	9	-	Tottenham.
† West Ham	301,617	22·8	18·3	19·4	18·7	9·5	153	108	46	15	-	3	-	1	-	1	50	1	3	22	-	West Ham.
† East Ham	129,886	20·1	12·8	15·7	14·9	8·4	71	37	19	6	-	-	-	-	1	-	20	2	4	1	-	East Ham.
† Leyton	118,287	20·3	13·7	16·8	9·3	4·4	62	21	7	7	-	-	1	1	-	1	7	-	-	6	-	Leyton.
† Walthamstow	121,334	15·9	18·5	16·3	15·0	7·3	63	35	20	5	-	-	-	-	-	-	17	-	1	4	-	Walthamstow.
Hastings	67,144	17·1	10·1	20·2	18·6	3·1	13	24	7	12	-	-	-	-	-	-	4	1	2	1	-	Hastings.
Brighton	128,095	11·8	15·9	24·0	19·1	5·7	54	47	18	13	-	-	-	-	-	-	14	1	4	9	-	Brighton.
Portsmouth	205,118	23·6	18·0	24·9	21·4	11·7	107	84	46	14	-	-	-	2	3	-	41	-	-	8	1	Portsmouth.
Bournemouth	67,702	11·6	9·2	14·6	17·7	1·5	22	23	6	8	-	-	-	-	-	-	2	2	4	1	-	Bournemouth.
Southampton	117,312	8·4	15·6	21·3	19·1	7·6	47	43	18	8	-	-	-	-	-	-	17	2	10	4	-	Southampton.
Reading	78,987	9·2	10·6	18·5	21·1	11·2	34	32	15	4	-	-	-	4	-	-	13	-	1	5	-	Reading.
Northampton	93,749	11·1	7·2	21·7	16·1	6·7	34	29	13	8	-	-	-	-	-	-	12	-	-	3	-	Northampton.
Ipswich	71,809	11·6	16·7	21·8	24·0	8·0	32	33	21	6	-	-	-	-	-	-	11	-	4	1	-	Ipswich.
Great Yarmouth	52,613	29·7	28·7	19·8	32·7	11·9	30	33	18	5	-	-	-	-	-	-	12	1	4	3	-	Great Yarmouth.
Norwich	117,958	18·1	22·5	25·2	26·1	15·0	66	59	27	12	-	2	-	-	1	-	31	-	5	4	-	Norwich.
Plymouth	118,014	17·2	20·3	15·9	11·0	4·4	50	25	12	3	-	-	-	-	-	-	10	-	3	4	-	Plymouth.
Devonport	78,405	14·6	11·3	14·6	17·3	6·0	39	26	11	4	1	-	-	1	-	-	7	1	2	-	-	Devonport.
Bristol	363,223	13·2	11·6	14·9	17·4	4·3	174	121	53	26	-	-	1	2	-	-	27	3	10	20	1	Bristol.
Hanley	66,300	18·1	22·8	31·4	35·4	20·4	50	45	26	2	-	-	-	-	-	-	26	-	1	2	-	Hanley.
Burton-on-Trent	52,922	9·9	10·8	14·8	21·7	6·9	25	22	13	2	-	-	-	-	1	-	6	2	1	3	2	Burton-on-Trent.
Wolverhampton	100,729	16·0	13·5	19·2	26·4	14·5	49	51	22	9	-	-	-	1	1	-	26	-	-	3	-	Wolverhampton.
Walsall	94,577	17·1	13·2	24·3	17·6	9·4	63	32	18	9	-	-	-	-	-	-	17	1	2	2	-	Walsall.
Handsworth	63,819	9·8	10·6	17·2	15·5	7·4	23	19	10	3	-	-	-	-	-	-	9	1	3	-	-	Handsworth.
West Bromwich	68,469	10·7	19·0	25·9	19·8	9·9	37	26	15	2	-	-	1	-	-	-	12	2	3	4	1	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 15th September, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 25th Aug., 1906.	1st Sept., 1906.	8th Sept., 1906.	15th Sept., 1906.	Rate from Diseases in Cols. 11-17. Week ended 15th Sept., 1906.	Registered during the Week ended 15th Sept., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	22·9	20·3	26·0	22·1	10·9	312	232	123	26	-	1	1	3	1	-	109	4	4	31	1	BIRMINGHAM.
KINGS NORTON -	72,608	8·6	11·5	10·8	13·6	3·6	33	19	11	2	-	-	-	-	-	-	5	-	-	1	-	KINGS NORTON.
SMETHWICK - -	64,531	8·1	20·2	19·4	25·9	13·7	48	32	14	6	-	-	-	-	-	-	17	1	1	2	-	SMETHWICK.
ASTON MANOR -	82,288	23·4	19·6	24·7	18·4	10·1	37	29	18	4	-	-	-	-	-	1	15	-	-	-	-	ASTON MANOR.
COVENTRY - -	76,374	25·9	25·9	32·8	26·6	16 4	39	39	22	5	-	-	-	-	1	-	23	-	1	1	-	COVENTRY.
LEICESTER - -	232,111	18·9	19·8	20·9	19·8	6·5	99	88	45	17	-	-	-	-	-	-	29	2	7	6	2	LEICESTER.
GRIMSBY - - -	69,359	20·3	24·1	33·8	36·1	20·3	44	48	31	2	-	-	-	-	-	3	24	1	2	3	-	GRIMSBY.
NOTTINGHAM - -	254,563	23·4	18·4	22·9	24·4	11·1	132	119	56	18	-	-	-	1	-	2	51	4	4	18	-	NOTTINGHAM.
DERBY - - -	123,981	14·7	11·4	21·9	13·9	4·6	51	33	9	5	-	-	-	-	2	-	9	2	3	5	-	DERBY.
STOCKPORT - -	99,646	28·3	30·4	31·4	31·4	11·5	63	60	21	15	-	3	-	-	-	-	19	2	4	3	-	STOCKPORT.
BIRKENHEAD - -	117,292	24·9	23·6	25·8	25·3	14·2	87	57	23	8	-	-	1	1	3	1	25	-	-	8	-	BIRKENHEAD.
WALLASEY - -	64,578	15·3	13·7	21·0	17·0	5·7	43	21	8	5	-	-	-	-	1	-	6	-	1	2	-	WALLASEY.
LIVERPOOL - -	739,180	24·2	25·6	28·7	27·4	11·2	450	389	171	66	-	4	2	2	4	1	146	8	23	80	7	LIVERPOOL.
BOOTLE - - -	65,989	22·1	25·3	27·7	20·5	8·7	45	26	12	3	-	-	-	-	-	1	10	-	1	7	-	BOOTLE.
ST. HELENS - -	91,153	20·0	22·3	31·5	18·3	6·3	54	32	15	2	-	-	-	-	-	-	11	-	-	3	-	ST. HELENS.
WIGAN - - -	87,588	29·2	19·6	25·6	23·8	10·7	64	40	23	7	-	-	-	-	-	-	18	-	1	2	-	WIGAN.
WARRINGTON -	69,280	15·1	18·1	26·3	35·4	20·3	50	47	21	7	-	-	-	1	-	-	26	1	1	5	-	WARRINGTON.
BOLTON - - -	180,502	16·2	17·9	20·2	19·6	7·5	98	68	28	18	-	-	-	-	-	1	25	1	2	5	1	BOLTON.
BURY - - -	58,744	12·4	16·9	31·1	25·7	8·9	33	29	14	5	-	-	-	1	-	-	9	1	3	1	-	BURY.
MANCHESTER - -	637,126	22·3	22·2	27·7	27·3	10·9	345	334	153	48	-	-	2	1	1	-	129	8	18	59	1	MANCHESTER.
SALFORD - - -	234,077	20·2	22·9	22·7	20·5	10·7	133	92	49	15	-	3	2	-	1	-	42	1	4	12	-	SALFORD.
OLDHAM - - -	140,969	20·0	12·9	27·7	27·4	12·9	87	74	31	12	-	4	-	-	2	-	29	-	-	5	-	OLDHAM.
ROCHDALE - -	87,189	16·1	18·5	21·5	19 7	4·2	45	33	10	10	-	-	2	-	-	-	5	1	1	6	2	ROCHDALE.
BURNLEY - - -	102,808	15·2	17·2	28·4	36·0	15·2	58	71	39	9	-	-	1	1	-	-	28	-	1	9	1	BURNLEY.
BLACKBURN - -	134,015	13·6	13·2	17·1	20·2	7·0	69	52	20	10	-	-	-	1	1	-	16	1	2	6	-	BLACKBURN.
PRESTON - - -	116,399	13·9	18·4	24·2	34·9	17·0	80	78	39	13	-	-	1	-	1	1	35	1	2	6	1	PRESTON.
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2	BARROW-IN-

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	Causes. Week ended 25th Aug., 1906.	1st Sept., 1906.	8th Sept., 1906.	15th Sept., 1906.	Diseases in Cols. 11-17. Week ended 15th Sept., 1906.	Registered during the Week ended 15th Sept., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	16·5	21·4	23·6	19·8	6·0	43	36	13	10	-	1	-	-	1	-	9	-	1	1	-	HUDDERSFIELD.
HALIFAX - - -	109,272	11·9	12·4	14·3	8·6	1·9	39	18	5	3	-	-	-	-	-	-	4	-	-	4	-	HALIFAX.
BRADFORD - -	288,544	17·0	15·7	23·5	23·9	8·9	119	132	42	40	-	-	-	-	-	-	49	2	5	15	-	BRADFORD.
LEEDS - - -	463,495	19·0	18·0	16·3	19·5	6·3	250	173	77	30	-	2	-	-	1	1	52	1	5	23	-	LEEDS.
SHEFFIELD - -	447,951	21·1	21·9	27·7	26·1	13·7	235	224	94	25	-	-	7	4	2	5	100	4	6	27	2	SHEFFIELD.
ROTHERHAM - -	61,098	18·8	23·0	27·3	26·5	11·9	41	31	12	4	-	1	-	-	1	1	11	3	4	4	1	ROTHERHAM.
YORK - - -	83,467	12·5	15·6	20·6	26·9	8·1	36	43	19	7	-	-	-	-	-	1	12	-	-	7	-	YORK.
HULL - - -	262,426	21·7	25·8	29·8	25·0	11·9	136	126	53	19	-	-	-	2	2	-	56	5	7	20	1	HULL.
MIDDLESBROUGH -	100,069	20·3	29·7	22·9	27·6	12·5	68	53	23	6	-	-	-	1	1	2	20	-	3	7	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	19·8	19·8	24·8	14·9	9·9	35	15	11	2	-	-	-	-	-	-	10	-	1	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	13·5	14·9	12·8	30·6	13·5	44	43	18	6	-	-	-	-	-	-	19	-	-	7	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	18·2	17·6	21·3	27·4	8·1	106	81	33	15	-	-	-	1	-	1	22	1	1	10	2	SUNDERLAND.
SOUTH SHIELDS -	111,402	19·7	15·4	13·1	20·1	5·6	67	43	17	5	-	2	-	2	1	-	7	1	2	1	1	SOUTH SHIELDS.
GATESHEAD - -	123,191	14·4	16·5	20·3	32·6	15·2	71	77	36	13	-	-	-	1	-	-	35	2	4	4	5	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	15·1	21·5	19·6	25·0	6·8	150	129	62	14	-	1	-	-	-	-	34	4	10	12	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	19·3	16·4	27·9	33·7	16·4	40	35	19	4	-	-	-	-	-	1	16	1	1	1	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	14·0	16·2	24·6	19 7	6·3	47	28	9	6	-	-	-	-	-	-	9	1	1	5	-	NEWPORT (MON.).
CARDIFF - - -	183,823	12·8	16·5	15·0	18·4	7·7	93	65	32	7	-	-	1	1	1	-	24	1	2	8	1	CARDIFF.
RHONDDA- - -	127,684	20·8	20·8	26·5	27·8	15·5	101	68	38	3	-	-	-	3	-	1	34	1	1	2	-	RHONDDA.
MERTHYR TYDFIL -	74,961	18·8	18·1	32·0	39·6	11·8	56	57	31	5	-	-	-	1	2	-	14	3	3	5	-	MERTHYR TYDFIL
SWANSEA- - -	96,848	17·8	23·7	25·3	17·8	4·8	54	33	14	6	-	-	-	-	4	1	4	2	3	2	-	SWANSEA.
GREATER LONDON -	7,113,561	18·3	17·1	20·4	17·3	6·2	3588	2359	1019	430	-	11	5	18	32	11	775	69	160	621	5	GREATER LONDON.
OUTER RING - -	2,392,344	18·5	16·5	19·3	16·8	7·7	1269	770	388	138	-	4	1	8	10	8	320	13	30	83	2	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	18·1	15·8	19·3	16·1	7·4	606	363	180	62	-	3	1	4	3	4	152	4	15	51	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	18·8	17·2	19·4	17·4	7·9	663	407	208	76	-	1	-	4	7	4	168	9	15	32	1	REMAINDER OF OUTER RING.
EDINBURGH - -	341 035	12·2	11·5	14·7	13·8	1·1	146	90	21	26	-	-	-	1	-	-	6	1	?	25	5	EDINBURGH.
GLASGOW - - -	835,625	14·4	13·9	15·9	17·9	5·1	441	287	84	41	-	2	4	-	6	3‡	67	11	?	75	12	GLASGOW.
DUBLIN† - - -	378,994	21·5	21·9	24·1	29·4	5·9	209	214	75	50	-	-	1	1	1	1	39	2	5	65	7	DUBLIN.†
BELFAST†- - -	366,220§	19·8	19·1	21·5	20·2	6·4	211	142	43	26	-	-	-	1	3	3	38	1	1	26	-	BELFAST.†

See note † on first page of this return † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 2 deaths from Cerebro-spinal meningitis were registered. § Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SEVENTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2440	2633	2499	2675	2519	2442	2370	2584	2514	2374	2508·1	2319
Males - - -	1217	1353	1266	1382	1296	1227	1251	1319	1287	1215	1292·5	1178
Females - -	1223	1280	1233	1293	1223	1215	1119	1265	1227	1159	1215·6	1141
TOTAL **Deaths** -	1251	1378	1832	1643	1470	1398	1471	1402	1360	1187	1381·2	1589
Males - -	683	740	972	883	789	758	786	736	703	633	728·3	831
Females - -	568	638	860	760	681	640	685	666	657	554	652·9	758

* The numbers in this column are the average weekly numbers in the thirty-seventh week of the four years 1902–1905, raised by 1·933 per cent. for increase of population

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15	13 Weeks
TOTAL **Births** -	2499	2386	2496	2413	2468	2352	2576	2155	2550	2466	2475	2329	2319	31484
TOTAL **Deaths** -	1205	1060	1113	1072	1054	1056	1272	1352	1584	1654	1570	1892	1589	17473
Ages at Death: Under 1 year -	213	189	208	192	221	233	346	464	653	646	643	760	631	5399
1–5 years -	139	113	144	126	128	121	148	162	194	204	199	219	207	2104
5–20 ,, -	79	67	79	71	60	74	68	79	59	67	64	66	60	893
20–40 ,, -	151	136	132	151	110	147	141	145	142	159	136	187	151	1888
40–60 ,, -	279	240	253	227	222	217	254	210	243	245	235	268	248	3141
60 yrs. & upwds.	344	315	297	305	313	264	315	292	293	333	293	392	292	4048
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	52	46	39	22	35	30	22	25	21	13	16	9	7	337
Scarlet Fever - -	13	5	17	6	12	6	6	10	8	9	7	6	4	109
Diphtheria - -	8	9	12	9	10	10	10	13	15	9	12	13	10	140
Whooping-cough -	23	14	12	18	20	10	13	14	13	12	11	17	22	199
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	8	9	12	4	5	3	4	5	4	7	2	4	3	70
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	1	-	-	2
Diarrhœa, Dysentery	17	22	31	35	56	74	184	288	424	458	455	529	455	3028
All above Diseases -	121	105	123	94	139	133	239	355	485	508	504	578	501	3885
Dis. of Resp. System	58	41	41	47	52	42	52	47	45	45	53	53	35	611
Pneumonia - -	79	91	77	72	81	59	59	65	74	58	56	90	70	931
Phthisis - - -	129	111	127	108	103	111	108	112	109	119	105	123	128	1493
Dis. of Circ. System -	170	166	144	153	125	134	161	145	151	141	137	169	164	1960
Violence - - -	50	71	51	60	54	61	62	65	52	72	49	77	56	780
Inquest Cases - -	107	123	109	117	104	120	140	141	129	139	115	153	130	1627
Deaths in Institutions	527	452	474	451	425	449	500	481	533	567	588	670	538	6655
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	64·1	60·0	61·9	61·5	62·7	66·3	67·3	66·1	61·5	64·9	66·5	68·0	57·6	63·7
Mean of Highest -	76·8	71·5	74·0	72·8	74·2	77·8	80·1	78·8	71·3	77·4	81·6	80·9	69·1	75·9
Mean of Lowest -	51·9	51·4	49·5	52·7	52·7	56·5	56·0	56·1	54·3	55·4	52·2	56·8	48·0	53·3
Mean Humidity of the Air.	68	76	65	70	70	68	64	68	77	72	62	64	70	69
Rain-fall (in inches) -	0·01	2·46	0·00	0·01	0·19	0·15	0·86	0·01	0·33	0·26	0·00	0·85	0·74	5·67
Registered Sunshine (in hours).	61·0	58·1	75·4	47·9	43·8	69·5	76·5	54·1	35·7	49·9	70·9	53·7	48·8	745·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	13	11	7	5	2	1	1	–	–	–	–	–	–	3
Scarlet Fever - -	2692	2752	2769	2842	2943	3048	3120	3051	3046	3078	3042	3067	3075	2963
Diphtheria - -	766	783	827	840	872	874	879	861	846	859	835	861	862	843
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	76	93	86	89	99	99	109	101	95	101	103	115	116	99

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq. Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SEVENTH Week of the Year 1906.

he terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 37th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages						
		ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES - - -	1381·2	1589	631	207	60	151	248	292
Small-pox* - - -	0·8	-	-	-	-	-	-	-
Cowpox - - - -	-	-	-	-	-	-	-	-
Measles (Morbilli) - -	11·2	7	3	4	-	-	-	-
Scarlet Fever - - -	9·9	4	-	4	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-
Influenza - - - -	2·5	3	-	-	-	-	2	1
Whooping-cough - -	21·7	22	14	7	1	-	-	-
Diphtheria - - -	12·7	10	-	9	1	-	-	-
Cerebro Spinal Fever -	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain) - - -	0·3	-	-	-	-	-	-	-
Enteric Fever - - -	9·9	3	-	-	3	-	-	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	121·8	326	252	62	2	1	5	4
Diarrhœa, Dysentery -	79·5	129	95	24	1	4	3	2
Tetanus - - - -	0·3	1	-	-	-	1	-	-
Rabies, *Hydrophobia* -	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)-	1·3	-	-	-	-	-	-	-
Venereal Dis. - - -	8·7	6	4	1	1	-	-	-
Puerperal Septicæmia -	3·1	1	-	-	-	1	-	-
Puerperal Pyæmia -	0·3	-	-	-	-	-	-	-
Puerperal Fever - -	1·0	-	-	-	-	-	-	-
Infective Endocarditis -	2·3	2	-	-	1	-	1	-
Pneumonia: Lobar - -	7·9	5	-	1	-	-	2	2
Pneumonia: Broncho- -	28·0	26	12	10	-	-	1	3
Pneumonia: Epidemic -	-	-	-	-	-	-	-	-
Pneumonia: Not defined	37·5	39	9	10	2	2	4	12
Erysipelas - - -	5·6	3	-	-	-	1	-	2
Septicæmia (not Puerperal) - - -	0·5	2	1	-	1	-	-	-
Pyæmia (not Puerperal)	0·8	-	-	-	-	-	-	-
Other Infective Processes	6·6	4	1	-	-	1	1	1
Tuberculous Phthisis -	69·6	83	1	7	3	39	28	5
"*Phthisis*" - - -	63·0	45	-	-	3	22	12	8
Tuberculous Meningitis -	16·6	18	6	10	1	1	-	-
Tuberculous Peritonitis -	12·5	12	2	6	2	1	-	1
Tabes Mesenterica - -	9·2	5	3	2	-	-	-	-
Tuberculous Dis. (other)-	19·1	17	3	4	4	3	2	1
Scrofula - - - -	1·0	-	-	-	-	-	-	-
Alcoholism - - -	11·5	11	-	-	-	4	6	1
Rheumatic Fever - -	3·6	5	-	-	2	1	2	-
Gout - - - - -	1·0	-	-	-	-	-	-	-
Carcinoma - - -	51·7	59	-	-	-	2	27	30
Sarcoma - - - -	6·1	5	-	-	-	1	1	3
Cancer (undefined) - -	35·4	29	-	-	-	3	15	11
Diabetes Mellitus - -	6·4	6	-	-	-	1	2	3
Premature Birth - -	50·0	50	50	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 37th week of the 4 years 1902-1905.	1906—Deaths of Persons o the Ages						
		ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	13·3	18	4	10	3	1	-	-
Insanity, Gen. Par. of Insane - - -	11·0	14	-	-	1	4	7	2
Epilepsy - - - -	6·9	4	1	-	-	1	1	1
Convulsions - - -	24·7	17	16	-	1	-	-	-
Locomotor Ataxy - -	0·8	1	-	-	-	-	1	-
Paraplegia, Dis. of Cord	5·4	2	-	-	-	1	-	1
Nervous Sys. (other dis.)	16·3	24	-	1	2	4	6	11
Valv. Dis., Endocarditis-	39·5	36	-	-	-	9	12	15
Cerebr. Hæm. Thromb. -	31·3	31	-	-	1	1	11	18
Apoplexy, Hemiplegia -	16·3	16	-	-	1	-	6	9
Aneurysm - - -	4·8	3	-	-	-	-	3	-
Embolism, Thrombosis (not cerebral) -	0·5	1	-	-	-	-	1	-
Heart & Blood Vessel Dis.	63·5	77	-	-	2	8	24	43
Croup (not Spasm : nor Memb.) - -	0·3	-	-	-	-	-	-	-
Bronchitis - - -	44·1	24	3	-	-	1	4	16
Asthma, Emphysema -	2·3	2	-	1	-	-	1	-
Pleurisy - - - -	2·0	3	-	-	-	1	2	-
Respiratory Dis. (other)	9·7	6	1	1	1	-	3	-
Tonsillitis, Quinsy - -	1·0	-	-	-	-	-	-	-
Enteritis (not Epid.) -	19·4	29	17	7	-	-	-	5
Gastro-Enteritis - -	17·8	57	49	5	2	-	-	1
Peritonitis (not Puerp.) -	2·8	-	-	-	-	-	-	-
Cirrhosis of Liver - -	11·7	12	-	-	-	1	8	3
Liver Dis. (other) - -	4·3	6	-	-	-	2	2	2
Digestive Dis., Other -	40·0	36	5	3	2	7	10	9
Nephritis, Acute - -	6·4	3	1	-	-	1	-	1
Bright's Dis., Albuminuria - - -	30·6	26	-	-	2	5	11	8
Urinary Sys., Other Dis.	9·9	11	-	-	-	-	2	9
Generative Organs Dis.-	4·3	4	-	-	-	2	2	-
Childbirth (Accid. of) -	4·3	3	-	-	1	2	-	-
Old Age - - - -	45·4	35	-	-	-	-	-	35
Other Diseases - -	107·5	94	71	10	3	3	3	4
ACCIDENT.								
By Railways - - -	2·0	1	-	-	-	1	-	-
By Vehicles and Horses-	7·1	8	-	1	3	-	3	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·5	-	-	-	-	-	-	-
In Building Operations -	1·3	2	-	-	-	1	-	1
In Conflagrations - -	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	3·3	3	-	2	-	-	1	-
By Drowning - - -	2·5	5	-	1	3	-	-	1
By Suffocation in Bed -	6·9	5	4	-	-	-	1	-
By Poisons or Poisonous Vapours - -	3·1	2	1	-	-	-	1	-
Other Deaths by Accident - - -	12·2	17	1	3	3	2	4	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	1·3	4	1	1	1	1	-	-
Suicide - - - -	11·0	9	-	-	-	3	4	2
Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th September, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2319	1589	631	292	-	7	4	10	22	-	3	-	455	56	130	538
WEST DISTRICTS	805,311	340	262	105	48	-	3	-	2	4	-	-	-	83	9	20	80
NORTH DISTRICTS	1,056,070	528	302	112	76	-	1	2	2	3	-	1	-	79	10	19	98
CENTRAL DISTRICTS	209,465	93	81	23	10	-	-	-	-	3	-	1	-	19	8	8	50
EAST DISTRICTS	715,739	447	302	125	49	-	3	-	-	2	-	-	-	89	12	41	125
SOUTH DISTRICTS	1,749,844	911	605	266	101	-	-	1	6	10	-	1	-	182	17	42	148
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	37	-	14	-	-	1	-	-	-	-	-	3	-	-	37
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	39	24	11	6	-	-	-	-	-	-	-	-	10	-	1	6
St. John Paddington *H*	33,617	6	14	3	3	-	-	-	1	-	-	-	-	3	1	2	9
North-West Paddington	17,181	8	6	3	-	-	-	-	-	1	-	-	-	1	-	1	-
Kensington Town *2W,w,2H*	128,037	68	46	17	12	-	1	-	-	1	-	-	-	12	2	4	15
Brompton *2H*	48,591	5	7	1	2	-	-	-	-	-	-	-	-	3	-	-	1
North Hammersmith *2W,wH*	49,192	30	22	12	2	-	-	-	-	-	-	-	-	9	1	3	2
South Hammersmith *w,2H*	63,047	30	25	13	4	-	-	-	-	-	-	-	-	5	1	1	6
North-west Fulham *W*	45,180	34	36	16	4	-	-	-	-	1	-	-	-	20	1	2	10
North-east Fulham *F*	46,405	31	12	7	1	-	-	-	1	-	-	-	-	3	-	2	1
South Fulham *W*	45,704	25	12	7	1	-	-	-	-	-	-	-	-	4	-	-	-
Chelsea North *W,w,3H*	42,514	14	15	1	3	-	1	-	-	-	-	-	-	2	1	1	14
Chelsea South *W,2H*	31,328	9	11	3	4	-	-	-	-	1	-	-	-	2	1	2	2
Mayfair and Knightsbridge	28,743	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	17	18	4	4	-	-	-	-	-	-	-	-	3	1	1	8
St. Margaret & St. John *4H*	43,698	14	11	6	1	-	-	-	-	-	-	-	-	6	-	-	6
St. James and St. Anne *W,6H*	33,081	8	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	15	11	1	4	-	-	-	-	-	-	-	-	1	-	-	8
St. Mary Marylebone *W,4H*	37,948	41	5	1	1	-	1	-	-	-	-	-	-	1	-	-	1
Christchurch Marylebone *H*	39,536	16	8	4	2	-	-	-	-	-	-	-	-	3	-	-	-
St. John Marylebone *2H*	20,426	9	6	1	3	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *W,F,7H*	81,942	23	27	7	8	-	-	1	-	-	-	-	-	9	-	-	13
West St. Pancras *2H*	60,562	23	14	6	3	-	-	-	-	-	-	-	-	5	1	2	2
Tottenham-court *w,7H*	21,258	4	12	4	3	-	-	-	-	-	-	-	-	1	-	-	11
Gray's Inn Lane *4H*	34,449	17	7	1	1	-	-	-	-	-	-	-	-	2	-	-	3
East St. Pancras *W,2H*	60,320	32	17	5	4	-	-	-	-	-	-	-	-	1	3	3	2
North St. Pancras *2W*	58,728	27	10	1	2	-	-	-	-	-	-	-	-	1	-	-	4
Tufnell *W*	31,995	12	20	4	6	-	-	-	-	2	-	-	-	2	2	5	14
Upper Holloway *2W,w,H*	33,978	25	14	3	4	-	-	-	-	-	-	1	-	4	1	1	10
Tollington *WH*	33,922	11	7	5	2	-	-	-	-	-	-	-	-	3	-	-	-
Lower Holloway	41,424	21	9	7	1	-	-	-	-	-	-	-	-	4	-	-	-
Barnsbury	54,478	30	13	7	-	-	-	-	-	-	-	-	-	3	-	-	-
Islington South-east *F*	75,397	47	23	9	5	-	-	-	-	-	-	-	-	5	1	2	-
Highbury *2H*	63,797	32	17	8	4	-	-	-	-	-	-	-	-	2	-	1	-
Stoke Newington *H*	51,247	17	8	4	2	-	-	-	-	-	-	-	-	4	-	-	-
North Hackney	50,560	16	9	5	1	-	-	-	-	-	-	-	-	4	-	-	-
Central Hackney *2w,F*	50,536	35	16	6	4	-	-	1	2	1	-	-	-	5	-	-	3
South-west Hackney *3H*	59,921	41	27	16	2	-	-	-	-	-	-	-	-	13	-	2	15
South-east Hackney *2W,w,H*	58,255	34	22	7	8	-	-	-	-	-	-	-	-	6	2	3	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th September, 1906—*continued.*

ISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	*Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
les and Bloomsbury 2*W*,2*H* -	31,436	24	6	1	2	-	-	-	-	-	-	-	-	-	-	-	3	-
d *W*,4*H* - - - - - -	21,674	7	10	2	2	-	-	-	-	-	-	-	-	-	1	1	7	-
Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn *W*,6*H* - - - - -	29,612	10	20	10	1	-	-	-	-	2	-	-	-	12	-	-	19	-
Clerkenwell - - -	28,676	16	8	3	1	-	-	-	-	-	-	-	-	3	-	-	-	-
Clerkenwell *H* - - -	35,028	13	5	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-
ury 3*H*,*L* - - - - -	36,116	19	9	2	2	-	-	-	-	-	-	-	-	2	-	-	1	-
rn *Union Workhouse,* ham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tolph *H* - - - -	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pulchre and Allhallows *W*,2*H*	16,624	3	23	2	2	-	-	-	-	-	-	1	-	1	7	7	20	-
f London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
ditch South *H* - - - -	46,362	25	12	3	2	-	-	-	-	-	-	-	-	5	1	3	-	-
ditch North-West *W*,*w*,*H* -	36,127	33	26	10	2	-	-	-	-	-	-	-	-	6	-	3	9	-
ditch North-East - - -	36,148	16	7	3	2	-	-	-	-	-	-	-	-	2	-	-	-	-
itch Union Workhouse, Wood m - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
al Green North-East* 2*W*,	65,138	30	37	11	9	-	-	-	-	-	-	-	-	8	3	7	22	-
al Green South-West* *H* -	64,542	40	13	6	3	-	-	-	-	-	-	-	-	1	1	4	-	1
lfields - - - - - -	27,969	14	5	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-
End New Town *W*,*H* - -	28,718	28	48	15	3	-	-	-	-	-	-	-	-	6	1	3	42	-
man's Fields - - - -	22,081	13	5	-	2	-	-	-	-	-	-	-	-	1	-	2	-	-
orge and St. John 2*W* - -	49,068	44	11	9	1	-	-	-	-	-	-	-	-	6	-	-	3	-
well and Ratcliff *W*,*H* - -	25,568	12	27	15	2	-	-	-	-	2	-	-	-	9	3	5	16	-
house *W* - - - - - -	32,369	12	9	6	2	-	-	-	-	-	-	-	-	5	-	-	-	-
End Old Town South-stern *H* - - - -	63,698	58	17	10	3	-	-	-	-	-	-	-	-	8	-	4	-	-
End Old Town North-stern *W*,*w* - - -	49,129	25	22	7	5	-	-	-	-	-	-	-	-	8	-	2	10	-
L - - - - - - -	41,989	19	5	3	1	-	-	-	-	-	-	-	-	4	-	-	-	-
dley 3*w*,*H* - - - - -	68,319	37	38	14	9	-	2	-	-	-	-	-	-	11	1	2	21	-
r *W*,*w* - - - - - -	58,514	41	20	10	3	-	1	-	-	-	-	-	-	6	2	5	2	-

On 1st August, 1906, Bethnal Green North, Bethnal Green South, and Bethnal Green East sub-districts, were rranged into two new sub-districts as above.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th September, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark* W,2H	23,319	8	17	3	3	-	-	-	-	-	-	-	-	2	2	4	1
Kent-road	21,904	6	7	5	-	-	-	-	-	-	-	-	-	5	-	-	
St. George the Martyr West W,2H,L	39,094	19	18	7	1	-	-	-	-	-	-	-	-	2	-	2	
Newington North	49,022	16	13	4	3	-	-	-	-	-	-	-	-	8	-	-	
Newington South W	72,841	37	20	11	3	-	-	-	-	-	-	-	-	9	-	-	
St. Olave 2W	9,817	5	3	2	-	-	-	-	-	-	-	-	-	2	-	-	
Bermondsey W	82,483	39	18	6	1	-	-	-	-	-	-	-	-	5	1	2	
Rotherhithe W,F	38,460	15	15	2	3	-	-	-	-	-	-	-	-	3	-	1	
Waterloo-road 2H	27,440	35	12	8	1	-	-	-	1	-	-	-	-	1	-	-	
Lambeth Church 1st H	18,423	9	13	3	1	-	-	-	1	-	-	-	-	1	2	3	
Lambeth Church 2nd 2W	39,818	42	25	3	7	-	-	-	-	-	-	-	-	4	2	3	1
Kennington 1st H	53,198	33	12	6	2	-	-	-	-	-	-	-	-	3	-	-	
Kennington 2nd H	42,896	21	10	8	1	-	-	-	-	-	-	-	-	5	-	1	
Brixton F	84,232	28	23	14	5	-	-	1	1	-	-	-	-	7	-	-	
Norwood W,H	35,888	12	12	5	5	-	-	-	-	-	-	-	-	4	-	1	
East Battersea H	72,203	32	19	12	2	-	-	-	-	3	-	-	-	7	1	3	
North-west Battersea	49,656	25	14	6	1	-	-	-	-	1	-	-	-	3	1	4	
South-west Battersea 2W,H	47,048	19	20	3	5	-	-	-	-	-	-	-	-	1	1	1	1
Clapham 2H	51,361	25	18	9	4	-	-	-	-	-	-	-	-	5	1	2	
Streatham W,2w,2F,2L	88,019	48	36	13	10	-	-	-	1	2	-	-	-	5	1	1	1
Springfield 2W,L	27,959	19	11	7	2	-	-	-	-	1	-	-	-	6	-	-	
Southfields H	40,444	19	9	2	3	-	-	-	-	-	-	-	-	2	1	1	
Putney	24,139	9	6	4	-	-	-	-	-	-	-	-	-	3	-	-	
Dulwich	13,359	2	4	2	1	-	-	-	-	-	-	-	-	1	-	-	
Camberwell South W,w	40,206	18	20	6	2	-	-	-	-	-	-	-	-	3	-	1	1
Camberwell North W,2L	65,584	31	31	13	5	-	-	-	-	-	-	-	-	12	-	2	1
St George	47,331	30	21	14	-	-	-	-	-	-	-	-	-	12	2	3	
Peckham North	48,913	33	15	11	1	-	-	-	-	-	-	-	-	8	-	-	
Peckham South 2W,w	43,946	21	11	7	1	-	-	-	-	-	-	-	-	4	-	-	
Deptford North	37,613	33	8	6	1	-	-	-	-	-	-	-	-	3	-	1	
Deptford Central F	45,481	34	9	6	-	-	-	-	-	-	-	-	-	6	-	-	
Deptford South	34,625	12	12	5	2	-	-	-	1	-	-	-	-	3	-	1	
Greenwich West 2H	23,456	9	3	2	-	-	-	-	-	-	-	-	-	1	-	-	
Greenwich East 2W,H	43,859	26	20	5	5	-	-	-	-	-	-	-	-	3	1	3	1
Eltham w,H	7,226	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
Lee wH	25,490	6	5	2	3	-	-	-	-	-	-	-	-	1	-	-	
Lewisham W w,F	58,352	42	36	15	9	-	-	-	1	-	-	-	-	13	-	-	1
Sydenham H	43,653	21	17	7	2	-	-	-	-	1	-	-	-	5	-	-	
Charlton F,2H	21,134	9	6	1	2	-	-	-	-	-	-	1	-	1	-	2	
Woolwich 5H	41,625	25	13	9	-	-	-	-	-	2	-	-	-	4	-	-	
Plumstead West W	18,063	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H	50,264	25	19	10	3	-	-	-	-	-	-	-	-	9	1	-	
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leavesden	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Lunatic Asylums:—																	
Banstead	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Manor	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dartford Heath	—	-	10	-	2	-	-	-	-	-	-	-	-	2	-	-	1
Hanwell	—	-	4	-	3	-	-	-	-	-	-	-	-	1	-	-	1
Colney Hatch	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	

* On 1st August, 1906, Christchurch Southwark and St. Saviour Southwark sub-districts were united and named as ab

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 15th September, 1906.

Division of District and Sub-District Number.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1269	770	388	138	-	4	1	8	10	8	320	13	30	83	2
1	Carshalton 2F,3H - -	12,228	32,997	18	3	3	-	-	-	-	-	-	-	3	-	-	-	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	9	13	6	3	-	-	-	-	-	-	4	1	1	4	-
1	Godstone, *part of** W,F -	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Coulsdon - - - -	11,069	8,166	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	21	19	10	6	-	-	-	-	-	-	7	-	-	-	-
3	West Croydon 3W,F,H -	2,168	42,888	42	25	15	2	-	-	-	-	1	-	10	-	-	6	-
4	North Croydon H - -	2,644	41,698	25	15	6	6	-	-	-	1	-	-	5	-	1	-	-
5	Penge w,H - - - -	770	22,465	13	4	2	1	-	-	-	-	-	-	2	-	-	-	-
6	Mitcham w - - -	11,711	30,015	31	20	16	1	-	-	-	-	-	-	12	-	-	-	-
1	Wimbledon F,3H - -	3,221	41,652	24	17	8	2	-	-	-	-	-	1	9	-	-	1	-
2	Kingston 2W,H - - -	6,224	42,068	17	20	7	5	-	-	-	-	-	-	8	-	-	4	-
3	Surbiton F,H - - -	3,046	15,017	5	4	2	1	-	-	-	-	-	-	2	-	1	1	-
4	Esher, *part of** H -	5,402	13,100	7	3	-	-	-	-	-	-	1	-	-	1	1	-	-
5	Hampton H,F,L - -	4,564	23,456	17	11	5	3	-	-	-	-	-	-	3	1	1	-	-
1	Richmond W,H - - -	2,162	28,865	8	4	1	1	-	-	-	-	1	-	-	1	1	-	-
2	Mortlake F - - -	2,847	20,628	11	7	3	1	-	-	-	-	-	-	1	-	-	-	-
1	Bromley F,2H - - -	4,703	27,354	14	9	7	2	-	-	-	-	-	-	5	-	-	-	-
2	Beckenham H - - -	7,825	28,497	10	4	1	3	-	-	-	-	-	-	2	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H - - -	7,333	16,446	7	5	2	-	-	-	-	-	-	-	2	-	-	-	-
1	Bexley w F,H - - -	8,678	21,151	15	5	3	1	-	-	-	-	-	-	1	-	-	-	-
2	Erith F,H - - - -	3,854	25,296	10	10	7	1	-	-	-	1	-	-	5	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury w - - - -	11,054	18,683	7	4	2	1	-	-	-	1	-	-	1	-	-	-	-
2	Staines W,H - - -	13,277	15,178	13	4	2	-	-	-	-	-	-	-	4	-	-	-	-
1	Hillingdon W,F,H - -	6,035	13,661	10	5	2	1	-	-	-	-	-	-	2	-	-	-	-
2	Uxbridge H - - -	12,757	8,984	4	4	2	1	-	-	-	-	-	-	1	-	-	1	-
3	Hayes w2 F,H - - -	8,066	16,358	11	8	5	1	-	-	-	-	1	-	1	-	-	-	-
1	Isleworth 3W,2F,H - -	6,859	30,863	27	15	2	7	-	-	-	1	-	1	2	1	-	8	-
2	Twickenham F,H - -	2,421	20,991	12	13	8	-	-	-	-	-	-	-	9	-	-	-	-
3	Brentford 3F,2H - - -	4,319	48,289	29	18	13	3	-	-	-	-	1	-	10	-	-	1	-
4	Chiswick H - - - -	1,249	29,809	9	7	5	2	-	-	-	-	-	-	3	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	47	24	14	4	-	-	-	-	-	1	13	-	-	1	1
1	Harrow F,H - - -	13,809	25,523	15	10	5	1	-	-	-	-	-	1	4	-	1	-	-
2	Edgware 2F,2H - - -	6,994	4,521	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	61	40	23	6	-	-	-	1	1	1	14	-	2	2	1
4	Hendon W,F - - -	8,382	22,450	8	12	3	4	-	-	-	-	1	-	1	-	1	1	-
1	South Mimms 2F,H - -	17,755	7,308	3	3	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	17	6	4	1	-	-	-	-	-	-	3	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	24	15	9	5	-	1	-	-	-	-	8	1	1	-	-
1	Hornsey F,H - - -	2,875	72,056	25	8	5	1	-	-	-	-	-	-	2	-	-	-	-
2	Wood Green H - - -	1,625	34,233	26	17	7	2	-	-	-	-	-	-	5	-	2	-	-
3	West Tottenham F - -	996	48,853	43	26	18	2	-	-	-	-	-	-	10	-	2	-	-
4	East Tottenham 2H - -	2,017	53,688	40	26	12	3	-	-	-	-	-	-	11	1	2	7	-
5	Edmonton W,w,2F - -	7,491	61,892	53	28	15	4	-	-	-	-	-	-	12	-	3	1	-
6	Enfield 2W,F,H - - -	12,601	42,738	32	20	12	2	-	-	-	-	1	-	11	1	1	-	-
7	Waltham Abbey F - -	11,017	6,549	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	3	4	2	1	-	-	-	-	-	-	-	1	-	-	-
1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey H - - - -	9,333	9,173	5	3	2	1	-	-	-	-	-	-	2	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford H - - -	1,072	44,827	24	10	1	3	-	-	-	-	-	-	6	-	-	1	-
2	Plaistow F,2H - - -	1,249	90,921	57	37	18	1	-	3	-	1	-	-	16	-	1	6	-
3	Canning Town H - -	1,556	70,718	54	41	23	2	-	-	-	-	-	1	25	1	2	1	-
4	Forest Gate w - - -	806	60,892	18	6	3	2	-	-	-	-	-	-	2	-	-	-	-
5	North East Ham w H -	1,333	58,676	41	19	8	4	-	-	-	-	1	-	8	2	2	-	-
6	South East Ham 2F - -	1,993	37,342	30	17	11	2	-	-	-	-	-	-	12	-	2	-	-
7	Wanstead F - - -	1,679	9,719	4	4	3	-	-	-	-	-	-	-	2	-	-	-	-
8	South Leyton 2W - -	631	50,467	24	9	2	4	-	-	-	-	-	-	3	-	-	5	-
9	North Leyton 2W,w,F -	1,963	48,445	38	27	8	10	-	-	1	1	-	1	7	-	-	16	-
10	Walthamstow 3H,L - -	6,504	108,929	73	37	21	5	-	-	-	-	1	-	19	-	1	-	-
1	Chigwell, *part of** 2F,3H -	11,778	16,397	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** - -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Romford, *part of** W,2F -	6,556	6,091	10	3	-	1	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L - - - -	8,496	41,234	23	24	6	6	-	-	-	1	-	-	6	1	1	6	-
3	Barking Town F - -	3,803	21,547	20	6	5	-	-	-	-	-	-	-	3	-	-	-	-
	N.E. Hosp., Tottenham -	—	—	-	2	-	-	-	-	-	-	-	1	-	-	-	2	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	London County Asylum. Banstead.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Belmont Asylum, Banstead-	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Asylum Dartford Heath.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	September 15	2319	1589	17·6	-	7	4	10	22	3	45
CALCUTTA - -	977,822	August 18	-	431	26·4	2	4	-	-	-	117†	5
BOMBAY - -	982,000	" 28	399	816	54·7	3	6	-	-	-	97†	16
MADRAS - -	509,346	" 10	415	425	43·3	2	3	?	?	?	92	9
PARIS - - -	2,750,000	September 8	1068	829	16·1	-	-	3	2	6	10	15
BRUSSELS - -	612,401	" 8	218	180	15·3	-	5	2	-	4	1	2
ANTWERP - -	297,311	" 8	144	97	17·0	-	5	-	1	-	2	3
AMSTERDAM -	560,482	" 1	272	123	11·4	-	5	-	-	-	1	2
COPENHAGEN -	425,000	" 8	222	149	18·3	-	1	1	-	-	1	4
STOCKHOLM -	324,488	" 1	155	76	12·2	-	-	-	1	1	-	
CHRISTIANIA -	222,373	" 8	133	45	10·5	-	-	1	3	-	2	
ST. PETERSBURG	1,424,700	August 25	514	587	21·4	1	13	19	35	5	34	9
MOSCOW - -	1,154,000	" 25	-	626	28·3	-	2	9	8	4	7	17
BERLIN - -	2,063,881	" 25	971	714	18·0	-	5	1	5	11	3	23
HAMBURG - -	819,380	September 8	-	266	17·2	-	3	1	2	5	-	8
BRESLAU - -	475,000	" 1	-	209	22·9	-	-	1	3	2	-	3
MUNICH - -	544,000	" 8	-	189	18·2	-	1	2	1	-	-	8
VIENNA - -	1,956,949	" 8	990	617	16·6	-	3	6	7	2	2	10
PRAGUE - -	460,849	" 1	157	130	14·7	-	1	1	-	1	-	
BUDA-PESTH -	859,134	" 1	377	242	15·9	-	-	9	1	1	4	3
TRIESTE - -	196,637	" 8	148	106	28·0	-	-	-	-	-	3	
ROME - -	531,179	July 28	245	176	17·3	-	1	-	-	3	5§	3
VENICE - -	171,709	September 1	90	62	18·8	-	-	-	-	-	1	
BUCHAREST -	291,138	" 1	98	117	21·0	-	-	-	2	-	4	
NEW YORK -	4,152,860	" 1	2265	1488	18·7	-	3	6	8	15	20	3
CHICAGO - -	2,049,185	August 25	-	589	15·0	-	-	4	5	6	6	1
		September 1	-	561	14·3	-	-	2	4	3	11	1
PHILADELPHIA -	1,469,126	August 18	-	498	17·6	-	-	-	4	12	15	1
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	August 12	-	235	13·4	-	-	-	-	-	2†	

* Excluding deaths from croup in the Indian Cities.
† Including 10 deaths from plague in Calcutta, 25 in Bombay, and 2 in Rio de Janeiro.
‡ Including 14 deaths from cholera in Calcutta, 39 in Bombay, and 5 in Madras.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 15th September, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	72·0	39·1	58·6	0·74	BRADFORD - -	67·2	44·2	56·8	0·41
BRIGHTON - -	70·2	47·4	59·6	0·79	LEEDS - - -	69·0	44·0	56·8	0·37
PORTSMOUTH - -	70·5	50·0	60·8	0·70	HULL - - -	71·0	39·0	57·0	0·59
NORWICH - -	72·0	40·8	57·2	0·35	TYNEMOUTH - -	63·0	42·0	55·3	0·29
PLYMOUTH - -	69·0	47·3	59·2	0·90	CARDIFF - -	68·3	39·0	57·0	0·89
BRISTOL - - -	69·3	41·0	57·5	0·65	EDINBURGH - -	64·4	44·6	54·1	0·31
BIRMINGHAM - -	67·7	44·2	56·4	0·75	GLASGOW - -	67·7	38·5	54·2	0·94
NOTTINGHAM - -	69·8	37·8	56·0	0·74	DUBLIN Phœnix Park.	65·1	31·7	52·4	0·2
LIVERPOOL OBSERVATORY.	67·0	46·0	56·9	1·15	DUBLIN Fitzwilliam Square.†	69·5	43·9	55·8	0·3
MANCHESTER -	67·7	39·8	55·3	0·96					
PRESTON - -	65·0	47·0	56·4	1·20					
HUDDERSFIELD -	67·4	40·0	55·4	0·31	BELFAST - -	65·0	44·5	55·6	1·0

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. T correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to t above was 1°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	9	..	30·072	69·9	53·1	16·8	60·6	+ 2·1	45·5	15·1	23·8	9·0	58	131·0	41·2	63·78	NNE. & N.	N.	1·4	0·0	0·2	230	− 44	0·00	0·0
MONDAY	10	Apogee Last Qr.	30·139	66·9	46·2	20·7	55·4	− 2·9	43·1	12·3	23·6	2·3	63	136·1	32·9	63·62	N.	NNE. & NE.	2·1	0·0	0·2	228	− 49	0·00	1·0
TUESDAY -	11	..	30·158	71·0	39·1	31·9	54·7	− 3·4	44·1	10·6	25·4	0·2	68	132·8	28·1	63·31	NE., calm & SE.	S. & SSE.	0·4	0·0	0·0	103	−176	0·00	0·0
WEDNESDAY	12	Greatest Dec. N.	30·036	72·0	44·3	27·7	58·2	+ 0·2	50·4	7·8	19·4	0·9	75	131·2	30·8	62·78	SSE. & SSW.	SSW., SW. & S.	1·0	0·0	0·0	175	−106	0·03	4·5
THURSDAY-	13	..	29·787	70·0	55·3	14·7	61·2	+ 3·3	53·0	8·2	14·9	1·3	74	124·0	52·0	62·43	SSW. & S.	SSW. & S.	2·6	0·0	0·3	260	− 22	0·18	20·5
FRIDAY -	14	..	29·641	68·1	50·8	17·3	58·9	+ 1·1	51·9	7·0	14·0	0·6	78	125·7	45·3	62·21	WNW. & WSW.	SW.	3·3	0·0	0·4	331	+ 49	0·00	6·5
SATURDAY-	15	..	29·451	65·7	47·4	18·3	54·2	− 3·5	44·9	9·3	20·9	1·5	71	120·7	40·5	62·10	SSW., WSW. & W.	WSW., SW. & SSW.	4·7	0·0	0·3	326	+ 45	0·53	4·5
MEANS -	-		29·898	69·1	48·0	21·1	57·6	− 0·4	47·6	10·0	20·3	2·3	70	128·8	38·7	62·89	NNE. & SW.		..	..	..	Sum 1653	Sum −303	Sum 0·74	5·3
No of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. September.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	9	w. P. throughout.	8·8	13·1	Generally cloudy in morning; very fine with small amounts of cloud generally afterwards.
MONDAY -	10	w.P. till 8h. A.M.; m. P. generally with occasional s. P. afterwards.	11·2	13·0	Very fine throughout; small amounts of cloud prevalent till evening; cloudless at night.
TUESDAY -	11	m. P. generally till 10h. A.M.; w.P. afterwards.	10·6	12·0	Very fine; the amount of cloud was generally very small; slight hoar frost in early morning.
WEDNESDAY	12	w. P. throughout.	3·5	12·9	Fine but generally cloudy till 5h. P.M.; overcast afterwards with rain between 6h. 30m. and 8h. P.M.
THURSDAY-	13	w. P. generally; w. N. between 5h. and 7h. P.M.	0·9	12·8	Generally overcast; nearly continuous rain after 5h. P.M.
FRIDAY -	14	w. P. generally.	6·2	12·7	Generally very cloudy in morning; fine and variably cloudy with occasional threatening intervals afterwards.
SATURDAY-	15	w.P. and w.N. generally till 9h. A.M.; m. P. till 4h. P.M.; s.P. and s. N. till 9h. P.M.; s.P. afterwards.	7·6	12·7	Overcast in morning with rain between 2h. and 7h. A.M.; fine and partially cloudy afterwards with sharp showers between 4h. and 8h. P.M.
			Sum 48·8	Sum 90·1	
No. of Col.-	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·99 in. at the beginning of the week to 30·21 in. by 10h. A.M. on the 11th; decreased to 29·38 in. by 5h. A.M. on the 15th; and increased to 29·48 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 8th September, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	30	5	-	2	-	-	1	-
Kensington	180,952	-	4	3	-	-	-	-	5	-
Hammersmith	120,679	-	8	3	-	-	-	-	1	1
Fulham	161,965	-	14	5	-	-	-	-	6	-
Chelsea	74,672	-	5	-	-	-	-	-	-	-
City of Westminster	173,905	-	5	2	-	4	-	-	2	-
NORTH.										
St. Marylebone	128,580	-	7	1	-	-	-	-	2	-
Hampstead	89,633	-	7	3	-	-	-	-	-	-
St. Pancras	236,455	-	18	7	-	3	-	-	4	-
Islington	344,987	-	26	13	-	7	-	-	2	-
Stoke Newington	53,217	-	2	4	-	-	-	-	2	-
Hackney	230,721	-	10	6	-	3	-	-	3	-
CENTRAL.										
Holborn	55,805	-	2	3	-	-	-	-	2	-
Finsbury	97,466	-	9	4	-	-	-	-	2	-
City of London	21,367	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	18	2	-	2	-	-	3	-
Bethnal Green	130,609	-	23	12	-	1	-	-	2	-
Stepney	307,176	-	50	24	-	2	-	-	9	-
Poplar	170,673	-	12	5	-	4	-	-	7	-
SOUTH.										
Southwark	209,143	-	52	14	-	9	-	-	8	-
Bermondsey	128,629	-	22	2	-	-	-	-	3	-
Lambeth	315,774	-	21	9	-	2	-	-	6	-
Battersea	179,622	-	25	5	-	3	-	-	6	-
Wandsworth	273,381	-	17	2	-	2	-	-	5	-
Camberwell	274,132	-	27	6	-	-	-	-	8	-
Deptford	115,495	-	15	11	-	2	-	-	5	-
Greenwich	105,350	-	17	7	-	-	-	-	-	-
Lewisham	148,463	-	11	5	-	2	-	-	2	-
Woolwich	127,345	-	8	8	-	-	-	-	1	-
Port of London	—	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	466	171	-	49	-	-	97	1
Ages 0-1		-	4	3	-	-	-	-	3	-
" 1-5		-	137	65	-	2	-	-	2	-
" 5-		-	208	43	-	11	-	-	4	-
" 10-		-	79	24	-	10	-	-	9	-
" 15-		-	21	12	-	7	-	-	6	1
" 20-		-	9	10	-	6	-	-	7	-
" 25-		-	4	6	-	6	-	-	10	-
" 35-		-	3	7	-	4	-	-	18	-
" 45-		-	1	1	-	2	-	-	16	-
" 55-		-	-	-	-	1	-	-	12	-
" 65 and upwards		-	-	-	-	-	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 38. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, SEPT. 22. [Price 1½*d.*

General Register Office, Somerset House,
September 24th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·3 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 18·3, 22·3, and 21·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 26·1 in Rhondda, 26·4 in Preston, 26·5 in Barrow in Furness, 27·8 in Grimsby, 28·3 in Salford, 29·0 in South Shields, 29·9 in Hanley, 30·7 in Sunderland, 30·8 in Tynemouth, 32·0 in Burnley, and 33·9 in Warrington ; from *measles*, 1·5 in Burnley and in Oldham, 2·4 in Wigan, and 3·5 in Norwich ; from *scarlet fever*, 1·3 in Leyton and 1·7 in Rotherham ; from *diphtheria*, 1·3 in Southampton and in Salford ; from *whooping-cough*, 1·4 in Sunderland and 1·6 in Hanley ; and from *diarrhœa*, 10·3 in Barrow in Furness, 10·5 in Sunderland, 11·9 in Great Yarmouth, 12·1 in Preston, 12·2 in Burnley, 13·1 in Gateshead, 14·1 in Hanley, 14·3 in Warrington, and 15·8 in Grimsby. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2260 BIRTHS and 1548 DEATHS were registered. Allowing for increase of population, the births were 205 below and the deaths 197 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 17·3, 20·9, and 17·6 per 1000 in the preceding three weeks fell last week to 17·1. The death-rate in the four weeks ended last Saturday averaged 18·2 per 1000, being 2·7 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 9/06 D & S 3 26007

The 1548 deaths included 9 from measles, 7 from scarlet fever, 19 from diphtheria, 20 from whooping-cough, 8 from enteric fever, and 340 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 403 deaths were referred to these diseases in the aggregate, being 189 above the corrected average number in the 38th week of the preceding four years.

The deaths from *measles*, which had been 16, 9, and 7 in the preceding three weeks, rose to 9 last week, but were 1 below the corrected average. The deaths from *scarlet fever*, which had been 7, 6, and 4 in the preceding three weeks, rose to 7 last week, and were 1 above the corrected average. The deaths from *diphtheria*, which had been 12, 13, and 10 in the preceding three weeks, rose to 19 last week, and were 6 above the corrected average; 3 deaths belonged to the Borough of Bermondsey. The deaths from *whooping-cough*, which had been 11, 17, and 22 in the preceding three weeks, fell to 20 last week, but were 6 above the corrected average; 4 deaths belonged to Fulham. The fatal cases of *enteric fever*, which had been 2, 4, and 3 in the preceding three weeks, rose to 8 last week, but were 4 below the corrected average. The deaths from *diarrhœa*, which had been 455, 529, and 455 in the preceding three weeks, fell to 340 last week, but were 183 above the corrected average; 16 deaths belonged to St. Pancras, 16 each to Hackney and Poplar, 18 to Camberwell, 19 to Wandsworth, 20 to Lambeth, 21 each to Fulham and Shoreditch, 22 to Southwark, 23 to Stepney, and 25 to Islington. Of the 340 deaths from diarrhœa, 311 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 44 other deaths at this age. The deaths attributed directly to *influenza* numbered 5, having been 4, 3, and 3 in the preceding three weeks.

Different forms of *violence* caused 41 deaths, concerning all but 1 of which inquests were held. Of these 41 deaths, 6 were cases of suicide, while the remaining 35 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 4 to burns or scalds, 7 to drowning, 2 to heat stroke, 1 to the effects of an anæsthetic administered for surgical purposes, and 5, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3164 cases of scarlet fever, 846 of diphtheria, and 124 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 473 cases, against 317, 415, and 440; of diphtheria, 131 cases, against 101, 140, and 120; and of enteric fever, 28 cases, against 17, 28, and 27. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended September 15th, 1906.

Greater London.

In Greater London 3526 births and 2249 deaths were registered. Allowing for increase of population, these numbers are 247 below and 341 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 2 from scarlet fever, 3 from diphtheria, 4 from whooping-cough, 3 from "fever," and 133 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·02 inches, and that of the Thermometer 55°·8, the latter being 0°·7 below the week's average in the 50 years 1841–90. The general direction of the wind was Northerly, the horizontal movement of the air being 19 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 22·6 hours; the measured rainfall amounted to 0·38 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 22nd September, 1906, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 1st Sept., 1906.	8th Sept., 1906.	15th Sept., 1906.	22nd Sept., 1906.	Rate from Diseases in Cols. 11-17. Week ended 22nd Sept., 1906.	Registered during the Week ended 22nd Sept., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,818,360	18·3	22·3	21·1	19·3	6·6	8358	5865	2480	1105	-	51	35	68	54	36	1768	121	298	1132	46	76 TOWNS.
LONDON	4,721,217	17·3	20·9	17·6	17·1	4·5	2260	1548	544	361	-	9	7	19	20	8	340	41	117	552	2	LONDON.
† CROYDON	151,011	16·9	30·7	20·4	15·2	6·6	65	44	18	13	-	-	1	2	1	-	15	-	4	2	-	CROYDON.
† WILLESDEN	143,622	13·4	20·7	14·9	12·0	4·7	76	33	14	8	-	-	-	-	1	-	12	-	1	3	1	WILLESDEN.
† HORNSEY	86,935	10·2	8·4	4·8	4·8	2·4	37	8	2	4	-	-	-	-	-	-	4	-	-	1	-	HORNSEY.
† TOTTENHAM	119,503	17·5	20·5	23·6	19·2	6·5	68	44	23	8	-	-	-	-	-	-	15	-	3	4	-	TOTTENHAM.
† WEST HAM	301,617	18·3	19·4	18·7	14·7	8·1	199	85	41	9	-	1	-	-	-	5	41	1	2	15	-	WEST HAM.
† EAST HAM	129,886	12·8	15·7	14·9	16·1	8·4	70	40	20	5	-	1	-	1	1	-	18	-	-	3	-	EAST HAM.
† LEYTON	118,287	13·7	16·8	9·3	11·9	4·4	62	27	9	5	-	-	3	1	1	-	5	1	1	6	-	LEYTON.
† WALTHAMSTOW	121,334	18·5	16·3	15·0	11·6	5·2	61	27	15	3	-	-	-	-	-	-	12	1	1	7	-	WALTHAMSTOW.
HASTINGS	67,144	10·1	20·2	18·6	21·0	3·1	17	27	9	9	-	1	-	1	-	-	2	-	1	6	1	HASTINGS.
BRIGHTON	128,095	15·9	24·0	19·1	15·9	3·3	48	39	13	15	-	-	-	-	-	-	8	-	5	7	-	BRIGHTON.
PORTSMOUTH	205,118	18·0	24·9	21·4	18·6	5·8	106	73	26	26	-	-	-	1	-	-	22	3	5	18	-	PORTSMOUTH.
BOURNEMOUTH	67,702	9·2	14·6	17·7	16·9	-	14	22	2	14	-	-	-	-	-	-	-	-	-	3	-	BOURNEMOUTH.
SOUTHAMPTON	117,312	15·6	21·3	19·1	19·6	8·9	64	44	18	10	-	-	-	3	-	-	17	1	2	5	-	SOUTHAMPTON.
READING	78,987	10·6	18·5	21·1	18·5	8·6	44	28	15	4	-	-	-	1	-	-	12	-	-	5	-	READING.
NORTHAMPTON	93,749	7·2	21·7	16·1	11·7	3·3	40	21	10	5	-	-	-	-	-	-	6	2	2	1	1	NORTHAMPTON.
IPSWICH	71,809	16·7	21·8	24·0	17·4	5·1	35	24	14	4	-	-	-	-	-	-	7	1	1	3	-	IPSWICH.
GREAT YARMOUTH	52,613	28·7	19·8	32·7	24·8	12·9	26	25	12	4	-	-	-	1	-	-	12	1	1	2	-	GREAT YARMOUTH.
NORWICH	117,958	22·5	25·2	26·1	25·2	11·1	60	57	23	12	-	8	-	1	1	-	15	-	3	8	1	NORWICH.
PLYMOUTH	118,014	20·3	15·9	11·0	14·6	3·1	56	33	11	8	-	-	-	-	-	-	7	2	4	5	-	PLYMOUTH.
DEVONPORT	78,405	11·3	14·6	17·3	14·0	3·3	28	21	4	6	-	-	-	-	-	-	5	1	2	4	-	DEVONPORT.
BRISTOL	363,223	11·6	14·9	17·4	15·8	3·6	174	110	45	24	-	-	2	-	-	-	23	-	8	27	1	BRISTOL.
HANLEY	66,360	22·8	31·4	35·4	29·9	16·5	40	38	23	4	-	-	1	-	2	-	18	1	1	3	1	HANLEY.
BURTON-ON-TRENT	52,922	10·8	14·8	21·7	16·7	3·9	32	17	5	4	-	-	-	-	-	-	4	-	-	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON	100,729	13·5	19·2	26·4	15·0	4·7	65	29	16	4	-	-	-	-	-	-	9	-	1	4	-	WOLVERHAMPTON.
WALSALL	94,577	13·2	24·3	17·6	22·1	7·7	50	40	15	10	-	-	-	-	-	1	13	2	2	7	-	WALSALL.
HANDSWORTH	63,819	10·6	17·2	15·5	11·4	6·5	33	14	9	4	-	-	-	-	-	-	8	-	-	-	-	HANDSWORTH
WEST BROMWICH	68,469	19·0	25·9	19·8	22·8	6·9	42	30	14	4	-	-	-	-	-	-	9	2	2	3	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 22nd September, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 1st Sept., 1906.	8th Sept., 1906.	15th Sept., 1906.	22nd Sept., 1906.	Rate from Diseases in Cols. 11-17. Week ended 22nd Sept., 1906.	Registered during the Week ended 22nd Sept., 1906. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	20·3	26·0	22·1	20·8	8·7	315	219	115	25	-	6	-	3	-	1	81	3	6	37	-	BIRMINGHAM.
KINGS NORTON -	72,608	11·5	10·8	13·6	11·5	2·9	53	16	11	2	-	-	-	-	-	-	4	-	-	1	-	KINGS NORTON.
SMETHWICK - -	64,531	20·2	19·4	25·9	14·5	7·3	40	18	6	4	-	-	1	1	-	-	7	-	-	-	1	SMETHWICK.
ASTON MANOR -	82,288	19·6	24·7	18·4	12·0	5·7	24	19	8	5	-	-	-	-	-	-	9	-	-	-	-	ASTON MANOR.
COVENTRY - -	76,374	25·9	32·8	26·6	21·8	10·2	53	32	17	6	-	-	-	1	-	-	14	1	1	2	-	COVENTRY.
LEICESTER - -	232,111	19·8	20·9	19·8	14·6	7·0	104	65	36	9	-	-	1	-	-	-	30	1	1	7	1	LEICESTER.
GRIMSBY - - -	69,359	24·1	33·8	36·1	27·8	15·8	36	37	25	2	-	-	-	-	-	-	21	-	-	3	-	GRIMSBY.
NOTTINGHAM - -	254,563	18·4	22·9	24·4	21·5	8·4	122	105	55	25	-	-	1	2	1	1	36	1	3	15	1	NOTTINGHAM.
DERBY - - -	123,981	11·4	21·9	13·9	16·4	3·4	81	39	13	7	-	-	-	-	-	-	8	-	-	5	-	DERBY.
STOCKPORT - -	99,646	30·4	31·4	31·4	24·1	10·5	55	46	24	9	-	1	-	-	-	-	19	1	2	5	-	STOCKPORT.
BIRKENHEAD - -	117,292	23·6	25·8	25·3	24·0	10·2	64	54	25	5	-	-	1	2	1	-	19	1	2	11	-	BIRKENHEAD.
WALLASEY - -	64,578	13·7	21·0	17·0	18·6	7·3	38	23	10	3	-	1	-	-	1	1	6	-	1	1	1	WALLASEY.
LIVERPOOL - -	739,180	25·6	28·7	27·4	24·1	8·0	473	341	134	51	-	2	4	2	3	1	102	7	15	80	16	LIVERPOOL.
BOOTLE - - -	65,989	25·3	27·7	20·5	25·3	8·7	53	32	10	7	-	-	-	-	1	1	9	-	2	5	-	BOOTLE.
ST. HELENS - -	91,153	22·3	31·5	18·3	23·5	9·2	65	41	16	5	-	-	-	2	1	-	13	-	-	7	-	ST. HELENS.
WIGAN - - -	87,588	19·6	25·6	23·8	25·6	11·3	48	43	22	1	-	4	-	-	-	1	14	2	2	-	-	WIGAN.
WARRINGTON -	69,280	18·1	26·3	35·4	33·9	14·3	41	45	19	5	-	-	-	-	-	-	19	1	2	3	-	WARRINGTON.
BOLTON - - -	180,502	17·9	20·2	19·6	21·4	8·4	95	74	31	12	-	-	1	1	-	1	26	1	3	6	-	BOLTON.
BURY - - -	58,744	16·9	31·1	25·7	10·7	3·6	22	12	5	2	-	-	-	-	-	-	4	-	-	-	-	BURY.
MANCHESTER - -	637,126	22·2	27·7	27·3	23·7	8·1	342	289	125	41	-	4	1	4	3	2	85	7	18	42	2	MANCHESTER.
SALFORD - - -	234,077	22·9	22·7	20·5	28·3	10·7	116	127	46	25	-	1	2	6	-	-	39	2	4	23	-	SALFORD.
OLDHAM - - -	140,969	12·9	27·7	27·4	24·4	8·1	77	66	18	19	-	4	-	-	-	-	18	-	1	5	-	OLDHAM.
ROCHDALE - -	87,189	18·5	21·5	19·7	22·7	5·4	37	38	12	11	-	-	1	-	1	-	7	1	2	6	-	ROCHDALE.
BURNLEY - - -	102,808	17·2	28·4	36·0	32·0	13·7	66	63	30	4	-	3	-	-	-	-	24	1	4	2	-	BURNLEY.
BLACKBURN - -	134,015	13·2	17·1	20·2	18·7	8·6	58	48	26	8	-	-	-	1	-	-	21	-	1	3	-	BLACKBURN.
PRESTON - - -	116,399	18·4	24·2	34·9	26·4	12·5	66	59	34	5	-	-	1	-	-	-	27	-	-	2	2	PRESTON.
BARROW-IN-FURNESS.	60,967	12·0	14·5	17·1	26·5	10·3	40	31	18	3	-	-	-	-	-	-	12	4	4	1	1	BARROW-IN-FURNESS.

ended Saturday, 22nd September, 1906.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 1st Sept., 1906.	8th Sept., 1906.	15th Sept., 1906.	22nd Sept., 1906.	Rate from Diseases in Cols. 11-17. Week ended 22nd Sept., 1906.	Registered during the Week ended 22nd Sept., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	21·4	23·6	19·8	21·4	7·7	40	39	13	10	-	-	-	-	-	1	13	-	1	5	-	Huddersfield.
Halifax	109,272	12·4	14·3	8·6	15·7	2·9	44	33	5	12	-	-	-	2	-	-	4	-	-	5	-	Halifax.
Bradford	288,544	15·7	23·5	23·9	17·0	5·2	127	94	39	18	-	1	-	1	-	2	25	2	7	12	1	Bradford.
Leeds	463,495	18·0	16·3	19·5	15·4	3·6	260	137	53	30	-	-	1	-	1	1	29	6	11	21	-	Leeds.
Sheffield	447,951	21·9	27·7	26·1	22·3	9·5	259	192	78	31	-	-	3	-	2	4	73	4	10	30	4	Sheffield.
Rotherham	61,098	23·0	27·3	26·5	21·3	10·2	37	25	13	3	-	-	2	-	-	-	10	-	-	2	2	Rotherham.
York	83,467	15·0	20·6	26·9	18·7	4·4	40	30	16	3	-	-	-	-	-	-	7	3	4	7	-	York.
Hull	262,426	25·8	29·8	25·0	24·6	9·7	158	124	63	24	-	-	-	4	1	3	41	2	4	24	-	Hull.
Middlesbrough	100,069	29·7	22·9	27·6	23·4	8·3	52	45	23	3	-	-	-	-	2	1	13	1	1	3	-	Middlesbrough.
Stockton-on-Tees	52,664	19·8	24·8	14·9	18·8	6·9	29	19	10	2	-	-	-	-	-	-	7	1	1	-	-	Stockton-on-Tees.
West Hartlepool	73,387	14·9	12·8	30·6	18·5	10·7	36	26	15	4	-	-	-	1	-	-	14	1	1	2	-	West Hartlepool.
Sunderland	154,385	17·6	21·3	27·4	30·7	12·2	114	91	44	14	-	-	-	-	4	1	31	-	-	6	1	Sunderland.
South Shields	111,402	15·4	13·1	20·1	29·0	9·4	77	62	25	8	-	2	-	2	1	-	15	2	2	7	1	South Shields.
Gateshead	123,191	16·5	20·3	32·6	23·7	14·0	68	56	33	6	-	1	-	-	1	-	31	-	-	4	2	Gateshead.
Newcastle-on-Tyne	268,721	21·5	19·6	25·0	20·2	8·5	148	104	46	17	-	-	-	1	-	-	43	-	3	4	-	Newcastle-on-Tyne.
Tynemouth	54,138	16·4	27·9	33·7	30·8	10·6	35	32	13	1	-	1	1	-	-	-	9	-	-	2	1	Tynemouth.
Newport (Mon.)	74,227	16·2	24·6	19·7	17·6	8·4	46	25	15	2	-	-	-	-	1	-	11	-	1	2	1	Newport (Mon.).
Cardiff	183,823	16·5	15·0	18·4	17·9	4·3	103	63	30	11	-	-	-	-	-	-	15	3	5	10	-	Cardiff.
Rhondda	127,684	20·8	26·5	27·8	26·1	9·8	104	64	41	5	-	-	-	-	-	-	24	1	1	-	-	Rhondda.
Merthyr Tydfil	74,961	18·1	32·0	39·6	24·3	7·7	50	35	24	3	-	-	-	1	-	-	10	1	3	3	-	Merthyr Tydfil
Swansea	96,848	23·7	25·3	17·8	21·0	6·5	75	39	20	10	-	-	-	-	2	-	10	-	-	5	-	Swansea.
Greater London	7,113,561	17·1	20·4	17·3	16·5	5·1	3526	2249	846	505	-	12	13	26	28	16	595	50	148	640	5	Greater London.
Outer Ring	2,392,344	16·5	19·3	16·8	15·3	6·3	1266	701	302	144	-	3	6	7	8	8	255	9	31	88	3	Outer Ring.
8 Towns in Outer Ring	1,172,195	15·8	19·3	16·1	13·7	6·3	638	308	142	55	-	2	4	4	4	5	122	3	12	41	1	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	17·2	19·4	17·4	16·8	6·2	628	393	160	89	-	1	2	3	4	3	133	6	19	47	2	Remainder of Outer Ring.
Edinburgh	341 035	11·5	14·7	13·8	13·8	2·4	134	90	27	24	-	1	-	2	1	‡	12	6	?	24	8	Edinburgh.
Glasgow	835,625	13·9	15·9	17·9	17·3	4·2	474	277	75	52	-	3	1	3	7	3‡	51	17	?	67	8	Glasgow.
Dublin†	378,994	21·9	24·1	29·4	26·8	5·4	225	195	66	45	-	1	1	-	1	2	34	5	7	52	9	Dublin.†
Belfast†	366,220§	19·1	21·5	20·2	20·1	5·0	211	141	49	25	-	-	1	-	5	2	27	4	5	21	-	Belfast.†

* Rates to be calculated on the average of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-EIGHTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2537	2492	2574	2531	2448	2355	2598	2403	2272	2400	2465·0	2260
Males - - -	1308	1267	1323	1302	1235	1191	1329	1225	1123	1185	1239·0	1107
Females - -	1229	1225	1251	1229	1213	1164	1269	1178	1149	1215	1226·0	1153
TOTAL **Deaths** -	1238	1341	1863	1649	1449	1360	1520	1365	1223	1195	1351·4	1548
Males - -	621	701	1001	859	768	747	850	718	643	592	714·3	799
Females - -	617	640	862	790	681	613	670	647	580	603	637·1	749

* The numbers in this column are the average weekly numbers in the thirty-eighth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	13 Weeks.
TOTAL **Births** -	2386	2496	2413	2468	2352	2576	2155	2550	2466	2475	2329	2319	2260	31245
TOTAL **Deaths** -	1060	1113	1072	1054	1056	1272	1352	1584	1654	1570	1892	1589	1548	17816
Ages at Death: Under 1 year -	189	208	192	221	233	346	464	653	646	643	760	631	544	5730
1–5 years -	113	144	126	128	121	148	162	194	204	199	219	207	171	2136
5–20 ,, -	67	79	71	60	74	68	79	59	67	64	66	60	63	877
20–40 ,, -	136	132	151	110	147	141	145	142	159	136	187	151	154	1891
40–60 ,, -	240	253	227	222	217	254	210	243	245	235	268	248	255	3117
60 yrs. & upwds.	315	297	305	313	264	315	292	293	333	293	392	292	361	4065
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	46	39	22	35	30	22	25	21	13	16	9	7	9	294
Scarlet Fever - -	5	17	6	12	6	6	10	8	9	7	6	4	7	103
Diphtheria - -	9	12	9	10	10	10	13	15	9	12	13	10	19	151
Whooping-cough -	14	12	18	20	10	13	14	13	12	11	17	22	20	196
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	9	12	4	5	3	4	5	4	7	2	4	3	8	70
Pyrexia (origin uncertain).	-	-	-	1	-	-	-	-	-	1	-	-	-	2
Diarrhœa, Dysentery	22	31	35	56	74	184	288	424	458	455	529	455	340	3351
All above Diseases -	105	123	94	139	133	239	355	485	508	504	578	501	403	4167
Dis. of Resp. System	41	41	47	52	42	52	47	45	45	53	53	35	74	627
Pneumonia - -	91	77	72	81	59	59	65	74	58	56	90	70	75	927
Phthisis - - -	111	127	108	103	111	108	112	109	119	105	123	128	104	1468
Dis. of Circ. System -	166	144	153	125	134	161	145	151	141	137	169	164	144	1934
Violence - - -	71	51	60	54	61	62	65	52	72	49	77	56	41	771
Inquest Cases - -	123	109	117	104	120	140	141	129	139	115	153	130	117	1637
Deaths in Institutions	452	474	451	425	449	500	481	533	567	588	670	537	552	6679
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	60·0	61·9	61·5	62·7	66·3	67·3	66·1	61·5	64·9	66·5	68·0	57·6	55·8	63·1
Mean of Highest -	71·5	74·0	72·8	74·2	77·8	80·1	78·8	71·3	77·4	81·6	80·9	69·1	63·2	74·8
Mean of Lowest -	51·4	49·5	52·7	52·7	56·5	56·0	56·1	54·3	55·4	52·2	56·8	48·0	50·5	53·2
Mean Humidity of the Air.	76	65	70	70	63	64	68	77	72	62	64	70	80	70
Rain-fall (in inches) -	2·46	0·00	0·01	0·19	0·15	0·86	0·01	0·33	0·26	0·00	0·85	0·74	0·38	6·24
Registered Sunshine (in hours).	58·1	75·4	47·9	43·8	69·5	76·5	54·1	35·7	49·9	70·9	53·7	48·8	22·6	706·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	11	7	5	2	1	1	–	–	–	–	–	–	–	2
Scarlet Fever - -	2752	2769	2842	2943	3048	3120	3051	3046	3078	3042	3067	3075	3164	3000
Diphtheria - -	783	827	840	872	874	879	861	846	859	835	861	862	846	850
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	93	86	89	99	99	109	101	95	101	103	115	116	124	102

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. J. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq. Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-EIGHTH Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 38th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES - - -	1351·4	1548	544	171	63	154	255	361
Small-pox* - - -	1·0	-	-	-	-	-	-	-
Cowpox - - - -	-	-	-	-	-	-	-	-
Measles (Morbilli) - -	9·9	9	2	7	-	-	-	-
Scarlet Fever - - -	6·1	7	1	5	1	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-
Influenza - - - -	4·1	5	2	-	-	-	1	2
Whooping-cough - -	14·3	20	6	11	3	-	-	-
Diphtheria - - -	13·0	19	2	12	5	-	-	-
Cerebro Spinal Fever -	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain) - - -	0·3	-	-	-	-	-	-	-
Enteric Fever - - -	12·2	8	-	-	3	4	1	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	92·8	225	184	35	1	-	2	3
Diarrhœa, Dysentery -	64·5	115	82	10	-	4	7	12
Tetanus - - - -	1·0	1	-	1	-	-	-	-
Rabies, *Hydrophobia* -	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever) -	-	-	-	-	-	-	-	-
Venereal Dis. - - -	8·4	7	3	-	1	2	1	-
Puerperal Septicæmia -	2·3	6	-	-	-	6	-	-
Puerperal Pyæmia -	0·5	-	-	-	-	-	-	-
Puerperal Fever - -	0·3	1	-	-	-	1	-	-
Infective Endocarditis -	2·0	4	-	-	1	2	1	-
Pneumonia: Lobar - -	9·9	17	2	5	1	3	3	3
Pneumonia: Broncho- -	35·9	24	7	13	1	-	1	2
Pneumonia: Epidemic -	-	-	-	-	-	-	-	-
Pneumonia: Not defined	35·2	34	6	5	-	7	6	10
Erysipelas - - -	2·5	5	2	-	-	-	-	3
Septicæmia (not Puerperal) - - -	1·0	1	-	-	-	1	-	-
Pyæmia (not Puerperal)	1·0	-	-	-	-	-	-	-
Other Infective Processes	8·2	10	2	1	1	3	1	2
Tuberculous Phthisis -	72·9	68	3	2	5	30	23	5
"*Phthisis*" - - -	65·0	36	-	-	2	13	18	3
Tuberculous Meningitis -	18·1	12	4	4	3	1	-	-
Tuberculous Peritonitis -	12·0	15	5	6	-	2	2	-
Tabes Mesenterica - -	6·6	1	1	-	-	-	-	-
Tuberculous Dis. (other) -	17·1	12	3	5	2	1	1	-
Scrofula - - - -	0·3	1	1	-	-	-	-	-
Alcoholism - - -	12·7	12	-	-	-	4	8	-
Rheumatic Fever - -	3·8	3	-	-	1	2	-	-
Gout - - - - -	1·5	3	-	-	-	-	-	3
Carcinoma - - -	60·7	69	-	-	-	2	26	41
Sarcoma - - - -	5·9	7	-	-	-	2	3	2
Cancer (undefined) - -	33·1	31	-	-	-	3	12	16
Diabetes Mellitus - -	8·4	12	-	-	1	4	3	4
Premature Birth - -	45·6	40	40	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 38th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	10·2	18	7	8	2	-	1	-
Insanity, Gen. Par. of Insane - - -	10·7	10	-	-	-	1	6	3
Epilepsy - - - -	4·6	3	-	-	1	2	-	-
Convulsions - - -	19·4	22	21	1	-	-	-	-
Locomotor Ataxy - -	2·3	1	-	-	-	1	-	-
Paraplegia, Dis. of Cord	4·6	5	-	1	-	-	1	3
Nervous Sys. (other dis.)	16·3	16	-	-	-	3	4	9
Valv. Dis., Endocarditis	38·5	37	-	-	3	5	16	13
Cerebr. Hæm. Thromb. -	33·4	36	1	1	-	1	9	24
Apoplexy, Hemiplegia -	17·1	16	-	-	-	1	1	14
Aneurysm - - -	5·1	3	-	-	-	-	2	1
Embolism, Thrombosis (not cerebral) -	0·5	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	72·4	52	-	-	2	6	14	30
Croup (not Spasm : nor Memb.) - -	0·5	-	-	-	-	-	-	-
Bronchitis - - -	51·5	54	9	5	-	1	7	32
Asthma, Emphysema -	1·0	2	-	-	-	-	1	1
Pleurisy - - - -	1·5	6	-	-	1	-	2	3
Respiratory Dis. (other)	10·4	12	4	-	2	1	2	3
Tonsillitis, Quinsy - -	0·3	1	-	1	-	-	-	-
Enteritis (not Epid.) -	16·6	41	23	8	-	1	5	4
Gastro-Enteritis - -	18·3	50	38	6	1	-	2	3
Peritonitis (not Puerp.) -	3·8	4	-	-	1	1	1	1
Cirrhosis of Liver - -	14·0	19	-	-	-	1	13	5
Liver Dis. (other) - -	5·9	6	-	-	-	-	2	4
Digestive Dis., Other -	39·8	39	2	2	7	9	5	14
Nephritis, Acute - -	7·9	6	-	2	-	-	2	2
Bright's Dis., Albuminuria - - -	28·3	32	-	-	-	5	11	16
Urinary Sys., Other Dis.	9·2	12	-	-	-	-	2	10
Generative Organs Dis. -	2·8	7	-	-	-	2	5	-
Childbirth (Accid. of) -	3·8	3	-	-	-	2	1	-
Old Age - - - -	47·2	40	-	-	-	-	-	40
Other Diseases - -	109·4	114	74	12	5	6	9	8
ACCIDENT.								
By Railways - - -	1·0	-	-	-	-	-	-	-
By Vehicles and Horses	5·1	3	-	-	1	-	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·3	-	-	-	-	-	-	-
In Building Operations -	1·8	-	-	-	-	-	-	-
In Conflagrations - -	0·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	2·3	4	1	1	1	1	-	-
By Drowning - - -	4·8	7	-	-	1	3	2	1
By Suffocation in Bed -	8·4	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·8	3	-	-	1	1	1	-
Other Deaths by Accident - - -	16·3	13	1	1	2	2	3	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	1·5	-	-	-	-	-	-	-
Suicide - - - -	9·4	6	-	-	-	1	3	2
Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd September, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2260	1548	544	361	-	9	7	19	20	-	8	-	340	41	117	552
WEST DISTRICTS	805,311	318	242	83	67	-	3	1	3	6	-	1	-	59	5	13	105
NORTH DISTRICTS	1,056,070	467	319	105	79	-	1	1	4	4	-	1	-	67	9	28	106
CENTRAL DISTRICTS	209,465	106	83	28	14	-	-	-	1	1	-	-	-	12	4	9	43
EAST DISTRICTS	715,739	441	279	113	49	-	4	-	1	5	-	2	-	60	9	32	104
SOUTH DISTRICTS	1,749,844	928	589	215	140	-	1	4	10	4	-	4	-	131	14	34	158
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	36	-	12	-	-	1	-	-	-	-	-	11	-	1	36
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	49	27	12	9	-	-	-	-	-	-	-	-	7	-	1	15
St. John Paddington *H*	33,617	4	8	-	4	-	-	-	-	-	-	-	-	-	2	2	4
North-West Paddington	17,181	5	6	3	2	-	-	-	-	-	-	-	-	2	-	-	-
Kensington Town *2W,w,2H*	128,037	55	47	9	21	-	2	-	-	-	-	-	-	10	1	1	22
Brompton *2H*	48,591	5	8	1	3	-	-	-	1	-	-	-	-	1	-	1	2
North Hammersmith *2W,wH*	49,192	30	20	10	3	-	-	-	-	1	-	-	-	4	-	-	6
South Hammersmith *w,2H*	63,047	24	19	7	3	-	-	-	-	-	-	-	-	2	-	2	7
North-west Fulham *W*	45,180	30	22	12	4	-	1	-	-	2	-	-	-	10	-	1	10
North-east Fulham *F*	46,405	18	11	5	-	-	-	1	2	1	-	1	-	3	-	1	4
South Fulham *W*	45,704	20	8	6	1	-	-	-	-	1	-	-	-	4	-	-	-
Chelsea North *W,w,3H*	42,514	26	23	7	8	-	-	-	-	1	-	-	-	7	-	-	17
Chelsea South *W,2H*	31,328	13	10	3	2	-	-	-	-	-	-	-	-	4	-	-	4
Mayfair and Knightsbridge	28,743	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	10	20	4	5	-	-	-	-	-	-	-	-	2	1	1	7
St. Margaret & St. John *4H*	43,698	18	11	3	1	-	-	-	-	-	-	-	-	3	1	2	7
St. James and St. Anne *W,6H*	33,081	8	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	8	13	2	1	-	-	-	-	-	-	-	-	3	1	2	8
St. Mary Marylebone *W,4H*	37,948	49	10	3	4	-	1	-	-	-	-	-	-	1	-	-	4
Christchurch Marylebone *H*	39,536	12	9	2	2	-	-	-	-	-	-	-	-	1	-	2	-
St. John Marylebone *2H*	20,426	8	4	1	3	-	-	-	-	-	-	-	-	1	-	-	1
Hampstead *W,F,7H*	81,942	28	18	7	5	-	-	-	2	-	-	-	-	2	1	1	6
West St. Pancras *2H*	60,562	25	14	5	3	-	-	-	-	-	-	-	-	1	-	2	4
Tottenham-court *w,7H*	21,258	6	12	2	2	-	-	-	-	-	-	-	-	1	-	1	10
Gray's Inn Lane *4H*	34,449	15	11	4	1	-	-	-	1	-	-	-	-	5	-	2	5
East St. Pancras *W,2H*	60,320	28	22	6	12	-	-	-	-	-	-	-	-	5	1	2	11
North St. Pancras *2W*	58,728	26	14	4	5	-	-	-	-	-	-	-	-	3	-	2	5
Tufnell *W*	31,995	10	19	4	8	-	-	-	-	-	-	-	-	2	-	-	15
Upper Holloway *2W,w,H*	33,978	20	28	6	5	-	-	-	-	2	-	-	-	4	-	2	18
Tollington *WH*	33,922	18	7	4	2	-	-	-	-	-	-	-	-	1	-	-	-
Lower Holloway	41,424	22	10	4	1	-	-	-	-	-	-	-	-	2	-	-	-
Barnsbury	54,478	28	15	8	2	-	-	-	-	-	-	-	-	2	3	3	-
Islington South-east *F*	75,397	24	12	9	3	-	-	-	-	-	-	-	-	6	-	2	-
Highbury *2H*	63,797	25	15	8	1	-	-	-	-	-	-	-	-	6	-	-	-
Stoke Newington *H*	51,247	12	9	4	2	-	-	-	-	-	-	-	-	3	-	-	-
North Hackney	50,560	19	16	1	5	-	-	-	-	1	-	-	-	2	1	1	-
Central Hackney *2w,F*	50,536	22	21	10	3	-	-	1	1	1	-	1	-	10	1	3	3
South-west Hackney *3H*	59,921	33	22	8	4	-	-	-	-	-	-	-	-	6	1	1	8
South-east Hackney *2W,w,H*	58,255	29	18	3	5	-	-	-	-	-	-	-	-	-	-	2	8

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd September, 1906—*continued.*

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Giles and Bloomsbury 2*W*,2*H* -	31,436	13	3	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
ud *W*,4*H* - - - - -	21,674	5	8	2	2	-	-	-	-	-	-	-	-	2	1	2	5	-
nd Union Workhouse, *Edmonton* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born *W*,6*H* - - - - -	29,612	11	25	11	3	-	-	-	1	-	-	-	-	6	-	-	19	-
th Clerkenwell - - -	28,676	18	6	1	2	-	-	-	-	1	-	-	-	1	-	1	-	-
th Clerkenwell *H* - - -	35,028	14	10	6	1	-	-	-	-	-	-	-	-	2	-	-	-	-
bury 3*H*,*L* - - - - -	36,116	42	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
born Union Workhouse, Hitcham - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Botolph *H* - - - -	10,299	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre and Allhallows *W*,2*H*	16,624	1	20	4	-	-	-	-	-	-	-	-	-	1	3	4	14	-
of London Asylum, *Stone* -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
reditch South *H* - - -	46,362	19	16	9	-	-	-	-	-	-	-	-	-	9	1	3	-	-
reditch North-West *W*,*w*,*H* -	36,127	19	17	5	5	-	-	-	-	-	-	-	-	3	1	4	11	-
reditch North-East - - -	36,148	20	14	9	1	-	-	-	-	-	-	-	-	5	-	1	-	-
editch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hnal Green North-East* 2*W*, *L*	65,138	33	34	10	9	-	-	-	-	-	-	1	-	1	1	1	23	-
nal Green South-West* *H* -	64,542	52	14	8	1	-	-	-	-	1	-	-	-	3	-	-	-	-
alfields - - - - -	27,969	7	3	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
End New Town *W*,*H* - -	28,718	22	40	6	10	-	-	-	-	-	-	1	-	1	1	4	35	-
dman's Fields - - - -	22,081	8	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
George and St. John 2*W* - -	49,068	36	6	2	-	-	1	-	-	-	-	-	-	2	1	1	1	-
dwell and Ratcliff *W*,*H* - -	25,568	15	28	14	1	-	-	-	-	1	-	-	-	3	2	3	14	-
ehouse *W* - - - - -	32,369	21	6	5	-	-	-	-	-	-	-	-	-	3	-	-	-	-
End Old Town South-eastern *H* - - - -	63,698	57	17	7	3	-	-	-	-	1	-	-	-	7	-	4	1	-
End Old Town North-eastern *W*,*w* - - -	49,129	27	21	7	5	-	1	-	1	-	-	-	-	4	-	4	7	-
r *L* - - - - - - -	41,989	32	14	9	1	-	-	-	-	-	-	-	-	5	-	-	-	-
nley 3*w*,*H* - - - - -	68,319	39	22	8	5	-	1	-	-	-	-	-	-	5	1	1	11	-
lar *W*,*w* - - - - -	58,514	34	22	11	5	-	1	-	-	2	-	-	-	8	1	4	1	-

* On 1st August, 1906, Bethnal Green North, Bethnal Green South, and Bethnal Green East sub-districts, were arranged into two new sub-districts as above.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-P MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH. FEVER DIARRHŒA, VIOLENCE, &c., registe in each SUB-DISTRICT during the Week ended Saturday, 22nd September, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark* *W,2H*	23,319	8	28	8	3	-	-	-	-	-	-	-	-	3	1	3	17
Kent-road	21,904	14	5	4	-	-	-	-	-	1	-	-	-	3	-	-	-
St. George the Martyr West *W,2H,L*	39,094	24	11	5	-	-	-	-	-	-	-	-	-	3	-	-	4
Newington North	49,022	29	15	7	3	-	-	-	-	-	-	-	-	6	-	-	-
Newington South *W*	72,841	38	22	11	2	-	-	-	-	1	-	-	-	8	-	1	1
St. Olave *2W*	9,817	7	2	1	-	-	-	-	-	-	-	-	-	2	-	-	-
Bermondsey *W*	82,483	49	23	11	4	-	1	-	-	-	-	-	-	8	1	2	-
Rotherhithe *W,F*	38,460	20	15	5	5	-	-	-	-	-	-	-	-	2	1	1	4
Waterloo-road *2H*	27,440	26	8	5	-	-	-	-	-	-	-	1	-	2	-	-	-
Lambeth Church 1st *H*	18,423	7	18	4	1	-	-	-	1	-	-	-	-	-	2	4	1
Lambeth Church 2nd *2W*	39,818	31	29	10	5	-	-	-	-	-	-	1	-	3	-	1	1
Kennington 1st *H*	53,198	37	9	7	1	-	-	-	-	-	-	-	-	2	1	1	-
Kennington 2nd *H*	42,896	11	13	6	3	-	-	-	-	-	-	-	-	3	-	-	-
Brixton *F*	84,232	32	30	10	7	-	-	2	2	-	-	1	-	7	-	2	1
Norwood *W,H*	35,888	12	9	2	3	-	-	-	-	-	-	-	-	2	-	-	-
East Battersea *H*	72,203	43	19	9	4	-	-	-	-	-	-	-	-	6	-	2	-
North-west Battersea	49,656	28	11	6	2	-	-	-	-	-	-	-	-	6	-	-	-
South-west Battersea *2W,H*	47,048	23	22	7	4	-	-	-	-	-	-	-	-	1	-	2	1
Clapham *2H*	51,361	22	14	2	4	-	-	-	-	-	-	-	-	1	-	-	-
Streatham *W,2w,2F,2L*	88,019	42	36	13	16	-	-	1	1	-	-	-	-	9	-	-	-
Springfield *2W,L*	27,959	29	7	4	1	-	-	-	-	-	-	-	-	2	-	-	-
Southfields *H*	40,444	28	12	3	5	-	-	-	-	-	-	-	-	3	-	1	-
Putney	34,139	3	9	2	5	-	-	-	-	-	-	-	-	1	1	1	-
Dulwich	13,359	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	23	25	5	10	-	-	-	-	-	-	-	-	1	-	1	2
Camberwell North *W,2L*	65,584	27	24	7	5	-	-	-	1	-	-	1	-	6	1	1	1
St George	47,331	29	8	4	1	-	-	-	-	1	-	-	-	2	1	1	-
Peckham North	48,913	36	18	7	7	-	-	-	-	-	-	-	-	5	-	1	-
Peckham South *2W,w*	43,946	21	14	6	5	-	-	-	-	-	-	-	-	3	-	-	-
Deptford North	37,613	23	9	4	1	-	-	-	-	-	-	-	-	3	2	3	-
Deptford Central *F*	45,481	20	21	8	5	-	-	-	2	1	-	-	-	4	-	2	-
Deptford South	34,625	16	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich West *2H*	23,456	9	8	3	-	-	-	-	-	-	-	-	-	1	-	1	-
Greenwich East *2W,H*	43,859	19	18	8	4	-	-	-	-	-	-	-	-	7	1	1	-
Eltham *w,H*	7,226	6	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Lee *wH*	25,490	11	7	2	2	-	-	-	-	-	-	-	-	2	-	-	-
Lewisham *W w,F*	58,352	38	16	3	3	-	-	-	2	-	-	-	-	2	-	-	-
Sydenham *H*	43,653	19	11	5	5	-	-	-	-	-	-	-	-	2	-	-	-
Charlton *F,2H*	21,134	7	5	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Woolwich *5H*	41,625	23	7	3	4	-	-	-	-	-	-	-	-	3	-	-	-
Plumstead West *W*	18,063	6	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Plumstead East *2W,H*	50,264	31	18	2	7	-	-	-	-	-	-	-	-	3	2	2	-
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Hanwell	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	7	-	3	-	-	-	-	-	-	-	-	5	-	-	-
Claybury	—	-	6	-	4	-	-	-	-	-	-	-	-	5	-	1	-

* On 1st August, 1906, Christchurch Southwark and St. Saviour Southwark sub-districts were united and named as al/c

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ded Saturday, 22nd September, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368 302	2,044,973	1266	701	302	144	-	3	6	7	8	8	255	9	31	88	3
Carshalton 2F,3H	12,228	32,997	16	10	4	1	-	-	-	-	-	1	2	-	-	2	-
Epsom, *part of** W,w,2F,H	10,423	15,548	7	8	2	4	-	-	-	-	-	-	2	-	-	2	1
Godstone, *part of** W,F	2,754	2,692	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	42,309	17	11	3	5	-	-	-	-	-	-	2	-	1	-	-
West Croydon 3W,F,H	2,168	42,888	31	25	10	8	-	-	1	2	1	-	6	-	1	6	-
North Croydon H	2,644	41,698	17	13	5	3	-	-	-	-	-	-	7	-	2	1	-
Penge w,H	770	22,465	2	7	4	-	-	-	-	-	-	-	2	-	-	1	-
Mitcham w	11,711	30,015	32	15	8	3	-	-	-	1	-	-	6	-	2	-	-
Wimbledon F,3H	3,221	41,652	14	24	9	3	-	-	-	-	-	-	16	-	-	-	-
Kingston 2W,H	6,224	42,068	22	16	9	4	-	-	-	-	-	-	5	-	-	4	-
Surbiton F,H	3,046	15,017	3	2	-	-	-	-	-	-	-	1	-	-	-	1	-
Esher, *part of** H	5,432	13,100	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L	4,534	23,456	18	14	4	3	-	1	1	-	-	-	4	1	1	-	-
Richmond W,H	2,162	28,865	5	6	2	3	-	-	-	-	-	-	1	-	1	1	-
Mortlake F	2,847	20,628	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Bromley F,2H	4,703	27,354	16	7	3	1	-	-	-	-	-	-	2	-	-	1	-
Beckenham H	7,825	28,497	8	6	1	1	-	-	-	-	-	-	1	-	-	-	-
Orpington *part of** W	10,113	9,857	3	4	-	4	-	-	-	-	-	-	-	-	-	3	-
Chislehurst 2H	7,333	16,446	9	12	5	2	-	-	-	-	1	-	5	-	1	1	-
Bexley w F,H	8,678	21,151	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Erith F,H	3,854	25,296	17	8	3	2	-	-	-	-	-	-	3	1	1	-	-
Dartford W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury w	11,054	18,683	7	11	4	3	-	-	-	-	-	-	8	-	-	-	-
Staines W,H	13,277	15,178	6	6	3	3	-	-	-	-	-	-	2	-	-	3	-
Hillingdon W,F,H	6,035	13,661	9	4	1	1	-	-	-	-	-	-	1	-	-	1	-
Uxbridge H	12,757	8,984	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Hayes w2 F,H	8,066	16,358	14	5	2	-	-	-	-	-	-	-	1	-	-	-	-
Isleworth 3W,2F,H	6,859	30,863	21	22	7	7	-	-	-	-	-	-	3	1	2	8	-
Twickenham F,H	2,421	20,991	11	6	2	1	-	-	-	-	-	-	3	-	-	-	-
Brentford 3F,2H	4,319	48,289	33	19	10	1	-	-	-	1	-	1	9	-	2	1	-
Chiswick H	1,249	29,809	23	8	4	3	-	-	-	-	-	-	2	-	1	-	-
Acton w,F,3H	6,132	48,914	49	14	9	3	-	-	1	-	-	-	6	-	-	1	-
Harrow F,H	13,809	25,523	17	7	4	2	-	-	-	-	1	-	2	-	1	-	1
Edgware 2F,2H	6,994	4,521	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H	4,384	114,811	76	33	14	7	-	-	-	-	1	-	12	-	1	3	1
Hendon W,F	8,382	22,450	14	4	2	1	-	-	-	-	-	-	1	-	-	1	-
South Mimms 2F,H	17,755	7,308	5	2	-	-	-	-	-	-	1	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	14	6	6	-	-	-	-	-	-	-	3	-	-	-	-
Finchley F,2H	4,688	33,692	19	18	8	2	-	-	-	-	-	-	5	-	-	-	-
Hornsey F,H	2,875	72,056	37	7	2	3	-	-	-	-	-	-	4	-	-	-	-
Wood Green H	1,625	34,233	17	15	7	4	-	-	-	-	-	-	7	-	-	-	-
West Tottenham F	996	48,853	28	14	8	3	-	-	-	-	-	-	5	-	1	-	-
East Tottenham 2H	2,017	53,688	40	28	15	2	-	-	-	-	-	-	10	1	2	2	-
Edmonton W,w,2F	7,491	61,892	46	27	10	8	-	-	-	1	-	-	10	-	3	6	-
Enfield 2W,F,H	12,601	42,738	31	20	12	5	-	-	-	-	-	-	9	1	1	2	-
Waltham Abbey F	11,017	6,549	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	6	4	1	2	-	-	-	-	-	-	1	-	1	-	-
Hatfield, *part of** W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	4	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Watford W,2F *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	26	9	4	1	-	-	-	-	-	-	4	-	-	-	-
Plaistow F,2H	1,249	90,921	82	34	19	1	-	1	-	-	-	4	18	-	1	2	-
Canning Town H	1,556	70,718	58	24	12	1	-	-	-	-	-	-	15	-	-	-	-
Forest Gate w	806	60,892	33	5	3	2	-	-	-	-	-	-	2	-	-	-	-
North East Ham w H	1,333	58,676	40	21	9	4	-	1	-	-	-	-	7	-	-	-	-
South East Ham 2F	1,993	37,342	30	17	11	1	-	-	-	1	1	-	10	-	-	1	-
Wanstead F	1,679	9,179	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	32	15	8	3	-	-	1	1	-	-	4	1	1	5	-
North Leyton 2W,w,F	1,963	48,445	30	33	5	7	-	-	2	-	1	1	4	1	2	22	-
Walthamstow 3H,L	6,504	108,929	64	23	14	1	-	-	-	-	-	-	11	1	1	2	-
Chigwell, *part of** 2F,3H	11,778	16,397	3	6	1	1	-	-	-	-	-	-	2	-	-	1	-
Epping W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** W,2F	6,556	6,091	5	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Ilford F,L	8,496	41,234	27	16	8	3	-	-	-	-	-	-	6	1	1	1	-
Barking Town F	3,803	21,547	14	7	2	1	-	-	-	-	-	-	3	-	-	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-

he parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher sh; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1 Dagenham parish. Deaths in Workhouses and Infectious ases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	September 22	2260	1548	17·1	-	9	7	19	20	8
CALCUTTA - -	977,822	August 25	-	409	25·0	-	2	-	-	1	135†
BOMBAY - -	982,000	September 4	370	937	62·8	-	4	-	-	-	113†
MADRAS - -	509,346	August 17	430	484	49·4	1	3	?	?	?	126
		" 24	409	438	44·7	1	3	?	?	?	108
PARIS - - -	2,750,000	September 15	922	836	16·3	-	2	1	1	3	7
BRUSSELS - -	612,401	" 15	189	184	15·6	-	2	-	-	4	2
ANTWERP - -	297,311	" 15	146	93	16·3	2	-	-	-	-	-
AMSTERDAM -	560,482	" 8	264	119	11·1	-	2	3	1	1	1
COPENHAGEN -	425,000	" 15	249	124	15·2	-	-	-	-	1	2
STOCKHOLM -	324,488	" 8	142	75	12·0	-	-	-	-	1	-
CHRISTIANIA -	222,373	" 15	114	48	11·2	-	-	-	1	1	-
ST. PETERSBURG	1,424,700	" 1	-	660	-	-	10	20	19	8	38
MOSCOW - -	1,154,000	" 1	-	645	29·1	-	4	3	8	6	10
		" 8	-	590	26·7	-	-	8	4	5	6
BERLIN - -	2,065,753	" 1	935	666	16·8	-	3	9	3	7	2
HAMBURG - -	819,380	" 15	-	232	15·0	-	3	3	2	3	-
BRESLAU - -	475,000	" 8	283	210	23·1	-	-	1	-	2	2
MUNICH - -	544,000	" 15	-	186	17·9	-	-	-	4	1	-
VIENNA - -	1,956,949	" 15	-	-	-	-	-	-	-	-	-
PRAGUE - -	460,849	" 8	193	153	17·3	-	3	-	-	-	1
BUDA-PESTH -	859,134	" 8	419	274	18·0	-	3	3	3	-	2
TRIESTE - -	196,637	" 15	152	89	23·5	-	-	-	-	-	1
ROME - -	531,179	August 4	241	210	20·7	-	3	-	-	3	4§
VENICE - -	171,709	September 8	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	" 8	191	108	19·3	-	-	-	-	1	3
NEW YORK -	4,152,860	" 8	2325	1427	17·9	-	3	3	16	9	13
CHICAGO - -	2,049,185	" 8	-	515	13·1	-	1	7	10	7	10
PHILADELPHIA -	1,469,126	August 25	-	-	-	-	-	-	-	-	-
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	August 19	-	257	14·7	-	-	-	-	1	3

* Excluding deaths from croup in the Indian Cities.
† Including 15 deaths from plague in Calcutta, 21 in Bombay, and 1 in Rio de Janeiro.
‡ Including 15 deaths from cholera in Calcutta, 76 in Bombay, and 14 and 20 in Madras.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 22nd September, 190

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*
	°	°	°			°	°	°
LONDON (Greenwich)	65·7	45·1	56·9	0·38	BRADFORD - -	71·0	47·0	56·6
BRIGHTON - -	67·4	46·7	58·2	0·03	LEEDS - - -	65·0	47·0	57·2
PORTSMOUTH - -	67·0	47·5	58·6	0·00	HULL - - -	64·0	42·0	55·4
NORWICH - -	65·4	42·2	56·2	0·71	TYNEMOUTH - -	60·0	44·0	53·3
PLYMOUTH - -	65·4	43·0	56·3	0·00	CARDIFF - -	66·2	40·0	54·0
BRISTOL - - -	67·2	43·7	56·0	0·00	EDINBURGH - -	59·5	43·7	52·3
BIRMINGHAM - -	62·4	44·9	54·9	0·35	GLASGOW - -	68·8	35·8	53·9
NOTTINGHAM - -	62·5	41·2	55·2	0·18	DUBLIN Phœnix Park.	63·4	38·5	51·9
LIVERPOOL OBSERVATORY.	64·0	49·0	55·9	0·08	DUBLIN Fitzwilliam Square.†	63·1	44·9	54·9
MANCHESTER -	63·8	41·8	55·0	0·07				
PRESTON - -	65·0	46·2	56·3	0·07				
HUDDERSFIELD -	61·8	44·8	54·1	0·08	BELFAST - -	-	-	-

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* foot the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperature correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding perio above was 1°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SEPTEMBER.																									
SUNDAY -	16	..	29·727	58·8	45·1	13·7	51·9	− 5·6	44·6	7·3	12·5	2·0	76	107·0	38·0	61·80	WSW., W. & NW.	NW. & WNW.	5·0	0·6	0·6	386	+107	0·16	0·0
MONDAY	17	..	29·968	65·0	50·6	14·4	55·6	− 1·7	50·9	4·7	14·4	0·6	84	111·5	46·0	61·35	WNW., NNW. & N.	N. & NNE.	12·8	0·0	0·9	452	+176	0·04	0·0
TUESDAY -	18	New	30·012	65·1	52·5	12·6	58·0	+ 1·1	48·7	9·3	15·3	1·2	71	118·0	48·6	60·89	N., ENE. & E.	ENE., NE. & NNE.	14·0	0·0	0·9	426	+153	0·15	2·0
WEDNESDAY	19	In Equator.	29·983	59·8	54·6	5·2	56·3	− 0·2	52·8	3·5	5·2	1·2	88	81·2	50·0	60·60	N. & NNE.	N. & NNE.	2·7	0·0	0·3	281	+ 11	0·01	0·0
THURSDAY -	20	..	30·057	63·0	50·3	12·7	56·1	− 0·0	50·5	5·6	10·7	2·0	81	94·0	43·0	60·45	N.	NE. & N.	2·7	0·0	0·2	245	− 23	0·01	1·0
FRIDAY -	21	..	30·162	65·3	49·8	15·5	56·7	+ 1·0	51·9	4·8	11·3	1·6	84	116·4	42·6	60·30	N.	N. & NE.	1·8	0·0	0·2	234	− 31	0·01	1·0
SATURDAY -	22	Perigee	30·210	65·7	50·4	15·3	56·0	+ 0·6	49·0	7·0	15·5	0·0	78	120·4	41·3	60·20	NE. & NNE.	N. & NNE.	2·5	0·0	0·1	223	− 40	0·00	0·0
MEANS - -			30·017	63·2	50·5	12·8	55·8	− 0·7	49·8	6·0	12·1	1·2	80	106·9	44·2	60·80	NW. & NNE.		..	..	..	Sum 2247	Sum +353	Sum 0·38	0·6
No of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. September.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	16	m. P. generally till noon; s. P. and s. N. till 6h. P.M.; m. P. afterwards.	3·6	12·6	Generally cloudy; frequent rain in afternoon; gusty wind prevalent in forenoon.
MONDAY -	17	w. P. till 9h. A.M.; m. P. till 8h. P.M.; insulation defective afterwards.	3·3	12·5	Generally overcast; occasional slight rain; gusty wind prevalent in morning.
TUESDAY -	18	Insulation defective till 9h. A.M.; w. P. generally afterwards.	8·0	12·5	Overcast and showery with gusty wind in morning; very fine generally till evening; overcast with thin rain at night.
WEDNESDAY	19	Insulation defective.	0·0	12·4	Overcast with slight exceptions; occasional light showers till afternoon.
THURSDAY -	20	Insulation defective till 9h. A.M.; w.P. generally with occasional m. P. afterwards.	0·3	12·4	Generally overcast till evening; cloudless with slight exceptions at night; light showers in afternoon.
FRIDAY -	21	w. P. generally; m. N. at 4h. 30m. P.M.	2·1	12·3	Generally cloudy; fine intervals; occasional light showers in afternoon.
SATURDAY -	22	w. P. generally; m. P. in evening.	5·3	12·2	Cloudy till 8h. A.M.; very fine generally till 2h. P.M.; fine and partially cloudy afterwards.
			Sum 22·6	Sum 86·9	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·48 in. at the beginning of the week to 30·04 in. by 8h. P.M. on the 17th; decreased to 29·85 in. by 6h. A.M. on the 18th; increased to 30·22 in. by 9h. A.M. on the 22nd; and was 30·20 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 15th September, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	24	9	-	-	-	-	3	-
Kensington	180,952	-	6	2	-	1	-	-	3	-
Hammersmith	120,679	-	6	4	-	1	-	-	1	1
Fulham	161,965	-	14	2	-	2	-	-	2	-
Chelsea	74,672	-	6	1	-	-	-	-	2	-
City of Westminster	173,905	-	11	3	-	1	-	-	1	-
NORTH.										
St. Marylebone	128,580	-	4	7	-	2	-	-	5	-
Hampstead	89,633	-	5	1	-	2	-	-	1	-
St. Pancras	236,455	-	19	5	-	5	-	-	4	-
Islington	344,987	-	26	8	-	9	-	-	6	-
Stoke Newington	53,217	-	4	1	-	-	-	-	-	-
Hackney	230,721	-	18	8	-	1	-	-	4	-
CENTRAL.										
Holborn	55,805	-	1	1	-	1	-	-	1	-
Finsbury	97,466	-	16	5	-	1	-	-	1	-
City of London	21,367	-	6	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	19	1	-	-	-	-	7	-
Bethnal Green	130,609	-	17	3	-	2	-	-	9	1
Stepney	307,176	-	25	14	-	4	-	-	15	-
Poplar	170,673	-	11	8	-	1	-	-	4	-
SOUTH.										
Southwark	209,143	-	42	6	-	4	-	-	7	-
Bermondsey	128,629	-	29	6	-	2	-	-	4	-
Lambeth	315,774	-	10	15	-	1	-	-	9	-
Battersea	179,622	-	24	7	-	2	-	-	4	-
Wandsworth	273,381	-	23	7	-	1	-	-	-	1
Camberwell	274,132	-	23	7	-	2	-	-	7	-
Deptford	115,495	-	16	14	-	3	-	-	4	-
Greenwich	105,350	-	20	6	-	3	-	-	3	-
Lewisham	148,463	-	9	2	-	1	-	-	4	-
Woolwich	127,345	-	8	3	-	-	-	-	1	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	442	156	-	52	-	-	112	4
Ages 0-1		-	5	2	-	-	-	-	2	-
„ 1-5		-	126	63	-	-	-	-	5	-
„ 5-		-	201	49	-	5	-	-	5	-
„ 10-		-	69	12	-	12	-	-	5	-
„ 15-		-	21	12	-	9	-	-	8	1
„ 20-		-	10	5	-	4	-	-	9	1
„ 25-		-	10	5	-	13	-	-	11	2
„ 35-		-	-	4	-	5	-	-	19	-
„ 45-		-		3	-	2	-	-	17	-
„ 55-		-	-	1	-	2	-	-	17	-
„ 65 and upwards		-	-	-	-	-	-	-	14	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 39. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, SEPT. 29. [Price 1½*d*.

General Register Office, Somerset House,
October 1*st*, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·4 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 22·3, 21·1, and 19·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 24·2 in Hull, 24·7 in Liverpool, 24·8 in South Shields, 25·4 in Newcastle on Tyne, 26·1 in Middlesbrough, 26·2 in Stockport, 28·5 in Merthyr Tydfil, and 30·5 in Preston; from *measles*, 1·2 in Rochdale, 1·8 in Norwich, and 2·2 in Oldham; from *diphtheria*, 1·2 in Rochdale; from *whooping-cough*, 1·4 in South Shields; and from *diarrhœa*, 7·3 in Stockport, 7·4 in Rhondda, 7·6 in Gateshead, 7·8 in Middlesbrough, 8·0 in St. Helens and in Newcastle on Tyne, 9·8 in Grimsby, 11·0 in Hanley, and 13·0 in Preston. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2374 BIRTHS and 1422 DEATHS were registered. Allowing for increase of population, the births were 37 below and the deaths 81 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 20·9, 17·6, and 17·1 per 1000 in the preceding three weeks fell last week to 15·7. The death-rate in the four weeks ended last Saturday averaged 17·8 per 1000, being 2·6 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 10/06 D & S 3 26058

The 1422 deaths included 8 from measles, 10 from scarlet fever, 13 from diphtheria, 13 from whooping-cough, 12 from enteric fever, and 207 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 263 deaths were referred to these diseases in the aggregate, being 69 above the corrected average number in the 39th week of the preceding four years.

The deaths from *measles*, which had been 9, 7, and 9 in the preceding three weeks, were 8 last week, and were 5 below the corrected average. The deaths from *scarlet fever*, which had been 6, 4, and 7 in the preceding three weeks, rose to 10 last week, and were 1 above the corrected average; 3 deaths belonged to the Borough of Islington. The deaths from *diphtheria*, which had been 13, 10, and 18 in the preceding three weeks, numbered 13 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 17, 22, and 20 in the preceding three weeks, fell to 13 last week, and were 5 below the corrected average; 3 deaths belonged to Southwark. The fatal cases of *enteric fever*, which had been 4, 3, and 8 in the preceding three weeks, rose to 12 last week, and were 1 above the corrected average; 3 deaths belonged to Stepney. The deaths from *diarrhœa*, which had been 529, 455, and 340 in the preceding three weeks, fell to 207 last week, but were 80 above the corrected average; 20 deaths belonged to Stepney, 15 to Lambeth, 13 apiece to Fulham, Islington, and Poplar, 11 each to Battersea and Camberwell, and 10 to Shoreditch. Of the 207 deaths from diarrhœa, 197 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 41 other deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 3, 3, and 5 in the preceding three weeks.

Different forms of *violence* caused 68 deaths, concerning all but 2 of which inquests were held. Of these 68 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 58 were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, 6 to burns or scalds, 4 to drowning, 2 to heat stroke, 2 to the effects of anæsthetics administered for surgical purposes, and 3, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3388 cases of scarlet fever, 849 of diphtheria, and 140 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 533 cases, against 415, 440, and 473; of diphtheria, 135 cases, against 140, 120, and 131; and of enteric fever, 31 cases, against 28, 27, and 28. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended September 22nd, 1906.

Greater London.

In Greater London 3709 births and 2016 deaths were registered. Allowing for increase of population, these numbers are 3 and 136 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from scarlet fever, 8 from diphtheria, 1 from whooping-cough, 4 from "fever," and 60 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·32 inches, and that of the Thermometer 52°·0, the latter being 2°·9 below the week's average in the 50 years 1841–90. The general direction of the wind was Easterly, the horizontal movement of the air being 36 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 41·3 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 8th Sept., 1906.	15th Sept., 1906.	22nd Sept., 1906.	29th Sept., 1906.	Rate from Diseases in Cols. 11-17. Week ended 29th Sept., 1906.	Registered during the Week ended 29th Sept., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**22·3**	**21·1**	**19·3**	**17·4**	**4·5**	**8386**	**5290**	**1893**	**1096**	-	**34**	**28**	**52**	**53**	**50**	**1137**	**168**	**320**	**1142**	**45**	**76 Towns.**
London	4,721,217	20·9	17·6	17·1	15·7	2·9	2374	1422	426	333	-	8	10	13	13	12	207	68	127	552	9	London.
† Croydon	151,011	30·7	20·4	15·2	11·4	4·1	81	33	14	6	-	-	-	1	1	-	10	2	3	7	-	Croydon.
† Willesden	143,622	20·7	14·9	12·0	9·4	2·2	91	26	9	3	-	1	-	-	1	-	4	-	2	4	1	Willesden.
† Hornsey	86,935	8·4	4·8	4·8	4·8	2·4	29	8	3	-	-	-	-	-	-	1	3	-	-	1	-	Hornsey.
† Tottenham	119,503	20·5	23·6	19·2	10·9	3·9	72	25	13	6	-	-	-	-	-	-	9	1	1	3	-	Tottenham.
† West Ham	301,617	19·4	18·7	14·7	16·6	4·3	179	96	36	14	-	1	1	1	1	2	19	4	6	19	-	West Ham.
† East Ham	129,886	15·7	14·9	16·1	15·7	4·0	74	39	24	3	-	1	-	-	-	1	8	-	-	4	-	East Ham.
† Leyton	118,287	16·8	9·3	11·9	9·3	0·9	64	21	9	5	-	-	-	-	-	-	2	2	3	5	-	Leyton.
† Walthamstow	121,334	16·3	15·0	11·6	18·5	5·6	60	43	23	3	-	-	-	1	-	-	12	1	4	6	-	Walthamstow.
Hastings	67,144	20·2	18·6	21·0	19·4	1·6	23	25	5	11	-	-	-	-	-	-	2	2	3	5	-	Hastings.
Brighton	128,095	24·0	19·1	15·9	15·1	3·3	60	37	13	10	-	-	-	-	-	-	8	1	3	5	-	Brighton.
Portsmouth	205,118	24·9	21·4	18·6	18·0	4·1	108	71	17	14	-	-	-	1	3	-	12	1	3	13	-	Portsmouth.
Bournemouth	67,702	14·6	17·7	16·9	15·4	1·5	29	20	7	8	-	-	-	-	-	-	2	-	1	1	1	Bournemouth.
Southampton	117,312	21·3	19·1	19·6	12·9	2·7	69	29	11	10	-	-	-	-	-	-	6	-	2	3	-	Southampton.
Reading	78,987	18·5	21·1	18·5	14·5	3·3	29	22	9	7	-	-	-	-	-	-	5	1	1	8	-	Reading.
Northampton	93,749	21·7	16·1	11·7	13·3	3·3	38	24	8	7	-	-	1	-	-	-	5	-	4	1	-	Northampton.
Ipswich	71,869	21·8	24·0	17·4	16·0	5·1	30	22	9	5	-	-	-	-	-	-	7	-	-	2	-	Ipswich.
Great Yarmouth	52,613	19·8	32·7	24·8	11·9	1·0	31	12	5	2	-	-	-	-	-	-	1	-	2	1	-	Great Yarmouth.
Norwich	117,958	25·2	26·1	25·2	22·1	8·0	57	50	14	12	-	4	-	1	1	2	10	2	5	5	-	Norwich.
Plymouth	118,014	15·9	11·0	14·6	14·6	2·2	58	33	9	10	-	-	-	-	-	-	5	3	4	7	-	Plymouth.
Devonport	78,405	14·6	17·3	14·0	12·0	2·7	29	18	5	8	-	-	-	-	-	-	4	-	-	-	-	Devonport.
Bristol	363,223	14·9	17·4	15·8	14·5	2·0	179	101	31	24	-	-	-	1	1	2	10	1	5	23	-	Bristol.
Hanley	66,360	31·4	35·4	29·9	22·8	11·0	49	29	15	3	-	-	-	-	-	-	14	-	2	2	-	Hanley.
Burton-on-Trent	52,922	14·8	21·7	16·7	8·9	1·0	32	9	2	3	-	-	-	-	1	-	-	-	-	-	-	Burton-on-Trent.
Wolverhampton	100,729	19·2	26·4	15·0	16·6	5·2	48	32	9	5	-	-	-	-	-	1	9	-	-	6	-	Wolverhampton.
Walsall	94,577	24·3	17·6	22·1	16·0	3·3	52	29	10	9	-	-	-	1	-	-	5	1	3	3	-	Walsall.
Handsworth	63,819	17·2	15·5	11·4	16·3	4·1	31	20	6	6	-	-	-	-	-	-	5	-	-	2	-	Handsworth
West Bromwich	68,469	25·9	19·8	22·8	19·0	6·9	39	25	12	4	-	-	-	-	-	-	9	-	-	2	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 29th September, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 8th Sept., 1906.	15th Sept., 1906.	22nd Sept., 1906.	29th Sept., 1906.	Rate from Diseases in Cols. 11-17. Week ended 29th Sept., 1906.	Registered during the Week ended 29th Sept., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	26·0	22·1	20·8	17·1	5·2	283	180	69	49	-	1	-	1	-	1	52	2	4	42	6	BIRMINGHAM.
KINGS NORTON -	72,608	10·8	13·6	11·5	7·2	1·4	28	10	7	3	-	-	-	-	-	-	2	-	-	1	-	KINGS NORTON.
SMETHWICK - -	64,531	19·4	25·9	14·5	19·4	4·0	46	24	9	6	-	-	-	-	-	1	4	1	-	1	-	SMETHWICK.
ASTON MANOR -	82,288	24·7	18·4	12·0	17·1	5·1	46	27	12	6	-	-	-	1	-	-	7	1	1	2	-	ASTON MANOR.
COVENTRY - -	76,374	32·8	26·6	21·8	13·0	6·1	52	19	11	-	-	-	-	-	-	1	8	-	-	1	1	COVENTRY.
LEICESTER - -	232,111	20·9	19·8	14·6	13·9	2·9	107	62	23	17	-	1	-	2	-	1	9	3	5	8	1	LEICESTER.
GRIMSBY - - -	69,359	33·8	36·1	27·8	18·8	9·8	29	25	16	4	-	-	-	-	-	-	13	-	-	2	-	GRIMSBY.
NOTTINGHAM - -	254,563	22·9	24·6	21·5	16·2	4·3	110	79	23	16	-	-	-	-	2	4	15	5	7	21	-	NOTTINGHAM.
DERBY - - -	123,981	21·9	13·9	16·4	12·6	2·5	52	30	7	11	-	-	-	2	-	-	4	1	1	5	-	DERBY.
STOCKPORT - -	99,646	31·4	31·4	24·1	26·2	8·4	43	50	22	14	-	-	-	1	1	-	14	1	2	4	-	STOCKPORT.
BIRKENHEAD - -	117,292	25·8	25·3	24·0	20·9	5·3	74	47	18	9	-	-	1	-	2	-	9	1	2	7	-	BIRKENHEAD.
WALLASEY - -	64,578	21·0	17·0	18·6	12·1	1·6	34	15	4	4	-	1	-	-	-	-	1	-	1	1	-	WALLASEY.
LIVERPOOL - -	739,180	28·7	27·4	24·1	24·7	6·9	487	350	136	55	-	1	1	1	2	3	90	13	24	102	7	LIVERPOOL.
BOOTLE - - -	65,989	27·7	20·5	25·3	19·8	8·7	30	25	8	7	-	-	1	-	1	1	8	-	-	6	-	BOOTLE.
ST. HELENS - -	91,153	31·5	18·3	23·5	22·3	8·0	45	39	12	6	-	-	-	-	-	-	14	1	3	7	1	ST. HELENS.
WIGAN - - -	87,588	25·6	23·8	25·6	17·9	3·0	41	30	13	4	-	-	-	-	-	-	5	-	-	1	-	WIGAN.
WARRINGTON -	69,280	26·3	35·4	33·9	14·3	6·0	37	19	5	4	-	-	-	-	-	-	8	1	1	4	-	WARRINGTON.
BOLTON - - -	180,502	20·2	19·6	21·4	16·5	3·8	87	57	17	9	-	-	1	-	1	-	11	-	-	6	-	BOLTON.
BURY - - -	58,744	31·1	25·7	10·7	9·8	3·6	36	11	6	3	-	-	-	-	-	-	4	-	-	1	-	BURY.
MANCHESTER - -	637,126	27·7	27·3	23·7	19·0	5·7	356	232	82	42	-	3	1	3	2	-	61	8	11	51	1	MANCHESTER.
SALFORD - - -	234,077	22·7	20·5	28·3	19·2	5·6	145	86	27	17	-	1	2	2	-	2	18	-	3	17	-	SALFORD.
OLDHAM - - -	140,969	27·7	27·4	24·4	22·9	5·5	71	62	19	12	-	6	-	-	1	-	8	2	2	6	-	OLDHAM.
ROCHDALE - -	87,189	21·5	19·7	22·7	20·9	5·4	45	35	12	4	-	2	-	2	-	-	5	2	2	2	-	ROCHDALE.
BURNLEY - - -	102,808	28·4	36·0	32·0	19·3	6·6	55	38	16	8	-	-	-	-	-	-	13	1	2	4	2	BURNLEY.
BLACKBURN - -	134,015	17·1	20·2	18·7	21·4	6·6	62	55	19	7	-	-	2	1	1	-	13	-	1	5	1	BLACKBURN.
PRESTON - - -	116,399	24·2	34·9	26·4	30·5	13·4	61	68	36	10	-	-	-	-	1	-	29	-	-	3	-	PRESTON.
FURNESS.																						

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 8th Sept., 1906.	15th Sept., 1906.	22nd Sept., 1906.	29th Sept., 1906.	Rate from Diseases in Cols. 11-17. Week ended 29th Sept., 1906.	Registered during the Week ended 29th Sept., 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	23·6	19·8	21·4	18·7	3·8	47	34	10	14	-	-	-	1	-	-	6	1	2	4	1	HUDDERSFIELD.
HALIFAX - - -	109,272	14·3	8·6	15·7	13·8	1·9	54	29	6	11	-	-	-	1	-	1	2	1	1	5	-	HALIFAX.
BRADFORD - -	288,544	23·5	23·9	17·0	18·1	4·0	107	100	30	22	-	-	1	-	1	5	15	3	9	14	-	BRADFORD.
LEEDS - - -	463,495	16·3	19·5	15·4	15·3	2·7	214	136	45	30	-	-	-	2	2	-	20	4	8	16	-	LEEDS.
SHEFFIELD - -	447,951	27·7	26·1	22·3	22·0	8·1	268	189	65	40	-	-	6	5	1	2	56	2	6	26	-	SHEFFIELD.
ROTHERHAM - -	61,098	27·3	26·5	21·3	21·3	4·3	34	25	11	5	-	1	-	-	-	-	4	-	1	1	-	ROTHERHAM.
YORK - - -	83,467	20·6	26·9	18·7	13·7	3·7	44	22	10	3	-	-	-	-	1	-	5	1	3	2	-	YORK.
HULL - - -	262,426	29·8	25·0	24·6	24·2	8·1	172	122	57	25	-	-	-	2	1	4	34	-	2	20	1	HULL.
MIDDLESBROUGH -	100,069	22·9	27·6	23·4	26·1	9·9	83	50	20	5	-	-	-	1	2	1	15	-	1	9	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	24·8	14·9	18·8	18·8	6·9	37	19	7	5	-	-	-	-	-	-	7	1	1	1	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	12·8	30·6	18·5	14·9	2·1	38	21	8	-	-	-	-	-	-	1	2	2	2	1	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	21·3	27·4	30·7	22·6	6·8	107	67	20	11	-	-	-	-	2	-	18	5	5	5	2	SUNDERLAND.
SOUTH SHIELDS -	111,402	13·1	20·1	29·0	24·8	8·0	75	53	27	7	-	-	-	-	3	-	14	1	1	7	1	SOUTH SHIELDS.
GATESHEAD - -	123,191	20·3	32·6	23·7	20·3	8·5	64	48	17	9	-	-	-	-	1	1	18	-	-	2	1	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	19·6	25·0	20·2	25·4	8·7	152	131	54	24	-	2	-	2	-	-	41	1	6	8	2	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	27·9	33·7	30·8	22·2	5·8	17	23	6	4	-	-	-	-	-	-	6	-	-	3	1	TYNEMOUTH.
NEWPORT (MON.) -	74,227	24·6	19·7	17·6	15·5	4·9	50	22	11	4	-	-	-	-	1	-	6	-	-	5	2	NEWPORT (MON.).
CARDIFF - - -	183,823	15·0	18·4	17·9	16·7	4·3	120	59	25	8	-	-	-	-	1	-	14	3	6	4	1	CARDIFF.
RHONDDA - - -	127,684	26·5	27·8	26·1	19·6	8·2	67	48	29	2	-	-	-	2	-	-	18	5	5	1	1	RHONDDA.
MERTHYR TYDFIL -	74,961	32·0	39·6	24·3	28·5	4·9	64	41	22	5	-	-	-	-	-	-	7	1	1	4	-	MERTHYR TYDFIL
SWANSEA - - -	96,848	25·3	17·8	21·0	21·5	3·8	57	40	23	10	-	-	-	-	1	-	6	2	2	4	-	SWANSEA.
GREATER LONDON -	7,113,561	20·4	17·3	16·5	14·8	3·1	3709	2016	659	440	-	11	12	24	17	20	334	92	170	636	11	GREATER LONDON.
OUTER RING - -	2,392,344	19·3	16·8	15·3	12·9	3·4	1335	594	233	107	-	3	2	11	4	8	127	24	43	81	2	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	19·3	16·1	13·7	12·9	3·6	650	291	131	40	-	3	1	3	3	4	67	10	19	49	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	19·4	17·4	16·8	12·9	3·2	685	303	102	67	-	-	1	8	1	4	60	14	24	35	1	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	14·7	13·8	13·8	14·5	1·2	149	95	23	20	-	-	-	1	-	-	7	6	?	30	10	EDINBURGH.
GLASGOW - - -	835,625	15·9	17·9	17·3	17·7	4·4	422	283	83	57	-	-	-	2	8	4‡	57	8	?	83	5	GLASGOW.
DUBLIN† - - -	378,994	24·1	29·4	26·8	24·5	5·1	321	178	53	45	-	-	-	-	5	1	31	5	6	64	4	DUBLIN.†
BELFAST† - - -	366,220§	21·5	20·2	20·1	19·4	5·0	226	136	40	28	-	2	1	-	3	4	25	4	8	26	1	BELFAST.†

See note † on first page of this return

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ In addition to the above, 2 deaths from Cerebro-spinal meningitis were registered.

§ Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-NINTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2316	2503	2614	2399	2239	2581	2457	2296	2537	2171	2411·0	2374
Males - - -	1200	1246	1299	1223	1138	1317	1216	1186	1285	1066	1211·2	1187
Females - -	1116	1257	1315	1176	1101	1264	1241	1110	1252	1105	1199·8	1187
TOTAL **Deaths** -	1264	1313	1700	1456	1471	1304	1489	1244	1279	1251	1341·2	1422
Males - -	637	707	930	752	709	692	782	680	673	637	706·4	759
Females - -	627	606	770	704	762	612	707	564	606	614	634·8	663

* The numbers in this column are the average weekly numbers in the thirty-ninth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15	Sept. 22.	Sept. 29.	13 Weeks.
TOTAL **Births** -	2496	2413	2468	2352	2576	2155	2550	2466	2475	2329	2319	2260	2374	31233
TOTAL **Deaths** -	1113	1072	1054	1056	1272	1352	1584	1654	1570	1892	1589	1548	1422	18178
Ages at Death: Under 1 year -	208	192	221	233	346	464	653	646	643	760	631	544	426	5967
1—5 years -	144	126	128	121	148	162	194	204	199	219	207	171	150	2173
5—20 ,, -	79	71	60	74	68	79	59	67	64	66	60	63	85	895
20—40 ,, -	132	151	110	147	141	145	142	159	136	187	151	154	179	1934
40—60 ,, -	253	227	222	217	254	210	243	245	235	268	248	255	249	3126
60 yrs. & upwds.	297	305	313	264	315	292	293	333	293	392	292	361	333	4083
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	39	22	35	30	22	25	21	13	16	9	7	9	8	256
Scarlet Fever - -	17	6	12	6	6	10	8	9	7	6	4	7	10	108
Diphtheria - -	12	9	10	10	10	13	15	9	12	13	10	18	13	154
Whooping-cough -	12	18	20	10	13	14	13	12	11	17	22	20	13	195
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	12	4	5	3	4	5	4	7	2	4	3	8	12	73
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	-	1	-	-	-	-	2
Diarrhœa, Dysentery	31	35	56	74	184	288	424	458	455	529	455	340	207	3536
All above Diseases -	123	94	139	133	239	355	485	508	504	578	501	402	263	4324
Dis. of Resp. System	41	47	52	42	52	47	45	45	53	53	35	74	51	637
Pneumonia - -	77	72	81	59	59	65	74	58	56	90	70	75	83	919
Phthisis - - -	127	108	103	111	108	112	109	119	105	123	128	104	147	1504
Dis. of Circ. System -	144	153	125	134	161	145	151	141	137	169	164	144	147	1915
Violence - - -	51	60	54	61	62	65	52	72	49	77	56	41	68	768
Inquest Cases - -	109	117	104	120	140	141	129	139	115	153	130	117	127	1641
Deaths in Institutions	474	451	425	449	500	481	533	567	588	670	537	552	552	6779
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	61·9	61·5	62·7	66·3	67·3	66·1	61·5	64·9	66·5	68·0	57·6	55·8	52·0	62·5
Mean of Highest -	74·0	72·8	74·2	77·8	80·1	78·8	71·3	77·4	81·6	80·9	69·1	63·2	63·1	74·2
Mean of Lowest -	49·5	52·7	52·7	56·5	56·0	56·1	51·3	55·4	52·2	56·8	48·0	50·5	41·5	52·5
Mean Humidity of the Air.	65	70	70	63	64	68	77	72	62	64	70	80	77	70
Rain-fall (in inches) -	0·00	0·01	0·19	0·15	0·86	0·01	0·33	0·26	0·00	0·85	0·74	0·38	0·00	3·78
Registered Sunshine (in hours).	75·4	47·9	43·8	69·5	76·5	54·1	35·7	49·9	70·9	53·7	48·8	22·6	41·3	690·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	7	5	2	1	1	-	-	-	-	-	-	-	-	1
Scarlet Fever - -	2769	2842	2943	3048	3120	3051	3046	3078	3042	3067	3075	3164	3388	3049
Diphtheria - -	827	840	872	874	879	861	846	859	835	861	862	846	849	855
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	86	89	99	99	109	101	95	101	103	115	116	124	140	106

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. J. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford: H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W B. Clark, Esq. Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-NINTH Week of the Year 1906.

he terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 39th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES - - -	1341·2	1422	426	150	85	179	249	333
Small-pox* - - -	-	-	-	-	-	-	-	-
Cowpox - - - -	0·3	-	-	-	-	-	-	-
Measles (Morbilli) - -	12·7	8	2	6	-	-	-	-
Scarlet Fever - - -	9·2	10	-	3	7	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-
Influenza - - - -	5·6	4	-	-	1	-	1	2
Whooping-cough - -	18·1	13	7	6	-	-	-	-
Diphtheria - - -	15·8	13	2	4	7	-	-	-
Cerebro Spinal Fever -	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain) - - -	0·5	-	-	-	-	-	-	-
Enteric Fever - - -	10·7	12	-	-	2	7	3	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	73·9	142	112	29	-	-	-	1
Diarrhœa, Dysentery -	53·0	65	43	13	-	-	2	7
Tetanus - - - -	0·3	-	-	-	-	-	-	-
Rabies, *Hydrophobia* -	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)-	0·3	-	-	-	-	-	-	-
Venereal Dis. - - -	5·4	7	7	-	-	-	-	-
Puerperal Septicæmia -	2·5	3	-	-	-	2	1	-
Puerperal Pyæmia -	-	-	-	-	-	-	-	-
Puerperal Fever - -	0·5	-	-	-	-	-	-	-
Infective Endocarditis -	2·5	4	-	1	1	1	1	-
Pneumonia: Lobar - -	9·9	8	-	1	2	2	2	1
Pneumonia: Broncho- -	32·9	38	17	15	2	1	1	2
Pneumonia: Epidemic -	0·3	-	-	-	-	-	-	-
Pneumonia: Not defined	40·3	37	1	3	4	5	14	10
Erysipelas - - -	4·8	7	3	1	-	-	1	2
Septicæmia (not Puerperal) - - -	1·0	1	1	-	-	-	-	-
Pyæmia (not Puerperal)	0·5	-	-	-	-	-	-	-
Other Infective Processes	7·6	4	-	-	-	1	1	2
Tuberculous Phthisis -	78·0	95	2	3	8	48	28	6
"*Phthisis*" - - -	66·0	52	-	1	6	22	20	3
Tuberculous Meningitis -	16·3	20	-	13	5	2	-	-
Tuberculous Peritonitis -	9·9	17	7	5	1	2	2	-
Tabes Mesenterica - -	6·4	5	3	2	-	-	-	-
Tuberculous Dis. (other)-	17·1	25	6	3	8	4	2	2
Scrofula - - - -	-	1	1	-	-	-	-	-
Alcoholism - - -	16·1	12	-	-	-	2	8	2
Rheumatic Fever - -	4·3	7	-	-	2	1	4	-
Gout - - - - -	3·3	1	-	-	-	-	-	1
Carcinoma - - -	49·9	64	-	-	-	3	24	37
Sarcoma - - - -	5·9	5	-	1	-	1	-	3
Cancer (undefined) - -	33·1	37	-	-	-	2	14	21
Diabetes Mellitus - -	6·4	6	-	-	-	2	2	2
Premature Birth - -	46·1	55	55	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 39th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	15·8	18	10	3	4	-	1	-
Insanity, Gen. Par. of Insane - - -	13·0	14	-	-	-	4	7	3
Epilepsy - - - -	4·8	5	1	-	1	2	-	1
Convulsions - - -	22·7	15	13	2	-	-	-	-
Locomotor Ataxy - -	2·5	2	-	-	-	-	1	1
Paraplegia, Dis. of Cord	4·3	11	1	1	-	3	1	5
Nervous Sys. (other dis.)	18·6	12	-	1	-	1	5	5
Valv. Dis., Endocarditis-	36·4	47	-	1	1	11	14	20
Cerebr. Hæm. Thromb. -	27·8	23	-	-	-	-	7	16
Apoplexy, Hemiplegia -	16·6	7	-	-	-	-	2	5
Aneurysm - - -	6·4	4	-	-	-	2	2	-
Embolism, Thrombosis (not cerebral) -	0·8	1	-	-	-	1	-	-
Heart & Blood Vessel Dis.	74·9	65	-	-	-	9	14	42
Croup (not Spasm : nor Memb.) - -	0·8	-	-	-	-	-	-	-
Bronchitis - - -	62·2	39	5	2	-	-	3	29
Asthma, Emphysema -	2·5	1	-	-	-	-	-	1
Pleurisy - - - -	2·5	7	-	1	-	-	5	1
Respiratory Dis. (other)	9·9	4	-	1	1	1	-	1
Tonsillitis, Quinsy - -	0·3	3	-	2	-	-	1	-
Enteritis (not Epid.) -	20·1	28	17	7	-	-	1	3
Gastro-Enteritis - -	14·5	45	37	4	-	-	1	3
Peritonitis (not Puerp.) -	3·6	2	-	-	-	1	1	-
Cirrhosis of Liver - -	12·7	17	-	-	-	4	7	6
Liver Dis. (other) - -	6·1	6	-	1	-	2	1	2
Digestive Dis., Other -	37·2	29	4	1	8	8	6	2
Nephritis, Acute - -	9·2	3	-	-	-	1	-	2
Bright's Dis., Albuminuria - - -	29·3	29	-	1	1	2	15	10
Urinary Sys., Other Dis.	10·2	8	-	-	-	-	2	6
Generative Organs Dis.-	2·8	4	-	-	-	2	2	-
Childbirth (Accid. of) -	4·8	3	-	-	-	3	-	-
Old Age - - - -	46·4	37	-	-	-	-	-	37
Other Diseases - -	97·6	87	61	8	2	1	1	14
ACCIDENT.								
By Railways - - -	1·3	2	-	-	-	2	-	-
By Vehicles and Horses-	7·9	11	-	2	2	3	2	2
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·8	1	-	-	-	1	-	-
In Building Operations-	1·3	3	-	-	-	2	1	-
In Conflagrations - -	0·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·3	6	1	1	1	-	1	2
By Drowning - - -	3·3	4	-	-	1	1	1	1
By Suffocation in Bed -	9·4	3	3	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·8	5	-	-	1	2	2	-
Other Deaths by Accident - - -	13·3	23	3	1	5	1	6	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	1·3	1	1	-	-	-	-	-
Suicide - - - -	10·2	9	-	-	1	1	5	2
Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th September, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2374	1422	426	333	-	8	10	13	13	-	12	-	207	68	127	552
WEST DISTRICTS	805,311	341	216	63	54	-	2	-	3	-	-	1	-	35	7	11	91
NORTH DISTRICTS	1,056,070	515	294	79	86	-	1	6	2	1	-	3	-	34	15	30	116
CENTRAL DISTRICTS	209,465	101	87	28	21	-	-	-	1	2	-	1	-	14	7	7	49
EAST DISTRICTS	715,739	429	276	102	47	-	3	-	-	1	-	3	-	48	11	34	124
SOUTH DISTRICTS	1,749,844	988	514	152	118	-	2	3	5	9	-	3	-	75	27	44	137
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	35	2	7	-	-	1	2	-	-	1	-	1	1	1	35
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	43	12	5	4	-	-	-	-	-	-	-	-	5	-	2	3
St. John Paddington *H*	33,617	5	14	2	2	-	-	-	-	-	-	-	-	-	2	3	8
North-West Paddington	17,181	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	46	49	17	13	-	2	-	-	-	-	-	-	8	-	-	23
Brompton *2H*	48,591	8	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,wH*	49,192	24	15	2	6	-	-	-	-	-	-	-	-	-	1	1	5
South Hammersmith *w,2H*	63,047	31	12	3	3	-	-	-	-	-	-	-	-	4	1	1	5
North-west Fulham *W*	45,180	37	26	10	4	-	-	-	-	-	-	-	-	7	-	1	7
North-east Fulham *F*	46,405	31	12	3	2	-	-	-	3	-	-	1	-	2	-	-	5
South Fulham *W*	45,704	37	11	6	2	-	-	-	-	-	-	-	-	2	-	-	-
Chelsea North *W,w,3H*	42,514	16	20	1	6	-	-	-	-	-	-	-	-	2	-	-	16
Chelsea South *W,2H*	31,328	14	6	3	2	-	-	-	-	-	-	-	-	2	-	-	2
Mayfair and Knightsbridge	28,743	6	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	17	11	6	-	-	-	-	-	-	-	-	-	-	-	-	5
St. Margaret & St. John *4H*	43,698	8	16	4	4	-	-	-	-	-	-	-	-	3	3	3	9
St. James and St. Anne *W,6H*	33,081	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	8	16	-	5	-	-	-	-	-	-	-	-	-	1	1	12
St. Mary Marylebone *W,4H*	37,948	52	8	5	2	-	1	-	-	-	-	-	-	-	-	-	3
Christchurch Marylebone *H*	39,536	16	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *2H*	20,426	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	35	22	2	9	-	-	4	-	-	-	1	-	-	-	-	11
West St. Pancras *2H*	60,562	22	8	2	2	-	-	-	-	-	-	-	-	1	-	1	2
Tottenham-court *w,7H*	21,258	7	13	4	4	-	-	-	-	-	-	-	-	2	1	1	10
Gray's Inn Lane *4H*	34,449	17	7	-	-	-	-	-	-	-	-	-	-	-	2	3	3
East St. Pancras *W,2H*	60,320	39	17	6	7	-	-	-	-	-	-	-	-	1	1	3	5
North St. Pancras *2W*	58,728	27	21	6	5	-	-	-	-	-	-	-	-	3	-	1	8
Tufnell *W*	31,995	11	21	2	11	-	-	-	-	-	-	-	-	1	-	1	16
Upper Holloway *2W,w,H*	33,978	16	18	5	4	-	-	-	-	-	-	-	-	3	2	3	13
Pollington *WH*	33,922	14	6	3	3	-	-	-	-	-	-	-	-	1	-	-	-
Lower Holloway	41,424	27	13	7	3	-	-	-	-	-	-	-	-	3	-	1	-
Barnsbury	54,478	26	14	7	2	-	-	-	-	-	-	1	-	3	1	1	-
Islington South-east *F*	75,397	48	13	5	1	-	-	-	-	-	-	-	-	2	-	1	-
Highbury *2H*	63,797	20	10	1	4	-	-	-	-	-	-	-	-	1	1	2	1
Stoke Newington *H*	51,247	17	7	4	1	-	-	-	-	-	-	-	-	3	-	-	-
North Hackney	50,560	13	5	1	1	-	-	-	-	1	-	-	-	1	-	1	-
Central Hackney *2w,F*	50,536	25	18	3	3	-	-	2	2	-	-	1	-	1	1	2	5
South-west Hackney *3F*	59,921	36	17	6	2	-	-	-	-	-	-	-	-	4	2	3	7
South-east Hackney *2W,w,H*	58,255	33	33	9	13	-	-	-	-	-	-	-	-	4	3	4	20

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 29th September, 1906—*continued.*

STRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
es and Bloomsbury 2*W*,2*H* -	31,436	18	5	-	2	-	-	-	-	-	-	-	-	-	1	1	2	-
W,4*H* - - - - - -	21,674	5	11	-	5	-	-	-	-	-	-	-	-	-	-	-	8	-
Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n *W*,6*H* - - - - -	29,612	11	31	15	3	-	-	-	1	2	-	-	-	7	2	2	23	-
Clerkenwell - - -	28,676	11	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Clerkenwell *H* - - -	35,028	21	5	2	1	-	-	-	-	-	-	-	-	3	-	-	-	-
ury 3*H*,*L* - - - - -	36,116	29	12	7	3	-	-	-	-	-	-	-	-	4	-	-	1	-
n Union Workhouse, ham - - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
tolph *H* - - - -	10,299	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ulchre and Allhallows *W*,2*H*	16,624	5	16	2	4	-	-	-	-	-	-	1	-	-	3	3	13	-
London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
ditch South *H* - - -	46,362	32	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ditch North-West *W*,*w*,*H* -	36,127	29	21	6	3	-	-	-	-	-	-	-	-	4	-	2	10	-
ditch North-East - - -	36,148	20	7	3	-	-	-	-	-	-	-	-	-	4	1	1	-	-
itch Union Workhouse, Wood en - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
al Green North-East* 2*W*, 2	65,138	45	46	18	6	-	-	-	-	-	-	-	-	3	1	1	30	-
al Green South-West* *H* -	64,542	40	13	7	-	-	-	-	-	-	-	-	-	3	-	3	1	-
lfields - - - - -	27,969	8	6	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-
End New Town *W*,*H* - -	28,718	17	50	12	9	-	-	-	-	1	-	2	-	5	6	10	46	-
man's Fields - - - -	22,081	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge and St. John 2*W* - -	49,068	29	15	8	-	-	-	-	-	-	-	-	-	6	1	5	-	-
well and Ratcliff *W*,*H* - -	25,568	17	25	11	1	-	1	-	-	-	-	1	-	3	1	3	12	-
house *W* - - - - -	32,369	17	7	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-
End Old Town South-stern *H* - - - -	63,698	47	7	3	1	-	1	-	-	-	-	-	-	3	-	-	-	-
End Old Town North-stern *W*,*w* - - -	49,129	24	10	1	7	-	-	-	-	-	-	-	-	-	-	2	3	-
L - - - - - -	41,989	22	14	8	2	-	-	-	-	-	-	-	-	3	-	-	-	-
lley 3*w*,*H* - - - - -	68,319	44	36	10	16	-	1	-	-	-	-	-	-	7	1	5	22	-
ar *W*,*w* - - - - -	58,514	29	11	5	1	-	-	-	-	-	-	-	-	3	-	1	-	-

On 1st August, 1906, Bethnal Green North, Bethnal Green South, and Bethnal Green East sub-districts, were ranged into two new sub-districts as above.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th September, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark* *W,2H*	23,319	11	20	3	5	-	-	-	-	1	-	-	-	-	3	4	14
Kent-road	21,904	17	7	3	-	-	-	-	-	-	-	1	-	4	-	-	-
St. George the Martyr West *W,2H,L*	39,094	17	12	5	2	-	-	-	-	1	-	-	-	1	-	-	4
Newington North	49,022	31	11	5	2	-	-	-	-	-	-	-	-	-	-	1	-
Newington South *W*	72,841	44	18	2	2	-	-	-	-	1	-	-	-	3	3	4	-
St. Olave *2W*	9,817	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	53	19	9	6	-	-	-	-	-	-	-	-	5	-	-	-
Rotherhithe *W,F*	38,460	34	16	6	2	-	-	-	-	-	-	1	-	2	-	-	5
Waterloo-road *2H*	27,440	29	10	7	-	-	-	-	-	-	-	-	-	3	-	1	1
Lambeth Church 1st *H*	18,423	15	14	2	2	-	-	-	-	1	-	-	-	-	3	4	12
Lambeth Church 2nd *2W*	39,818	26	24	7	4	-	-	-	-	-	-	-	-	3	1	2	13
Kennington 1st *H*	53,198	40	14	3	3	-	-	-	-	-	-	-	-	2	-	1	-
Kennington 2nd *H*	42,896	16	8	4	2	-	-	-	-	-	-	-	-	3	-	1	-
Brixton *F*	84,232	33	16	3	6	-	-	-	-	1	-	-	-	1	1	1	-
Norwood *W,H*	35,888	18	4	2	-	-	-	-	-	-	-	-	-	1	-	1	-
East Battersea *H*	72,203	32	21	7	3	-	-	-	-	1	-	-	-	6	-	-	-
North-west Battersea	49,656	33	13	5	4	-	-	-	-	-	-	-	-	2	-	-	-
South-west Battersea *2W,H*	47,048	27	23	5	6	-	-	-	-	-	-	-	-	3	2	5	12
Clapham *2H*	51,361	29	15	3	4	-	-	-	-	-	-	-	-	2	1	-	1
Streatham *W,2w,2F,2L*	88,019	53	29	11	10	-	-	-	1	-	-	-	-	4	2	3	7
Springfield *2W,L*	27,959	16	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	22	5	4	-	-	-	-	-	-	-	-	-	2	-	-	2
Putney	24,139	9	6	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Dulwich	13,359	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	15	24	1	9	-	-	-	-	-	-	-	-	-	1	2	15
Camberwell North *W,2L*	65,584	33	28	9	6	-	1	-	-	1	-	-	-	6	1	1	17
St George	47,331	27	8	3	2	-	-	-	-	1	-	-	-	1	1	1	-
Peckham North	48,913	22	12	2	3	-	-	-	-	-	-	-	-	1	1	1	-
Peckham South *2W,w*	43,946	25	11	4	4	-	-	-	-	-	-	-	-	3	-	-	-
Deptford North	37,613	19	11	5	1	-	-	-	-	-	-	-	-	2	-	2	-
Deptford Central *F*	45,481	21	16	4	1	-	-	1	1	-	-	-	-	2	1	1	3
Deptford South	34,625	19	6	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *2H*	23,456	21	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	34	16	2	3	-	1	-	-	-	-	-	-	2	1	1	10
Eltham *w,H*	7,226	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F*	58,352	29	21	7	7	-	-	2	1	1	-	-	-	4	1	2	15
Sydenham *H*	43,653	22	12	6	4	-	-	-	-	-	-	-	-	2	-	1	1
Charlton *F,2H*	21,134	11	6	1	1	-	-	-	2	-	-	1	-	1	-	-	3
Woolwich *5H*	41,625	23	9	3	2	-	-	-	-	-	-	-	-	3	1	2	-
Plumstead West *W*	18,063	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	26	11	1	4	-	-	-	-	-	-	-	-	-	2	2	4
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	3
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	5	1	-	-	-	1	2	-	-	1	-	-	-	-	5
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Leavesden	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	3	-	2	-	-	-	-	-	-	-	-	1	-	-	3
Hanwell	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Colney Hatch	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury	—	-	6	-	2	-	-	-	-	-	-	-	-	-	1	1	6

* On 1st August, 1906, Christchurch Southwark and St. Saviour Southwark sub-districts were united and named as above.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 29th September, 1906.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1335	594	233	107	-	3	2	11	4	8	127	24	43	84	2
30 : 1	Carshalton *2F,3H* - -	12,228	32,997	27	7	3	-	-	-	-	-	-	-	1	-	-	-	-
2	Epsom, *part of* W,w,2F,H* -	10,423	15,548	10	6	-	1	-	-	-	-	-	-	1	-	-	2	1
37 : 1	Godstone, *part of* W,F* -	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon - - - -	11,069	8,166	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-
2	South Croydon *w* - -	4,200	49,309	22	9	8	-	-	-	-	-	-	-	5	-	1	-	-
3	West Croydon *3W,F,H* -	2,168	42,888	35	14	3	2	-	-	-	1	-	-	2	2	2	6	-
4	North Croydon *H* - -	2,644	41,698	24	10	3	4	-	-	-	-	1	-	3	-	-	1	-
5	Penge *w,H* - - -	770	22,465	9	7	2	-	-	-	-	-	-	-	-	-	1	-	-
6	Mitcham *w* - - -	11,711	30,015	30	5	2	1	-	-	-	-	-	-	1	1	1	-	-
39 : 1	Wimbledon *F,3H* - -	3,221	41,652	31	8	1	1	-	-	-	-	-	-	2	-	1	-	-
2	Kingston *2W,H* - - -	6,224	42,068	18	11	4	3	-	-	-	-	-	-	1	1	1	5	-
3	Surbiton *F,H* - - -	3,046	15,017	7	1	1	-	-	-	-	-	-	-	1	-	-	-	-
4	Esher, *part of* H* -	5,402	13,100	12	5	3	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *H,F,L* - - -	4,554	23,456	15	5	2	1	-	-	-	-	-	1	1	-	-	-	-
40 : 1	Richmond *W,H* - - -	2,162	28,865	9	9	1	5	-	-	-	-	-	-	-	1	2	1	-
2	Mortlake *F* - - -	2,847	20,628	14	7	2	2	-	-	-	-	-	1	2	1	1	1	-
41 : 1	Bromley *F,2H* - - -	4,703	27,354	15	6	1	2	-	-	-	-	-	1	1	-	-	2	-
2	Beckenham *H* - - -	7,825	28,497	16	5	1	2	-	-	-	-	-	-	1	-	-	1	-
3	Orpington *part of* W* -	10,113	9,857	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst *2H* - - -	7,333	16,446	7	4	1	1	-	-	-	-	-	-	-	1	1	1	-
42 : 1	Bexley *w F,H* - - -	8,678	21,151	17	3	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Erith *F,H* - - - -	3,854	25,296	20	6	4	2	-	-	-	-	-	-	1	1	1	-	-
3	Dartford *W,F, part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
124 : 1	Sunbury *w* - - - -	11,054	18,683	10	7	6	-	-	-	1	1	-	-	3	-	-	-	-
2	Staines *W,H* - - -	13,277	15,178	14	3	1	1	-	-	-	-	1	-	1	-	-	-	-
125 : 1	Hillingdon *W,F,H* - -	6,035	13,661	8	2	-	1	-	-	-	-	-	-	-	1	1	-	-
2	Uxbridge *H* - - -	12,757	8,984	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *w2 F,H* - - -	8,066	16,358	16	5	1	2	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *3W,2F,H* - -	6,859	30,863	16	14	7	4	-	-	-	-	-	-	2	-	2	3	-
2	Twickenham *F,H* - -	2,421	20,991	11	9	3	1	-	-	-	-	-	-	4	-	-	-	-
3	Brentford *3F,2H* - - -	4,319	48,289	39	20	5	3	-	-	-	5	-	-	3	-	-	3	-
4	Chiswick *H* - - -	1,249	29,809	13	9	3	-	-	-	-	-	-	-	4	-	-	-	-
5	Acton *w,F,3H* - - -	6,132	48,914	38	20	8	1	-	-	-	1	-	-	6	-	-	-	-
127 : 1	Harrow *F,H* - - -	13,809	25,523	22	9	2	2	-	-	-	-	-	-	1	-	-	-	-
2	Edgware *2F,2H* - - -	6,994	4,521	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
3	Willesden *W,F,2H* - -	4,384	114,811	91	25	9	2	-	1	-	-	1	-	4	-	2	3	1
4	Hendon *W,F* - - -	8,382	22,450	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms *2F,H* - -	17,755	7,308	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *W,2H* - - -	3,324	17,970	10	4	1	2	-	-	-	-	-	-	-	-	-	1	-
3	Finchley *F,2H* - - -	4,688	33,692	19	8	3	2	-	-	-	-	-	-	2	1	1	-	-
129 : 1	Hornsey *F,H* - - -	2,875	72,056	29	7	3	-	-	-	-	-	-	1	3	-	-	-	-
2	Wood Green *H* - - -	1,625	34,233	31	7	3	2	-	-	-	-	-	-	1	1	1	-	-
3	West Tottenham *F* - -	996	48,853	30	3	2	-	-	-	-	-	-	-	1	-	-	-	-
4	East Tottenham *2H* - -	2,017	53,688	42	22	11	5	-	-	-	-	-	-	8	1	1	3	-
5	Edmonton *W,w,2F* - -	7,491	61,892	49	22	9	3	-	-	-	-	-	-	9	1	5	7	-
6	Enfield *2W,F,H* - - -	12,601	42,738	24	15	4	4	-	-	-	-	-	1	4	1	1	1	-
7	Waltham Abbey *F* - -	11,017	6,549	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt *F,H* - - -	8,479	12,292	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of* W* - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - - -	9,333	9,173	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *W,2F part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 1	Stratford *H* - - -	1,072	44,827	24	18	9	3	-	-	-	-	-	-	5	-	-	1	-
2	Plaistow *F,2H* - - -	1,249	90,921	65	29	11	4	-	-	1	1	1	2	6	2	2	6	-
3	Canning Town *H* - -	1,556	70,718	65	25	10	1	-	-	-	-	-	-	6	1	2	-	-
4	Forest Gate *w* - - -	806	60,892	25	12	4	3	-	-	-	-	-	-	1	1	1	-	-
5	North East Ham *w H* -	1,333	58,676	37	22	17	1	-	-	-	-	-	-	4	-	-	-	-
6	South East Ham *2F* - -	1,993	37,342	37	14	6	1	-	1	-	-	-	1	4	-	-	1	-
7	Wanstead *F* - - -	1,679	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton *2W* - -	631	50,467	29	19	5	9	-	1	-	-	-	-	1	-	1	11	-
9	North Leyton *2W,w,F* -	1,963	48,445	35	23	7	3	-	-	-	-	-	-	3	2	4	15	-
10	Walthamstow *3H,L* - -	6,504	108,929	68	40	24	2	-	-	-	1	-	-	11	1	4	-	-
187 : 1	Chigwell, *part of* 2F,3H* -	11,778	16,397	9	3	-	1	-	-	-	1	-	-	-	1	1	1	-
2	Epping *W,F, part of** - -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of* W,2F* -	16,556	6,091	4	1	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford *F,L* - - - -	8,496	41,234	23	20	9	5	-	-	-	-	-	-	3	1	1	1	-
3	Barking Town *F* - -	3,803	21,547	15	10	3	1	-	-	-	-	-	-	2	-	-	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	3	-	3	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 187 : 1, excepting Theydon Bois parish, and part of Epping parish; 189 : 1 Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2, and 187 : 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases
LONDON	4,721,217	September 29	2374	1422	15·7	-	8	10	13	13	12	207
CALCUTTA	977,822	September 1	-	389	23·8	-	3	-	1	-	139†	37‡
BOMBAY	982,000	" 11	408	905	60·6	1	5	-	-	1	147†	171‡
MADRAS	509,346	August 31	434	527	53·7	1	2	?	?	?	99	157‡
PARIS	2,750,000	September 22	992	796	15·5	-	-	3	4	7	5	57
BRUSSELS	612,401	" 22	231	170	14·4	-	-	2	2	2	3	29
ANTWERP	297,311	" 22	121	85	14·9	-	2	-	-	-	-	36
AMSTERDAM	560,482	" 15	276	110	10·2	-	-	1	-	-	1	15
COPENHAGEN	425,000	" 22	240	123	15·1	-	-	-	-	1	-	36
STOCKHOLM	324,488	" 15	176	94	15·1	-	-	-	1	-	-	7
CHRISTIANIA	222,373	" 22	134	61	14·3	-	-	-	1	2	-	8
ST. PETERSBURG	1,424,700	" 8	532	601	21·9	-	9	17	34	4	36	78
MOSCOW	1,154,000	" 15	-	521	23·5	-	1	5	8	7	8	105
BERLIN	2,066,276	" 8	988	705	17·8	-	6	3	12	4	3	173
HAMBURG	819,380	" 22	-	255	16·5	-	1	-	4	2	-	50
BRESLAU	475,000	" 15	-	211	23·2	-	-	-	-	4	2	39
MUNICH	544,000	" 22	-	206	19·8	-	-	-	2	3	-	58
VIENNA	1,956,949	" 22	966	528	14·2	-	2	1	6	1	1	65
PRAGUE	460,849	" 15	190	132	14·9	-	1	1	1	-	-	12
BUDA-PESTH	859,134	" 15	436	246	16·2	-	1	7	2	1	3	28
TRIESTE	196,637	" 22	111	93	24·6	-	-	-	-	3	-	15
ROME	531,179	August 11	243	200	19·7	-	2	-	-	3	3§	37
VENICE	171,709	September 8	-	-	-	-	-	-	-	-	-	-
BUCHAREST	291,138	" 15	134	108	19·3	-	-	1	-	-	3	13
NEW YORK	4,152,860	" 15	2302	1523	19·1	-	2	4	19	7	18	277
CHICAGO	2,049,185	" 15	-	548	13·9	-	2	6	6	6	13	110
PHILADELPHIA	1,469,126	August 25	-	481	17·0	-	1	3	4	17	12	93
		September 1	-	407	14·4	-	2	-	4	7	13	68
BOSTON	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	August 26	-	223	12·7	-	-	-	1	-	4†	?

* Excluding deaths from croup in the Indian Cities.
† Including 7 deaths from plague in Calcutta, 26 in Bombay, and 2 in Rio de Janeiro.
‡ Including 6 deaths from cholera in Calcutta, 58 in Bombay, and 53 in Madras.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 29th September, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	65·1	37·1	52·3	0·00	BRADFORD	61·2	39·8	51·8	0·01
BRIGHTON	68·0	43·3	55·8	0·00	LEEDS	65·0	40·0	53·2	0·00
PORTSMOUTH	66·0	46·0	56·2	0·00	HULL	63·0	36·0	50·6	0·01
NORWICH	67·2	34·4	51·9	0·02	TYNEMOUTH	66·0	39·0	52·2	0·00
PLYMOUTH	65·0	45·0	56·5	0·00	CARDIFF	66·3	33·2	53·1	0·00
BRISTOL	69·4	37·0	52·9	0·01	EDINBURGH	62·5	38·1	52·1	0·00
BIRMINGHAM	65·5	40·2	52·3	0·00	GLASGOW	64·8	34·4	51·7	0·00
NOTTINGHAM	65·8	31·1	49·6	0·00	DUBLIN Phœnix Park.	66·1	32·4	50·4	0·00
LIVERPOOL OBSERVATORY.	64·0	42·0	52·6	0·00	DUBLIN Fitzwilliam Square.†	62·9	41·0	52·9	0·00
MANCHESTER	68·0	37·8	51·8	0·00					
PRESTON	61·0	42·2	51·7	0·00					
HUDDERSFIELD	68·0	37·0	51·0	0·00	BELFAST	65·0	31·5	52·1	0·00

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

[*Under the Superintendence of the Astronomer Royal.*]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	23	..	30·273	60·4	49·1	11·3	54·6	− 0·6	45·7	8·9	12·7	2·3	72	118·4	41·6	60·01	N. & NNE.	NNE. & NE.	2·0	0·0	0·2	272	+ 11	0·00	0·0
MONDAY -	24	..	30·293	62·2	48·4	13·8	54·3	− 0·8	45·6	8·7	16·9	1·9	73	82·7	40·0	59·81	NE. & E.	E. & NE.	4·0	0·0	0·3	281	+ 22	0·00	2·0
TUESDAY -	25	First Qr. Gr. Dec S.	30·348	60·4	42·7	17·7	51·7	− 3·3	41·3	10·4	16·8	2·2	68	119·0	30·5	59·72	ENE. & E.	ENE. & E.	2·8	0·0	0·1	212	− 45	0·00	6·0
WEDNESDAY	26	..	30·423	63·6	38·1	25·5	51·1	− 3·8	44·0	7·1	17·1	0·0	77	126·0	28·0	59·42	ENE., calm & NE.	NE., E. & SE.	0·2	0·0	0·0	101	− 155	0·00	0·0
THURSDAY -	27	..	30·438	65·0	37·1	27·9	51·0	− 3·9	44·7	6·3	16·8	0·0	79	133·3	28·3	59·00	Calm & ESE.	SE., ESE. & calm.	0·4	0·0	0·0	92	− 163	0·00	2·0
FRIDAY -	28	..	30·325	64·7	38·1	26·6	50·5	− 4·3	45·6	4·9	17·3	0·0	83	109·4	27·9	58·52	Calm	E. & SE.	0·1	0·0	0·0	81	− 173	0·00	0·0
SATURDAY -	29	..	30·144	65·1	37·2	27·9	51·1	− 3·5	47·6	3·5	12·6	0·0	88	109·0	28·1	58·23	Calm & ENE.	ESE. & E.	0·8	0·0	0·0	117	− 136	0·00	0·0
MEANS - -			30·321	63·1	41·5	21·5	52·0	− 2·9	44·9	7·1	15·7	0·9	77	114·0	32·1	59·24	ENE. & ESE.		..	..	..	Sum 1156	Sum − 639	Sum 0·00	1·4
No of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	23	w. P. till 11h. A.M.; loss of register till 9h. P.M.; w.P. afterwards.	3·0	12·2	Generally overcast; fine in forenoon.
MONDAY -	24	w. P. till 4h. P.M.; m. P. afterwards.	3·4	12·1	Fine generally; variably cloudy.
TUESDAY -	25	w. P. till 4h. P.M.; m. P. afterwards.	11·0	12·0	Very fine throughout with small amounts of cloud.
WEDNESDAY	26	m. P. till noon; w. P. generally till 8h. P.M.; m. P. afterwards.	5·4	12·0	Cloudless but misty in morning; fine and partially cloudy afterwards.
THURSDAY -	27	w.P. generally; occasional m. P.	7·3	11·9	Very fine with small amounts of cloud till evening; cloudless at night; mist in morning.
FRIDAY -	28	v. P. and v. N till 5h. A.M.; m. P. till 1h. A.M.; w. P. till 6h. P.M.; m. P. generally afterwards.	6·5	11·8	Very fine generally; cloudless and foggy in morning and at night. Lunar halo observed in evening.
SATURDAY -	29	w. P. generally.	4·7	11·8	Cloudless and foggy in morning; very fine generally but partially cloudy afterwards. Solar halo in afternoon and lunar halo in evening.
			Sum 41·3	Sum 83·8	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·20 in. at the beginning of the week to 30·47 in. by 10h. A.M. on the 27th; decreased to 30·10 in. by 6h. P.M. on the 29th; and was 30·11 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 22nd September, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	24	8	-	1	-	-	2	-
Kensington	180,952	-	18	2	-	1	-	-	3	-
Hammersmith	120,679	-	7	5	-	-	-	-	1	-
Fulham	161,965	-	15	2	-	-	-	-	2	-
Chelsea	74,672	-	7	1	-	-	-	-	1	-
City of Westminster	173,905	-	7	5	-	1	-	-	-	-
NORTH.										
St. Marylebone	128,580	-	10	2	-	3	-	1	2	-
Hampstead	89,633	-	8	-	-	2	-	-	2	-
St. Pancras	236,455	-	13	4	-	1	-	-	4	-
Islington	344,987	-	47	8	-	8	-	-	12	-
Stoke Newington	53,217	-	2	-	-	1	-	-	1	-
Hackney	230,721	-	49	6	-	1	-	-	8	-
CENTRAL.										
Holborn	55,805	-	3	2	-	-	-	-	-	-
Finsbury	97,466	-	7	5	-	-	-	-	2	-
City of London	21,367	-	-	1	-	2	-	-	2	-
EAST.										
Shoreditch	116,108	-	14	1	-	1	-	-	7	1
Bethnal Green	130,609	-	18	5	-	5	-	-	7	1
Stepney	307,176	-	34	10	-	6	-	-	12	-
Poplar	170,673	-	16	4	-	4	-	-	7	-
SOUTH.										
Southwark	209,143	-	50	10	-	4	-	-	14	-
Bermondsey	128,629	-	22	4	-	2	-	-	4	-
Lambeth	315,774	-	20	5	-	-	-	-	8	-
Battersea	179,622	-	38	5	-	5	-	-	2	1
Wandsworth	273,381	-	17	13	-	3	-	-	4	-
Camberwell	274,132	-	28	5	-	-	-	-	9	-
Deptford	115,495	-	12	10	-	1	-	-	5	-
Greenwich	105,350	-	7	4	-	-	-	-	4	-
Lewisham	148,463	-	18	3	-	1	-	-	4	-
Woolwich	127,345	-	7	2	-	3	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	518	132	-	56	-	1	130	3
Ages 0-1		-	2	-	-	-	-	-	4	-
" 1-5		-	116	42	-	4	-	-	8	-
" 5-		-	212	51	-	5	-	-	6	-
" 10-		-	119	18	-	10	-	-	5	-
" 15-		-	39	8	-	8	-	-	2	-
" 20-		-	18	5	-	7	-	-	12	1
" 25-		-	11	5	-	8	-	-	18	1
" 35-		-	1	-	-	9	-	-	25	1
" 45-		-	-	2	-	4	-	-	22	-
" 55-		-	-	1	-	1	-	1	16	-
" 65 and upwards		-	-	-	-	-	-	-	12	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 40. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, OCT. 6. [Price 1½*d.*

General Register Office, Somerset House,
October 8th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·1 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 21·1, 19·3, and 17·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 23·8 in Great Yarmouth, 24·2 in Wallasey, 25·0 in Tynemouth, 25·6 in Wigan, 27·1 in Merthyr Tydfil, and 30·4 in Stockport; from *measles*, 1·2 in Newcastle on Tyne, 1·5 in Oldham, and 2·2 in Norwich; from *diphtheria*, 1·0 in Halifax and 1·7 in Walthamstow; from *whooping-cough*, 1·6 in Swansea; from "*fever*," 1·2 in Wigan and 1·3 in Birkenhead; and from *diarrhœa*, 5·3 in Rhondda, 5·4 in Wigan, 5·5 in Coventry, 6·1 in Bolton and in Burnley, 6·7 in Preston, 7·1 in West Hartlepool, 8·9 in Wallasey, and 9·8 in Warrington. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2251 BIRTHS and 1404 DEATHS were registered. Allowing for increase of population, the births were 186 below and the deaths 105 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 17·6, 17·1, and 15·7 per 1000 in the preceding three weeks further fell last week to 15·5. The death-rate in the four weeks ended last Saturday averaged 16·5 per 1000, being 1·6 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 10/06 D & S 3 26113

The 1404 deaths included 6 from measles, 12 from scarlet fever, 12 from diphtheria, 11 from whooping-cough, 11 from enteric fever, 1 from ill-defined pyrexia, and 135 from diarrhœa, but not one death from small-pox, or from typhus; thus, 188 deaths were referred to these diseases in the aggregate, being 25 above the corrected average number in the 40th week of the preceding four years.

The deaths from *measles*, which had been 7, 9, and 8 in the preceding three weeks, were 6 last week, and were 8 below the corrected average; 3 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 4, 7, and 10 in the preceding three weeks, further rose to 12 last week, and were 4 above the corrected average. The deaths from *diphtheria*, which had been 10, 18, and 13 in the preceding three weeks, were 12 last week, and were 6 below the corrected average. The deaths from *whooping-cough*, which had been 22, 20, and 13 in the preceding three weeks, further fell to 11 last week, and were 4 below the corrected average; 3 deaths belonged to Lambeth. The fatal cases of *enteric fever*, which had been 3, 8, and 12 in the preceding three weeks, were 11 last week, and were 3 below the corrected average; 3 deaths belonged to Woolwich. The deaths from *diarrhœa*, which had been 455, 340, and 207 in the preceding three weeks, further fell to 135 last week, but were 41 above the corrected average; 21 deaths belonged to Stepney, 9 each to Fulham and Southwark, and 8 to Poplar. Of the 135 deaths from diarrhœa, 124 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 18 other deaths at this age. The deaths attributed directly to *influenza* numbered 6, having been 3, 5, and 4 in the preceding three weeks.

Different forms of *violence* caused 48 deaths, concerning all but 1 of which inquests were held. Of these 48 deaths, 7 were cases of suicide, and 1 of homicide, while the remaining 40 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 5 to burns, scalds, or explosions, 4 to drowning, and 7, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3603 cases of scarlet fever, 907 of diphtheria, and 167 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 621 cases, against 440, 473, and 533; of diphtheria, 166 cases, against 120, 131, and 135; and of enteric fever, 46 cases, against 27, 28, and 31. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended September 29th, 1906.

Greater London.

In Greater London 3446 births and 1950 deaths were registered. Allowing for increase of population, these numbers are 305 below and 125 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 3 from whooping-cough, 5 from "fever," and 38 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·76 inches, and that of the Thermometer 58°·4, the latter being 4°·9 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 10 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 31·0 hours; the measured rainfall amounted to 0·69 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, AND FOUR DISTRICTS OF LONDON, ended Saturday, 6th October, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 15th Sept., 1906.	22nd Sept., 1906.	29th Sept., 1906.	6th Oct., 1906.	Rate from Diseases in Cols. 11-17. Week ended 6th Oct., 1906.	Registered during the Week ended 6th Oct., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,818,360	21·1	19·3	17·4	17·1	3·4	7809	5192	1536	1243	-	49	36	61	43	63	775	163	352	1128	42	76 TOWNS.
LONDON - - -	4,721,217	17·6	17·1	15·7	15·5	2·1	2251	1404	341	386	-	6	12	12	11	12	135	48	131	550	1	LONDON.
† CROYDON - -	151,011	20·4	15·2	11·4	10·0	2·8	74	29	12	7	-	-	-	-	1	-	7	-	1	6	-	CROYDON.
† WILLESDEN - -	143,622	14·9	12·0	9·4	13·1	2·2	80	36	10	9	-	1	-	-	-	1	4	4	4	5	1	WILLESDEN.
† HORNSEY - -	86,935	4·8	4·8	4·8	5·4	2·4	36	9	3	4	-	-	-	-	-	-	4	-	3	-	-	HORNSEY.
† TOTTENHAM - -	119,503	23·6	19·2	10·9	12·7	4·4	52	29	11	5	-	-	1	2	-	-	7	1	1	2	-	TOTTENHAM.
† WEST HAM - -	301,617	18·7	14·7	16·6	14·3	4·0	167	83	27	13	-	1	1	1	-	3	17	4	6	17	-	WEST HAM.
† EAST HAM - -	129,886	14·9	16·1	15·7	10·8	4·8	62	27	9	2	-	-	-	1	1	1	9	-	-	2	-	EAST HAM.
† LEYTON - - -	118,287	9·3	11·9	9·3	14·5	2·2	54	33	11	7	-	-	-	1	2	-	2	-	1	5	-	LEYTON.
† WALTHAMSTOW -	121,334	15·0	11·6	18·5	12·0	4·3	57	28	10	6	-	-	-	4	2	-	4	1	2	5	-	WALTHAMSTOW.
HASTINGS - - -	67,144	18·6	21·0	19·4	12·4	-	20	16	1	6	-	-	-	-	-	-	-	2	2	1	-	HASTINGS.
BRIGHTON - -	128,095	19·1	15·9	15·1	13·8	2·8	53	34	12	6	-	1	-	1	1	-	4	-	1	7	-	BRIGHTON.
PORTSMOUTH - -	205,118	21·4	18·6	18·0	19·3	2·5	128	76	22	22	-	-	-	3	-	-	7	3	6	19	-	PORTSMOUTH.
BOURNEMOUTH -	67,702	17·7	16·9	15·4	17·7	2·3	19	23	4	12	-	1	-	-	-	-	2	1	2	1	-	BOURNEMOUTH.
SOUTHAMPTON -	117,312	19·1	19·6	12·9	14·2	2·2	40	32	7	6	-	-	-	2	-	-	3	2	2	9	-	SOUTHAMPTON.
READING - - -	78,987	21·1	18·5	14·5	7·9	1·3	31	12	2	4	-	-	-	-	-	-	2	-	1	2	-	READING.
NORTHAMPTON -	93,749	16·1	11·7	13·3	15·6	1·1	40	28	4	13	-	-	-	-	-	-	2	-	1	5	-	NORTHAMPTON.
IPSWICH - - -	71,869	24·0	17·4	16·0	13·8	1·5	38	19	5	4	-	-	-	-	-	-	2	-	-	2	-	IPSWICH.
GREAT YARMOUTH -	52,613	32·7	24·8	11·9	23·8	3·0	36	24	7	7	-	-	-	-	-	-	3	2	3	2	-	GREAT YARMOUTH.
NORWICH - -	117,958	26·1	25·2	22·1	17·7	4·4	48	40	10	14	-	5	1	-	-	-	4	-	2	2	-	NORWICH.
PLYMOUTH - -	118,014	11·0	14·6	14·6	15·5	2·7	46	35	10	14	-	-	-	-	1	-	5	-	1	2	-	PLYMOUTH.
DEVONPORT - -	78,405	17·3	14·0	12·0	13·3	1·3	31	20	4	4	-	-	-	-	-	-	2	1	4	4	-	DEVONPORT.
BRISTOL - - -	363,223	17·4	15·8	14·5	16·9	2·4	199	118	36	29	-	-	1	-	1	3	12	5	9	24	-	BRISTOL.
HANLEY - - -	66,360	35·4	29·9	22·8	21·2	3·1	44	27	6	8	-	-	1	1	1	-	1	1	4	3	-	HANLEY.
BURTON-ON-TRENT	52,922	21·7	16·7	8·9	19·7	3·9	12	20	4	8	-	-	-	-	-	-	4	1	1	5	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	100,729	26·4	15·0	16·6	17·6	3·1	56	34	13	7	-	-	-	1	-	-	5	2	3	7	1	WOLVERHAMPTON.
WALSALL - - -	94,577	17·6	22·1	16·0	16·0	3·9	45	29	9	6	-	-	-	1	1	1	4	2	4	3	-	WALSALL.
HANDSWORTH -	63,819	15·5	11·4	16·3	10·6	3·3	28	13	6	3	-	-	-	-	-	-	4	-	-	-	-	HANDSWORTH
WEST BROMWICH -	68,469	19·8	22·8	19·0	13·7	0·8	33	18	7	3	-	-	-	-	-	-	1	-	2	-	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 6th October, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 15th Sept., 1906.	22nd Sept., 1906.	29th Sept., 1906.	6th Oct., 1906.	Rate from Diseases in Cols. 11-17. Week ended 6th Oct., 1906.	Registered during the Week ended 6th Oct., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	22·1	20·8	17·1	18·5	3·5	275	194	59	47	-	2	4	2	-	-	29	3	3	51	5	BIRMINGHAM.
KINGS NORTON -	72,608	13·6	11·5	7·2	9·3	3·6	44	13	5	2	-	-	1	-	1	-	3	-	-	2	-	KINGS NORTON.
SMETHWICK - -	64,531	25·9	14·5	19·4	10·5	0·8	34	13	3	4	-	-	-	-	-	-	1	-	-	2	1	SMETHWICK.
ASTON MANOR -	82,288	18·4	12·0	17·1	12·0	1·9	38	19	8	5	-	-	-	-	-	-	3	-	-	1	-	ASTON MANOR.
COVENTRY - -	76,374	26·6	21·8	13·0	17·8	5·5	35	26	10	8	-	-	-	-	-	-	8	-	1	3	1	COVENTRY.
LEICESTER - -	232,111	19·8	14·6	13·9	11·9	2·2	100	53	14	16	-	2	-	1	-	1	6	2	3	9	-	LEICESTER.
GRIMSBY - - -	69,359	36·1	27·8	18·8	21·8	3·0	27	29	11	7	-	-	-	-	-	1	3	-	1	4	1	GRIMSBY.
NOTTINGHAM - -	254,563	24·6	21·5	16·2	16·8	2·7	115	82	30	17	-	-	-	-	-	3	10	3	5	12	1	NOTTINGHAM.
DERBY - - -	123,981	13·9	16·4	12·6	17·7	1·7	61	42	9	10	-	-	-	-	-	-	4	2	3	5	-	DERBY.
STOCKPORT - -	99,646	31·4	24·1	26·2	30·4	6·3	47	58	18	14	-	1	-	-	1	1	9	4	5	11	1	STOCKPORT.
BIRKENHEAD - -	117,292	25·3	24·0	20·9	21·3	7·1	73	48	20	7	-	-	-	1	1	3	11	1	2	7	1	BIRKENHEAD.
WALLASEY - -	64,578	17·0	18·6	12·1	24·2	9·7	33	30	15	7	-	1	-	-	-	-	11	2	3	4	-	WALLASEY.
LIVERPOOL - -	739,180	27·4	24·1	24·7	22·2	5·3	381	314	104	50	-	3	2	4	1	6	59	10	19	73	7	LIVERPOOL.
BOOTLE - - -	65,989	20·5	25·3	19·8	15·8	4·7	38	20	8	5	-	1	-	-	-	-	5	-	-	2	1	BOOTLE.
ST. HELENS - -	91,153	18·3	23·5	22·3	22·3	2·3	57	39	15	8	-	-	-	-	-	1	3	1	2	5	2	ST. HELENS.
WIGAN - - -	87,588	23·8	25·6	17·9	25·6	7·1	58	43	11	11	-	1	-	-	-	2	9	1	1	6	-	WIGAN.
WARRINGTON -	69,280	35·4	33·9	14·3	21·8	9·8	37	29	13	2	-	-	-	-	-	-	13	3	3	3	-	WARRINGTON.
BOLTON - - -	180,502	19·6	21·4	16·5	20·5	6·6	79	71	23	14	-	-	-	2	-	-	21	3	3	2	-	BOLTON.
BURY - - -	58,744	25·7	10·7	9·8	17·8	3·6	20	20	3	8	-	-	-	-	-	1	3	-	-	2	2	BURY.
MANCHESTER - -	637,126	27·3	23·7	19·0	20·3	4·0	322	248	78	53	-	3	5	2	3	2	34	6	16	51	1	MANCHESTER.
SALFORD - - -	234,077	20·5	28·3	19·2	20·7	5·1	124	93	23	18	-	3	-	1	-	1	18	5	10	10	-	SALFORD.
OLDHAM - - -	140,969	27·4	24·4	22·9	19·6	4·8	78	53	19	9	-	4	-	1	2	-	6	1	3	2	-	OLDHAM.
ROCHDALE - -	87,189	19·7	22·7	20·9	16·1	1·2	35	27	3	7	-	1	-	-	-	-	1	-	-	2	1	ROCHDALE.
BURNLEY - - -	102,808	36·0	32·0	19·3	22·8	6·1	50	45	18	8	-	-	-	-	-	-	12	1	1	7	1	BURNLEY.
BLACKBURN - -	134,015	20·2	18·7	21·4	17·9	4·7	53	46	17	9	-	-	-	-	1	1	10	-	-	5	1	BLACKBURN.
PRESTON - - -	116,399	34·9	26·4	30·5	17·5	6·7	46	39	16	7	-	-	-	-	-	-	15	1	1	3	1	PRESTON.
BARROW-IN-FURNESS.	60,967	17·1	26·5	12·8	17·1	3·4	32	20	9	3	-	-	-	1	-	-	3	1	1	3	-	BARROW-IN-FURNESS.

TABLE I (cont.).—76 GREAT TOWNS, during the Week ended October, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 15th Sept., 1906.	22nd Sept., 1906.	29th Sept., 1906.	6th Oct., 1906.	Rate from Diseases in Cols. 11-17. Week ended 6th Oct., 1906.	Registered during the Week ended 6th Oct., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	19·8	21·4	18·7	22·5	3·8	43	41	7	17	-	-	-	-	1	-	6	2	2	2	-	HUDDERSFIELD.
HALIFAX - - -	109,272	8·6	15·7	13·8	16·2	3·8	47	34	7	6	-	-	-	2	-	1	5	1	1	6	-	HALIFAX.
BRADFORD - -	288,544	23·9	17·0	18·1	15·9	2·7	111	88	11	27	-	1	-	1	1	3	9	3	5	19	2	BRADFORD.
LEEDS - - -	463,495	19·5	15·4	15·3	18·4	2·1	246	164	42	41	-	-	-	3	3	3	10	8	24	28	-	LEEDS.
SHEFFIELD - -	447,951	26·1	22·3	22·0	18·3	5·2	260	157	55	37	-	-	4	1	1	4	35	2	4	22	3	SHEFFIELD.
ROTHERHAM - -	61,098	26·5	21·3	21·3	12·8	6·0	34	15	6	3	-	1	-	1	-	-	5	1	1	5	-	ROTHERHAM.
YORK - - -	83,467	26·9	18·7	13·7	13·7	1·9	41	22	9	7	-	-	-	-	-	-	3	-	-	3	-	YORK.
HULL - - -	262,426	25·0	24·6	24·2	18·3	5·6	144	92	30	22	-	-	-	2	-	3	23	1	4	12	1	HULL.
MIDDLESBROUGH -	100,069	27·6	23·4	26·1	19·3	4·7	53	37	14	6	-	-	-	1	-	-	8	1	1	3	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	14·9	18·8	18·8	15·8	3·0	32	16	5	3	-	-	-	-	-	-	3	-	1	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	30·6	18·5	14·9	22·0	8·5	28	31	14	3	-	-	-	1	-	1	10	1	2	6	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,585	27·4	30·7	22·6	20·6	4·4	90	61	15	11	-	-	-	-	-	1	12	3	4	8	3	SUNDERLAND.
SOUTH SHIELDS -	111,402	20·1	29·0	24·8	22·0	4·7	53	47	20	8	-	2	-	1	-	-	7	1	1	6	-	SOUTH SHIELDS.
GATESHEAD - -	123,191	32·6	23·7	20·3	15·2	4·7	74	36	16	11	-	-	-	1	-	-	10	-	-	-	2	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	25·0	20·2	25·4	21·2	5·8	154	109	33	23	-	6	2	1	-	1	20	1	5	11	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	33·7	30·8	22·2	25·0	4·8	24	26	6	6	-	1	-	-	-	-	4	3	3	7	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	19·7	17·6	15·5	18·3	4·2	29	26	9	3	-	-	-	-	-	-	6	1	2	2	-	NEWPORT (MON.).
CARDIFF - - -	183,823	18·4	17·9	16·7	16·2	4·0	99	57	21	10	-	1	-	1	2	-	10	2	3	1	-	CARDIFF.
RHONDDA - - -	127,684	27·8	26·1	19·6	20·8	5·7	83	51	24	10	-	-	-	-	-	1	13	-	-	1	-	RHONDDA.
MERTHYR TYDFIL -	74,961	39·6	24·3	28·5	27·1	4·2	49	39	11	6	-	-	1	-	-	1	4	1	3	6	-	MERTHYR TYDFIL.
SWANSEA - - -	96,848	17·8	21·0	21·5	17·8	4·8	43	33	11	12	-	-	-	-	3	-	6	1	3	2	-	SWANSEA.
GREATER LONDON -	7,113,561	17·3	16·5	14·8	14·3	2·4	3446	1950	513	514	-	12	15	25	20	22	227	63	162	633	4	GREATER LONDON.
OUTER RING - -	2,392,344	16·8	15·3	12·9	11·9	2·9	1195	546	172	128	-	6	3	13	9	10	92	15	31	83	3	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	16·1	13·7	12·9	12·2	3·5	582	274	93	53	-	2	2	9	6	5	54	10	18	42	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	17·5	16·8	12·9	11·6	2·4	613	272	79	75	-	4	1	4	3	5	38	5	13	41	2	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	13·8	13·8	14·5	15·6	0·9	147	102	22	43	-	-	1	1	-	-	4	5	?	23	6	EDINBURGH.
GLASGOW - - -	835,625	17·9	17·3	17·7	18·3	2·5	470	294	85	69	-	-	-	3	7	4‡	26	16	?	70	7	GLASGOW.
DUBLIN† - - -	378,994	29·4	26·8	24·5	26·0	4·4	146	189	50	57	-	-	-	-	1	-	31	4	3	69	4	DUBLIN.†
BELFAST† - - -	366,220§	20·2	20·1	19·4	20·5	3·4	211	144	39	21	-	1	1	1	2	-	19	4	7	32	3	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 4 deaths from Cerebro-spinal meningitis were registered. § Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTIETH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2844	2460	2554	2540	2319	2499	2335	2378	2470	2380	2437·0	2251
Males - - -	1473	1252	1277	1285	1150	1269	1204	1209	1253	1214	1243·6	1140
Females - -	1371	1208	1277	1255	1169	1230	1131	1169	1217	1166	1193·4	1111
TOTAL **Deaths** -	1276	1324	1620	1564	1391	1280	1381	1283	1243	1189	1298·6	1404
Males - -	646	695	814	799	719	665	707	662	641	618	669·7	683
Females - -	630	629	806	765	672	615	674	621	602	571	628·9	721

* The numbers in this column are the average weekly numbers in the fortieth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	13 Weeks.
TOTAL **Births** -	2413	2468	2352	2576	2155	2550	2466	2475	2329	2319	2260	2374	2251	30988
TOTAL **Deaths** -	1072	1054	1056	1272	1352	1584	1654	1570	1892	1589	1548	1422	1404	18469
Ages at Death: Under 1 year -	192	221	233	346	464	653	646	643	760	631	544	426	341	6100
1—5 years -	126	128	121	148	162	194	204	199	219	207	171	150	146	2175
5—20 ,, -	71	60	74	68	79	59	67	64	66	60	63	85	73	889
20—40 ,, -	151	110	147	141	145	142	159	136	187	151	154	179	165	1967
40—60 ,, -	227	222	217	254	210	243	245	235	268	248	255	249	293	3166
60 yrs. & upwds.	305	313	264	315	292	293	333	293	392	292	361	333	386	4172
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	22	35	30	22	25	21	13	16	9	7	9	8	6	223
Scarlet Fever - -	6	12	6	6	10	8	9	7	6	4	7	10	12	103
Diphtheria - -	9	10	10	10	13	15	9	12	13	10	18	13	12	154
Whooping-cough -	18	20	10	13	14	13	12	11	17	22	20	13	11	194
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	5	3	4	5	4	7	2	4	3	8	12	11	72
Pyrexia (origin uncertain).	-	1	-	-	-	-	-	1	-	-	-	-	1	3
Diarrhœa, Dysentery	35	56	74	184	288	424	458	455	529	455	340	207	135	3640
All above Diseases -	94	139	133	239	355	485	508	504	578	501	402	263	188	4389
Dis. of Resp. System	47	52	42	52	47	45	45	53	53	35	74	51	90	686
Pneumonia - -	72	81	59	59	65	74	58	56	90	70	75	83	98	940
Phthisis - - -	108	103	111	108	112	109	119	105	123	128	104	147	139	1516
Dis. of Circ. System -	153	125	134	161	145	151	141	137	169	164	144	147	176	1947
Violence - - -	60	54	61	62	65	52	72	49	77	56	41	68	48	765
Inquest Cases - -	117	104	120	140	141	129	139	115	153	130	117	127	131	1663
Deaths in Institutions	451	425	449	500	481	533	567	588	670	537	552	552	550	6855
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	61·5	62·7	66·3	67·3	66·1	61·5	64·9	66·5	68·0	57·6	55·8	52·0	58·4	62·2
Mean of Highest -	72·8	74·2	77·8	80·1	78·8	71·3	77·4	81·6	80·9	69·1	63·2	63·1	66·5	73·6
Mean of Lowest -	52·7	52·7	56·5	56·0	56·1	54·3	55·4	52·2	56·8	48·0	50·5	41·5	51·2	52·6
Mean Humidity of the Air.	70	70	68	64	68	77	72	62	64	70	80	77	83	71
Rain-fall (in inches) -	0·01	0·19	0·15	0·86	0·01	0·33	0·26	0·00	0·85	0·74	0·38	0·00	0·69	4·47
Registered Sunshine (in hours).	47·9	43·8	69·5	76·5	54·1	35·7	49·9	70·9	53·7	48·8	22·6	41·3	31·0	645·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	5	2	1	1	-	-	-	-	-	-	-	-	-	1
Scarlet Fever - -	2842	2943	3048	3120	3051	3046	3078	3042	3067	3075	3164	3388	3603	3113
Diphtheria - -	840	872	874	879	861	846	859	835	861	862	816	849	907	861
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	89	99	99	109	101	95	101	103	115	116	124	140	167	112

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. J. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq. Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTIETH Week of the Year 1906.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 40th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1298·6	1404	341	146	73	165	293	386
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	0·3	-	-	-	-	-	-	-
Measles (Morbilli)	14·0	6	2	4	-	-	-	-
Scarlet Fever	7·6	12	-	6	5	1	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	7·1	6	-	-	2	1	2	1
Whooping-cough	15·3	11	1	9	1	-	-	-
Diphtheria	17·6	12	1	6	5	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	1	1	-	-	-	-	-
Enteric Fever	14·3	11	-	-	1	5	5	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	47·1	90	69	19	-	-	2	-
Diarrhœa, Dysentery	46·9	45	29	7	-	1	2	6
Tetanus	1·3	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	0·3	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	6·9	3	2	-	-	1	-	-
Puerperal Septicæmia	3·3	5	-	-	-	5	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	0·5	-	-	-	-	-	-	-
Infective Endocarditis	2·5	2	-	-	-	1	1	-
Pneumonia — Lobar	7·4	11	1	-	-	6	2	2
Pneumonia — Broncho-	36·4	32	10	13	1	1	3	4
Pneumonia — Epidemic	-	-	-	-	-	-	-	-
Pneumonia — Not defined	39·5	55	4	8	2	8	20	13
Erysipelas	7·1	1	-	-	-	-	-	1
Septicæmia (not Puerperal)	1·3	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	1·0	-	-	-	-	-	-	-
Other Infective Processes	4·6	7	-	-	-	1	4	2
Tuberculous Phthisis	64·5	99	-	7	8	40	38	6
"*Phthisis*"	72·9	40	-	2	1	15	16	6
Tuberculous Meningitis	16·8	19	7	8	2	1	-	1
Tuberculous Peritonitis	10·7	8	7	-	-	1	-	-
Tabes Mesenterica	7·4	4	2	2	-	-	-	-
Tuberculous Dis. (other)	19·6	24	3	11	2	6	1	1
Scrofula	0·5	-	-	-	-	-	-	-
Alcoholism	9·4	15	-	-	-	2	11	2
Rheumatic Fever	7·1	5	-	1	3	1	-	-
Gout	2·3	1	-	-	-	-	1	-
Carcinoma	47·9	61	-	-	-	1	27	33
Sarcoma	6·4	5	-	1	1	2	-	1
Cancer (undefined)	35·7	36	-	-	-	-	12	24
Diabetes Mellitus	5·6	11	-	-	1	2	1	7
Premature Birth	47·7	39	39	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 40th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	14·3	9	2	3	2	2	-	-
Insanity, Gen. Par. of Insane	15·0	17	-	-	1	4	6	6
	6·6	6	-	-	1	2	1	2
Epilepsy	22·2	15	15	-	-	-	-	-
Convulsions	1·3	4	-	-	-	-	2	2
Locomotor Ataxy	3·3	4	-	-	1	-	2	1
Paraplegia, Dis. of Cord	20·1	14	-	-	1	3	6	4
Nervous Sys. (other dis.)	33·1	40	-	-	4	7	16	13
Valv. Dis., Endocarditis	25·5	37	-	-	-	3	6	28
Cerebr. Hæm. Thromb.	16·1	14	-	-	1	-	1	12
Apoplexy, Hemiplegia	4·8	5	-	-	-	1	4	-
Aneurysm	0·3	-	-	-	-	-	-	-
Embolism, Thrombosis (not cerebral)	75·2	80	-	-	5	9	21	45
Heart & Blood Vessel Dis.	0·3	1	-	1	-	-	-	-
Croup (not Spasm: nor Memb.)	58·4	67	9	4	-	1	6	47
Bronchitis	5·4	2	-	-	-	-	1	1
Asthma, Emphysema	4·8	5	2	-	1	-	-	2
Pleurisy	8·9	15	2	1	-	1	6	5
Respiratory Dis. (other)	1·0	1	-	1	-	-	-	-
Tonsillitis, Quinsy	18·1	29	19	5	1	-	2	2
Enteritis (not Epid.)	11·7	18	13	5	-	-	-	-
Gastro-Enteritis	3·1	4	-	-	2	-	1	1
Peritonitis (not Puerp.)	12·0	16	-	-	1	-	11	4
Cirrhosis of Liver	7·1	3	-	-	-	-	1	2
Liver Dis. (other)	34·9	44	5	6	6	4	7	16
Digestive Dis., Other	5·6	6	-	2	1	-	1	2
Nephritis, Acute	29·6	31	-	-	-	2	17	12
Bright's Dis., Albuminuria	7·4	8	-	-	-	1	4	3
Urinary Sys., Other Dis.	4·6	9	-	-	1	2	4	2
Generative Organs Dis.	2·8	5	-	-	-	5	-	-
Childbirth (Accid. of)	43·1	48	-	-	-	-	-	48
Old Age	108·9	122	86	8	4	4	8	12
Other Diseases								
ACCIDENT.								
By Railways	2·3	2	-	-	1	1	-	-
By Vehicles and Horses	5·1	6	-	1	1	2	2	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·3	-	-	-	-	-	-	-
In Building Operations	0·5	-	-	-	-	-	-	-
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	5·9	5	-	3	-	1	1	-
By Drowning	4·3	4	-	-	2	1	1	-
By Suffocation in Bed	7·1	7	7	-	-	-	-	-
By Poisons or Poisonous Vapours	1·0	-	-	-	-	-	-	-
Other Deaths by Accident	14·5	16	3	2	1	4	3	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·5	1	-	-	-	-	1	-
Suicide	13·5	7	-	-	-	3	3	1
Execution	0·3	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis in each SUB-DISTRICT during the Week ended Saturday, 6th October, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexial† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2251	1404	341	386	–	6	12	12	11	–	11	1	135	48	131	550
WEST DISTRICTS	805,311	331	258	47	83	–	–	3	3	2	–	2	–	20	12	31	106
NORTH DISTRICTS	1,056,070	467	290	76	91	–	1	3	1	–	–	4	1	23	8	23	108
CENTRAL DISTRICTS	209,465	114	61	17	6	–	–	–	1	2	–	–	–	11	3	5	33
EAST DISTRICTS	715,739	416	274	67	60	–	4	–	–	3	–	1	–	34	7	30	119
SOUTH DISTRICTS	1,749,844	923	489	134	137	–	1	5	5	4	–	4	–	44	18	42	152
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	32	–	9	–	–	1	2	–	–	–	–	3	–	–	32
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	47	29	11	10	–	–	–	1	–	–	–	–	3	3	5	8
St. John Paddington *H*	33,617	8	18	3	1	–	–	–	–	–	–	–	–	1	–	2	12
North-West Paddington	17,181	11	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H*	128,037	37	55	8	22	–	–	–	–	–	–	–	–	4	2	7	25
Brompton *2H*	48,591	10	12	–	4	–	–	–	–	–	–	–	–	–	1	1	2
North Hammersmith *2W,wH*	49,192	29	20	1	10	–	–	–	–	–	–	–	–	1	1	4	10
South Hammersmith *w,2H*	63,047	33	12	2	3	–	–	–	–	1	–	–	–	1	2	4	5
North-west Fulham *W*	45,180	32	22	8	7	–	–	–	–	–	–	–	–	5	–	1	10
North-east Fulham *F*	46,405	23	16	4	3	–	–	3	2	–	–	2	–	3	1	3	6
South Fulham *W*	45,704	24	9	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Chelsea North *W,w,3H*	42,514	20	24	4	9	–	–	–	–	1	–	–	–	1	–	–	13
Chelsea South *W,2H*	31,328	9	8	–	1	–	–	–	–	–	–	–	–	1	–	1	4
Mayfair and Knightsbridge	28,743	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	17	18	2	8	–	–	–	–	–	–	–	–	–	2	2	7
St. Margaret & St. John *4H*	43,698	19	8	–	2	–	–	–	–	–	–	–	–	–	–	1	3
St. James and St. Anne *W,6H*	33,081	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	5	12	2	3	–	–	–	–	–	–	–	–	–	–	1	10
St. Mary Marylebone *W,4H*	37,948	41	11	2	3	–	–	–	–	–	–	–	–	1	–	–	2
Christchurch Marylebone *H*	39,536	19	5	2	–	–	–	–	–	–	–	–	–	1	–	–	–
St. John Marylebone *2H*	20,426	6	2	–	2	–	–	–	–	–	–	–	–	1	–	–	–
Hampstead *W,F,7H*	81,942	19	16	3	5	–	–	–	1	–	–	–	–	–	1	1	8
West St. Pancras *2H*	60,562	25	16	5	3	–	–	–	–	–	–	–	1	2	–	2	6
Tottenham-court *w,7H*	21,258	6	8	2	3	–	–	–	–	–	–	–	–	–	–	–	6
Gray's Inn Lane *4H*	34,449	14	9	1	4	–	–	–	–	–	–	–	–	–	2	2	2
East St. Pancras *W,2H*	60,320	24	20	1	11	–	–	–	–	–	–	–	–	1	–	1	11
North St. Pancras *2W*	58,728	25	12	2	6	–	–	–	–	–	–	–	–	1	–	–	7
Tufnell *W*	31,995	14	20	4	8	–	–	–	–	–	–	–	–	–	1	1	15
Upper Holloway *2W,w,H*	33,978	19	22	4	10	–	–	–	–	–	–	–	–	1	–	2	11
Tollington *WH*	33,922	14	9	3	2	–	–	–	–	–	–	–	–	1	–	1	–
Lower Holloway	41,424	21	5	4	–	–	–	–	–	–	–	–	–	1	–	–	–
Barnsbury	54,478	31	12	3	4	–	–	–	–	–	–	–	–	–	–	–	–
Islington South-east *F*	75,397	34	19	5	6	–	–	1	–	–	–	–	–	3	2	3	1
Highbury *2H*	63,797	22	7	4	1	–	–	–	–	–	–	–	–	–	–	2	–
Stoke Newington *H*	51,247	20	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney	50,560	17	6	2	3	–	–	–	–	–	–	–	–	1	1	1	–
Central Hackney *2w,F*	50,536	24	22	6	3	–	–	2	–	–	–	4	–	–	–	3	6
South-west Hackney *3E*	59,921	27	19	6	3	–	1	–	–	–	–	–	–	2	–	–	5
South-east Hackney *2W,w,H*	58,255	40	33	12	9	–	–	–	–	–	–	–	–	7	1	3	18

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a su district contains more than one institution of either kind, the number is indicated by a figure prefixed to th letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

BLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th October, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
t. Giles and Bloomsbury 2*W*,2*H* -	31,436	35	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
rand *W*,4*H* - - - - -	21,674	4	9	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-
rand Union Workhouse, Edmonton -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
olborn *W*,6*H* - - - - -	29,612	10	23	5	1	-	-	-	1	1	-	-	-	6	1	1	15	-
uth Clerkenwell - - -	28,676	21	5	3	1	-	-	-	-	1	-	-	-	-	1	1	-	-
orth Clerkenwell *H* - - -	35,028	22	4	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-
nsbury 3*H*,*L* - - - - -	36,116	26	5	3	1	-	-	-	-	-	-	-	-	1	-	2	1	-
olborn Union Workhouse, Mitcham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. Botolph *H* - - - -	10,299	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. Sepulchre and Allhallows *W*,2*H*	16,824	2	5	1	-	-	-	-	-	-	-	-	-	1	-	-	5	-
ty of London Asylum, Stone -	-	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-	3	-
EAST DISTRICTS.																		
oreditch South *H* - - -	46,362	22	7	2	2	-	-	-	-	-	-	-	-	1	1	1	-	-
oreditch North-West *W*,*w*,*H* -	36,127	24	38	5	15	-	-	-	-	1	-	-	-	1	2	4	24	-
oreditch North-East - - -	36,148	22	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oreditch Union Workhouse, Wood Green - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ethnal Green North-East 2*W*, 2*HL*	65,138	34	37	10	11	-	-	-	-	-	-	-	-	2	-	-	17	-
ethnal Green South-West *H* -	64,542	30	7	5	-	-	-	-	-	-	-	-	-	1	-	2	-	-
pitalfields - - - - -	27,969	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ile End New Town *W*,*H* - -	28,718	21	39	9	2	-	1	-	-	-	-	1	-	3	2	5	35	-
oodman's Fields - - - -	22,081	6	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
t. George and St. John 2*W* - -	49,068	33	18	4	1	-	1	-	-	-	-	-	-	3	-	1	6	-
adwell and Ratcliff *W*,*H* - -	25,568	18	20	7	3	-	-	-	-	1	-	-	-	1	-	3	11	-
imehouse *W* - - - - -	32,369	21	6	3	-	-	-	-	-	-	-	-	-	5	-	1	-	-
ile End Old Town South-Western *H* - - - -	63,698	48	18	10	1	-	1	-	-	-	-	-	-	4	-	4	-	-
ile End Old Town North-Eastern *W*,*w* - - -	49,129	31	19	1	8	-	-	-	-	1	-	-	-	4	-	-	4	-
ow *L* - - - - - -	41,989	28	8	3	2	-	-	-	-	-	-	-	-	2	-	2	-	-
omley 3*w*,*H* - - - - -	68,119	36	30	2	8	-	-	-	-	-	-	-	-	4	2	5	19	-
opiar *W*,*w* - - - - -	58,51	29	16	2	5	-	1	-	-	-	-	-	-	2	-	2	3	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th October, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	14	16	3	3	-	-	-	-	-	-	-	-	-	4	6	13
Kent-road	21,904	11	5	-	1	-	-	-	-	-	-	-	-	-	-	2	-
St. George the Martyr West *W,2H,L*	39,094	14	14	5	2	-	-	-	-	-	-	-	-	2	-	1	5
Newington North	49,022	25	11	5	2	-	-	-	-	-	-	-	-	4	-	-	-
Newington South *W*	72,841	38	15	7	3	-	-	-	-	-	-	-	-	1	1	2	-
St. Olave *2W*	9,817	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Bermondsey *W*	82,483	49	11	3	1	-	-	-	-	-	-	-	-	2	1	1	-
Rotherhithe *W,F*	38,460	18	16	4	5	-	1	-	-	-	-	-	-	1	-	2	7
Waterloo* *2H*	27,440	26	6	4	2	-	-	-	-	-	-	-	-	1	-	-	-
Lambeth Church* *H*	27,440	12	19	6	1	-	-	-	-	1	-	-	-	2	3	3	14
Kennington* *2W*	52,518	29	26	4	16	-	-	-	-	-	-	-	-	-	-	-	21
Stockwell* *HF*	63,826	39	9	4	2	-	-	-	-	-	-	-	-	1	-	-	2
Brixton* *H*	73,673	17	15	3	6	-	-	-	-	2	-	-	-	2	-	-	1
Norwood* *WH*	56,998	23	11	3	5	-	-	-	-	-	-	-	-	1	-	-	-
East Battersea *H*	72,203	36	22	7	3	-	-	-	-	1	-	-	-	1	-	-	-
North-west Battersea	49,656	24	11	5	2	-	-	-	-	-	-	-	-	1	1	3	-
South-west Battersea *2W,H*	47,048	15	20	3	4	-	-	-	-	-	-	-	-	-	2	3	15
Clapham *2H*	51,361	27	8	3	4	-	-	-	-	-	-	-	-	2	-	-	1
Streatham *W,2w,2F,2L*	88,019	59	22	6	8	-	-	2	-	-	-	-	-	1	-	2	6
Springfield *2W,L*	27,959	27	8	2	4	-	-	-	-	-	-	-	-	1	-	-	-
Southfields *H*	40,444	28	9	2	3	-	-	-	-	-	-	-	-	1	1	1	2
Putney	24,139	16	7	2	1	-	-	-	-	-	-	-	-	1	1	2	-
Dulwich	13,359	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	19	10	2	3	-	-	-	-	-	-	-	-	-	1	1	5
Camberwell North *W,2L*	65,584	27	22	6	5	-	-	-	-	-	-	-	-	3	-	1	16
St George	47,331	31	9	3	1	-	-	-	-	-	-	-	-	1	-	3	-
Peckham North	48,913	21	8	2	2	-	-	-	-	-	-	-	-	1	1	2	-
Peckham South *2W,w*	43,946	22	12	2	6	-	-	-	-	-	-	-	-	1	1	1	-
Deptford North	37,613	25	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Deptford Central *F*	45,481	29	16	7	6	-	-	-	1	-	-	-	-	2	1	2	1
Deptford South	34,625	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	11	5	1	2	-	-	-	-	-	-	-	-	-	-	1	1
Greenwich East *2W,H*	43,859	24	21	5	6	-	-	-	-	-	-	-	-	2	-	-	14
Eltham *w,H*	7,226	8	6	1	4	-	-	-	-	-	-	-	-	-	-	-	1
Lee *wH*	25,490	9	8	2	3	-	-	-	-	-	-	-	-	1	-	1	-
Lewisham *W w,F*	58,352	34	29	4	12	-	-	3	2	-	-	-	-	2	-	-	17
Sydenham *H*	43,653	21	9	2	2	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *F,2H*	21,134	4	8	4	-	-	-	-	2	-	-	2	-	-	-	-	5
Woolwich *5H*	41,625	16	10	4	-	-	-	-	-	-	-	1	-	2	-	-	-
Plumstead West *W*	18,063	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	36	17	4	3	-	-	-	-	-	-	1	-	3	-	1	4
Workhouse:—																	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-	3
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-	3
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
London County Lunatic Asylums:—																	
Banstead	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Dartford Heath	—	-	4	-	1	-	-	-	-	-	-	-	-	2	-	-	4
Hanwell	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Colney Hatch	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Claybury	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-districts above.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 6th October, 1906.

Registrar's District No.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1195	546	172	128	-	6	3	13	9	10	92	15	31	83	3
3 1	Carshalton 2F,3H - -	12,228	32,997	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 1	Godstone, *part of** W,F -	2,754	2,692	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 1	Coulsdon - - - -	11,069	8,166	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	21	9	2	4	-	-	-	-	1	-	1	-	-	-	-
3	West Croydon 3W,F,H -	2,168	42,888	31	15	7	2	-	-	-	-	-	-	6	-	-	9	-
4	North Croydon H - -	2,644	41,698	22	9	4	2	-	-	-	-	-	-	1	-	1	1	-
5	Penge w,H - - - -	770	22,465	5	2	1	1	-	-	-	-	-	-	1	-	-	-	-
6	Mitcham w - - -	11,711	30,015	29	9	3	3	-	-	-	-	1	-	-	-	-	-	-
4 1	Wimbledon F,3H - -	3,221	41,652	21	9	3	2	-	-	-	-	-	-	3	-	-	1	-
2	Kingston 2W,H - - -	6,224	42,068	18	17	3	9	-	-	1	-	-	-	4	-	2	3	-
3	Surbiton F,H - - -	3,046	15,017	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L - -	4,534	23,456	14	6	1	2	-	2	-	-	-	1	-	-	-	1	-
5 1	Richmond W,H - - -	2,162	28,865	14	7	-	5	-	-	-	-	-	-	-	-	-	5	-
2	Mortlake F - - -	2,847	20,628	19	2	-	-	-	-	-	1	-	-	-	-	-	1	-
6 1	Bromley F,2H - - -	4,703	27,354	18	4	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H - - -	7,825	28,497	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	7	5	-	2	-	-	-	-	-	-	-	-	-	4	-
4	Chislehurst 2H - - -	7,333	16,446	6	6	-	3	-	-	-	-	-	-	1	-	-	1	-
7 1	Bexley w F,H - - -	8,678	21,151	11	2	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Erith F,H - - - -	3,854	25,296	19	5	3	1	-	1	-	-	-	-	2	-	-	-	-
3	Dartford W,F, *part of** -	—	—	-	2	-	-	-	-	-	-	-	-	-	1	1	2	-
8 1	Sunbury w - - - -	11,054	18,683	4	5	-	3	-	-	-	-	-	-	1	-	-	-	-
2	Staines W,H - - -	13,277	15,178	5	8	1	3	-	-	-	-	1	-	-	-	1	1	-
9 1	Hillingdon W,F,H - -	6,035	13,661	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H - - -	12,757	8,984	6	3	1	1	-	-	-	-	-	-	-	-	-	-	1
3	Hayes w2F,H - - -	8,066	16,358	8	10	2	4	-	-	-	1	1	-	-	-	1	-	-
10 1	Isleworth 3W,2F,H - -	6,859	30,863	21	11	4	1	-	-	-	-	-	-	2	1	1	4	-
2	Twickenham F,H - -	2,421	20,991	12	5	1	1	-	-	-	-	-	-	2	-	-	-	-
3	Brentford 3F,2H - - -	4,319	48,289	28	13	4	4	-	-	-	1	-	-	2	-	-	1	-
4	Chiswick H - - - -	1,249	29,809	16	3	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	49	13	5	3	-	1	-	1	-	1	1	-	-	1	-
11 1	Harrow F,H - - -	13,809	25,523	17	7	5	2	-	-	-	-	-	-	-	-	-	-	1
2	Edgware 2F,2H - - -	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	80	35	10	9	-	1	-	-	-	1	4	4	4	4	1
4	Hendon W,F - - -	8,382	22,450	12	2	-	2	-	-	-	-	-	-	-	-	-	-	-
12 1	South Mimms 2F,H - -	17,755	7,308	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	8	7	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	13	13	3	5	-	-	-	-	-	-	-	1	2	1	-
13 1	Hornsey F,H - - -	2,875	72,056	36	9	3	4	-	-	-	-	-	-	4	-	3	-	-
2	Wood Green H - - -	1,625	34,233	15	10	4	1	-	-	-	-	-	-	2	-	3	1	-
3	West Tottenham F - -	996	48,853	31	15	5	3	-	-	1	2	-	-	3	-	-	-	-
4	East Tottenham 2H - -	2,017	53,688	21	13	6	2	-	-	-	-	-	-	4	1	1	1	-
5	Edmonton W,w,2F - -	7,491	61,892	40	15	8	3	-	-	-	-	-	1	6	-	-	2	-
6	Enfield 2W,F,H - - -	12,601	42,738	18	19	5	2	-	-	-	-	-	2	5	-	-	3	-
7	Waltham Abbey F - -	11,017	6,549	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
8	Cheshunt F,H - - -	8,479	12,292	9	6	3	1	-	-	-	-	-	-	-	-	-	-	-
14 1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 1	Bushey H - - - -	9,333	9,173	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 1	Stratford H - - -	1,072	44,827	21	11	2	2	-	-	-	-	-	-	4	-	-	1	-
2	Plaistow F,2H - - -	1,249	90,921	76	26	10	4	-	1	-	1	-	2	3	2	3	5	-
3	Canning Town H - -	1,556	70,718	45	25	12	2	-	-	1	-	-	-	8	2	3	-	-
4	Forest Gate w - - -	806	60,892	25	10	2	3	-	-	-	-	-	-	1	-	-	-	-
5	North East Ham w H -	1,333	58,676	33	11	3	1	-	-	-	1	-	1	3	-	-	-	-
6	South East Ham 2F - -	1,993	37,342	29	14	6	-	-	-	-	-	1	-	5	-	-	-	-
7	Wanstead F - - -	1,679	9,179	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	19	11	3	1	-	-	-	-	2	-	1	-	-	1	-
9	North Leyton 2W,w,F -	1,963	48,445	35	35	9	9	-	-	-	1	-	1	4	-	1	17	-
10	Walthamstow 3H,L - -	6,504	108,929	68	28	12	5	-	-	-	3	2	-	3	1	2	1	-
17 1	Chigwell, *part of** 2F,3H -	11,778	16,397	11	9	1	3	-	-	-	1	-	-	-	1	1	3	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 1	Romford, *part of** W,2F -	16,556	6,091	3	3	1	-	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L - - - -	8,496	41,234	36	10	3	1	-	-	-	-	-	-	1	-	-	4	-
3	Barking Town F - -	3,803	21,547	20	4	3	-	-	-	-	-	-	-	3	-	-	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	London County Asylum, Colney Hatch.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1 Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœa
LONDON - -	4,721,217	October 6	2251	1404	15·5	-	6	12	13	11	12	1
CALCUTTA - -	977,822	September 8	-	383	23·4	1	2	-	-	-	122†	
BOMBAY - -	982,000	" 18	393	792	53·1	-	1	-	-	-	129†	1
MADRAS - -	509,346	" 7	440	583	59·5	2	2	?	?	?	141	1
PARIS - - -	2,750,000	" 29	967	808	15·7	-	1	2	3	2	12	
BRUSSELS - -	612,401	" 29	209	167	14·2	-	1	2	1	2	1	
ANTWERP - -	297,311	" 29	123	71	12·4	-	1	-	1	-	-	
AMSTERDAM -	560,482	" 22	276	133	12·4	-	1	3	2	2	3	
COPENHAGEN -	425,000	" 29	203	111	13·6	-	-	-	-	-	-	
STOCKHOLM -	324,488	" 22	175	76	12·2	-	-	-	2	-	-	
CHRISTIANIA -	222,373	" 29	111	50	11·7	-	-	-	3	-	-	
ST. PETERSBURG	1,424,700	" 15	646	637	23·2	1	7	30	38	7	39	
MOSCOW - -	1,154,000	" 22	-	552	24·9	1	4	9	4	9	12	
BERLIN - -	2,067,194	" 15	890	587	14·8	-	2	6	7	5	2	1
HAMBURG - -	819,380	" 29	-	232	15·0	-	2	-	3	2	-	
BRESLAU - -	475,000	" 22	-	168	18·4	-	-	-	2	1	-	
MUNICH - -	544,000	" 29	-	167	16·1	-	-	1	3	2	-	
VIENNA - -	1,956,949	" 29	992	536	14·4	-	4	2	5	3	1	
PRAGUE - -	460,849	" 22	197	153	17·3	-	-	-	3	-	-	
BUDA-PESTH -	859,134	" 22	443	221	14·5	-	2	2	2	3	5	
TRIESTE - -	196,637	" 29	134	89	23·5	-	-	-	1	-	3	
ROME - -	531,179	August 18	268	194	19·1	-	2	-	-	2	9§	
VENICE - -	171,709	September 8	-	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	" 22	157	103	18·4	-	-	1	-	2	-	
NEW YORK -	4,152,860	" 22	2030	1392	17·5	-	2	2	16	8	29	2
CHICAGO - -	2,049,185	" 22	-	582	14·8	-	1	3	8	8	14	1
PHILADELPHIA -	1,469,126	" 8	-	489	17·3	-	-	-	8	13	12	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	September 2	-	253	14·4	-	-	-	1	-	2†	

* Excluding deaths from croup in the Indian Cities.
† Including 12 deaths from plague in Calcutta, 35 in Bombay, and 2 in Rio de Janeiro.
‡ Including 9 deaths from cholera in Calcutta, 27 in Bombay, and 71 in Madras.
§ Including 3 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 6th October, 1906.

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	71·8	42·9	58·9	0·69	BRADFORD - -	67·2	42·6	56·6	0·84
BRIGHTON - -	66·2	50·4	59·8	0·85	LEEDS - - -	69·0	44·0	56·7	0·78
PORTSMOUTH - -	69·4	50·0	60·0	0·92	HULL - - -	-	-	-	-
NORWICH - -	68·0	40·0	58·3	1·11	TYNEMOUTH - -	65·0	41·0	53·6	0·49
PLYMOUTH - -	66·1	48·5	58·1	1·37	CARDIFF - -	66·8	42·0	56·9	3·38
BRISTOL - - -	68·9	43·0	57·6	2·05	EDINBURGH - -	-	-	-	-
BIRMINGHAM - -	67·0	45·2	56·0	1·68	GLASGOW - -	67·6	36·6	53·8	0·71
NOTTINGHAM - -	68·9	37·8	56·7	1·40	DUBLIN { Phœnix Park.	65·0	37·4	53·3	0·80
LIVERPOOL OBSERVATORY.	66·0	45·0	55·9	1·18	DUBLIN { Fitzwilliam Square.†	65·1	45·1	55·3	0·79
MANCHESTER -	67·4	41·8	55·9	1·09					
PRESTON - - -	64·3	45·0	56·3	1·34					
HUDDERSFIELD -	66·8	40·0	55·6	0·85	BELFAST - -	62·8	44·0	54·8	0·58

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. Th correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to t above was 1°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	30	..	30·045	67·1	42·9	24·2	54·7	+ 0·3	50·0	4·7	16·4	0·0	84	114·0	30·8	57·96	E., calm & ESE.	ESE.	1·3	0·6	0·1	153	- 99	0·00	4·0
OCTOBER MONDAY -	1	..	29·874	71·8	44·7	27·1	58·2	+ 4·1	52·1	6·1	20·5	0·8	80	117·9	31·0	57·89	ESE. & SSE.	SSW. & S.	1·8	0·0	0·2	223	- 28	0·01	7·5
TUESDAY -	2	Full. In Eqr.	29·390	63·3	58·1	5·2	60·2	+ 6·4	58·1	2·1	4·3	0·8	93	76·0	56·5	57·74	S SSW. & SW.	S.	4·4	0·0	0·6	362	+112	0·68	11·5
WEDNESDAY	3	..	29·709	62·8	54·5	8·3	57·7	+ 4·2	50·1	7·6	10·1	1·8	76	93·3	49·5	57·91	NW. & NNW.	N.W., variable & S.E.	5·5	0·0	0·3	265	+ 17	0·00	0·0
THURSDAY-	4	..	29·756	66·7	51·1	15·6	59·1	+ 5·9	54·8	4·3	11·7	0·2	86	112·0	40·4	58·28	SE., ESE. & SSE.	S. & SSE.	2·0	0·0	0·2	222	- 25	0·00	8·2
FRIDAY -	5	..	29·636	67·4	56·7	10·7	61·2	+ 8·2	54·5	6·7	9·5	3·6	79	115·4	52·6	58·33	S. & SSW.	SW., SSW. & WSW.	4·8	0·0	0·6	397	+152	0·00	3·8
SATURDAY-	6	..	29·874	66·5	50·3	16·2	57·8	+ 5·1	51·5	6·3	14·2	0·8	80	118·0	41·2	58·53	SW.	SW., SSW. & S.	1·5	0·0	0·2	281	+ 37	0·00	6·5
MEANS -	-		29·755	66·5	51·2	15·3	58·4	+ 4·9	53·0	5·4	12·4	1·1	83	106·7	43·1	58·09	SE. & SSW.		..	..	..	Sum 1903	Sum +166	Sum 0·69	5·9
No of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours	GENERAL REMARKS.
SUNDAY -	30	w. P. throughout.	6·8	11·7	Very fine generally; partially cloudy; fog in early morning. Solar halo observed at 4h. P.M.
OCTOBER MONDAY -	1	w. P. throughout.	7·2	11·7	Very fine generally till evening; overcast at night with rain after 11h. P.M. Solar halo observed at 9h. A.M.
TUESDAY -	2	w. P. with occasional w. N	0·2	11·6	Generally overcast; frequent rain; gusty wind at times.
WEDNESDAY	3	w. P. generally; m. P. in evening.	2·4	11·5	Fine but generally cloudy till afternoon; overcast with slight exceptions afterwards; gusty wind in early morning.
THURSDAY-	4	w. P. throughout.	4·7	11·4	Overcast till 5h. A.M.; fine and variably cloudy afterwards; light showers (immeasurable) occasionally.
FRIDAY -	5	w. P. throughout.	4·4	11·4	Fine and partially cloudy; a few drops of rain at times; brisk wind between 8h. A.M. and 1h. P.M.
SATURDAY-	6	w. P. throughout.	5·3	11·3	Very fine generally till 1h. P.M.; overcast with slight exceptions till 11h. P.M.; very fine afterwards.
			Sum 31·0	Sum 80·6	
No. of Col -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·11 in. at the beginning of the week to 29·04 in. by 10h. P.M. on Oct. 2nd; increased to 29·82 in. by 1h. A.M. on Oct. 4th; decreased to 29·60 in. by 5h. A.M. on Oct. 5th; increased to 29·89 in. by 9h. P.M. on Oct. 6th; and was 29·88 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 29th September, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	18	6	-	1	-	-	5	-
Kensington	180,952	-	13	1	-	-	-	-	4	1
Hammersmith	120,679	-	9	7	-	-	-	-	3	-
Fulham	161,965	-	20	2	-	-	-	-	4	-
Chelsea	74,672	-	8	-	-	-	-	-	1	-
City of Westminster	173,905	-	10	3	-	1	-	-	-	-
NORTH.										
St. Marylebone	128,580	-	10	-	-	1	-	-	4	-
Hampstead	89,633	-	7	3	-	-	-	-	1	-
St. Pancras	236,455	-	31	1	-	2	-	-	2	-
Islington	344,987	-	34	14	-	6	-	-	6	-
Stoke Newington	53,217	-	2	-	-	-	-	-	-	-
Hackney	230,721	-	28	8	-	4	-	-	10	1
CENTRAL.										
Holborn	55,805	-	-	3	-	1	-	-	1	-
Finsbury	97,466	-	13	8	-	-	-	-	7	1
City of London	21,367	-	2	-	-	1	-	-	-	-
EAST.										
Shoreditch	116,108	-	13	3	-	2	-	-	5	1
Bethnal Green	130,609	-	14	4	-	2	-	-	6	-
Stepney	307,176	-	32	10	-	3	-	-	12	-
Poplar	170,673	-	15	5	-	-	-	-	3	-
SOUTH.										
Southwark	209,143	-	65	14	-	6	-	-	13	-
Bermondsey	128,629	-	24	6	-	4	-	-	8	-
Lambeth	315,774	-	32	5	-	1	-	-	7	-
Battersea	179,622	-	37	10	-	1	-	-	4	-
Wandsworth	273,381	-	18	14	-	-	-	-	5	1
Camberwell	274,132	-	27	8	-	1	-	-	8	1
Deptford	115,495	-	18	7	-	-	-	-	-	-
Greenwich	105,350	-	18	4	-	1	-	-	-	-
Lewisham	148,463	-	12	9	-	-	-	-	1	-
Woolwich	127,345	-	7	7	-	1	-	-	-	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	537	162	-	39	-	-	120	7
Ages 0-1		-	3	3	-	-	-	-	-	-
" 1-5		-	133	64	-	1	-	-	2	-
" 5-		-	249	54	-	3	-	-	3	-
" 10-		-	90	22	-	4	-	-	6	-
" 15-		-	20	9	-	3	-	-	5	-
" 20-		-	23	3	-	4	-	-	5	1
" 25-		-	11	5	-	13	-	-	20	4
" 35-		-	8	-	-	9	-	-	25	2
" 45-		-	-	2	-	1	-	-	29	-
" 55-		-	-	-	-	1	-	-	16	-
" 65 and upwards		-	-	-	-	-	-	-	9	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 29th SEPTEMBER, 1906.

Boroughs.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia** (origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON	17,443	-	256	108	151	191	-	71	2	3,480	1,445	5,845	187
West.													
PADDINGTON	448	-	4	1	4	3	-	1	-	95	25	137	168
KENSINGTON	624	-	27	3	5	5	-	-	-	119	45	176	211
HAMMERSMITH	456	-	3	1	8	5	-	-	-	111	28	178	236
FULHAM	569	-	9	3	2	10	-	4	-	177	37	238	199
CHELSEA	243	-	7	1	-	2	-	-	-	36	21	71	174
CITY OF WESTMINSTER	498	-	9	2	4	3	-	2	-	51	45	109	153
North.													
ST. MARYLEBONE	454	-	23	3	3	2	-	1	-	57	44	106	107
HAMPSTEAD	174	-	2	4	2	-	-	2	-	18	7	33	85
ST. PANCRAS	842	-	11	5	6	5	-	3	-	123	83	249	172
ISLINGTON	1,163	-	11	9	4	14	-	7	-	163	94	345	167
STOKE NEWINGTON	142	-	2	1	-	1	-	-	-	19	10	43	147
HACKNEY	766	-	6	4	4	13	-	1	-	156	62	243	169
Central.													
HOLBORN	228	-	5	-	2	1	-	-	-	17	35	39	99
FINSBURY	487	-	9	2	7	8	-	1	-	85	36	176	213
CITY OF LONDON	90	-	2	1	1	-	-	-	-	6	8	10	119
East.													
SHOREDITCH	575	-	5	7	3	5	-	2	-	147	59	235	257
BETHNAL GREEN	620	-	10	3	7	7	-	4	-	127	71	240	214
STEPNEY	1,394	-	22	9	8	10	-	8	-	335	122	510	190
POPLAR	798	-	40	-	11	4	-	4	-	231	53	315	255
South.													
SOUTHWARK	946	-	6	16	9	14	-	5	-	180	90	327	216
BERMONDSEY	642	-	11	5	8	7	-	2	-	133	63	209	214
LAMBETH	1,175	-	6	3	16	13	-	10	1	231	90	395	173
BATTERSEA	603	-	13	4	7	21	-	2	-	117	49	200	178
WANDSWORTH	917	-	8	4	4	13	-	3	-	196	59	367	208
CAMBERWELL	987	-	1	4	6	10	-	6	-	197	80	352	200
DEPTFORD	438	-	2	1	8	3	-	2	-	110	27	159	200
GREENWICH	324	-	1	7	6	3	-	-	-	57	28	111	165
LEWISHAM	449	-	-	3	3	6	-	-	1	104	32	153	171
WOOLWICH	391	-	1	2	3	3	-	1	-	82	42	119	136

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 469 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 735 cases the previous residence was outside London and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 41. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, OCT. 13. [Price 1½*d.*

General Register Office, Somerset House,
October 15th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·5 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 19·3, 17·4, and 17·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 23·3 in Warrington, 23·7 in Preston and in Gateshead, 24·8 in Swansea, 25·6 in Stockport, and 25·9 in Hanley; from *measles*, 1·1 in Oldham, 1·2 in Rochdale, 1·6 in Bootle, 2·1 in Stockport, and 3·5 in Norwich; from *diphtheria*, 1·1 in Salford and 1·3 in Norwich; from *whooping-cough*, 1·4 in South Shields; from "*fever*," 1·2 in York, 1·4 in Hull, 1·6 in Stockport, and 1·7 in St. Helens; and from *diarrhœa*, 5·7 in Wallasey, 5·9 in Gateshead, 6·0 in Warrington, 7·2 in Preston, 7·9 in Hanley, and 9·1 in Burnley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2355 BIRTHS and 1295 DEATHS were registered. Allowing for increase of population, the births were 143 and the deaths 88 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 17·1, 15·7, and 15·5 per 1000 in the preceding three weeks further fell last week to 14·3. The death-rate in the four weeks ended last Saturday averaged 15·7 per 1000, being 0·9 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 10/06 D & S 3 26168

The 1295 deaths included 2 from measles, 19 from scarlet fever, 14 from diphtheria, 12 from whooping-cough, 17 from enteric fever, and 93 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 157 deaths were referred to these diseases in the aggregate, being 3 above the corrected average number in the 41st week of the preceding four years.

The deaths from *measles*, which had been 9, 8, and 6 in the preceding three weeks, further fell to 2 last week, and were 14 below the corrected average. The deaths from *scarlet fever*, which had been 7, 10, and 12 in the preceding three weeks, further rose to 19 last week, and were 10 above the corrected average; 3 deaths belonged to the Borough of Battersea. The deaths from *diphtheria*, which had been 18, 13, and 12 in the preceding three weeks, were 14 last week, the corrected average being 16; 3 deaths belonged to Stepney and 3 to Southwark. The deaths from *whooping-cough*, which had been 20, 13, and 11 in the preceding three weeks, were 12 last week, the corrected average being 14; 3 deaths belonged to Bethnal Green. The fatal cases of *enteric fever*, which had been 8, 12, and 11 in the preceding three weeks, rose to 17 last week, and were 3 above the corrected average; 3 deaths belonged to Hackney. The deaths from *diarrhœa*, which had been 340, 207, and 135 in the preceding three weeks, further fell to 93 last week, but were 6 above the corrected average; 11 deaths belonged to Stepney, 10 to Hackney, 6 to Bethnal Green, and 5 apiece to Fulham, Islington, and Battersea. Of the 93 deaths from diarrhœa, 84 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 9 other deaths at this age. The deaths attributed directly to *influenza* numbered 10, having been 5, 4, and 6 in the preceding three weeks.

Different forms of *violence* caused 53 deaths, concerning all of which inquests were held. Of these 53 deaths, 8 were cases of suicide, and 3 of homicide, while the remaining 42 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 2 to burns or scalds, 6 to drowning, 3 to the effects of anæsthetics administered for surgical purposes, and 5, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3803 cases of scarlet fever, 944 of diphtheria, and 186 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 566 cases, against 473, 533, and 621; of diphtheria, 157 cases, against 131, 135, and 166; and of enteric fever, 40 cases, against 28, 31, and 46. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended October 6th, 1906.

Greater London.

In Greater London 3700 births and 1832 deaths were registered. Allowing for increase of population, these numbers are 177 and 80 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 4 deaths from diphtheria, 3 from whooping-cough, 6 from "fever," and 29 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·63 inches, and that of the Thermometer 57°·6, the latter being 6°·2 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 2 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 35·7 hours; the measured rainfall amounted to 0·63 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 22nd Sept., 1906.	29th Sept., 1906.	6th Oct., 1906.	13th Oct., 1906.	Rate from Diseases in Cols. 11–17. Week ended 13th Oct., 1906.	Registered during the Week ended 13th Oct., 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**19·3**	**17·4**	**17·1**	**15·5**	**2·7**	**8203**	**4695**	**1242**	**1204**	**-**	**45**	**43**	**69**	**35**	**65**	**550**	**157**	**319**	**1157**	**45**	**76 Towns.**
London - - -	4,721,217	17·1	15·7	15·5	14·3	1·7	2355	1295	280	382	-	2	19	14	12	17	93	53	115	551	2	London.
Croydon - -	151,011	15·2	11·4	10·0	12·4	1·4	76	36	10	9	-	-	-	-	-	1	3	3	5	7	-	Croydon.
Willesden - -	143,622	12·0	9·4	13·1	10·2	1·1	87	28	9	10	-	-	-	-	-	-	3	-	1	4	1	Willesden.
Hornsey - -	86,935	4·8	4·8	5·4	7·2	0·6	30	12	5	2	-	-	-	-	-	-	1	-	-	3	-	Hornsey.
† Tottenham - -	119,503	19·2	10·9	12·7	10·5	1·7	60	24	4	8	-	-	-	-	-	-	4	2	3	7	-	† Tottenham.
West Ham - -	301,617	14·7	16·6	14·3	17·8	4·1	194	103	27	21	-	2	2	-	-	2	18	3	6	28	-	West Ham.
East Ham - -	129,886	16·1	15·7	10·8	8·8	3·2	68	22	5	1	-	2	-	1	1	1	3	-	-	7	-	East Ham.
Leyton - - -	118,287	11·9	9·3	14·5	11·5	2·2	75	26	7	7	-	-	-	1	-	-	4	-	1	2	-	Leyton.
Walthamstow -	121,334	11·6	18·5	12·0	9·9	3·0	69	23	6	3	-	-	-	1	-	1	5	-	3	6	-	Walthamstow.
Hastings - - -	67,144	21·0	19·4	12·4	12·4	0·8	19	16	1	5	-	-	-	-	-	-	1	-	1	6	-	Hastings.
Brighton - -	128,095	15·9	15·1	13·8	12·6	1·2	48	31	1	17	-	1	-	-	-	-	2	2	5	10	-	Brighton.
Portsmouth - -	205,118	18·6	18·0	19·3	14·5	1·5	115	57	19	13	-	1	-	1	-	-	4	1	3	12	-	Portsmouth.
Bournemouth -	67,702	16·9	15·4	17·7	10·8	0·8	33	14	1	3	-	1	-	-	-	-	-	1	1	-	-	Bournemouth.
Southampton -	117,312	19·6	12·9	14·2	12·0	1·8	51	27	6	11	-	-	-	2	-	-	2	1	1	6	-	Southampton.
Reading - - -	78,987	18·5	14·5	7·9	6·6	2·6	32	10	4	4	-	-	-	1	-	-	3	-	-	3	-	Reading.
Northampton -	93,749	11·7	13·3	15·6	9·5	1·7	40	17	4	5	-	-	-	-	-	-	3	1	1	-	-	Northampton.
Ipswich - - -	71,809	17·4	16·0	13·8	18·2	2·2	40	25	5	10	-	-	-	1	-	-	2	-	1	7	-	Ipswich.
Great Yarmouth -	52,613	24·8	11·9	23·8	17·8	2·0	53	18	5	5	-	-	-	-	-	-	2	1	4	3	-	Great Yarmouth.
Norwich - -	117,958	25·2	22·1	17·7	19·0	7·1	55	43	8	9	-	8	1	3	2	-	2	1	4	6	-	Norwich.
Plymouth - -	118,014	14·6	14·6	15·5	14·1	0·9	50	32	7	13	-	1	-	-	-	-	1	2	2	2	-	Plymouth.
Devonport - -	78,405	14·0	12·0	13·3	12·6	1·3	52	19	6	5	-	-	-	-	-	-	2	-	1	2	-	Devonport.
Bristol - - -	363,223	15·8	14·5	16·9	15·1	1·6	172	105	22	45	-	-	-	2	1	-	8	1	4	25	1	Bristol.
Hanley - - -	66,300	29·9	22·8	21·2	25·9	10·2	33	33	13	5	-	-	1	1	-	1	10	-	-	1	-	Hanley
Burton-on-Trent	52,922	16·7	8·9	19·7	19·7	2·0	24	20	6	8	-	-	-	-	-	-	2	2	2	4	-	Burton-on-Trent.
Wolverhampton -	100,729	15·0	16·6	17·6	18·1	5·7	49	35	11	10	-	-	1	2	-	1	7	1	2	7	-	Wolverhampton.
Walsall - - -	94,577	22·1	16·0	16·0	19·8	2·8	62	36	15	10	-	-	-	1	1	-	3	-	5	3	-	Walsall.
Handsworth -	63,819	11·4	16·3	10·6	10·6	-	22	13	-	8	-	-	-	-	-	-	-	-	-	-	-	Handsworth
West Bromwich -	68,469	22·8	19·0	13·7	9·9	2·3	35	13	8	1	-	-	-	-	-	-	3	2	3	1	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 13th October, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 22nd Sept., 1906.	29th Sept., 1906.	6th Oct., 1906.	13th Oct., 1906.	Rate from Diseases in Cols. 11-17. Week ended 13th Oct., 1906.	Registered during the Week ended 13th Oct., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM	548,022	20·8	17·1	18·5	12·6	2·0	286	132	38	31	-	-	-	3	1	2	15	4	5	31	4	BIRMINGHAM.
KINGS NORTON	72,608	11·5	7·2	9·3	13·6	0·7	17	19	4	6	-	-	1	-	-	-	-	-	-	1	1	KINGS NORTON.
SMETHWICK	64,531	14·5	19·4	10·5	9·7	1·6	34	12	3	4	-	-	-	-	-	1	1	-	-	1	1	SMETHWICK.
ASTON MANOR	82,288	12·0	17·1	12·0	7·6	2·5	38	12	4	1	-	1	-	-	-	-	3	1	1	-	-	ASTON MANOR.
COVENTRY	76,374	21·8	13·0	17·8	16·4	2·7	39	24	7	5	-	-	-	1	1	-	2	1	1	3	1	COVENTRY.
LEICESTER	232,111	14·6	13·9	11·9	12·1	2·2	106	54	15	15	-	-	2	-	-	-	8	2	2	9	1	LEICESTER.
GRIMSBY	69,359	27·8	18·8	21·8	13·5	2·3	36	18	11	1	-	-	-	-	-	-	3	-	1	-	-	GRIMSBY.
NOTTINGHAM	254,563	21·5	16·2	16·8	14·3	2·0	129	70	18	20	-	-	-	2	-	-	8	-	1	12	1	NOTTINGHAM.
DERBY	123,981	16·4	12·6	17·7	18·1	2·5	48	43	10	12	-	-	-	1	-	2	3	1	1	5	-	DERBY.
STOCKPORT	99,646	24·1	26·2	30·4	25·6	7·3	53	49	15	13	-	4	-	-	-	3	7	2	4	8	-	STOCKPORT.
BIRKENHEAD	117,292	24·0	20·9	21·3	16·4	3·1	68	37	11	8	-	-	1	1	2	1	2	-	2	8	1	BIRKENHEAD.
WALLASEY	64,578	18·6	12·1	24·2	14·5	6·5	25	18	8	3	-	1	-	-	-	-	7	-	-	1	-	WALLASEY.
LIVERPOOL	739,180	24·1	24·7	22·2	20·1	4·3	452	285	86	64	-	3	-	3	2	4	49	8	9	88	5	LIVERPOOL.
BOOTLE	65,989	25·3	19·8	15·8	18·2	5·5	36	23	6	3	-	2	-	-	1	-	4	-	-	3	-	BOOTLE.
ST. HELENS	91,153	23·5	22·3	22·3	18·9	3·4	64	33	13	3	-	-	-	1	-	3	2	1	1	5	3	ST. HELENS.
WIGAN	87,588	25·6	17·9	25·6	19·1	3·0	47	32	9	5	-	1	-	1	-	-	3	-	-	2	-	WIGAN.
WARRINGTON	69,280	33·9	14·3	21·8	23·3	6·0	40	31	12	6	-	-	-	-	-	-	8	3	4	3	1	WARRINGTON.
BOLTON	180,502	21·4	16·5	20·5	17·9	2·3	92	62	16	13	-	-	-	-	1	2	5	3	5	9	-	BOLTON.
BURY	58,744	10·7	9·8	17·8	16·0	0·9	28	18	2	7	-	-	-	-	-	-	1	3	4	3	-	BURY.
MANCHESTER	637,126	23·7	19·0	20·3	19·7	3·3	336	241	56	55	-	1	4	4	1	2	28	10	16	57	3	MANCHESTER.
SALFORD	234,077	28·3	19·2	20·7	17·2	5·1	133	77	26	18	-	2	1	5	1	-	14	-	4	15	-	SALFORD.
OLDHAM	140,969	24·4	22·9	19·6	19·2	4·8	70	52	15	8	-	3	-	-	1	-	9	1	4	4	-	OLDHAM.
ROCHDALE	87,189	22·7	20·9	16·1	22·7	3·6	25	38	8	9	-	2	-	-	-	-	4	3	4	7	1	ROCHDALE.
BURNLEY	102,808	32·0	19·3	22·8	21·3	10·1	36	42	23	6	-	1	-	1	-	-	18	-	1	2	1	BURNLEY.
BLACKBURN	134,015	18·7	21·4	17·9	20·6	3·9	66	53	17	15	-	-	-	-	-	-	10	-	1	7	1	BLACKBURN.
PRESTON	116,399	26·4	30·5	17·5	23·7	8·1	63	53	22	8	-	1	1	-	-	-	16	-	1	11	2	PRESTON.
BARROW-IN-	60,967	26·5	12·8	17·1	11·1	0·9	27	13	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BARROW-IN-

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 22nd Sept., 1906.	29th Sept., 1906.	6th Oct., 1906.	13th Oct., 1906.	Rate from Diseases in Cols. 11-17. Week ended 13th Oct., 1906.	Registered during the Week ended 13th Oct., 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield -	94,851	21·4	18·7	22·5	18·7	3·3	54	34	9	11	-	1	-	1	-	-	4	-	-	4	-	Huddersfield.
Halifax - - -	109,272	15·7	13·8	16·2	15·7	0·5	29	33	5	10	-	-	-	1	-	-	-	3	4	6	-	Halifax.
Bradford - -	288,544	17·0	18·1	15·9	13·2	1·6	106	73	18	19	-	-	1	-	-	2	6	3	8	14	1	Bradford.
Leeds - - -	463,495	15·4	15·3	18·4	14·8	1·2	237	132	31	41	-	-	-	1	-	2	8	7	15	15	-	Leeds.
Sheffield - -	447,951	22·3	22·0	18·3	15·4	3·5	257	132	36	33	-	1	5	1	1	4	18	4	8	22	3	Sheffield.
Rotherham - -	61,098	21·3	21·3	12·8	18·8	6·0	25	22	7	4	-	1	-	-	1	-	5	-	-	2	1	Rotherham.
York - - -	83,467	18·7	13·7	13·7	9·4	1·2	42	15	2	5	-	-	-	-	-	2	-	-	-	1	-	York.
Hull - - -	262,426	24·6	24·2	18·3	14·7	4·4	143	74	21	17	-	-	-	1	1	7	13	3	5	21	-	Hull.
Middlesbrough -	100,069	23·4	26·1	19·3	22·4	3·1	60	43	10	7	-	-	-	1	-	-	5	1	4	7	-	Middlesbrough.
Stockton-on-Tees	52,664	18·8	18·8	15·8	10·9	2·0	30	11	3	6	-	-	-	-	-	-	2	-	1	1	-	Stockton-on-Tees.
West Hartlepool	73,387	18·5	14·9	22·0	11·4	3·6	38	16	5	3	-	-	-	1	-	-	4	-	-	1	-	West Hartlepool.
Sunderland - -	154,385	30·7	22·6	20·6	13·5	2·0	101	40	8	11	-	-	-	-	-	1	5	2	3	8	1	Sunderland.
South Shields -	111,402	29·0	24·8	22·0	18·3	5·6	53	39	10	4	-	1	-	1	3	-	7	1	1	4	1	South Shields.
Gateshead - -	123,191	23·7	20·3	15·2	23·7	6·8	73	56	18	14	-	-	-	2	-	-	14	-	-	4	4	Gateshead.
Newcastle-on-Tyne	268,721	20·2	25·4	21·2	18·0	3·9	152	93	28	16	-	1	1	4	1	-	13	4	9	10	1	Newcastle-on-Tyne.
Tynemouth - -	54,138	30·8	22·2	25·0	22·2	3·9	46	23	8	2	-	-	1	-	-	1	2	1	2	4	1	Tynemouth.
Newport (Mon.) -	74,227	17·6	15·5	18·3	18·3	4·2	46	26	7	4	-	-	-	-	-	1	5	1	2	5	-	Newport (Mon.).
Cardiff - - -	183,823	17·9	16·7	16·2	13·0	2·0	111	46	18	7	-	-	-	1	-	1	5	2	3	6	-	Cardiff.
Rhondda - - -	127,684	26·1	19·6	20·8	15·5	1·2	89	38	15	6	-	-	-	-	-	-	3	3	3	2	1	Rhondda.
Merthyr Tydfil -	74,961	24·3	28·5	27·1	20·2	4·9	52	29	13	8	-	-	1	-	-	-	6	-	-	6	-	Merthyr Tydfil
Swansea - - -	96,848	21·0	21·5	17·8	24·8	1·6	66	46	18	3	-	-	-	-	-	-	3	2	5	3	-	Swansea.
Greater London -	7,113,561	16·5	14·8	14·3	13·4	1·9	3700	1832	429	521	-	7	21	21	16	28	163	69	151	646	5	Greater London.
Outer Ring - -	2,392,344	15·3	12·9	11·9	11·7	2·2	1345	537	149	139	-	5	2	7	4	11	70	16	36	95	3	Outer Ring.
8 Towns in Outer Ring	1,172,195	13·7	12·9	12·2	12·2	2·5	659	274	73	61	-	4	2	3	1	5	41	8	19	64	1	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	16·8	12·9	11·6	11·2	1·8	686	263	76	78	-	1	-	4	3	6	29	8	17	31	2	Remainder of Outer Ring.
Edinburgh - -	341 035	13·8	14·5	15·6	16·8	1·4	152	110	21	38	-	-	1	1	-	1	6	3	?	34	9	Edinburgh.
Glasgow - - -	835,625	17·3	17·7	18·3	19·2	3·4	452	307	76	64	-	2	2	2	15	2‡	32	18	?	85	13	Glasgow.
Dublin† - - -	378,994	26·8	24·5	26·0	23·7	2·8	186	172	33	50	-	1	-	1	2	4	12	6	4	69	7	Dublin.†
Belfast† - - -	366,220§	20·1	19·4	20·5	15·5	1·7	222	109	31	21	-	-	-	-	1	3	8	1	2	22	3	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ In addition to the above, 3 deaths from Cerebro-spinal meningitis were registered.

§ Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FIRST Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	190-
TOTAL **Births** -	2536	2633	2454	2549	2429	2676	2489	2437	2491	2386	2498·1	235
Males - - -	1344	1347	1219	1317	1198	1368	1287	1266	1268	1210	1282·0	125
Females - -	1192	1286	1235	1232	1231	1308	1202	1171	1223	1176	1216·1	109
TOTAL **Deaths** -	1378	1381	1600	1637	1305	1309	1552	1351	1270	1255	1383·2	129
Males - -	743	721	812	882	679	667	775	727	639	667	715·5	69
Females - -	635	660	788	755	626	642	777	624	631	588	667·7	60

* The numbers in this column are the average weekly numbers in the forty-first week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES OF INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 21.	July 28.	Aug. 4.	Aug. 11	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	13 Week
TOTAL **Births** -	2468	2352	2576	2155	2550	2466	2475	2329	2319	2260	2374	2251	2355	309
TOTAL **Deaths** -	1054	1056	1272	1352	1584	1654	1570	1892	1589	1548	1422	1404	1295	186
Ages at Death: Under 1 year -	221	233	346	464	653	646	643	760	631	544	426	341	280	61
1—5 years -	128	121	148	162	194	204	199	219	207	171	150	146	125	21
5—20 ,, -	60	74	68	79	59	67	64	66	60	63	85	73	73	8
20—40 ,, -	110	147	141	145	142	159	136	187	151	154	179	165	156	19
40—60 ,, -	222	217	254	210	243	245	235	268	248	255	249	293	279	32
60 yrs. & upwds.	313	264	315	292	293	333	293	392	292	361	333	386	382	42
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	35	30	22	25	21	13	16	9	7	9	8	6	2	2
Scarlet Fever - -	12	6	6	10	8	9	7	6	4	7	10	12	19	1
Diphtheria - -	10	10	10	13	15	9	12	13	10	18	13	12	14	1
Whooping-cough -	20	10	13	14	13	12	11	17	22	20	13	11	12	1
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	5	3	4	5	4	7	2	4	3	8	12	11	17	
Pyrexia (origin uncertain).	1	-	-	-	-	-	1	-	-	-	-	1	-	
Diarrhœa, Dysentery	56	74	184	288	424	458	455	529	455	340	207	135	93	36
All above Diseases -	139	133	239	355	485	508	504	578	501	402	263	188	157	44
Dis. of Resp. System	52	42	52	47	45	45	53	53	35	74	51	90	84	7
Pneumonia - -	81	59	59	65	74	58	56	90	70	75	83	98	93	9
Phthisis - - -	103	111	108	112	109	119	105	123	128	104	147	139	120	15
Dis. of Circ. System -	125	134	161	145	151	141	137	169	164	144	147	176	171	19
Violence - - -	54	61	62	65	52	72	49	77	56	41	68	48	53	7
Inquest Cases - -	104	120	140	141	129	139	115	153	130	117	127	131	115	16
Deaths in Institutions	425	449	500	481	533	567	588	670	537	552	552	551	551	69
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	62·7	66·3	67·3	66·1	61·5	64·9	66·5	68·0	57·6	55·8	52·0	58·4	57·6	61
Mean of Highest -	74·2	77·8	80·1	78·8	71·3	77·4	81·6	80·9	69·1	63·2	63·1	66·5	65·5	73
Mean of Lowest -	52·7	56·5	56·0	56·1	51·3	55·4	52·2	53·8	48·0	50·5	41·5	51·2	51·2	52
Mean Humidity of the Air.	70	63	64	68	77	72	62	64	70	80	77	83	82	
Rain-fall (in inches) -	0·19	0·15	0·86	0·01	0·33	0·26	0·00	0·85	0·74	0·38	0·00	0·69	0·63	5
Registered Sunshine (in hours).	43·8	69·5	76·5	54·1	35·7	49·9	70·9	53·7	48·8	22·6	41·3	31·0	35·7	63
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mea
Small-pox - -	2	1	1	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - -	2943	3048	3120	3051	3046	3078	3042	3067	3075	3164	3388	3603	3803	31
Diphtheria - -	872	874	879	861	846	859	835	861	862	846	849	907	944	8
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	99	99	109	101	95	101	103	115	116	124	140	167	186	1

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 8.) The following gentlemen have kind placed their meteorological observations at the disposal of the Registrar-General, and the resu have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymout R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M. Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwic Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. R. Witty, Esq., Hull; W. B. Clark, Esq. Tynemout for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FIRST Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 41st week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1383·2	1295	280	125	73	156	279	382
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	0·5	–	–	–	–	–	–	–
Measles (Morbilli)	15·8	2	1	1	–	–	–	–
Scarlet Fever	8·7	19	–	9	10	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	11·0	10	1	–	–	2	3	4
Whooping-cough	13·5	12	4	8	–	–	–	–
Diphtheria	15·5	14	2	10	1	1	–	–
Cerebro Spinal Fever	–	–	–	–	–	–	–	–
Pyrexia,† (Origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	14·0	17	–	1	3	9	4	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa (Infective Enteritis)	45·1	63	49	12	1	–	–	1
Diarrhœa, Dysentery	41·5	30	19	4	–	–	1	6
Tetanus	0·8	1	–	–	–	1	–	–
Rabies, *Hydrophobia*	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)	–	–	–	–	–	–	–	–
Venereal Dis.	7·9	7	5	1	–	1	–	–
Puerperal Septicæmia	3·1	2	–	–	–	2	–	–
Puerperal Pyæmia	–	–	–	–	–	–	–	–
Puerperal Fever	0·8	1	–	–	–	1	–	–
Infective Endocarditis	2·0	3	–	–	2	1	–	–
Pneumonia: Lobar	9·2	13	–	1		4	3	3
Pneumonia: Broncho-	46·1	37	13	12	1	2	6	3
Pneumonia: Epidemic	0·3	–	–	–	–	–	–	–
Pneumonia: Not defined	47·1	43	–	4	5	6	8	20
Erysipelas	4·3	7	2	–	1	1	1	2
Septicæmia (not Puerperal)	2·3	2	–	–	–	–	1	1
Pyæmia (not Puerperal)	1·5	–	–	–	–	–	–	–
Other Infective Processes	6·9	4	–	1	–	–	2	1
Tuberculous Phthisis	76·7	74	–	2	5	31	28	8
"*Phthisis*"	69·8	46	–	–	4	17	22	3
Tuberculous Meningitis	17·1	18	5	9	4	–	–	–
Tuberculous Peritonitis	11·0	10	6	3	1	–	–	–
Tabes Mesenterica	5·4	3	2	1	–	–	–	–
Tuberculous Dis. (other)	19·1	22	7	8	–	4	2	1
Scrofula	0·5	–	–	–	–	–	–	–
Alcoholism	11·7	8	–	–	–	5	3	–
Rheumatic Fever	7·4	6	–	1	2	2	–	1
Gout	2·0	1	–	–	–	–	1	–
Carcinoma	52·0	62	–	–	–	5	27	30
Sarcoma	7·1	9	–	1	2	–	5	1
Cancer (undefined)	30·8	35	–	–	–	2	8	25
Diabetes Mellitus	8·2	12	–	–	2	2	3	5
Premature Birth	44·9	43	43	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 41st week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	16·6	16	3	5	2	3	3	–
Insanity, Gen. Par. of Insane	11·2	11	–	–	–	4	5	2
Epilepsy	8·7	8	–	2	2	3	–	1
Convulsions	23·7	13	13	–	–	–	–	–
Locomotor Ataxy	2·5	–	–	–	–	–	–	–
Paraplegia, Dis. of Cord	5·4	3	–	1	–	–	1	1
Nervous Sys. (other dis.)	17·6	13	–	–	–	3	4	6
Valv. Dis., Endocarditis	43·6	42	–	–	4	8	16	14
Cerebr. Hæm. Thromb.	29·6	31	–	–	–	3	13	15
Apoplexy, Hemiplegia	17·6	21	–	–	–	1	2	18
Aneurysm	5·6	4	–	–	–	1	2	1
Embolism, Thrombosis (not cerebral)	1·5	–	–	–	–	–	–	–
Heart & Blood Vessel Dis.	78·2	73	–	–	3	4	21	45
Croup (not Spasm : nor Memb.)	1·0	–	–	–	–	–	–	–
Bronchitis	87·9	67	8	2	–	2	12	43
Asthma, Emphysema	4·8	3	–	–	–	–	3	–
Pleurisy	4·3	3	–	–	–	–	1	2
Respiratory Dis. (other)	12·0	11	1	2	–	–	2	6
Tonsillitis, Quinsy	0·8	–	–	–	–	–	–	–
Enteritis (not Epid.)	16·1	17	14	2	–	–	–	1
Gastro-Enteritis	11·2	11	8	1	–	–	1	1
Peritonitis (not Puerp.)	5·1	2	–	–	2	–	–	–
Cirrhosis of Liver	16·1	16	–	–	–	2	11	3
Liver Dis. (other)	3·8	9	–	–	–	–	3	6
Digestive Dis., Other	36·4	32	4	3	4	6	7	8
Nephritis, Acute	7·9	2	–	2	–	–	–	–
Bright's Dis., Albuminuria	32·4	37	–	–	3	5	16	13
Urinary Sys., Other Dis.	11·5	17	–	–	–	1	2	14
Generative Organs Dis.	5·4	5	–	–	–	1	2	2
Childbirth (Accid. of)	2·0	1	–	–	–	1	–	–
Old Age	47·7	49	–	–	–	–	–	49
Other Diseases	107·9	89	58	12	3	1	7	8
ACCIDENT.								
By Railways	1·0	2	–	–	–	1	1	–
By Vehicles and Horses	5·4	3	–	1	1	–	1	–
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	2	–	–	–	1	1	–
In Building Operations	0·3	–	–	–	–	–	–	–
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	4·3	2	1	1	–	–	–	–
By Drowning	3·1	6	–	–	–	1	4	1
By Suffocation in Bed	7·1	5	5	–	–	–	–	–
By Poisons or Poisonous Vapours	2·3	3	–	1	–	1	1	–
Other Deaths by Accident	13·8	19	4	1	3	2	5	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	3	2	–	–	–	1	–
Suicide	6·9	8	–	–	–	2	3	3
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th October, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexial† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2355	1295	280	382	-	2	19	14	12	-	17	-	93	53	115	551
WEST DISTRICTS	805,311	362	214	37	66	-	-	1	5	1	-	2	-	12	7	14	89
NORTH DISTRICTS	1,056,070	510	279	56	93	-	-	4	1	1	-	6	-	21	11	22	107
CENTRAL DISTRICTS	209,465	94	78	18	20	-	-	-	-	1	-	-	-	11	5	9	43
EAST DISTRICTS	715,739	450	249	62	60	-	2	-	-	6	-	4	-	22	10	32	108
SOUTH DISTRICTS	1,749,844	939	433	107	131	-	-	6	8	3	-	5	-	25	20	38	162
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	—	42	-	12	-	-	8	-	-	-	-	-	2	-	-	42
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	42	22	4	6	-	-	-	-	-	-	1	-	2	-	-	7
St. John Paddington *H*	33,617	16	12	2	4	-	-	-	-	-	-	-	-	-	1	2	8
North-West Paddington	17,181	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	58	49	6	22	-	-	-	-	-	-	-	-	2	1	2	23
Brompton *2H*	48,591	10	11	1	5	-	-	-	-	-	-	-	-	-	2	3	3
North Hammersmith *2W,wH*	49,192	25	16	2	4	-	-	-	-	-	-	-	-	1	-	-	5
South Hammersmith *w,2H*	63,047	35	14	5	3	-	-	-	-	-	-	-	-	-	-	-	2
North-west Fulham *W*	45,180	46	20	6	5	-	-	-	-	-	-	-	-	5	1	1	11
North-east Fulham *F*	46,405	22	15	2	5	-	-	1	4	1	-	1	-	-	-	-	5
South Fulham *W*	45,704	32	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Chelsea North *W,w,3H*	42,514	11	19	3	4	-	-	-	-	-	-	-	-	1	-	1	13
Chelsea South *W,2H*	31,328	5	6	1	4	-	-	-	-	-	-	-	-	1	-	-	1
Mayfair and Knightsbridge	28,743	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	15	10	1	-	-	-	-	-	-	-	-	-	-	-	2	7
St. Margaret & St. John *4H*	43,698	24	10	2	2	-	-	-	1	-	-	-	-	-	1	2	3
St. James and St. Anne *W,6H*	33,081	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	7	12	2	3	-	-	-	-	-	-	-	-	1	-	1	4
St. Mary Marylebone *W,4H*	37,948	42	7	1	1	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *H*	39,536	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	5	8	2	5	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,7H*	81,942	36	16	3	4	-	-	3	1	-	-	1	-	1	1	3	7
West St. Pancras *2H*	60,562	28	12	2	5	-	-	-	-	1	-	-	-	-	-	-	2
Tottenham-court *w,7H*	21,258	9	17	4	4	-	-	-	-	-	-	-	-	1	3	4	13
Gray's Inn Lane *4H*	34,449	16	7	3	1	-	-	-	-	-	-	-	-	2	-	1	2
East St. Pancras *W,2H*	60,320	28	26	4	11	-	-	-	-	-	-	-	-	1	2	3	16
North St. Pancras *2W*	58,728	28	20	2	9	-	-	-	-	-	-	-	-	-	-	1	8
Tufnell *W*	31,995	11	14	3	4	-	-	-	-	-	-	1	-	-	1	2	9
Upper Holloway *2W,w,H*	33,978	25	10	1	2	-	-	-	-	-	-	1	-	1	-	-	8
Tollington *WH*	33,922	15	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	16	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	36	10	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	27	12	2	3	-	-	-	-	-	-	-	-	1	-	-	-
Highbury *2H*	63,797	24	14	2	6	-	-	-	-	-	-	-	-	1	-	1	1
Stoke Newington *H*	51,247	22	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	20	9	1	7	-	-	-	-	-	-	-	-	3	-	-	-
Central Hackney *2w,F*	50,536	24	15	3	1	-	-	1	-	-	-	-	-	3	1	1	1
South-west Hackney *3E*	59,921	29	22	8	5	-	-	-	-	-	-	1	-	3	2	2	14
South-east Hackney *2W,w,H*	58,255	34	31	8	9	-	-	-	-	-	-	2	-	3	1	2	20

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 13th October, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyræna (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Giles and Bloomsbury 2*W*,2*H* -	31,436	19	5	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
and *W*,4*H* - - - - -	21,674	4	9	1	4	-	-	-	-	-	-	-	-	-	-	-	6	-
and Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lborn *W*,6*H* - - - - -	29,612	9	20	10	3	-	-	-	-	-	-	-	-	9	-	-	12	-
ith Clerkenwell - - -	28,676	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
rth Clerkenwell *H* - - -	35,028	16	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
sbury 3*H*,*L* - - - - -	36,116	29	6	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-
lborn Union Workhouse, fitcham - - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Botolph *H* - - - -	10,299	1	4	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Sepulchre and Allhallows *W*,2*H*	16,624	4	23	3	4	-	-	-	-	1	-	-	-	1	4	5	21	-
y of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
oreditch South *H* - - -	46,362	26	10	2	2	-	-	-	-	-	-	-	-	1	1	1	1	-
oreditch North-West *W*,*w*,*H* -	36,127	21	19	4	6	-	-	-	-	-	-	-	-	-	2	3	14	-
oreditch North-East - - -	36,148	24	8	3	1	-	-	-	-	-	-	-	-	1	1	2	-	-
oreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North-East 2*W*, *H*.	65,138	29	29	7	6	-	-	-	-	3	-	1	-	2	1	3	14	-
thnal Green South-West *H* -	64,542	45	9	3	4	-	-	-	-	-	-	-	-	2	-	-	-	-
italfields - - - - -	27,969	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
le End New Town *W*,*H* - -	28,718	21	33	6	2	-	1	-	-	-	-	3	-	2	1	4	31	-
odman's Fields - - - -	22,081	10	5	-	3	-	-	-	-	-	-	-	-	-	1	2	-	-
George and St. John 2*W* - -	49,068	44	10	4	2	-	-	-	-	-	-	-	-	-	-	3	3	-
adwell and Ratcliff *W*,*H* - -	25,568	16	18	8	-	-	1	-	-	3	-	-	-	3	3	3	10	-
nehouse *W* - - - - -	32,369	10	5	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-
le End Old Town South-Western *H* - - - -	63,698	68	13	5	2	-	-	-	-	-	-	-	-	3	-	1	-	-
le End Old Town North-Eastern *W*,*w* - - -	49,129	22	14	5	6	-	-	-	-	-	-	-	-	2	-	1	7	-
w *L* - - - - - - -	41,989	22	15	3	6	-	-	-	-	-	-	-	-	3	-	2	-	-
omley 3*w*,*H* - - - - -	68,319	46	46	8	12	-	-	-	-	-	-	-	-	2	-	6	27	-
plar *W*,*w* - - - - -	58,514	38	13	4	5	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th October, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	18	5	1	-	-	-	-	-	-	-	-	-	2	3	15	
Kent-road	21,904	16	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr West *W,2H,L*	39,094	18	4	3	-	-	-	-	-	-	-	-	-	2	-	-	2	
Newington North	49,022	27	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Newington South *W*	72,841	34	19	3	6	-	-	-	-	1	-	-	-	2	1	3	-	
St. Olave *2W*	9,817	9	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1	
Bermondsey *W*	82,483	50	15	8	2	-	-	-	-	-	-	-	-	1	3	6	-	
Rotherhithe *W,F*	38,480	25	7	2	2	-	-	-	-	-	-	-	-	-	-	-	3	
Waterloo* *2H*	27,440	29	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lambeth Church* *H*	27,440	9	25	6	2	-	-	-	1	-	-	-	-	2	3	3	22	
Kennington* *2V*	52,518	29	20	5	7	-	-	-	-	-	-	-	-	-	1	2	12	
Stockwell* *HF*	63,826	44	9	4	2	-	-	-	-	-	-	1	-	1	-	-	1	
Brixton* *H*	73,673	33	15	2	8	-	-	-	-	-	-	-	-	2	-	1	2	
Norwood* *WH*	56,998	24	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
East Battersea *H*	72,203	41	13	5	4	-	-	-	-	-	-	-	-	1	-	1	-	
North-west Battersea	49,656	29	11	3	2	-	-	-	-	-	-	-	-	3	1	1	-	
South-west Battersea *2W,H*	47,048	18	22	5	8	-	-	-	-	-	-	-	-	-	-	-	12	
Clapham *2H*	51,361	18	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Streatham *W,2w,2F,2L*	88,019	48	22	1	14	-	-	3	1	1	-	-	-	-	-	-	12	
Springfield *2W,L*	27,959	19	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
Southfields *H*	40,444	19	10	1	3	-	-	-	-	-	-	-	-	-	-	3	1	
Putney	24,139	7	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
Dulwich	13,359	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South *W,w*	40,206	16	22	2	12	-	-	-	-	-	-	-	-	-	-	1	18	
Camberwell North *W,2L*	65,584	28	18	2	6	-	-	-	-	-	-	-	-	-	3	3	12	
St George	47,331	37	7	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
Peckham North	48,913	30	8	2	1	-	-	-	-	-	-	-	-	1	-	-	-	
Peckham South *2W,w*	43,946	23	9	3	4	-	-	-	-	-	-	-	-	1	-	1	-	
Deptford North	37,613	19	6	2	1	-	-	-	-	-	-	-	-	-	1	1	-	
Deptford Central *F*	45,481	23	13	5	-	-	-	1	5	-	-	1	-	2	-	-	8	
Deptford South	34,625	14	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West *2H*	23,456	8	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich East *2W,H*	43,859	28	24	7	5	-	-	-	-	-	-	-	-	3	2	2	16	
Eltham *w,H*	7,226	7	2	-	1	-	-	-	-	-	-	-	-	-	1	1	1	
Lee *wH*	25,490	12	5	2	1	-	-	-	-	1	-	-	-	-	-	-	-	
Lewisham *W w,F*	58,353	35	20	1	8	-	-	2	1	-	-	-	-	1	-	1	14	
Sydenham *H*	43,653	27	11	4	4	-	-	-	-	-	-	-	-	-	-	1	1	
Charlton *F,2H*	21,134	6	8	1	2	-	-	-	-	-	-	3	-	-	-	-	4	
Woolwich *5H*	41,625	20	6	5	-	-	-	-	-	-	-	-	-	2	-	-	-	
Plumstead West *W*	18,063	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East *2W,H*	50,264	39	12	5	5	-	-	-	-	-	-	-	-	-	2	3	5	
Workhouse:—																		
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	
M. A. B. Small-pox Hospitals:—																		
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
North-Eastern	—	-	6	-	-	-	-	6	-	-	-	-	-	-	-	-	6	
Northern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
M. A. B. Imbecile Asylums:—																		
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Caterham	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Lunatic Asylums:—																		
Banstead	—	-	8	-	1	-	-	-	-	-	-	-	-	-	-	-	8	
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	
Dartford Heath	—	-	4	-	2	-	-	-	-	-	-	-	-	1	-	-	4	
Hanwell	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	
Colney Hatch	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	
Claybury	—	-	3	-	2	-	-	-	-	-	-	-	-	1	-	-	3	

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-districts above.

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, ITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week Saturday, 13th October, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
NDON—OUTER RING -	368 302	2,044,973	1345	537	149	139	-	5	2	7	4	11	70	16	36	95	3
Carshalton 2F,3H - -	12,228	32,997	19	7	2	1	-	-	-	-	-	-	-	-	-	1	-
Epsom, *part of** W,w,2F,H-	10,423	15,548	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Godstone, *part of** W,F -	2,754	2,692	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Coulsdon - - - -	11,069	8,166	-	4	-	-	-	1	-	-	-	-	-	-	-	-	-
South Croydon w - -	4,200	49,309	27	7	1	4	-	-	-	-	-	-	-	1	1	-	-
West Croydon 3W,F,H -	2,168	42,888	32	21	6	4	-	-	-	-	-	1	1	1	4	10	-
North Croydon H - -	2,644	41,698	17	12	4	3	-	-	-	-	-	-	2	1	1	1	-
Penge w,H - - - -	770	22,465	5	7	1	3	-	-	-	-	-	-	1	-	-	-	-
Mitcham w - - -	11,711	30,015	25	3	1	-	-	-	-	-	-	-	1	-	-	-	-
Wimbledon F,3H - -	3,221	41,652	31	12	4	4	-	-	-	-	-	-	2	-	1	-	-
Kingston 2W,H - - -	6,224	42,068	30	8	1	4	-	-	-	-	-	-	1	-	-	1	-
Surbiton F,H - - -	3,046	15,017	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** H -	5,402	13,100	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L - - -	4,564	23,456	13	7	5	1	-	-	-	-	-	-	1	-	-	-	1
Richmond W,H - - -	2,162	28,865	11	3	-	2	-	-	-	-	-	-	-	-	1	1	-
Mortlake F - - -	2,847	20,628	13	4	1	1	-	-	-	-	-	-	-	1	1	-	-
Bromley F,2H - - -	4,703	27,354	6	3	1	1	-	-	-	-	-	-	1	-	-	1	-
Beckenham H - - -	7,825	28,497	15	6	-	3	-	-	-	-	-	1	-	-	-	-	-
Orpington *part of** W -	10,113	9,857	6	5	1	2	-	-	-	-	-	-	-	-	-	3	-
Chislehurst 2H - - -	7,333	16,446	14	7	1	2	-	-	-	-	-	-	-	-	-	-	-
Bexley w F,H - - -	8,678	21,151	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Erith F,H - - - -	3,854	25,296	23	4	1	1	-	-	-	-	-	-	1	-	-	-	-
Dartford W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury w - - - -	11,054	18,683	11	6	1	2	-	-	-	1	-	-	1	-	-	-	1
Staines W,H - - -	13,277	15,178	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Hillingdon W,F,H - -	6,035	13,661	11	5	2	1	-	-	-	-	-	-	-	-	1	-	-
Uxbridge H - - -	12,757	8,984	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes w2 F,H - - -	8,066	16,358	16	7	1	2	-	-	-	-	-	-	-	1	1	-	-
Isleworth 3W,2F,H - -	6,859	30,863	23	6	2	3	-	-	-	-	-	-	-	-	-	2	-
Twickenham F,H - -	2,421	20,991	23	7	2	2	-	-	-	-	-	-	1	-	-	-	-
Brentford 3F,2H - - -	4,319	48,289	35	18	7	6	-	-	-	-	1	-	2	1	1	-	-
Chiswick H- - - -	1,249	29,809	14	4	1	2	-	-	-	-	-	-	-	1	1	-	-
Acton w,F,3H - - -	6,132	48,914	34	17	6	5	-	-	-	1	-	1	4	1	1	1	-
Harrow F,H - - -	13,809	25,523	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Edgware 2F,2H - - -	6,994	4,521	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Willesden W,F,2H - -	4,384	114,811	87	26	9	10	-	-	-	-	-	-	3	-	1	2	1
Hendon W,F - - -	8,382	22,450	19	6	1	2	-	-	-	-	-	-	-	-	-	1	-
South Mimms 2F,H - -	17,755	7,308	3	4	2	1	-	-	-	-	2	-	-	-	-	-	-
Barnet W,2H - - -	3,324	17,970	8	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Finchley F,2H - - -	4,688	33,692	21	12	4	-	-	-	-	-	-	-	1	-	1	1	-
Hornsey F,H - - -	2,875	72,056	30	9	5	-	-	-	-	-	-	-	1	-	-	-	-
Wood Green H - - -	1,625	34,233	29	9	3	3	-	-	-	-	-	-	2	-	-	1	-
West Tottenham F - -	996	48,853	24	8	2	1	-	-	-	-	-	-	1	1	2	-	-
East Tottenham 2H - -	2,017	53,688	36	13	3	5	-	-	-	-	-	-	3	1	1	4	-
Edmonton W,w,2F - -	7,491	61,892	43	24	7	7	-	-	-	1	-	3	2	1	3	10	-
Enfield 2W,F,H - - -	12,601	42,738	21	15	5	6	-	-	-	-	-	1	3	1	1	3	-
Waltham Abbey F - -	11,017	6,549	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H - - -	8,479	12,292	5	2	1	-	-	-	-	-	-	-	-	1	1	-	-
Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H - - - -	9,333	9,173	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H - - -	1,072	44,827	28	9	5	-	-	-	-	-	-	-	1	1	1	1	-
Plaistow F,2H - - -	1,249	90,921	81	39	11	3	-	-	1	-	-	1	5	1	3	6	-
Canning Town H - - -	1,556	70,718	50	22	6	5	-	-	-	-	-	1	10	1	2	1	-
Forest Gate w - - -	806	60,892	35	13	1	7	-	-	1	-	-	-	-	-	-	-	-
North East Ham w H -	1,333	58,676	34	7	1	-	-	-	-	-	-	-	-	-	-	1	-
South East Ham 2F - -	1,993	37,342	34	11	4	-	-	-	-	1	1	1	3	-	-	2	-
Wanstead F - - -	1,679	9,179	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W - -	631	50,467	39	26	3	8	-	4	-	-	-	-	2	-	1	12	-
North Leyton 2W,w,F -	1,963	48,445	36	29	8	6	-	-	-	1	-	1	5	-	-	19	-
Walthamstow 3H,L - -	6,504	108,929	74	19	7	3	-	-	-	-	-	-	4	-	3	-	-
Chigwell, *part of** 2F,3H -	11,778	16,397	17	5	-	1	-	-	-	1	-	-	-	-	-	1	-
Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** W,2F -	16,556	6,091	5	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Ilford F,L - - - -	8,496	41,234	36	10	4	4	-	-	-	-	-	-	-	-	1	1	-
Barking Town F - -	3,803	21,547	18	5	3	-	-	-	-	1	-	-	3	-	1	-	-
Eastern Hosp., Hackney -	—	—	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-
Middlesex County Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

e parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer re as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher ; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting on Bois parish, and part of Epping parish; 189: 1 Dagenham parish. Deaths in Workhouses and Infectious es Hospitals belonging to the Outer Ring in 42: 3 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	October 13	2355	1295	14·3	-	2	19	14	12	17
CALCUTTA - -	977,822	September 15	-	451	27·6	3	2	-	-	-	128†
BOMBAY - -	982,000	" 25	445	729	48·8	1	-	-	-	2	127†
MADRAS - -	509,346	" 14	501	614	62·6	1	1	?	?	?	153
PARIS - - -	2,750,000	October 6	982	855	16·6	-	2	1	5	5	6
BRUSSELS - -	612,401	" 6	204	156	13·2	-	2	-	-	4	1
ANTWERP - -	297,311	" 6	149	66	11·5	-	-	-	-	-	-
AMSTERDAM -	560,482	September 29	264	149	13·8	-	2	1	-	-	1
COPENHAGEN -	425,000	October 6	279	143	17·5	-	-	-	1	3	1
STOCKHOLM -	324,488	September 29	187	77	12·3	-	-	-	-	-	-
CHRISTIANIA -	222,373	October 6	131	62	14·5	-	-	-	2	-	1
ST. PETERSBURG	1,424,700	September 22	744	583	21·3	-	9	24	30	5	43
MOSCOW - -	1,154,000	" 29	-	536	24·2	1	4	11	9	6	10
BERLIN - -	2,068,956	" 22	964	611	15·4	-	1	7	7	7	6
HAMBURG - -	819,380	October 6	-	224	14·5	-	1	1	3	3	1
BRESLAU - -	475,000	September 29	265	187	20·5	-	1	-	4	3	2
MUNICH - -	544,000	October 6	-	191	18·4	-	-	-	1	2	-
VIENNA - -	1,956,949	" 6	926	546	14·5	-	3	4	8	2	4
PRAGUE - -	460,849	September 29	209	153	17·3	-	1	-	2	-	3
BUDA-PESTH -	859,134	" 29	434	232	15·2	-	3	5	4	-	3
TRIESTE - -	196,637	October 6	140	81	21·2	-	-	-	-	-	-
ROME - -	531,179	August 25	224	168	16·5	-	-	-	1	1	5§
VENICE - -	171,709	September 8	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	" 29	163	103	18·4	-	-	1	-	-	2
NEW YORK -	4,152,860	" 29	2292	1284	16·1	-	5	3	12	8	19
CHICAGO - -	2,049,185	" 29	-	538	13·7	-	1	8	7	9	9
PHILADELPHIA -	1,469,126	" 15	-	500	17·7	-	1	-	4	11	16
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	September 9	-	263	15·0	-	-	-	3	1	-

* Excluding deaths from croup in the Indian Cities.
† Including 8 deaths from plague in Calcutta, and 41 in Bombay.
‡ Including 15 deaths from cholera in Calcutta, 21 in Bombay, and 64 in Madras.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 13th October, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	70·9	42·0	58·4	0·63	BRADFORD - -	65·0	43·6	55·7	[illegible]
BRIGHTON - -	68·4	50·0	59·1	0·80	LEEDS - - -	66·0	44·0	56·3	[illegible]
PORTSMOUTH - -	65·0	51·5	58·5	1·74	HULL - - -	71·0	40·0	57·1	[illegible]
NORWICH - -	72·4	48·0	59·4	0·60	TYNEMOUTH - -	68·0	40·0	53·7	[illegible]
PLYMOUTH - -	62·5	42·0	55·2	0·64	CARDIFF - -	61·8	44·7	55·6	[illegible]
BRISTOL - - -	62·2	45·8	55·9	1·41	EDINBURGH - -	63·2	38·5	53·2	[illegible]
BIRMINGHAM - -	63·0	41·3	54·4	1·23	GLASGOW - -	65·8	38·2	53·6	[illegible]
NOTTINGHAM - -	66·7	45·1	55·9	0·92	DUBLIN Phœnix Park.	64·3	36·9	52·5	[illegible]
LIVERPOOL OBSERVATORY.	64·0	46·0	54·4	0·81	DUBLIN Fitzwilliam Square.†	64·2	40·0	54·0	[illegible]
MANCHESTER -	63·8	37·8	55·4	1·12					
PRESTON - -	-	-	-	-					
HUDDERSFIELD -	64·2	37·0	53·7	0·72	BELFAST - -	62·6	38·8	53·4	[illegible]

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footn[illegible] the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. [illegible] correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period above was 1°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 5.—METEOROLOGICAL OBSERVATIONS IN

[*Under the Superintendence of the Astronomer Royal.*]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	7	Apogee	29·791	68·9	55·1	13·8	60·7	+ 8·2	55·7	5·0	10·3	1·0	84	107·9	48·4	58·70	S. & SSW.	SSW., SSE. & S.	2·6	0·0	0·2	268	+ 25	0·00	11·0
MONDAY -	8	..	29·656	65·4	52·8	12·6	57·7	+ 5·6	50·3	7·4	14·9	1·0	76	115·2	47·1	58·64	S., SSW. & SW.	S., SSE. & SE.	5·0	0·0	0·3	273	+ 30	0·31	8·0
TUESDAY -	9	..	29·699	65·0	49·1	15·9	56·6	+ 4·9	54·5	2·1	8·1	0·0	93	104·0	39·4	58·73	S. & SE.	SSE., SE. & ESE.	2·0	0·0	0·2	213	− 31	0·13	13·0
WEDNESDAY	10	Gr. Dec. N. Last Qr.	29·671	69·0	55·5	13·6	61·3	+10·0	57·7	3·6	9·0	0·0	88	117·4	46·0	58·70	ESE., SE. & E.	E. & ESE.	1·5	0·0	0·0	148	− 97	0·14	3·5
THURSDAY -	11	..	29·592	70·9	52·6	18·3	61·2	+10·2	55·8	5·4	12·2	0·0	82	117·2	43·7	58·65	E., ESE. & SSE.	SE., ESE. & SW.	1·4	0·0	0·0	144	−102	0·00	4·0
FRIDAY -	12	..	29·592	64·4	51·6	12·8	57·0	+ 6·4	49·3	7·7	13·7	0·8	76	113·0	42·1	58·65	SW.	WSW. & SW.	4·2	0·0	0·4	341	+ 93	0·00	10·0
SATURDAY -	13	..	29·419	54·9	42·0	12·9	48·4	− 1·9	40·9	7·5	15·5	2·7	75	87·0	36·0	53·52	SW. & NNW.	NNW. & N.	3·7	0·0	0·4	295	+ 45	0·05	0·5
MEANS -	-		29·631	65·5	51·2	14·3	57·6	+ 6·2	52·0	5·5	12·0	0·8	82	108·8	43·2	58·66	SW. & SE.		..	..	..	Sum 1682	Sum − 37	Sum 0·63	7·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	7	w. P. throughout.	2·7	11·2	Cloudless with slight exceptions in early morning; generally cloudy afterwards; light shower at 4h. 15m. P.M.
MONDAY -	8	w. P. generally; occasional v. N.	7·7	11·2	Overcast in morning with rain between 2h. and 6h. A.M.; very fine till evening; cloudy and showery at night. Solar halo observed in afternoon.
TUESDAY -	9	w. P. generally; occasional w. N	2·2	11·1	Generally overcast with frequent rain till noon; fine and partially cloudy afterwards; lightning at night.
WEDNESDAY	10	w. P. and v. N. generally till 4h. A.M.; w. P. afterwards.	3·5	11·0	Overcast in early morning with rain between 2h. and 4h. A.M.; fine but generally cloudy afterwards; lightning at night. Solar halo with parhelion observed at noon.
THURSDAY -	11	w. P. throughout.	7·4	11·0	Very fine generally.
FRIDAY -	12	w. P. generally.	9·0	10·9	Very fine till 6h. P.M.; overcast afterwards with occasional light showers after 8h. P.M.
SATURDAY -	13	w. N. till 1h. A.M.; w. P. till 9h. A.M.; m. P. generally afterwards.	3·2	10·8	Generally overcast till 1h. P.M.; very fine till evening; variably cloudy at night; occasional showers in morning.
			Sum 35·7	Sum 77·2	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·88 in. at the beginning of the week to 29·63 in. by 6h. P.M. on the 8th; increased to 29·72 in. by 7h. P.M. on the 9th; decreased to 29·39 in. by 3h. P.M. on the 13th; and increased to 29·50 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 6th October, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	18	7	-	5	-	-	3	-
Kensington	180,952	-	17	3	-	1	-	-	2	1
Hammersmith	120,679	-	11	13	-	2	-	-	-	-
Fulham	161,965	-	23	9	-	1	-	-	3	-
Chelsea	74,672	-	15	-	-	-	-	-	3	-
City of Westminster	173,905	-	13	6	-	1	-	-	2	-
NORTH.										
St. Marylebone	128,580	-	23	7	-	4	-	-	3	-
Hampstead	89,633	-	11	5	-	-	-	-	2	-
St. Pancras	236,455	-	18	3	-	3	-	-	7	-
Islington	344,987	-	51	8	-	5	-	-	11	-
Stoke Newington	53,217	-	8	-	-	1	-	-	4	-
Hackney	230,721	-	26	13	-	3	-	-	12	1
CENTRAL.										
Holborn	55,805	-	3	-	-	1	-	-	1	-
Finsbury	97,466	-	22	8	-	1	-	-	4	-
City of London	21,367	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch	116,108	-	24	5	-	2	-	-	6	-
Bethnal Green	130,609	-	16	2	-	1	-	-	7	-
Stepney	307,176	-	29	14	-	7	-	-	17	-
Poplar	170,673	-	14	5	-	5	-	-	5	1
SOUTH.										
Southwark	209,143	-	68	11	-	5	-	-	13	1
Bermondsey	128,629	-	40	8	-	4	-	-	7	-
Lambeth	315,774	-	36	6	-	2	1	-	6	-
Battersea	179,622	-	46	5	-	-	-	-	3	-
Wandsworth	273,381	-	26	19	-	5	-	-	5	1
Camberwell	274,132	-	38	5	-	2	-	-	10	-
Deptford	115,495	-	33	7	-	2	-	-	1	-
Greenwich	105,350	-	17	6	-	4	-	-	3	-
Lewisham	148,463	-	15	6	-	1	-	-	4	-
Woolwich	127,345	-	9	5	-	6	-	-	1	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	671	1 6	-	74	1	-	145	6
Ages 0-1		-	4	3	-	-	-	-	2	-
" 1-5		-	193	56	-	2	-	-	7	-
" 5-		-	287	70	-	16	-	-	5	-
" 10-		-	122	26	-	12	1	-	12	-
" 15-		-	24	9	-	12	-	-	6	-
" 20-		-	21	8	-	11	-	-	6	1
" 25-		-	16	7	-	10	-	-	17	3
" 35-		-	1	4	-	8	-	-	34	2
" 45-		-	1	2	-	1	-	-	28	-
" 55-		-	-	1	-	1	-	-	14	-
" 65 and upwards		-	1	-	-	1	-	-	14	-
Age not stated		-	1	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during September, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th October, 1906.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of September.

Twelve samples were taken in each district, except the Eastern in which thirteen were collected, making a total of 97 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - - -	September 17th, Cab Rank, Victoria Street, near Christ Church.	18·1	24·92	·113	·012	0	·128	·140	1·75	18·0
West Middlesex - -	September 17th, Cab Rank, Albert Road, N.W.	17·7	23·24	·122	·013	0	·085	·098	1·75	16·4
Southwark - - -	September 17th, Cab Rank, St. George's Church, Borough.	17·7	25·70	·123	·013	0	·147	·160	1·8	18·3
Grand Junction - -	September 17th, Cab Rank, Pickering Place, Westbourne Grove.	17·7	25·00	·116	·014	0	·151	·165	1·8	17·4
Lambeth - - - -	September 17th, Cab Rank, St. George's Road, Southwark.	18·7	25·92	·150	·014	0	·154	·168	1·8	18·6
Lea, Wells, etc.										
New River - - -	September 17th, Cab Rank, Canonbury Station.	16·2	31·32	·042	·004	0	·176	·182	1·65	22·2
Lea, Thames, etc.										
Eastern - - - -	September 17th, Cab Rank, High Street, Shoreditch.	18·0	29·20	·117	·014	0	·275	·289	2·05	20·0
Deep Wells.										
Kent - - - - -	September 17th, Cab Rank, Amersham Road, opposite New Cross Station.	13·0	37·98	·039	·003	0	·464	·467	2·05	26·9
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4 to 11 relate to 100,000 parts of waters. The Table is to be read thus:—The water collected in the Chelsea district, at the cab rank in Victoria Street on the 17th September, had a temperature of 18·1° C.; 100,000 lbs. of it contained 24·92 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·113 lb. of carbon and ·012 lb. of nitrogen. The above quantity of water also contained ·128 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·140 lb. The above weight of water also contained 1·75 lbs. of chlorine and 18·0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 17th September were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the district works was:—Kent, 0·7; New River, 0·8; Chelsea, 2·1; Grand Junction and Eastern, 2·2; West Middlesex and Southwark, 2·3; and Lambeth, 2·8.

The mean proportion of organic matter in the samples representing the filtered supplies furnished by the five district works which draw water from the river Thames was slightly less than in August, and all were clear and of good quality.

The New River district water, collected on the 17th September, was of very good quality, the proportion of organic impurity being nearly as low as that found in the Kent district deep-well water.

The Eastern district water was clear, and in general quality closely resembled the filtered supplies obtained exclusively from the Thames.

The Kent district water was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, and the New River supply nearly colourless; the waters from the six remaining districts had only a very pale yellow tint.

In addition to the above analytical examination the 97 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains) has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·062	0·53	·055	·066	·059	·062	0	0	0	·0065	·006	·006
West Middlesex	·066	·056	·061	·074	·062	·067	0	0	0	·0075	·0065	·007
Southwark	·071	·059	·065	·078	·063	·071	0	0	0	·0075	·0065	·007
Grand Junction	·063	·053	·058	·071	·060	·065	0	0	0	·0075	·0065	·007
Lambeth	·076	·061	·066	·081	·065	·071	0	0	0	·0085	·0065	·007
LEA, WELLS, THAMES, ETC.												
New River	·054	·019	·036	·058	·019	·039	0	0	0	·0045	·0025	·003
Eastern	·068	·052	·059	·078	·054	·065	0	0	0	·008	·0055	·007
DEEP WELLS.												
Kent	·010	·008	·009	·011	·009	·010	0	0	0	·001	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The above results show that the proportion of organic impurity in the five filtered Thames water supplies remained nearly constant throughout the month; the mean amount was slightly lower than in August, and all the samples tested were of good quality.

The New River district water was of good quality during the month, the average quantity of organic matter found was a little higher than in the previous month, but this was owing to the fact that more samples had been taken in the small area in which a mixture of filtered Thames with the ordinary New River water is distributed.

The mean amount of organic impurity in the Eastern district water was practically the same as the mean for the filtered Thames supplies, and all the samples examined were of good quality.

All the samples of deep well water drawn in the Kent district were of uniform high organic purity and excellent quality.

All the samples examined during the month were practically clear, except one, collected in the Grand Junction area on the 19th, which was very slightly turbid with rust.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(*Furnished by the Metropolitan Water Board.*)

The following is an account of the number of services and the average daily amount of water supplied during the month of September, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 230 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	SEPTEMBER, 1905.	SEPTEMBER, 1906.	SEPTEMBER, 1905.	SEPTEMBER, 1906.
TOTAL SUPPLY - - -	1,035,827	1,054,140	224,352,205	242,141,572
New River - - - - - -	206,197	209,182	43,293,134	46,529,000
Eastern - - - - - - -	234,146	237,687	43,768,433	45,309,566
Western.. Chelsea - - - -	40,080	39,976	12,181,333	13,275,667
Western.. Grand Junction - -	80,491	83,547	16,940,347	18,973,567
Western.. West Middlesex - -	92,341	92,829	24,461,833	27,226,633
Southern.. Lambeth - - - -	138,200	142,295	32,862,330	35,367,265
Southern.. Southwark and Vauxhall	131,369	133,161	31,981,000	34,061,185
Kent - - - - - - - -	113,003	115,463	18,863,795	21,398,689

Note.—The Return for September, 1906, as compared with that for the corresponding month of 1905, shows an increase of 18,313 services, and of 17,789,367 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 42. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, OCT. 20. [Price 1½*d.*

General Register Office, Somerset House,
October 22nd, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·6 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·4, 17·1, and 15·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 20·3 in Rochdale, 20·5 in Liverpool, 20·6 in Blackburn, 21·7 in St. Helens, 21·8 in Stockton on Tees, 24·0 in Middlesbrough, and 24·8 in Warrington; from *measles*, 1·2 in West Ham, 1·6 in Bootle, 2·1 in Stockport, 2·2 in Oldham, 2·7 in Norwich, and 3·0 in Warrington; from *scarlet fever*, 1·3 in Walthamstow; from *diphtheria*, 1·1 in Walsall and 1·4 in West Hartlepool; from *whooping-cough*, 1·3 in Birkenhead; from "*fever*," 1·4 in Bolton; and from *diarrhœa*, 2·6 in Wolverhampton and in Barrow in Furness, 2·7 in Preston and in Swansea, 2·8 in Merthyr Tydfil, 3·1 in Middlesbrough, 4·1 in Burnley, and 5·8 in Blackburn. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2411 BIRTHS and 1232 DEATHS were registered. Allowing for increase of population, the births were 47 and the deaths 204 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 15·7, 15·5, and 14·3 per 1000 in the preceding three weeks further fell last week to 13·6. The death-rate in the four weeks ended last Saturday averaged 14·8 per 1000, being 0·3 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 10/06 D & S 3 26220

The 1232 deaths included 5 from measles, 9 from scarlet fever, 11 from diphtheria, 13 from whooping-cough, 8 from enteric fever, and 78 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 124 deaths were referred to these diseases in the aggregate, being 9 below the corrected average number in the 42nd week of the preceding four years.

The deaths from *measles*, which had been 8, 6, and 2 in the preceding three weeks, were 5 last week, and were 23 below the corrected average. The deaths from *scarlet fever*, which had been 10, 12, and 19 in the preceding three weeks, fell to 9 last week, the corrected average being 10. The deaths from *diphtheria*, which had been 13, 12, and 14 in the preceding three weeks, were 11 last week, the corrected average being 13. The deaths from *whooping-cough*, which had been 13, 11, and 12 in the preceding three weeks, were 13 last week, and were 4 below the corrected average; 3 deaths belonged to the Borough of Fulham. The fatal cases of *enteric fever*, which had been 12, 11, and 17 in the preceding three weeks, fell to 8 last week, and were 7 below the corrected average. The deaths from *diarrhœa*, which had been 207, 135, and 93 in the preceding three weeks, further fell to 78 last week, but were 26 above the corrected average; 7 deaths belonged to Fulham, 6 to Lambeth, and 5 each to Stepney and Poplar. Of the 78 deaths from diarrhœa, 74 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 14 other deaths at this age. The deaths attributed directly to *influenza* numbered 11, having been 4, 6, and 10 in the preceding three weeks.

Different forms of *violence* caused 50 deaths, concerning all of which inquests were held. Of these 50 deaths, 6 were cases of suicide, and 2 of homicide, while the remaining 42 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 3 to burns or scalds, 4 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 11, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3923 cases of scarlet fever, 982 of diphtheria, and 186 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 548 cases, against 533, 621, and 566; of diphtheria, 203 cases, against 135, 166, and 157; and of enteric fever, 24 cases, against 31, 46, and 40. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended October 13th, 1906.

Greater London.

In Greater London 3683 births and 1706 deaths were registered. Allowing for increase of population, these numbers are 57 and 253 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from scarlet fever, 4 deaths from diphtheria, 2 from whooping-cough, and 11 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·66 inches, and that of the Thermometer 41°·2, the latter being 1°·6 above the week's average in the 50 years 1841–90. The general direction of the wind was South-Westerly, the horizontal movement of the air being 10 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 31·7 hours; the measured rainfall amounted to 0·21 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 20th October, 1906, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 29th Sept., 1906.	6th Oct., 1906.	13th Oct., 1906.	20th Oct., 1906.	Rate from Diseases in Cols. 11-17. Week ended 20th Oct., 1906.	Registered during the Week ended 20th Oct., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**17·4**	**17·1**	**15·5**	**14·6**	**1·9**	**8444**	**4419**	**1181**	**1137**	**-**	**60**	**42**	**58**	**37**	**45**	**349**	**173**	**366**	**1070**	**47**	**76 TOWNS.**
LONDON - - -	4,721,217	15·7	15·5	14·3	13·6	1·4	2411	1232	277	349	-	5	9	11	13	8	78	50	140	490	7	LONDON.
† CROYDON - -	151,011	11·4	10·0	12·4	12·1	1·4	63	35	5	13	-	-	-	2	1	-	1	1	6	8	-	CROYDON.
† WILLESDEN - -	143,622	9·4	13·1	10·2	9·1	0·4	67	25	7	9	-	-	-	-	1	-	-	-	-	5	-	WILLESDEN.
† HORNSEY - -	86,935	4·8	5·4	7·2	6·6	1·2	32	11	1	7	-	1	-	-	-	1	-	-	1	1	-	HORNSEY.
† TOTTENHAM - -	119,503	10·9	12·7	10·5	14·8	1·3	63	34	11	7	-	-	-	2	-	-	1	3	6	7	-	TOTTENHAM.
† WEST HAM - -	301,617	16·6	14·3	17·8	14·7	3·1	187	85	26	15	-	7	2	1	-	1	7	5	8	17	-	WEST HAM.
† EAST HAM - -	129,886	15·7	10·8	8·8	10·0	0·8	81	25	9	8	-	-	-	-	1	-	1	2	5	4	-	EAST HAM.
† LEYTON - - -	118,287	9·3	14·5	11·5	7·1	0·9	63	16	7	2	-	-	-	-	-	1	1	-	-	2	-	LEYTON.
† WALTHAMSTOW -	121,334	18·5	12·0	9·9	11·2	3·9	66	26	10	1	-	-	3	1	1	-	4	1	2	8	-	WALTHAMSTOW.
HASTINGS - - -	67,144	19·4	12·4	12·4	13·2	0·8	22	17	6	9	-	-	-	-	-	-	1	-	-	-	-	HASTINGS.
BRIGHTON - -	128,095	15·1	13·8	12·6	11·0	0·8	54	27	5	11	-	1	-	-	-	-	1	-	2	8	-	BRIGHTON.
PORTSMOUTH - -	205,118	18·0	19·3	14·5	18·0	1·5	124	71	17	26	-	-	-	3	-	-	3	5	8	13	1	PORTSMOUTH.
BOURNEMOUTH -	67,702	15·4	17·7	10·8	9·2	1·5	25	12	2	4	-	-	-	-	-	-	2	-	-	3	-	BOURNEMOUTH.
SOUTHAMPTON -	117,312	12·9	14·2	12·0	11·6	-	71	26	8	7	-	-	-	-	-	-	-	2	3	5	-	SOUTHAMPTON.
READING - - -	78,987	14·5	7·9	6·6	8·6	1·3	30	13	-	8	-	-	-	1	-	1	-	1	1	6	-	READING.
NORTHAMPTON -	93,749	13·3	15·6	9·5	10·0	0·6	40	18	5	5	-	-	-	-	-	-	1	-	-	4	1	NORTHAMPTON.
IPSWICH - - -	71,809	16·0	13·8	18·2	8·7	1·5	29	12	2	6	-	-	-	1	-	-	1	-	-	2	-	IPSWICH.
GREAT YARMOUTH -	52,613	11·9	23·8	17·8	12·9	3·0	29	13	5	1	-	-	-	-	-	1	2	-	-	1	-	GREAT YARMOUTH.
NORWICH - -	117,958	22·1	17·7	19·0	15·5	4·4	61	35	7	8	-	6	1	1	-	-	2	1	3	5	-	NORWICH.
PLYMOUTH - -	118,014	14·6	15·5	14·1	15·5	1·8	38	35	10	11	-	2	-	-	-	1	1	-	2	2	-	PLYMOUTH.
DEVONPORT - -	78,405	12·0	13·3	12·6	11·3	0·7	32	17	4	6	-	1	-	-	-	-	-	-	3	1	-	DEVONPORT.
BRISTOL - - -	363,223	14·5	16·9	15·1	14·1	1·0	175	98	20	31	-	-	-	2	-	1	4	7	13	27	1	BRISTOL.
HANLEY - - -	66,300	22·8	21·2	25·9	18·9	3·9	39	24	9	3	-	-	-	1	1	-	3	1	3	2	-	HANLEY.
BURTON-ON-TRENT	52,922	8·9	19·7	19·7	11·8	1·0	18	12	2	3	-	-	-	-	-	-	1	-	-	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	100,729	16·6	17·6	18·1	10·9	3·1	55	21	4	8	-	-	-	-	1	-	5	1	2	6	-	WOLVERHAMPTON.
WALSALL - - -	94,577	16·0	16·0	19·8	12·1	1·7	51	22	3	5	-	-	-	2	-	1	-	1	4	5	-	WALSALL.
HANDSWORTH -	63,819	16·3	10·6	10·6	9·0	1·6	35	11	3	3	-	-	-	-	-	1	1	-	-	-	-	HANDSWORTH
WEST BROMWICH -	68,469	19·0	13·7	9·9	12·2	3·0	57	16	4	7	-	-	1	-	-	-	3	1	1	4	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 20th October, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 29th Sept., 1906.	6th Oct., 1906.	13th Oct., 1906.	20th Oct., 1906.	Rate from Diseases in Cols. 11-17. Week ended 20th Oct., 1906.	Registered during the Week ended 20th Oct., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	17·1	18·5	12·6	13·7	1·9	329	144	42	34	-	5	1	2	-	-	12	3	4	33	3	BIRMINGHAM.
KINGS NORTON -	72,608	7·2	9·3	13·6	6·5	1·4	44	9	4	2	-	-	1	-	1	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK - -	64,531	19·4	10·5	9·7	8·1	1·6	39	10	4	1	-	-	-	1	-	-	1	-	-	1	-	SMETHWICK.
ASTON MANOR -	82,288	17·1	12·0	7·6	9·5	1·9	48	15	5	4	-	-	-	-	-	-	3	1	1	-	-	ASTON MANOR.
COVENTRY - -	76,374	13·0	17·8	16·4	10·9	1·4	41	16	4	3	-	-	-	-	-	-	2	1	1	4	-	COVENTRY.
LEICESTER - -	232,111	13·9	11·9	12·1	10·1	0·7	112	45	7	19	-	1	1	-	-	-	1	2	3	11	-	LEICESTER.
GRIMSBY - - -	69,359	18·8	21·8	13·5	15·8	0·8	36	21	7	5	-	-	-	-	-	-	1	-	1	1	-	GRIMSBY.
NOTTINGHAM - -	254,563	16·2	16·8	14·3	13·3	1·4	135	65	19	18	-	-	1	-	-	-	6	5	7	5	-	NOTTINGHAM.
DERBY - - -	123,981	12·6	17·7	18·1	15·1	0·4	61	36	12	12	-	-	-	1	-	-	-	1	2	5	-	DERBY.
STOCKPORT - -	99,646	26·2	30·4	25·6	16·2	3·7	49	31	10	4	-	4	-	-	-	-	3	1	2	3	-	STOCKPORT.
BIRKENHEAD - -	117,292	20·9	21·3	16·4	19·6	2·7	70	44	13	13	-	-	1	-	3	1	1	1	3	11	-	BIRKENHEAD.
WALLASEY - -	64,578	12·1	24·2	14·5	7·3	3·2	36	9	4	2	-	-	1	-	-	-	3	-	-	2	-	WALLASEY.
LIVERPOOL - -	739,180	24·7	22·2	20·1	20·5	3·4	493	291	101	55	-	2	4	4	4	4	30	17	20	86	7	LIVERPOOL.
BOOTLE - - -	65,989	19·8	15·8	18·2	19·0	4·7	41	24	8	-	-	2	-	1	-	-	3	-	-	3	2	BOOTLE.
ST. HELENS - -	91,153	22·3	22·3	18·9	21·7	3·4	67	38	14	6	-	-	-	1	-	1	4	-	-	4	2	ST. HELENS.
WIGAN - - -	87,588	17·9	25·6	19·1	19·1	2·4	62	32	9	5	-	1	1	-	-	-	2	2	4	4	-	WIGAN.
WARRINGTON -	69,280	14·3	21·8	23·3	24·8	4·5	34	33	5	8	-	4	-	-	-	-	2	-	1	3	1	WARRINGTON.
BOLTON - - -	180,502	16·5	20·5	17·9	16·5	3·5	86	57	16	13	-	-	-	1	-	5	6	1	3	5	-	BOLTON.
BURY - - -	58,744	9·8	17·8	16·0	13·3	2·7	28	15	3	3	-	1	-	-	-	-	2	1	1	1	-	BURY.
MANCHESTER - -	637,126	19·0	20·3	19·7	17·4	1·5	384	213	51	54	-	1	2	2	-	2	11	6	15	58	1	MANCHESTER.
SALFORD - - -	234,077	19·2	20·7	17·2	17·6	3·8	123	79	22	22	-	1	2	3	-	-	11	3	4	15	-	SALFORD.
OLDHAM - - -	140,969	22·9	19·6	19·2	19·2	3·0	66	52	9	13	-	6	-	-	1	-	1	3	3	7	-	OLDHAM.
ROCHDALE - -	87,189	20·9	16·1	22·7	20·3	1·8	50	34	9	7	-	1	-	1	-	-	1	1	3	7	1	ROCHDALE.
BURNLEY - - -	102,808	19·3	22·8	21·3	17·8	5·1	49	35	18	10	-	2	-	-	-	-	8	-	1	3	-	BURNLEY.
BLACKBURN - -	134,015	21·4	17·9	20·6	20·6	7·0	54	53	23	9	-	1	-	-	1	1	15	2	2	6	1	BLACKBURN.
PRESTON - - -	116,399	30·5	17·5	23·7	17·9	3·1	63	40	13	14	-	-	-	1	-	-	6	1	1	5	1	PRESTON.
BARROW-IN-FURNESS.	60,967	12·8	17·1	11·1	12·8	2·6	32	15	6	2	-	-	-	-	-	-	3	1	1	1	2	BARROW-IN-FURNESS.

* See note † on first page of this return

TABLE 1 (cont.)—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 29th Sept., 1906.	6th Oct., 1906.	13th Oct., 1906.	20th Oct., 1906.	Rate from Diseases in Cols. 11-17. Week ended 20th Oct., 1906.	Registered during the Week ended 20th Oct., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	18·7	22·5	18·7	14·8	2·2	40	27	7	8	-	-	-	-	-	1	3	2	3	2	2	HUDDERSFIELD.
HALIFAX - - -	109,272	13·8	16·2	15·7	16·7	0·5	45	35	5	15	-	1	-	-	-	-	-	3	3	4	2	HALIFAX.
BRADFORD - -	288,544	18·1	15·9	13·2	15·5	1·3	112	86	17	30	-	-	-	1	-	3	3	3	6	20	-	BRADFORD.
LEEDS - - -	463,495	15·3	18·4	14·8	12·8	0·9	206	114	33	24	-	-	-	1	1	-	6	2	12	14	-	LEEDS.
SHEFFIELD - -	447,951	22·0	18·3	15·4	14·2	2·9	259	122	44	28	-	1	4	1	1	4	14	7	7	28	1	SHEFFIELD.
ROTHERHAM - -	61,098	21·3	12·8	18·8	17·9	1·7	33	21	1	5	-	-	-	-	-	-	2	1	2	-	1	ROTHERHAM.
YORK - - -	83,467	13·7	13·7	9·4	15·6	1·9	37	25	3	5	-	-	-	-	-	-	3	-	2	3	-	YORK.
HULL - - -	262,426	24·2	18·3	14·7	16·9	3·0	136	85	22	19	-	-	-	3	1	2	9	4	9	19	-	HULL.
MIDDLESBROUGH -	100,069	26·1	19·3	22·4	24·0	4·7	67	46	15	5	-	1	-	-	1	1	6	1	1	6	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	18·8	15·8	10·9	21·8	2·0	36	22	5	9	-	-	-	-	-	-	2	-	-	1	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	14·9	22·0	11·4	14·9	2·8	50	21	9	5	-	-	-	2	-	-	2	-	1	2	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	22·6	20·6	13·5	16·5	1·7	105	49	12	12	-	-	1	-	-	1	3	3	5	12	-	SUNDERLAND.
SOUTH SHIELDS -	111,402	24·8	22·0	18·3	18·3	3·7	61	39	10	10	-	1	1	-	2	-	4	-	-	5	2	SOUTH SHIELDS.
GATESHEAD - -	123,191	20·3	15·2	23·7	19·0	3·8	99	45	14	7	-	1	1	1	-	2	4	1	4	5	6	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	25·4	21·2	18·0	15·1	2·7	133	78	19	14	-	-	3	2	-	-	9	3	4	12	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	22·2	25·0	22·2	18·3	1·0	39	19	9	2	-	-	-	-	-	-	1	-	-	1	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	15·5	18·3	18·3	15·5	0·7	58	22	8	4	-	-	-	-	-	-	1	1	1	5	1	NEWPORT (MON.).
CARDIFF - - -	183,823	16·7	16·2	13·0	10·2	0·6	91	36	12	7	-	-	-	-	1	-	1	3	5	4	-	CARDIFF.
RHONDDA- - -	127,684	19·6	20·8	15·5	12·7	2·0	86	31	10	7	-	-	-	-	-	-	5	1	2	-	-	RHONDDA.
MERTHYR TYDFIL -	74,961	28·5	27·1	20·2	11·1	2·8	46	16	9	2	-	-	-	-	-	-	4	1	1	1	-	MERTHYR TYDFIL
SWANSEA- - -	96,348	21·5	17·8	24·8	18·8	4·3	55	35	10	8	-	-	1	1	1	-	5	2	2	5	-	SWANSEA.
GREATER LONDON -	7,113,561	14·8	14·3	13·4	12·5	1·3	3683	1706	400	491	-	13	15	21	19	11	104	69	182	581	9	GREATER LONDON.
OUTER RING - -	2,392,344	12·9	11·9	11·7	10·3	1·3	1272	474	123	142	-	8	6	10	6	3	26	19	42	91	2	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	12·9	12·2	12·2	11·4	1·8	622	257	76	62	-	8	5	6	4	3	15	12	28	52	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	12·9	11·6	11·2	9·3	0·8	650	217	47	80	-	-	1	4	2	-	11	7	14	39	2	REMAINDER OF OUTER RING.
EDINBURGH - -	341 035	14·5	15·6	16·8	12·8	2·1	150	84	18	22	-	-	2	2	-	-	10	1	?	30	3	EDINBURGH.
GLASGOW - - -	835,625	17·7	18·3	19·2	17·1	2·2	445	274	62	57	-	-	2	-	8	2‡	23	10	?	80	14	GLASGOW.
DUBLIN† - - -	378,994	24·5	26·0	23·7	21·7	2·9	240	158	41	37	-	-	2	2	2	4	11	2	8	50	5	DUBLIN.†
BELFAST† - - -	366,220§	19·4	20·5	15·5	17·4	2·3	195	122	34	22	-	-	-	1	2	-	13	5	8	28	-	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 1 death from Cerebro-spinal meningitis was registered. § Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SECOND Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2516	2610	2468	2529	2485	2389	2486	2345	2442	2372	2457·9	2411
Males - - -	1261	1342	1248	1284	1267	1201	1281	1231	1244	1222	1268·6	1226
Females - -	1255	1268	1220	1245	1218	1188	1205	1114	1198	1150	1189·3	1185
TOTAL **Deaths** -	1333	1442	1497	1567	1392	1394	1496	1333	1476	1331	1436·2	1232
Males - -	706	708	795	789	694	700	760	680	739	683	729·3	652
Females - -	627	734	702	778	698	694	736	653	737	648	706·9	580

* The numbers in this column are the average weekly numbers in the forty-second week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	13 Weeks.
TOTAL **Births** -	2352	2576	2155	2550	2466	2475	2329	2319	2260	2374	2251	2355	2411	30873
TOTAL **Deaths** -	1056	1272	1352	1584	1654	1570	1892	1589	1548	1422	1404	1295	1232	18870
Ages at Death: Under 1 year -	233	346	464	653	646	643	760	631	544	426	341	280	277	6244
1—5 years -	121	148	162	194	204	199	219	207	171	150	146	125	128	2174
5—20 ,, -	74	68	79	59	67	64	66	60	63	85	73	73	58	889
20—40 ,, -	147	141	145	142	159	136	187	151	154	179	165	156	150	2012
40—60 ,, -	217	254	210	243	245	235	268	248	255	249	293	279	270	3266
60 yrs. & upwds.	264	315	292	293	333	293	392	292	361	333	386	382	349	4285
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	30	22	25	21	13	16	9	7	9	8	6	2	5	173
Scarlet Fever - -	6	6	10	8	9	7	6	4	7	10	12	19	9	113
Diphtheria - -	10	10	13	15	9	12	13	10	18	13	12	14	11	160
Whooping-cough -	10	13	14	13	12	11	17	22	20	13	11	12	13	181
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	4	5	4	7	2	4	3	8	12	11	17	8	88
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	-	-	1	-	-	2
Diarrhœa, Dysentery	74	184	288	424	458	455	529	455	340	207	135	93	78	3720
All above Diseases -	133	239	355	485	508	504	578	501	402	263	188	157	124	4437
Dis. of Resp. System	42	52	47	45	45	53	53	35	74	51	90	84	64	735
Pneumonia - -	59	59	65	74	58	56	90	70	75	83	98	93	82	962
Phthisis - - -	111	108	112	109	119	105	123	128	104	147	139	120	132	1557
Dis. of Circ. System -	134	161	145	151	141	137	169	164	144	147	176	171	169	2009
Violence - - -	61	62	65	52	72	49	77	56	41	68	48	53	50	754
Inquest Cases - -	120	140	141	129	139	115	153	130	117	127	131	115	140	1697
Deaths in Institutions -	449	500	481	533	567	588	670	537	552	552	551	550	490	7020
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	66·3	67·3	66·1	61·5	64·9	66·5	68·0	57·6	55·8	52·0	58·4	57·6	41·2	60·2
Mean of Highest -	77·8	80·1	78·8	71·3	77·4	81·6	80·9	69·1	63·2	63·1	66·5	65·5	59·4	71·8
Mean of Lowest -	56·5	56·0	56·1	54·3	55·4	52·2	55·8	48·0	50·5	41·5	51·2	51·2	43·5	51·8
Mean Humidity of the Air.	63	64	68	77	72	62	64	70	80	77	83	82	81	73
Rain-fall (in inches) -	0·15	0·86	0·01	0·33	0·26	0·00	0·85	0·74	0·38	0·00	0·69	0·63	0·21	5·11
Registered Sunshine (in hours).	69·5	76·5	54·1	35·7	49·9	70·9	53·7	48·8	22·6	41·3	31·0	35·7	31·7	621·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3048	3120	3051	3046	3078	3042	3067	3075	3164	3388	3603	3803	3923	3262
Diphtheria - -	874	879	861	846	859	835	861	862	846	849	907	944	982	877
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	99	109	101	95	101	103	115	116	124	140	167	186	186	126

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Glunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SECOND Week of the Year 1906.

he terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 42nd week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1436·2	1232	277	128	58	150	270	349
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	0·3	-	-	-	-	-	-	-
Measles (Morbilli)	27·5	5	-	5	-	-	-	-
Scarlet Fever	9·9	9	-	7	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	8·7	11	-	1	-	1	5	4
Whooping-cough	16·6	13	5	8	-	-	-	-
Diphtheria	12·5	11	-	10	1	-	-	-
Cerebro Spinal Fever	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	0·3	-	-	-	-	-	-	-
Enteric Fever	14·5	8	-	1	1	6	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	26·8	51	42	9	-	-	-	-
Diarrhœa, Dysentery	25·0	27	19	4	-	-	-	4
Tetanus	0·3	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	9·9	9	6	-	-	1	2	-
Puerperal Septicæmia	3·8	4	-	-	-	4	-	-
Puerperal Pyæmia	-	1	-	-	-	1	-	-
Puerperal Fever	0·8	1	-	-	-	1	-	-
Infective Endocarditis	2·3	1	-	-	-	1	-	-
Pneumonia: Lobar	10·2	6	1	-	-	3	1	1
Pneumonia: Broncho-	54·3	31	11	15	1	2	2	-
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	53·3	45	4	9	3	4	15	10
Erysipelas	3·3	10	2	-	-	3	3	2
Septicæmia (not Puerperal)	1·8	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	1·8	-	-	-	-	-	-	-
Other Infective Processes	7·9	4	-	-	-	1	1	2
Tuberculous Phthisis	73·7	90	-	-	9	37	36	8
"*Phthisis*"	67·3	42	-	-	4	14	15	9
Tuberculous Meningitis	19·4	18	3	9	4	2	-	-
Tuberculous Peritonitis	10·2	6	-	3	-	1	2	-
Tabes Mesenterica	3·3	5	2	3	-	-	-	-
Tuberculous Dis. (other)	20·9	14	3	3	2	4	1	1
Scrofula	1·0	-	-	-	-	-	-	-
Alcoholism	10·7	15	-	-	-	4	8	3
Rheumatic Fever	4·3	4	-	-	2	2	-	-
Gout	2·5	2	-	-	-	-	-	2
Carcinoma	56·6	53	-	-	-	2	23	28
Sarcoma	5·4	5	-	1	-	-	3	1
Cancer (undefined)	35·9	35	-	-	-	3	15	17
Diabetes Mellitus	12·0	6	-	-	1	-	2	3
Premature Birth	54·6	44	44	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 42nd week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	16·3	8	2	5	-	1	-	-
Insanity, Gen. Par. of Insane	15·0	10	-	-	-	6	2	2
Epilepsy	8·4	7	1	-	-	3	1	2
Convulsions	22·4	17	17	-	-	-	-	-
Locomotor Ataxy	1·5	2	-	-	-	-	2	-
Paraplegia, Dis. of Cord	2·8	4	-	-	-	-	4	-
Nervous Sys. (other dis.)	19·9	15	1	1	4	1	3	5
Valv. Dis., Endocarditis	41·8	46	-	-	8	7	18	13
Cerebr. Hæm. Thromb.	31·1	32	-	-	-	1	7	24
Apoplexy, Hemiplegia	19·1	15	-	-	-	-	5	10
Aneurysm	3·6	6	-	-	-	3	1	2
Embolism, Thrombosis (not cerebral)	1·3	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	89·2	70	-	-	3	3	12	52
Croup (not Spasm: nor Memb.)	0·8	3	-	3	-	-	-	-
Bronchitis	105·5	49	9	4	-	1	6	29
Asthma, Emphysema	3·8	-	-	-	-	-	-	-
Pleurisy	2·0	5	-	1	-	-	3	1
Respiratory Dis. (other)	10·7	7	-	3	-	1	-	3
Tonsillitis, Quinsy	0·3	2	-	2	-	-	-	-
Enteritis (not Epid.)	15·3	26	13	5	-	-	5	3
Gastro-Enteritis	8·9	16	11	3	-	1	-	1
Peritonitis (not Puerp.)	3·8	2	-	-	-	1	-	1
Cirrhosis of Liver	14·0	19	-	-	-	3	13	3
Liver Dis. (other)	7·6	9	-	-	2	2	1	4
Digestive Dis., Other	40·0	25	5	2	-	5	6	7
Nephritis, Acute	7·1	7	-	-	1	1	3	2
Bright's Dis., Albuminuria	35·2	39	1	-	1	3	18	16
Urinary Sys., Other Dis.	13·0	17	-	-	-	1	1	15
Generative Organs Dis.	5·9	4	-	-	1	-	2	1
Childbirth (Accid. of)	4·3	3	-	-	-	1	2	-
Old Age	54·5	40	-	-	-	-	-	40
Other Diseases	97·9	91	59	7	3	2	10	10
ACCIDENT.								
By Railways	1·0	1	-	-	-	-	-	1
By Vehicles and Horses	7·6	4	-	1	2	-	1	-
In Ships, Boats, Docks, (exclusive of Drowning)	-	1	-	-	-	-	1	-
In Building Operations	1·5	2	-	-	-	2	-	-
In Conflagrations	2·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	4·3	3	1	2	-	-	-	-
By Drowning	4·3	4	1	-	-	-	2	1
By Suffocation in Bed	9·4	11	11	-	-	-	-	-
By Poisons or Poisonous Vapours	2·8	5	-	-	2	2	1	-
Other Deaths by Accident	18·9	11	1	1	1	1	2	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·3	2	2	-	-	-	-	-
Suicide	9·9	6	-	-	-	1	4	1
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MI[illegible] SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., reg[illegible] in each SUB-DISTRICT during the Week ended Saturday, 20th October, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexiat Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.
LONDON	4,536,429	2411	1232	277	349	-	5	9	11	13	-	8	-	78	50	140
WEST DISTRICTS	805,311	325	197	36	71	-	-	1	2	3	-	1	-	14	9	21
NORTH DISTRICTS	1,056,070	510	243	43	82	-	-	2	1	2	-	4	-	12	8	24
CENTRAL DISTRICTS	209,465	119	65	17	11	-	-	-	-	2	-	-	-	7	3	6
EAST DISTRICTS	715,739	516	241	78	44	-	3	-	1	-	-	2	-	19	15	40
SOUTH DISTRICTS	1,749,844	941	447	103	129	-	2	4	7	6	-	1	-	24	15	49
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	39	-	12	-	-	2	-	-	-	-	-	2	-	-
WEST DISTRICTS.																
St. Mary Paddington *W,2H*	93,178	37	19	3	9	-	-	-	-	-	-	1	-	1	1	2
St. John Paddington *H*	33,617	7	9	1	2	-	-	-	-	-	-	-	-	-	3	3
North-West Paddington	17,181	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	48	35	6	16	-	-	-	-	-	-	-	-	2	1	3
Brompton *2H*	48,591	5	8	-	5	-	-	-	-	-	-	-	-	-	-	1
North Hammersmith *2W,wH*	49,192	24	16	5	5	-	-	-	-	-	-	-	-	3	1	2
South Hammersmith *w,2H*	63,047	31	10	-	3	-	-	-	-	-	-	-	-	-	-	2
North-west Fulham *W*	45,180	32	19	6	6	-	-	-	-	2	-	-	-	5	-	-
North-east Fulham *F*	46,405	34	14	2	3	-	-	1	2	-	-	-	-	1	-	1
South Fulham *W*	45,704	23	10	2	2	-	-	-	-	1	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	14	19	1	12	-	-	-	-	-	-	-	-	1	-	3
Chelsea South *W,2H*	31,328	10	6	2	-	-	-	-	-	-	-	-	-	-	1	1
Mayfair and Knightsbridge	28,743	4	6	1	4	-	-	-	-	-	-	-	-	-	2	2
Belgrave *W,2H*	55,815	19	11	2	2	-	-	-	-	-	-	-	-	-	-	-
St. Margaret & St. John *4H*	43,698	14	13	4	1	-	-	-	-	-	-	-	-	1	-	1
St. James and St. Anne *W,6H*	33,081	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone *8H*	35,391	18	9	1	4	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *W,4H*	37,948	34	10	2	2	-	-	-	-	-	-	-	-	1	-	1
Christchurch Marylebone *H*	39,536	25	9	6	1	-	-	-	-	-	-	-	-	1	-	1
St. John Marylebone *2H*	20,426	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	22	20	1	5	-	-	2	1	-	-	1	-	-	1	1
West St. Pancras *2H*	60,562	33	10	1	2	-	-	-	-	1	-	-	-	-	2	2
Tottenham-court *w,7H*	21,258	6	11	1	3	-	-	-	-	-	-	-	-	-	1	2
Gray's Inn Lane *4H*	34,449	14	5	2	1	-	-	-	-	-	-	-	-	-	-	-
East St. Pancras *W,2H*	60,320	43	19	1	9	-	-	-	-	-	-	-	-	2	2	3
North St. Pancras *2W*	58,728	26	12	1	8	-	-	-	-	-	-	-	-	-	-	-
Tufnell *W*	31,995	13	20	3	6	-	-	-	-	1	-	-	-	-	-	2
Upper Holloway *2W,w,H*	33,978	22	11	2	4	-	-	-	-	-	-	-	-	-	-	1
Tollington *WH*	33,922	12	4	1	3	-	-	-	-	-	-	-	-	1	-	-
Lower Holloway	41,424	18	12	2	4	-	-	-	-	-	-	-	-	1	-	2
Barnsbury	54,478	33	11	4	6	-	-	-	-	-	-	-	-	-	-	1
Islington South-east *F*	75,397	30	10	2	1	-	-	-	-	-	-	-	-	1	-	1
Highbury *2H*	63,797	19	9	1	3	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	25	7	-	3	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	21	7	2	5	-	-	-	-	-	-	-	-	1	1	1
Central Hackney *2w,F*	50,536	23	8	1	2	-	-	-	-	-	-	1	-	-	-	-
South-west Hackney *3E*	59,921	35	17	5	4	-	-	-	-	-	-	-	-	3	1	2
South-east Hackney *2W,w,H*	58,255	30	20	3	6	-	-	-	-	-	-	2	-	1	-	4

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the[illegible] namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr[illegible] than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a [illegible] district contains more than one institution of either kind, the number is indicated by a figure prefixed to [illegible] letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Feve[illegible]

LE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th October, 1906—*continued.*

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Giles and Bloomsbury 2*W*,2*H* -	31,436	20	4	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-
and *W*,4*H* - - - - -	21,674	2	7	1	2	-	-	-	-	-	-	-	-	1	-	-	7	-
and Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lborn *W*,6*H* - - - - -	29,612	16	14	5	1	-	-	-	-	-	-	-	-	3	-	-	10	-
ıth Clerkenwell - - -	28,676	18	9	3	2	-	-	-	-	-	-	-	-	-	2	3	-	-
rth Clerkenwell *H* - - -	35,028	25	10	3	1	-	-	-	-	1	-	-	-	-	1	2	-	-
ısbury 3*H*,*L* - - - - -	36,116	35	8	2	1	-	-	-	-	1	-	-	-	1	-	1	1	-
lborn Union Workhouse, Hitcham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph *H* - - - -	10,299	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows *W*,2*H*	16,624	3	10	2	1	-	-	-	-	-	-	-	-	2	-	-	9	-
y of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
oreditch South *H* - - -	46,362	29	7	2	-	-	-	-	-	-	-	-	-	2	-	-	1	-
oreditch North-West *W*,*w*,*H* -	36,127	29	23	10	6	-	-	-	-	-	-	-	-	2	1	1	15	2
oreditch North-East - - -	36,148	26	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North-East 2*W*, *HL.*	65,138	37	34	6	6	-	1	-	-	-	-	-	-	1	-	1	16	-
thnal Green South-West *H* -	64,542	44	19	10	3	-	-	-	-	-	-	1	-	2	3	5	2	-
italfields - - - - -	27,969	26	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ile End New Town *W*,*H* - -	28,718	31	42	7	9	-	-	-	1	-	-	1	-	3	4	9	35	-
odman's Fields - - - -	22,081	17	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
. George and St. John 2*W* - -	49,068	32	9	1	3	-	-	-	-	-	-	-	-	-	-	2	3	-
adwell and Ratcliff *W*,*H* - -	25,568	10	17	11	-	-	-	-	-	-	-	-	-	1	2	2	10	-
mehouse *W* - - - - -	32,369	32	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
ile End Old Town South-Western *H* - - - -	63,698	59	7	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-
ile End Old Town North-Eastern *W*,*w* - - -	49,129	35	11	1	4	-	-	-	-	-	-	-	-	1	-	2	5	-
ow *L* - - - - - - -	41,989	20	10	5	1	-	-	-	-	-	-	-	-	-	2	3	-	-
romley 3*w*,*H* - - - - -	68,319	42	36	10	6	-	-	-	-	-	-	-	-	5	1	8	19	-
oplar *W*,*w* - - - - -	58,514	47	15	8	4	-	1	-	-	-	-	-	-	-	2	5	3	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th October, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch and St. Saviour Southwark *W,2H*	23,319	13	27	3	5	-	-	-	-	1	-	-	-	-	2	6
Kent-road	21,904	14	5	1	-	-	-	-	-	-	-	-	-	1	-	1
St. George the Martyr West *W,2H,L*	39,094	36	10	3	2	-	-	-	-	-	-	-	-	3	-	-
Newington North	49,022	25	8	4	-	-	-	-	-	-	-	-	-	-	-	1
Newington South *W*	72,841	42	12	4	-	-	-	-	-	-	-	-	-	-	-	2
St. Olave *2W*	9,817	4	3	-	2	-	-	-	-	-	-	-	-	-	-	1
Bermondsey *W*	82,483	48	17	4	1	-	-	-	1	2	-	-	-	2	1	3
Rotherhithe *W,F*	33,460	22	13	4	2	-	-	-	-	-	-	-	-	-	1	1
Waterloo* *2H*	27,440	21	7	2	-	-	-	-	-	-	-	-	-	-	1	2
Lambeth Church* *H*	27,440	15	16	5	1	-	-	-	-	-	-	-	-	2	2	3
Kennington* *2W*	52,518	21	22	3	10	-	-	-	-	-	-	-	-	-	-	1
Stockwell* *HF*	63,826	29	9	4	4	-	-	-	-	-	-	-	-	1	-	2
Brixton* *H*	73,673	33	14	6	4	-	-	-	-	-	-	-	-	1	-	1
Norwood* *WH*	56,998	28	10	1	5	-	-	-	-	-	-	-	-	1	-	-
East Battersea *H*	72,203	34	8	4	2	-	-	-	-	-	-	-	-	2	-	1
North-west Battersea	49,656	35	6	4	1	-	-	-	-	-	-	-	-	-	-	1
South-west Battersea *2W,H*	47,048	15	21	5	7	-	-	-	-	-	-	-	-	-	-	1
Clapham *2H*	51,361	23	11	3	4	-	1	-	-	1	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	49	15	2	7	-	-	2	1	-	-	-	-	-	-	1
Springfield *2W,L*	27,959	12	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Southfields *H*	40,444	37	12	3	3	-	-	-	-	-	-	-	-	-	1	3
Putney	24,139	10	3	1	1	-	-	-	-	-	-	-	-	-	2	2
Dulwich	13,359	3	6	1	3	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	19	19	-	14	-	-	-	-	-	-	-	-	-	-	-
Camberwell North *W,2L*	65,584	32	26	2	9	-	-	-	-	-	-	-	-	1	1	1
St George	47,331	23	5	2	2	-	-	-	-	-	-	-	-	1	-	-
Peckham North	48,913	34	10	2	1	-	-	-	1	-	-	-	-	1	-	2
Peckham South *2W,w*	43,946	16	8	2	3	-	-	-	-	-	-	-	-	1	-	-
Deptford North	37,613	25	10	2	2	-	1	-	-	-	-	-	-	1	-	1
Deptford Central *F*	45,481	26	11	4	2	-	-	1	1	-	-	-	-	1	1	2
Deptford South	34,625	13	4	-	2	-	-	-	-	-	-	-	-	-	1	1
Greenwich West *2H*	23,456	5	6	-	2	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	26	25	2	13	-	-	-	-	-	-	-	-	1	1	2
Eltham *w,H*	7,226	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	12	4	2	1	-	-	-	-	-	-	-	-	1	-	1
Lewisham *Ww,F*	58,352	26	22	3	4	-	-	1	1	-	-	-	-	1	-	3
Sydenham *H*	43,653	27	11	4	3	-	-	-	-	1	-	-	-	-	-	-
Charlton *F,2H*	21,134	8	5	1	-	-	-	-	1	-	-	1	-	-	-	-
Woolwich *5H*	41,625	23	11	5	3	-	-	-	1	1	-	-	-	1	1	1
Plumstead West *W*	18,063	12	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W,H*	50,264	37	10	4	4	-	-	-	-	-	-	-	-	-	-	1
Workhouse:—																
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	2	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																
Belmont	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																
Banstead	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	6	-	3	-	-	-	-	-	-	-	-	1	-	-
Colney Hatch	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Claybury	—	-	4	-	1	-	-	-	-	-	-	-	-	1	-	-

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-districts as above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20th October, 1906.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1272	474	123	142	-	8	6	10	6	3	26	19	42	91	2
1	Carshalton 2F,3H - -	12,228	32,997	15	5	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H -	10,423	15,548	10	2	-	1	-	-	-	-	-	-	-	-	-	2	-
3 1	Godstone, *part of** W,F -	2,754	2,692	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Coulsdon - - - -	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	15	4	1	3	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H -	2,168	42,888	28	17	2	5	-	-	-	2	1	-	-	-	4	9	-
4	North Croydon H - -	2,644	41,698	20	15	2	5	-	-	-	-	-	-	1	1	2	-	-
5	Penge w,H - - - -	770	22,465	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30,015	21	8	2	5	-	-	-	-	-	-	1	-	-	-	-
1	Wimbledon F,3H - -	3,221	41,652	17	7	3	3	-	-	1	-	-	-	2	-	-	-	-
2	Kingston 2W,H - - -	6,224	42,068	13	14	4	6	-	-	-	-	-	-	1	-	-	6	-
3	Surbiton F,H - - -	3,046	15,017	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H -	5,402	13,100	2	5	-	4	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L - - -	4,554	23,456	19	6	2	1	-	-	-	-	-	-	1	-	-	-	-
1	Richmond W,H - - -	2,162	28,865	14	3	-	1	-	-	-	1	-	-	-	-	-	-	-
2	Mortlake F - - -	2,847	20,628	6	6	3	-	-	-	-	-	-	-	1	-	-	-	-
1	Bromley F,2H - - -	4,703	27,354	11	5	1	2	-	-	-	1	-	-	-	-	-	2	-
2	Beckenham H - - -	7,825	28,497	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W -	10,113	9,857	5	4	-	2	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H - - -	7,333	16,446	7	2	2	-	-	-	-	-	-	-	1	-	-	-	-
1	Bexley w F,H - - -	8,678	21,151	13	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - - -	3,854	25,296	18	6	-	-	-	-	-	-	-	-	-	1	2	-	-
3	Dartford W,F, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Sunbury w - - - -	11,054	18,683	4	3	-	1	-	-	-	-	-	-	-	-	1	-	-
2	Staines W,H - - -	13,277	15,178	16	7	2	4	-	-	-	-	-	-	1	-	-	3	1
1	Hillingdon W,F,H - -	6,035	13,661	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H - - -	12,757	8,984	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2F,H - - -	8,066	16,358	11	2	1	1	-	-	-	-	-	-	-	-	1	-	-
1	Isleworth 3W,2F,H - -	6,859	30,863	24	9	1	5	-	-	-	-	-	-	-	-	-	4	-
2	Twickenham F,H - -	2,421	20,991	11	6	-	3	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H - - -	4,319	48,289	33	8	2	2	-	-	-	1	-	-	-	-	-	1	-
4	Chiswick H - - - -	1,249	29,809	16	5	1	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	45	12	1	3	-	-	-	1	-	-	1	2	4	1	-
1	Harrow F,H - - -	13,809	25,523	22	3	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Edgware 2F,2H - - -	6,994	4,521	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	67	24	7	9	-	-	-	-	1	-	-	-	-	4	-
4	Hendon W,F - - -	8,382	22,450	13	3	-	1	-	-	-	-	-	-	-	-	-	1	-
1	South Mimms 2F,H - -	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	8	3	-	-	-	-	-	-	-	-	-	1	1	-	-
3	Finchley F,2H - - -	4,688	33,692	18	3	1	-	-	-	-	-	-	-	-	-	-	-	-
1	Hornsey F,H - - -	2,875	72,056	32	10	1	7	-	1	-	-	-	1	-	-	1	-	-
2	Wood Green H - - -	1,625	34,233	22	5	-	3	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham F - -	996	48,853	24	14	7	4	-	-	-	-	-	-	-	-	2	-	-
4	East Tottenham 2H - -	2,017	53,688	39	18	4	1	-	-	-	1	-	-	1	3	4	5	-
5	Edmonton W,w,2F - -	7,491	61,892	57	24	6	10	-	-	-	-	-	-	1	2	4	7	-
6	Enfield 2W,F,H - - -	12,601	42,738	26	11	5	3	-	-	-	-	1	-	-	-	-	4	-
7	Waltham Abbey F - -	11,017	6,549	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	5	2	-	2	-	-	-	-	-	-	-	-	-	-	1
1	Hatfield, *part of** W - -	3,305	664	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey H - - - -	9,333	9,173	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford H - - -	1,072	44,827	22	11	4	2	-	-	-	-	-	-	2	1	1	2	-
2	Plaistow F,2H - - -	1,249	90,921	82	29	9	3	-	2	2	1	-	-	1	3	4	3	-
3	Canning Town H - -	1,556	70,718	52	23	12	3	-	2	-	-	-	-	4	1	3	1	-
4	Forest Gate w - - -	806	60,892	31	11	1	6	-	-	-	-	-	1	-	1	1	-	-
5	North East Ham w H -	1,333	58,676	31	14	5	6	-	-	-	-	-	-	-	1	1	1	-
6	South East Ham 2F - -	1,993	37,342	50	8	2	1	-	-	-	-	-	-	1	-	3	-	-
7	Wanstead F - - -	1,679	9,179	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	29	11	1	4	-	3	-	-	-	-	-	-	-	6	-
9	North Leyton 2W,w,F -	1,963	48,445	34	24	9	1	-	-	-	-	1	1	3	1	1	15	-
10	Walthamstow 3H,L - -	6,504	108,929	72	21	9	1	-	-	1	-	1	-	2	1	2	2	-
1	Chigwell, *part of** 2F,3H -	11,778	16,397	11	3	-	-	-	-	2	1	-	-	-	-	-	3	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** W,2F -	6,556	6,091	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L - - - -	8,496	41,234	42	10	4	1	-	-	-	-	1	-	-	-	-	1	-
3	Barking Town F - -	9,803	21,547	17	6	2	1	-	-	-	-	-	-	-	-	-	-	-
	N.E. Hospital, Tottenham -	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	London County Asylum, Claybury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diseases
London - -	4,721,217	October 20	2411	1232	13·6	-	5	9	14	13	8	78
Calcutta - -	977,822	September 22	-	-	-	-	-	-	-	-	-	
Bombay - -	982,000	October 2	423	766	51·3	1	1	-	-	-	127†	94
Madras - -	509,346	September 21	450	600	61·2	3	3	-	-	-	110†	98
Paris - - -	2,750,000	October 13	922	848	16·5	-	2	1	4	6	8	17
Brussels - -	612,401	" 13	198	173	14·7	-	3	-	1	2	-	15
Antwerp - -	297,311	" 13	134	74	12·9	-	-	-	1	-	-	13
Amsterdam -	560,482	" 6	257	115	10·7	-	1	2	3	-	1	13
Copenhagen -	425,000	" 13	238	112	13·7	-	-	-	-	1	-	12
Stockholm -	324,488	" 6	152	84	13·5	-	-	-	1	1	-	3
Christiania -	222,373	" 13	124	53	12·4	-	-	-	4	-	-	4
St. Petersburg	1,424,700	September 29	599	567	20·8	1	8	24	24	-	41	97
Moscow - -	1,154,000	October 6	-	656	29·6	-	2	11	18	2	10	57
Berlin - -	2,069,353	September 29	943	584	14·7	-	3	4	12	4	4	91
Hamburg - -	819,380	October 13	-	220	14·3	-	-	-	2	4	-	86
Breslau - -	475,000	" 6	328	193	21·2	-	-	-	2	1	-	48
Munich - -	544,000	" 13	-	152	14·6	-	-	1	1	1	-	23
Vienna - -	1,956,949	" 13	997	571	15·2	-	3	3	6	-	6	40
Prague - -	460,849	" 6	199	137	15·5	-	1	-	-	-	1	12
Buda-Pesth -	859,134	" 6	420	253	16·6	-	1	-	1	1	3	16
Trieste - -	196,637	" 13	136	95	24·9	-	-	-	-	-	1	5
Rome - -	531,179	September 1	262	141	13·9	-	1	-	-	2	9§	21
Venice - -	171,709	" 8	-	-	-	-	-	-	-	-	-	
Bucharest -	291,138	October 6	164	123	22·0	-	-	2	-	-	7	9
New York -	4,152,860	" 6	2323	1268	15·9	-	2	3	22	15	25	76
Chicago - -	2,049,185	" 6	-	566	14·4	-	1	3	11	2	-	33
Philadelphia -	1,469,126	September 22	-	422	14·9	-	-	-	7	8	13	37
Boston - -	617,950	—	-	-	-	-	-	-	-	-	-	
Rio de Janeiro	912,900	September 16	-	231	13·2	-	-	-	3	-	5†	

* Excluding deaths from croup in the Indian Cities.
† Including 40 deaths from plague in Bombay, 1 in Madras, and 3 in Rio de Janeiro.
‡ Including 12 deaths from cholera in Bombay and 80 in Madras.
§ Including 5 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 20th October, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
London (Greenwich)	62·9	35·2	51·5	0·21	Bradford - -	57·8	34·2	47·3	1·0
Brighton - -	62·0	35·9	52·7	0·40	Leeds - - -	58·0	34·0	47·2	1·1
Portsmouth - -	61·5	38·3	52·8	0·74	Hull - - -	59·0	33·0	48·2	2·1
Norwich - -	62·0	37·6	51·0	0·11	Tynemouth - -	57·0	32·0	45·2	2·1
Plymouth - -	62·0	38·6	52·0	0·62	Cardiff - -	59·4	32·2	49·4	1·[illegible]
Bristol - - -	60·0	34·5	50·3	1·05	Edinburgh - -	55·5	31·7	43·5	2·0
Birmingham - -	58·8	33·1	47·5	1·22	Glasgow - -	56·2	31·5	45·3	1·1
Nottingham - -	61·9	33·1	48·7	1·50	Dublin { Phœnix Park.	56·3	31·2	45·5	0·[illegible]
Liverpool Observatory.	58·0	37·0	47·3	1·40	Dublin { Fitzwilliam Square.†	57·8	32·9	47·3	0·[illegible]
Manchester -	57·8	29·8	46·5	2·71					
Preston - -	57·0	34·5	46·8	1·87					
Huddersfield -	55·7	33·2	45·6	2·42	Belfast - -	59·0	32·5	46·0	0·[illegible]

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote on the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·0 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the [illegible]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	14	..	29·746	53·0	36·4	16·6	43·8	− 6·3	36·8	7·0	13·4	2·7	76	108·6	26·7	58·22	NNW. & N.	N., variable & SW.	3·5	0·0	0·5	310	+ 57	0·00	2·2
MONDAY -	15	..	29·628	60·8	35·2	25·6	49·8	− 0·1	48·2	1·6	7·6	0·0	94	83·1	25·9	57·66	SSW. & SW.	SSW. & SW.	2·0	0·0	0·2	287	+ 31	0·01	2·3
TUESDAY -	16	..	29·573	61·2	50·5	10·7	54·6	+ 4·8	47·5	7·1	14·0	2·9	77	110·7	44·4	57·09	SW.	SW. & SSW.	4·0	0·0	0·3	333	+ 74	0·00	1·0
WEDNESDAY	17	In Eqr.	29·699	61·2	49·6	11·6	54·6	+ 5·0	51·4	3·2	8·5	1·5	89	96·7	44·3	56·85	SSW. & SW.	SW. & SSW.	3·9	0·0	0·4	328	+ 66	0·03	3·0
THURSDAY-	18	New. ..	29·601	62·9	52·1	10·8	56·9	+ 7·4	49·6	7·3	13·3	1·0	77	94·8	45·0	56·78	S.	SSW. & S.	2·0	0·0	0·2	248	− 16	0·01	3·0
FRIDAY -	19	Perigee	29·624	56·9	43·4	13·5	48·5	− 0·8	41·0	7·5	14·3	3·5	75	95·9	34·0	56·69	S., WSW. & SW.	WSW., SW. & SSW.	2·7	0·0	0·3	332	+ 66	0·15	4·0
SATURDAY-	20	..	29·746	59·9	37·2	22·7	50·0	+ 1·0	44·8	5·2	11·2	0·2	82	111·2	29·3	56·53	SSW.	SSW., SE. & S.	1·3	0·0	0·0	172	− 95	0·01	0·0
MEANS - -			29·660	59·4	43·5	15·9	41·2	+ 1·6	45·6	5·6	11·8	1·7	81	100·1	35·7	57·12	SSW.		..	..	..	Sum 2010	Sum +183	Sum 0·21	2·2
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.		Electricity (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	14	m. P. generally.	8·7	10·8
MONDAY -	15	w. P. generally; m. P. in evening.	1·3	10·7
TUESDAY -	16	w. P. throughout.	3·3	10·7
WEDNESDAY	17	w. P. generally; s. N. at 0h. 30m. P.M.	3·5	10·6
THURSDAY-	18	w. P. throughout.	2·6	10·5
FRIDAY -	19	w. P. generally till 4h. P.M.; m. P. generally afterwards; occasional v. N	7·1	10·5
SATURDAY-	20	m. P. generally till noon; w. P. afterwards.	5·2	10·4
			Sum 31·7	Sum 74·2
No. of Col.-	-	27	28	29

GENERAL REMARKS.

Cloudy in morning; very fine and cloudless with slight exceptions after 8h. A.M.

Fine generally in morning; overcast with slight exceptions after 9h. A.M. Solar halo observed at 9h. A.M. A little misty rain occasionally.

Fine; variably cloudy. Solar halo observed in forenoon.

Very fine till 4h. A.M.; generally cloudy with occasional showers afterwards.

Generally cloudy. Solar halo observed at intervals during the day, and bright parhelia between 3h. 15m. and 3h. 30m. P.M. Light shower in evening.

Cloudy in morning with rain between 1h. 30m. and 4h. A.M.; very fine with small amounts of cloud till evening; cloudy at night with rain after 10h. 30m. P.M.

Fine and partially cloudy till evening; overcast at night; slight hoar frost in early morning. Solar halo observed at 3h. 30m. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·50 in. at the beginning of the week to 29·82 in. by 9h. P.M. on the 14th; decreased to 29·55 in. by 4h. A.M. on the 16th; increased to 29·75 in. by 9h. P.M. on the 17th; decreased to 29·42 in. by 2h. A.M. on the 19th; increased to 29·77 in. by noon on the 20th; and decreased to 29·70 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 13th October, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	18	5	-	3	-	-	4	-
Kensington	180,952	-	15	6	-	1	-	-	2	-
Hammersmith	120,679	-	8	14	-	1	-	-	4	-
Fulham	161,965	-	24	10	-	3	-	-	2	-
Chelsea	74,672	-	6	4	-	-	-	-	-	-
City of Westminster	173,905	-	15	5	-	-	-	-	3	1
NORTH.										
St. Marylebone	128,580	-	11	3	-	-	-	-	4	-
Hampstead	89,633	-	5	2	-	-	-	-	2	-
St. Pancras	236,455	-	21	8	-	4	-	-	11	-
Islington	344,987	-	55	9	-	7	-	-	6	1
Stoke Newington	53,217	-	8	1	-	-	-	-	5	-
Hackney	230,721	-	28	6	-	7	-	-	9	1
CENTRAL.										
Holborn	55,805	-	8	-	-	-	-	-	-	-
Finsbury	97,466	-	14	3	-	1	-	-	3	-
City of London	21,367	-	1	2	-	-	-		-	-
EAST										
Shoreditch	116,108	-	26	4	-	1	-	-	4	1
Bethnal Green	130,609	-	20	4	-	4	-	-	8	-
Stepney	307,176	-	18	13	-	3	-	-	18	-
Poplar	170,673	-	7	2	-	10	-	-	4	-
SOUTH.										
Southwark	209,143	-	57	13	-	2	-	-	10	-
Bermondsey	128,629	-	28	12	-	1	-	-	7	-
Lambeth	315,774	-	52	10	-	3	1	-	11	-
Battersea	179,622	-	38	9	-	4	-	-	6	-
Wandsworth	273,381	-	18	18	-	2	-	-	6	-
Camberwell	274,132	-	32	7	-	2	-	-	8	-
Deptford	115,495	-	25	14	-	2	-	-	3	1
Greenwich	105,350	-	15	12	-	6	-	-	2	-
Lewisham	148,463	-	16	7	-	1	-	-	4	-
Woolwich	127,345	-	13	8	-	1	-	-	2	-
Port of London	—	-	-	-	-	2	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	602	211	-	71	1	-	148	5
Ages 0-1		-	10	6	-	-	-	-	6	-
" 1-5		-	171	57	-	6	-	-	6	-
" 5-		-	248	86	-	8	-	-	7	-
" 10-		-	110	30	-	10	-	-	11	-
" 15-		-	23	10	-	4	-	-	7	-
" 20-		-	22	8	-	9	1	-	2	3
" 25-		-	16	5	-	19	-	-	24	1
" 35-		-	2	7	-	8	-	-	34	-
" 45-		-	-	2	-	5	-	-	21	-
" 55-		-	-	-	-	2	-	-	14	-
" 65 and upwards		-	-	-	-	-	-	-	16	-
Age not stated		-	-	-	-	-	-	-	-	1

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 43. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, OCT. 27. [Price 1½*d.*

General Register Office, Somerset House,
October 29th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·6 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 17·1, 15·5, and 14·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·5 in Swansea, 20·7 in Oldham, 21·3 in Sunderland, 21·5 in South Shields, 22·8 in Great Yarmouth, 22·9 in Middlesbrough, 23·7 in Bootle, and 24·5 in Gateshead; from *measles*, 1·2 in Wigan, 1·6 in Stockport and in Bootle, 1·7 in Rotherham, 1·8 in Norwich, 3·3 in South Shields, and 3·7 in Oldham; from *scarlet fever*, 1·2 in Blackburn; from *diphtheria*, 1·2 in Rochdale and 2·2 in Leyton; from *whooping-cough*, 1·1 in Swansea and 1·2 in York; from "*fever*," 1·2 in Wigan and 1·4 in Bolton; and from *diarrhœa*, 2·6 in Rotherham, 3·0 in Gateshead, 3·1 in Blackburn, 3·6 in Middlesbrough, and 5·1 in Burnley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2474 BIRTHS and 1209 DEATHS were registered. Allowing for increase of population, the births were 70 and the deaths 206 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 15·5, 14·3, and 13·6 per 1000 in the preceding three weeks further fell last week to 13·4. The death-rate in the four weeks ended last Saturday averaged 14·2 per 1000, being 1·1 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 10/06 D & S 3 26291 2 U

The 1209 deaths included 9 from measles, 15 from scarlet fever, 16 from diphtheria, 5 from whooping-cough, 11 from enteric fever, and 55 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 111 deaths were referred to these diseases in the aggregate, being 6 below the corrected average number in the 43rd week of the preceding four years.

The deaths from *measles*, which had been 6, 2, and 5 in the preceding three weeks, rose to 9 last week, but were 18 below the corrected average; 3 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 12, 19, and 9 in the preceding three weeks, rose to 15 last week, and were 5 above the corrected average. The deaths from *diphtheria*, which had been 12, 14, and 11 in the preceding three weeks, rose to 16 last week, and were equal to the corrected average; 3 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 11, 12, and 13in the preceding three weeks, fell to 5 last week, and were 4 below the corrected average. The fatal cases of *enteric fever*, which had been 11, 17, and 8 in the preceding three weeks, were 11 last week, and were 3 above the corrected average; 3 deaths belonged to Finsbury. The deaths from *diarrhœa*, which had been 135, 93, and 78 in the preceding three weeks, further fell to 55 last week, but were 8 above the corrected average; 8 deaths belonged to Stepney, 5 each to Hackney and Poplar, and 4 to Finsbury. Of the 55 deaths from diarrhœa, 53 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 15 other deaths at this age. The deaths attributed directly to *influenza* numbered 9, having been 6, 10, and 11 in the preceding three weeks.

Different forms of *violence* caused 44 deaths, concerning all of which inquests were held. Of these 44 deaths, 12 were cases of suicide, while the remaining 32 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 3 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 4, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4068 cases of scarlet fever, 1030 of diphtheria, and 197 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 542 cases, against 621, 566, and 548; of diphtheria, 172 cases, against 166, 157, and 203; and of enteric fever, 32 cases, against 46, 40, and 24. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended October 20th, 1906.

Greater London.

In Greater London 3808 births and 1716 deaths were registered. Allowing for increase of population, these numbers are 93 and 218 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 6 deaths from diphtheria, 4 from whooping-cough, 3 from "fever," and 15 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·94 inches, and that of the Thermometer 53°·0, the latter being 5°·1 above the week's average in the 50 years 1841–90. The general direction of the wind was Southerly, the horizontal movement of the air being 25 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 30·6 hours; the measured rainfall amounted to 0·07 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 6th Oct., 1906.	13th Oct., 1906.	20th Oct., 1906.	27th Oct., 1906.	Rate from Diseases in Cols. 11–17. Week ended 27th Oct., 1906.	Registered during the Week ended 27th Oct., 1906. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**17·1**	**15·5**	**14·6**	**14·6**	**1·8**	**8665**	**4422**	**1095**	**1146**	**-**	**73**	**39**	**69**	**30**	**58**	**292**	**172**	**333**	**1091**	**44**	**76 Towns.**
London - - -	4,721,217	15·5	14·3	13·6	13·4	1·2	2474	1209	276	325	-	9	15	16	5	11	55	44	103	479	1	London.
† Croydon - -	151,011	10·0	12·4	12·1	7·3	0·7	80	21	4	10	-	-	-	-	-	-	2	-	1	5	-	Croydon.
† Willesden - -	143,622	13·1	10·2	9·1	8·4	0·7	86	23	2	10	-	-	-	1	-	-	1	3	3	7	1	Willesden.
† Hornsey - -	86,935	5·4	7·2	6·6	6·0	-	38	10	-	6	-	-	-	-	-	-	-	-	-	1	-	Hornsey.
† Tottenham - -	119,503	12·7	10·5	14·8	10·5	0·9	74	24	6	7	-	-	-	-	1	-	1	1	3	8	-	Tottenham.
† West Ham - -	301,617	14·3	17·8	14·7	14·2	2·2	171	82	35	17	-	4	-	1	1	1	6	2	6	19	-	West Ham.
† East Ham - -	129,886	10·8	8·8	10·0	8·8	0·4	71	22	7	4	-	-	-	1	-	-	-	1	4	2	-	East Ham.
† Leyton - - -	118,287	14·5	11·5	7·1	9·7	3·1	63	22	4	4	-	2	-	5	-	-	-	-	1	9	-	Leyton.
† Walthamstow -	121,334	12·0	9·9	11·2	12·9	2·6	64	30	14	3	-	1	-	2	-	-	3	-	2	5	-	Walthamstow.
Hastings - - -	67,144	12·4	12·4	13·2	10·9	-	27	14	3	4	-	-	-	-	-	-	-	1	2	2	-	Hastings.
Brighton - -	128,095	13·8	12·6	11·0	8·5	0·4	54	21	1	10	-	-	-	-	-	-	1	-	-	5	-	Brighton.
Portsmouth - -	205,118	19·3	14·5	18·0	13·2	1·8	130	52	13	18	-	-	-	1	1	2	3	1	2	10	-	Portsmouth.
Bournemouth -	67,702	17·7	10·8	9·2	12·3	-	23	16	3	3	-	-	-	-	-	-	-	2	2	2	-	Bournemouth.
Southampton -	117,312	14·2	12·0	11·6	11·1	0·4	47	25	4	10	-	-	-	1	-	-	-	-	-	6	-	Southampton.
Reading - - -	78,987	7·9	6·6	8·6	9·9	2·6	47	15	2	5	-	-	-	1	-	-	3	-	-	3	-	Reading.
Northampton -	93,749	15·6	9·5	10·0	5·0	-	38	9	1	1	-	-	-	-	-	-	-	-	1	1	-	Northampton.
Ipswich - - -	71,809	13·8	18·2	8·7	15·2	2·9	37	21	8	5	-	-	-	1	-	-	3	1	1	5	-	Ipswich.
Great Yarmouth -	52,613	23·8	17·8	12·9	22·8	2·0	34	23	4	12	-	-	-	1	-	-	1	-	-	4	-	Great Yarmouth.
Norwich - -	117,958	17·7	19·0	15·5	19·9	2·7	59	45	13	15	-	4	-	-	-	1	1	-	3	8	-	Norwich.
Plymouth - -	118,014	15·5	14·1	15·5	16·8	0·9	62	38	3	13	-	1	-	-	-	-	1	2	3	8	-	Plymouth.
Devonport - -	78,405	13·3	12·6	11·3	12·6	2·0	47	19	5	5	-	-	-	1	-	-	2	-	2	4	-	Devonport.
Bristol - - -	363,223	16·9	15·1	14·1	14·9	1·6	170	104	21	38	-	1	-	2	-	1	7	8	13	21	1	Bristol.
Hanley - - -	66,300	21·2	25·9	18·9	17·3	1·6	48	22	2	7	-	-	1	-	-	-	1	2	2	6	-	Hanley.
Burton-on-Trent	52,922	19·7	19·7	11·8	8·9	-	14	9	3	2	-	-	-	-	-	-	-	1	2	-	-	Burton-on-Trent.
Wolverhampton -	100,729	17·6	18·1	10·9	18·1	2·1	56	35	13	6	-	-	-	-	-	-	4	-	5	4	-	Wolverhampton.
Walsall - - -	94,577	16·0	19·8	12·1	14·9	3·3	52	27	8	6	-	-	-	1	1	1	3	1	2	1	-	Walsall.
Handsworth -	63,819	10·6	10·6	9·0	10·6	-	23	13	2	7	-	-	-	-	-	-	-	-	-	-	-	Handsworth
West Bromwich -	68,469	13·7	9·9	12·2	9·1	-	43	12	2	3	-	-	-	-	-	-	-	1	2	1	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 27th October, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 6th Oct., 1906.	13th Oct., 1906.	20th Oct., 1906.	27th Oct., 1906.	Rate from Diseases in Cols. 11-17. Week ended 27th Oct., 1906.	Registered during the Week ended 27th Oct., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	18·5	12·6	13·7	13·8	1·5	310	145	40	41	-	2	1	-	1	1	11	7	10	39	5	BIRMINGHAM.
KINGS NORTON -	72,608	9·3	13·6	6·5	7·9	1·4	26	11	3	5	-	-	-	-	1	-	1	-	-	-	1	KINGS NORTON.
SMETHWICK - -	64,531	10·5	9·7	8·1	9·7	-	39	12	5	2	-	-	-	-	-	-	-	-	3	-	-	SMETHWICK.
ASTON MANOR -	82,288	12·0	7·6	9·5	17·1	1·9	52	27	7	6	-	-	-	1	-	-	2	1	4	4	-	ASTON MANOR.
COVENTRY - -	76,374	17·8	16·4	10·9	13·7	1·4	48	20	1	5	-	-	-	-	-	1	1	-	2	5	1	COVENTRY.
LEICESTER - -	232,111	11·9	12·1	10·1	14·8	2·0	115	66	15	21	-	3	-	2	-	-	4	3	3	9	1	LEICESTER.
GRIMSBY - - -	69,359	21·8	13·5	15·8	17·3	2·3	49	23	9	4	-	-	-	1	-	-	2	-	1	2	1	GRIMSBY.
NOTTINGHAM - -	254,563	16·8	14·3	13·3	13·1	1·4	116	64	12	20	-	-	2	-	-	-	5	3	3	9	1	NOTTINGHAM.
DERBY - - -	123,981	17·7	18·1	15·1	8·8	0·4	65	21	2	7	-	-	-	-	-	-	1	2	5	3	-	DERBY.
STOCKPORT - -	99,646	30·4	25·6	16·2	13·1	1·6	39	25	4	4	-	3	-	-	-	-	-	-	-	1	-	STOCKPORT.
BIRKENHEAD - -	117,292	21·3	16·4	19·6	14·7	0·9	64	33	10	11	-	-	1	1	-	-	-	3	7	7	-	BIRKENHEAD.
WALLASEY - -	64,578	24·2	14·5	7·3	14·5	1·6	31	18	3	7	-	-	-	-	-	-	2	-	1	-	-	WALLASEY.
LIVERPOOL - -	739,180	22·2	20·1	20·5	20·2	2·8	462	286	81	65	-	5	-	3	3	3	25	16	20	84	1	LIVERPOOL.
BOOTLE - - -	65,989	15·8	18·2	19·0	23·7	4·7	55	30	9	6	-	2	-	1	-	1	2	-	-	7	2	BOOTLE.
ST. HELENS - -	91,153	22·3	18·9	21·7	13·7	1·7	70	24	7	3	-	1	-	-	-	1	1	2	2	2	-	ST. HELENS.
WIGAN - - -	87,588	25·6	19·1	19·1	18·5	3·6	51	31	5	10	-	2	-	-	-	2	2	2	2	2	-	WIGAN.
WARRINGTON -	69,280	21·8	23·3	24·8	13·5	1·5	54	18	4	4	-	-	1	-	-	-	1	1	1	3	-	WARRINGTON.
BOLTON - - -	180,502	20·5	17·9	16·5	16·2	3·2	94	56	15	12	-	-	1	-	-	5	5	3	7	7	-	BOLTON.
BURY - - -	58,744	17·8	16·0	13·3	16·0	0·9	23	18	5	6	-	-	-	-	-	-	1	-	1	-	-	BURY.
MANCHESTER - -	637,126	20·3	19·7	17·4	16·3	2·0	402	205	57	40	-	1	-	3	-	6	14	8	14	54	3	MANCHESTER.
SALFORD - - -	234,077	20·7	17·2	17·6	15·4	2·7	134	69	10	15	-	3	-	2	2	3	2	1	3	17	-	SALFORD.
OLDHAM - - -	140,969	19·6	19·2	19·2	20·7	5·5	81	56	18	9	-	10	-	1	-	-	4	-	1	5	2	OLDHAM.
ROCHDALE - -	87,189	16·1	22·7	20·3	19·1	1·8	37	32	8	8	-	1	-	2	-	-	-	2	2	4	1	ROCHDALE.
BURNLEY - - -	102,808	22·8	21·3	17·8	19·3	6·1	54	38	12	9	-	1	1	-	-	-	10	1	3	3	-	BURNLEY.
BLACKBURN - -	134,015	17·9	20·6	20·6	17·1	5·1	69	44	11	10	-	-	3	-	-	2	8	2	3	10	2	BLACKBURN.
PRESTON - - -	116,399	17·5	23·7	17·9	19·3	1·8	58	43	10	12	-	-	-	-	-	1	3	2	2	10	1	PRESTON.
BARROW-IN-	60,967	17·1	11·1	12·8	11·1	0·9	36	13	4	2	-	-	-	-	-	-	1	-	-	2	1	BARROW-IN-

TABLE I (cont.). 75 Towns ... ended Saturday, 27th October, 1906, and Death-Rates in each of the preceding three Weeks.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 6th Oct., 1906.	13th Oct., 1906.	20th Oct., 1906.	27th Oct., 1906.	Rate from Diseases in Cols. 11-17. Week ended 27th Oct., 1906.	Registered during the Week ended 27th Oct., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	22·5	18·7	14·8	17·6	2·7	46	32	6	10	-	1	-	-	1	1	2	1	1	6	-	Huddersfield.
Halifax	109,272	16·2	15·7	16·7	15·7	1·0	47	33	5	10	-	-	-	1	-	1	-	-	2	8	-	Halifax.
Bradford	288,544	15·9	13·2	15·5	15·4	1·6	117	85	17	30	-	-	-	2	-	3	4	2	3	19	2	Bradford.
Leeds	463,495	18·4	14·8	12·8	12·0	1·3	247	107	22	36	-	-	2	2	1	1	6	4	8	21	-	Leeds.
Sheffield	447,951	18·3	15·4	14·2	15·4	2·9	271	132	36	26	-	5	7	1	-	1	11	6	6	25	3	Sheffield.
Rotherham	61,098	12·8	18·8	17·9	16·2	6·0	25	19	4	2	-	2	1	-	1	-	3	-	-	1	3	Rotherham.
York	83,467	13·7	9·4	15·6	13·1	1·9	46	21	6	6	-	-	-	-	2	1	-	-	-	7	-	York.
Hull	262,426	18·3	14·7	16·9	16·3	4·0	159	82	21	24	-	1	1	3	2	3	10	4	6	17	-	Hull.
Middlesbrough	100,069	19·3	22·4	24·0	22·9	5·2	71	44	13	7	-	-	-	1	1	1	7	3	4	9	-	Middlesbrough.
Stockton-on-Tees	52,664	15·8	10·9	21·8	13·9	3·0	25	14	5	2	-	-	-	-	-	1	2	2	2	2	-	Stockton-on-Tees.
West Hartlepool	73,387	22·0	11·4	14·9	17·1	3·6	37	24	9	4	-	-	-	1	1	-	3	1	1	8	-	West Hartlepool.
Sunderland	154,385	20·6	13·5	16·5	21·3	2·4	107	63	20	14	-	-	-	1	-	1	5	2	3	9	4	Sunderland.
South Shields	111,402	22·0	18·3	18·3	21·5	6·1	75	46	12	5	-	7	-	-	1	-	5	-	1	5	2	South Shields.
Gateshead	123,191	15·2	23·7	19·0	24·5	4·7	90	58	20	12	-	1	1	1	1	-	7	3	4	3	4	Gateshead.
Newcastle-on-Tyne	268,721	21·2	18·0	15·1	16·5	2·7	160	85	23	18	-	-	-	3	1	1	9	3	9	10	-	Newcastle-on-Tyne.
Tynemouth	54,138	25·0	22·2	18·3	16·4	-	36	17	5	3	-	-	-	-	-	-	-	-	2	2	-	Tynemouth.
Newport (Mon.)	74,227	18·3	18·3	15·5	14·8	2·8	50	21	6	7	-	-	1	-	-	-	3	1	3	2	-	Newport (Mon.).
Cardiff	183,823	16·2	13·0	10·2	18·7	0·9	88	66	17	16	-	-	-	-	-	-	3	3	4	15	-	Cardiff.
Rhondda	127,684	20·8	15·5	12·7	9·4	0·8	91	23	7	3	-	-	-	-	-	-	2	2	2	-	-	Rhondda.
Merthyr Tydfil	74,961	27·1	20·2	11·1	14·6	1·4	48	21	6	3	-	-	-	1	-	-	1	3	3	1	-	Merthyr Tydfil.
Swansea	96,848	17·8	24·8	18·8	20·5	2·7	63	38	9	8	-	-	-	-	2	-	3	2	4	6	-	Swansea.
Greater London	7,113,561	14·3	13·4	12·5	12·6	1·3	3808	1716	412	476	-	17	15	32	11	15	83	62	146	576	4	Greater London.
Outer Ring	2,392,344	11·9	11·7	10·3	11·1	1·4	1334	507	136	151	-	8	-	16	6	4	28	18	43	97	3	Outer Ring.
8 Towns in Outer Ring	1,172,195	12·2	12·2	11·4	10·4	1·5	647	234	72	61	-	7	-	10	2	1	13	7	20	56	1	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	11·6	11·2	9·3	11·7	1·2	687	273	64	90	-	1	-	6	4	3	15	11	23	41	2	Remainder of Outer Ring.
Edinburgh	341 035	15·6	16·8	12·8	16·1	1·4	150	105	27	34	-	-	-	1	-	-	8	3	?	33	8	Edinburgh.
Glasgow	835,625	18·3	19·2	17·1	17·2	2·5	432	275	77	46	-	3	-	4	9	2‡	22	12	?	64	8	Glasgow.
Dublin†	378,994	26·0	23·7	21·7	21·6	2·1	178	157	34	45	-	2	-	-	2	3	8	6	8	65	7	Dublin.†
Belfast†	366,220§	20·5	15·5	17·4	17·1	1·9	238	120	26	25	-	1	-	1	3	3	5	7	12	25	3	Belfast.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 6 deaths from Cerebro-spinal meningitis were registered. § Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-THIRD Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2755	2540	2652	2495	2238	2655	2469	2567	2585	2362	2544·0	2474
Males - - -	1426	1261	1369	1261	1146	1386	1255	1294	1282	1223	1287·9	1245
Females - -	1329	1279	1283	1234	1092	1269	1214	1273	1303	1139	1256·1	1229
TOTAL **Deaths** -	1450	1514	1411	1844	1403	1404	1407	1401	1311	1433	1414·8	1209
Males - -	773	814	725	941	705	748	745	725	675	761	740·5	623
Females - -	677	700	686	903	698	656	662	676	636	672	674·3	586

* The numbers in this column are the average weekly numbers in the forty-third week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	13 Weeks.
TOTAL **Births** -	2576	2155	2550	2466	2475	2329	2319	2260	2374	2251	2355	2411	2474	30995
TOTAL **Deaths** -	1272	1352	1584	1654	1570	1892	1589	1548	1422	1404	1295	1232	1209	19023
Ages at Death: Under 1 year -	346	464	653	646	643	760	631	514	426	341	280	277	276	6287
1—5 years -	148	162	194	204	199	219	207	171	150	146	125	128	111	2164
5—20 ,, -	68	79	59	67	64	66	60	63	85	73	73	58	69	884
20—40 ,, -	141	145	142	159	136	187	151	154	179	165	156	159	162	2027
40—60 ,, -	254	210	243	245	235	268	248	255	249	293	279	270	266	3315
60 yrs. & upwds.	315	292	293	333	293	392	292	361	333	386	382	349	325	4346
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - -	22	25	21	13	16	9	7	9	8	6	2	5	9	152
Scarlet Fever - -	6	10	8	9	7	6	4	7	10	12	19	9	15	122
Diphtheria - -	10	13	15	9	12	13	10	18	13	12	14	11	16	166
Whooping-cough -	13	14	13	12	11	17	22	20	13	11	12	13	5	176
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	5	4	7	2	4	3	8	12	11	17	8	11	96
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	1	-	-	-	2
Diarrhœa, Dysentery	184	288	424	458	455	529	455	340	207	135	93	78	55	3701
All above Diseases -	239	355	485	508	504	578	501	402	263	188	157	124	111	4415
Dis. of Resp. System	52	47	45	45	53	53	35	74	51	90	84	64	69	762
Pneumonia - -	59	65	74	58	56	90	70	75	83	98	93	82	81	984
Phthisis - - -	108	112	109	119	105	123	128	104	147	139	120	132	129	1575
Dis. of Circ. System -	161	145	151	141	137	169	164	144	147	176	171	169	174	2049
Violence - - -	62	65	52	72	49	77	56	41	68	48	53	50	44	737
Inquest Cases - -	140	141	129	139	115	153	130	117	127	131	115	140	103	1680
Deaths in Institutions	500	481	533	567	588	670	537	552	552	551	550	490	479	7050
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	67·3	66·1	61·5	64·9	66·5	68·0	57·6	55·8	52·0	58·4	57·6	41·2	53·0	59·2
Mean of Highest -	80·1	78·8	71·3	77·4	81·6	80·9	69·1	63·2	63·1	66·5	65·5	59·4	61·7	70·7
Mean of Lowest -	56·0	56·1	54·3	55·4	52·2	55·8	48·0	50·5	41·5	51·2	51·2	43·5	45·4	50·9
Mean Humidity of the Air.	64	68	77	72	62	64	70	80	77	83	82	81	82	74
Rain-fall (in inches) -	0·86	0·01	0·33	0·26	0·00	0·85	0·74	0·38	0·00	0·69	0·63	0·21	0·07	5·03
Registered Sunshine (in hours).	76·5	54·1	35·7	49·9	70·9	53·7	48·8	22·6	41·3	31·0	35·7	31·7	30·6	582·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3120	3051	3046	3078	3042	3067	3075	3164	3388	3603	3803	3923	4068	3341
Diphtheria - -	879	861	846	859	835	861	862	846	849	907	944	982	1030	889
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	109	101	95	101	103	115	116	124	140	167	186	186	197	134

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst.C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-THIRD Week of the Year 1906.

he terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 43rd week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES - - -	1414·8	1209	276	111	69	162	266	325
Small-pox* - - -	0·3	-	-	-	-	-	-	-
Cowpox - - - -	-	-	-	-	-	-	-	-
Measles (Morbilli) - -	26·5	9	5	4	-	-	-	-
Scarlet Fever - - -	10·2	15	1	9	4	1	-	-
Typhus - - - -	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-
Influenza - - - -	13·5	9	-	-	1	1	3	4
Whooping-cough - -	9·2	5	4	1	-	-	-	-
Diphtheria - - -	15·6	16	1	10	5	-	-	-
Cerebro Spinal Fever -	-	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain) - - -	-	-	-	-	-	-	-	-
Enteric Fever - - -	7·6	11	-	-	4	6	1	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	23·7	32	23	8	-	-	-	1
Diarrhœa, Dysentery -	23·7	23	18	4	-	-	-	1
Tetanus - - - -	-	1	1	-	-	-	-	-
Rabies, *Hydrophobia* -	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-
Venereal Dis. - - -	9·7	5	4	1	-	-	-	-
Puerperal Septicæmia -	3·3	1	-	-	-	1	-	-
Puerperal Pyæmia -	-	-	-	-	-	-	-	-
Puerperal Fever - -	1·0	2	-	-	-	2	-	-
Infective Endocarditis -	1·0	3	-	-	1	2	-	-
Pneumonia: Lobar - -	16·1	13	-	2	1	-	3	7
Pneumonia: Broncho- -	68·0	31	10	9	1	3	4	4
Pneumonia: Epidemic -	0·3	-	-	-	-	-	-	-
Pneumonia: Not defined	59·6	37	5	3	3	8	10	8
Erysipelas - - -	5·6	4	-	-	1	-	2	1
Septicæmia (not Puerperal) - - -	1·5	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	0·5	1	1	-	-	-	-	-
Other Infective Processes	6·4	2	1	-	-	-	1	-
Tuberculous Phthisis -	80·0	80	-	7	7	28	33	5
"*Phthisis*" - - -	70·3	49	-	-	1	23	19	6
Tuberculous Meningitis -	17·3	15	3	8	3	-	1	-
Tuberculous Peritonitis -	7·6	7	4	3	-	-	-	-
Tabes Mesenterica - -	5·1	4	2	2	-	-	-	-
Tuberculous Dis. (other)-	15·3	20	4	5	1	5	4	1
Scrofula - - - -	-	-	-	-	-	-	-	-
Alcoholism - - -	11·0	10	-	-	-	4	5	1
Rheumatic Fever - -	4·6	7	-	-	4	1	1	1
Gout - - - - -	1·0	-	-	-	-	-	-	-
Carcinoma - - -	45·6	51	-	-	-	6	27	18
Sarcoma - - - -	5·6	5	-	-	1	1	2	1
Cancer (undefined) - -	38·0	45	-	-	2	1	17	25
Diabetes Mellitus - -	8·2	7	-	-	-	1	4	2
Premature Birth - -	56·8	53	53	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 43rd week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	15·0	9	3	4	2	-	-	-
Insanity, Gen. Par. of Insane - - -	15·3	10	-	1	-	-	7	2
Epilepsy - - - -	4·6	8	1	-	2	2	1	2
Convulsions - - -	22·7	15	13	2	-	-	-	-
Locomotor Ataxy - -	1·5	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	5·1	2	-	1	-	-	-	1
Nervous Sys. (other dis.)	17·1	23	-	-	1	6	5	11
Valv. Dis., Endocarditis-	50·5	37	-	-	1	8	18	10
Cerebr. Hæm. Thromb. -	33·4	38	-	1	-	-	11	26
Apoplexy, Hemiplegia -	16·6	16	-	-	1	-	-	15
Aneurysm - - -	4·3	4	-	-	-	-	3	1
Embolism, Thrombosis (not cerebral) -	1·5	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	83·3	79	-	-	5	4	28	42
Croup (not Spasm : nor Memb.) - -	0·8	-	-	-	-	-	-	-
Bronchitis - - -	122·1	51	10	5	1	2	11	22
Asthma, Emphysema -	6·1	5	1	-	-	-	2	2
Pleurisy - - - -	2·3	2	-	-	-	-	2	-
Respiratory Dis. (other)	12·2	11	2	1	1	-	2	5
Tonsillitis, Quinsy - -	1·3	-	-	-	-	-	-	-
Enteritis (not Epid.) -	11·0	20	13	4	-	1	-	2
Gastro-Enteritis - -	6·6	16	13	2	1	-	-	-
Peritonitis (not Puerp.) -	1·8	2	-	-	-	-	1	1
Cirrhosis of Liver - -	12·7	13	-	-	-	3	6	4
Liver Dis. (other) - -	4·8	6	-	-	-	1	2	3
Digestive Dis., Other -	37·7	21	5	2	2	6	3	3
Nephritis, Acute - -	5·4	7	-	-	2	-	3	2
Bright's Dis., Albuminuria - - -	33·9	37	-	1	1	10	9	16
Urinary Sys., Other Dis.	10·2	6	-	-	-	1	1	4
Generative Organs Dis.-	4·1	5	-	-	-	3	1	1
Childbirth (Accid. of) -	2·5	5	-	-	-	4	1	-
Old Age - - - -	47·1	50	-	-	-	-	1	49
Other Diseases - -	100·1	94	69	6	7	3	2	7
ACCIDENT.								
By Railways - - -	2·3	1	-	-	1	-	-	-
By Vehicles and Horses-	6·6	5	-	2	1	2	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·3	2	-	-	-	-	2	-
In Building Operations -	1·5	-	-	-	-	-	-	-
In Conflagrations - -	1·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·1	3	1	2	-	-	-	-
By Drowning - - -	2·5	1	-	-	-	-	1	-
By Suffocation in Bed -	10·7	4	4	-	-	-	-	-
By Poisons or Poisonous Vapours - -	3·1	1	-	1	-	-	-	-
Other Deaths by Accident - - -	10·2	15	1	-	-	3	4	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	1·3	-	-	-	-	-	-	-
Suicide - - - -	7·6	12	-	-	-	9	2	1
Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th October, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2474	1209	276	325	-	9	15	16	5	-	11	-	55	44	103	479
WEST DISTRICTS	805,311	363	194	46	66	-	-	-	2	1	-	-	-	8	6	16	70
NORTH DISTRICTS	1,056,070	545	252	43	78	-	1	5	1	1	-	3	-	9	7	18	94
CENTRAL DISTRICTS	209,465	103	73	22	5	-	-	-	1	-	-	2	-	10	6	10	42
EAST DISTRICTS	715,739	463	229	62	49	-	6	-	3	1	-	2	-	15	10	33	110
SOUTH DISTRICTS	1,749,844	1000	434	103	117	-	2	8	9	2	-	3	-	13	15	26	136
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	27	-	10	-	-	2	-	-	-	1	-	-	-	-	27
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	44	23	3	5	-	-	-	-	-	-	-	-	-	1	1	6
St. John Paddington *H*	33,617	6	11	3	3	-	-	-	-	-	-	-	-	-	2	3	8
North-West Paddington	17,181	5	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Kensington Town *2W,w,2H*	128,037	53	33	10	10	-	-	-	-	-	-	-	-	2	1	4	14
Brompton *2H*	48,591	19	7	-	6	-	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith *2W,wH*	49,192	29	16	4	5	-	-	-	-	-	-	-	-	1	-	1	5
South Hammersmith *w,2H*	63,047	29	10	2	5	-	-	-	-	-	-	-	-	-	-	1	2
North-west Fulham *W*	45,180	46	18	7	5	-	-	-	-	-	-	-	-	3	-	1	9
North-east Fulham *F*	46,405	33	11	3	3	-	-	-	2	-	-	-	-	-	-	1	2
South Fulham *W*	45,704	18	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	10	17	2	10	-	-	-	-	1	-	-	-	-	-	-	10
Chelsea South *W,2H*	31,328	13	6	4	2	-	-	-	-	-	-	-	-	-	-	-	2
Mayfair and Knightsbridge	28,743	3	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Belgrave *W,2H*	56,815	25	10	-	6	-	-	-	-	-	-	-	-	-	1	1	4
St. Margaret & St. John *4H*	43,698	20	15	4	2	-	-	-	-	-	-	-	-	2	-	-	7
St. James and St. Anne *W,6H*	33,081	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	10	10	-	2	-	-	-	-	-	-	-	-	-	-	-	6
St. Mary Marylebone *W,4H*	37,948	43	7	-	2	-	-	-	-	-	-	-	-	-	-	1	3
Christchurch Marylebone *H*	39,536	30	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	34	23	2	9	-	-	4	1	-	-	-	-	-	2	2	8
West St. Pancras *2H*	60,562	24	11	3	1	-	-	-	-	-	-	-	-	-	1	1	6
Tottenham-court *w,7H*	21,258	7	11	3	3	-	-	-	-	-	-	-	-	1	-	1	8
Gray's Inn Lane *4H*	34,449	18	5	1	3	-	-	-	-	-	-	-	-	-	-	1	1
East St. Pancras *W,2H*	60,320	36	18	3	6	-	-	1	-	-	-	-	-	1	-	1	8
North St. Pancras *2W*	58,728	41	15	1	2	-	-	-	-	1	-	-	-	-	-	1	7
Tufnell *W*	31,995	14	26	2	11	-	-	-	-	-	-	-	-	-	1	1	18
Upper Holloway *2W,w,H*	33,978	23	16	-	-	-	-	-	-	-	-	1	-	1	-	-	10
Tollington *WH*	33,922	10	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Lower Holloway	41,424	20	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	33	7	3	2	-	1	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	32	13	4	2	-	-	-	-	-	-	-	-	-	1	3	-
Highbury *2H*	63,797	26	8	-	7	-	-	-	-	-	-	-	-	-	-	1	-
Stoke Newington *H*	51,247	22	10	1	6	-	-	-	-	-	-	-	-	-	1	1	-
North Hackney	50,560	24	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	26	11	2	4	-	-	-	-	-	-	2	-	2	-	-	3
South-west Hackney *3H*	59,921	31	19	6	4	-	-	-	-	-	-	-	-	2	1	3	8
South-east Hackney *2W,w,H*	58,255	34	17	7	5	-	-	-	-	-	-	-	-	2	-	-	8

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th October, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyræxia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Giles and Bloomsbury 2*W*,2*H* -	31,436	18	7	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
and- *W*,4*H* - - - - -	21,674	4	15	2	2	-	-	-	-	-	-	-	-	-	2	2	10	-
and Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
bern *W*,6*H* - - - - -	29,612	11	22	9	1	-	-	-	-	-	-	-	-	6	-	-	18	-
th Clerkenwell - - -	28,676	18	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
th Clerkenwell *H* - - -	35,028	16	11	5	1	-	-	-	-	-	-	-	-	3	-	2	-	-
sbury 3*H*,*L* - - - - -	36,116	31	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born Union Workhouse, Hitcham - - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Botolph *H* - - - -	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sepulchre and Allhallows *W*,2*H*	16,624	4	13	3	-	-	-	-	1	-	-	2	-	-	3	5	12	-
of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
reditch South *H* - - -	46,362	24	5	-	1	-	-	-	-	-	-	-	-	-	1	3	-	-
reditch North-West *W*,*w*,*H* -	36,127	30	20	4	6	-	-	-	-	1	-	-	-	-	1	4	13	-
reditch North-East - - -	36,148	18	5	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-
reditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North-East 2*W*, *H*.	65,138	32	36	9	12	-	-	-	1	-	-	-	-	-	1	5	23	-
thnal Green South-West *H* -	64,542	57	11	6	1	-	-	-	-	-	-	-	-	1	-	1	-	-
italfields - - - - -	27,969	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
le End New Town *W*,*H* - -	28,718	38	34	7	4	-	2	-	-	-	-	1	-	3	-	2	29	-
odman's Fields - - - -	22,081	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
George and St. John 2*W* - -	49,068	40	7	4	-	-	-	-	-	-	-	-	-	2	-	-	1	-
adwell and Ratcliff *W*,*H* - -	25,568	15	14	6	1	-	1	-	1	-	-	-	-	1	2	4	9	-
nehouse *W* - - - - -	32,369	18	11	4	3	-	-	-	-	-	-	-	-	1	1	2	-	-
le End Old Town South-Western *H* - - - -	63,698	47	13	7	1	-	-	-	-	-	-	-	-	1	-	1	1	-
le End Old Town North-Eastern *W*,*w* - - -	49,129	25	14	1	5	-	1	-	-	-	-	-	-	-	1	1	8	-
w *L* - - - - - -	41,989	30	4	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-
omley 3*w*,*H* - - - -	68,319	40	38	4	11	-	-	-	1	-	-	1	-	3	2	6	24	-
plar *W*,*w* - - - - -	58,514	25	16	5	3	-	2	-	-	-	-	-	-	-	1	3	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th October, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch and St. Saviour Southwark *W,2H*	23,319	13	17	2	2	-	1	-	-	-	-	-	-	-	-	1
Kent-road	21,904	13	5	2	2	-	-	-	-	-	-	-	-	-	2	2
St. George the Martyr West *W,2H,L*	39,094	31	6	3	-	-	-	-	-	-	-	-	-	-	-	-
Newington North	49,022	25	7	2	2	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	47	7	3	2	-	-	-	-	-	-	-	-	-	-	-
St. Olave *2W*	9,817	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	51	11	3	3	-	-	-	-	1	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	16	8	1	1	-	1	-	-	-	-	-	-	-	-	-
Waterloo* *2H*	27,440	33	11	4	-	-	-	-	-	-	-	-	-	1	-	2
Lambeth Church* *H*	27,440	16	21	5	3	-	-	-	1	-	-	-	-	1	3	5
Kennington* *2W*	52,518	34	22	1	10	-	-	-	1	-	-	-	-	-	1	1
Stockwell* *HF*	63,826	33	12	4	3	-	-	2	-	-	-	1	-	-	-	-
Brixton* *H*	73,673	33	16	6	5	-	-	-	-	-	-	-	-	1	-	-
Norwood* *WH*	56,998	15	10	1	4	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	45	7	2	-	-	-	-	-	-	-	-	-	1	1	2
North-west Battersea	49,656	40	9	2	2	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	19	24	7	4	-	-	-	-	-	-	-	-	-	2	2
Clapham *2H*	51,361	36	15	3	9	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	55	25	6	11	-	-	-	1	-	-	-	-	1	1	1
Springfield *2W,L*	27,959	25	10	4	3	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	30	6	2	2	-	-	-	-	-	-	-	-	1	-	1
Putney	24,139	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	19	18	2	2	-	-	-	-	-	-	-	-	-	-	1
Camberwell North *W,2L*	65,584	33	24	5	5	-	-	-	-	1	-	-	-	1	-	1
St George	47,331	31	6	2	1	-	-	-	-	-	-	-	-	-	-	1
Peckham North	48,913	28	8	2	2	-	-	-	-	-	-	-	-	-	1	1
Peckham South *2W,w*	43,916	18	6	1	1	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	31	5	3	2	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	26	16	5	-	-	-	2	3	-	-	2	-	1	1	1
Deptford South	34,625	17	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	10	5	1	3	-	-	-	-	-	-	-	-	-	-	1
Greenwich East *2W,H*	43,859	20	16	2	7	-	-	-	-	-	-	-	-	-	1	1
Eltham *w,H*	7,226	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	8	7	1	5	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F*	58,352	43	27	2	6	-	-	4	-	-	-	-	-	2	1	1
Sydenham *H*	43,653	18	4	2	1	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	9	8	-	3	-	-	-	3	-	-	-	-	-	1	1
Woolwich *5H*	41,625	20	7	3	2	-	-	-	-	-	-	-	-	1	-	-
Plumstead West *W*	18,063	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	29	16	5	5	-	-	-	-	-	-	-	-	2	-	-
Workhouse:— Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:— Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:— Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	2	-	-	-	1	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:— Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
(London County Lunatic Asylums:— Banstead	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-districts as above.

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 27th October, 1906.

gis ion rict d b- rict m- rs.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1334	507	136	151	-	8	-	16	6	4	28	18	43	97	3
:1	Carshalton 2F,3H - -	12,228	32,997	15	6	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H-	10,423	15,548	15	9	1	4	-	-	-	-	-	-	-	-	1	2	-
:1	Godstone, *part of** W,F -	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Coulsdon - - - -	11,069	8,166	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
2	South Croydon *w* - -	4,200	49,309	25	5	3	-	-	-	-	-	-	-	1	-	1	-	-
3	West Croydon 3W,F,H -	2,168	42,888	42	11	1	7	-	-	-	-	-	-	-	-	-	6	-
4	North Croydon *H* - -	2,644	41,698	13	6	-	3	-	-	-	-	-	-	1	-	-	-	-
5	Penge *w,H* - - - -	770	22,465	7	4	1	1	-	-	-	-	-	-	-	-	-	1	-
6	Mitcham *w* - - -	11,711	30,015	22	4	3	-	-	-	-	-	-	-	1	-	-	-	-
:1	Wimbledon *F,3H* - -	3,221	41,652	12	9	3	2	-	-	-	-	-	-	2	-	-	-	-
2	Kingston 2W,H - - -	6,224	42,068	28	9	3	3	-	-	-	-	-	-	1	1	1	3	-
3	Surbiton *F,H* - - -	3,046	15,017	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* -	5,402	13,100	10	4	-	4	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *H,F,L* - -	4,564	23,456	15	8	2	3	-	1	-	-	-	-	2	1	1	-	-
:1	Richmond *W,H* - - -	2,162	28,865	10	3	-	1	-	-	-	-	-	-	-	-	-	3	-
2	Mortlake *F* - - -	2,847	20,628	17	6	2	2	-	-	-	1	-	-	-	-	-	1	-
:1	Bromley *F,2H* - - -	4,703	27,354	22	4	-	1	-	-	-	-	-	-	1	1	2	-	-
2	Beckenham *H* - - -	7,825	28,497	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** *W* -	10,113	9,857	6	7	1	2	-	-	-	-	-	-	-	1	1	3	-
4	Chislehurst *2H* - - -	7,333	16,446	6	5	1	1	-	-	-	-	1	-	-	1	1	1	-
:1	Bexley *w F,H* - - -	8,678	21,151	16	10	4	1	-	-	-	-	-	-	-	-	1	-	-
2	Erith *F,H* - - - -	3,854	25,296	15	7	-	4	-	-	-	1	-	1	-	-	-	-	-
3	Dartford *W,F, part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
:1	Sunbury *w* - - - -	11,054	18,683	5	4	1	2	-	-	-	-	-	-	-	-	-	-	1
2	Staines *W,H* - - -	13,277	15,178	9	6	1	2	-	-	-	-	-	-	-	1	2	1	-
:1	Hillingdon *W,F,H* - -	6,035	13,661	11	7	3	2	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge *H* - - -	12,757	8,984	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *w2F,H* - - -	8,066	16,358	18	5	1	2	-	-	-	-	-	-	-	-	-	-	-
:1	Isleworth 3W,2F,H - -	6,859	30,863	25	14	-	8	-	-	-	-	-	-	1	-	-	9	-
2	Twickenham *F,H* - -	2,421	20,991	19	12	3	5	-	-	-	-	-	-	2	1	3	-	1
3	Brentford 3F,2H - -	4,319	48,289	31	9	5	3	-	-	-	1	-	-	1	-	-	-	-
4	Chiswick *H* - - - -	1,249	29,809	12	6	4	1	-	-	-	1	-	-	-	-	-	-	-
5	Acton *w,F,3H* - - -	6,132	48,914	43	12	3	2	-	-	-	-	1	-	-	-	1	1	-
:1	Harrow *F,H* - - -	13,809	25,523	14	5	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H - - -	6,994	4,521	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *W,F,2H* - -	4,384	114,811	86	23	2	10	-	-	-	1	-	-	1	3	3	7	1
4	Hendon *W,F* - - -	8,382	22,450	15	5	3	1	-	-	-	-	-	-	-	-	-	-	-
:1	South Mimms 2F,H - -	17,755	7,308	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *W,2H* - - -	3,324	17,970	10	4	1	1	-	-	-	-	-	-	-	-	-	1	-
3	Finchley *F,2H* - - -	4,688	33,692	25	10	2	5	-	-	-	-	-	-	-	-	1	1	-
:1	Hornsey *F,H* - - -	2,875	72,056	38	10	-	6	-	-	-	1	-	-	-	-	-	1	-
2	Wood Green *H* - - -	1,625	34,233	25	6	2	3	-	-	-	-	-	-	-	2	3	-	-
3	West Tottenham *F* - -	996	48,853	29	5	2	1	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H - -	2,017	53,688	45	15	5	2	-	-	-	-	1	-	1	2	4	4	-
5	Edmonton *W,w,2F* - -	7,491	61,892	46	24	2	10	-	-	-	-	-	-	2	1	2	7	-
6	Enfield 2W,F,H - - -	12,601	42,738	30	9	1	2	-	-	-	1	1	2	-	-	1	3	-
7	Waltham Abbey *F* - -	11,017	6,549	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt *F,H* - - -	8,479	12,292	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Hatfield, *part of** *W* - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H* - - - -	9,333	9,173	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Watford *W,2F part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	1,072	44,827	20	8	4	1	-	-	-	-	-	-	-	-	2	1	-
2	Plaistow *F,2H* - - -	1,249	90,921	68	25	15	3	-	-	-	1	-	1	3	-	-	3	-
3	Canning Town *H* - -	1,556	70,718	59	23	9	5	-	1	-	-	-	-	3	1	2	-	-
4	Forest Gate *w* - - -	806	60,892	24	11	4	3	-	1	-	-	-	-	-	-	1	-	-
5	North East Ham *w H* -	1,333	58,676	43	9	1	3	-	-	-	-	-	-	-	-	1	-	-
6	South East Ham 2F - -	1,993	37,342	28	11	6	1	-	-	-	1	-	-	-	1	3	-	-
7	Wanstead *F* - - -	1,679	9,179	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	31	16	5	4	-	4	-	-	-	-	-	-	-	11	-
9	North Leyton 2W,w,F -	1,963	48,445	32	27	3	5	-	1	-	5	1	-	1	-	1	19	-
10	Walthamstow 3H,L - -	6,504	108,929	73	28	11	3	-	-	-	1	-	-	2	-	2	1	-
:1	Chigwell, *part of** 2F,3H -	11,778	16,397	14	4	-	-	-	-	-	1	1	-	-	-	-	1	-
2	Epping *W,F, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** *W,2F* -	6,556	6,091	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *F,L* - - - -	8,493	41,234	22	6	-	3	-	-	-	-	-	-	-	1	1	1	-
3	Barking Town *F* - -	3,803	21,547	25	10	7	1	-	-	-	-	-	-	1	-	-	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	London County Asylum, Claybury.	—	—	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ng ar as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher rish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting eydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	October 27	2474	1209	13·4	-	9	15	16	5	11
CALCUTTA - -	977,822	September 22	-	390	23·9	-	-	-	-	-	97†
BOMBAY - -	982,000	October 9	461	675	45·2	-	-	-	-	-	118†
MADRAS - -	509,346	September 28	458	627	64·0	1	2	?	?	?	141
PARIS - - -	2,750,000	October 20	946	751	14·6	-	-	2	3	2	9
BRUSSELS - -	612,401	" 20	219	145	12·3	-	2	3	2	3	-
ANTWERP - -	297,311	" 20	122	74	12·9	-	-	-	-	1	1
AMSTERDAM -	560,482	" 13	252	121	11·2	-	1	3	2	2	1
COPENHAGEN -	425,000	" 20	226	105	12·9	-	-	-	-	2	-
STOCKHOLM -	324,488	" 13	171	96	15·4	-	1	-	2	1	-
CHRISTIANIA -	222,373	" 20	120	59	13·8	-	-	-	1	-	1
ST. PETERSBURG	1,424,700	" 6	679	569	20·8	-	4	25	29	8	31
MOSCOW - -	1,154,000	" 13	-	543	24·5	1	1	14	11	2	10
BERLIN - -	2,068,086	" 6	945	537	13·5	-	4	1	10	8	1
HAMBURG - -	819,380	" 20	-	227	14·7	-	1	-	1	1	2
BRESLAU - -	475,000	" 13	-	177	19·4	-	1	-	5	5	1
MUNICH - -	544,000	" 20	-	177	17·0	-	-	-	1	-	-
VIENNA - -	1,956,949	" 20	877	605	16·1	-	6	3	8	1	7
PRAGUE - -	460,849	" 13	173	149	16·8	-	-	-	3	-	-
BUDA-PESTH -	859,134	" 13	415	227	14·9	-	2	5	4	1	2
TRIESTE - -	196,637	" 20	123	78	20·4	-	-	-	-	-	1
ROME - -	531,179	September 8	-	-	-	-	-	-	-	-	-
VENICE - -	171,709	October 6	66	47	14·3	-	-	-	-	-	-
BUCHAREST -	291,138	" 13	163	106	19·0	-	-	1	-	-	6
NEW YORK -	4,152,860	" 13	2107	1284	16·1	-	2	1	22	11	15
CHICAGO - -	2,049,185	" 13	-	528	13·4	-	1	3	11	6	9
PHILADELPHIA -	1,469,126	September 29	-	439	15·5	-	1	-	13	8	17
		October 6	-	402	13·5	-	-	1	9	7	9
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	September 23	-	297	17·0	-	-	-	2	-	6†

* Excluding deaths from croup in the Indian Cities.
† Including 4 deaths from plague in Calcutta, 27 in Bombay, and 2 in Rio de Janeiro.
‡ Including 15 deaths from cholera in Calcutta, 7 in Bombay, and 67 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 27th October, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	69·1	32·1	53·5	0·07	BRADFORD - -	64·4	38·6	51·5	0·
BRIGHTON - -	64·4	40·3	54·8	0·18	LEEDS - - -	65·0	39·0	51·9	0·
PORTSMOUTH - -	64·4	40·0	55·2	0·11	HULL - - -	65·0	36·0	51·2	0·
NORWICH - -	67·0	32·6	52·9	0·34	TYNEMOUTH - -	65·0	39·0	50·5	0
PLYMOUTH - -	61·5	43·0	54·3	0·31	CARDIFF - -	64·6	33·0	51·2	0·
BRISTOL - - -	67·0	37·2	53·0	0·29	EDINBURGH - -	60·5	39·8	49·9	0·
BIRMINGHAM - -	66·1	40·0	51·6	0·24	GLASGOW - -	61·8	37·2	50·6	1·
NOTTINGHAM - -	66·6	38·0	51·2	0·42	DUBLIN Phœnix Park.	63·3	33·9	51·2	0
LIVERPOOL OBSERVATORY	63·0	42·0	51·7	0·41	DUBLIN Fitz-william Square.†	63·9	39·2	52 7	0
MANCHESTER -	63·8	32·8	51·0	0·88					
PRESTON - -	62·2	42·0	51·6	1·22					
HUDDERSFIELD -	66·5	34·8	50·8	0·72	BELFAST - -	60·5	37·5	50·0	1·

* At the English stations the figures in this column which are compiled by the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 27th October, 1906.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	21	..	29·795	67·5	57·0	10·5	60·7	+11·9	57·0	3·7	8·6	1·5	88	106·0	46·6	56·31	S. & SSE.	SSE.	1·4	0·0	0·1	198	- 70	0·00	3·0
MONDAY -	22	..	29·759	69·1	55·1	14·0	61·4	+12·9	56·2	5·2	9·9	0·6	83	108·2	48·0	56·23	SSE.	SSW. & SW.	1·3	0·0	0·1	212	- 56	0·00	6·0
TUESDAY -	23	Greatest Dec. S.	29·904	65·0	51·0	14·0	57·0	+ 8·8	51·4	5·6	11·3	0·6	82	101·9	41·5	56·48	S., SSW. & SW.	SW. & SSW.	1·8	0·0	0·2	265	- 4	0·03	0·0
WEDNESDAY	24	First Qr.	30·006	64·8	46·7	18·1	54·3	+ 6·4	49·8	4·5	11·3	0·0	85	109·7	34·3	56·62	SSW. & S.	SSW., N. & NNW.	1·5	0·0	0·1	208	- 61	0·01	0·0
THURSDAY-	25	..	30·240	55·0	38·5	16·5	47·2	- 0·4	39·8	7·4	12·5	0·7	75	89·5	26·8	56·58	NNW. & N.	N., NNE. & NE.	1·7	0·0	0·1	188	- 82	0·00	0·0
FRIDAY -	26	..	29·998	57·1	32·1	25·0	45·2	- 2·2	40·7	4·5	12·4	0·0	84	93·0	25·0	56·26	Calm	SSE.	0·5	0·0	0·0	102	-169	0·00	0·0
SATURDAY -	27	..	29·904	53·3	37·2	16·1	45·4	- 1·9	39·2	6·2	11·1	1·2	79	90·9	27·0	55·74	SSE., SSW. & NNW.	NW., W. & SSW.	1·8	0·0	0·1	239	- 33	0·03	1·0
MEANS - -			29·944	61·7	45·4	16·3	53·0	+ 5·1	47·7	5·3	11·0	0·7	82	99·9	35·6	56·32	SSE. & SSW.		..	..	..	Sum 1412	Sum -475	Sum 0·07	1·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.		Electricity (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	21	w. P. throughout.	2·6	10·3
MONDAY -	22	w. P. throughout.	3·4	10·3
TUESDAY -	23	w. P. generally.	6·2	10·2
WEDNESDAY	24	w. P. throughout.	4·6	10·1
THURSDAY-	25	w. P. till 9h. A.M.; m. P. afterwards.	6·8	10·1
FRIDAY -	26	m. P. generally.	3·1	10·0
SATURDAY-	27	w. P. generally till 8h. A.M.; m. P. afterwards.	3·9	10·0
			Sum 30·6	Sum 71·0
No. of Col.-		27	28	29

GENERAL REMARKS.

Generally cloudy; occasional fine intervals; very warm. Solar halo with parhelion observed in afternoon; lightning in evening.

Generally cloudy; very fine in afternoon; a very warm day. Solar halo observed in forenoon.

Overcast in morning with rain at 3h. A.M.; very fine generally afterwards; very mild.

Cloudy in early morning; fine and variably cloudy till evening; cloudless at night; very mild; light showers between 3h. and 4h. 30m. P.M. Lunar halo in evening.

Very fine throughout; the amount of cloud was usually small. Lunar halo seen at 9h. P.M.

Fine with fog and slight hoar frost in morning; partially cloudy till afternoon; cloudy at night. Solar halo observed at intervals during the day and lunar halo at 7h. P.M.

Overcast in morning with rain at 3h. A.M.; fine and partially cloudy till evening; cloudless with hoar frost at night. Solar halo observed at 1h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·70 in. at the beginning of the week to 29·81 in. by 9h. P.M. on the 21st; decreased to 29·74 in. by 3h. P.M. on the 22nd; increased to 30·27 in. by 7h. P.M. on the 25th; decreased to 29·82 in. by 5h. A.M. on the 27th, increased to 29·83 in. by 9h. P.M., and was 29·90 in. at midnight on the same day.

ERRATA:—Report for week ending Oct. 20th, 1906. Col. 8. Mean Temperature for week, *for* "41°·2" *read* "51°·2." This correction also applies to the readings on pp. 678 and 682.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 20th October, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	16	2	-	2	-	-	4	-
Kensington	180,952	-	18	2	-	2	-	-	4	-
Hammersmith	120,679	-	9	11	-	1	-	-	4	-
Fulham	161,965	-	18	16	-	3	-	-	3	1
Chelsea	74,672	-	10	4	-	-	-	-	1	-
City of Westminster	173,905	-	16	5	-	-	-	-	5	-
NORTH.										
St. Marylebone	128,580	-	14	5	-	1	-	-	6	-
Hampstead	89,633	-	7	4	-	-	1	-	-	-
St. Pancras	236,455	-	16	9	-	2	-	-	5	-
Islington	344,987	-	45	9	-	5	-	-	10	-
Stoke Newington	53,217	-	8	-	-	1	-	-	2	-
Hackney	230,721	-	35	11	-	5	-	-	4	1
CENTRAL.										
Holborn	55,805	-	2	2	-	-	-	-	2	-
Finsbury	97,466	-	9	5	-	1	-	-	6	-
City of London	21,367	-	6	1	-	-	-	-	-	-
EAST										
Shoreditch	116,108	-	18	6	-	-	-	-	5	-
Bethnal Green	130,609	-	18	5	-	3	-	-	7	1
Stepney	307,176	-	37	17	-	6	-	-	9	-
Poplar	170,673	-	14	5	-	-	-	-	9	-
SOUTH.										
Southwark	209,143	-	51	25	-	-	-	-	6	-
Bermondsey	128,629	-	28	6	1	-	-	-	12	-
Lambeth	315,774	-	38	6	-	2	-	-	7	1
Battersea	179,622	-	38	5	-	2	-	-	2	-
Wandsworth	273,381	-	27	13	-	2	-	-	6	2
Camberwell	274,132	-	25	11	-	1	-	-	5	2
Deptford	115,495	-	20	20	-	1	-	-	3	-
Greenwich	105,350	-	26	11	-	2	-	-	2	2
Lewisham	148,463	-	11	6	-	1	-	-	2	-
Woolwich	127,345	-	11	8	-	-	-	-	2	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	591	230	1	43	1	-	133	10
Ages 0-1		-	9	1	-	-	-	-	7	-
" 1-5		-	161	83	-	-	-	-	5	-
" 5-		-	257	72	-	6	1	-	6	-
" 10-		-	103	35	-	7	-	-	8	-
" 15-		-	28	11	-	4	-	-	9	-
" 20-		-	16	12	1	7	-	-	9	2
" 25-		-	11	12	-	9	-	-	24	8
" 35-		-	5	3	-	6	-	-	21	-
" 45-		-	1	1	-	3	-	-	20	-
" 55-		-	-	-	-	-	-	-	14	-
" 65 and upwards		-	-	-	-	1	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 44. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, NOV. 3. [Price 1½*d*.

General Register Office, Somerset House,
November 5th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·6 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 15·5, 14·6, and 14·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·0 in Birkenhead, 20·1 in South Shields, 20·2 in Preston, 20·3 in Warrington and in Sunderland, 20·8 in Liverpool, 21·9 in Middlesbrough, 22·0 in Hanley, and 23·7 in Oldham; from *measles*, 2·2 in Oldham, 3·0 in Rochdale, 3·2 in Bootle, 3·3 in South Shields, 3·8 in Warrington, 4·3 in Rotherham, and 4·9 in Norwich; from *scarlet fever*, 1·6 in Wolverhampton; from *diphtheria*, 1·3 in Aston Manor and 1·5 in Ipswich; from *whooping-cough*, 1·6 in Middlesbrough; from "*fever*," 1·5 in Warrington; and from *diarrhœa*, 2·6 in Rotherham, 3·1 in Middlesbrough, 3·3 in Oldham, and 4·9 in Preston. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2304 BIRTHS and 1272 DEATHS were registered. Allowing for increase of population, the births were 336 and the deaths 176 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 14·3, 13·6, and 13·4 per 1000 in the preceding three weeks was 14·0 last week. The death-rate in the four weeks ended last Saturday averaged 13·8 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 11/06 D & S 3 26349

The 1272 deaths included 15 from measles, 11 from scarlet fever, 23 from diphtheria, 5 from whooping-cough, 5 from enteric fever, and 47 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 106 deaths were referred to these diseases in the aggregate, being 12 below the corrected average number in the 44th week of the preceding four years.

The deaths from *measles*, which had been 2, 5, and 9 in the preceding three weeks, further rose to 15 last week, but were 12 below the corrected average; 7 deaths belonged to the Borough of Stepney and 3 to Poplar. The deaths from *scarlet fever*, which had been 19, 9, and 15 in the preceding three weeks, fell to 11 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 14, 11, and 16 in the preceding three weeks, rose to 23 last week, and were 5 above the corrected average; 3 deaths belonged to Hammersmith, and 3 each to Fulham, Wandsworth, and Camberwell. The deaths from *whooping-cough*, which had been 12, 13, and 5 in the preceding three weeks, were 5 last week, and were 9 below the corrected average. The fatal cases of *enteric fever*, which had been 17, 8, and 11 in the preceding three weeks, fell to 5 last week, and were 8 below the corrected average. The deaths from *diarrhœa*, which had been 93, 78, and 55 in the preceding three weeks, further fell to 47 last week, but were 14 above the corrected average; 5 deaths belonged to Islington, and 5 each to Poplar and Lewisham. Of the 47 deaths from diarrhœa, 44 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 other deaths at this age. The deaths attributed directly to *influenza* numbered 5, having been 10, 11, and 9 in the preceding three weeks.

Different forms of *violence* caused 51 deaths, concerning all of which inquests were held. Of these 51 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 42 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 11 to burns or scalds, 4 to drowning, 1 to a conflagration, and 3, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4177 cases of scarlet fever, 1066 of diphtheria, and 202 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 499 cases, against 566, 548, and 542; of diphtheria, 180 cases, against 157, 203, and 172; and of enteric fever, 28 cases, against 40, 24, and 32. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended October 27th, 1906.

Greater London.

In Greater London 3539 births and 1723 deaths were registered. Allowing for increase of population, these numbers are 488 and 268 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 1 from scarlet fever, 2 from diphtheria, and 14 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·25 inches, and that of the Thermometer 46°·8, the latter being equal to the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 4 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 10·6 hours; the measured rainfall amounted to 1·59 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 13th Oct., 1906.	20th Oct., 1906.	27th Oct., 1906.	3rd Nov., 1906.	Rate from Diseases in Cols. 11–17. Week ended 3rd Nov., 1906.	Registered during the Week ended 3rd Nov., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,818,360	15·5	14·6	14·6	14·6	1·7	8305	4418	991	1162	-	103	41	78	31	48	214	161	335	1118	34	76 TOWNS.
LONDON	4,721,217	14·3	13·6	13·4	14·0	1·2	2304	1272	246	358	-	15	11	23	5	5	47	51	121	547	3	LONDON.
CROYDON	151,011	12·4	12·1	7·3	12·8	1·4	59	37	7	10	-	-	1	2	-	-	1	2	4	10	-	CROYDON.
WILLESDEN	143,622	10·2	9·1	8·4	9·1	0·7	71	25	5	10	-	1	-	-	-	-	1	1	1	5	1	WILLESDEN.
HORNSEY	86,935	7·2	6·6	6·0	7·2	-	37	12	2	3	-	-	-	-	-	-	-	-	1	2	-	HORNSEY.
TOTTENHAM	119,503	10·5	14·8	10·5	8·3	0·9	53	19	3	4	-	-	-	-	-	-	2	-	1	2	-	TOTTENHAM.
WEST HAM	301,617	17·8	14·7	14·2	12·1	2·2	175	70	12	12	-	3	1	2	2	-	5	2	6	20	-	WEST HAM.
EAST HAM	129,886	8·8	10·0	8·8	8·8	2·0	67	22	8	3	-	-	2	-	-	-	3	2	3	3	-	EAST HAM.
LEYTON	118,287	11·5	7·1	9·7	6·2	1·3	52	14	1	4	-	-	-	2	-	-	1	1	1	2	-	LEYTON.
WALTHAMSTOW	121,334	9·9	11·2	12·9	9·5	0·4	71	22	6	5	-	1	-	-	-	-	-	1	4	2	-	WALTHAMSTOW.
HASTINGS	67,144	12·4	13·2	10·9	10·9	0·8	17	14	1	3	-	-	-	-	-	1	-	-	1	6	-	HASTINGS.
BRIGHTON	128,095	12·6	11·0	8·5	14·2	-	57	35	6	17	-	-	-	-	-	-	-	2	4	9	-	BRIGHTON.
PORTSMOUTH	205,118	14·5	18·0	13·2	13·5	1·0	104	53	21	9	-	-	-	2	1	-	1	1	8	4	-	PORTSMOUTH.
BOURNEMOUTH	67,702	10·8	9·2	12·3	10·8	-	26	14	4	3	-	-	-	-	-	-	-	1	2	1	-	BOURNEMOUTH.
SOUTHAMPTON	117,312	12·0	11·6	11·1	8·4	1·3	49	19	2	6	-	-	-	2	-	-	1	-	1	3	-	SOUTHAMPTON.
READING	78,987	6·6	8·6	9·9	11·2	1·3	38	17	6	7	-	-	-	-	-	-	2	1	2	6	1	READING.
NORTHAMPTON	93,749	9·5	10·0	5·0	6·7	-	28	12	3	5	-	-	-	-	-	-	-	-	-	2	-	NORTHAMPTON.
IPSWICH	71,809	18·2	8·7	15·2	13·1	2·9	33	18	5	6	-	-	-	2	-	-	2	1	4	-	-	IPSWICH.
GREAT YARMOUTH	52,613	17·8	12·9	22·8	14·9	-	39	15	3	7	-	-	-	-	-	-	-	-	1	4	-	GREAT YARMOUTH.
NORWICH	117,958	19·0	15·5	19·9	17·7	6·2	54	40	4	10	-	11	2	1	-	-	-	2	1	4	-	NORWICH.
PLYMOUTH	118,014	14·1	15·5	16·8	13·3	2·2	57	30	7	11	-	3	-	1	-	-	1	1	1	2	-	PLYMOUTH.
DEVONPORT	78,405	12·6	11·3	12·6	14·6	1·3	49	22	3	3	-	2	-	-	-	-	-	-	1	2	-	DEVONPORT.
BRISTOL	363,223	15·1	14·1	4·9	11·6	0·7	163	81	16	35	-	1	-	1	1	1	1	1	3	17	-	BRISTOL.
HANLEY	66,360	25·9	18·9	17·3	22·0	2·4	38	28	9	5	-	-	-	1	-	-	2	2	4	8	-	HANLEY.
BURTON-ON-TRENT	52,922	19·7	11·8	8·9	11·8	1·0	28	12	1	3	-	-	-	-	-	1	-	1	2	1	1	BURTON-ON-TRENT.
WOLVERHAMPTON	100,729	18·1	10·9	18·1	11·4	3·1	47	22	6	7	-	-	3	1	-	-	2	-	1	2	-	WOLVERHAMPTON.
WALSALL	94,577	19·8	12·1	14·9	12·1	-	61	22	6	7	-	-	-	-	-	-	-	-	1	-	-	WALSALL.
HANDSWORTH	63,819	10·6	9·0	10·6	15·5	-	37	19	1	7	-	-	-	-	-	-	-	-	-	1	-	HANDSWORTH.
WEST BROMWICH	68,469	9·9	12·2	9·1	17·5	-	46	23	2	6	-	-	-	-	-	-	-	-	1	4	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 3rd November, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 13th Oct., 1906.	20th Oct., 1906.	27th Oct., 1906.	3rd Nov., 1906.	Rate from Diseases in Cols. 11-17. Week ended 3rd Nov., 1906.	Registered during the Week ended 3rd Nov., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	12·6	13·7	13·8	12·9	1·4	297	136	40	35	-	4	2	2	3	2	2	5	5	33	5	BIRMINGHAM.
KINGS NORTON -	72,608	13·6	6·5	7·9	10·1	0·7	40	14	1	7	-	-	-	-	-	-	1	-	-	1	-	KINGS NORTON.
SMETHWICK - -	64,531	9·7	8·1	9·7	8·9	2·4	38	11	1	1	-	1	1	1	-	-	-	-	-	1	-	SMETHWICK.
ASTON MANOR -	82,288	7·6	9·5	17·1	12·0	1·9	28	19	3	8	-	-	-	2	-	-	1	-	-	2	-	ASTON MANOR.
COVENTRY - -	76,374	16·4	10·9	13·7	16·4	0·7	57	24	8	2	-	-	-	-	-	1	-	3	5	9	1	COVENTRY.
LEICESTER - -	232,111	12·1	10·1	14·8	12·4	1·6	124	55	20	12	-	2	3	-	-	-	2	2	5	10	-	LEICESTER.
GRIMSBY - - -	69,359	13·5	15·8	17·3	8·3	0·8	32	11	4	5	-	-	-	-	-	-	1	-	-	1	-	GRIMSBY.
NOTTINGHAM - -	254,563	14·3	13·3	13·1	12·7	0·4	132	62	12	21	-	-	1	-	-	-	1	3	6	13	2	NOTTINGHAM.
DERBY - - -	123,981	18·1	15·1	8·8	10·9	0·8	52	26	4	10	-	-	-	1	-	1	-	-	1	9	-	DERBY.
STOCKPORT - -	99,646	25·6	16·2	13·1	16·2	2·6	62	31	4	10	-	1	-	-	-	1	3	1	2	3	-	STOCKPORT.
BIRKENHEAD - -	117,292	16·4	19·6	14·7	20·0	2·7	66	45	11	9	-	1	1	1	1	2	-	3	4	9	-	BIRKENHEAD.
WALLASEY - -	64,578	14·5	7·3	14·5	13·7	0·8	36	17	4	4	-	-	-	1	-	-	-	1	3	1	-	WALLASEY.
LIVERPOOL - -	739,180	20·1	20·5	20·2	20·8	2·8	452	295	64	66	-	11	3	3	3	7	13	11	18	83	8	LIVERPOOL.
BOOTLE - - -	65,989	18·2	19·0	23·7	15·8	6·3	45	20	4	2	-	4	1	1	-	1	1	-	-	3	-	BOOTLE.
ST. HELENS - -	91,153	18·9	21·7	13·7	13·2	1·1	72	23	6	5	-	-	-	1	-	1	-	-	-	6	-	ST. HELENS.
WIGAN - - -	87,588	19·1	19·1	18·5	17·9	2·4	56	30	4	9	-	-	-	-	-	1	3	-	1	1	-	WIGAN.
WARRINGTON -	69,280	23·3	24·8	13·5	20·3	7·5	45	27	3	7	-	5	-	-	1	2	2	-	1	5	1	WARRINGTON.
BOLTON - - -	180,502	17·9	16·5	16·2	15·0	0·9	107	52	12	12	-	-	-	2	-	-	1	1	2	10	-	BOLTON.
BURY - - -	58,744	16·0	13·3	16·0	15·1	2·7	28	17	6	5	-	-	-	-	1	-	2	1	1	4	-	BURY.
MANCHESTER - -	637,126	19·6	17·4	16·8	18·8	2·6	372	230	47	57	-	4	2	5	-	3	18	12	16	52	-	MANCHESTER.
SALFORD - - -	234,077	17·2	17·6	15·4	18·0	2·9	170	81	23	18	-	3	-	3	1	4	2	-	6	19	-	SALFORD.
OLDHAM - - -	140,969	19·2	19·2	20·7	23·7	5·5	79	64	17	14	-	6	-	-	-	-	9	4	8	6	1	OLDHAM.
ROCHDALE - -	87,189	22·7	20·3	19·1	15·5	3·0	39	26	4	10	-	5	-	-	-	-	-	2	3	4	-	ROCHDALE.
BURNLEY - - -	102,808	21·3	17·8	19·3	16·7	3·0	53	33	7	10	-	2	1	-	1	-	2	1	1	3	-	BURNLEY.
BLACKBURN - -	134,015	20·6	20·6	17·1	16·0	1·6	69	41	12	16	-	-	-	-	-	-	4	2	2	6	1	BLACKBURN.
PRESTON - - -	116,399	23·7	17·9	19·3	20·2	4·9	76	45	14	11	-	-	-	-	-	-	11	1	1	3	-	PRESTON.
BARROW-IN-FURNESS.	60,967	11·1	12·8	11·1	14·5	1·7	30	17	4	2	-	-	-	-	-	-	2	-	1	-	1	BARROW-IN-FURNESS.

Towns.	Population estimated to the middle of the Year 1906.*	Causes. Week ended 13th Oct., 1906.	20th Oct., 1906.	27th Oct., 1906.	3rd Nov., 1906.	Diseases in Cols. 11-17. Week ended 3rd Nov., 1906.	Registered during the Week ended 3rd Nov., 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield -	94,851	18·7	14·8	17·6	15·4	0·5	49	28	6	11	-	-	1	-	-	-	-	-	-	4	1	Huddersfield.
Halifax - - -	109,272	15·7	16·7	15·7	18·1	1·4	28	38	9	17	-	-	-	-	-	-	3	-	3	9	1	Halifax.
Bradford - -	288,544	13·2	15·5	15·4	13·0	1·6	86	72	12	17	-	-	-	2	2	4	1	1	6	16	-	Bradford.
Leeds - - -	463,495	14·8	12·8	12·0	12·8	1·1	210	114	24	30	-	-	1	1	-	4	4	5	10	17	-	Leeds.
Sheffield - -	447,951	15·4	14·2	15·4	16·1	2·3	259	138	40	24	-	3	1	2	1	2	11	2	4	22	2	Sheffield.
Rotherham - -	61,098	18·8	17·9	16·2	17·1	7·7	46	20	6	2	-	5	1	-	-	-	3	2	2	6	-	Rotherham.
York - - -	83,467	9·4	15·6	13·1	15·0	1·2	45	24	2	13	-	-	-	-	1	1	-	1	3	5	-	York.
Hull - - -	262,426	14·7	16·9	16·3	14·5	1·8	155	73	18	22	-	-	-	2	-	1	6	4	7	11	1	Hull.
Middlesbrough -	100,069	22·4	24·0	22·9	21·9	5·7	61	42	13	7	-	-	-	1	3	1	6	-	-	7	-	Middlesbrough.
Stockton-on-Tees	52,664	10·9	21·8	13·9	12·9	2·0	31	13	6	4	-	-	-	-	-	-	2	-	-	-	-	Stockton-on-Tees.
West Hartlepool	73,387	11·4	14·9	17·1	10·7	-	38	15	4	5	-	-	-	-	-	-	-	-	-	3	-	West Hartlepool.
Sunderland - -	154,385	13·5	16·5	21·3	20·3	1·4	91	60	14	18	-	-	-	1	-	-	3	3	4	13	1	Sunderland.
South Shields -	111,402	18·3	18·3	21·5	20·1	4·7	78	43	8	6	-	7	1	1	-	-	1	2	2	8	2	South Shields.
Gateshead - -	123,191	23·7	19·0	24·5	16·5	2·1	59	39	12	4	-	-	1	1	-	1	2	-	-	1	-	Gateshead.
Newcastle-on-Tyne	268,721	18·0	15·1	16·5	14·4	1·7	157	74	22	13	-	2	-	2	-	-	5	2	3	9	-	Newcastle-on-Tyne.
Tynemouth - -	54,138	22·2	18·3	16·4	16·4	1·9	40	17	7	3	-	-	-	-	1	-	1	1	1	2	-	Tynemouth.
Newport (Mon.) -	74,227	18·3	15·5	14·8	13·3	2·1	44	19	6	5	-	-	-	-	-	-	3	-	1	5	-	Newport (Mon.).
Cardiff - - -	183,823	13·0	10·2	18·7	13·9	0·9	94	49	17	8	-	-	-	-	1	-	2	3	7	8	-	Cardiff.
Rhondda- - -	127,684	15·5	12·7	9·4	16·3	2·0	97	40	15	8	-	-	-	-	-	-	5	3	3	-	-	Rhondda.
Merthyr Tydfil -	74,961	20·2	11·1	14·6	18·1	1·4	48	26	5	3	-	-	-	1	1	-	-	3	4	3	-	Merthyr Tydfil.
Swansea- - -	96,848	24·8	18·8	20·5	17·8	2·7	72	33	10	8	-	-	-	1	1	-	3	3	3	3	-	Swansea.
Greater London -	7,113,561	13·4	12·5	12·6	12·6	1·1	3539	1723	326	494	-	23	16	31	7	5	74	74	165	620	6	Greater London.
Outer Ring - -	2,392,344	11·7	10·3	11·1	9·8	1·1	1235	451	80	136	-	8	5	8	2	-	27	23	44	73	3	Outer Ring.
8 Towns in Outer Ring	1,172,195	12·2	11·4	10·4	9·8	1·3	585	221	44	51	-	5	4	6	2	-	13	9	21	46	1	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	11·2	9·3	11·7	9·8	0·9	650	230	36	85	-	3	1	2	-	-	14	14	23	27	2	Remainder of Outer Ring.
Edinburgh - -	341 035	16·8	12·8	16·1	14·4	0·6	139	94	14	30	-	-	1	-	1	-	2	3	?	41	5	Edinburgh.
Glasgow - - -	835,625	19·2	17·1	17·2	16·2	1·8	427	260	46	68	-	2	3	6	3	3‡	12	14	?	82	10	Glasgow.
Dublin† - - -	378,994	23·7	21·7	21·6	27·4	1·9	228	199	33	53	-	2	-	1	3	1	7	1	4	77	6	Dublin.†
Belfast†- - -	366,220§	15·5	17·4	17·1	17·4	2·1	194	122	36	24	-	-	-	1	3	1	10	1	2	16	3	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ In addition to the above, 5 deaths from Cerebro-spinal meningitis were registered.

§ Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FOURTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	1906
TOTAL **Births** -	2819	2751	2530	2613	2392	2737	2723	2563	2581	2494	2640·3	2304
Males - - -	1405	1379	1275	1305	1266	1385	1415	1261	1286	1279	1335·6	1169
Females - -	1414	1372	1255	1308	1126	1352	1308	1302	1295	1215	1304·7	1135
TOTAL **Deaths** -	1709	1585	1394	1626	1466	1516	1433	1426	1330	1494	1448·2	1272
Males - -	873	818	713	838	772	783	747	761	714	728	752·5	648
Females - -	836	767	681	788	694	733	686	662	616	766	695·7	624

* The numbers in this column are the average weekly numbers in the forty-fourth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 11	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	13 Weeks.
TOTAL **Births** -	2155	2550	2466	2475	2329	2319	2260	2374	2251	2355	2411	2474	2304	30723
TOTAL **Deaths** -	1352	1584	1651	1570	1892	1589	1548	1422	1404	1295	1232	1209	1272	19023
Ages at Death: Under 1 year -	464	653	646	643	760	631	514	426	341	280	277	276	246	6187
1—5 years -	162	194	204	199	219	207	171	150	146	125	128	111	137	2153
5—20 ,, -	79	59	67	64	66	60	63	85	73	73	58	69	82	898
20—40 ,, -	145	142	159	136	187	151	154	179	165	156	159	162	176	2032
40—60 ,, -	210	243	245	235	268	248	255	249	293	279	270	265	273	3334
60 yrs. & upwds.	292	293	333	293	392	292	361	333	386	382	349	325	358	4389
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	25	21	13	16	9	7	9	8	6	2	5	9	15	145
Scarlet Fever - -	10	8	9	7	6	4	7	10	12	19	9	15	11	127
Diphtheria - -	13	15	9	12	13	10	18	13	12	14	11	16	23	179
Whooping-cough -	14	13	12	11	17	22	20	13	11	12	13	5	5	168
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	4	7	2	4	3	8	12	11	17	8	11	5	97
Pyrexia (origin uncertain).	-	-	-	1	-	-	-	-	1	-	-	-	-	2
Diarrhœa, Dysentery	238	424	458	455	529	455	340	207	135	93	78	55	47	3534
All above Diseases -	355	485	508	504	578	501	402	263	188	157	124	111	106	4282
Dis. of Resp. System	47	45	45	53	53	35	74	51	90	84	64	89	99	809
Pneumonia - -	65	74	58	56	90	70	75	83	98	93	82	81	101	1026
Phthisis - - -	112	109	119	105	123	128	104	147	139	120	132	129	150	1617
Dis. of Circ. System -	145	151	141	137	169	164	144	147	176	171	169	174	183	2071
Violence - - -	65	52	72	49	77	56	41	68	48	53	50	44	51	726
Inquest Cases - -	141	129	139	115	153	130	117	127	131	115	140	103	121	1661
Deaths in Institutions	481	533	567	588	670	537	552	552	551	550	490	480	547	7099
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	66·1	61·5	64·9	66·5	68·0	57·6	55·8	52·0	58·4	57·6	41·2	53·0	46·8	57·6
Mean of Highest -	78·8	71·3	77·4	81·6	80·9	69·1	63·2	63·1	66·5	65·5	59·4	61·7	53·0	68·6
Mean of Lowest -	56·1	54·3	55·4	52·2	55·8	48·0	50·5	41·5	51·2	51·2	43·5	45·4	40·9	49·8
Mean Humidity of the Air.	68	77	72	62	64	70	80	77	83	82	81	82	88	76
Rain-fall (in inches) -	0·01	0·33	0·26	0·00	0·85	0·74	0·38	0·00	0·69	0·63	0·21	0·07	1·59	5·76
Registered Sunshine (in hours).	54·1	35·7	49·9	70·9	53·7	48·8	22·6	41·3	31·0	35·7	31·7	30·6	10·6	516·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3051	3046	3078	3042	3067	3075	3164	3388	3603	3803	3923	4068	4177	3422
Diphtheria - -	861	846	859	835	861	862	846	849	907	944	982	1030	1066	904
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	101	95	101	103	115	116	124	140	167	186	186	197	202	141

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Trigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst.C.E., Bradford; H. Crowther, Esq., Leeds; H. R. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FOURTH Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 44th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1448·2	1272	246	137	82	176	273	358
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	26·5	15	1	13	1	-	-	-
Scarlet Fever	14·3	11	-	4	7	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	12·5	5	-	-	-	2	2	1
Whooping-cough	14·0	5	2	3	-	-	-	-
Diphtheria	17·8	23	-	13	9	-	1	-
Cerebro Spinal Fever	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Puerperal Fever	12·5	5	-	-	1	3	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	12·5	28	23	5	-	-	-	-
Diarrhœa, Dysentery	20·1	19	10	6	1	-	-	2
Tetanus	0·5	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	0·3	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	0·3	-	-	-	-	-	-	-
Venereal Dis.	5·6	10	6	1	-	2	1	-
Puerperal Septicæmia	2·5	7	-	-	-	5	2	-
Puerperal Pyæmia	0·3	-	-	-	-	-	-	-
Puerperal Fever	0·5	-	-	-	-	-	-	-
Infective Endocarditis	2·3	3	-	-	1	2	-	-
Pneumonia: Lobar	14·3	18	1	-	2	3	7	5
Pneumonia: Broncho-	66·8	36	11	17	1	2	1	4
Pneumonia: Epidemic	0·5	-	-	-	-	-	-	-
Pneumonia: Not defined	67·3	47	7	5	4	6	10	15
Erysipelas	6·6	6	1	-	-	1	1	3
Septicæmia (not Puerperal)	1·3	1	-	-	-	1	-	-
Pyæmia (not Puerperal)	2·0	1	1	-	-	-	-	-
Other Infective Processes	8·2	1	1	-	-	-	-	-
Tuberculous Phthisis	72·4	105	-	3	6	51	40	5
Phthisis"	73·9	45	-	-	2	22	16	5
Tuberculous Meningitis	19·1	27	4	13	10	-	-	-
Tuberculous Peritonitis	6·1	7	1	2	2	-	1	1
Tabes Mesenterica	3·1	2	2	-	-	-	-	-
Tuberculous Dis. (other)	13·3	12	2	2	2	3	2	1
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	12·2	13	-	-	-	4	9	-
Rheumatic Fever	5·9	8	-	-	5	1	2	-
Gout	1·5	3	-	-	-	-	-	3
Cancer, Carcinoma	52·0	45	-	-	-	2	24	19
Cancer, Sarcoma	5·4	2	-	-	-	1	1	-
Cancer (undefined)	39·2	24	-	-	-	1	9	14
Diabetes Mellitus	9·7	7	-	-	1	4	2	-
Premature Birth	50·5	42	42	-	-	-		-

CAUSES OF DEATH.	Corrected Average for the 44th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tubero.)	11·0	13	5	6	1	-	1	-
Insanity, Gen. Par. of Insane	11·5	11	-	-	1	2	5	3
Epilepsy	5·4	8	-	1	2	-	4	1
Convulsions	24·7	15	13	2	-	-		
Locomotor Ataxy	2·3	5	-			-	3	2
Paraplegia, Dis. of Cord	3·6	5	1	-	-	1		3
Nervous Sys. (other dis.)	18·9	16	1	1	-	1	9	4
Valv. Dis., Endocarditis	39·8	50	-	-	5	5	21	19
Cerebr. Hæm. Thromb.	37·0	34	-	-	-	2	12	20
Apoplexy, Hemiplegia	17·8	15	-	-	-	-	2	13
Aneurysm	6·9	10		-	-	4	6	-
Embolism, Thrombosis (not cerebral)	1·3	1	-	-	-	-	1	-
Heart & Blood Vessel Dis.	89·5	73	-	-	1	9	18	45
Croup (not Spasm : nor Memb.)	0·3	-	-	-	-		-	-
Bronchitis	135·6	88	13	11	-	-	11	53
Asthma, Emphysema	3·8	2	-	-	-	1	-	1
Pleurisy	4·8	2	-	1	-	-	1	-
Respiratory Dis. (other)	11·5	7	-	2	-	1	-	4
Tonsillitis, Quinsy	0·8	-	-	-	-	-	-	-
Enteritis (not Epid.)	11·7	21	14	2	-	1	2	2
Gastro-Enteritis	5·6	7	6	1	-	-	-	-
Peritonitis (not Puerp.)	3·3	2	-	-	1	1	-	-
Cirrhosis of Liver	13·8	9	-	-	-	2	5	2
Liver Dis. (other)	3·3	6	-	-	-	-	3	3
Digestive Dis., Other	35·7	39	6	1	9	4	9	10
Nephritis, Acute	7·1	9	1	2	1	1	-	4
Bright's Dis., Albuminuria	37·5	22	-	-	2	2	9	9
Urinary Sys., Other Dis.	9·7	7	-	-	-	1	2	4
Generative Organs Dis.	4·6	6	-	-	-	2	2	2
Childbirth (Accid. of)	4·1	2	-	-		1	1	
Old Age	54·3	61	-		-	-	-	61
Other Diseases	100·7	92	6	12	-	6	5	7
ACCIDENT.								
By Railways	2·0	2	-	-	-	1	1	-
By Vehicles and Horses	4·3	3	-	-	-	2	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	1·0	-	-	-	-	-	-	-
In Building Operations	1·0	1	-	-	-	-	-	1
In Conflagrations	-	1	-	-	-	-	1	-
By Burns, Scalds, Explosions	7·1	11	2	6	2	1	-	-
By Drowning	2·8	4	-	-	-	1	2	1
By Suffocation in Bed	9·2	3	3	-			-	-
By Poisons or Poisonous Vapours	2·3	2		-	-	-	1	1
Other Deaths by Accident	15·8	15	2	2	2	2	3	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	1	-	-	-	1	-	
Suicide	9·4	8	-	-	-	5	3	-
Execution	-	-			-		-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd November, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexial Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2304	1272	246	358	-	15	11	23	5	-	5	-	47	51	121	547
WEST DISTRICTS	805,311	314	218	35	73	-	-	3	5	-	-	-	-	6	11	21	95
NORTH DISTRICTS	1,056,070	483	278	45	87	-	2	2	3	-	-	1	-	11	12	24	112
CENTRAL DISTRICTS	209,465	120	51	9	9	-	-	1	-	-	-	-	-	2	4	8	30
EAST DISTRICTS	715,739	443	239	57	53	-	10	-	3	2	-	-	-	10	11	36	108
SOUTH DISTRICTS	1,749,844	944	440	99	122	-	3	5	12	3	-	4	-	17	13	32	156
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	46	1	14	-	-	-	-	-	-	-	-	1	-	-	46
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	54	19	1	3	-	-	-	-	-	-	-	-	-	-	3	7
St. John Paddington *H*	33,617	5	10	-	3	-	-	-	-	-	-	-	-	-	3	3	6
North-West Paddington	17,181	8	5	1	3	-	-	-	-	-	-	-	-	1	-	-	-
Kensington Town *2W,w,2H*	128,037	54	51	5	21	-	-	-	-	-	-	-	-	1	3	4	26
Brompton *2H*	48,591	6	10	-	5	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith *2W,wH*	49,192	23	9	2	3	-	-	-	-	-	-	-	-	-	-	-	4
South Hammersmith *w,2H*	63,047	27	14	1	3	-	-	-	1	-	-	-	-	-	-	-	3
North-west Fulham *W*	45,180	29	19	9	4	-	-	-	1	-	-	-	-	1	-	1	8
North-east Fulham *F*	46,405	20	14	2	4	-	-	3	3	-	-	-	-	-	1	1	6
South Fulham *W*	45,704	25	11	5	2	-	-	-	-	-	-	-	-	-	-	2	-
Chelsea North *W,w,3H*	42,514	6	21	1	10	-	-	-	-	-	-	-	-	-	-	1	18
Chelsea South *W,2H*	31,328	7	7	3	-	-	-	-	-	-	-	-	-	1	-	-	4
Mayfair and Knightsbridge	28,743	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	21	14	1	7	-	-	-	-	-	-	-	-	-	1	3	5
St. Margaret & St. John *4H*	43,698	19	8	2	3	-	-	-	-	-	-	-	-	1	2	2	3
St. James and St. Anne *W,6H*	33,081	7	6	2	2	-	-	-	-	-	-	-	-	1	1	1	2
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	9	15	2	3	-	-	-	1	-	-	-	-	1	2	2	6
St. Mary Marylebone *W,4H*	37,948	42	12	4	3	-	-	-	-	-	-	-	-	1	-	1	4
Christchurch Marylebone *H*	39,536	14	5	2	-	-	-	-	-	-	-	-	-	1	1	1	-
St. John Marylebone *2H*	20,426	4	7	1	4	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *W,F,7H*	81,942	32	17	1	6	-	-	2	1	-	-	-	-	-	-	-	11
West St. Pancras *2H*	60,562	18	10	3	3	-	-	-	-	-	-	-	-	1	-	-	2
Tottenham-court *w,7H*	21,258	11	10	-	3	-	-	-	-	-	-	-	-	-	-	-	8
Gray's Inn Lane *4H*	34,449	16	10	3	2	-	-	-	-	-	-	-	-	-	1	1	6
East St. Pancras *W,2H*	60,320	31	21	-	6	-	-	-	-	-	-	-	-	-	3	7	9
North St. Pancras *2W*	58,728	24	21	5	3	-	-	-	-	-	-	-	-	-	-	1	9
Tufnell *W*	31,995	14	27	-	18	-	-	-	-	-	-	-	-	-	-	-	19
Upper Holloway *2W,w,H*	33,978	14	21	3	5	-	-	-	-	-	-	-	-	1	-	-	15
Tollington *WH*	33,922	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	21	11	6	2	-	-	-	-	-	-	-	-	1	1	1	-
Barnsbury	54,478	40	9	2	1	-	1	-	-	-	-	-	-	-	-	1	-
Islington South-east *F*	75,397	22	6	-	2	-	-	-	-	-	-	-	-	-	1	2	-
Highbury *2H*	63,797	25	13	4	4	-	-	-	-	-	-	-	-	1	-	1	1
Stoke Newington *H*	51,247	21	9	-	4	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney	50,560	28	8	-	5	-	-	-	-	-	-	-	-	-	1	2	-
Central Hackney *2w,F*	50,536	26	5	2	1	-	-	-	1	-	-	1	-	-	-	-	3
South-west Hackney *3H*	59,921	32	18	4	4	-	1	-	-	-	-	-	-	2	-	1	7
South-east Hackney *2W,w,H*	58,255	26	20	3	6	-	-	-	-	-	-	-	-	2	2	2	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd November, 1906—*continued.*

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyæmia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Giles and Bloomsbury 2*W*,2*H* -	31,436	25	5	1	1	-	-	-	-	-	-	-	-	-	-	1	3	-
and *W*,4*H* - - - - -	21,674	1	12	2	2	-	-	-	-	-	-	-	-	-	2	2	8	-
and Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born *W*,6*H* - - - - -	29,612	15	13	4	1	-	-	-	-	-	-	-	-	1	-	-	11	-
ith Clerkenwell - - -	28,676	22	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
rth Clerkenwell *H* - - -	35,028	21	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
sbury 3*H*,*L* - - - - -	36,116	30	8	1	3	-	-	1	-	-	-	-	-	1	-	2	1	-
bborn Union Workhouse, Hitcham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph *H* - - - -	10,299	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Sepulchre and Allhallows *W*,2*H*	16,824	3	7	-	-	-	-	-	-	-	-	-	-	-	2	2	7	-
y of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *H* - - -	46,362	25	7	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-
oreditch North-West *W*,*w*,*H* -	36,127	23	26	7	7	-	-	-	1	-	-	-	-	2	2	5	20	-
oreditch North-East - - -	36,148	19	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oreditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ethnal Green North-East 2*W*, 2*HL*.	65,138	40	19	2	6	-	-	-		-	-	-	-	-	2	3	12	-
ethnal Green South-West *H* -	64,542	38	15	2	4	-	1	-	-	1	-	-	-	-	-	1	-	-
pitalfields - - - - -	27,969	15	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ile End New Town *W*,*H* - -	28,718	20	34	6	2	-	-	-	-	-	-	-	-	1	2	3	32	-
oodman's Fields - - - -	22,081	10	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
. George and St. John 2*W* - -	49,068	35	15	5	3	-	-	-	-	-	-	-	-	1	2	6	3	-
adwell and Ratcliff *W*,*H* - -	25,568	15	14	3	-	-	-	-	2	1	-	-	-	-	-	-	11	-
imehouse *W* - - - - -	32,369	23	7	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
ile End Old Town South-Western *H* - - - -	63,698	48	11	4	3	-	1	-	-	-	-	-	-	-	1	2	-	-
ile End Old Town North-Eastern *W*,*w* - - -	49,129	28	18	5	7	-	1	-	-	-	-	-	-	1	-	1	9	-
ow *L* - - - - - - -	41,989	19	9	2	3	-	1	-	-	-	-	-	-	-	1	2	-	-
romley 3*w*,*H* - - - - -	68, 19	42	35	8	13	-	2	-	-	-	-	-	-	3	1	8	19	-
oplar *W*,*w* - - - - -	58,51	43	16	6	2	-	1	-	-	-	-	-	-	1	-	2	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd November, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	17	3	2	-	-	-	-	-	-	-	-	-	1	1	12
Kent-road	21,904	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	12	9	4	2	-	-	-	-	-	-	-	-	2	-	1	3
Newington North	49,022	28	8	3	1	-	-	-	-	-	-	-	-	1	-	-	-
Newington South *W*	72,841	40	19	7	3	-	-	-	-	-	-	-	-	-	-	2	-
St. Olave *2W*	9,817	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	66	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	27	15	6	2	-	-	-	-	-	-	-	-	1	1	1	7
Waterloo* *2H*	27,440	20	4	1	1	-	-	-	-	-	-	-	-	1	-	-	1
Lambeth Church* *H*	27,440	17	15	1	3	-	-	-	-	-	-	-	-	2	4	5	10
Kennington* *2 V*	52,518	30	25	3	8	-	-	-	-	-	-	-	-	-	-	1	15
Stockwell* *HF*	63,826	36	7	3	-	-	-	-	1	1	-	-	-	-	1	1	1
Brixton* *H*	73,673	38	13	3	6	-	-	-	-	-	-	-	-	-	-	-	-
Norwood* *WH*	56,998	18	5	1	4	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea *H*	72,203	37	11	5	1	-	-	-	-	-	-	-	-	-	1	1	-
North-west Battersea	49,656	33	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	5	22	3	9	-	-	-	1	-	-	-	-	1	2	3	16
Clapham *2H*	51,361	29	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	53	31	4	12	-	-	3	4	-	-	2	-	1	1	1	22
Springfield *2W,L*	27,959	22	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Southfields *H*	40,444	29	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Putney	24,139	13	7	2	2	-	-	-	1	-	-	-	-	-	-	-	-
Dulwich	13,359	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	19	22	-	8	-	-	-	-	-	-	-	-	-	-	1	17
Camberwell North *W,2L*	65,584	27	20	3	6	-	-	-	-	-	-	-	-	-	1	2	11
St George	47,331	26	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	26	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	18	8	3	1	-	-	-	1	-	-	-	-	2	-	1	-
Deptford North	37,613	16	9	3	1	-	-	-	-	-	-	-	-	-	-	2	-
Deptford Central *F*	45,481	33	13	1	-	-	1	-	3	-	-	1	-	-	-	2	6
Deptford South	34,625	11	8	3	2	-	-	-	-	-	-	-	-	1	-	1	-
Greenwich West *2H*	23,456	9	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich East *2W,H*	43,859	26	23	5	11	-	-	-	1	-	-	-	-	1	-	1	14
Eltham *w,H*	7,226	6	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *wH*	25,490	10	6	1	3	-	-	-	-	-	-	-	-	-	-	1	1
Lewisham *W w,F*	53,352	38	20	3	6	-	1	1	-	1	-	-	-	3	-	-	14
Sydenham *H*	43,653	23	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	11	4	-	-	-	-	1	-	-	-	1	-	-	-	-	2
Woolwich *5H*	41,625	24	10	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W*	18,063	6	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	37	15	4	5	-	1	-	-	-	-	-	-	-	1	1	3
Workhouse:— Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Leavesden	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London County Lunatic Asylums:—																	
Banstead	—	-	13	-	5	-	-	-	-	-	-	-	-	-	-	-	13
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-	3
Dartford Heath	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Hanwell	—	-	7	-	5	-	-	-	-	-	-	-	-	-	-	-	7
Colney Hatch	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Claybury	—	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	7

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-districts as above.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 3rd November, 1906.

Registration District and District Number.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368 302	2,044,973	1235	451	80	136	-	8	5	8	2	-	27	23	44	73	3
1:1	Carshalton 2F,3H	12,228	32,997	14	1	-	1	-	-	-	-	-	-	-	1	1	-	-
2	Epsom, *part of** W,w,2F,H	10,423	15,548	7	1	-	-	-	-	-	-	-	-	1	-	-	1	-
2:1	Godstone, *part of** W,F	2,754	2,692	3	2	1	1	-	-	-	-	-	-	1	-	-	-	-
3:1	Coulsdon	11,069	8,166	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	22	8	2	5	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	24	23	5	4	-	-	1	2	-	-	-	-	1	12	-
4	North Croydon H	2,644	41,698	13	10	-	2	-	-	-	-	-	-	1	3	4	2	-
5	Penge w,H	770	22,465	8	4	1	2	-	-	-	-	-	-	1	-	1	-	-
6	Mitcham w	11,711	30,015	23	4	1	2	-	-	-	-	-	-	-	-	-	-	-
4:1	Wimbledon F,3H	3,221	41,652	17	8	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	19	15	3	7	-	-	-	-	-	-	1	1	2	5	-
3	Surbiton F,H	3,046	15,017	4	1	-	1	-	-	-	-	-	-	-	-	1	-	-
4	Esher, *part of** H	5,402	13,100	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,534	23,456	12	5	1	1	-	-	-	-	-	-	-	-	-	-	-
5:1	Richmond W,H	2,162	28,865	10	7	-	4	-	-	-	-	-	-	1	-	-	-	-
2	Mortlake F	2,847	20,628	14	6	1	1	-	-	-	-	-	-	-	3	3	-	-
6:1	Bromley F,2H	4,703	27,354	13	4	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	13	4	-	3	-	-	-	-	-	-	-	-	-	-	-
3	Orpington *part of** W	10,113	9,857	9	5	1	2	-	-	-	-	-	-	2	-	-	4	-
4	Chislehurst 2H	7,333	16,446	12	1	1	-	-	1	-	-	-	-	-	-	-	-	-
7:1	Bexley w F,H	8,678	21,151	7	5	-	3	-	-	-	-	-	-	1	-	-	-	-
2	Erith F,H	3,854	25,296	21	8	-	2	-	2	-	1	-	-	-	1	1	-	-
3	Dartford W,F, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8:1	Sunbury w	11,054	18,683	19	5	2	2	-	-	-	-	-	-	1	-	-	-	1
2	Staines W,H	13,277	15,178	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-
9:1	Hillingdon W,F,H	6,035	13,661	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	14	4	3	-	-	-	-	-	-	-	-	1	1	-	-
3	Hayes w2F,H	8,066	16,358	18	7	1	1	-	-	-	-	-	-	-	1	1	-	-
10:1	Isleworth 3W,2F,H	6,859	30,863	23	20	4	9	-	-	-	-	-	-	1	1	3	5	-
2	Twickenham F,H	2,421	20,991	12	3	-	-	-	-	-	-	-	-	-	-	-	-	1
3	Brentford 3F,2H	4,319	48,289	43	11	-	5	-	-	-	1	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	8	5	-	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	36	13	2	6	-	-	-	-	-	-	-	-	-	-	-
11:1	Harrow F,H	13,809	25,523	17	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	71	24	5	9	-	1	-	-	-	-	1	1	1	4	1
4	Hendon W,F	8,382	22,450	21	6	-	1	-	-	-	-	-	-	-	-	1	2	-
12:1	South Mimms 2F,H	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	4,688	33,692	20	8	-	1	-	-	-	-	-	-	1	-	1	-	-
13:1	Hornsey F,H	2,875	72,056	37	10	2	2	-	-	-	-	-	-	-	-	1	-	-
2	Wood Green H	1,625	34,233	18	9	-	6	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham F	996	48,853	27	8	1	-	-	-	-	-	-	-	1	-	1	-	-
4	East Tottenham 2H	2,017	53,688	26	9	2	3	-	-	-	-	-	-	1	-	-	-	-
5	Edmonton W,w,2F	7,491	61,892	55	14	2	4	-	-	-	-	-	-	1	-	-	5	-
6	Enfield 2W,F,H	12,601	42,738	23	9	-	3	-	-	1	-	-	-	-	-	-	3	-
7	Waltham Abbey F	11,017	6,549	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15:1	Hatfield, *part of** W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17:1	Bushey H	9,333	9,173	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 1	Stratford H	1,072	44,827	21	8	-	-	-	-	-	-	-	-	1	1	1	2	-
2	Plaistow F,2H	1,249	90,921	77	22	7	3	-	1	-	2	2	-	-	1	3	3	-
3	Canning Town H	1,556	70,718	53	17	5	2	-	1	-	-	-	-	4	-	2	-	-
4	Forest Gate w	806	60,892	24	8	-	2	-	-	-	-	-	-	-	-	-	-	-
5	North East Ham w H	1,333	58,676	28	10	4	2	-	-	2	-	-	-	1	-	1	-	-
6	South East Ham 2F	1,993	37,342	39	9	3	-	-	-	-	-	-	-	2	1	1	-	-
7	Wanstead F	1,679	9,179	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-
8	South Leyton 2W	631	50,467	29	8	1	2	-	1	-	1	-	-	1	-	-	1	-
9	North Leyton 2W,w,F	1,963	48,445	23	22	1	7	-	1	-	1	-	-	-	2	2	17	-
10	Walthamstow 3H,L	6,504	108,929	75	23	7	6	-	-	-	-	-	-	-	1	5	-	-
37:1	Chigwell 2F,3H	11,778	16,397	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of**	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
39:1	Romford, *part of** W,2F	6,556	6,091	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,493	41,234	37	12	5	1	-	-	-	-	-	-	-	3	3	3	-
3	Barking Town F	3,803	21,547	8	5	1	-	-	-	-	-	-	-	1	1	1	-	-
	London Fever Hospital, Islington.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,721,217	November 3	2304	1272	14·0	-	15	11	23	5	5	4
CALCUTTA - -	977,822	September 29	-	387	23·7	-	-	-	-	-	108†	8
BOMBAY - -	982,000	October 16	415	661	44·3	2	2	-	-	-	101†	6
MADRAS - -	509,346	" 5	472	584	59·6	3	3	?	?	?	130	17
PARIS - - -	2,750,000	" 27	897	839	16·3	-	2	1	5	2	9	4
BRUSSELS - -	612,401	" 27	212	143	12·1	-	-	-	2	3	3	1
ANTWERP - -	297,311	" 27	132	74	12·9	-	-	-	2	1	-	1
AMSTERDAM -	560,482	" 20	255	129	12·0	-	4	1	1	1	3	[illegible]
OCPENHAGEN -	425,000	" 27	236	113	13·9	-	2	-	1	-	1	1
STOCKHOLM -	324,488	" 20	157	73	11·7	-	-	-	2	1	-	[illegible]
CHRISTIANIA -	222,373	" 27	84	56	13·1	-	-	-	9	-	-	4
ST. PETERSBURG	1,424,700	" 13	725	570	20·8	2	5	26	29	2	31	50
MOSCOW - -	1,154,000	" 20	-	579	26·2	-	4	10	11	6	19	62
BERLIN - -	2,067,654	" 13	888	538	13·6	-	6	9	7	2	3	56
HAMBURG - -	819,380	" 27	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	475,000	" 20	-	191	21·0	-	1	-	3	4	2	28
MUNICH - -	544,000	" 27	-	-	-	-	-	-	-	-	-	-
VIENNA - -	1,956,949	" 27	892	555	14·7	-	8	3	10	3	2	32
PRAGUE - -	460,849	" 20	173	145	16·4	-	-	-	1	1	-	9
BUDA-PESTH -	859,134	" 20	369	271	17·8	-	3	5	3	2	2	13
TRIESTE - -	196,637	" 27	114	71	18·6	-	-	-	-	-	1	7
ROME - -	531,179	September 8	-	-	-	-	-	-	-	-	-	-
VENICE - -	171,709	October 13	51	63	19·1	-	-	-	-	-	-	2
BUCHAREST -	291,138	" 20	195	110	19·7	-	-	1	-	2	2	8
NEW YORK -	4,152,860	" 20	2265	1452	18·2	-	4	3	22	13	25	136
CHICAGO - -	2,049,185	" 20	-	539	13·7	-	-	9	15	2	8	54
PHILADELPHIA -	1,469,126	" 13	-	493	17·4	-	-	-	10	9	10	37
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	September 30	-	266	15·2	-	1	-	-	2	2†	?

* Excluding deaths from croup in the Indian Cities.
† Including 7 deaths from plague in Calcutta, 27 in Bombay, and 2 in Rio de Janeiro.
‡ Including 29 deaths from cholera in Calcutta, 6 in Bombay, and 65 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 3rd November, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°					°	
LONDON (Greenwich)	56·0	37·2	47·0	1·59	BRADFORD - -	52·8	35·6	45·6	1·48
BRIGHTON - -	55·3	37·3	48·4	2·57	LEEDS - - -	55·0	38·0	45·5	1·64
PORTSMOUTH - -	56·3	38·0	48·3	1·94	HULL - - -	53·0	35·0	45·7	2·07
NORWICH - -	53·0	36·6	46·5	1·10	TYNEMOUTH - -	52·0	36·0	44·7	2·13
PLYMOUTH - -	56·1	36·0	46·8	0·51	CARDIFF - -	54·7	27·0	43·3	1·20
BRISTOL - - -	55·0	32·0	44·9	1·02	EDINBURGH - -	52·0	31·5	43·3	1·71
BIRMINGHAM - -	51·4	34·0	43·4	0·68	GLASGOW - -	56·0	28·8	44·7	1·52
NOTTINGHAM - -	52·5	36·2	44·6	0·75	DUBLIN Phœnix Park.	52·8	31·5	40·6	0·55
LIVERPOOL OBSERVATORY	53·0	36·0	44·3	1·06	DUBLIN Fitzwilliam Square.†	51·0	33·3	42·4	0·43
MANCHESTER -	50·4	36·7	44·2	1·33					
PRESTON - -	51·0	38·5	45·4	1·10					
HUDDERSFIELD -	52·6	33·8	42·9	2·15	BELFAST - -	53·0	30·0	44·4	0·73

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	28	..	29·517	54·0	37·2	16·8	47·9	+ 0·7	45·4	2·5	5·0	1·4	91	64·0	27·0	55·40	SSW.	SSW. & SW.	5·2	0·0	0·6	418	+145	0·51	1·5
MONDAY -	29	In Equator.	29·410	53·0	39·5	13·5	45·5	- 1·5	37·8	7·7	13·8	2·4	74	92·1	34·1	54·93	SW.	SW. & S.	4·5	0·0	0·6	412	+138	0·00	5·2
TUESDAY -	30	..	29·058	50·3	41·1	9·2	45·9	- 1·1	44·0	1·9	4·4	0·7	93	65·9	34·2	54·50	SSE. & S.	Variable	0·8	0·0	0·1	179	- 96	0·92	2·3
WEDNESDAY	31	..	29·339	54·2	40·6	13·6	46·6	- 0·2	45·1	1·5	6·6	0·0	95	80·0	34·3	53·91	SW., calm & NE.	NNE. & N.	1·3	0·0	0·0	132	-144	0·02	0·0
NOVEMBER. THURSDAY-	1	Full	29·121	51·8	48·5	3·3	50·3	+ 3·6	46·4	3·9	5·0	1·4	87	56·0	45·5	53·66	N.	N., NNW. & NW.	2·2	0·0	0·2	226	- 51	0·01	0·0
FRIDAY -	2	..	29·057	51·9	40·0	11·9	45·3	- 1·2	42·5	2·8	10·2	0·5	90	64·0	31·5	53·54	NW., W. & WSW.	SW., SSW. & S.	2·8	0·0	0·2	302	+ 25	0·06	0·5
SATURDAY-	3	..	29·221	56·0	39·3	16·7	46·3	- 0·0	43·3	3·0	9·5	0·2	89	100·2	31·2	53·50	SE. & ESE.	SSW., S. & SE.	1·0	0·0	0·0	174	-103	0·07	2·5
MEANS -	-		29·246	53·0	40·9	12·1	46·8	- 0·0	43·5	3·3	7·8	0·9	88	74·6	34·0	54·21	Variable		..	..	..	Sum 1843	Sum - 86	Sum 1·59	1·7
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	28	w. P. generally till 11h. A.M.; w. P. and v. N. afterwards.	0·0	9·9	Cloudless with hoar frost in morning; generally overcast with frequent showers afterwards; gusty wind after 8h. A.M.
MONDAY -	29	w. P. generally till 8h. A.M.; m. P. afterwards.	4·5	9·8	Very fine with little cloud generally till 2h. P.M.; cloudy afterwards. Solar halo observed at 9h. A.M. and lunar halo in evening.
TUESDAY -	30	s.P. and s.N. till 11h. A.M.; m. P. and v. N. afterwards.	0·0	9·8	Overcast; frequent rain.
WEDNESDAY	31	m. P. generally till 6h. P.M.; w. P. afterwards; s. N. at 10h. 30m. A.M.	1·3	9·7	Generally overcast; occasional rain; slight fog and gloom in morning.
NOVEMBER. THURSDAY-	1	w. P. throughout.	0·0	9·7	Overcast throughout; slight rain after 11h. P.M.
FRIDAY -	2	w. P. till 10h. A.M.; w.P. and w.N. till 3h. P.M.; m.P. afterwards with s. N. at 11h. P.M.	1·2	9·6	Overcast with frequent slight rain till 2h. P.M.; very fine generally till 10h. P.M.; variable and showery afterwards. Solar halo observed at 3h. P.M. and lunar halo at midnight.
SATURDAY-	3	m.P. till 3h. A.M.; w. P. till 9h. A.M.; m. P. generally afterwards with occasional s. N. in evening.	3·6	9·5	Cloudy in morning with showers till 1h. 30m. A.M.; very fine generally between 10h. A.M. and 2h. P.M.; cloudy with occasional showers afterwards. Solar halo observed at noon.
			Sum 10·6	Sum 68·0	
No. of Col.-		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·90 in. at the beginning of the week to 29·34 in. by 6h. P.M. on Oct. 28th; increased to 29·47 in. by 10h. A.M. on Oct. 29th; decreased to 29·04 in. by noon on Oct. 30th; increased to 29·37 in. by 5h. P.M. on Oct. 31st; decreased to 29·01 in. by 6h. A.M. on Nov. 2nd; and increased to 29·27 in. by midnight on Nov. 3.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 27th October, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	14	6	-	1	-	-	4	-
Kensington	180,952	-	19	4	-	-	-	-	4	-
Hammersmith	120,679	-	5	9	-	1	-	-	4	-
Fulham	161,965	-	17	13	-	2	-	-	2	-
Chelsea	74,672	-	5	4	-	-	-	-	2	1
City of Westminster	173,905	-	23	12	-	2	-	-	8	1
NORTH.										
St. Marylebone	128,580	-	6	1	-	-	-	-	5	2
Hampstead	89,633	-	13	3	-	1	-	-	3	1
St. Pancras	236,455	-	21	7	-	2	-	-	6	3
Islington	344,987	-	42	11	-	2	-	-	7	-
Stoke Newington	53,217	-	1	2	-	-	-	-	3	-
Hackney	230,721	-	31	14	-	5	-	-	10	1
CENTRAL.										
Holborn	55,805	-	4	9	-	-	-	-	2	-
Finsbury	97,466	-	12	8	-	2	-	-	7	-
City of London	21,367	-	2	1	-	-	-	-	-	-
EAST										
Shoreditch	116,108	-	21	3	-	2	-	-	4	-
Bethnal Green	130,609	-	13	9	-	1	-	-	6	1
Stepney	307,176	-	40	16	-	10	-	-	9	-
Poplar	170,673	-	19	5	-	1	-	-	3	1
SOUTH.										
Southwark	209,143	-	57	11	-	3	-	-	13	-
Bermondsey	128,629	-	21	4	-	1	-	-	1	-
Lambeth	315,774	-	43	12	-	2	-	-	6	2
Battersea	179,622	-	28	14	-	1	-	-	4	-
Wandsworth	273,381	-	29	11	-	1	-	-	6	-
Camberwell	274,132	-	31	9	-	-	-	-	6	-
Deptford	115,495	-	16	11	-	1	-	-	5	-
Greenwich	105,350	-	17	3	-	1	-	-	1	-
Lewisham	148,463	-	4	4	-	-	-	-	-	-
Woolwich	127,345	-	11	6	-	2	-	-	2	-
Port of London	—	-	1	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	566	222	-	45	-	-	133	13
Ages 0-1		-	10	6	-	-	-	-	2	-
" 1-5		-	157	71	-	1	-	-	4	-
" 5-		-	235	78	-	3	-	-	5	-
" 10-		-	87	33	-	8	-	-	10	-
" 15-		-	34	12	-	8	-	-	9	-
" 20-		-	22	7	-	9	-	-	8	2
" 25-		-	15	9	-	8	-	-	19	7
" 35-		-	5	5	-	3	-	-	26	4
" 45-		-	1	1	-	4	-	-	19	-
" 55-		-	-	-	-	-	-	-	21	-
" 65 and upwards		-	-	-	-	1	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 45. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, NOV. 10. [Price 1½*d*.

General Register Office, Somerset House,
November 12th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·9 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In each of the preceding three weeks the rate had been 14·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·6 in Merthyr Tydfil, 22·2 in Rotherham, 22·8 in Hanley, 23·7 in Oldham, 23·8 in Burnley, 23·9 in Coventry, and 27·9 in Tynemouth; from *measles*, 2·2 in Plymouth, 2·4 in Bootle and in Rochdale, 2·6 in Stockport and in Oldham, 2·8 in South Shields, and 6·0 in Rotherham; from *diphtheria*, 1·3 in Reading and in Derby, and 1·6 in Hanley; from "*fever*," 1·1 in St. Helens; and from *diarrhœa*, 2·0 in Burnley, 2·4 in Hanley, 3·1 in Preston, and 4·2 in Merthyr Tydfil. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2220 BIRTHS and 1328 DEATHS were registered. Allowing for increase of population, the births were 350 and the deaths 156 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 13·6, 13·4, and 14·0 per 1000 in the preceding three weeks amounted last week to 14·7. The death-rate in the four weeks ended last Saturday averaged 13·9 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 11/06 D & S 3 26474

The 1328 deaths included 19 from measles, 17 from scarlet fever, 11 from diphtheria, 7 from whooping-cough, 6 from enteric fever, and 44 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 104 deaths were referred to these diseases in the aggregate, being 13 below the corrected average number in the 45th week of the preceding four years.

The deaths from *measles*, which had been 5, 9, and 15 in the preceding three weeks, further rose to 19 last week, but still were 16 below the corrected average; 5 deaths belonged to the Borough of Poplar and 4 to Stepney. The deaths from *scarlet fever*, which had been 9, 15, and 11 in the preceding three weeks, rose to 17 last week, and were 8 above the corrected average. The deaths from *diphtheria*, which had been 11, 16, and 23 in the preceding three weeks, fell to 11 last week, and were 3 below the corrected average; 3 deaths belonged to Islington. The deaths from *whooping-cough*, which had been 13, 5, and 5 in the preceding three weeks, were 7 last week, and were 4 below the corrected average. The fatal cases of *enteric fever*, which had been 8, 11, and 5 in the preceding three weeks, were 6 last week, and were 6 below the corrected average. The deaths from *diarrhœa*, which had been 78, 55, and 47 in the preceding three weeks, further fell to 44 last week, but were 9 above the corrected average; 4 deaths belonged to Kensington and 4 apiece to Fulham, Finsbury, and Stepney. Of the 44 deaths from diarrhœa, 35 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 10 other deaths at this age. The deaths attributed directly to *influenza* numbered 8, having been 11, 9, and 5 in the preceding three weeks.

Different forms of *violence* caused 70 deaths, concerning all of which inquests were held. Of these 70 deaths, 18 were cases of suicide, while the remaining 52 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 6 to burns or scalds, 5 to drowning, 3 to poisoning by coal gas, 1 to poisoning by carbon monoxide, 2 to the effects of anæsthetics administered for surgical purposes, and 7, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4135 cases of scarlet fever, 1076 of diphtheria, and 203 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 417 cases, against 548, 542, and 499; of diphtheria, 158 cases, against 203, 172, and 180; and of enteric fever, 19 cases, against 24, 32, and 28. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended November 3rd, 1906.

Greater London.

In Greater London 3430 births and 1756 deaths were registered. Allowing for increase of population, these numbers are 487 and 266 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 2 from scarlet fever, 3 from diphtheria, 4 from whooping-cough, 2 from "fever," and 4 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·42 inches, and that of the Thermometer 47°·3, the latter being 2°·3 above the week's average in the 50 years 1841–90. The general direction of the wind was North-Easterly, the horizontal movement of the air being 19 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 14·9 hours; the measured rainfall amounted to 2·62 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 10th November, 10th, and DEATH-RATES in each of the preceding three Weeks

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 20th Oct., 1906.	27th Oct., 1906.	3rd Nov., 1906.	10th Nov., 1906.	Rate from Diseases in Cols. 11–17. Week ended 10th Nov., 1906.	Registered during the Week ended 10th Nov., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**14·6**	**14·6**	**14·6**	**14·9**	**1·5**	**8307**	**4533**	**1015**	**1307**	**-**	**108**	**43**	**67**	**20**	**36**	**167**	**181**	**391**	**1179**	**42**	**76 TOWNS.**
LONDON - - -	4,721,217	13·6	13·4	14·0	14·7	1·1	2220	1328	267	394	-	19	17	11	7	6	44	70	163	555	3	LONDON.
† CROYDON - -	151,011	12·1	7·3	12·8	12·8	1·7	62	37	7	13	-	-	-	1	2	-	2	-	5	5	-	CROYDON.
† WILLESDEN - -	143,622	9·1	8·4	9 1	9·1	0·4	61	25	8	8	-	-	-	-	-	-	1	-	1	7	-	WILLESDEN.
† HORNSEY - -	86,935	6·6	6·0	7·2	6·6	-	29	11	2	6	-	-	-	-	-	-	-	-	-	-	-	HORNSEY.
† TOTTENHAM - -	119,503	14·8	10·5	8·3	9·2	0·4	57	21	3	10	-	-	-	-	-	1	-	1	4	4	-	TOTTENHAM.
† WEST HAM - -	301,617	14·7	14·2	12·1	11·4	1·2	176	66	20	18	-	2	-	2	-	2	1	4	8	20	-	WEST HAM.
† EAST HAM - -	129,886	10·0	8·8	8·8	10·0	0·8	66	25	7	4	-	1	1	-	-	-	-	-	2	4	-	EAST HAM.
† LEYTON - - -	118,287	7·1	9·7	6·2	8·8	0·4	64	20	6	5	-	-	-	1	-	-	-	-	1	8	-	LEYTON.
† WALTHAMSTOW -	121,334	11·2	12·9	9 5	12·0	1·3	70	28	11	7	-	1	1	1	-	-	-	1	3	4	-	WALTHAMSTOW.
HASTINGS - - -	67,144	13 ·2	10·9	10·9	10·9	-	20	14	2	5	-	-	-	-	-	-	-	1	2	5	-	HASTINGS.
BRIGHTON - -	128,095	11·0	8·5	14·2	15·9	0·8	44	39	5	19	-	1	-	-	-	-	1	2	6	10	-	BRIGHTON.
PORTSMOUTH - -	205,118	18·0	13·2	13·5	16·0	1·0	106	63	15	19	-	-	-	4	-	-	-	-	6	13	1	PORTSMOUTH.
BOURNEMOUTH -	67,702	9·2	12·3	10·8	14·6	-	13	19	2	10	-	-	-	-	-	-	-	-	-	-	-	BOURNEMOUTH.
SOUTHAMPTON -	117,312	11·6	11·1	8·4	9·8	0·4	42	22	3	11	-	-	-	1	-	-	-	-	2	3	-	SOUTHAMPTON.
READING - - -	78,987	8·6	9·9	11·2	13·2	2·0	35	20	1	10	-	-	-	2	-	-	1	1	1	6	-	READING.
NORTHAMPTON -	93,749	10·0	5·0	6·7	12·2	0·6	31	22	2	7	-	-	-	-	-	-	1	1	2	4	-	NORTHAMPTON.
IPSWICH - - -	71,809	8·7	15·2	13·1	18·9	1·5	35	26	2	13	-	-	-	1	-	-	1	-	3	4	1	IPSWICH.
GREAT YARMOUTH -	52,613	12·9	22·8	14·9	12·9	2·0	33	13	3	6	-	-	-	1	-	-	1	1	1	2	-	GREAT YARMOUTH.
NORWICH - -	117,958	15·5	19·9	17·7	20·3	3·5	50	46	9	14	-	3	-	1	1	-	3	1	1	5	-	NORWICH.
PLYMOUTH - -	118,014	15·5	16·8	13·3	15·5	2·2	56	35	5	18	-	5	-	-	-	-	-	-	1	3	-	PLYMOUTH.
DEVONPORT - -	78,405	11·3	12·6	14·6	14·0	1·3	41	21	4	3	-	2	-	-	-	-	-	2	3	4	-	DEVONPORT.
BRISTOL - - -	363,223	14·1	14·9	11·6	12·9	1·0	195	90	14	31	-	-	-	5	-	1	1	1	7	26	-	BRISTOL.
HANLEY - - -	66,300	18·9	17·3	22·0	22·8	4·7	42	29	4	9	-	-	1	2	-	-	3	-	1	3	-	HANLEY.
BURTON-ON-TRENT	52,922	11·8	8·9	11·8	5·9	-	27	6	1	1	-	-	-	-	-	-	-	1	1	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	100,729	10·9	18·1	11·4	14·0	1·0	53	27	3	11	-	-	1	1	-	-	-	-	3	6	-	WOLVERHAMPTON.
WALSALL - - -	94,577	12·1	14·9	12·1	14·9	0·6	50	27	6	7	-	-	-	1	-	-	-	3	4	5	1	WALSALL.
HANDSWORTH -	63,819	9·0	10·6	15·5	8·2	0·8	30	10	3	4	-	-	1	-	-	-	-	-	-	2	-	HANDSWORTH
WEST BROMWICH -	68,469	12·2	9·1	17·5	13·7	0·8	46	18	1	9	-	-	-	-	-	-	1	-	-	5	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th November, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 20th Oct., 1906.	27th Oct., 1906.	3rd Nov., 1906.	10th Nov., 1906.	Rate from Diseases in Cols. 11-17. Week ended 10th Nov., 1906.	Registered during the Week ended 10th Nov., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	13·7	13·8	12·9	16·5	1·7	309	173	48	45	-	9	1	1	2	2	3	7	12	36	5	BIRMINGHAM.
KINGS NORTON -	72,608	6·5	7·9	10·1	6·5	-	34	9	-	2	-	-	-	-	-	-	-	-	-	2	-	KINGS NORTON.
SMETHWICK - -	64,531	8·1	9·7	8·9	6·5	1·6	40	8	1	2	-	2	-	-	-	-	-	-	-	-	-	SMETHWICK.
ASTON MANOR -	82,288	9·5	17·1	12·0	14·6	1·3	37	23	7	7	-	-	1	1	-	-	-	1	2	1	-	ASTON MANOR.
COVENTRY - -	76,374	10·9	13·7	16·4	23·9	1·4	44	35	8	11	-	-	-	-	1	-	1	3	4	7	-	COVENTRY.
LEICESTER - -	232,111	10·1	14·8	12·4	10·1	2·0	111	45	8	11	-	4	-	2	-	-	3	3	5	7	-	LEICESTER.
GRIMSBY - - -	69,359	15·8	17·3	8·3	17·3	1·5	43	23	6	6	-	-	-	-	-	-	2	-	1	2	-	GRIMSBY.
NOTTINGHAM - -	254,563	13·3	13·1	12·7	13·7	0·6	138	67	15	18	-	-	-	-	-	1	2	4	5	16	-	NOTTINGHAM.
DERBY - - -	123,981	15·1	8·8	10·9	15·6	2·1	56	37	11	15	-	-	-	3	-	-	2	-	-	6	-	DERBY.
STOCKPORT - -	99,646	16·2	13·1	16·2	15·2	3·7	60	29	5	6	-	5	1	1	-	-	-	1	1	4	-	STOCKPORT.
BIRKENHEAD - -	117,292	19·6	14·7	20·0	14·2	2·2	73	32	6	6	-	1	-	2	-	1	1	1	1	5	-	BIRKENHEAD.
WALLASEY - -	64,578	7·3	14·5	13·7	11·3	-	25	14	1	4	-	-	-	-	-	-	-	2	2	-	-	WALLASEY.
LIVERPOOL - -	739,180	20·5	20·2	20·8	19·6	2·5	484	278	61	71	-	6	3	4	2	4	17	8	17	96	11	LIVERPOOL.
BOOTLE - - -	65,989	19·0	23·7	15·8	13·4	3·2	55	17	3	4	-	3	-	-	-	-	1	-	-	3	-	BOOTLE.
ST. HELENS - -	91 153	21·7	13·7	13·2	13·7	2·9	58	24	11	2	-	-	-	1	-	2	2	1	1	3	1	ST. HELENS.
WIGAN - - -	87,588	19·1	18·5	17·9	17·3	2·4	60	29	4	7	-	1	1	-	-	1	1	1	3	7	-	WIGAN.
WARRINGTON -	69,280	24·8	13·5	20·3	12·0	1·5	36	16	2	2	-	1	-	-	-	-	1	2	2	3	-	WARRINGTON.
BOLTON - - -	180,502	16·5	16·2	15·0	17·0	1·4	73	59	17	18	-	-	1	-	-	1	3	4	7	8	1	BOLTON.
BURY - - -	58,744	13·3	16·0	15·1	16·9	-	29	19	6	7	-	-	-	-	-	-	-	-	-	2	-	BURY.
MANCHESTER - -	637,126	17·4	16·8	18·8	17·4	1·9	399	212	53	43	-	4	3	5	1	1	9	9	16	52	2	MANCHESTER.
SALFORD - - -	234,077	17·6	15·4	18·0	17·2	2·7	152	77	27	14	-	4	-	2	-	1	5	1	3	15	-	SALFORD.
OLDHAM - - -	140,969	19·2	20·7	23·7	23·7	5·2	73	64	14	17	-	7	2	-	-	1	4	-	-	8	1	OLDHAM.
ROCHDALE - -	87,189	20·3	19·1	15·5	16·1	3·0	45	27	7	5	-	4	-	-	-	-	1	1	2	5	-	ROCHDALE.
BURNLEY - - -	102,808	17·8	19·3	16·7	23·8	2·0	57	47	16	14	-	-	-	-	-	-	4	2	3	7	-	BURNLEY.
BLACKBURN - -	134,015	20·6	17·1	16·0	11·3	2·3	72	29	8	6	-	-	-	1	-	-	5	-	2	5	1	BLACKBURN.
PRESTON - - -	116,399	17·9	19·3	20·2	20·2	4·9	69	45	18	12	-	-	-	2	-	2	7	2	2	4	2	PRESTON.
BARROW-IN-	60,027	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	7	12	[illegible]	5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-	BARROW-IN-

Towns.	Population estimated to the middle of the Year 1906.*	Week ended 20th Oct., 1906.	Week ended 27th Oct., 1906.	Week ended 3rd Nov., 1906.	Week ended 10th Nov., 1906.	in Cols. 11-17. Week ended 10th Nov., 1906.	during the Week ended 10th Nov., 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	14·8	17·6	15·4	15·4	0·5	32	28	5	10	–	–	–	–	–	–	1	–	–	4	–	Huddersfield.
Halifax	109,272	16·7	15·7	18·1	11·5	0·5	44	24	3	11	–	–	–	1	–	–	–	1	1	6	1	Halifax.
Bradford	288,544	15·5	15·4	13·0	13·2	0·9	125	73	12	23	–	–	–	1	1	–	3	4	4	14	–	Bradford.
Leeds	463,495	12·8	12·0	12·8	13·4	0·4	243	119	23	42	–	1	1	–	–	1	1	6	11	29	–	Leeds.
Sheffield	447,951	14·2	15·4	16·1	16·1	1·7	268	138	38	38	–	5	4	–	1	2	3	3	7	24	4	Sheffield.
Rotherham	61,098	17·9	16·2	17·1	22·2	8·5	36	26	3	4	–	7	1	–	–	–	2	1	1	2	1	Rotherham.
York	83,467	15·6	13·1	15·0	10·6	1·2	37	17	3	5	–	–	–	–	1	1	–	–	–	4	–	York.
Hull	262,426	16·9	16·3	14·5	13·7	1·4	141	69	9	18	–	1	1	2	–	–	3	6	8	19	–	Hull.
Middlesbrough	100,069	24·0	22·9	21·9	17·7	1·0	69	34	9	9	–	–	–	–	–	–	2	1	1	5	–	Middlesbrough.
Stockton-on-Tees	52,664	21·8	13·9	12·9	13·9	1·0	32	14	3	5	–	–	–	–	–	–	1	–	–	–	1	Stockton-on-Tees.
West Hartlepool	73,387	14·9	17·1	10·7	13·5	0·7	43	19	8	6	–	–	–	–	–	–	1	1	1	2	–	West Hartlepool.
Sunderland	154,385	16·5	21·3	20·3	19·3	1·0	116	57	22	11	–	–	–	1	–	–	2	1	4	9	3	Sunderland.
South Shields	111,402	18·3	21·5	20·1	15·9	3·7	91	34	10	8	–	6	–	–	–	–	2	–	1	4	2	South Shields.
Gateshead	123,191	19·0	24·5	16·5	15·7	1·3	73	37	13	3	–	2	–	1	–	–	–	–	1	3	–	Gateshead.
Newcastle-on-Tyne	268,721	15·1	16·5	14·4	16·9	1·2	163	87	20	22	–	1	–	1	–	2	2	4	7	10	–	Newcastle-on-Tyne.
Tynemouth	54,138	18·3	16·4	16·4	27·9	1·0	46	29	9	9	–	–	–	–	–	1	–	1	1	3	–	Tynemouth.
Newport (Mon.)	74,227	15·5	14·8	13·3	12·6	0·7	44	18	4	7	–	–	–	–	–	1	–	1	4	6	–	Newport (Mon.).
Cardiff	183,823	10·2	18·7	13·9	14·5	0·3	102	51	13	17	–	–	–	–	–	1	–	3	11	10	–	Cardiff.
Rhondda	127,684	12·7	9·4	16·3	14·7	1·2	70	36	8	10	–	–	–	–	–	–	3	1	1	–	–	Rhondda.
Merthyr Tydfil	74,961	11·1	14·6	18·1	21·6	4·2	42	31	9	8	–	–	–	–	–	–	6	2	2	5	–	Merthyr Tydfil.
Swansea	96,848	18·8	20·5	17·8	18·3	1·1	57	34	9	9	–	–	1	–	1	–	–	–	1	1	–	Swansea.
Greater London	7,113,561	12·5	12·6	12·6	12·9	1·0	3430	1756	359	535	–	24	21	19	13	11	52	85	204	623	3	Greater London.
Outer Ring	2,392,344	10·3	11·1	9·8	9·3	0·8	1210	428	92	141	–	5	4	8	6	5	8	15	41	68	–	Outer Ring.
8 Towns in Outer Ring	1,172,195	11·4	10·4	9·8	10·4	0·9	585	233	64	71	–	4	2	5	2	3	4	6	24	52	–	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	9·3	11·7	9·8	8·3	0·7	625	195	28	70	–	1	2	3	4	2	4	9	17	16	–	Remainder of Outer Ring.
Edinburgh	341 035	12·8	16·1	14·4	13·8	0·6	120	90	14	31	–	–	–	3	–	1	–	4	?	34	4	Edinburgh.
Glasgow	835,625	17·1	17·2	16·2	18·9	1·4	405	303	67	81	–	–	1	3	7	2‡	9	11	?	85	12	Glasgow.
Dublin†	378,994	21·7	21·6	27·4	24·9	1·7	198	181	27	52	–	6	–	1	2	1	2	3	8	77	9	Dublin.†
Belfast†	366,220§	17·4	17·1	17·4	18·7	2·0	180	131	33	30	–	2	1	2	3	1	5	4	8	22	4	Belfast.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 4 deaths from Cerebro-spinal meningitis were registered. § Revised population.

TABLE 2. LONDON.—**Births and Deaths** Registered in the FORTY-FIFTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	19
TOTAL **Births** -	2736	2507	2696	2711	2500	2437	2657	2466	2476	2485	2569·7	2
Males - - -	1384	1221	1348	1380	1257	1257	1344	1278	1248	1263	1308·0	1
Females - -	1352	1286	1318	1331	1243	1180	1313	1188	1228	1222	1261·7	1
TOTAL **Deaths** -	1713	1660	1405	1506	1498	1688	1501	1476	1357	1489	1483·9	1
Males - -	847	861	768	784	742	899	782	768	699	804	778·0	
Females - -	866	799	637	722	756	789	719	708	658	685	705·9	

* The numbers in this column are the average weekly numbers in the forty-fifth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNE in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	1 Wee
TOTAL **Births** -	2550	2466	2475	2329	2319	2260	2374	2251	2355	2411	2474	2304	2:20	30
TOTAL **Deaths** -	1584	1654	1570	1892	1589	1548	1422	1404	1295	1232	1209	1272	1328	18
Ages at Death: Under 1 year -	653	646	643	760	631	544	426	341	280	277	276	246	267	5
1—5 years -	194	204	199	219	207	171	150	146	125	128	111	137	138	2
5—20 ,, -	59	67	64	66	60	63	85	73	73	58	69	82	73	
20—40 ,, -	142	159	136	187	151	154	179	165	156	150	162	176	170	2
40—60 ,, -	243	245	235	268	248	255	249	293	279	270	266	273	286	3
60 yrs. & upwds.	293	333	293	392	292	361	333	386	382	349	325	358	394	4
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	21	13	16	9	7	9	8	6	2	5	9	15	19	
Scarlet Fever - -	8	9	7	6	4	7	10	12	19	9	15	11	17	
Diphtheria - -	15	9	12	13	10	18	13	12	14	11	16	23	11	
Whooping-cough -	13	12	11	17	22	20	13	11	12	13	5	5	7	
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	4	7	2	4	3	8	12	11	17	8	11	5	6	
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	1	-	-	-	-	-	
Diarrhœa, Dysentery	424	458	455	529	455	340	207	135	93	78	55	47	44	3
All above Diseases -	485	508	504	578	501	402	263	188	157	124	111	106	104	4
Dis. of Resp. System	45	45	53	53	35	74	51	90	84	64	69	99	113	
Pneumonia - -	74	58	56	90	70	75	83	98	93	82	81	101	119	1
Phthisis - - -	109	119	105	123	128	104	147	139	120	132	129	150	133	1
Dis. of Circ. System -	151	141	137	169	164	144	147	176	171	169	174	183	167	2
Violence - - -	52	72	49	77	56	41	68	48	53	50	44	51	70	
Inquest Cases - -	129	139	115	153	130	117	127	131	115	140	103	121	163	1
Deaths in Institutions	533	567	588	670	537	552	552	551	550	490	480	547	555	7
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	
Mean- - - -	61·5	64·9	66·5	68·0	57·6	55·8	52·0	58·1	57·6	41·2	53·0	46·8	47·3	5
Mean of Highest -	71·3	77·4	81·6	80·9	69·1	63·2	63·1	66·5	65·5	59·4	61·7	53·0	52·3	6
Mean of Lowest -	54·3	55·4	52·2	56·8	48·0	50·5	41·5	51·2	51·2	43·5	45·4	40·9	42·3	4
Mean Humidity of the Air.	77	72	62	64	70	80	77	83	82	81	82	88	89	
Rain-fall (in inches) -	0·33	0·26	0·00	0·85	0·74	0·38	0·00	0·69	0·63	0·21	0·07	1·59	2·62	8
Registered Sunshine (in hours).	35·7	49·9	70·9	53·7	48·8	22·6	41·3	31·0	35·7	31·7	30·6	10·6	14·9	47
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mea
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - -	3046	3078	3042	3067	3075	3164	3388	3603	3803	3923	4068	4178	4135	3
Diphtheria - -	846	859	835	861	862	846	849	907	944	982	1030	1065	1076	
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	95	101	103	115	116	124	140	167	186	186	197	202	203	

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kind placed their meteorological observations at the disposal of the Registrar-General, and the resul have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymout R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birminghan A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.I Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwic Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemout for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FIFTH Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 45th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES - - -	1483·9	1328	267	138	73	170	286	394
Small-pox* - - -	0·3	-	-	-	-	-	-	-
Cowpox - - - -	-	-	-	-	-	-	-	-
Measles (Morbilli) - -	34·9	19	1	17	1	-	-	-
Scarlet Fever - - -	9·4	17	1	10	5	1	-	-
Typhus - - - -	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-
Influenza - - - -	17·3	8	2	-	-	2	2	2
Whooping-cough - -	10·7	7	2	5	-	-	-	-
Diphtheria - - -	13·8	11	1	8	2	-	-	-
Cerebro Spinal Fever -	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain) - - -	-	-	-	-	-	-	-	-
Enteric Fever - - -	12·5	6	-	1	2	2	1	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	13·5	24	18	5	-	-	-	1
Diarrhœa, Dysentery -	21·9	20	6	6	1	1	1	5
Tetanus - - - -	0·8	1	1	-	-	-	-	-
Rabies, *Hydrophobia* -	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-
Venereal Dis. - - -	10·7	10	4	-	-	4	1	1
Puerperal Septicæmia -	1·8	1	-	-	-	-	1	-
Puerperal Pyæmia -	-	-	-	-	-	-	-	-
Puerperal Fever - -	0·5	-	-	-	-	-	-	-
Infective Endocarditis -	2·3	2	-	-	1	1	-	-
Pneumonia: Lobar - -	12·0	13	1	2	2	2	4	2
Pneumonia: Broncho- -	84·9	49	17	18	3	-	5	6
Pneumonia: Epidemic -	-	-	-	-	-	-	-	-
Pneumonia: Not defined	63·7	57	7	8	6	7	13	16
Erysipelas - - -	6·1	6	1	-	-	1	3	1
Septicæmia (not Puerperal) - - -	2·3	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	1·8	3	-	-	-	3	-	-
Other Infective Processes	6·9	5	2	-	-	1	-	2
Tuberculous Phthisis -	81·8	87	1	2	4	36	37	7
"*Phthisis*" - - -	68·3	46	-	-	1	20	20	5
Tuberculous Meningitis -	13·5	19	2	10	5	2	-	-
Tuberculous Peritonitis -	5·6	7	4	3	-	-	-	-
Tabes Mesenterica - -	5·9	1	-	1	-	-	-	-
Tuberculous Dis. (other)-	15·8	20	5	4	3	2	1	5
Scrofula - - - -	-	-	-	-	-	-	-	-
Alcoholism - - -	10·7	7	-	-	-	1	5	1
Rheumatic Fever - -	6·4	7	-	1	3	1	-	2
Gout - - - - -	2·0	2	-	-	-	-	-	2
Carcinoma - - -	49·5	57	-	-	-	4	25	28
Sarcoma - - - -	5·1	14	-	-	5	3	4	2
Cancer (undefined) - -	33·4	45	-	-	-	2	15	28
Diabetes Mellitus - -	6·4	8	-	-	-	2	3	3
Premature Birth - -	57·6	45	45	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 45th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	15·5	11	3	5	2	1	-	-
Insanity, Gen. Par. of Insane - - -	14·3	11	-	-	-	3	1	7
Epilepsy - - - -	5·1	8	-	-	2	2	4	-
Convulsions - - -	19·4	21	20	1	-	-	-	-
Locomotor Ataxy - -	2·3	1	-	-	-	-	1	-
Paraplegia, Dis. of Cord	5·1	8	-	-	-	1	5	2
Nervous Sys. (other dis.)	17·6	20	3	3	-	3	1	10
Valv. Dis., Endocarditis-	51·2	50	-	-	2	11	14	23
Cerebr. Hæm. Thromb. -	31·9	29	-	-	-	-	10	19
Apoplexy, Hemiplegia -	17·1	9	-	-	-	-	3	6
Aneurysm - - -	5·4	7	-	-	-	2	2	3
Embolism, Thrombosis (not cerebral) -	2·8	2	-	-	-	1	1	-
Heart & Blood Vessel Dis.	83·8	70	-	1	2	9	23	35
Croup (not Spasm : nor Memb.) - -	0·3	-	-	-	-	-	-	-
Bronchitis - - -	163·6	83	18	5	-	-	10	50
Asthma, Emphysema -	6·4	7	-	-	-	-	2	5
Pleurisy - - - -	5·4	7	-	-	2	2	2	1
Respiratory Dis. (other)	15·3	16	-	5	-	1	3	7
Tonsillitis, Quinsy - -	0·8	-	-	-	-	-	-	-
Enteritis (not Epid.) -	11·0	18	16	-	-	1	-	1
Gastro-Enteritis - -	3·6	11	7	3	-	-	1	-
Peritonitis (not Puerp.) -	3·6	1	1	-	-	-	-	-
Cirrhosis of Liver - -	11·2	13	-	-	-	1	9	3
Liver Dis. (other) - -	5·9	3	-	-	-	-	-	3
Digestive Dis., Other -	35·9	32	7	-	5	3	9	8
Nephritis, Acute - -	6·4	9	1	-	1	2	2	3
Bright's Dis., Albuminuria - - -	32·1	31	-	-	1	3	15	12
Urinary Sys., Other Dis.	6·1	10	-	-	-	-	2	8
Generative Organs Dis.-	4·6	7	-	1	-	-	4	2
Childbirth (Accid. of) -	3·1	6	-	-	-	6	-	-
Old Age - - - -	49·5	41	-	-	-	-	-	41
Other Diseases - -	101·1	92	59	6	4	5	5	13
ACCIDENT.								
By Railways - - -	1·0	1	-	-	-	-	1	-
By Vehicles and Horses-	3·8	8	-	1	3	1	1	2
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·8	1	-	-	-	-	1	-
In Building Operations -	0·8	-	-	-	-	-	-	-
In Conflagrations - -	0·3	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	6·6	6	-	2	-	1	1	2
By Drowning - - -	5·1	5	-	-	-	2	3	-
By Suffocation in Bed -	10·7	7	7	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·3	9	1	1	2	4	-	1
Other Deaths by Accident - - -	13·8	15	3	3	1	-	3	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide - - -	0·5	-	-	-	-	-	-	-
Suicide - - - -	9·9	18	-	-	2	7	6	3
Execution - - -	0·5	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registe in each SUB-DISTRICT during the Week ended Saturday, 10th November, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions*
LONDON	4,536,429	2220	1328	267	394	-	19	17	11	7	-	6	-	44	70	163	555
WEST DISTRICTS	805,311	324	207	42	65	-	1	1	-	-	-	1	-	7	12	25	79
NORTH DISTRICTS	1,056,070	476	292	52	110	-	5	4	3	1	-	-	-	9	11	23	126
CENTRAL DISTRICTS	209,465	95	89	12	21	-	-	-	-	1	-	1	-	4	14	17	52
EAST DISTRICTS	715,739	459	262	58	59	-	8	-	2	1	-	1	-	10	16	54	127
SOUTH DISTRICTS	1,749,844	866	431	102	121	-	5	9	6	4	-	3	-	11	16	43	124
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	47	1	18	-	-	3	-	-	-	-	-	3	1	1	47
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	44	26	4	7	-	-	-	-	-	-	-	-	-	3	3	10
St. John Paddington *H*	33,617	3	14	1	2	-	-	-	-	-	-	-	-	-	2	3	9
North-West Paddington	17,181	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	44	36	6	17	-	-	-	-	-	-	-	-	3	1	3	16
Brompton *2H*	48,591	8	7	1	3	-	-	-	-	-	-	-	-	-	2	3	1
North Hammersmith *2W,wH*	49,192	33	15	4	4	-	-	-	-	-	-	-	-	-	2	2	8
South Hammersmith *w,2H*	63,047	22	17	5	7	-	-	-	-	-	-	-	-	-	2	4	1
North-west Fulham *W*	45,180	44	21	7	5	-	1	-	-	-	-	-	-	3	-	3	9
North-east Fulham *F*	46,405	25	8	1	1	-	-	1	-	-	-	-	-	1	-	-	1
South Fulham *W*	45,704	25	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	14	11	-	5	-	-	-	-	-	-	-	-	-	-	-	8
Chelsea South *W,2H*	31,328	16	10	4	3	-	-	-	-	-	-	-	-	-	-	2	2
Mayfair and Knightsbridge	28,743	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	12	15	4	4	-	-	-	-	-	-	-	-	-	-	1	7
St. Margaret & St. John *4H*	43,698	19	12	1	2	-	-	-	-	-	-	1	-	-	-	-	7
St. James and St. Anne *W,6H*	33,081	8	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	7	21	1	8	-	-	-	-	-	-	-	-	-	1	2	12
St. Mary Marylebone *W,4H*	37,948	33	8	2	2	-	-	-	-	-	-	-	-	1	-	-	2
Christchurch Marylebone *H*	39,536	13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *2H*	20,426	4	3	-	1	-	-	-	-	-	-	-	-	1	-	-	1
Hampstead *W,F,7H*	81,942	35	30	4	10	-	-	3	-	-	-	-	-	1	1	2	12
West St. Pancras *2H*	60,562	22	11	1	5	-	-	-	-	-	-	-	-	-	-	-	2
Tottenham-court *w,7H*	21,258	-	17	3	4	-	-	-	-	-	-	-	-	-	-	1	14
Gray's Inn Lane *4H*	34,449	14	14	3	3	-	-	-	-	-	-	-	-	2	-	2	7
East St. Pancras *W,2H*	60,320	41	17	4	8	-	-	-	-	-	-	-	-	-	1	1	10
North St. Pancras *2W*	58,728	24	8	-	5	-	-	-	-	-	-	-	-	-	-	-	6
Tufnell *W*	31,995	8	23	7	9	-	-	-	-	1	-	-	-	-	-	1	16
Upper Holloway *2W,w,H*	33,978	26	20	1	7	-	-	-	1	-	-	-	-	1	-	1	17
Tollington *WH*	33,922	11	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	32	12	4	4	-	2	-	-	-	-	-	-	-	1	3	-
Islington South-east *F*	75,397	47	16	5	6	-	-	-	1	-	-	-	-	-	2	2	-
Highbury *2H*	63,797	26	13	1	8	-	-	-	-	-	-	-	-	-	-	-	1
Stoke Newington *H*	51,247	26	8	2	6	-	-	-	-	-	-	-	-	-	1	1	-
North Hackney	50,560	20	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	22	9	-	3	-	1	1	1	-	-	-	-	-	-	1	4
South-west Hackney *3H*	59,921	23	22	6	5	-	1	-	-	-	-	-	-	1	2	3	7
South-east Hackney *2W,w,H*	58,255	23	20	4	10	-	1	-	-	-	-	-	-	2	2	2	15

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therei namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub district contains more than one institution of either kind, the number is indicated by a figure prefixed to th letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th November, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
iles and Bloomsbury 2*W*,2*H* -	31,436	19	9	2	2	-	-	-	-	-	-	-	-	-	1	2	2	-
nd *W*,4*H* - - - - -	21,674	-	11	-	1	-	-	-	-	-	-	-	-	-	3	3	9	-
d *Union Workhouse, Edmonton* -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
orn *W*,6*H* - - - - -	29,612	11	15	5	3	-	-	-	-	-	-	-	-	2	2	2	12	-
h Clerkenwell - - -	28,676	16	2	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-
h Clerkenwell *H* - - -	35,028	11	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
bury 3*H*,*L* - - - - -	36,116	35	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
orn *Union Workhouse, Ilcham* - - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
otolph *H* - - - - -	10,299	-	5	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-
pulchre and Allhallows *W*,2*H*	16,624	3	29	2	5	-	-	-	-	-	-	1	-	2	3	5	23	-
f London Asylum, Stone -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
ditch South *H* - - -	46,362	16	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ditch North-West *W*,*w*,*H* -	36,127	19	22	7	9	-	-	-	-	-	-	-	-	1	4	7	14	-
ditch North-East - - -	36,148	21	5	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
itch Union Workhouse, Wood en - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
al Green North-East 2*W*,	65,138	46	24	6	8	-	-	-	1	-	-	-	-	-	-	4	17	-
al Green South-West *H* -	64,542	49	14	6	3	-	-	-	-	-	-	-	-	-	1	4	-	-
lfields - - - - -	27,969	13	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
End New Town *W*,*H* - -	28,718	25	47	3	4	-	-	-	-	-	-	-	-	1	3	6	46	-
man's Fields - - - -	22,081	3	3	-	1	-	-	-	-	-	-	-	-	-	1	3	-	-
orge and St. John 2*W* - -	49,068	42	12	6	1	-	-	-	-	-	-	-	-	1	-	3	4	-
well and Ratcliff *W*,*H* - -	25,568	14	7	2	1	-	-	-	-	1	-	-	-	-	2	2	4	-
ouse *W* - - - - -	32,369	21	11	2	2	-	2	-	1	-	-	-	-	1	-	1	-	-
End Old Town Southern *H* - - - -	63,698	63	15	1	8	-	-	-	-	-	-	-	-	-	2	6	-	-
End Old Town Northern *W*,*w* - - -	49,129	26	22	9	2	-	1	-	-	-	-	-	-	1	-	4	14	-
L - - - - - - -	41,989	33	8	2	1	-	1	-	-	-	-	-	-	-	1	3	-	-
ey 3*w*,*H* - - - - -	68,319	41	49	8	10	-	3	-	-	-	-	1	-	4	1	7	25	-
r *W*,*w* - - - - -	58,514	27	15	2	7	-	1	-	-	-	-	-	-	-	1	3	3	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th November, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia.* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	15	17	5	3		-	-	1	-	-	-	-	2	5	5	10
Kent-road	21,904	12	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-
St. George the Martyr West *W,2H,L*	39,094	19	8	3	2	-	-	-	-	-	-	-	-	1	-	2	3
Newington North	49,022	27	11	5	2	-	-	-	-	-	-	-	-	-	1	4	-
Newington South *W*	72,841	49	22	3	6	-	-	-	-	-	-	-	-	1	-	2	1
St. Olave *2W*	9,817	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	41	15	5	3	-	-	-	-	-	-	-	-	-	-	6	-
Rotherhithe *W,F*	38,460	18	15	4	2	-	2	-	-	-	-	-	-	-	-	-	7
Waterloo* *2H*	27,440	19	7	2	-	-	-	-	-	-	-	-	-	-	1	1	2
Lambeth Church* *H*	27,440	15	13	5	1	-	-	-	1	-	-	1	-	-	2	2	8
Kennington* *2W*	52,518	29	19	3	6	-	-	-	-	-	-	-	-	-	-	-	12
Stockwell* *HF*	63,826	35	6	2	3	-	-	-	-	-	-	-	-	1	-	-	-
Brixton* *H*	73,673	28	10	3	3	-	-	-	-	1	-	-	-	-	-	-	-
Norwood* *WH*	56,998	15	12	-	7	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	31	7	3	3	-	-	-	-	1	-	-	-	-	-	1	-
North-west Battersea	49,656	29	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	11	12	1	6	-	1	-	-	-	-	1	-	-	-	1	6
Clapham *2H*	51,361	22	10	3	1	-	-	-	-	-	-	-	-	-	-	-	2
Streatham *W,2w,2F,2L*	88,019	50	24	7	7	-	-	3	2	-	-	-	-	-	-	1	11
Springfield *2W,L*	27,959	30	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-
Southfields *H*	40,444	21	6	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Putney	24,139	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	2	2	-	2		-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	20	22	1	8		-	-	-	-	-	-	-	1	1	1	15
Camberwell North *W,2L*	65,584	38	18	4	6		-	-	-	-	-	-	-	-	1	1	8
St George	47,331	19	13	3	3	-	-	-	-	1	-	-	-	-	-	2	-
Peckham North	48,913	23	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	20	6	2	1	-	-	-	-	-	-	-	-	-	-	2	-
Deptford North	37,613	18	6	3	2		-		-	-	-	-	-	-	-	1	-
Deptford Central *F*	45,481	21	12	2	2	-	-	2	-	-	-	1	-	-	1	2	4
Deptford South	34,625	8	3	-	3	-	-		-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	9	11	6	2	-	-	-	-	-	-	-	-	-	-	-	1
Greenwich East *2W,H*	43,859	16	25	5	9	-	-	-	-	-	-	-	-	1	1	3	13
Eltham *w,H*	7,226	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham *W w,F*	58,352	39	14	3	4	-	-	2	1	-	-	-	-	-	1	1	8
Sydenham *H*	43,653	18	9	1	3	-	-	-	-	1	-	-	-	1	-	-	-
Charlton *F,2H*	21,134	7	10	1	1	-	1	2	1	-	-	-	-	-	-	-	6
Woolwich *5H*	41,625	29	13	5	2	-	-	-	-	-	-	-	-	2	1	1	2
Plumstead West *W*	18,063	10	9	-	8	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	23	15	2	5	-	-	-	-	-	-	-	-	-	1	2	4
Workhouse:— Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	4	-	-	-	-	3	-	-	-	-	-	-	-	-	4
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	3	-	1	-	-	-	-	-	-	-	-	-	1	1	3
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
London County Lunatic Asylums:—																	
Banstead	—	-	13	-	5	-	-	-	-	-	-	-	-	-	-	-	13
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Horton	—	-	4	-	1	-	-	-	-	-	-	-	-	1	-	-	4
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Dartford Heath	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5
Hanwell	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Colney Hatch	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Claybury	—	-	8	-	4	-	-	-	-	-	-	-	-	1	-	-	8

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-districts as above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ded Saturday, 10th November, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
ONDON—OUTER RING -	368,602	2,044,973	1210	428	92	141	-	5	4	8	6	5	8	15	41	68	-
Carshalton 2F,3H - -	12,228	32,997	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Epsom, *part of** W,w,2F,H-	10,423	15,548	4	4	-	4	-	-	-	-	-	-	-	-	-	2	-
Godstone, *part of** W,F -	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon - - - -	11,039	8,166	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w - -	4,200	49,309	19	11	3	4	-	-	-	-	1	-	1	-	2	-	-
West Croydon 3W,F,H -	2,168	42,888	24	16	3	5	-	-	-	1	1	-	-	-	1	6	-
North Croydon H - -	2,644	41,698	19	11	2	4	-	-	-	-	-	-	1	-	2	-	-
Penge w,H - - - -	770	22,465	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Mitcham w - - -	11,711	30,015	27	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Wimbledon F,3H - -	3,221	41,652	12	5	-	3	-	-	-	1	-	-	-	-	-	-	-
Kingston 2W,H - -	6,224	42,068	23	7	3	1	-	-	-	-	-	-	-	-	-	1	-
Surbiton F,H - - -	3,046	15,017	7	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Esher, *part of** H -	5,402	13,100	10	3	-	2	-	-	-	-	-	-	-	-	1	-	-
Hampton H,F,L - - -	4,584	23,456	12	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Richmond W,H - - -	2,162	28,865	10	7	-	6	-	-	-	-	-	-	-	-	-	2	-
Mortlake F - - -	2,847	20,628	15	8	-	2	-	-	-	-	-	-	-	3	3	-	-
Bromley F,2H - - -	4,703	27,354	11	7	2	3	-	-	1	-	-	-	1	2	2	2	-
Beckenham H - - -	7,825	28,497	9	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Orpington *part of** W -	10,113	9,857	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chislehurst 2H - - -	7,333	16,446	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bexley w F,H - - -	8,678	21,151	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Erith F,H - - - -	3,854	25,296	18	4	-	2	-	-	-	-	-	-	1	-	-	-	-
Dartford W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury w - - - -	11,054	18,683	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Staines W,H - - -	13,277	15,178	5	3	1	2	-	-	-	-	-	-	-	-	-	1	-
Hillingdon W,F,H - -	6,035	13,661	12	4	-	4	-	-	-	-	-	-	-	-	-	1	-
Uxbridge H - - -	12,757	8,984	4	3	-	1	-	-	-	-	1	-	-	-	-	-	-
Hayes w2 F,H - - -	8,066	16,358	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Isleworth 3W,2F,H - -	6,859	30,863	22	9	1	3	-	-	-	-	-	-	-	-	-	3	-
Twickenham F,H - -	2,421	20,991	13	6	2	1	-	-	-	-	-	-	-	1	2	-	-
Brentford 3F,2H - - -	4,319	48,289	23	21	4	6	-	-	-	1	-	1	1	-	-	1	-
Chiswick H- - - -	1,249	29,809	21	9	1	4	-	-	-	-	-	-	-	-	1	-	-
Acton w,F,3H - - -	6,132	48,914	26	9	2	3	-	-	1	-	1	-	1	-	1	-	-
Harrow F,H - - -	13,809	25,523	21	2	-	1	-	-	-	-	-	1	-	-	-	1	-
Edgware 2F,2H - - -	6,994	4,521	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H - -	4,384	114,811	61	23	8	8	-	-	-	-	-	-	1	-	1	5	-
Hendon W,F - - -	8,382	22,450	10	3	1	1	-	-	-	1	-	-	-	-	-	-	-
South Mimms 2F,H - -	17,755	7,308	8	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Barnet W,2H - - -	3,324	17,970	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Finchley F,2H - - -	4,688	33,692	24	7	4	2	-	-	-	-	-	-	-	-	-	-	-
Hornsey F,H - - -	2,875	72,056	29	11	2	6	-	-	-	-	-	-	-	-	-	-	-
Wood Green H - - -	1,625	34,233	20	2	-	1	-	-	-	-	-	-	-	-	-	-	-
West Tottenham F - -	996	48,853	26	8	2	3	-	-	-	-	-	-	-	1	2	-	-
East Tottenham 2H - -	2,017	53,688	31	11	1	5	-	-	-	-	-	-	-	-	2	2	-
Edmonton W,w,2F - -	7,491	61,892	42	11	-	6	-	-	-	-	-	-	-	-	2	3	-
Enfield 2W,F,H - - -	12,601	42,738	27	4	-	2	-	-	-	-	1	-	-	-	-	1	-
Waltham Abbey F - -	11,017	6,549	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H - - -	8,479	12,292	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** W - -	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H - - - -	9,333	9,173	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H - - -	1,072	44,827	22	7	2	1	-	-	-	-	-	-	-	-	2	1	-
Plaistow F,3H - - -	1,249	90,921	59	20	5	2	-	1	-	2	-	2	-	3	3	7	-
Canning Town H - -	1,556	70,718	62	16	9	2	-	1	-	-	-	-	1	1	2	-	-
Forest Gate w - - -	806	60,892	33	11	2	6	-	-	-	-	-	-	-	1	2	-	-
North East Ham w H -	1,333	58,676	39	8	-	2	-	-	-	-	-	-	-	-	-	-	-
South East Ham 2F - -	1,993	37,342	27	13	6	2	-	1	1	-	-	-	-	-	2	-	-
Wanstead F - - -	1,679	9,179	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W - -	631	50,467	30	6	1	2	-	-	-	-	-	-	-	-	1	1	-
North Leyton 2W,w,F -	1,963	48,445	34	25	7	4	-	-	-	1	-	-	-	-	-	18	-
Walthamstow 3H,L - -	6,504	108,929	84	29	10	9	-	1	1	-	1	-	-	1	2	1	-
Chigwell 2F,3H - - -	11,778	16,397	5	3	1	-	-	-	-	1	-	-	-	-	1	1	-
Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** W,2F -	6,556	6,091	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Ilford F,L - - - -	8,496	41,234	33	12	2	5	-	-	-	-	-	-	-	-	1	3	-
Barking Town F - -	3,803	21,547	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
N.E. Hospital, Tottenham -	—	—	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-

e parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer re as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher ; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham . Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 o included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal
LONDON - -	4,721,217	November 10	2220	1328	14·7	-	19	17	11	7	6	[illegible]
CALCUTTA - -	977,822	October 6	-	419	25·6	4	-	-	-	-	126†	[illegible]
BOMBAY - -	982,000	" 23	364	664	44·5	-	1	-	1	-	110†	[illegible]
MADRAS - -	509,346	" 12	438	509	51·9	-	-	?	?	?	118	[illegible]
PARIS - - -	2,750,000	November 3	900	837	16·3	-	6	1	4	6	4	[illegible]
BRUSSELS - -	612,401	" 3	178	151	12·8	-	2	2	-	1	3	[illegible]
ANTWERP - -	297,311	" 3	127	67	11·7	-	-	-	-	-	-	[illegible]
AMSTERDAM -	560,482	October 27	244	115	10·7	-	4	2	2	-	4	[illegible]
COPENHAGEN -	425,000	November 3	211	119	14·6	-	-	-	-	1	1	[illegible]
STOCKHOLM -	324,488	October 27	-	-	-	-	-	-	-	-	-	[illegible]
CHRISTIANIA -	222,373	November 3	126	55	12·9	-	-	-	3	-	-	[illegible]
ST. PETERSBURG	1,424,700	October 20	831	593	21·6	1	7	31	38	5	26	[illegible]
MOSCOW - -	1,154,000	" 27	-	476	21·5	1	6	7	13	3	9	[illegible]
BERLIN - -	2,073,012	" 20	858	527	13·3	-	1	14	10	2	5	[illegible]
HAMBURG - -	819,380	November 3	-	226	14·6	-	-	3	3	3	2	[illegible]
BRESLAU - -	475,000	October 27	-	156	17·1	-	1	-	4	2	1	[illegible]
MUNICH - -	544,000	" 27	249	168	16·2	-	-	-	6	1	1	[illegible]
		November 3	-	191	18·4	-	-	-	4	-	-	[illegible]
VIENNA - -	1,956,949	" 3	906	614	16·3	-	5	1	7	-	-	[illegible]
PRAGUE - -	460,849	October 27	179	170	19·2	-	1	3	2	-	-	[illegible]
BUDA-PESTH -	859,134	" 27	407	229	15·0	-	2	1	1	1	3	[illegible]
TRIESTE - -	196,637	November 3	120	103	27·0	-	-	-	-	-	3	[illegible]
ROME - -	531,179	September 8	260	165	16·2	-	-	-	-	1	13§	[illegible]
VENICE - -	171,709	October 20	61	44	13·4	-	-	-	-	1	1	[illegible]
BUCHAREST -	291,138	" 27	169	94	16·8	-	-	-	-	-	5	[illegible]
		November 3	192	99	17·7	-	-	-	2	-	4	[illegible]
NEW YORK -	4,152,860	October 27	2162	1299	16·3	-	-	3	25	6	27	[illegible]
CHICAGO - -	2,049,185	" 27	-	505	12·8	-	-	8	12	-	8	[illegible]
PHILADELPHIA -	1,469,126	" 20	-	469	16·6	-	-	-	16	6	13	[illegible]
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	October 7	-	258	14·7	-	-	-	1	1	5†	[illegible]
		" 14	-	288	16·4	-	1	-	1	-	7†	[illegible]

* Excluding deaths from croup in the Indian Cities.
† Including 9 deaths from plague in Calcutta, 31 in Bombay, and 2 and 6 in Rio de Janeiro.
‡ Including 20 deaths from cholera in Calcutta, 4 in Bombay, and 14 in Madras.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 10th November, 1906.

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°		°			°	°	°	
LONDON (Greenwich)	56·0	33·5	47·3	2·62	BRADFORD - -	52·8	35·6	45·7	[illegible]
BRIGHTON - -	54·7	40·5	49·4	2·17	LEEDS - - -	53·0	37·0	45·7	[illegible]
PORTSMOUTH - -	56·0	41·5	49·1	2·01	HULL - - -	56·0	32·0	45·9	[illegible]
NORWICH - -	55·4	32·2	46·9	2·80	TYNEMOUTH - -	51·0	37·0	45·3	[illegible]
PLYMOUTH - -	56·0	37·8	47·4	0·55	CARDIFF - -	54·8	30·2	45·3	[illegible]
BRISTOL - - -	54·8	32·2	44·4	1·78	EDINBURGH - -	48·7	37·3	43·2	[illegible]
BIRMINGHAM - -	53·3	34·2	44·7	1·63	GLASGOW - -	52·4	30·2	42·4	[illegible]
NOTTINGHAM - -	53·2	33·0	45·4	1·69	DUBLIN Phœnix Park.	50·3	30·9	43·8	[illegible]
LIVERPOOL OBSERVATORY.	51·0	37·0	44·8	0·21	DUBLIN Fitzwilliam Square.†	52·0	36·1	46·2	[illegible]
MANCHESTER -	52·8	30·8	44·3	0·24					
PRESTON - -	52·2	37·0	45·5	0·16					
HUDDERSFIELD -	50·7	31·8	43·3	0·88	BELFAST - -	51·5	36·0	45·1	[illegible]

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·6 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY	4	Apogee	29·025	48·9	39·5	9·4	45·5	− 0·6	42·5	3·0	5·9	0·2	89	67·3	31·5	53·15	ESE.	E., ENE. & variable	10·0	0·0	0·5	313	+ 35	0·63	2·2
MONDAY	5	..	29·449	54·7	39·5	15·2	46·4	+ 0·5	40·9	5·5	11·6	0·0	81	91·8	28·8	52·75	WSW. & SW.	WSW. & SSW.	5·4	0·0	0·5	385	+107	0·09	0·8
TUESDAY	6	Greatest Dec. N.	29·401	51·7	33·5	18·2	43·7	− 1·8	43·0	0·7	2·5	0·0	97	59·9	25·1	52·40	Calm, NNE. & NE.	NE., NNE. & ESE	5·6	0·0	0·4	267	− 11	0·56	1·2
WEDNESDAY	7	..	29·271	56·0	46·0	10·0	49·7	+ 4·6	47·4	2·3	8·0	0·4	92	89·3	32·7	51·91	E. & ESE.	SW., NE. & NNE.	1·4	0·0	0·1	187	− 92	0·02	4·3
THURSDAY	8	..	29·125	51·4	50·0	1·4	50·7	+ 6·1	50·1	0·6	1·0	0·2	98	52·0	44·0	51·78	NNE. & NE.	NNE. N. & NE.	3·7	0·0	0·4	352	+ 73	1·28	1·5
FRIDAY	9	Last Qr	29·554	53·2	45·9	7·3	49·1	+ 5·1	45·8	3·3	4·6	2·1	88	63·1	44·0	51·63	NE.	NE. & NNE.	5·8	0·0	0·8	453	+173	0·04	0·2
SATURDAY	10	..	30·112	50·2	41·8	8·4	46·0	+ 2·4	38·9	7·1	11·1	4·3	76	82·3	33·7	51·93	NNE. & NE.	NE.	3·6	0·0	0·6	375	+ 94	0·00	0·8
MEANS	-		29·420	52·3	42·3	10·0	47·3	+ 2·3	44·1	3·2	6·4	1·0	89	72·2	34·3	52·22	NE.		..	..	..	Sum 2332	Sum +379	Sum 2·62	1·6
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. November.		Electricity (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY	4	v. P. and v. N. throughout.	1·8	9·5	Generally overcast; frequent rain; gusty wind prevalent between 1h. and 7h. P.M.
MONDAY	5	w. P. and m. N. till 3h. A.M.: w. P. till 3h. P.M.; m. P. afterwards.	7·0	9·4	Overcast in morning with brisk wind and occasional slight rain till 4h. A.M.; very fine with little cloud after 7h. A.M.
TUESDAY	6	m. P. till 6h. A.M.; w. P. generally afterwards with v. N. between 4h. and 7h. P.M.	0·1	9·4	Fine in early morning; overcast afterwards with thick fog prevalent between 6h. and 9h. A.M. Solar halo observed in forenoon; gusty wind between 5h. and 9h. P.M.
WEDNESDAY	7	w. P. throughout.	1·8	9·3	Overcast with slight exceptions; occasional slight rain.
THURSDAY	8	w. P. and w. N. generally till 7h. P.M.; w. P. afterwards.	0·0	9·3	Overcast throughout; nearly continuous rain.
FRIDAY	9	w. P. generally; occasional w. N.	0·0	9·2	Generally overcast; occasional slight rain till evening; brisk wind prevalent after 1h. P.M.
SATURDAY	10	w. P. till 9h. A.M.; m. P. afterwards.	4·2	9·1	Overcast generally till 6h. A.M.; very fine with variable amounts of cloud afterwards.
			Sum 14·9	Sum 65·2	
No. of Col.	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·27 in. at the beginning of the week to 28·75 in. by 10h. P.M. on the 4th; increased to 29·59 in. by 1h. A.M. on the 6th; decreased to 29·19 in. by 10h. P.M. on the same day; increased to 29·30 in. by 5h. P.M. on the 7th; decreased to 29·09 in. by 3h. P.M. on the 8th; and increased to 30·28 in. by midnight on the 10th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 3rd November, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	14	1	-	2	-	-	7	1
Kensington	180,952	-	20	3	-	3	-	-	3	-
Hammersmith	120,679	-	6	9	-	2	-	-	3	-
Fulham	161,965	-	27	15	-	-	-	-	5	-
Chelsea	74,672	-	6	3	-	-	-	-	-	-
City of Westminster	173,905	-	17	5	-	1	1	-	2	-
NORTH.										
St. Marylebone	128,580	-	11	3	-	1	-	-	4	-
Hampstead	89,633	-	9	2	-	1	-	-	2	-
St. Pancras	236,455	-	13	8	-	3	-	-	3	-
Islington	344,987	-	40	13	-	2	-	-	11	1
Stoke Newington	53,217	-	5	1	-	-	-	-	2	-
Hackney	230,721	-	39	16	-	5	-	-	11	-
CENTRAL.										
Holborn	55,805	-	3	5	-	1	-	-	2	-
Finsbury	97,466	-	16	2	-	-	-	-	2	-
City of London	21,367	-	1	-	-	-	-	-	1	-
EAST										
Shoreditch	116,108	-	15	3	-	-	-	-	4	-
Bethnal Green	130,609	-	15	2	-	3	-	-	7	-
Stepney	307,176	-	26	9	-	4	-	-	13	-
Poplar	170,673	-	11	5	-	3	-	-	1	-
SOUTH.										
Southwark	209,143	-	37	6	-	4	-	-	3	3
Bermondsey	128,629	-	28	3	-	1	-	-	4	-
Lambeth	315,774	-	31	5	-	1	-	-	4	1
Battersea	179,622	-	29	10	-	-	-	-	2	-
Wandsworth	273,381	-	27	23	-	3	-	-	5	2
Camberwell	274,132	-	32	10	-	1	-	-	7	1
Deptford	115,495	-	14	9	-	3	-	-	2	-
Greenwich	105,350	-	10	8	-	-	-	-	4	-
Lewisham	148,463	-	20	5	-	2	-	-	2	-
Woolwich	127,345	-	7	11	-	2	-	-	1	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	529	195	-	48	1	-	117	10
Ages 0-1		-	8	5	-	-	-	-	6	-
" 1-5		-	154	63	-	4	-	-	10	-
" 5-		-	227	72	-	5	-	-	4	-
" 10-		-	89	24	-	8	-	-	9	-
" 15-		-	26	12	-	7	-	-	2	1
" 20-		-	10	7	-	3	1	-	5	2
" 25-		-	9	6	-	14	-	-	12	4
" 35-		-	3	4	-	1	-	-	24	3
" 45-		-	2	2	-	5	-	-	24	-
" 55-		-	-	-	-	1	-	-	13	-
" 65 and upwards		-	-	-	-	-	-	-	8	-
Age not stated		-	1	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during October, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th November, 1906.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of October.

Fourteen samples were taken in each district, except the Kent in which thirteen were collected, making a total of 111 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea	October 15th, Cab Rank, Fulham Road, near Hospital for Women.	14·7	25·52	·135	·014	0	·172	·186	1·8	18·1
West Middlesex	October 15th, Cab Rank, Maida Vale, by St. John's Wood Road.	13·9	24·68	·129	·014	0	·149	·163	1·8	17·6
Southwark	October 15th, Cab Rank, near Swan Public House, Stockwell Road.	16·0	26·90	·174	·017	0	·210	·227	1·8	18·9
Grand Junction	October 15th, Cab Rank, Ealing Broadway, opposite Station.	13·7	26·30	·124	·013	0	·207	·220	1·8	18·7
Lambeth	October 15th, Cab Rank, Waterloo Road, opposite St. John's Church.	15·2	26·96	·143	·014	0	·247	·261	1·8	18·6
Lea, Wells, etc.										
New River	October 15th, Cab Rank, Gray's Inn Road, near King's Cross Station.	14·0	31·86	·075	·008	0	·215	·223	1·7	21·8
Lea, Thames, etc.										
Eastern	October 15th, Cab Rank, Sidney Street.	13·2	35·96	·168	·019	0	·070	089	2·25	21·5
Deep Wells.										
Kent	October 15th, Police Station, Blackheath Road.	12·5	41·72	·043	·005	0	·497	·502	2·3	28·7
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4 to 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the Chelsea district, at the cab rank in Fulham Road on the 15th October, had a temperature of 14·7° C.; 100,000 lbs. of it contained 25·52 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·135 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained ·172 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·186 lb. The above weight of water also contained 1·8 lbs. of chlorine and 18·1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples drawn on the 15th October were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the district works was:—Kent, 0·8; New River, 1·4; Grand Junction, 2·3; West Middlesex, 2·4; Chelsea, 2·5; Lambeth, 2·7; and Southwark and Eastern, 3·2.

The amount of organic impurity, in the filtered supplies furnished by the five district works dealing with Thames water, was, on the average, slightly greater than in the previous month, but all the samples taken on the 15th October were clear and of good quality.

The New River district water contained only a small amount of organic matter and was clear and of good quality.

The Eastern district water, sampled on the 15th October, was clear of the same quality as the five filtered Thames water supplies.

The Kent district deep-well water was clear and maintained its usual high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, and that from the New River nearly colourless; the samples from the six remaining districts had only a very pale yellow tint.

In addition to the above analytical examination the 111 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains) has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·070	0·50	·058	·076	·057	·065	0	0	0	·007	·006	·0[illegible]
West Middlesex	·070	·050	·060	·076	·059	·066	0	0	0	·007	·006	·0[illegible]
Southwark	·091	·049	·074	·096	·055	·080	0	0	0	·0085	·006	·0[illegible]
Grand Junction	·078	·051	·064	·086	·057	·071	0	0	0	·0075	·0055	·0[illegible]
Lambeth	·088	·058	·072	·094	·062	·078	0	0	0	·008	·006	·0[illegible]
LEA, WELLS, THAMES, ETC.												
New River	·042	·019	·032	·048	·021	·036	0	0	0	·0035	·002	·0[illegible]
Eastern	·076	·043	·060	·082	·050	·066	0	0	0	·007	·005	·06[illegible]
DEEP WELLS.												
Kent	·013	·009	·010	·014	·010	·011	0	0	0	·0015	·0015	·0[illegible]

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

Owing to the rain which fell in the Thames valley during October the proportion of organic matter in the river water rose slightly, and all the supplies from the Thames (except the West Middlesex) contained, on the average, a little more organic impurity than in September. The above results show that the increment in organic matter was in no case excessive, and all the samples examined were of good quality.

The samples of water drawn in the New River district all contained less organic matter than the Thames derived water and were of good quality.

The Eastern district water, obtained chiefly from the River Lea, contained, on the average, practically the same amount of organic impurity as the best of the Thames supplies, and was of good quality throughout the month.

The samples of deep-well water collected in the Kent area were all of uniform high organic purity and excellent quality.

All the samples examined during the month were practically clear, except two, collected in the Eastern district, which contained traces of rust stained suspended matter.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of October, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 211 gallons to one service.

DISTRICTS.		Number of Services.		Average Daily Supply of Water in Gallons.	
		OCTOBER, 1905.	OCTOBER, 1906.	OCTOBER, 1905.	OCTOBER, 1906.
TOTAL SUPPLY		1,037,382	1,055,803	213,465,989	223,039,661
New River		206,492	209,558	40,006,364	42,285,000
Eastern		234,503	237,965	40,487,581	41,663,386
Western ..	Chelsea	39,960	39,969	11,838,710	12,642,903
	Grand Junction	80,795	83,919	16,416,135	17,542,900
	West Middlesex	92,372	92,690	23,682,774	25,385,548
Southern..	Lambeth	138,584	142,679	31,279,726	33,134,915
	Southwark and Vauxhall	131,493	133,338	31,292,000	30,572,649
Kent		113,183	115,685	18,462,699	19,812,360

Note.—The Return for October, 1906, as compared with that for the corresponding month of 1905, shows an increase of 18,421 services, and of 9,573,672 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 46. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, NOV. 17. [Price 1½*d*.

General Register Office, Somerset House,
November 19th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·4 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 14·6, 14·6, and 14·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·2 in Salford, 22·3 in Merthyr Tydfil, 22·6 in Warrington, 22·8 in Burnley, 23·9 in Rotherham, 24·3 in South Shields, and 25·8 in Great Yarmouth; from *measles*, 3·0 in Wigan, 3·1 in Stockport, 3·3 in Oldham, 4·2 in South Shields, and 4·3 in Rotherham; from *scarlet fever*, 2·1 in Merthyr Tydfil; from *diphtheria*, 1·7 in Walthamstow and in Derby; from *whooping-cough*, 1·4 in Newport (Mon.); and from *diarrhœa*, 2·2 in Swansea. Two deaths from *small-pox* were registered in Hull, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2390 BIRTHS and 1391 DEATHS were registered. Allowing for increase of population, the births were 98 and the deaths 160 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 13·4, 14·0, and 14·7 per 1000 in the preceding three weeks further rose last week to 15·4. The death-rate in the four weeks ended last Saturday averaged 14·4 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 11/06 D & S 3 26545 2 Z

The 1391 deaths included 10 from measles, 5 from scarlet fever, 16 from diphtheria, 10 from whooping-cough, 8 from enteric fever, and 29 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 78 deaths were referred to these diseases in the aggregate, being 39 below the corrected average number in the 46th week of the preceding four years.

The deaths from *measles*, which had been 9, 15, and 19 in the preceding three weeks, fell to 10 last week, and were 26 below the corrected average; 3 deaths belonged to the Borough of Stepney and 3 to Bermondsey. The deaths from *scarlet fever*, which had been 15, 11, and 17 in the preceding three weeks, fell to 5 last week, and were 2 below the corrected average. The deaths from *diphtheria*, which had been 16, 23, and 11 in the preceding three weeks, were 16 last week, and were 6 below the corrected average; 3 deaths belonged to Woolwich. The deaths from *whooping-cough*, which had been 5, 5, and 7 in the preceding three weeks, rose to 10 last week, but were 7 below the corrected average; 3 deaths belonged to Southwark. The fatal cases of *enteric fever*, which had been 11, 5, and 6 in the preceding three weeks, were 8 last week, and were 3 below the corrected average. The deaths from *diarrhœa*, which had been 55, 47, and 44 in the preceding three weeks, further fell to 29 last week, but were 6 above the corrected average; 5 deaths belonged to Fulham and 3 to Shoreditch. Of the 29 deaths from diarrhœa, 26 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 14, having been 9, 5, and 8 in the preceding three weeks. The death of a ship-worker, aged 40, was certified after inquest as due to *anthrax*.

Different forms of *violence* caused 53 deaths, concerning all of which inquests were held. Of these 53 deaths, 6 were cases of suicide, 2 of homicide, and 1 of execution, while the remaining 44 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 4 to burns or scalds, 3 to the effects of anæsthetics administered for surgical purposes, and 7, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4150 cases of scarlet fever, 1105 of diphtheria, and 183 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 462 cases, against 542, 499, and 417; of diphtheria, 165 cases, against 172, 180, and 158; and of enteric fever, 21 cases, against 32, 28, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended November 10th, 1906.

Greater London.

In Greater London 3653 births and 1866 deaths were registered. Allowing for increase of population, these numbers are 107 and 247 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 1 from scarlet fever, 10 from diphtheria, 1 from "fever," and 4 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·94 inches, and that of the Thermometer 43°·0, the latter being 0°·3 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 9 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 10·2 hours; the measured rainfall amounted to 0·90 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 27th Oct., 1906.	3rd Nov., 1906.	10th Nov., 1906.	17th Nov., 1906.	Rate from Diseases in Cols. 11-17. Week ended 17th Nov., 1906.	Registered during the Week ended 17th Nov., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**14·6**	**14·6**	**14·9**	**15·4**	**1·3**	**8295**	**4667**	**944**	**1404**	**2**	**113**	**34**	**81**	**37**	**44**	**97**	**170**	**387**	**1155**	**47**	**76 Towns.**
London	4,721,217	13·4	14·0	14·7	15·4	0·9	2390	1391	244	448	-	10	5	16	10	8	29	53	141	546	2	London.
† Croydon	151,011	7·3	12·8	12·8	14·8	0·7	71	43	6	19	-	-	-	1	1	-	-	3	6	13	-	Croydon.
† Willesden	143,622	8·4	9 1	9·1	10·9	-	77	30	11	6	-	-	-	-	-	-	-	-	2	4	-	Willesden.
† Hornsey	86,935	6·0	7·2	6·6	4·2	-	26	7	1	3	-	-	-	-	-	-	-	-	1	1	-	Hornsey.
† Tottenham	119,503	10·5	8·3	9·2	12·2	0·9	63	28	6	9	-	-	-	2	-	-	-	-	1	5	-	Tottenham.
† West Ham	301,617	14·2	12·1	11·4	12·6	0·9	189	73	11	24	-	2	1	1	-	-	1	2	8	12	-	West Ham.
† East Ham	129,886	8·8	8·8	10·0	6·4	-	58	16	7	1	-	-	-	-	-	-	-	1	2	4	-	East Ham.
† Leyton	118,287	9·7	6·2	8·8	7·9	0·9	58	18	5	4	-	-	-	1	-	-	1	-	-	2	-	Leyton.
† Walthamstow	121,334	12·9	9 5	12·0	12·9	2·1	64	30	7	6	-	-	-	4	-	1	-	-	2	7	-	Walthamstow.
Hastings	67,144	10·9	10·9	10·9	10·1	0·8	16	13	1	7	-	1	-	-	-	-	-	-	-	1	-	Hastings.
Brighton	128,095	8·5	14·2	15·9	11·4	0·8	55	28	5	12	-	2	-	-	-	-	-	1	3	6	-	Brighton.
Portsmouth	205,118	13·2	13·5	16·0	15·8	1·3	108	62	17	14	-	-	-	2	3	-	-	4	5	8	3	Portsmouth.
Bournemouth	67,702	12·3	10·8	14·6	9·2	-	28	12	-	8	-	-	-	-	-	-	-	-	-	2	-	Bournemouth.
Southampton	117,312	11·1	8·4	9·8	9·8	-	46	22	4	10	-	-	-	-	-	-	-	1	6	4	-	Southampton.
Reading	78,987	9·9	11·2	13·2	9·2	0·7	39	14	1	6	-	-	-	1	-	-	-	-	1	3	-	Reading.
Northampton	93,749	5·0	6·7	12·2	10·0	-	33	18	4	6	-	-	-	-	-	-	-	1	1	1	-	Northampton.
Ipswich	71,809	15·2	13·1	18·9	11·6	-	30	16	4	9	-	-	-	-	-	-	-	-	1	2	-	Ipswich.
Great Yarmouth	52,613	22·8	14·9	12·9	25·8	2·0	32	26	6	15	-	-	1	-	-	-	1	-	3	6	-	Great Yarmouth.
Norwich	117,958	19·9	17·7	20·3	13·3	3·5	60	30	7	10	-	4	1	2	-	1	-	-	-	6	-	Norwich.
Plymouth	118,014	16·8	13·3	15·5	19·9	1·3	50	45	8	17	-	2	-	1	-	-	-	1	4	4	-	Plymouth.
Devonport	78,405	12·6	14·6	14·0	18·6	2·7	52	28	4	9	-	2	-	1	-	1	-	2	3	2	-	Devonport.
Bristol	363,223	14·9	11·6	12·9	15·8	0·9	191	110	6	57	-	-	1	2	1	-	2	3	10	22	-	Bristol.
Hanley	66,300	17·3	22·0	22·8	17·3	2·4	48	22	8	7	-	-	-	-	1	-	2	-	3	5	-	Hanley.
Burton-on-Trent	52,922	8·9	11·8	5·9	6·9	-	25	7	1	1	-	-	-	-	-	-	-	-	-	1	1	Burton-on-Trent.
Wolverhampton	100,729	18·1	11·4	14·0	12·4	1·6	60	24	5	8	-	-	-	1	1	-	1	2	5	4	-	Wolverhampton.
Walsall	94,577	14·9	12·1	14·9	16·5	2·8	45	30	2	9	-	-	-	1	1	1	2	1	3	3	-	Walsall.
Handsworth	63,819	10·6	15·5	8·2	10·6	-	26	13	1	7	-	-	-	-	-	-	-	-	1	-	-	Handsworth.
West Bromwich	68,469	9·1	17·5	13·7	9·1	0·8	39	12	-	3	-	-	-	-	-	1	-	-	-	1	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 17th November, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 27th Oct., 1906.	3rd Nov., 1906.	10th Nov., 1906.	17th Nov., 1906.	Rate from Diseases in Cols. 11-17. Week ended 17th Nov., 1906.	Registered during the Week ended 17th Nov., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	13·8	12·9	16·5	13·8	1·3	259	145	29	43	-	3	1	3	1	1	5	10	12	43	6	BIRMINGHAM.
KINGS NORTON -	72,608	7·9	10·1	6·5	4·3	0·7	39	6	2	2	-	-	-	-	1	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK - -	64,531	9·7	8·9	6·5	13·7	1·6	35	17	3	5	-	1	1	-	-	-	-	1	1	3	-	SMETHWICK.
ASTON MANOR -	82,288	17·1	12·0	14·6	17·7	2·5	48	28	4	8	-	3	-	-	-	1	-	-	2	1	1	ASTON MANOR.
COVENTRY - -	76,374	13·7	16·4	23·9	9·6	-	46	14	3	5	-	-	-	-	-	-	-	1	1	2	-	COVENTRY.
LEICESTER - -	232,111	14·8	12·4	10·1	11·2	1·1	103	50	13	16	-	2	-	1	-	1	1	1	3	10	-	LEICESTER.
GRIMSBY - - -	69,359	17·3	8·3	17·3	9·8	-	39	13	2	4	-	-	-	-	-	-	-	-	1	-	-	GRIMSBY.
NOTTINGHAM - -	254,563	13·1	12·7	13·7	15·4	1·0	128	75	17	27	-	-	1	1	-	3	-	4	4	16	-	NOTTINGHAM.
DERBY - - -	123,981	8·8	10·9	15·6	20·6	2·1	56	49	7	16	-	1	-	4	-	-	-	2	7	11	-	DERBY.
STOCKPORT - -	99,646	13·1	16·2	15·2	18·8	3·7	47	36	10	8	-	6	-	-	-	1	-	1	6	6	1	STOCKPORT.
BIRKENHEAD - -	117,292	14·7	20·0	14·2	16·0	1·3	71	36	6	11	-	-	1	-	-	-	2	2	4	8	-	BIRKENHEAD.
WALLASEY - -	64,578	14·5	13·7	11·3	19·4	0·8	22	24	4	4	-	1	-	-	-	-	-	-	2	5	-	WALLASEY.
LIVERPOOL - -	739,180	19·8	20·8	19·6	19·2	2·0	418	272	58	73	-	9	-	5	2	4	8	14	23	78	12	LIVERPOOL.
BOOTLE - - -	65,989	23·7	15·8	13·4	20·5	2·4	48	26	9	5	-	3	-	-	-	-	-	-	-	3	2	BOOTLE.
ST. HELENS - -	91,153	13·7	13·2	13·7	13·7	1·7	50	24	5	4	-	1	-	-	1	1	-	1	1	7	1	ST. HELENS.
WIGAN - - -	87,588	18·5	17·9	17·3	19·6	3·6	55	33	5	8	-	5	-	-	-	-	1	1	1	1	-	WIGAN.
WARRINGTON -	69,280	13·5	20·3	12·0	22·6	0·8	47	30	9	7	-	-	-	-	-	1	-	-	-	3	2	WARRINGTON.
BOLTON - - -	180,502	16·2	15·0	17·0	9·5	0·9	83	33	11	12	-	-	-	1	-	1	1	-	1	3	-	BOLTON.
BURY - - -	58,744	16·0	15·1	16·9	17·8	2·7	23	20	7	6	-	-	-	1	-	-	2	1	1	2	-	BURY.
MANCHESTER - -	637,126	16·8	18·8	17·4	19·0	1·2	344	232	47	48	-	2	3	3	-	2	5	13	23	62	1	MANCHESTER.
SALFORD - - -	234,077	15·4	18·0	17·2	21·2	2·7	153	95	17	22	-		1	4	-	-	-	6	9	24	1	SALFORD.
OLDHAM - - -	140,969	20·7	23·7	23·7	20·0	4·1	79	54	7	14	-	9	-	-	-	-	2	1	2	12	-	OLDHAM.
ROCHDALE - -	87,189	19·1	15·5	16·1	16·1	3·0	38	27	5	12	-	4	-	1	-	-	-	-	-	2	1	ROCHDALE.
BURNLEY - - -	102,808	19·3	16·7	23·8	22·8	2·5	54	45	15	12	-	-	2	1	-	-	2	3	4	10	1	BURNLEY.
BLACKBURN - -	134,015	17·1	16·0	11·3	14·0	1·6	64	36	9	13	-	-	-	1	-	1	2	1	1	8	-	BLACKBURN.
PRESTON - - -	116,399	19·3	20·2	20·2	20·2	2·7	60	45	16	13	-	3	-	-	1	-	2	1	2	4	-	PRESTON.
BARROW-IN-	60,967	11·1	14·5	10·3	13·7	1·7	35	16	6	3	-	-	-	1	-	-	1	-	-	1	-	BARROW-IN-

Towns.	Population estimated to the middle of the Year 1906.*	Mean Temperature from all Causes. Week ended 27th Oct., 1906.	3rd Nov., 1906.	10th Nov., 1906.	17th Nov., 1906.	Associated Diseases in Cols. 11-17. Week ended 17th Nov., 1906.	Registered during the Week ended 17th Nov., 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield -	94,851	17·6	15·4	15·4	19·2	1·1	56	35	6	13	-	-	1	-	-	1	-	-	2	4	1	Huddersfield.
Halifax - - -	109,272	15·7	18·1	11·5	15·7	0·5	38	33	6	15	-	-	-	1	-	-	-	-	2	2	-	Halifax.
Bradford - -	288,544	15·4	13·0	13·2	16·4	1·1	114	91	15	34	-	1	1	-	2	2	-	1	3	17	1	Bradford.
Leeds - - -	463,495	12·0	12·8	13·4	11·7	0·7	231	104	25	28	-	-	-	3	-	2	1	3	5	18	-	Leeds.
Sheffield - -	447,951	15·4	16·1	16·1	17·0	2·7	273	146	37	35	-	5	6	5	2	2	3	4	7	20	1	Sheffield.
Rotherham - -	61,098	16·2	17·1	22·2	23·9	6·0	33	28	10	4	-	5	-	-	1	-	1	-	-	2	-	Rotherham.
York - - -	83,467	13·1	15·0	10·6	11·9	1·2	44	19	2	5	-	-	-	-	-	1	1	1	1	4	-	York.
Hull - - -	262,426	16·3	14·5	13·7	14·7	1·8	161	74	10	21	2	3	-	2	-	2	-	2	9	16	1	Hull.
Middlesbrough -	100,069	22·9	21·9	17·7	19·8	2·1	58	38	11	5	-	-	2	-	-	1	1	2	3	9	2	Middlesbrough.
Stockton-on-Tees	52,664	13·9	12·9	13·9	19·8	-	43	20	4	5	-	-	-	-	-	-	-	1	2	3	-	Stockton-on-Tees.
West Hartlepool	73,387	17·1	10·7	13·5	12·1	0·7	39	17	6	4	-	-	-	-	-	-	1	1	1	3	-	West Hartlepool.
Sunderland - -	154,385	21·3	20·3	19·3	18·6	2·7	86	55	19	12	-	-	1	2	1	1	3	2	5	13	2	Sunderland.
South Shields -	111,402	21·5	20·1	15·9	24·3	5·6	74	52	10	7	-	9	-	1	1	-	1	2	3	6	-	South Shields.
Gateshead - -	123,191	24·5	16·5	15·7	16·5	2·5	78	39	11	12	-	3	-	-	1	1	1	1	1	5	2	Gateshead.
Newcastle-on-Tyne	268,721	16·5	14·4	16·9	15·7	1·4	178	81	19	18	-	1	-	2	1	-	3	1	5	13	-	Newcastle-on-Tyne.
Tynemouth - -	54,138	16·4	16·4	27·9	20·2	-	46	21	7	6	-	-	-	-	-	-	-	1	2	3	-	Tynemouth.
Newport (Mon.) -	74,227	14·8	13·3	12·6	15·5	2·8	43	22	7	8	-	2	-	-	2	-	-	-	-	6	-	Newport (Mon.).
Cardiff - - -	183,823	18·7	13·9	14·5	10·8	0·6	86	38	6	15	-	-	-	-	-	-	2	1	3	1	-	Cardiff.
Rhondda- - -	127,684	9·4	16·3	14·7	15·1	1·2	87	37	9	7	-	1	-	-	1	-	1	3	3	1	-	Rhondda.
Merthyr Tydfil -	74,961	14·6	18·1	21·6	22·3	3·5	47	32	8	5	-	-	3	1	-	-	1	1	1	5	2	Merthyr Tydfil.
Swansea- - -	96,848	20·5	17·8	18·3	19·4	4·3	57	36	8	9	-	-	1	1	1	1	4	4	6	3	-	Swansea.
Greater London -	7,113,561	12·6	12·6	12·9	13·7	0·8	3653	1866	334	596	-	13	7	35	11	10	35	70	184	640	4	Greater London.
Outer Ring - -	2,392,344	11·1	9·8	9·3	10·4	0·7	1263	475	90	148	-	3	2	19	1	2	6	17	43	94	2	Outer Ring.
8 Towns in Outer Ring	1,172,195	10·4	9·8	10·4	10·9	0·7	606	245	54	72	-	2	1	9	1	1	2	6	22	48	-	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	11·7	9·8	8·3	9·8	0·7	657	230	36	76	-	1	1	10	-	1	4	11	21	46	2	Remainder of Outer Ring.
Edinburgh - -	341,035	16·1	14·4	13·8	15·3	1·1	125	100	18	40	-	1	-	3	-	-	3	5	?	29	5	Edinburgh.
Glasgow - - -	835,625	17·2	16·2	18·9	16·6	1·8	449	266	73	47	-	1	1	2	10	1‡	14	11	?	73	12	Glasgow.
Dublin† - - -	378,994	21·6	27·4	24·9	25·6	1·9	182	186	36	47	-	9	-	-	1	1	3	9	8	76	3	Dublin.†
Belfast†- - -	366,220§	17·1	17·4	18·7	20·6	1·1	189	145	26	37	-	1	-	-	3	-	4	6	9	39	5	Belfast.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 10 deaths from Cerebro-spinal meningitis were registered. § Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SIXTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	19
TOTAL **Births** -	2675	2780	2585	2674	2323	2574	2679	2331	2455	2298	2487·9	23
Males - - -	1375	1407	1303	1357	1133	1350	1401	1212	1242	1153	1276·2	12
Females - -	1300	1373	1282	1317	1190	1224	1278	1119	1213	1145	1211·7	11
TOTAL **Deaths** -	1675	1617	1436	1528	1505	1744	1558	1473	1505	1552	1551·4	13
Males - -	815	838	728	769	815	870	797	767	784	776	796·1	6
Females - -	860	779	708	759	690	874	761	706	721	776	755·3	6

* The numbers in this column are the average weekly numbers in the forty-sixth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	13 Week
TOTAL **Births** -	2466	2475	2329	2319	2260	2374	2251	2355	2411	2474	2304	2·20	2390	306
TOTAL **Deaths** -	1651	1570	1892	1589	1548	1422	1404	1295	1232	1209	1272	1328	1391	188
Ages at Death: Under 1 year -	646	643	760	631	544	426	341	280	277	276	246	267	214	55
1—5 years -	204	199	219	207	171	150	146	125	128	111	137	138	113	20
5—20 ,, -	67	64	66	60	63	85	73	73	58	69	82	73	67	9
20—40 ,, -	159	136	187	151	154	179	165	156	150	162	176	170	204	21
40—60 ,, -	245	235	268	248	255	249	293	279	270	265	273	286	315	34
60 yrs. & upwds.	333	293	392	292	361	333	386	382	349	325	358	394	448	46
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	13	16	9	7	9	8	6	2	5	9	15	19	10	1
Scarlet Fever - -	9	7	6	4	7	10	12	19	9	15	11	17	5	1
Diphtheria - -	9	12	13	10	18	13	12	14	11	16	23	11	16	1
Whooping-cough -	12	11	17	22	20	13	11	12	13	5	5	7	10	1
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	7	2	4	3	8	12	11	17	8	11	5	6	8	1
Pyrexia (origin uncertain).	-	1	-	-	-	-	1	-	-	-	-	-	-	
Diarrhœa, Dysentery	458	455	529	455	340	207	135	93	78	55	47	44	29	29
All above Diseases -	508	504	578	501	402	263	188	157	124	111	106	104	78	36
Dis. of Resp. System	45	53	53	35	74	51	90	84	64	69	99	113	158	9
Pneumonia - -	58	56	90	70	75	83	98	93	82	81	101	119	130	11
Phthisis - - -	119	105	123	128	104	147	139	120	132	129	150	133	177	17
Dis. of Circ. System -	141	137	169	164	144	147	176	171	169	174	183	167	214	21
Violence - - -	72	49	77	56	41	68	48	53	50	44	51	70	53	7
Inquest Cases - -	139	115	153	130	117	127	131	115	140	103	121	163	141	16
Deaths in Institutions	567	588	670	537	552	552	551	550	490	480	547	555	546	71
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	64·9	66·5	68·0	57·6	55·8	52·0	58·4	57·6	41·2	53·0	46·8	47·3	43·0	54
Mean of Highest -	77·4	81·6	80·9	69·1	63·2	63·1	66·5	65·5	59·4	61·7	53·0	52·3	49·2	64
Mean of Lowest -	55·4	52·2	56·8	48·0	50·5	41·5	51·2	51·2	43·5	45·4	40·9	42·3	36·3	47
Mean Humidity of the Air.	72	62	64	70	80	77	83	82	81	82	88	89	85	7
Rain-fall (in inches) -	0·26	0·00	0·85	0·74	0·38	0·00	0·69	0·63	0·21	0·07	1·59	2·62	0·90	8·9
Registered Sunshine (in hours).	49·9	70·9	53·7	48·8	22·6	41·3	31·0	35·7	31·7	30·6	10·6	14·9	10·2	451
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mean
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3078	3042	3067	3075	3164	3388	3603	3803	3923	4068	4178	4135	4150	359
Diphtheria - -	859	835	861	862	846	819	907	944	982	1030	1065	1076	1105	94
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	101	103	115	116	124	140	167	186	186	197	202	203	183	15

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. S. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SIXTH Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 46th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
L CAUSES	1551·4	1391	244	113	67	204	315	448
nall-pox*	-	-	-	-	-	-	-	-
wpox	-	-	-	-	-	-	-	-
easles (Morbilli)	36·2	10	-	9	1	-	-	-
arlet Fever	7·4	5	-	3	2	-	-	-
yphus	-	-	-	-	-	-	-	-
ague	-	-	-	-	-	-	-	-
nfluenza	12·2	14	-	1	1	4	3	5
hooping-cough	16·8	10	5	5	-	-	-	-
iphtheria	21·9	16	1	6	8	1	-	-
rebro Spinal Fever	-	-	-	-	-	-	-	-
yrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
nteric Fever	11·5	8	-	-	1	6	1	-
siatic Cholera	-	-	-	-	-	-	-	-
pidemic Diarrhœa (Infective Enteritis)	9·2	11	8	3	-	-	-	-
iarrhœa, Dysentery	13·8	18	14	1	-	1	1	1
etanus	1·3	-	-	-	-	-	-	-
abies, *Hydrophobia*	-	-	-	-	-	-	-	-
landers	0·5	-	-	-	-	-	-	-
nthrax (Splenic Fever)	0·3	1	-	-	-	-	1	-
enereal Dis.	10·7	5	4	-	-	1	-	-
uerperal Septicæmia	3·3	3	-	-	-	3	-	-
uerperal Pyæmia	0·3	-	-	-	-	-	-	-
uerperal Fever	2·0	-	-	-	-	-	-	-
nfective Endocarditis	3·8	4	-	-	1	2	1	-
neumonia: Lobar	13·5	13	-	1	-	4	6	2
neumonia: Broncho-	96·6	66	20	27	2	3	2	12
neumonia: Epidemic	-	-	-	-	-	-	-	-
neumonia: Not defined	71·4	51	9	4	4	9	7	18
rysipelas	5·1	5	-	1	-	1	1	2
epticæmia (not Puerperal)	1·0	1	-	1	-	-	-	-
yæmia (not Puerperal)	1·5	1	-	-	-	1	-	-
ther Infective Processes	8·4	3	-	-	1	-	1	1
uberculous Phthisis	84·9	116	-	4	8	48	41	15
Phthisis"	76·7	61	-	1	3	24	30	3
uberculous Meningitis	17·1	10	5	2	3	-	-	-
uberculous Peritonitis	7·4	8	4	1	2	1	-	-
abes Mesenterica	3·1	1	1	-	-	-	-	-
uberculous Dis. (other)	16·8	22	3	6	5	4	3	1
crofula	1·0	-	-	-	-	-	-	-
lcoholism	11·7	12	-	-	-	3	9	-
heumatic Fever	7·4	7	-	-	2	3	2	-
out	3·1	3	-	-	-	-	2	1
arcinoma	53·5	59	-	-	-	4	26	29
arcoma	5·1	4	-	-	1	-	2	1
ancer (undefined)	37·5	38	1	-	1	5	17	14
iabetes Mellitus	7·1	15	-	-	-	1	6	8
remature Birth	55·3	28	28	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 46th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	13·0	11	7	3	1	-	-	-
Insanity, Gen. Par. of Insane	14·0	16	-	1	-	6	6	3
Epilepsy	7·4	2	-	-	-	1	1	-
Convulsions	23·2	17	16	1	-	-	-	-
Locomotor Ataxy	1·5	2	-	-	-	-	1	1
Paraplegia, Dis. of Cord	3·3	8	-	1	-	-	1	6
Nervous Sys. (other dis.)	23·2	17	-	2	1	2	5	7
Valv. Dis., Endocarditis	49·4	60	-	-	2	13	21	24
Cerebr. Hæm. Thromb.	30·6	36	-	-	-	1	11	24
Apoplexy, Hemiplegia	20·1	19	-	-	1	1	3	14
Aneurysm	3·6	8	-	-	-	-	5	3
Embolism, Thrombosis (not cerebral)	2·0	2	-	-	-	-	1	1
Heart & Blood Vessel Dis.	90·7	89	-	-	2	6	22	59
Croup (not Spasm : nor Memb.)	0·8	1	-	1	-	-	-	-
Bronchitis	159·0	133	28	7	1	5	22	70
Asthma, Emphysema	6·4	7	-	-	-	1	2	4
Pleurisy	5·6	1	-	-	1	-	-	-
Respiratory Dis. (other)	12·2	16	3	4	-	-	3	6
Tonsillitis, Quinsy	-	1	-	1	-	-	-	-
Enteritis (not Epid.)	9·7	13	9	1	-	2	-	1
Gastro-Enteritis	5·4	4	3	-	-	-	-	1
Peritonitis (not Puerp.)	3·1	6	-	1	-	2	2	1
Cirrhosis of Liver	15·3	13	-	-	1	1	8	3
Liver Dis. (other)	4·8	5	-	-	-	3	-	2
Digestive Dis., Other	36·2	32	8	2	3	5	7	7
Nephritis, Acute	9·2	7	-	1	-	1	3	2
Bright's Dis., Albuminuria	38·2	30	-	-	-	6	11	13
Urinary Sys., Other Dis.	12·5	9	1	-	-	2	1	5
Generative Organs Dis.	5·1	2	-	-	-	1	1	-
Childbirth (Accid. of)	3·8	3	-	-	-	2	1	-
Old Age	45·9	60	-	-	-	-	1	59
Other Diseases	94·9	79	55	7	6	1	2	8
ACCIDENT.								
By Railways	1·8	3	-	-	-	2	-	1
By Vehicles and Horses	6·4	5	-	-	1	1	1	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	-	-	-	-	-	-	-
In Building Operations	1·3	3	-	-	-	-	2	1
In Conflagrations	1·0	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	7·4	4	-	3	1	-	-	-
By Drowning	3·6	3	-	-	-	-	2	1
By Suffocation in Bed	12·5	7	7	-	-	-	-	-
By Poisons or Poisonous Vapours	1·5	5	-	-	-	2	3	-
Other Deaths by Accident	15·5	14	3	1	-	2	2	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	2	1	-	-	1	-	-
Suicide	12·0	6	-	-	-	4	2	-
Execution	0·3	1	-	-	-	1	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis in each SUB-DISTRICT during the Week ended Saturday, 17th November, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2390	1391	244	448	-	10	5	16	10	-	8	-	29	53	141	546
WEST DISTRICTS	805,311	350	248	35	92	-	1	-	4	-	-	2	-	9	11	28	102
NORTH DISTRICTS	1,056,070	505	272	42	88	-	1	1	3	-	-	2	-	3	7	21	99
CENTRAL DISTRICTS	209,465	127	65	18	13	-	-	-	1	3	-	-	-	5	3	8	28
EAST DISTRICTS	715,739	461	237	61	64	-	5	-	-	2	-	2	-	4	8	37	109
SOUTH DISTRICTS	1,749,844	947	534	88	173	-	3	4	8	5	-	2	-	6	24	47	173
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	35	-	18	-	-	-	-	-	-	-	-	2	-	-	35
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	37	30	5	13	-	-	-	-	-	-	-	-	-	2	4	7
St. John Paddington *H*	33,617	6	10	-	4	-	-	-	-	-	-	-	-	-	-	-	5
North-West Paddington	17,181	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	52	48	5	17	-	-	-	-	-	-	-	-	-	1	6	23
Brompton *2H*	48,591	10	13	4	4	-	-	-	-	-	-	-	-	-	-	1	2
North Hammersmith *2W,wH*	49,192	43	9	3	4	-	-	-	1	-	-	-	-	1	-	1	3
South Hammersmith *w,2H*	63,047	24	16	3	8	-	-	-	-	-	-	-	-	-	1	1	7
North-west Fulham *W*	45,180	38	27	4	9	-	1	-	-	-	-	-	-	4	1	4	14
North-east Fulham *F*	46,405	23	9	-	1	-	-	-	3	-	-	2	-	-	2	2	5
South Fulham *W*	45,704	39	11	3	3	-	-	-	-	-	-	-	-	1	1	2	-
Chelsea North *W,w,3H*	42,514	11	31	-	14	-	-	-	-	-	-	-	-	-	2	5	22
Chelsea South *W,2H*	31,328	12	8	2	4	-	-	-	-	-	-	-	-	2	-	1	2
Mayfair and Knightsbridge	28,743	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	19	16	2	2	-	-	-	-	-	-	-	-	-	-	-	7
St. Margaret & St. John *4H*	43,698	18	10	3	4	-	-	-	-	-	-	-	-	1	-	-	3
St. James and St. Anne *W,6H*	33,081	5	4	-	1	-	-	-	-	-	-	-	-	-	1	1	2
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	13	13	2	5	-	-	-	-	-	-	-	-	-	1	1	6
St. Mary Marylebone *W,4H*	37,948	35	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H*	39,536	16	7	1	1	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *2H*	20,426	4	5	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hampstead *W,F,7H*	81,942	27	15	1	7	-	-	-	-	-	-	1	-	-	1	2	6
West St. Pancras *2H*	60,562	25	17	4	3	-	-	-	-	-	-	-	-	-	-	1	1
Tottenham-court *w,7H*	21,258	7	13	-	1	-	-	-	-	-	-	-	-	-	1	1	12
Gray's Inn Lane *4H*	34,449	6	9	3	1	-	-	-	1	-	-	-	-	1	-	-	5
East St. Pancras *W,2H*	60,320	38	23	3	5	-	-	-	-	-	-	-	-	-	-	1	8
North St. Pancras *2W*	58,728	40	13	2	9	-	-	-	-	-	-	-	-	-	1	2	5
Tufnell *W*	31,995	14	25	3	9	-	-	-	-	-	-	1	-	-	-	1	18
Upper Holloway *2W,w,H*	33,978	14	19	2	8	-	-	-	-	-	-	-	-	-	1	1	15
Tollington *WH*	33,922	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	22	11	2	3	-	-	-	-	-	-	-	-	-	1	3	-
Barnsbury	54,478	25	11	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	45	15	4	5	-	1	-	-	-	-	-	-	-	-	-	-
Highbury *2H*	63,797	19	11	3	4	-	-	-	-	-	-	-	-	1	-	1	2
Stoke Newington *H*	51,247	19	11	3	4	-	-	-	1	-	-	-	-	-	-	-	-
North Hackney	50,560	21	7	2	1	-	-	-	-	-	-	-	-	-	-	2	-
Central Hackney *2w,F*	50,536	26	4	-	-	-	-	1	1	-	-	-	-	-	-	-	2
South-west Hackney *3E*	59,921	41	14	2	4	-	-	-	-	-	-	-	-	1	1	1	4
South-east Hackney *2W,w,H*	58,255	39	22	3	10	-	-	-	-	-	-	-	-	-	-	3	12

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a su district contains more than one institution of either kind, the number is indicated by a figure prefixed to t letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

E 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th November, 1906—*continued.*

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
iles and Bloomsbury 2*W*,2*H* -	31,436	27	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
nd *W*,4*H* - - - - -	21,674	6	8	2	1	-	-	-	-	-	-	-	-	1	-	-	8	-
d Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn *W*,6*H* - - - - -	29,612	11	15	8	-	-	-	-	1	1	-	-	-	2	-	1	13	-
h Clerkenwell - - - -	28,676	20	5	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
h Clerkenwell *H* - - -	35,028	22	11	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-
bury 3*H*,*L* - - - - -	36,116	36	8	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-
orn Union Workhouse, tcham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph *H* - - - -	10,299	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
epulchre and Allhallows *W*,2*H*	16,624	2	11	4	2	-	-	-	-	1	-	-	-	-	3	5	5	-
of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
EAST DISTRICTS.																		
editch South *H* - - -	46,362	23	11	3	5	-	-	-	-	-	-	-	-	1	-	3	-	-
editch North-West *W*,*w*,*H* -	36,127	34	21	1	11	-	-	-	-	1	-	-	-	-	-	2	16	-
editch North-East - - -	36,148	19	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
editch Union Workhouse, Wood een - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green North-East 2*W*, *L*	65,138	26	25	3	11	-	-	-	-	-	-	-	-	-	1	4	15	-
nal Green South-West *H* -	64,542	42	14	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-
lfields - - - - -	27,969	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
End New Town *W*,*H* - -	28,718	19	31	4	3	-	1	-	-	-	-	1	-	1	2	4	29	-
lman's Fields - - - -	22,081	10	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
eorge and St. John 2*W* - -	49,068	46	19	8	2	-	-	-	-	-	-	-	-	-	1	5	6	-
well and Ratcliff *W*,*H* - -	25,568	18	11	4	-	-	1	-	-	-	-	-	-	-	-	3	6	-
house *W* - - - - -	32,369	18	8	1	2	-	1	-	-	-	-	-	-	-	-	3	-	-
End Old Town South-stern *H* - - - -	63,698	58	12	4	5	-	-	-	-	-	-	-	-	-	1	2	-	-
End Old Town North-stern *W*,*w* - - -	49,129	28	16	2	6	-	-	-	-	1	-	-	-	-	-	-	7	-
L - - - - - - -	41,989	32	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ley 3*w*,*H* - - - - -	68,319	41	40	16	9	-	1	-	-	-	-	1	-	-	2	6	24	-
ar *W*,*w* - - - - -	58,514	37	18	7	6	-	1	-	-	-	-	-	-	2	1	3	5	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-PX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th November, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	19	5	3	-	-	-	-	1	-	-	-	-	3	4	14
Kent-road	21,904	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	18	11	3	1	-	-	-	-	2	-	-	-	-	-	1	5
Newington North	49,022	27	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	39	21	4	8	-	-	-	-	-	-	-	-	-	-	2	-
St. Olave *2W*	9,817	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Bermondsey *W*	82,483	60	17	8	4	-	-	-	-	-	-	-	-	1	-	1	-
Rotherhithe *W,F*	38,460	24	22	5	4	-	3	-	-	1	-	-	-	-	1	2	11
Waterloo* *2H*	27,440	29	7	2	1	-	-	-	-	-	-	-	-	-	1	1	-
Lambeth Church* *H*	27,440	17	18	1	3	-	-	-	-	-	-	-	-	-	4	5	13
Kennington* *2W*	52,518	39	32	5	12	-	-	-	-	-	-	-	-	-	-	4	18
Stockwell* *HF*	63,826	40	20	4	9	-	-	-	1	-	-	-	-	-	1	1	1
Brixton* *H*	73,673	43	29	2	9	-	-	-	-	-	-	-	-	-	1	2	2
Norwood* *WH*	56,998	24	8	-	2	-	-	-	-	-	-	-	-	-	1	1	-
East Battersea *H*	72,203	40	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea	49,656	33	11	2	3	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	16	27	2	10	-	-	-	-	-	-	-	-	-	1	1	19
Clapham *2H*	51,361	18	16	2	4	-	-	-	1	-	-	-	-	-	-	-	1
Streatham *W,2w,2F,2L*	88,019	53	24	6	9	-	-	-	-	-	-	1	-	-	1	3	5
Springfield *2W,L*	27,959	7	7	2	1	-	-	-	-	-	-	-	-	-	2	2	-
Southfields *H*	40,444	32	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	10	6	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Dulwich	13,359	4	1	-	1	-	-		-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	25	25	1	9	-	-	-	-	-	-	-	-	-	1	1	21
Camberwell North *W,2L*	65,584	27	36	4	15		-	-	-	-	-	-	-	1	1	2	18
St George	47,331	23	11	2	2	-	-		-	-	-	-	-	-	-	-	1
Peckham North	48,913	25	7	2	2	-	-	-	-	-	-	-	-	1	1	1	-
Peckham South *2W,w*	43,946	7	7	-	3	-	-	-	-	-	-	-	-	-	-	-	1
Deptford North	37,613	25	8	5	2		-		-	-	-	-	-	-	1	2	-
Deptford Central *F*	45,481	19	13	4	4	-	-	-	1	1	-	-	-	-	-	1	1
Deptford South	34,625	20	8	1	5	-	-		-	-	-	-	-	-	-	1	-
Greenwich West *2H*	23,456	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	32	32	-	14	-	-	-	-	-	-	1	-	-	3	5	22
Eltham *w,H*	7,226	10	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-
Lee *wH*	25,490	1	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W w,F*	58,352	32	22	4	6	-	-	2	1	-	-	-	-	1	-	-	13
Sydenham *H*	43,653	24	8	1	4	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *F,2H*	21,134	12	11	-	3	-	-	2	3	-	-	-	-	-	-	-	7
Woolwich *5H*	41,625	24	7	5	-	-	-	-	-	-	-	-	-	1	-	1	-
Plumstead West *W*	18,063	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	31	10	2	3	-	-	-	1	-	-	-	-	1	-	-	1
Workhouse:— Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	2	-	-	-	-	-			-	-	-	-	2
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
London County Lunatic Asylums:—																	
Banstead	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Hanwell	—	-	6	-	5	-	-	-	-	-	-	-	-	-	-	-	6
Colney Hatch	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury	—	-	7	-	2	-	-	-	-	-	-	-	-	2	-	-	7

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-districts as above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 17th November, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,302	2,044,973	1263	475	90	148	-	3	2	19	1	2	6	17	43	94	2
3 1 Carshalton 2F,3H	12,228	32,997	15	7	1	1	-	-	-	1	-	-	-	-	2	1	-
2 Epsom, *part of** W,w,2F,H	10,423	15,548	8	4	2	-	-	-	-	-	-	-	-	-	-	1	-
2 1 Godstone, *part of** W,F	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 1 Coulsdon	11,069	8,166	3	2	-	1	-	-	-	-	-	-	-	-	1	-	-
2 South Croydon w	4,200	49,309	20	12	-	5	-	-	-	1	-	-	-	1	3	-	-
3 West Croydon 3W,F,H	2,168	42,888	29	27	5	12	-	-	-	-	-	-	-	2	3	16	-
4 North Croydon H	2,644	41,698	22	8	2	3	-	-	-	-	1	-	-	-	-	1	-
5 Penge w,H	770	22,465	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3 Mitcham w	11,711	30,015	27	8	1	3	-	-	-	-	-	-	1	-	-	-	-
3 1 Wimbledon F,3H	3,221	41,652	21	10	-	2	-	-	1	2	-	-	1	-	-	1	-
2 Kingston 2W,H	6,224	42,068	24	18	2	11	-	-	-	-	-	-	-	1	1	6	-
3 Surbiton F,H	3,046	15,017	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Esher, *part of** H	5,402	13,100	9	4	1	-	-	-	-	-	-	-	-	1	1	-	-
5 Hampton H,F,L	4,534	23,456	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-
4 1 Richmond W,H	2,182	28,865	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Mortlake F	2,847	20,628	14	5	-	2	-	-	-	-	-	-	-	-	-	-	-
4 1 Bromley F,2H	4,703	27,354	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-
3 Beckenham H	7,825	28,497	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3 Orpington *part of** W	10,113	9,857	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-
4 Chislehurst 2H	7,333	16,446	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4 1 Bexley w F,H	8,678	21,151	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Erith F,H	3,854	25,296	24	6	1	-	-	1	-	2	-	-	-	-	-	-	-
3 Dartford W,F, *part of**	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
12 1 Sunbury w	11,054	18,683	5	6	-	3	-	-	-	-	-	-	-	-	-	-	-
2 Staines W,H	13,277	15,178	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
12 1 Hillingdon W,F,H	6,035	13,631	5	1	-	1	-	-	-	-	-	-	-	-	-	1	-
2 Uxbridge H	12,757	8,984	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3 Hayes w2F,H	8,066	16,358	11	3	-	1	-	-	-	-	-	-	-	1	2	-	-
12 1 Isleworth 3W,2F,H	6,859	30,863	19	11	2	4	-	-	-	-	-	-	1	-	-	5	-
2 Twickenham F,H	2,421	20,991	20	4	1	-	-	-	-	-	-	-	-	-	-	1	-
3 Brentford 3F,2H	4,319	48,289	38	13	1	6	-	-	-	1	-	-	-	-	-	1	-
4 Chiswick H	1,249	29,809	18	9	2	3	-	-	-	-	-	-	-	2	2	-	-
5 Acton w,F,3H	6,132	48,914	38	13	1	3	-	-	-	-	-	-	-	-	-	-	1
12 1 Harrow F,H	13,809	25,523	23	4	1	2	-	-	-	-	-	-	-	1	-	1	-
2 Edgware 2F,2H	6,994	4,521	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
3 Willesden W,F,2H	4,384	114,811	77	28	11	5	-	-	-	-	-	-	-	-	2	2	-
4 Hendon W,F	8,382	22,450	16	3	-	-	-	-	-	-	-	-	-	1	1	1	-
12 1 South Mimms 2F,H	17,755	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Barnet W,2H	3,324	17,970	8	5	-	2	-	-	-	1	-	-	-	-	1	-	-
3 Finchley F,2H	4,688	33,692	11	4	-	2	-	-	-	-	-	-	-	-	-	-	-
12 1 Hornsey F,H	2,875	72,056	26	6	1	2	-	-	-	-	-	-	-	-	1	-	-
2 Wood Green H	1,625	34,233	25	6	1	3	-	-	-	-	-	-	-	2	3	2	-
3 West Tottenham F	996	48,853	30	8	-	4	-	-	-	-	-	-	-	-	1	-	-
4 East Tottenham 2H	2,017	53,688	33	20	6	6	-	-	-	-	-	-	-	-	-	5	-
5 Edmonton W,w,2F	7,491	61,892	34	15	4	2	-	-	-	1	-	1	-	-	2	3	-
6 Enfield 2W,F,H	12,601	42,738	28	9	2	2	-	-	-	1	-	-	-	-	2	2	-
7 Waltham Abbey F	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt F,H	8,479	12,292	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
15 1 Hatfield, *part of** W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 1 Bushey H	9,333	9,173	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Watford W,2F *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 1 Stratford H	1,072	44,827	34	13	2	3	-	-	-	-	-	-	1	1	2	1	-
2 Plaistow F,2H	1,249	90,921	77	21	4	7	-	1	-	1	-	-	-	-	3	-	-
3 Canning Town H	1,556	70,718	53	17	4	3	-	1	1	-	-	-	-	1	3	-	-
4 Forest Gate w	806	60,892	22	11	1	4	-	-	-	-	-	-	-	-	-	-	-
5 North East Ham w H	1,333	58,676	34	7	4	1	-	-	-	-	-	-	-	1	2	-	-
6 South East Ham 2F	1,993	37,342	24	5	3	-	-	-	-	-	-	-	-	-	-	-	-
7 Wanstead F	1,679	9,179	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8 South Leyton 2W	631	50,467	23	17	3	10	-	-	-	-	-	-	1	-	-	8	-
9 North Leyton 2W,w,F	1,963	48,445	35	22	2	5	-	-	-	1	-	1	-	-	-	15	-
10 Walthamstow 3H,L	6,504	108,929	74	28	8	5	-	-	-	3	-	-	1	1	3	2	-
18 1 Chigwell 2F,3H	11,778	16,397	10	5	-	2	-	-	-	1	-	-	-	-	-	2	-
2 Epping W,F, *part of**	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
18 1 Romford, *part of** W,2F	6,556	6,091	5	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2 Ilford F,L	8,498	41,234	40	6	3	1	-	-	-	-	-	-	-	-	-	1	-
3 Barking Town F	3,803	21,547	30	4	2	1	-	-	-	-	-	-	-	1	2	-	1
N.E. Hospital, Tottenham	—	—	-	3	-	-	-	-	-	3	-	-	-	-	-	3	-
Middlesex County Asylum, Wandsworth.	—	—	-	5	-	2	-	-	-	-	-	-	-	-	-	5	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diseases
London - -	4,721,217	November 17	2390	1391	15·4	-	10	5	17	10	8	26
Calcutta - -	977,822	October 13	-	469	28·7	1	-	-	-	-	132†	79
Bombay - -	982,000	„ 30	451	665	44·6	-	-	-	-	-	99†	54
Madras - -	509,346	„ 19	415	448	45·7	-	2	?	?	?	122	91
Paris - - -	2,750,000	November 10	952	851	16·5	1	1	-	3	4	6	44
Brussels - -	612,401	„ 10	196	174	14·8	-	2	1	2	1	2	12
Antwerp - -	297,311	„ 10	145	86	15·0	-	-	-	3	-	3	13
Amsterdam -	560,482	„ 3	275	154	14·3	-	5	1	1	-	2	3
Copenhagen -	425,000	„ 10	-	-	-	-	-	-	-	-	-	
Stockholm -	324,488	„ 3	179	74	11·9	-	-	2	2	-	-	5
Christiania -	222,373	„ 10	190	53	12·4	-	-	2	-	1	-	1
St. Petersburg	1,424,700	October 27	757	596	21·7	-	9	27	32	5	33	15
Moscow - -	1,154,000	November 3	-	521	23·5	1	4	9	13	4	14	54
Berlin - -	2,075,707	October 27	900	550	13·8	-	2	3	9	5	3	48
Hamburg - -	819,380	November 10	-	222	14·4	-	2	5	4	1	1	25
Breslau - -	475,000	„ 3	-	197	21·6	-	1	-	6	1	-	16
Munich - -	544,000	„ 10	-	175	16·9	-	-	-	1	1	-	26
Vienna - -	1,956,949	„ 10	921	556	14·8	-	11	4	7	-	2	26
Prague - -	460,849	„ 3	168	143	15·9	-	-	-	4	1	-	10
Buda-Pesth -	859,134	„ 3	364	254	16·7	-	3	4	6	2	-	17
Trieste - -	196,637	„ 10	136	73	19·1	-	-	-	2	1	1	
Rome - -	531,179	September 15	243	180	17·7	-	-	-	-	1	16§	23
Venice - -	171,709	October 27	-	-	-	-	-	-	-	-	-	
Bucharest -	291,138	November 10	144	115	20·6	-	-	1	-	-	4	5
New York -	4,152,860	„ 3	2181	1271	15·4	-	3	5	25	5	24	30
Chicago - -	2,049,185	„ 3	-	482	12·3	-	1	4	12	4	6	31
Philadelphia -	1,469,126	October 27	-	484	17·1	-	-	-	12	7	11	35
Boston - -	617,950	—	-	-	-	-	-	-	-	-	-	
Rio de Janeiro	912,900	October 21	-	229	13·1	-	-	-	-	1	5†	?

* Excluding deaths from croup in the Indian Cities.
† Including 11 deaths from plague in Calcutta, 27 in Bombay, and 4 in Rio de Janeiro.
‡ Including 28 deaths from cholera in Calcutta, 4 in Bombay, and 12 in Madras
§ Including 3 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 17th November, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall Inches.
	°	°	°			°	°	°	
London (Greenwich)	53·5	29·2	42·7	0·90	Bradford - -	52·0	35·0	43·7	0
Brighton - -	54·5	36·1	46·0	1·17	Leeds - - -	52·0	38·0	44·4	0
Portsmouth - -	55·0	34·8	46·0	0·97	Hull - - -	51·0	35·0	44·0	0
Norwich - -	51·4	33·2	43·8	0·67	Tynemouth - -	49·0	32·0	41·9	0
Plymouth - -	54·2	32·8	45·7	0·82	Cardiff - -	53·9	25·7	41·5	0
Bristol - - -	53·1	30·0	42·7	0·60	Edinburgh - -	47·0	36·3	41·8	0
Birmingham - -	51·9	34·9	42·7	0·48	Glasgow - -	49·8	34·5	42·5	1
Nottingham - -	51·1	36·5	43·0	0·46	Dublin { Phœnix Park.	54·2	32·9	42·9	0
Liverpool Observatory.	53·0	32·0	43·2	0·48	Dublin { Fitzwilliam Square.†	55·8	38·8	45·8	0
Manchester -	50·6	30·8	41·4	1·14					
Preston - -	50·3	33·0	42·3	1·47					
Huddersfield -	50·8	34·4	42·2	1·15	Belfast - -	50·0	28·0	41·3	0

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures, the correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·4 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin

TABLE B.—METEOROLOGICAL OBSERVATIONS

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	11	..	30·341	49·1	31·7	17·4	40·4	− 2·8	35·4	5·0	10·9	0·7	82	81·6	21·3	51·83	NNE. & calm.	NNE. & N.	0·2	0·0	0·0	110	−172	0·00	0·0
MONDAY -	12	..	30·313	46·5	29·2	17·3	38·3	− 4·6	33·6	4·7	9·2	0·5	84	64·5	20·7	51·51	Calm & variable.	NNE. & calm.	0·3	0·0	0·0	87	−197	0·00	0·0
TUESDAY -	13	In Equator	30·287	43·7	32·3	11·4	39·3	− 3·5	37·5	1·8	5·7	0·9	94	46·0	21·5	51·03	Calm & NE.	Calm	0·0	0·0	0·0	54	−233	0·00	0·0
WEDNESDAY	14	..	30·153	46·7	38·8	7·9	43·3	+ 0·7	37·8	5·5	7·9	0·7	81	52·7	30·2	50·59	Calm & SE.	SE., SSE. & S.	0·6	0·0	0·0	112	−178	0·00	0·0
THURSDAY-	15	..	29·693	52·5	33·8	13·7	46·7	+ 4·2	41·4	5·3	10·2	2·3	82	87·1	31·5	50·41	SSW. & SW.	SSW., WSW. & NW.	13·7	0·0	0·9	478	+185	0·31	0·0
FRIDAY -	16	New	29·563	53·5	40·1	13·4	45·5	+ 3·1	42·9	2·6	9·0	0·0	90	55·0	34·0	50·23	NW. & SW.	S., SSW. & SW.	10·7	0·0	0·7	438	+142	0·30	1·5
SATURDAY-	17	Perigee	29·201	52·3	43·2	9·1	47·4	+ 5·1	42·1	5·3	9·2	1·3	82	53·7	36·2	50·18	SW. & SSW.	WSW. & SW.	13·0	0·0	1·1	564	+266	0·29	4·5
MEANS - -			29·936	49·2	36·3	12·9	43·0	+ 0·3	38·7	4·3	8·9	0·9	85	62·9	27·9	50·83	NNE. & SW.		..	..	..	Sum 1843	Sum −187	Sum 0·90	0·9
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. November.		Electricity (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	11	m. P. generally.	4·9	9·1	Partially cloudy in morning; very fine and cloudless with slight exceptions afterwards; hoar frost in morning and at night.
MONDAY -	12	m. P. generally.	4·1	9·0	Cloudless with hoar frost till 3h. A.M.; fine and partially cloudy afterwards; slight fog in morning.
TUESDAY -	13	w. P. till 9h. A.M.; m. P. afterwards.	0·0	9·0	Generally overcast; slight fog.
WEDNESDAY	14	w. P. in morning; m. P. after 10h. A.M.	0·0	8·9	Generally overcast; nearly cloudless between 10h. P.M. and midnight.
THURSDAY-	15	w.P. generally with occasional s. N. till 5h. P.M.; m. P. afterwards.	1·1	8·8	Generally overcast; rain in early morning and frequently between 1h. and 7h. P.M.; strong gusty wind prevalent after 1h. P.M.
FRIDAY -	16	m. P. till noon; v. N. till 4h. P.M.; w. P. afterwards.	0·0	8·8	Fine generally till 10h. A.M.; overcast afterwards with rain between 11h. A.M. and 7h. P.M.; strong wind prevalent in early morning.
SATURDAY-	17	w. P. till 10h. A.M.; w. P. and v. N. till 3h. P.M.; m. P. afterwards.	0·1	8·8	Fine and partially cloudy till 9h. A.M.; generally overcast with frequent rain till 3h. P.M.; fine afterwards and nearly cloudless at night; strong gusty wind prevalent in afternoon.
			Sum 10·2	Sum 62·4	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·28 in. at the beginning of the week to 30·36 in. by 11h. A.M. on the 11th; decreased to 29·49 in. by 7h. P.M. on the 15th; increased to 29·77 in. by 8h. A.M. on the 16th; decreased to 29·11 in. by 2h. P.M. on the 17th; and increased to 29·25 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 10th November, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	23	6	-	-	-	-	1	-
Kensington	180,952	-	7	2	-	-	-	-	3	-
Hammersmith	120,679	-	11	6	-	3	-	-	4	-
Fulham	161,965	-	26	14	-	-	-	-	4	-
Chelsea	74,672	-	12	17	-	2	-	-	2	-
City of Westminster	173,905	-	13	7	-	-	-	-	2	-
NORTH.										
St. Marylebone	128,580	-	14	-	-	3	-	-	4	-
Hampstead	89,633	-	5	4	-	-	-	-	1	-
St. Pancras	236,455	-	16	5	-	1	-	-	5	-
Islington	344,987	-	33	8	-	-	-	-	10	-
Stoke Newington	53,217	-	3	2	-	-	-	-	3	-
Hackney	230,721	-	24	11	-	3	-	-	4	-
CENTRAL.										
Holborn	55,805	-	-	-	-	-	-	-	4	-
Finsbury	97,466	-	3	1	-	-	-	-	7	-
City of London	21,367	-	2	-	-	2	-	-	1	-
EAST										
Shoreditch	116,108	-	10	3	-	3	-	-	3	-
Bethnal Green	130,609	-	24	3	-	1	-	-	10	-
Stepney	307,176	-	21	7	-	5	-	-	7	-
Poplar	170,673	-	13	7	-	1	-	-	7	-
SOUTH.										
Southwark	209,143	-	33	9	-	4	-	-	5	-
Bermondsey	128,629	-	37	11	-	-	-	-	5	-
Lambeth	315,774	-	33	11	-	1	-	-	8	-
Battersea	179,622	-	27	7	-	-	-	-	6	-
Wandsworth	273,381	-	22	8	-	4	-	-	7	-
Camberwell	274,132	-	26	6	-	2	-	-	8	1
Deptford	115,495	-	7	11	-	2	-	-	2	-
Greenwich	105,350	-	13	5	-	-	-	-	3	-
Lewisham	148,463	-	12	10	-	-	-	-	2	-
Woolwich	127,345	-	7	15	-	2	-	-	4	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	477	196	-	39	-	-	132	1
Ages 0-1		-	5	4	-	-	-	-	5	-
" 1-5		-	140	56	-	1	-	-	9	-
" 5-		-	201	74	-	1	-	-	7	-
" 10-		-	84	29	-	7	-	-	9	-
" 15-		-	18	12	-	6	-	-	6	-
" 20-		-	9	6	-	6	-	-	8	1
" 25-		-	14	9	-	11	-	-	19	-
" 35-		-	2	5	-	3	-	-	19	-
" 45-		-	3	1	-	3	-	-	25	-
" 55-		-	1	-	-	1	-	-	17	-
" 65 and upwards		-	-	-	-	-	-	-	7	-
Age not stated		-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 47. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, NOV. 24. [Price 1½*d.*

General Register Office, Somerset House,
November 26th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·3 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 14·6, 14·9, and 15·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·1 in Newport (Mon.), 22·9 in Bootle, 23·3 in Oldham, 23·6 in Derby, 24·3 in Burnley, 24·8 in Norwich, 25·6 in Wigan, and 26·7 in South Shields; from *measles*, 2·0 in Devonport, 2·4 in Bootle, 3·0 in Oldham, 3·4 in Rotherham, 4·5 in Warrington, and 6·6 in South Shields; from *diphtheria*, 1·2 in Hull, 1·3 in Leyton, and 1·4 in South Shields; from *whooping-cough*, 1·0 in Middlesbrough; from "*fever*," 1·4 in South Shields; and from *diarrhœa*, 1·4 in Merthyr Tydfil. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2532 BIRTHS and 1453 DEATHS were registered. Allowing for increase of population, the births were 118 above and the deaths 155 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 14·0, 14·7, and 15·4 per 1000 in the preceding three weeks further rose last week to 16·0. The death-rate in the four weeks ended last Saturday averaged 15·0 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 11/06 D & S 3 26597

The 1453 deaths included 26 from measles, 8 from scarlet fever, 14 from diphtheria, 5 from whooping-cough, 3 from enteric fever, and 24 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 80 deaths were referred to these diseases in the aggregate, being 33 below the corrected average number in the 47th week of the preceding four years.

The deaths from *measles*, which had been 15, 19, and 10 in the preceding three weeks, rose to 26 last week, but were 10 below the corrected average; 8 deaths belonged to the Borough of Stepney and 6 to Bethnal Green. The deaths from *scarlet fever*, which had been 11, 17, and 5 in the preceding three weeks, were 8 last week, the corrected average being 10. The deaths from *diphtheria*, which had been 23, 11, and 16 in the preceding three weeks, were 14 last week, the corrected average being 15; 3 deaths belonged to Wandsworth. The deaths from *whooping-cough*, which had been 5, 7, and 10 in the preceding three weeks, were 5 last week, and were 16 below the corrected average. The fatal cases of *enteric fever*, which had been 5, 6, and 8 in the preceding three weeks, were 3 last week, and were 7 below the corrected average. The deaths from *diarrhœa*, which had been 47, 44, and 29 in the preceding three weeks, further fell to 24 last week, but were 4 above the corrected average; 7 deaths belonged to Stepney. Of the 24 deaths from diarrhœa, 17 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 other deaths at this age. The deaths attributed directly to *influenza* numbered 21, having been 5, 8, and 14 in the preceding three weeks.

Different forms of *violence* caused 62 deaths, concerning all of which inquests were held. Of these 62 deaths, 12 were cases of suicide, while the remaining 50 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 3 to a conflagration, 10 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 4 (including 3 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4144 cases of scarlet fever, 1113 of diphtheria, and 165 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 467 cases, against 499, 417, and 462; of diphtheria, 161 cases, against 180, 158, and 165; and of enteric fever, 24 cases, against 28, 19, and 21. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended November 17th, 1906.

Greater London.

In Greater London 3842 births and 2003 deaths were registered. Allowing for increase of population, these numbers are 166 above and 167 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from scarlet fever, 7 from diphtheria, 1 from whooping-cough, and 5 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·75 inches, and that of the Thermometer 46°·2, the latter being 4°·1 above the week's average in the 50 years 1841–90. The general direction of the wind was South-westerly, the horizontal movement of the air being 1 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 12·5 hours; the measured rainfall amounted to 0·38 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 3rd Nov., 1906.	10th Nov., 1906.	17th Nov., 1906.	24th Nov., 1906.	Rate from Diseases in Cols. 11-17. Week ended 24th Nov., 1906.	Registered during the Week ended 24th Nov., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**14·6**	**14·9**	**15·4**	**16·3**	**1·2**	**8463**	**4945**	**1019**	**1513**	**-**	**121**	**30**	**65**	**38**	**42**	**69**	**198**	**399**	**1224**	**46**	**76 Towns.**
London - - -	4,721,217	14·0	14·7	15·4	16·0	0·9	2532	1453	284	463	-	26	8	14	5	3	24	62	133	545	3	London.
† Croydon - -	151,011	12·8	12·8	14·8	13·8	0·7	71	40	10	13	-	-	-	1	1	-	-	1	3	7	-	Croydon.
† Willesden - -	143,622	9·1	9·1	10·9	12·3	0·7	75	34	12	9	-	-	-	-	1	1	-	-	-	6	-	Willesden.
† Hornsey - -	86,935	7·2	6·6	4·2	5·4	-	30	9	2	3	-	-	-	-	-	-	-	1	1	1	-	Hornsey.
† Tottenham - -	119,503	8·3	9·2	12·2	11·3	1·3	63	26	6	11	-	-	-	-	1	-	2	3	4	3	-	Tottenham.
† West Ham - -	301,617	12·1	11·4	12·6	17·6	2·1	177	102	21	20	-	8	1	-	-	1	2	5	10	23	-	West Ham.
† East Ham - -	129,886	8·8	10·0	6·4	9·6	0·4	67	24	3	6	-	1	-	-	-	-	-	-	2	3	-	East Ham.
† Leyton - - -	118,287	6·2	8·8	7·9	15·9	1·8	63	36	9	12	-	-	-	3	-	-	1	1	1	6	-	Leyton.
† Walthamstow -	121,334	9·5	12·0	12·9	10·3	0·4	65	24	4	7	-	-	-	1	-	-	-	1	3	5	-	Walthamstow.
Hastings - - -	67,144	10·9	10·9	10·1	12·4	-	22	16	4	5	-	-	-	-	-	-	-	-	1	2	-	Hastings.
Brighton - -	128,095	14·2	15·9	11·4	15·5	0·8	55	38	6	15	-	1	-	-	-	-	1	-	4	14	-	Brighton.
Portsmouth - -	205,118	13·5	16·0	15·8	11·2	0·3	103	44	14	11	-	-	-	1	-	-	-	1	5	11	-	Portsmouth.
Bournemouth -	67,702	10·8	14·6	9·2	20·0	-	17	26	3	10	-	-	-	-	-	-	-	2	5	3	-	Bournemouth.
Southampton -	117,312	8·4	9·8	9·8	10·7	1·3	60	24	3	10	-	-	-	1	1	-	1	1	2	4	-	Southampton.
Reading - - -	78,987	11·2	13·2	9·2	15·8	1·3	42	24	2	10	-	-	-	-	1	1	-	-	3	3	2	Reading.
Northampton -	93,749	6·7	12·2	10·0	10·0	0·6	47	18	4	7	-	-	-	1	-	-	-	1	2	5	-	Northampton.
Ipswich - - -	71,809	13·1	18·9	11·6	8·7	-	37	12	2	4	-	-	-	-	-	-	-	-	-	1	-	Ipswich.
Great Yarmouth -	52,613	14·9	12·9	25·8	19·8	-	28	20	2	13	-	-	-	-	-	-	-	1	4	3	-	Great Yarmouth.
Norwich - -	117,958	17·7	20·3	13·3	24·8	1·8	42	56	11	22	-	2	-	-	2	-	-	-	1	11	-	Norwich.
Plymouth - -	118,014	13·3	15·5	19·9	18·1	1·3	67	41	6	17	-	3	-	-	-	-	-	-	-	2	-	Plymouth.
Devonport - -	78,405	14·6	14·0	18·6	20·0	2·7	39	30	5	8	-	3	-	1	-	-	-	-	3	6	-	Devonport.
Bristol - - -	363,223	11·6	12·9	15·8	18·8	0·4	190	131	22	66	-	-	-	2	-	-	1	2	9	28	-	Bristol.
Hanley - - -	66,360	22·0	22·8	17·3	12·6	2·4	36	16	5	6	-	-	-	1	1	-	1	-	-	2	-	Hanley.
Burton-on-Trent	52,922	11·8	5·9	6·9	8·9	-	33	9	1	6	-	-	-	-	-	-	-	-	-	2	-	Burton-on-Trent.
Wolverhampton -	100,729	11·4	14·0	12·4	11·4	1·6	40	22	3	7	-	-	-	-	-	1	2	-	-	5	-	Wolverhampton.
Walsall - - -	94,577	12·1	14·9	16·5	13·2	1·1	55	24	5	10	-	-	-	-	-	1	1	2	3	4	1	Walsall.
Handsworth -	63,819	15·5	8·2	10·6	13·1	0·8	25	16	5	8	-	1	-	-	-	-	-	1	2	-	-	Handsworth
West Bromwich -	68,469	17·5	13·7	9·1	15·2	0·8	41	20	5	9	-	-	-	1	-	-	-	-	-	-	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 24th November, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 3rd Nov., 1906.	10th Nov., 1906.	17th Nov., 1906.	24th Nov., 1906.	Rate from Diseases in Cols. 11-17. Week ended 24th Nov., 1906.	Registered during the Week ended 24th Nov., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	12·9	16·5	13·8	17·4	1·0	287	183	40	54	-	4	-	2	1	3	1	11	14	44	3	BIRMINGHAM.
KINGS NORTON -	72,608	10·1	6·5	4·3	5·0	-	36	7	1	4	-	-	-	-	-	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK - -	64,531	8·9	6·5	13·7	17·0	0·8	33	21	1	10	-	-	1	-	-	-	-	1	1	1	-	SMETHWICK.
ASTON MANOR -	82,288	12·0	14·6	17·7	11·4	0·6	43	18	1	5	-	1	-	-	-	-	-	-	-	2	-	ASTON MANOR.
COVENTRY - -	76,374	16·4	23·9	9·6	15·7	1·4	51	23	4	10	-	-	-	1	-	-	1	2	3	5	2	COVENTRY.
LEICESTER - -	232,111	12·4	10·1	11·2	11·9	2·5	103	53	7	14	-	5	3	1	-	2	-	3	5	12	-	LEICESTER.
GRIMSBY - - -	69,359	8·3	17·3	9·8	14·3	0·8	47	19	3	5	-	-	-	1	-	-	-	1	1	3	-	GRIMSBY.
NOTTINGHAM - ..	254,563	12·7	13·7	15·4	12·3	1·0	131	60	15	20	-	-	-	2	-	2	1	2	4	12	-	NOTTINGHAM.
DERBY - - -	123,981	10·9	15·6	20·6	23·6	1·3	77	56	11	23	-	-	-	1	1	-	1	1	3	7	-	DERBY.
STOCKPORT - -	99,646	16·2	15·2	18·8	18·3	1·6	52	35	8	11	-	2	-	-	1	-	-	2	4	9	-	STOCKPORT.
BIRKENHEAD - -	117,292	20·0	14·2	16·0	16·4	0·4	53	37	8	12	-	-	-	1	-	-	-	-	-	11	-	BIRKENHEAD.
WALLASEY - -	64,578	13·7	11·3	19·4	17·8	-	31	22	3	12	-	-	-	-	-	-	-	2	2	6	-	WALLASEY.
LIVERPOOL - -	739,180	20·8	19·6	19·2	18·1	1·7	437	256	51	53	-	6	4	5	2	4	3	9	14	97	11	LIVERPOOL.
BOOTLE - - -	65,989	15·8	13·4	20·5	22·9	3·2	43	29	5	10	-	3	-	-	-	-	1	-	-	4	-	BOOTLE.
ST. HELENS - -	91,153	13·2	13·7	13·7	15·4	0·6	59	27	7	4	-	-	-	-	-	-	1	1	2	4	-	ST. HELENS.
WIGAN - - -	87,588	17·9	17·3	19·6	25·6	2·4	40	43	9	12	-	2	-	-	-	1	1	4	7	2	-	WIGAN.
WARRINGTON -	69,280	20·3	12·0	22·6	15·1	4·5	33	20	3	4	-	6	-	-	-	-	-	3	3	2	-	WARRINGTON.
BOLTON - - -	180,502	15·0	17·0	9·5	15·9	1·2	96	55	13	19	-	-	1	-	1	2	-	-	3	8	-	BOLTON.
BURY - - -	58,744	15·1	16·9	17·8	15·1	0·9	25	17	3	9	-	-	-	-	-	-	1	-	-	4	1	BURY.
MANCHESTER - -	637,126	18·8	17·4	19·0	19·2	1·7	379	234	59	53	-	3	4	5	3	4	2	6	20	62	3	MANCHESTER.
SALFORD - - -	234,077	18·0	17·2	21·2	15·8	0·2	138	71	20	17	-	1	-	-	-	-	-	4	11	8	-	SALFORD.
OLDHAM - - -	140,969	23·7	23·7	20·0	23·3	3·7	67	63	13	16	-	8	-	-	1	1	-	2	4	6	-	OLDHAM.
ROCHDALE - -	87,189	15·5	16·1	16·1	13·8	0·6	35	23	2	9	-	1	-	-	-	-	-	1	2	6	1	ROCHDALE.
BURNLEY - - -	102,808	16·7	23·8	22·8	24·3	-	50	48	8	17	-	-	-	-	-	-	-	1	3	7	-	BURNLEY.
BLACKBURN - -	134,015	16·0	11·3	14·0	20·6	1·2	72	53	11	16	-	-	-	-	1	1	1	3	4	11	2	BLACKBURN.
PRESTON - - -	116,399	20·2	20·2	20·2	20·2	1·3	44	45	11	15	-	-	-	1	-	1	1	-	1	9	-	PRESTON.
BARROW-IN-	60,967	14·5	10·3	13·7	11·1	0·9	35	13	3	1	-	-	-	1	-	-	-	-	-	2	1	BARROW-IN-

FURNESS

TABLE 2.—(Continued.)—Showing the Number of Deaths, Death-Rates, and Rate from Diseases in Cols. 11-17, in each of the Towns, and the Number of Births and Deaths registered during the Week ended Saturday, 24th November, 1906, and Death-Rates in each of the preceding three Weeks.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 3rd Nov., 1906.	10th Nov., 1906.	17th Nov., 1906.	24th Nov., 1906.	Rate from Diseases in Cols. 11-17. Week ended 24th Nov., 1906.	Registered during the Week ended 24th Nov., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	15·4	15·4	19·2	20·9	2·7	38	38	5	15	-	3	-	1	-	-	1	4	4	3	2	Huddersfield.
Halifax	109,272	18·1	11·5	15·7	11·9	1·0	49	25	1	12	-	-	-	2	-	-	-	-	1	6	-	Halifax.
Bradford	288,544	13·0	13·2	16·4	16·1	1·3	122	89	13	34	-	1	-	-	2	2	2	5	11	20	1	Bradford.
Leeds	463,495	12·8	13·4	11·7	14·8	1·0	229	132	33	37	-	-	1	2	2	3	1	6	13	23	-	Leeds.
Sheffield	447,951	16·1	16·1	17·0	19·4	1·7	261	167	49	43	-	4	4	1	2	1	3	8	12	31	3	Sheffield.
Rotherham	61,098	17·1	22·2	23·9	18·8	5·1	44	22	4	5	-	4	-	-	1	1	-	2	3	3	-	Rotherham.
York	83,467	15·0	10·6	11·9	14·4	0·6	39	23	4	10	-	-	-	-	-	-	1	2	3	6	-	York.
Hull	262,426	14·5	13·7	14·7	17·9	2·6	150	90	17	25	-	2	1	6	2	2	-	5	8	12	-	Hull.
Middlesbrough	100,069	21·9	17·7	19·8	20·8	1·6	74	40	10	8	-	-	-	1	2	-	-	3	3	8	2	Middlesbrough.
Stockton-on-Tees	52,664	12·9	13·9	19·8	12·9	-	35	13	3	1	-	-	-	-	-	-	-	-	-	1	-	Stockton-on-Tees.
West Hartlepool	73,387	10·7	13·5	12·1	12·8	1·4	34	18	2	5	-	1	-	-	-	-	1	1	2	2	-	West Hartlepool.
Sunderland	154,385	20·3	19·3	18·6	20·9	1·0	94	62	12	14	-	-	-	-	1	1	1	-	-	12	5	Sunderland.
South Shields	111,402	20·1	15·9	24·3	26·7	10·8	70	57	8	7	-	14	-	3	1	3	2	1	2	7	-	South Shields.
Gateshead	123,191	16·5	15·7	16·5	16·1	2·1	85	38	15	7	-	3	-	-	-	-	2	-	-	1	1	Gateshead.
Newcastle-on-Tyne	268,721	14·4	16·9	15·7	16·9	0·6	132	87	14	23	-	-	1	1	1	-	-	5	10	12	-	Newcastle-on-Tyne.
Tynemouth	54,138	16·4	27·9	20·2	13·5	-	32	14	4	3	-	-	-	-	-	-	-	2	2	1	-	Tynemouth.
Newport (Mon.)	74,227	13·3	12·6	15·5	21·1	-	48	30	9	11	-	-	-	-	-	-	-	2	3	8	-	Newport (Mon.).
Cardiff	183,823	13·9	14·5	10·8	13·9	0·6	102	49	16	9	-	-	1	-	-	-	1	3	4	12	-	Cardiff.
Rhondda	127,684	16·3	14·7	15·1	13·9	1·2	87	34	8	8	-	2	-	-	-	-	1	2	2	2	1	Rhondda.
Merthyr Tydfil	74,961	18·1	21·6	22·3	18·1	1·4	46	26	7	6	-	-	-	-	-	-	2	-	1	2	-	Merthyr Tydfil.
Swansea	96,848	17·8	18·3	19·4	13·5	-	73	25	6	7	-	-	-	-	-	-	-	3	3	2	1	Swansea.
Greater London	7,113,561	12·6	12·9	13·7	14·7	0·9	3842	2003	403	629	-	35	11	26	9	5	34	82	180	639	4	Greater London.
Outer Ring	2,392,344	9·8	9·3	10·4	12·0	0·9	1310	550	119	166	-	9	3	12	4	2	10	20	47	94	1	Outer Ring.
8 Towns in Outer Ring	1,172,195	9·8	10·4	10·9	13·1	1·1	611	295	67	81	-	9	1	5	3	2	5	12	24	54	-	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	9·8	8·3	9·8	10·9	0·6	699	255	52	85	-	-	2	7	1	-	5	8	23	40	1	Remainder of Outer Ring.
Edinburgh	341,035	14·4	13·8	15·3	20·9	1·2	135	137	27	45	-	2	1	2	-	-	3	6	?	40	10	Edinburgh.
Glasgow	835,625	16·2	18·9	16·6	19·3	1·6	475	309	83	60	-	-	2	1	7	1‡	15	9	?	87	11	Glasgow.
Dublin†	378,994	27·4	24·9	25·6	23·8	2·6	186	173	30	58	-	9	-	1	2	1	6	3	3	74	5	Dublin.†
Belfast†	366,220§	17·4	18·7	20·6	17·8	1·4	211	125	32	33	-	1	1	1	4	-	3	1	6	21	1	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ In addition to the above, 4 deaths from Cerebro-spinal meningitis were registered.

§ Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SEVENTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2688	2523	2155	2556	2538	2519	2410	2342	2356	2366	2414·3	2532
Males - - -	1400	1295	1082	1267	1311	1316	1207	1186	1254	1202	1235·7	1305
Females - -	1288	1228	1073	1289	1227	1203	1203	1156	1102	1164	1178·6	1227
TOTAL **Deaths** -	1688	1793	1439	1526	1515	1939	1532	1536	1502	1739	1607·7	1453
Males - -	838	891	719	798	761	997	811	791	772	881	829·4	745
Females - -	850	902	720	728	754	942	721	745	730	858	778·3	708

* The numbers in this column are the average weekly numbers in the forty-seventh week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 1.	Sept. 8.	Sept. 15	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	13 Weeks.
TOTAL **Births** -	2475	2329	2319	2260	2374	2251	2355	2411	2474	2304	2220	2390	2532	30694
TOTAL **Deaths** -	1570	1892	1589	1548	1422	1404	1295	1232	1209	1272	1328	1391	1453	18605
Ages at Death: Under 1 year -	643	760	631	544	426	341	280	277	276	246	267	214	284	5219
1—5 years -	199	219	207	171	150	146	125	128	111	137	138	113	161	2005
5—20 ,, -	64	66	60	63	85	73	73	58	69	82	73	67	73	906
20—40 ,, -	136	187	151	154	179	165	156	150	162	176	170	204	184	2174
40—60 ,, -	235	268	248	255	249	293	279	270	266	273	286	315	288	3525
60 yrs. & upwds.	293	392	292	361	333	386	382	349	325	358	394	448	463	4776
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	16	9	7	9	8	6	2	5	9	15	19	10	26	141
Scarlet Fever - -	7	6	4	7	10	12	19	9	15	11	17	5	8	130
Diphtheria - -	12	13	10	18	13	12	14	11	16	23	11	16	14	183
Whooping-cough -	11	17	22	20	13	11	12	13	5	5	7	10	5	151
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	4	3	8	12	11	17	8	11	5	6	8	3	98
Pyrexia (origin uncertain).	1	-	-	-	-	1	-	-	-	-	-	-	-	2
Diarrhœa, Dysentery	455	529	455	340	207	135	93	78	55	47	44	29	24	2491
All above Diseases -	504	578	501	402	263	188	157	124	111	106	104	78	80	3196
Dis. of Resp. System	53	53	35	74	51	90	84	64	69	99	113	158	156	1099
Pneumonia - -	56	90	70	75	83	98	93	82	81	101	119	130	156	1234
Phthisis - - -	105	123	128	104	147	139	120	132	129	150	133	177	129	1716
Dis. of Circ. System -	137	169	164	144	147	176	171	169	174	183	167	214	188	2203
Violence - - -	49	77	56	41	68	48	53	50	44	51	70	53	62	722
Inquest Cases - -	115	153	130	117	127	131	115	140	103	121	163	141	133	1689
Deaths in Institutions	588	670	537	552	552	551	550	490	480	547	555	546	545	7163
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	66·5	68·0	57·6	55·8	52·0	58·4	57·6	41·2	53·0	46·8	47·3	43·0	46·2	53·3
Mean of Highest -	81·6	80·9	69·1	63·2	63·1	66·5	65·5	59·4	61·7	53·0	52·3	49·2	50·8	62·8
Mean of Lowest -	52·2	56·8	48·0	50·5	41·5	51·2	51·2	43·5	45·4	40·9	42·3	36·3	39·8	46·1
Mean Humidity of the Air.	62	64	70	80	77	83	82	81	82	88	89	85	89	79
Rain-fall (in inches) -	0·00	0·85	0·74	0·38	0·00	0·69.	0·63	0·21	0·07	1·59	2·62	0·90	0·38	9·06
Registered Sunshine (in hours).	70·9	53·7	48·8	22·6	41·3	31·0	35·7	31·7	30·6	10·6	14·9	10·2	12·5	414·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3042	3067	3075	3164	3388	3603	3803	3923	4068	4178	4135	4150	4144	3672
Diphtheria - -	835	861	862	846	849	907	944	982	1030	1065	1076	1105	1113	960
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	103	115	116	124	140	167	186	186	197	202	203	183	165	161

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. R. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SEVENTH Week of the Year 1906.

e terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 47th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
LL CAUSES	1607·7	1453	284	161	73	184	288	463
mall-pox*	0·3	-	-	-	-	-	-	-
owpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	36·4	26	4	20	2	-	-	-
carlet Fever	9·9	8	-	4	4	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
nfluenza	20·1	21	2	-	2	2	2	13
Whooping-cough	21·2	5	1	4	-	-	-	-
Diphtheria	15·0	14	-	10	4	-	-	-
Cerebro Spinal Fever	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
nteric Fever	9·9	3	-	-	-	2	1	-
siatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	6·6	10	9	1	-	-	-	-
Diarrhœa, Dysentery	13·5	14	5	2	-	1	2	4
Tetanus	0·5	1	1	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	0·3	-	-	-	-	-	-	-
nthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	9·2	5	3	-	1	1	-	-
Puerperal Septicæmia	2·5	5	-	-	1	3	1	-
Puerperal Pyæmia	0·5	-	-	-	-	-	-	-
Puerperal Fever	0·3	-	-	-	-	-	-	-
nfective Endocarditis	2·3	5	-	-	2	1	2	-
Pneumonia: Lobar	14·0	16	3	-	-	4	6	3
Pneumonia: Broncho-	101·4	75	26	30	3	2	4	10
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	73·6	65	9	12	4	6	10	24
Erysipelas	8·4	9	3	-	1	1	1	3
Septicæmia (not Puerperal)	2·0	1	-	-	-	1	-	-
Pyæmia (not Puerperal)	2·3	-	-	-	-	-	-	-
Other Infective Processes	7·6	3	-	-	-	1	-	2
Tuberculous Phthisis	80·5	80	3	4	6	34	28	5
Phthisis"	76·5	49	-	1	2	21	22	3
Tuberculous Meningitis	19·6	23	7	15	1	-	-	-
Tuberculous Peritonitis	6·4	14	7	5	-	1	-	1
Tabes Mesenterica	3·1	3	1	2	-	-	-	-
Tuberculous Dis. (other)	21·7	15	2	5	2	1	2	3
Scrofula	0·8	-	-	-	-	-	-	-
Alcoholism	13·8	11	-	-	-	3	6	2
Rheumatic Fever	6·6	14	-	1	8	5	-	-
Gout	2·0	3	-	-	-	-	2	1
Cancer: Carcinoma	48·9	69	-	-	-	9	28	32
Cancer: Sarcoma	5·6	6	-	-	-	4	1	1
Cancer (undefined)	35·2	31	-	-	-	1	15	15
Diabetes Mellitus	8·7	6	-	-	-	3	1	2
Premature Birth	50·7	54	54	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 47th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	15·0	15	8	3	-	2	2	-
Insanity, Gen. Par. of Insane	12·5	17	-	-	-	7	5	5
Epilepsy	6·9	3	1	-	-	1	1	-
Convulsions	20·1	13	12	1	-	-	-	-
Locomotor Ataxy	1·5	3	-	-	-	-	-	3
Paraplegia, Dis. of Cord	5·4	9	-	-	1	2	4	2
Nervous Sys. (other dis.)	15·0	20	-	1	3	2	3	11
Valv. Dis., Endocarditis	52·5	50	-	1	6	4	15	24
Cerebr. Hæm. Thromb.	32·9	33	-	-	-	3	8	22
Apoplexy, Hemiplegia	17·8	20	-	-	-	1	1	18
Aneurysm	5·1	2	-	-	-	1	1	-
Embolism, Thrombosis (not cerebral)	0·8	2	-	-	-	1	1	-
Heart & Blood Vessel Dis.	95·0	81	-	-	2	7	27	45
Croup (not Spasm : nor Memb.)	1·3	2	-	2	-	-	-	-
Bronchitis	203·1	132	33	8	1	3	17	70
Asthma, Emphysema	8·7	7	-	-	-	2	1	4
Pleurisy	3·3	4	1	-	-	-	1	2
Respiratory Dis. (other)	17·1	11	1	2	1	-	1	6
Tonsillitis, Quinsy	0·3	2	-	2	-	-	-	-
Enteritis (not Epid.)	8·2	16	10	5	-	-	-	1
Gastro-Enteritis	6·1	8	6	1	-	-	-	1
Peritonitis (not Puerp.)	3·6	7	1	1	2	1	2	-
Cirrhosis of Liver	15·8	16	-	-	1	1	9	5
Liver Dis. (other)	5·4	5	-	-	-	1	3	1
Digestive Dis., Other	37·2	28	1	1	3	6	11	6
Nephritis, Acute	7·9	4	-	-	-	1	2	1
Bright's Dis., Albuminuria	40·8	41	-	-	-	5	15	21
Urinary Sys., Other Dis.	10·7	9	-	-	-	1	1	7
Generative Organs Dis.	3·3	7	-	1	1	2	2	1
Childbirth (Accid. of)	2·5	3	-	-	-	3	-	-
Old Age	55·8	58	-	-	-	-	-	58
Other Diseases	95·1	99	62	7	5	5	7	13
ACCIDENT.								
By Railways	1·0	1	-	-	-	1	-	-
By Vehicles and Horses	5·4	9	-	-	3	-	4	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	1	-	-	-	1	-	-
In Building Operations	0·5	2	-	-	-	1	1	-
In Conflagrations	-	3	-	-	-	2	-	1
By Burns, Scalds, Explosions	11·0	10	2	7	-	1	-	-
By Drowning	3·1	1	-	-	-	-	-	1
By Suffocation in Bed	12·7	4	3	-	-	1	-	-
By Poisons or Poisonous Vapours	1·3	2	-	-	-	1	1	-
Other Deaths by Accident	17·3	17	3	2	1	2	2	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·3	-	-	-	-	-	-	-
Suicide	8·7	12	-	-	-	5	6	1
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th November, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2532	1453	284	463	-	26	8	14	5	-	3	-	24	62	133	545
WEST DISTRICTS	805,311	345	244	39	95	-	2	-	3	-	-	2	-	5	9	21	93
NORTH DISTRICTS	1,056,070	509	293	51	100	-	5	1	2	2	-	1	-	3	17	30	89
CENTRAL DISTRICTS	209,465	101	68	19	10	-	-	-	-	-	-	-	-	1	5	10	35
EAST DISTRICTS	715,739	511	285	84	75	-	15	1	1	-	-	-	-	7	11	37	120
SOUTH DISTRICTS	1,749,844	1066	514	91	165	-	4	5	8	3	-	-	-	3	19	34	159
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	49	-	18	-	-	1	-	-	-	-	-	5	1	1	49
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	48	22	5	11	-	-	-	-	-	-	-	-	1	-	1	7
St. John Paddington *H*	33,617	8	12	1	3	-	-	-	-	-	-	-	-	-	2	3	7
North-West Paddington	17,181	14	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	52	48	7	22	-	-	-	-	-	-	-	-	-	-	2	21
Brompton *2H*	48,591	12	9	-	4	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith *2W,wH*	49,192	30	18	4	7	-	-	-	-	-	-	-	-	1	-	-	7
South Hammersmith *w,2H*	63,047	30	15	-	4	-	-	-	-	-	-	1	-	-	1	1	6
North-west Fulham *W*	45,180	30	16	4	4	-	1	-	-	-	-	-	-	-	2	3	7
North-east Fulham *F*	46,405	24	13	5	4	-	-	-	2	-	-	-	-	1	1	2	3
South Fulham *W*	45,704	29	18	2	9	-	-	-	-	-	-	1	-	-	-	1	-
Chelsea North *W,w,3H*	42,514	15	19	5	9	-	-	-	-	-	-	-	-	1	-	2	14
Chelsea South *W,2H*	31,328	13	10	1	5	-	-	-	-	-	-	-	-	1	-	1	2
Mayfair and Knightsbridge	28,743	5	4	-	4	-	-	-	-	-	-	-	-	-	-	1	-
Belgrave *W,2H*	55,815	16	15	2	5	-	-	-	-	-	-	-	-	-	2	2	7
St. Margaret & St. John *4H*	43,698	12	14	3	2	-	-	-	1	-	-	-	-	-	1	2	6
St. James and St. Anne *W,6H*	33,081	7	7	-	1	-	1	-	-	-	-	-	-	-	-	-	3
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	6	13	-	5	-	-	-	-	-	-	-	-	-	2	2	3
St. Mary Marylebone *W,4H*	37,948	45	11	3	2	-	-	-	-	-	-	-	-	-	-	1	1
Christchurch Marylebone *H*	39,536	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	6	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	29	23	3	8	-	1	1	1	-	-	-	-	1	1	1	13
West St. Pancras *2H*	60,562	33	17	5	6	-	-	-	-	-	-	-	-	-	2	4	2
Tottenham-court *w,7H*	21,258	5	16	-	5	-	-	-	-	1	-	1	-	-	1	1	10
Gray's Inn Lane *4H*	34,449	12	9	3	2	-	-	-	-	-	-	-	-	-	2	2	4
East St. Pancras *W,2H*	60,320	36	14	4	8	-	-	-	-	-	-	-	-	1	-	1	2
North St. Pancras *2W*	58,728	11	10	1	5	-	-	-	-	-	-	-	-	-	-	-	6
Tufnell *W*	31,995	14	21	2	11	-	-	-	-	-	-	-	-	-	1	1	15
Upper Holloway *2W,w,H*	33,978	31	23	2	7	-	-	-	-	-	-	-	-	-	-	1	14
Tollington *WH*	33,922	13	9	4	3	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	21	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Barnsbury	54,478	33	16	4	2	-	1	-	-	-	-	-	-	-	2	2	-
Islington South-east *F*	75,397	37	16	3	5	-	-	-	-	-	-	-	-	-	-	2	-
Highbury *2H*	63,797	24	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	26	12	1	5	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	18	8	-	6	-	-	-	1	-	-	-	-	-	1	1	-
Central Hackney *2w,F*	50,536	26	9	2	2	-	1	-	-	-	-	-	-	-	2	3	3
South-west Hackney *3E*	59,921	36	23	5	7	-	-	-	-	1	-	-	-	-	-	3	8
South-east Hackney *2W,w,H*	58,255	32	22	4	3	-	2	-	-	-	-	-	-	1	3	4	8

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a su district contains more than one institution of either kind, the number is indicated by a figure prefixed to t letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th November, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyræxia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Soiles and Bloomsbury 2W,2H -	31,436	25	6	3	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Stand W,4H - - - - -	21,674	3	15	2	3	-	-	-	-	-	-	-	-	-	2	2	12	-
Stand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horn W,6H - - - - -	29,612	12	10	3	2	-	-	-	-	-	-	-	-	-	1	1	7	-
Sch Clerkenwell - - -	28,676	10	10	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1
Nh Clerkenwell H - - -	35,028	23	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibury 3H,L - - - - -	36,116	21	7	3	1	-	-	-	-	-	-	-	-	1	-	-	2	-
Horn Union Workhouse, Hitcham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stotolph H - - - -	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stepulchre and Allhallows W,2H	16,624	1	15	2	1	-	-	-	-	-	-	-	-	-	2	4	12	-
Of of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Sheditch South H - - -	46,362	31	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sheditch North-West W,w,H -	36,127	20	18	2	8	-	-	-	-	-	-	-	-	-	2	3	13	-
Sheditch North-East - - -	36,148	30	5	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Sheditch Union Workhouse, Wood Green - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bonal Green North-East 2W, 2L	65,138	40	40	11	10	-	3	-	-	-	-	-	-	-	-	2	27	-
Bonal Green South-West H -	64,542	52	13	2	3	-	3	1	-	-	-	-	-	-	-	2	-	-
Shalfields - - - - -	27,969	11	5	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
M End New Town W,H - -	28,718	40	38	9	3	-	-	-	1	-	-	-	-	1	3	7	36	-
Gilman's Fields - - - -	22,081	6	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St George and St. John 2W - -	49,068	32	16	5	4	-	1	-	-	-	-	-	-	-	1	1	6	-
Shiwell and Ratcliff W,H - -	25,568	20	18	8	3	-	1	-	-	-	-	-	-	2	1	4	6	-
Lehouse W - - - - -	32,369	23	18	7	2	-	2	-	-	-	-	-	-	1	-	2	-	-
M End Old Town South-estern H - - - -	63,698	65	17	7	4	-	3	-	-	-	-	-	-	-	-	4	-	-
M End Old Town North-estern W,w - - - -	49,129	33	21	5	10	-	-	-	-	-	-	-	-	-	1	2	12	-
B L - - - - - - -	41,989	25	9	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Baley 3w,H - - - - -	68,19	39	41	13	13	-	1	-	-	-	-	-	-	3	2	7	17	-
Par W,w - - - - - -	5-,514	44	15	5	7	-	-	-	-	-	-	-	-	-	-	-	3	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th November, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	19	1	3	-	-	-	-	-	-	-	-	-	4	4	1	-
Kent-road	21,904	20	7	4	-	-	-	-	-	-	-	-	-	-	-	1		-
St. George the Martyr West *W,2H,L*	39,091	26	14	3	2	-	-	-	-	-	-	-	-	1	1	1		-
Newington North	49,022	30	5	1	2	-	-	-	-	-	-	-	-	-	-	-		-
Newington South *W*	72,841	47	12	4	2	-	-	-	-	-	-	-	-	-	1	1		1
St. Olave *2W*	9,817	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-		-
Bermondsey *W*	82,483	57	25	6	5	-	-	-	-	1	-	-	-	-	2	2		-
Rotherhithe *W,F*	38,460	19	24	5	9	-	1	-	-	-	-	-	-	-	2	3	1	-
Waterloo* *2H*	27,440	25	9	3	1	-	-	-	-	-	-	-	-	-	1	1		-
Lambeth Church* *H*	27,440	20	21	5	1	-	-	-	1	-	-	-	-	-	1	1	1	-
Kennington* *2W*	52,518	43	20	4	10	-	-	-	-	-	-	-	-	-	-	1	1	-
Stockwell* *HF*	63,826	50	20	4	8	-	-	-	1	-	-	-	-	1	-	-		-
Brixton* *H*	73,673	30	23	6	8	-	-	-	-	-	-	-	-	-	1	2		-
Norwood* *WH*	56,998	37	17	2	9	-	-	-	-	-	-	-	-	-	-	-		-
East Battersea *H*	72,203	44	14	4	2	-	-	-	-	-	-	-	-	-	-	-		-
North-west Battersea	49,656	38	7	1	3	-	-	-	-	-	-	-	-	-	-	-		-
South-west Battersea *2W,H*	47,048	16	26	5	4	-	-	-	-	-	-	-	-	-	1	3	1	-
Clapham *2H*	51,361	28	12	-	7	-	-	-	-	1	-	-	-	-	-	-		-
Streatham *W,2w,2F,2L*	88,019	58	23	3	7	-	-	-	4	-	-	-	-	-	-	1		-
Springfield *2W,L*	27,959	19	4	2	-	-	-	-	-	-	-	-	-	-	-	-		-
Southfields *H*	40,444	22	11	3	5	-	1	-	-	-	-	-	-	-	-	-		-
Putney	24,139	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-		-
Dulwich	13,359	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-		-
Camberwell South *W,w*	40,206	19	21	1	11	-	-	-	1	-	-	-	-	-	2	2	1	-
Camberwell North *W,2L*	65,584	33	31	4	6	-	-	-	-	-	-	-	-	-	2	4	1	-
St George	47,331	32	9	1	3	-	1	-	-	-	-	-	-	-	-	1		-
Peckham North	48,913	37	5	2	1	-	-	-	-	-	-	-	-	-	-	1		-
Peckham South *2W,w*	43,916	20	12	-	7	-	-	-	-	1	-	-	-	-	-	1		-
Deptford North	37,613	31	7	-	3	-	-	-	-	-	-	-	-	-	-	1		-
Deptford Central *F*	45,481	28	13	2	4	-	-	2	-	-	-	-	-	-	-	-		-
Deptford South	34,625	19	4	-	4	-	-	-	-	-	-	-	-	-	-	-		-
Greenwich West *2H*	23,456	18	5	2	1	-	-	-	-	-	-	-	-	-	-	-		-
Greenwich East *2W,H*	43,859	37	17	3	7	-	-	-	-	-	-	-	-	-	-	1	1	-
Eltham *w,H*	7,226	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
Lee *wH*	25,190	7	6	-	5	-	-	-	-	-	-	-	-	-	-	-		-
Lewisham *W w,F*	58,352	26	23	1	7	-	-	3	1	-	-	-	-	-	1	1	1	-
Sydenham *H*	43,653	19	7	-	3	-	-	-	-	-	-	-	-	-	-	-		-
Charlton *F,2H*	21,134	10	4	1	2	-	-	-	-	-	-	-	-	-	-	1		-
Woolwich *5H*	41,625	26	11	4	3	-	-	-	-	-	-	-	-	1	-	-		-
Plumstead West *W*	18,063	5	3	-	1	-	1	-	-	-	-	-	-	-	-	-		-
Plumstead East *2W,H*	50,264	37	11	2	5	-	-	-	-	-	-	-	-	-	-	-		1
Workhouse:— Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
M. A. B. Small-pox Hospitals:—																		
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
M. A. B. Imbecile Asylums:—																		
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
Leavesden	—	-	3	-	1	-	-	-	-	-	-	-	-	-	1	1		2
London County Lunatic Asylums:—																		
Banstead	—	-	15	-	6	-	-	-	-	-	-	-	-	-	-	-	15	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
Horton	—	-	10	-	6	-	-	-	-	-	-	-	-	4	-	-	10	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
Cane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch	—	-	4	-	2	-	-	-	-	-	-	-	-	1	-	-	4	-
Claybury	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-districts as above.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 24th November, 1906.

Reference to Diagram of Districts in Note.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,302	2,044,973	1310	550	119	166	-	9	3	12	4	2	10	20	47	94	1
31	Carshalton 2F,3H - -	12,228	32,997	14	8	1	1	-	-	-	1	-	-	-	-	-	1	-
32	Epsom, *part of** W,w,2F,H -	10,423	15,548	7	3	1	2	-	-	-	-	-	-	-	-	1	-	-
33	Godstone, *part of** W,F -	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Coulsdon - - - -	11,069	8,166	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-
35	South Croydon w - -	4,200	49,309	27	12	3	6	-	-	-	-	-	-	-	-	-	-	-
36	West Croydon 3W,F,H -	2,168	42,888	21	19	4	6	-	-	-	1	-	-	-	2	3	8	-
37	North Croydon H - -	2,644	41,698	23	10	3	2	-	-	-	-	1	-	-	-	1	-	-
38	Penge w,H - - - -	770	22,465	8	3	1	1	-	-	-	-	-	-	-	1	1	-	-
39	Mitcham w - - -	11,711	30,015	26	8	2	2	-	-	-	-	-	-	1	-	-	-	-
40	Wimbledon F,3H - -	3,221	41,652	24	7	2	1	-	-	-	-	-	-	-	-	-	-	-
41	Kingston 2W,H - - -	6,224	42,068	29	16	3	11	-	-	-	-	-	-	-	-	1	6	-
42	Surbiton F,H - - -	3,046	15,017	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
43	Esher, *part of** H -	5,402	13,100	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
44	Hampton H,F,L - - -	4,584	23,456	10	2	2	-	-	-	-	-	-	-	1	-	-	-	-
45	Richmond W,H - - -	2,162	28,865	8	8	-	2	-	-	-	-	-	-	-	-	2	2	-
46	Mortlake F - - -	2,847	20,628	14	1	-	-	-	-	-	-	-	-	-	-	1	-	-
47	Bromley F,2H - - -	4,703	27,354	18	2	1	1	-	-	-	-	-	-	-	-	-	-	-
48	Beckenham H - - -	7,825	28,497	20	8	5	1	-	-	-	-	-	-	-	-	-	-	1
49	Orpington *part of** W -	10,113	9,857	4	4	1	-	-	-	-	-	-	-	-	-	-	1	-
50	Chislehurst 2H - - -	7,333	16,446	14	3	-	3	-	-	-	-	-	-	-	-	1	-	-
51	Bexley w F,H - - -	8,678	21,151	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-
52	Erith F,H - - - -	3,854	25,296	19	4	-	-	-	-	-	-	-	-	-	-	-	-	-
53	Dartford W,F, *part of** -	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
124	Sunbury w - - - -	11,054	18,683	13	4	1	1	-	-	-	1	-	-	-	-	-	-	-
125	Staines W,H - - -	13,277	15,178	7	2	-	2	-	-	-	-	-	-	-	-	-	1	-
126	Hillingdon W,F,H - -	6,035	13,661	12	4	1	-	-	-	-	-	-	-	-	1	1	3	-
127	Uxbridge H - - -	12,757	8,984	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
128	Hayes w2F,H - - -	8,066	16,358	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-
129	Isleworth 3W,2F,H - -	6,859	30,863	31	10	1	4	-	-	-	-	-	-	-	-	-	5	-
130	Twickenham F,H - -	2,421	20,991	14	4	2	-	-	-	-	-	-	-	-	-	1	-	-
131	Brentford 3F,2H - - -	4,319	48,289	36	18	1	8	-	-	1	1	-	-	-	-	-	2	-
132	Chiswick H - - - -	1,249	29,809	19	9	-	4	-	-	-	-	-	-	-	-	1	-	-
133	Acton w,F,3H - - -	6,132	48,914	51	10	3	3	-	-	-	-	-	-	-	-	1	-	-
134	Harrow F,H - - -	13,809	25,523	19	2	-	-	-	-	-	-	-	-	-	-	-	-	-
135	Edgware 2F,2H - - -	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	Willesden W,F,2H - -	4,384	114,811	75	34	12	9	-	-	-	-	1	1	-	-	-	6	-
137	Hendon W,F - - -	8,382	22,450	14	5	1	-	-	-	-	-	-	-	-	-	1	1	-
138	South Mimms 2F,H - -	17,755	7,308	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139	Barnet W,2H - - -	3,324	17,970	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-
140	Finchley F,2H - - -	4,688	33,692	16	11	2	7	-	-	-	-	-	-	-	-	-	1	-
141	Hornsey F,H - - -	2,875	72,056	30	8	2	3	-	-	-	-	-	-	-	1	1	-	-
142	Wood Green H - - -	1,625	34,233	29	11	2	2	-	-	-	2	-	-	-	2	3	1	-
143	West Tottenham F - -	996	48,853	34	12	3	6	-	-	-	-	-	-	-	1	1	-	-
144	East Tottenham 2H - -	2,017	53,688	29	16	3	4	-	-	-	-	1	-	2	2	2	5	-
145	Edmonton W,w,2F - -	7,491	61,892	48	17	3	4	-	-	-	-	1	-	-	-	3	5	-
146	Enfield 2W,F,H - - -	12,601	42,738	29	10	1	2	-	-	-	1	-	-	1	-	-	1	-
147	Waltham Abbey F - -	11,017	6,549	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
148	Cheshunt F,H - - -	8,479	12,292	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-
131	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Bushey H - - - -	9,333	9,173	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-
138	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186	Stratford H - - -	1,072	44,827	33	11	2	1	-	-	-	-	-	1	1	4	4	1	-
187	Plaistow F,2H - - -	1,249	90,921	66	37	14	3	-	4	1	-	-	-	1	1	3	2	-
188	Canning Town H - -	1,556	70,718	57	21	2	4	-	1	-	-	-	-	-	1	3	2	-
189	Forest Gate w - - -	806	60,892	21	15	1	6	-	1	-	-	-	-	-	-	1	-	-
190	North East Ham w H -	1,333	58,676	35	9	1	2	-	-	-	-	-	-	-	-	2	-	-
191	South East Ham 2F - -	1,993	37,342	32	12	2	3	-	1	-	-	-	-	-	-	-	-	-
192	Wanstead F - - -	1,679	9,179	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
193	South Leyton 2W - -	631	50,467	30	27	6	11	-	1	-	-	-	-	-	-	-	12	-
194	North Leyton 2W,w,F -	1,963	48,445	33	33	5	9	-	1	-	3	-	-	1	1	1	18	-
195	Walthamstow 3H,L - -	6,504	108,929	73	25	4	8	-	-	-	2	-	-	-	1	4	1	-
187	Chigwell 2F,3H - - -	11,778	16,397	3	3	1	2	-	-	-	-	-	-	1	-	-	-	-
189	Epping W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Romford, *part of** W,2F -	6,556	6,091	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-
	Ilford F,L - - - -	8,493	41,234	28	17	5	4	-	-	-	-	-	-	1	1	2	3	-
	Barking Town F - -	3,803	21,547	19	6	3	-	-	-	-	-	-	-	-	1	1	-	-
	N.E. Hospital, Tottenham -	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	London County Asylum, Colney Hatch.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1. Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	[illegible]
LONDON - -	4,721,217	November 24	2532	1453	16·0	-	26	8	16	5	3	4
CALCUTTA - -	977,822	October 20	-	498	30·5	1	-	-	-	-	146†	12
BOMBAY - -	982,000	November 6	406	676	45·3	-	2	-	-	-	102†	82
MADRAS - -	509,346	October 26	381	444	45·3	1	-	?	?	?	114	72
PARIS - - -	2,750,000	November 17	1034	897	17·4	-	3	3	2	2	8	7
BRUSSELS - -	612,401	„ 17	189	174	14·8	-	4	2	4	1	-	0
ANTWERP - -	297,311	„ 17	107	61	10·7	-	-	-	-	1	1	6
AMSTERDAM -	560,482	„ 10	242	152	14·1	-	3	1	-	3	-	5
COPENHAGEN -	425,000	„ 17	231	113	13·9	-	-	-	-	-	-	13
STOCKHOLM -	324,488	„ 10	153	89	14·3	-	-	-	-	-	-	2
CHRISTIANIA -	222,373	„ 17	112	40	9·3	-	-	-	1	1	-	1
ST. PETERSBURG	1,424,700	„ 3	712	650	23·7	1	13	27	39	3	27	8
		„ 10	900	618	22·5	-	10	24	31	4	25	8
MOSCOW - -	1,154,000	„ 10	-	-	-	-	-	-	-	-	-	
BERLIN - -	2,078,745	„ 3	923	553	13·9	-	-	8	8	3	1	7
HAMBURG - -	819,380	„ 17	-	207	13·4	-	2	1	4	3	2	6
BRESLAU - -	475,000	„ 10	280	204	22·4	-	2	-	2	2	-	1
MUNICH - -	544,000	„ 17	-	176	16·9	-	-	-	2	1	-	8
VIENNA - -	1,956,949	„ 17	939	569	15·1	-	7	7	10	3	1	1
PRAGUE - -	460,849	„ 10	191	161	18·0	-	6	1	3	-	-	10
BUDA-PESTH -	859,134	„ 10	420	251	16·5	-	1	3	8	-	-	5
TRIESTE - -	196,637	„ 17	126	67	17·5	-	-	-	-	-	2	1
ROME - -	531,179	September 22	242	142	14·0	-	-	-	-	1	8§	14
		„ 29	241	164	16·1	-	-	-	2	3	6§	18
VENICE - -	171,709	October 27	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	November 17	158	122	21·9	-	-	1	-	-	-	5
NEW YORK -	4,152,860	„ 10	2096	1323	16·6	-	2	3	39	6	20	57
CHICAGO - -	2,049,185	„ 10	-	514	13·1	-	3	6	19	3	10	4
PHILADELPHIA -	1,469,126	„ 3	-	-	-	-	-	-	-	-	-	-
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	October 28	-	278	15·9	-	-	-	-	3	4†	2

* Excluding deaths from croup in the Indian Cities.
† Including 7 deaths from plague in Calcutta, 12 in Bombay, and 3 in Rio de Janeiro.
‡ Including 34 deaths from cholera in Calcutta, 1 in Bombay, and 2 in Madras.
§ Including 2 and 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 24th November, 1906.

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	60·3	28·5	45·3	0·38	BRADFORD - -	61·0	31·6	46·4	[illegible]
BRIGHTON - -	57·2	32·9	48·3	1·03	LEEDS - - -	61·0	34·0	46·8	[illegible]
PORTSMOUTH - -	60·2	32·0	48·3	0·56	HULL - - -	60·0	30·0	45·1	[illegible]
NORWICH - - -	60·0	29·2	44·6	0·17	TYNEMOUTH - -	60·0	30·0	44·9	[illegible]
PLYMOUTH - -	-	-	-	-	CARDIFF - -	61·8	28·7	46·1	[illegible]
BRISTOL - - -	62·0	33·0	48·0	0·65	EDINBURGH - -	60·3	33·4	44·8	[illegible]
BIRMINGHAM - -	59·9	30·0	45·1	0·52	GLASGOW - -	59·8	32·0	46·0	[illegible]
NOTTINGHAM - -	59·6	26·2	45·5	0·35	DUBLIN Phœnix Park.	62·1	30·7	47·7	[illegible]
LIVERPOOL OBSERVATORY.	61·0	31·0	47·1	0·41	DUBLIN Fitzwilliam Square.†	64·4	33·0	48·8	[illegible]
MANCHESTER -	58·2	30·6	45·0	0·66					
PRESTON - -	58·8	33·3	45·4	0·27					
HUDDERSFIELD -	59·6	32·0	45·4	0·44	BELFAST - -	60·0	29·0	45·5	[illegible]

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* footn[illegible] the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. [illegible] correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period t[illegible] above was 0°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, R.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 24th November, 1906.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	18	..	28·987	46·7	34·2	12·5	41·4	− 0·8	38·5	2·9	4·2	0·8	89	61·7	26·2	50·05	SSW. & S.	SSW., SW. & WSW.	2·5	0·0	0·2	278	− 21	0·04	0·0
MONDAY -	19	Greatest Dec. S.	29·073	42·0	28·5	13·5	36·4	− 5·8	32·7	3·7	6·4	0·0	87	66·9	17·2	49·73	SW.	WSW. & W.	5·8	0·0	0·3	309	+ 9	0·05	0·0
TUESDAY -	20	..	29·544	44·4	35·9	8·5	40·0	− 2·1	31·5	8·5	12·0	2·3	72	69·0	29·8	49·41	W. & WSW.	W., SW. & S.	3·8	0·0	0·5	421	+120	0·00	2·8
WEDNESDAY	21	..	29·668	57·0	39·4	17·6	51·2	+ 9·1	49·8	1·4	5·3	0·8	95	64·3	36·0	49·04	S., SSW. & WSW.	WSW., SW. & SSW.	4·2	0·0	0·3	348	+ 47	0·27	6·4
THURSDAY-	22	..	30·215	60·3	50·2	10·1	55·8	+13·6	51·1	4·7	7·9	1·8	84	85·0	41·9	48·83	SW.	SW. & SSW.	5·0	0·0	0·5	413	+113	0·00	3·8
FRIDAY -	23	First Quarter	30·382	54·0	45·9	8·1	50·5	+ 8·4	49·9	0·6	1·8	0·0	98	58·6	34·8	49·36	SSW., S. & SW.	SW	0·8	0·0	0·0	160	−139	0·01*	0·0
SATURDAY-	24	..	30·380	51·0	44·8	6·2	48·3	+ 6·2	48·1	0·2	0·8	0·0	99	56·4	44·8	49·68	SW.	SW.	0·6	0·0	0·0	151	−147	0·01*	0·0
MEANS - -			29·750	50·8	39·8	10·9	46·2	+ 4·1	43·1	3·1	5·5	0·8	89	66·0	33·0	49·44	SW.		..	..	..	Sum 2080	Sum − 18	Sum 0·38	1·9
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

* Derived from dew and fog.

DATE. NOVEMBER.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	18	m.P. generally; v.P. and v.N. between 9h. A.M. and 2h. P.M.	0·4	8·7	Fine in morning; generally overcast after 10h. A.M. with occasional rain till 1h. P.M.
MONDAY -	19	m.P. generally; v.P. and s. N. after 10h. P.M.	1·2	8·7	Generally cloudless with much hoar frost in morning; fine but cloudy between 9h. A.M. and 4h. P.M.; practically cloudless till 10h. P.M.; overcast and showery afterwards.
TUESDAY -	20	m. P. till 9h. A.M.; s. P. till 11h. P.M.; v. P. and v. N. afterwards.	5·7	8·6	Very fine with little cloud generally till afternoon; overcast after 3h. 30m P.M.; slight rain shortly after 11h. P.M. Solar halo observed in afternoon.
WEDNESDAY	21	v. N. and w. P. till 5h. A.M.; w. P. afterwards.	0·2	8·6	Generally overcast; occasional rain; very mild.
THURSDAY-	22	w. P. throughout.	5·0	8·5	Overcast till 9h. A.M.; very fine with small amounts of cloud generally afterwards; very mild.
FRIDAY -	23	w. P. throughout.	0·0	8·5	Very fine in early morning; generally overcast after 6h. A.M. with slight fog at night; a very mild damp day.
SATURDAY-	24	w. P. throughout.	0·0	8·4	Overcast; foggy in morning.
			Sum 12·5	Sum 69·0	
No. of Col.-		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·25 in. at the beginning of the week to 28·93 in. by 2h. P.M. on the 18th; increased to 29·66 in. by 8h. P.M. on the 20th; decreased to 29·49 in. by 5h. A.M. on the 21st; increased to 30·39 in. by 10h. A.M. on the 24th; and was 30·38 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 17th November, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	14	4	-	1	-	-	6	-
Kensington	180,952	-	9	4	-	1	-	-	3	-
Hammersmith	120,679	-	19	8	-	1	-	-	4	-
Fulham	161,965	-	19	13	-	-	-	-	2	-
Chelsea	74,672	-	2	10	-	-	-	-	-	-
City of Westminster	173,905	-	19	4	-	-	-	-	4	-
NORTH.										
St. Marylebone	128,580	-	11	4	-	-	-	-	4	-
Hampstead	89,633	-	15	5	-	-	-	-	2	-
St. Pancras	236,455	-	9	8	-	3	-	-	4	-
Islington	344,987	-	42	11	-	7	-	-	7	1
Stoke Newington	53,217	-	3	2	-	2	-	-	1	-
Hackney	230,721	-	30	11	-	2	-	-	4	-
CENTRAL.										
Holborn	55,805	-	3	4	-	-	-	-	1	1
Finsbury	97,466	-	8	4	-	-	-	-	5	-
City of London	21,367	-	1	-	-	-	-	-	1	-
EAST										
Shoreditch	116,108	-	14	-	-	-	-	-	2	-
Bethnal Green	130,609	-	17	2	-	3	-	-	10	-
Stepney	307,176	-	18	9	-	5	-	-	8	-
Poplar	170,673	-	13	4	-	2	-	-	2	-
SOUTH.										
Southwark	209,143	-	22	6	-	1	-	-	13	-
Bermondsey	128,629	-	20	7	-	2	-	-	7	-
Lambeth	315,774	-	23	6	-	-	-	-	7	-
Battersea	179,622	-	37	5	-	2	-	-	4	-
Wandsworth	273,381	-	19	11	-	1	-	-	7	-
Camberwell	274,132	-	32	9	-	1	-	-	13	-
Deptford	115,495	-	12	9	-	-	-	-	4	-
Greenwich	105,350	-	21	5	-	-	-	-	1	-
Lewisham	148,463	-	11	9	-	-	-	-	2	-
Woolwich	127,345	-	18	23	-	2	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	481	197	-	36	-	-	128	2
Ages 0-1		-	8	6	-	-	-	-	6	-
" 1-5		-	120	59	-	-	-	-	5	-
" 5-		-	201	68	-	4	-	-	4	-
" 10-		-	104	29	-	7	-	-	8	-
" 15-		-	23	9	-	2	-	-	7	-
" 20-		-	14	6	-	6	-	-	15	-
" 25-		-	11	8	-	12	-	-	17	1
" 35-		-	-	9	-	1	-	-	30	1
" 45-		-	-	3	-	2	-	-	19	-
" 55-		-	-	-	-	2	-	-	8	-
" 65 and upwards		-	-	-	-	-	-	-	8	-
Age not stated		-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London' and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 48. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, DEC. 1. [Price 1½*d.*

General Register Office, Somerset House,
December 3rd, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·8 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 14·9, 15·4, and 16·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·1 in Manchester and in South Shields, 22·1 in Bootle, 22·3 in Salford, 22·7 in Rochdale, 26·0 in Tynemouth, and 26·9 in Swansea; from *measles*, 3·0 in Rochdale, 4·0 in Bootle, and 4·7 in South Shields; from *scarlet fever*, 1·3 in Leyton; from *diphtheria*, 1·7 in Gateshead; and from *diarrhœa*, 1·1 in Swansea and 2·1 in Middlesbrough. Two deaths from *small-pox* were registered in Hull, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2345 BIRTHS and 1406 DEATHS were registered. Allowing for increase of population, the births were 114 and the deaths 337 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 14·7, 15·4, and 16·0 per 1000 in the preceding three weeks was 15·5 last week. The death-rate in the four weeks ended last Saturday averaged 15·4 per 1000, being 2·3 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 12/06 D & S 3 26656

The 1406 deaths included 21 from measles, 12 from scarlet fever, 20 from diphtheria, 13 from whooping-cough, 7 from enteric fever, and 20 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 93 deaths were referred to these diseases in the aggregate, being 20 below the corrected average number in the 48th week of the preceding four years.

The deaths from *measles*, which had been 19, 10, and 26 in the preceding three weeks, were 21 last week, and were 19 below the corrected average; 6 deaths belonged to the Borough of Stepney, 4 to Woolwich, and 3 each to Fulham and Bermondsey. The deaths from *scarlet fever*, which had been 17, 5, and 8 in the preceding three weeks, were 12 last week, and were 3 above the corrected average. The deaths from *diphtheria*, which had been 11, 16, and 14 in the preceding three weeks, rose to 20 last week, and were 8 above the corrected average; 3 deaths belonged to Fulham and 3 to Wandsworth. The deaths from *whooping-cough*, which had been 7, 10, and 5 in the preceding three weeks, rose to 13 last week, but were 9 below the corrected average. The fatal cases of *enteric fever*, which had been 6, 8, and 3 in the preceding three weeks, were 7 last week, and were 2 below the corrected average. The deaths from *diarrhœa*, which had been 44, 29, and 24 in the preceding three weeks, further fell to 20 last week, the corrected average being 21; 4 deaths belonged to Paddington. Of the 20 deaths from diarrhœa, 17 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 8 other deaths at this age. The deaths attributed directly to *influenza* numbered 43, having been 8, 14, and 21 in the preceding three weeks. The death of a printer's labourer, aged 46 years, was certified after inquest to have been caused by *lead poisoning*.

Different forms of *violence* caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 12 were cases of suicide, and 1 of homicide, while the remaining 43 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 4 to drowning, 3 to building operations, 1 to a conflagration, and 5, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4053 cases of scarlet fever, 1082 of diphtheria, and 162 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 401 cases, against 417, 462, and 467; of diphtheria, 135 cases, against 158, 165, and 161; and of enteric fever, 30 cases, against 19, 21, and 24. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended November 24th, 1906.

Greater London.

In Greater London 3593 births and 1973 deaths were registered. Allowing for increase of population, these numbers are 139 and 459 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 2 from scarlet fever, 12 from diphtheria, 1 from whooping-cough, 3 from "fever," and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·02 inches, and that of the Thermometer 47°·3, the latter being 6°·0 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being ·35 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 57·9 hours; the measured rainfall amounted to 0·09 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns.	Population estimated to the middle of the Year 1906.*	Causes. Week ended 10th Nov., 1906.	17th Nov., 1906.	24th Nov., 1906.	1st Dec., 1906.	Diseases in Cols. 11–17. Week ended 1st Dec., 1906.	Registered during the Week ended 1st Dec., 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**14·9**	**15·4**	**16·3**	**15·8**	**1·4**	**8084**	**4799**	**946**	**1490**	**2**	**114**	**41**	**89**	**50**	**43**	**75**	**188**	**386**	**1199**	**50**	**76 Towns.**
London	4,721,217	14·7	15·4	16·0	15·5	1·0	2345	1406	251	462	-	21	12	20	13	7	20	56	128	533	2	London.
† Croydon	151,011	12·8	14·8	13·8	15·9	0·7	76	46	8	21	-	-	-	-	1	-	1	-	8	13	-	Croydon.
† Willesden	143,622	9·1	10·9	12·3	13·4	1·1	73	37	8	17	-	-	-	1	1	-	1	1	2	6	-	Willesden.
† Hornsey	86,935	6·6	4·2	5·4	6·0	0·6	28	10	3	3	-	-	-	1	-	-	-	-	1	1	-	Hornsey.
† Tottenham	119,503	9·2	12·2	11·3	14·8	0·9	65	34	7	10	-	-	-	-	1	1	-	-	2	7	-	Tottenham.
† West Ham	301,617	11·4	12·6	17·6	15·6	1·7	152	90	18	25	-	2	1	6	-	1	-	5	7	25	-	West Ham.
† East Ham	129,886	10·0	6·4	9·6	12·8	2·4	61	32	4	10	-	2	1	-	1	-	2	2	2	4	-	East Ham.
† Leyton	118,287	8·8	7·9	15·9	11·9	2·2	84	27	10	6	-	-	3	1	1	-	-	2	3	7	-	Leyton.
† Walthamstow	121,334	12·0	12·9	10·3	14·2	1·3	66	33	4	8	-	-	1	1	1	-	-	1	3	6	-	Walthamstow.
Hastings	67,144	10·9	10·1	12·4	9·3	0·8	14	12	2	4	-	-	1	-	-	-	-	1	1	2	-	Hastings.
Brighton	128,095	15·9	11·4	15·5	14·2	0·4	60	35	5	14	-	1	-	-	-	-	-	1	1	13	-	Brighton.
Portsmouth	205,118	16·0	15·8	11·2	10·4	1·3	89	41	6	14	-	-	-	2	3	-	-	-	2	13	1	Portsmouth.
Bournemouth	67,702	14·6	9·2	20·0	13·1	0·8	13	17	2	12	-	-	-	-	-	1	-	-	-	3	-	Bournemouth.
Southampton	117,312	9·8	9·8	10·7	13·8	0·9	51	31	3	6	-	-	-	1	1	-	-	5	7	6	-	Southampton.
Reading	78,987	13·2	9·2	15·8	15·2	0·7	49	23	2	11	-	-	-	1	-	-	-	-	-	3	1	Reading.
Northampton	93,749	12·2	10·0	10·0	5·0	-	47	9	3	3	-	-	-	-	-	-	-	-	-	1	-	Northampton.
Ipswich	71,809	18·9	11·6	8·7	16·7	-	34	23	6	9	-	-	-	-	-	-	-	-	2	4	2	Ipswich.
Great Yarmouth	52,613	12·9	25·8	19·8	10·9	1·0	26	11	2	6	-	-	1	-	-	-	-	-	-	3	-	Great Yarmouth.
Norwich	117,958	20·3	13·3	24·8	17·2	2·2	64	39	8	12	-	3	-	1	1	-	-	1	4	5	1	Norwich.
Plymouth	118,014	15·5	19·9	18·1	17·7	0·9	50	40	6	10	-	2	-	-	-	-	-	1	4	4	-	Plymouth.
Devonport	78,405	14·0	18·6	20·0	8·0	2·0	38	12	3	4	-	2	-	-	-	-	1	-	-	2	-	Devonport.
Bristol	363,223	12·9	15·8	18·8	15·4	1·1	143	107	21	47	-	-	2	2	-	1	3	4	9	30	1	Bristol.
Hanley	66,360	22·8	17·3	12·6	16·5	2·4	42	21	3	6	-	-	-	1	-	1	1	-	1	3	-	Hanley.
Burton-on-Trent	52,922	5·9	6·9	8·9	12·8	-	16	13	-	1	-	-	-	-	-	-	-	2	3	3	-	Burton-on-Trent.
Wolverhampton	100,729	14·0	12·4	11·4	8·3	-	54	16	3	6	-	-	-	-	-	-	-	-	-	4	-	Wolverhampton.
Walsall	94,577	14·9	16·5	13·2	11·0	-	47	20	5	5	-	-	-	-	-	-	-	1	1	4	-	Walsall.
Handsworth	63,819	8·2	10·6	13·1	9·0	-	22	11	1	4	-	-	-	-	-	-	-	-	-	-	-	Handsworth
West Bromwich	68,469	13·7	9·1	15·2	13·7	1·5	53	18	6	7	-	1	-	-	-	-	1	1	1	2	1	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 1st December, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 10th Nov., 1906.	17th Nov., 1906.	24th Nov., 1906.	1st Dec., 1906.	Rate from Diseases in Cols. 11-17. Week ended 1st Dec., 1906.	Registered during the Week ended 1st Dec., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	16·5	13·8	17·4	16·3	1·5	273	171	28	57	-	9	2	-	1	2	2	4	6	40	5	BIRMINGHAM.
KINGS NORTON -	72,608	6·5	4·3	5·0	11·5	-	23	16	4	4	-	-	-	-	-	-	-	1	1	-	-	KINGS NORTON.
SMETHWICK - -	64,531	6·5	13·7	17·0	16·2	2·4	52	20	6	5	-	2	-	1	-	-	-	-	1	3	-	SMETHWICK.
ASTON MANOR -	82,288	14·6	17·7	11·4	12·7	1·3	23	20	2	6	-	2	-	-	-	-	-	-	-	-	1	ASTON MANOR.
COVENTRY - -	76,374	23·9	9·6	15·7	8·2	0·7	50	12	1	4	-	-	-	-	-	-	1	1	1	3	-	COVENTRY.
LEICESTER - -	232,111	10·1	11·2	11·9	13·7	2·5	111	61	14	20	-	7	2	1	-	-	1	2	4	14	1	LEICESTER.
GRIMSBY - - -	69,359	17·3	9·8	14·3	13·5	1·5	41	18	8	4	-	-	-	1	-	-	1	1	2	-	2	GRIMSBY.
NOTTINGHAM - -	254,563	13·7	15·4	12·3	16·2	1·4	125	79	19	25	-	-	-	3	-	3	1	4	5	14	-	NOTTINGHAM.
DERBY - - -	123,981	15·6	20·6	23·6	14·3	1·7	61	34	5	9	-	-	-	1	2	1	-	2	2	3	-	DERBY.
STOCKPORT - -	99,646	15·2	18·8	18·3	14·7	1·6	47	28	6	8	-	3	-	-	-	-	-	1	3	6	-	STOCKPORT.
BIRKENHEAD - -	117,292	14·2	16·0	16·4	16·4	1·8	72	37	12	6	-	1	-	1	-	1	1	3	5	6	-	BIRKENHEAD.
WALLASEY - -	64,578	11·3	19·4	17·8	11·3	1·6	18	14	4	3	-	-	-	-	-	1	1	-	1	1	-	WALLASEY.
LIVERPOOL - -	739,180	19·6	19·2	18·1	18·3	2·0	485	259	64	64	-	6	3	9	2	3	5	7	18	76	6	LIVERPOOL.
BOOTLE - - -	65,989	13·4	20·5	22·9	22·1	4·7	29	28	2	6	-	5	-	1	-	-	-	1	1	8	2	BOOTLE.
ST. HELENS - -	91,153	13·7	13·7	15·4	18·3	1·1	56	32	8	7	-	1	-	-	1	-	-	1	1	8	2	ST. HELENS.
WIGAN - - -	87,588	17·3	19·6	25·6	18·5	2·4	58	31	9	9	-	2	-	-	-	1	1	-	3	1	-	WIGAN.
WARRINGTON -	69,280	12·0	22·6	15·1	14·3	1·5	39	19	5	3	-	1	1	-	-	-	-	-	-	2	-	WARRINGTON.
BOLTON - - -	180,502	17·0	9·5	15·9	13·9	0·6	82	48	6	13	-	-	1	-	-	1	-	2	3	5	1	BOLTON.
BURY - - -	58,744	16·9	17·8	15·1	19·5	-	28	22	3	9	-	-	-	-	-	-	-	-	2	4	-	BURY.
MANCHESTER - -	637,126	17·4	19·0	19·2	21·1	1·6	367	258	48	69	-	3	2	4	2	5	3	13	22	74	4	MANCHESTER.
SALFORD - - -	234,077	17·2	21·2	15·8	22·3	3·6	117	100	29	21	-	7	-	3	-	3	3	2	5	17	-	SALFORD.
OLDHAM - - -	140,969	23·7	20·0	23·3	20·0	3·3	87	54	9	13	-	4	2	1	-	-	2	2	3	5	-	OLDHAM.
ROCHDALE - -	87,189	16·1	16·1	13·8	22·7	3·0	34	38	4	14	-	5	-	-	-	-	-	-	-	4	1	ROCHDALE.
BURNLEY - - -	102,808	23·8	22·8	24·3	19·3	1·5	43	38	4	19	-	1	-	-	-	2	-	2	4	7	2	BURNLEY.
BLACKBURN - -	134,015	11·3	14·0	20·6	17·1	1·6	65	44	2	21	-	-	1	1	1	1	-	-	1	4	2	BLACKBURN.
PRESTON - - -	116,399	20·2	20·2	20·2	15·7	1·3	58	35	7	11	-	1	1	-	1	-	-	1	2	1	1	PRESTON.

Towns.	Population estimated to the middle of the Year 1906.*	Causes. Week ended 10th Nov., 1906.	17th Nov., 1906.	24th Nov., 1906.	1st Dec., 1906.	Diseases in Cols. 11-17. Week ended 1st Dec., 1906.	Registered during the Week ended 1st Dec., 1906. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,851	15·4	19·2	20·9	14·8	1·6	39	27	1	7	-	1	-	1	1	-	-	2	3	1	1	Huddersfield.
Halifax	109,272	11·5	15·7	11·9	16·7	1·0	28	35	5	13	-	-	-	1	-	1	-	1	2	6	-	Halifax.
Bradford	288,544	13·2	16·4	16·1	13·4	0·9	96	74	13	32	-	-	-	2	2	-	1	4	9	14	-	Bradford.
Leeds	463,495	13·4	11·7	14·8	14·7	1·6	226	131	26	43	-	-	1	8	3	1	1	11	21	28	-	Leeds.
Sheffield	447,951	16·1	17·0	19·4	17·2	1·6	244	148	45	38	-	4	1	2	1	2	4	6	12	32	2	Sheffield.
Rotherham	61,098	22·2	23·9	18·8	11·1	1·7	33	13	3	2	-	2	-	-	-	-	-	-	-	1	1	Rotherham.
York	83,467	10·6	11·9	14·4	15·0	-	33	24	2	9	-	-	-	-	-	-	-	-	1	3	-	York.
Hull	262,426	13·7	14·7	17·9	15·7	2·2	152	79	6	24	2	1	1	3	2	2	-	6	7	21	-	Hull.
Middlesbrough	100,069	17·7	19·8	20·8	18·8	3·1	80	36	11	8	-	-	-	1	1	-	4	2	4	11	-	Middlesbrough.
Stockton-on-Tees	52,664	13·9	19·8	12·9	18·8	1·0	32	19	8	6	-	-	-	-	1	-	-	2	2	4	-	Stockton-on-Tees.
West Hartlepool	73,387	13·5	12·1	12·8	15·6	1·4	29	22	4	9	-	-	-	-	1	-	1	-	1	2	-	West Hartlepool.
Sunderland	154,385	19·3	18·6	20·9	17·9	0·7	92	53	10	13	-	-	-	1	-	1	-	5	5	9	-	Sunderland.
South Shields	111,402	15·9	24·3	26·7	21·1	6·1	65	45	13	6	-	10	-	-	1	-	2	1	1	5	2	South Shields.
Gateshead	123,191	15·7	16·5	16·1	13·5	3·0	76	32	8	10	-	1	-	4	-	-	2	-	-	4	3	Gateshead.
Newcastle-on-Tyne	268,721	16·9	15·7	16·9	18·6	1·0	171	96	21	32	-	-	1	-	1	-	3	6	12	16	-	Newcastle-on-Tyne.
Tynemouth	54,138	27·9	20·2	13·5	26·0	1·9	35	27	6	6	-	-	-	1	-	-	1	1	1	3	1	Tynemouth.
Newport (Mon.)	74,227	12·6	15·5	21·1	20·4	1·4	39	29	7	7	-	1	-	-	-	-	1	-	4	4	-	Newport (Mon.).
Cardiff	183,823	14·5	10·8	13·9	15·0	0·3	82	53	17	19	-	-	-	-	1	-	-	-	-	10	1	Cardiff.
Rhondda	127,684	14·7	15·1	13·9	12·3	-	83	30	8	7	-	-	-	-	-	-	-	1	2	2	-	Rhondda.
Merthyr Tydfil	74,961	21·6	22·3	18·1	20·2	0·7	60	29	8	9	-	-	-	-	-	-	1	1	5	-	-	Merthyr Tydfil.
Swansea	96,848	18·3	19·4	13·5	26·9	1·6	53	50	12	13	-	-	-	-	1	-	2	5	5	8	-	Swansea.
Greater London	7,113,561	12·9	13·7	14·7	14·5	1·1	3593	1973	357	661	-	26	20	42	20	12	27	80	177	649	4	Greater London.
Outer Ring	2,392,344	9·3	10·4	12·0	12·4	1·2	1248	567	106	199	-	5	8	22	7	5	7	24	49	116	2	Outer Ring.
8 Towns in Outer Ring	1,172,195	10·4	10·9	13·1	13·7	1·4	605	309	62	100	-	4	6	10	6	2	4	11	28	69	-	8 Towns in Outer Ring.
Remainder of Outer Ring	1,220,149	8·3	9·8	10·9	11·0	0·9	643	258	44	99	-	1	2	12	1	3	3	13	21	47	2	Remainder of Outer Ring.
Edinburgh	341,035	13·8	15·3	20·9	14·2	0·8	136	93	22	24	-	1	1	1	-	-‡	2	5	?	38	6	Edinburgh.
Glasgow	835,625	18·9	16·6	19·3	17·0	1·6	443	273	70	53	-	1	-	1	14	2‡	8	10	?	82	14	Glasgow.
Dublin†	378,994	24·9	25·6	23·8	23·8	2·2	289	173	30	49	-	3	1	2	3	3	4	3	3	72	6	Dublin.†
Belfast†	366,220§	18·7	20·6	17·8	18·2	1·7	178	128	25	38	-	1	1	-	2	4	4	2	3	34	2	Belfast.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 1 death from Cerebro-spinal meningitis was registered in Edinburgh and 4 in Glasgow. § Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-EIGHTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	190
TOTAL **Births** -	2530	2459	2575	2439	2338	2460	2373	2460	2542	2275	2459·1	234
Males - - -	1324	1253	1358	1259	1191	1234	1171	1244	1296	1128	1233·1	118
Females - -	1206	1206	1217	1180	1147	1226	1202	1216	1246	1147	1226·0	116
TOTAL **Deaths** -	1596	1725	1539	1695	1572	1785	1708	1578	1932	1623	1743·3	140
Males - -	846	836	797	879	804	910	854	789	983	838	882·7	70
Females - -	750	889	772	816	768	875	854	789	949	785	860·6	70

* The numbers in this column are the average weekly numbers in the forty-eighth week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	13 Week
TOTAL **Births** -	2329	2319	2260	2374	2251	2355	2411	2474	2304	2220	2390	2532	2345	3056
TOTAL **Deaths** -	1892	1589	1548	1422	1404	1295	1232	1209	1272	1328	1391	1453	1406	1844
Ages at Death: Under 1 year -	760	631	544	426	341	280	277	276	246	267	244	284	251	482
1—5 years -	219	207	171	150	146	125	128	111	137	138	113	161	132	193
5—20 " -	66	60	63	85	73	73	58	69	82	73	67	73	85	92
20—40 " -	187	151	154	179	165	156	150	162	176	170	204	184	190	222
40—60 " -	268	248	255	249	293	279	270	266	273	286	315	288	286	357
60 yrs. & upwds.	392	292	361	333	386	382	349	325	358	394	448	463	462	494
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	9	7	9	8	6	2	5	9	15	19	10	26	21	14
Scarlet Fever - -	6	4	7	10	12	19	9	15	11	17	5	8	12	13
Diphtheria - -	13	10	18	13	12	14	11	16	23	11	16	14	20	19
Whooping-cough -	17	22	20	13	11	12	13	5	5	7	10	5	13	15
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	3	8	12	11	17	8	11	5	6	8	3	7	10
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	529	455	340	207	135	93	78	55	47	44	29	24	20	205
All above Diseases -	578	501	402	263	188	157	124	111	106	104	78	80	93	278
Dis. of Resp. System	53	35	74	51	90	84	64	69	99	113	158	156	177	122
Pneumonia - -	90	70	75	83	98	93	82	81	101	119	130	156	135	131
Phthisis - - -	123	128	104	147	139	120	152	129	150	133	177	129	131	174
Dis. of Circ. System -	169	164	144	147	176	171	169	174	183	167	214	188	170	223
Violence - - -	77	56	41	68	48	53	50	44	51	70	53	62	56	72
Inquest Cases - -	153	130	117	127	131	115	140	103	121	163	141	133	128	170
Deaths in Institutions	670	537	552	552	551	550	490	480	547	555	546	545	533	710
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	68·0	57·6	55·8	52·0	58·4	57·6	41·2	53·0	46·8	47·3	43·0	46·2	47·3	51·9
Mean of Highest -	80·9	69·1	63·2	63·1	66·5	65·5	59·4	61·7	53·0	52·3	49·2	50·8	51·9	60·5
Mean of Lowest -	56·8	48·0	50·5	41·5	51·2	51·2	43·5	45·4	40·9	42·3	36·3	39·8	41·4	45·3
Mean Humidity of the Air.	64	70	80	77	83	82	81	82	88	89	85	89	84	81
Rain-fall (in inches) -	0·85	0·74	0·38	0·00	0·69	0·63	0·21	0·07	1·59	2·62	0·90	0·38	0·09	9·15
Registered Sunshine (in hours).	53·7	48·8	22·6	41·3	31·0	35·7	31·7	30·6	10·6	14·9	10·2	12·5	8·1	351·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3067	3075	3164	3388	3603	3803	3923	4068	4178	4135	4150	4144	4053	3750
Diphtheria - -	861	862	846	849	907	944	982	1030	1065	1076	1105	1113	1082	979
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	115	116	124	140	167	186	186	197	202	203	183	165	162	165

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-EIGHTH Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 48th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1743·3	1406	251	132	85	190	286	462
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	39·5	21	8	13	-	-	-	-
Scarlet Fever	9·4	12	-	6	6	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	14·3	43	1	-	4	6	13	19
Whooping-cough	22·2	13	4	9	-	-	-	-
Diphtheria	12·2	20	2	9	9	-	-	-
Cerebro Spinal Fever	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	9·2	7	-	1	1	4	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	7·1	6	5	1	-	-	-	-
Diarrhœa, Dysentery	13·8	14	9	2	-	-	-	3
Tetanus	0·8	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	8·2	5	4	-	-	-	-	1
Puerperal Septicæmia	2·3	2	-	-	-	2	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	1·0	-	-	-	-	-	-	-
Infective Endocarditis	2·5	6	-	-	1	3	2	-
Pneumonia: Lobar	14·0	22	-	2	4	6	5	5
Pneumonia: Broncho-	108·8	60	26	20	2	1	2	9
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	73·2	53	6	9	4	5	16	13
Erysipelas	4·1	7	1	-	1	2	2	1
Septicæmia (not Puerperal)	1·0	1	-	-	-	1	-	-
Pyæmia (not Puerperal)	2·5	-	-	-	-	-	-	-
Other Infective Processes	6·1	8	-	-	-	4	2	2
Tuberculous Phthisis	89·0	96	-	2	4	43	40	7
"*Phthisis*"	74·4	35	1	-	1	20	12	1
Tuberculous Meningitis	14·3	12	-	8	4	-	-	-
Tuberculous Peritonitis	6·9	8	3	2	2	1	-	-
Tabes Mesenterica	3·8	2	-	1	1	-	-	-
Tuberculous Dis. (other)	19·6	13	3	5	2	-	1	2
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	16·1	9	-	-	-	2	6	1
Rheumatic Fever	6·6	17	-	-	9	3	4	1
Gout	3·3	4	-	-	-	1	1	2
Carcinoma	58·1	60	-	-	-	2	27	31
Sarcoma	3·8	4	-	1	1	-	-	2
Cancer (undefined)	40·3	38	-	1	-	6	13	18
Diabetes Mellitus	8·7	8	-	-	2	-	3	3
Premature Birth	54·0	43	43	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 48th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	14·0	10	3	5	1	1	-	-
Insanity, Gen. Par. of Insane	18·6	20	-	-	1	8	4	7
Epilepsy	6·4	6	-	-	-	3	2	1
Convulsions	29·0	12	10	1	1	-	-	-
Locomotor Ataxy	3·8	2	-	-	-	-	1	1
Paraplegia, Dis. of Cord	4·6	7	-	1	-	2	3	1
Nervous Sys. (other dis.)	26·8	21	-	1	1	3	2	14
Valv. Dis., Endocarditis	50·5	45	-	1	6	10	10	18
Cerebr. Hæm. Thromb.	40·3	30	1	-	-	-	6	23
Apoplexy, Hemiplegia	24·2	14	-	-	-	-	2	12
Aneurysm	5·6	6	-	-	-	1	4	1
Embolism, Thrombosis (not cerebral)	2·8	2	-	-	-	-	-	2
Heart & Blood Vessel Dis.	104·0	73	-	1	2	8	25	37
Croup (not Spasm: nor Memb.)	0·3	-	-	-	-	-	-	-
Bronchitis	240·6	160	28	6	-	3	20	103
Asthma, Emphysema	7·9	5	-	-	-	-	1	4
Pleurisy	5·4	1	-	-	-	-	1	-
Respiratory Dis. (other)	15·5	11	3	1	-	1	5	1
Tonsillitis, Quinsy	0·5	1	-	-	1	-	-	-
Enteritis (not Epid.)	9·7	8	3	1	-	1	2	1
Gastro-Enteritis	4·8	9	7	1	-	-	1	-
Peritonitis (not Puerp.)	3·3	1	-	-	-	1	-	-
Cirrhosis of Liver	13·5	15	-	-	-	1	6	8
Liver Dis. (other)	3·6	3	-	-	-	1	2	-
Digestive Dis., Other	37·7	40	5	2	6	10	6	11
Nephritis, Acute	7·6	1	-	-	-	-	1	-
Bright's Dis., Albuminuria	43·3	30	-	-	3	4	9	14
Urinary Sys., Other Dis.	11·7	14	-	-	-	1	3	10
Generative Organs Dis.	4·8	1	-	-	-	-	1	-
Childbirth (Accid. of)	4·8	1	-	-	-	1	-	-
Old Age	62·4	53	-	-	-	-	-	53
Other Diseases	116·8	99	66	16	2	5	3	7
ACCIDENT.								
By Railways	1·3	1	-	-	-	1	-	-
By Vehicles and Horses	5·9	9	1	1	1	1	2	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	1	-	-	-	-	1	-
In Building Operations	0·5	3	-	-	-	-	3	-
In Conflagrations	2·0	1	-	1	-	-	-	-
By Burns, Scalds, Explosions	11·2	1	-	1	-	-	-	-
By Drowning	2·5	4	-	-	-	3	-	1
By Suffocation in Bed	12·0	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours	2·0	-	-	-	-	-	-	-
Other Deaths by Accident	18·4	18	3	-	2	3	3	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·3	1	-	-	-	1	-	-
Suicide	10·2	12	-	-	-	4	7	1
Execution	-	-			-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st December, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include, Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2345	1406	251	462	-	21	12	20	13	-	7	-	20	56	128	533
WEST DISTRICTS - - -	805,311	384	221	37	81	-	3	1	4	4	-	2	-	5	9	17	91
NORTH DISTRICTS - - -	1,056,070	453	277	35	111	-	1	-	5	-	-	2	-	6	13	27	79
CENTRAL DISTRICTS - - -	209,465	113	64	12	14	-	-	-	-	2	-	-	-	2	3	8	28
EAST DISTRICTS - - - -	715,739	464	284	71	68	-	9	1	-	3	-	-	-	4	11	38	123
SOUTH DISTRICTS - - -	1,749,844	931	524	96	176	-	8	9	11	4	-	3	-	2	20	38	176
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	36	-	12	-	-	1	-	-	-	-	-	1	-	-	36
WEST DISTRICTS.																	
St. Mary Paddington *W,2H* - -	93,178	52	23	7	7	-	-	-	-	1	-	-	-	3	-	1	6
St. John Paddington *H* - - -	33,617	7	11	1	2	-	-	-	-	-	-	-	-	-	3	3	9
North-West Paddington - - -	17,181	12	6	1	2	-	-	-	-	-	-	-	-	1	-	-	-
Kensington Town *2W,w,2H* - -	128,037	63	41	4	18	-	-	-	-	2	-	-	-	-	-	2	24
Brompton *2H* - - - - -	48,591	7	5	-	2	-	-	-	-	-	-	-	-	-	-	-	2
North Hammersmith *2W,wH* -	49,192	40	20	4	8	-	-	-	-	-	-	-	-	-	1	1	9
South Hammersmith *w,2H* - -	63,047	39	18	4	11	-	-	-	-	-	-	-	-	-	-	1	1
North-west Fulham *W* - - -	45,180	33	18	5	4	-	3	-	1	-	-	-	-	-	-	1	6
North-east Fulham *F* - - -	46,405	21	11	1	3	-	-	1	2	-	-	1	-	-	-	1	4
South Fulham *W* - - - -	45,704	31	6	1	2	-	-	-	-	1	-	-	-	-	1	1	-
Chelsea North *W,w,3H* - - -	42,514	14	18	2	8	-	-	-	-	-	-	-	-	-	-	-	14
Chelsea South *W,2H* - - -	31,328	15	7	1	5	-	-	-	-	-	-	-	-	-	-	1	1
Mayfair and Knightsbridge - -	28,743	6	4	-	3	-	-	-	-	-	-	-	-	-	1	1	-
Belgrave *W,2H* - - - -	55,815	13	15	3	2	-	-	-	1	-	-	1	-	-	1	1	5
St. Margaret & St. John *4H* - -	43,698	20	13	3	1	-	-	-	-	-	-	-	-	1	2	3	7
St. James and St. Anne *W,6H* -	33,081	11	5	-	3	-		-	-	-	-	-	-	-	-	-	3
NORTH DISTRICTS.																	
All Souls Marylebone *8H* - -	35,391	7	16	1	8	-	-	-	-	-	-	-	-	-	1	2	5
St. Mary Marylebone *W,4H* -	37,948	38	10	1	3	-	-	-	-	-	-	-	-	-	-	1	1
Christchurch Marylebone *H*- -	39,536	24	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-
St. John Marylebone *2H* - -	20,426	6	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H* - - -	81,942	22	25	3	11	-	-	-	1	-	-	1	-	-	2	3	6
West St. Pancras *2H* - - -	60,562	30	17	2	10	-	-	-	-	-	-	-	-	-	1	3	2
South St. Pancras‡ *w,11H* - -	55,707	18	19	2	7	-	-	-	1	-	-	-	-	1	-	-	12
East St. Pancras *W,2H* - - -	60,320	37	18	2	8	-	-	-	-	-	-	-	-	-	1	2	11
North St. Pancras *2W* - - -	58,728	20	13	1	7	-	-	-	-	-	-	-	-	-	2	2	4
Tufnell *W* - - - - -	31,995	11	10	2	3	-	-	-	-	-	-	-	-	-	-	-	6
Upper Holloway *2W,w,H* - -	33,978	18	15	1	4	-	-	-	1	-	-	-	-	-	1	1	12
Tollington *WH* - - - -	33,922	9	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - - -	41,424	17	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - - - -	54,478	25	10	2	2	-	-	-	-	-	-	-	-	-	1	1	-
Islington South-east *F* - - -	75,397	30	15	2	8	-	-	-	-	-	-	-	-	-	1	2	-
Highbury *2H* - - - - -	63,797	17	17	3	7	-	-	-	-	-	-	-	-	1	-	-	-
Stoke Newington *H* - - -	51,247	21	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - - - -	50,560	15	9	1	4	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney *2w,F* - - -	50,536	30	17	2	5	-	-	-	2	-	-	-	-	2	-	3	3
South-west Hackney *3H* - -	59,921	18	15	2	5	-	1	-	-	-	-	1	-	-	2	3	4
South-east Hackney *2W,w,H*- -	58,255	40	22	4	8	-	-	-	-	-	-	-	-	1	-	3	13

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December 1906, Tottenham Court sub-district and Gray's Inn Lane sub-district were united and called South St. Pancras.

AB 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 1st December, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. les and Bloomsbury 2*W*,2*H* -	31,436	24	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Str d *W*,4*H* - - - - - -	21,674	3	14	-	-	-	-	-	-	-	-	-	-	-	-	1	11	-
Str i Union Workhouse, *Edmonton* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ho rn *W*,6*H* - - - - - -	29,612	8	14	3	5	-	-	-	-	2	-	-	-	1	1	3	8	-
Ho Clerkenwell - - - -	28,676	17	10	2	4	-	-	-	-	-	-	-	-	1	1	2	-	-
No Clerkenwell *H* - - -	35,028	21	9	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Fin ury 3*H*,*L* - - - - -	36,116	29	5	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Ho rn Union Workhouse, Ba ham - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. tolph *H* - - - - -	10,299	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. oulchre and Allhallows *W*,2*H*	16,624	4	5	1	1	-	-	-	-	-	-	-	-	-	1	1	5	-
Mid London Asylum, *Stone* -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
Sho ditch South *H* - - -	46,362	22	5	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Sho ditch North-West *W*,*w*,*H* -	36,127	24	24	2	11	-	-	-	-	-	-	-	-	-	1	2	19	-
Sho ditch North-East - - -	36,148	24	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sho ditch Union Workhouse, Wood Gr n - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bet al Green North-East 2*W*, 2*H*	65,138	50	38	16	8	-	1	1	-	-	-	-	-	-	3	7	17	-
Bet al Green South-West *H* -	64,542	43	12	3	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Spi fields - - - - - -	27,969	15	6	2	1	-	1	-	-	1	-	-	-	-	-	1	-	-
Mil nd New Town *W*,*H* - -	28,718	31	42	11	5	-	1	-	-	-	-	-	-	2	4	4	37	-
Moo an's Fields - - - -	22,081	13	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. orge and St. John 2*W* - -	49,068	48	23	9	4	-	1	-	-	1	-	-	-	-	-	3	8	-
Sha rell and Ratcliff *W*,*H* - -	25,568	13	9	2	1	-	-	-	-	1	-	-	-	-	-	3	4	-
Lim ouse *W* - - - - - -	32,369	26	11	1	4	-	1	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H* - - - -	63,698	42	11	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town North-Eastern *W*,*w* - - -	49,129	24	26	3	14	-	2	-	-	-	-	-	-	-	-	-	14	-
Bow *L* - - - - - - -	41,989	8	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Bro ey 3*w*,*H* - - - - -	68,319	44	43	11	7	-	1	-	-	-	-	-	-	1	1	10	23	-
Lop *W*,*w* - - - - - -	58,514	37	19	6	5	-	1	-	-	-	-	-	-	-	1	2	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis in each SUB-DISTRICT during the Week ended Saturday, 1st December, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	17	2	1	-	-	-	-	1	-	-	-	-	-	1
Kent-road	21,904	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	29	11	5	3	-	-	-	-	-	-	-	-	-	-	1
Newington North	49,022	29	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	43	20	6	8	-	-	-	-	-	-	-	-	-	1	3
St. Olave *2W*	9,817	7	5	1	-	-	-	-	-	-	-	-	-	-	1	1
Bermondsey *W*	82,483	51	25	9	4	-	1	-	-	-	-	-	-	1	1	3
Rotherhithe *W,F*	38,460	22	27	6	5	-	2	-	-	-	-	-	-	-	2	2
Waterloo* *2H*	27,440	22	14	4	1	-	-	-	-	-	-	-	-	-	1	2
Lambeth Church* *H*	27,440	17	24	4	5	-	-	-	1	-	-	-	-	-	2	5
Kennington* *2W*	52,518	24	34	4	16	-	-	-	-	-	-	-	-	-	3	4
Stockwell* *HF*	63,826	36	12	2	6	-	-	-	-	-	-	-	-	-	-	-
Brixton* *H*	73,673	36	16	4	4	-	-	-	-	-	-	1	-	-	-	-
Norwood* *WH*	56,998	26	4	-	4	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	27	16	3	3	-	-	-	-	1	-	-	-	1	-	-
North-west Battersea	49,656	37	2	1	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	10	20	2	9	-	-	-	-	-	-	-	-	-	2	2
Clapham *2H*	51,361	18	9	-	5	-	-	-	-	-	-	1	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	47	46	2	21	-	-	2	4	-	-	1	-	-	-	1
Springfield *2W,L*	27,959	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	27	12	4	3	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	6	4	1	3	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	21	20	2	10	-	-	-	1	-	-	-	-	-	-	-
Camberwell North *W,2L*	65,584	33	22	4	5	-	-	-	-	1	-	-	-	-	1	3
St George	47,331	26	10	3	5	-	-	-	1	1	-	-	-	-	-	-
Peckham North	48,913	34	10	6	3	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	12	7	1	4	-	-	-	-	-	-	-	-	-	1	1
Deptford North	37,613	26	12	-	5	-	-	-	-	-	-	-	-	-	1	2
Deptford Central *F*	45,481	24	21	4	6	-	1	2	1	-	-	-	-	-	2	3
Deptford South	34,625	12	9	1	4	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	12	5	-	4	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	24	10	2	5	-	-	-	-	-	-	-	-	-	-	-
Eltham *w,H*	7,226	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Lee *wH*	25,490	7	5	2	3	-	-	-	-	-	-	-	-	-	-	-
Lewisham *Ww,F*	58,352	26	20	1	8	-	-	3	1	-	-	-	-	-	-	1
Sydenham *H*	43,653	25	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	10	9	1	2	-	-	2	2	-	-	-	-	-	-	-
Woolwich *5H*	41,625	23	12	4	3	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W*	18,063	9	3	-	-	-	1	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	44	18	4	3	-	3	-	-	-	-	-	-	-	2	3
Workhouse:—																
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																
Belmont	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																
Banstead	—	-	11	-	6	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-
Claybury	—	-	3	-	2	-	-	-	-	-	-	-	-	1	-	-

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-distri as above.

BLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Wee ended Saturday, 1st December, 1906.

Regis tration District and Sub-District Num-bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING -	368,302	2,044,973	1248	567	106	199	-	5	8	22	7	5	7	24	49	116	2
0 : 1	Carshalton 2F,3H - -	12,228	32,997	13	11	-	4	-	-	-	-	-	-	-	3	3	1	-
2	Epsom, *part of** W,w,2F,H-	10,423	15,548	8	8	-	4	-	-	-	-	-	-	-	1	1	4	-
7 : 1	Godstone, *part of** W,F -	2,754	2,692	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8 : 1	Coulsdon - - - -	11,069	8,166	8	4	1	1	-	-	-	-	-	-	-	1	2	-	-
2	South Croydon w - -	4,200	49,309	23	9	-	6	-	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H -	2,168	42,888	25	27	7	13	-	-	-	-	1	-	1	-	6	14	-
4	North Croydon H - -	2,644	41,698	28	12	3	3	-	-	-	-	-	-	-	-	1	1	-
5	Penge w,H - - -	770	22,465	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w - - -	11,711	30,015	24	10	-	4	-	-	-	-	-	-	-	-	1	-	-
9 : 1	Wimbledon F,3H - -	3,221	41,652	31	14	2	5	-	-	-	1	-	-	-	-	-	2	-
2	Kingston 2W,H - -	6,224	42,068	27	9	1	4	-	-	-	-	-	-	-	-	1	2	-
3	Surbiton F,H - - -	3,046	15,017	12	4	1	3	-	-	-	1	-	-	-	-	-	1	-
4	Esher, *part of** H -	5,402	13,100	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L - - -	4,584	23,456	17	4	-	4	-	-	-	-	-	-	-	-	-	-	-
0 : 1	Richmond W,H - - -	2,182	28,865	15	3	2	-	-	-	-	1	-	-	-	-	-	-	-
2	Mortlake F - - -	2,847	20,628	9	5	1	3	-	-	-	-	-	-	-	-	-	-	-
: 1	Bromley F,2H - - -	4,703	27,354	14	4	2	-	-	-	-	-	1	-	-	-	1	-	-
2	Beckenham H - - -	7,825	28,497	13	4	2	2	-	-	-	-	-	-	-	-	1	-	-
3	Orpington *part of** W -	10,113	9,857	3	3	-	2	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H - - -	7,333	16,446	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-
: 1	Bexley w F,H - - -	8,678	21,151	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - -	3,854	25,296	18	7	1	1	-	-	-	-	-	-	1	2	3	2	-
3	Dartford W,F, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
: 1	Sunbury w - - - -	11,054	18,683	8	3	-	2	-	-	-	-	-	-	-	1	-	-	1
2	Staines W,H - - -	13,277	15,178	13	5	1	3	-	-	-	-	-	-	1	-	-	2	-
: 1	Hillingdon W,F,H - -	6,035	13,661	6	5	2	-	-	-	1	-	-	-	-	-	-	1	1
2	Uxbridge H - - -	12,757	8,984	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2F,H - - -	8,066	16,358	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-
: 1	Isleworth 3W,2F,H - -	6,859	30,863	30	8	1	5	-	-	-	-	-	-	-	-	-	4	-
2	Twickenham F,H - -	2,421	20,991	18	6	2	2	-	-	-	-	-	-	-	1	-	-	-
3	Brentford 3F,2H- - -	4,319	48,289	24	11	2	6	-	1	-	-	-	-	1	1	1	-	-
4	Chiswick H- - - -	1,249	29,809	13	6	1	2	-	-	-	2	-	-	-	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	34	8	2	4	-	-	-	-	-	-	-	-	-	1	-
: 1	Harrow F,H - - -	13,809	25,523	18	4	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H - - -	6,994	4,521	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	73	37	9	16	-	-	-	1	1	-	1	1	2	6	-
4	Hendon W,F - - -	8,382	22,450	20	6	2	2	-	-	-	-	-	-	-	-	-	2	-
: 1	South Mimms 2F,H - -	17,755	7,308	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Barnet W,2H - - -	3,324	17,970	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	33,692	21	5	2	2	-	-	-	-	-	-	-	-	1	1	-
: 1	Hornsey F,H - - -	2,875	72,056	28	11	3	3	-	-	-	2	-	-	-	-	1	2	-
2	Wood Green H - - -	1,625	34,233	19	4	-	2	-	-	-	-	-	-	-	-	-	1	-
3	West Tottenham F - -	996	48,853	23	10	5	3	-	-	-	-	-	-	-	-	2	-	-
4	East Tottenham 2H - -	2,017	53,688	42	21	1	6	-	-	-	-	1	-	-	-	-	4	-
5	Edmonton W,w,2F - -	7,491	61,892	48	15	1	6	-	-	-	2	-	-	-	-	1	7	-
6	Enfield 2W,F,H - - -	12,601	42,738	27	8	1	1	-	-	-	3	-	-	-	1	1	1	-
7	Waltham Abbey F - -	11,017	6,549	5	5	2	2	-	-	-	-	-	-	-	-	1	-	-
8	Cheshunt F,H - - -	8,479	12,292	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-
: 1	Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
: 1	Bushey H - - - -	9,333	9,173	5	5	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford H - - -	1,072	44,827	24	13	2	5	-	-	-	-	-	-	-	-	-	2	-
2	Plaistow F,2H - - -	1,249	90,921	49	27	4	7	-	-	1	6	-	1	-	1	1	7	-
3	Canning Town H - -	1,556	70,718	55	25	11	2	-	2	-	-	-	-	-	2	3	-	-
4	Forest Gate w - - -	806	60,892	24	9	1	4	-	-	-	-	-	-	-	-	-	-	-
5	North East Ham w H -	1,333	58,676	36	15	-	6	-	1	1	-	-	-	1	2	2	1	-
6	South East Ham 2F - -	1,993	37,342	25	14	4	2	-	-	-	-	1	-	1	-	-	-	-
7	Wanstead F - - -	1,679	9,179	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	34	22	4	9	-	1	3	1	-	-	-	-	-	13	-
9	North Leyton 2W,w,F -	1,963	48,445	50	29	6	9	-	-	-	-	1	-	-	4	6	18	-
10	Walthamstow 3H,L - -	6,504	108,929	67	34	5	7	-	-	1	1	1	-	-	1	3	1	-
: 1	Chigwell 2F,3H - - -	11,778	16,397	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
: 1	Romford, *part of** W,2F -	6,556	6,091	2	4	-	1	-	-	-	-	-	2	-	1	1	3	-
2	Ilford F,L - - - -	8,496	41,234	33	13	3	4	-	-	1	-	-	1	-	1	1	3	-
3	Barking Town F - -	3,803	21,547	10	5	1	3	-	-	-	-	-	-	-	-	-	-	-
	Western Hosp., Fulham -	—	—	-	2	-	-	-	-	-	1	-	-	-	-	-	2	-
	N.E. Hospital, Tottenham -	—	—	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
	London County Asylum, Banstead.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Asylum, Claybury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ng are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher rish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham rish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2, and 187 : 2 e also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœa
LONDON - -	4,721,217	December 1	2345	1406	15·5	-	21	12	20	13	7	2
CALCUTTA - -	977,822	October 27	-	483	29·6	3	-	-	-	-	141†	7
BOMBAY - -	982,000	November 13	420	610	40·9	-	1	-	-	1	86†	6
MADRAS - -	509,346	" 2	381	476	48·5	2	2	?	?	?	122	8
PARIS - - -	2,750,000	" 24	901	895	17·4	-	-	2	4	1	9	3
BRUSSELS - -	612,401	" 24	216	176	14·9	-	4	5	1	1	5	1
ANTWERP - -	297,311	" 24	162	68	11·9	1	-	-	2	-	1	
AMSTERDAM -	560,482	" 17	255	165	15·3	-	3	2	3	4	3	
COPENHAGEN -	425,000	" 24	249	116	14·2	-	-	-	1	1	-	
STOCKHOLM -	324,488	" 17	175	68	10·9	-	-	-	1	1	-	
CHRISTIANIA -	222,373	" 24	139	59	13·8	-	-	1	8	2	-	
ST. PETERSBURG	1,424,700	" 17	-	674	24·7	-	13	21	39	12	33	5
MOSCOW - -	1,154,000	" 10	-	572	25·8	-	8	6	11	4	13	5
BERLIN - -	2,080,304	" 10	909	587	14·7	-	2	5	8	4	6	4
HAMBURG - -	819,380	" 24	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	475,000	" 17	-	192	21·1	-	4	-	2	3	-	1
MUNICH - -	544,000	" 24	-	188	18·1	-	-	-	2	1	1	2
VIENNA - -	1,956,949	" 24	923	625	16·6	-	8	2	6	2	-	2
PRAGUE - -	460,849	" 17	168	141	15·7	-	6	-	-	-	1	1
BUDA-PESTH -	859,134	" 17	443	248	16·3	-	2	4	6	1	1	
TRIESTE - -	196,637	" 24	108	90	23·0	-	-	-	1	1	-	
ROME - -	531,179	October 6	246	185	18·2	-	-	-	-	3	5§	1
VENICE - -	171,709	" 27	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	November 24	177	110	19·7	-	-	1	3	-	3	
NEW YORK -	4,152,860	" 17	2246	1363	17·1	-	3	5	36	8	14	
CHICAGO - -	2,049,185	" 17	-	584	14·9	-	1	16	19	9	12	
PHILADELPHIA -	1,469,126	" 3	-	-	-	-	-	-	-	-	-	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	November 4	-	-	-	-	-	-	-	-	-	

* Excluding deaths from croup in the Indian Cities.
† Including 10 deaths from plague in Calcutta, and 16 in Bombay.
‡ Including 28 deaths from cholera in Calcutta, 3 in Bombay, and 1 in Madras.
§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 1st December, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	56·0	33·8	46·7	0·09	BRADFORD - -	56·4	37·6	49·5	0·80
BRIGHTON - -	57·8	38·3	49·4	0·14	LEEDS - - -	57·0	36·0	47·7	0·38
PORTSMOUTH - -	60·2	39·0	49·4	0·17	HULL - - -	58·0	32·0	46·9	0·16
NORWICH - -	56·8	36·8	46·7	0·35	TYNEMOUTH - -	58·0	37·0	48·0	0·10
PLYMOUTH - -	54·8	42·3	49·5	0·13	CARDIFF - -	54·9	38·2	48·5	0·67
BRISTOL - - -	55·0	39·0	48·6	0·27	EDINBURGH - -	56·3	35·4	48·9	0·46
BIRMINGHAM - -	55·6	37·3	46·5	0·20	GLASGOW - -	56·2	32·0	47·8	1·53
NOTTINGHAM - -	56·5	38·1	47·0	0·14	DUBLIN Phœnix Park.	59·0	33·9	49·1	0·33
LIVERPOOL OBSERVATORY.	57·0	40·0	47·8	0·42	DUBLIN Fitzwilliam Square.†	61·2	35·8	50·6	0·23
MANCHESTER -	54·8	33·3	46·2	1·19					
PRESTON - -	56·0	37·0	47·5	1·22					
HUDDERSFIELD -	56·0	34·5	46·4	1·36	BELFAST - -	58·0	37·0	50·2	0·71

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. Th correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to th above was 0°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 1st December, 1906.

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit)	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. General Direction. P.M.	Pressure on the Square Foot. Greatest.	Pressure. Least.	Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY	25	..	30·360	50·0	44·0	6·0	47·6	+ 5·6	45·1	2·5	4·4	0·0	91	56·2	43·5	49·89	SW. & WSW.	WSW., W. & SW.	0·6	0·0	0·0	212	− 85	0·00	0·0
MONDAY	26	In Equator.	30·247	50·0	40·0	10·0	43·7	+ 1·8	43·3	0·4	2·9	0·0	98	48·3	40·0	50·08	SW.	SW. & WSW.	2·4	0·0	0·1	265	− 31	0·00	0·0
TUESDAY	27	..	29·923	56·0	42·9	13·1	50·3	+ 8·7	42·9	7·4	12·0	1·6	76	70·4	33·8	50·14	WSW., SW. & W.	NNW., NW. & W	4·9	0·0	0·7	449	+153	0·01	0·0
WEDNESDAY	28	..	30·022	52·4	39·1	13·3	48·0	+ 6·7	44·8	3·2	5·3	1·9	89	57·2	30·4	50·17	WSW. & SW.	WSW. & SW.	3·4	0·0	0·2	326	+ 29	0·00	1·0
THURSDAY	29	..	29·965	55·0	49·9	5·1	53·2	+12·2	48·6	4·6	5·8	3·8	84	59·9	46·9	50·14	WSW. & SW.	WSW. & SW.	8·2	0·0	0·9	553	+255	0·00	3·0
FRIDAY	30	Full	29·690	55·0	40·2	14·8	47·4	+ 6·7	41·1	6·3	9·9	0·8	79	55·7	33·3	50·20	SW., WSW. & NW.	NNW., NW. & W.	16·0	0·0	1·1	542	+243	0·08	0·0
DECEMBER. SATURDAY	1	Apogee	29·933	44·8	33·8	11·0	40·8	+ 0·2	31·5	9·3	12·5	2·2	69	64·3	25·6	50·30	W., NW. & NNW.	NNW. & SW.	13·0	0·0	1·0	463	+163	0·00	0·5
MEANS			30·020	51·9	41·4	10·5	47·3	+ 6·0	42·5	4·8	7·5	1·5	84	58·9	36·2	50·13	SW. & NNW.		..	..	..	Sum 2810	Sum +727	Sum 0·09	0·6
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
NOVEMBER.					
SUNDAY	25	w. P. throughout.	0·0	8·4	Overcast; slight fog prevalent after noon.
MONDAY	26	w. P. throughout.	0·0	8·3	Generally overcast; slight fog prevalent till afternoon.
TUESDAY	27	w. P. throughout.	1·9	8·3	Overcast with rain and brisk wind in morning; fine but cloudy after 11h. A.M.; very mild.
WEDNESDAY	28	w. P. throughout.	0·8	8·3	Very fine in early morning; generally overcast after 5h. A.M. with fine bright interval in afternoon; mild.
THURSDAY	29	w. P. throughout.	0·0	8·2	Generally overcast; a little misty rain in afternoon; brisk wind at night; very mild.
FRIDAY	30	w. P. till 1h. P.M.; w. P. and w. N. till 2h. P.M; m. P. afterwards.	0·0	8·2	Generally overcast; strong gusty wind prevalent till 8h. A.M., followed by occasional slight rain till afternoon. Lunar halo at night.
DECEMBER. SATURDAY	1	m. P. generally till 9h. A.M.; s. P. till 10h. P.M.; m. P. afterwards.	5·4	8·2	Very fine generally; strong gusty wind prevalent till afternoon; hoar frost and lunar halo at night.
			Sum 8·1	Sum 57·9	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·38 in. at the beginning of the week to 29·86 in. by 7h. A.M. on Nov. 27th; increased to 30·06 in. by 3h. A.M. on Nov. 28th: decreased to 29·66 in. by 4h. P.M. on Nov. 30th; and increased to 30·16 in. by midnight on Dec. 1st.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 24th November, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	34	7	-	1	-	-	2	-
Kensington	180,952	-	13	8	-	-	-	-	5	-
Hammersmith	120,679	-	18	8	-	3	-	-	5	-
Fulham	161,965	-	33	13	-	1	-	-	2	1
Chelsea	74,672	-	8	12	-	-	-	-	-	-
City of Westminster	173,905	-	17	4	-	1	-	-	3	-
NORTH.										
St. Marylebone	128,580	-	6	1	-	1	-	-	3	-
Hampstead	89,633	-	5	6	-	-	-	-	1	-
St. Pancras	236,455	-	14	6	-	3	-	-	9	-
Islington	344,987	-	34	9	-	1	-	-	8	1
Stoke Newington	53,217	-	3	1	-	-	-	-	-	-
Hackney	230,721	-	20	12	-	1	-	-	8	1
CENTRAL.										
Holborn	55,805	-	3	8	-	1	-	-	2	-
Finsbury	97,466	-	9	4	-	-	-	-	4	-
City of London	21,367	-	1	-	-	-	-	-	1	-
EAST										
Shoreditch	116,108	-	11	1	-	2	-	-	3	-
Bethnal Green	130,609	-	25	6	-	1	-	-	13	1
Stepney	307,176	-	20	9	-	4	-	-	10	-
Poplar	170,673	-	8	3	-	1	-	-	2	-
SOUTH.										
Southwark	209,143	-	24	12	-	6	-	-	7	-
Bermondsey	128,629	-	31	6	-	2	-	-	2	-
Lambeth	315,774	-	27	9	-	4	-	-	7	-
Battersea	179,622	-	34	1	-	1	-	-	5	1
Wandsworth	273,381	-	20	19	-	4	-	-	10	-
Camberwell	274,132	-	29	13	-	4	-	-	7	-
Deptford	115,495	-	9	17	-	1	-	-	4	-
Greenwich	105,350	-	22	7	-	1	-	-	3	-
Lewisham	148,463	-	23	4	-	1	-	-	1	1
Woolwich	127,345	-	20	14	-	2	-	-	2	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	521	220	-	47	-	-	129	7
Ages 0-1		-	3	5	-	-	-	-	7	-
" 1-5		-	165	73	-	2	-	-	4	-
" 5-		-	226	78	-	1	-	-	1	-
" 10-		-	74	27	-	11	-	-	3	-
" 15-		-	26	11	-	4	-	-	10	-
" 20-		-	10	8	-	4	-	-	2	2
" 25-		-	14	14	-	14	-	-	24	4
" 35-		-	3	4	-	9	-	-	22	1
" 45-		-	-	-	-	2	-	-	28	-
" 55-		-	-	-	-	-	-	-	15	-
" 65 and upwards		-	-	-	-	-	-	-	13	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 49. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, DEC. 8. [Price 1½*d*.

General Register Office, Somerset House,
December 10th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·8 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 15·4, 16·3, and 15·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·1 in Oldham, 21·6 in Sunderland, 21·7 in Norwich, 22·0 in South Shields, 22·1 in Bootle, 24·4 in Wigan, 25·6 in Rotherham, and 28·1 in Newport (Mon.); from *measles*, 2·1 in Newport (Mon.), 2·4 in Smethwick, 2·6 in Rotherham, 3·8 in Warrington, 4·0 in Bootle, 4·4 in Oldham, and 5·1 in South Shields; from *diphtheria*, 1·3 in Southampton and in Reading; from *whooping-cough*, 1·2 in East Ham and 1·6 in Swansea; from "*fever*," 2·3 in West Bromwich; and from *diarrhœa*, 1·0 in Stockport, in Halifax, and in Middlesbrough. Two deaths from *small-pox* were registered in Hull and 1 in Devonport, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2338 BIRTHS and 1482 DEATHS were registered. Allowing for increase of population, the births were 37 and the deaths 110 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 15·4, 16·0, and 15·5 per 1000 in the preceding three weeks rose last week to 16·4. The death-rate in the four weeks ended last Saturday averaged 15·8 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 12/06 D & S 3 26709 3 C

The 1482 deaths included 21 from measles, 12 from scarlet fever, 20 from diphtheria, 18 from whooping-cough, 7 from enteric fever, and 15 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 93 deaths were referred to these diseases in the aggregate, being 24 below the corrected average number in the 49th week of the preceding four years.

The deaths from *measles*, which had been 10, 26, and 21 in the preceding three weeks, were again 21 last week, but were 14 below the corrected average; 10 deaths belonged to the Borough of Stepney, and 3 to Bethnal Green. The deaths from *scarlet fever*, which had been 5, 8, and 12 in the preceding three weeks, were again 12 last week, and were 5 above the corrected average. The deaths from *diphtheria*, which had been 16, 14, and 20 in the preceding three weeks, were again 20 last week, the corrected average being 19. The deaths from *whooping-cough*, which had been 10, 5, and 13 in the preceding three weeks, rose to 18 last week, but were 10 below the corrected average; 4 deaths belonged to Islington and 3 to Southwark. The fatal cases of *enteric fever*, which had been 8, 3, and 7 in the preceding three weeks, were again 7 last week, and were 3 below the corrected average. The deaths from *diarrhœa*, which had been 29, 24, and 20 in the preceding three weeks, further fell to 15 last week, and were 3 below the corrected average; 3 deaths belonged to Fulham. Of the 15 deaths from diarrhœa, 8 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 other deaths at this age. The deaths attributed directly to *influenza* numbered 37, having been 14, 21, and 43 in the preceding three weeks. The death of a painter, aged 38 years, was certified after inquest to have been accelerated by *lead poisoning*.

Different forms of *violence* caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 13 were cases of suicide, while the remaining 46 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 7 to burns or scalds, 2 to drowning, and 10 (including 9 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4062 cases of scarlet fever, 1033 of diphtheria, and 168 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 419 cases, against 462, 467, and 401; of diphtheria, 134 cases, against 165, 161, and 135; and of enteric fever, 23 cases, against 21, 24, and 30. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended December 1st, 1906.

Greater London.

In Greater London 3628 births and 2017 deaths were registered. Allowing for increase of population, these numbers are 1 and 227 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 5 from diphtheria, 3 from whooping-cough, 2 from "fever," and 7 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·83 inches, and that of the Thermometer 43°·8, the latter being 2°·8 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 42 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 12·4 hours; the measured rainfall amounted to 0·29 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the WEEK ended Saturday, 8th December, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 17th Nov., 1906.	24th Nov., 1906.	1st Dec., 1906.	8th Dec., 1906.	Rate from Diseases in Cols. 11-17. Week ended 8th Dec., 1906.	Registered during the Week ended 8th Dec., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**15,818,360**	**15·4**	**16·3**	**15·8**	**15·8**	**1·3**	**8063**	**4779**	**943**	**1381**	**3**	**121**	**40**	**82**	**54**	**37**	**62**	**174**	**376**	**1267**	**47**	**76 TOWNS.**
LONDON	4,721,217	15·4	16·0	15·5	16·4	1·0	2338	1482	270	472	-	21	12	20	18	7	15	59	137	588	4	LONDON.
† CROYDON	151,011	14·8	13·8	15·9	12·8	1·4	69	37	8	13	-	-	-	3	-	-	1	-	3	14	-	CROYDON.
† WILLESDEN	143,622	10·9	12·3	13·4	11·3	-	71	31	4	9	-	-	-	-	-	-	-	2	2	6	-	WILLESDEN.
† HORNSEY	86,935	4·2	5·4	6·0	9·6	0·6	36	16	2	6	-	-	-	-	-	1	-	1	1	2	-	HORNSEY.
† TOTTENHAM	119,503	12·2	11·3	14·8	14·0	1·7	71	32	7	9	-	-	1	-	-	2	1	-	5	6	-	TOTTENHAM.
† WEST HAM	301,617	12·6	17·6	15·6	15·0	1·9	166	87	27	16	-	1	2	2	2	1	3	3	13	15	-	WEST HAM.
† EAST HAM	129,886	6·4	9·6	12·8	10·8	2·0	68	27	6	4	-	1	-	1	3	-	-	-	3	-	-	EAST HAM.
† LEYTON	118,287	7·9	15·9	11·9	12·3	0·4	52	28	6	10	-	-	-	-	-	-	1	-	1	4	-	LEYTON.
† WALTHAMSTOW	121,334	12·9	10·3	14·2	13·8	0·9	62	32	6	7	-	-	-	1	-	1	-	3	3	12	-	WALTHAMSTOW.
HASTINGS	67,144	10·1	12·4	9·3	11·6	-	24	15	-	10	-	-	-	-	-	-	-	-	1	1	-	HASTINGS.
BRIGHTON	128,095	11·4	15·5	14·2	12·6	0·4	62	31	6	11	-	-	-	1	-	-	-	1	2	13	-	BRIGHTON.
PORTSMOUTH	205,118	15·8	11·2	10·4	13·5	0·8	120	53	11	23	-	-	-	2	1	-	-	2	6	13	-	PORTSMOUTH.
BOURNEMOUTH	67,702	9·2	20·0	13·1	14·6	0·8	26	19	2	7	-	1	-	-	-	-	-	-	-	1	-	BOURNEMOUTH.
SOUTHAMPTON	117,312	9·8	10·7	13·8	9·3	1·3	59	21	2	7	-	-	-	3	-	-	-	-	-	6	-	SOUTHAMPTON.
READING	78,987	9·2	15·8	15·2	9·2	1·3	44	14	2	5	-	-	-	2	-	-	-	-	-	1	-	READING.
NORTHAMPTON	93,749	10·0	10·0	5·0	12·8	1·1	37	23	7	10	-	-	-	-	1	1	-	1	2	2	2	NORTHAMPTON.
IPSWICH	71,809	11·6	8·7	16·7	9·4	-	32	13	2	7	-	-	-	-	-	-	-	-	2	3	-	IPSWICH.
GREAT YARMOUTH	52,613	25·8	19·8	10·9	20·8	-	33	21	2	8	-	-	-	-	-	-	-	1	-	1	-	GREAT YARMOUTH.
NORWICH	117,958	13·3	24·8	17·2	21·7	1·8	59	49	9	18	-	2	-	2	-	-	-	1	3	14	1	NORWICH.
PLYMOUTH	118,014	19·9	18·1	17·7	14·1	0·9	63	32	8	7	-	2	-	-	-	-	-	1	4	6	-	PLYMOUTH.
DEVONPORT	78,405	18·6	20·0	8·0	10·6	0·7	44	16	3	9	1	-	-	-	-	-	-	-	1	3	-	DEVONPORT.
BRISTOL	363,223	15·8	18·8	15·4	13·4	-	158	93	13	30	-	-	-	-	-	-	-	6	12	16	-	BRISTOL.
HANLEY	66,300	17·3	12·6	16·5	14·9	3·1	39	19	4	4	-	-	-	1	1	1	1	-	-	3	1	HANLEY.
BURTON-ON-TRENT	52,922	6·9	8·9	12·8	9·9	-	9	10	2	3	-	-	-	-	-	-	-	-	-	3	-	BURTON-ON-TRENT.
WOLVERHAMPTON	100,729	12·4	11·4	8·3	17·1	1·0	59	33	5	12	-	-	-	2	-	-	-	-	-	9	-	WOLVERHAMPTON.
WALSALL	94,577	16·5	13·2	11·0	7·7	0·6	49	14	3	2	-	-	-	-	-	1	-	-	1	2	-	WALSALL.
HANDSWORTH	63,819	10·6	13·1	9·0	19·6	-	23	24	2	13	-	-	-	-	-	-	-	-	1	1	1	HANDSWORTH
WEST BROMWICH	68,469	9·1	15·2	13·7	19·0	3·0	44	25	8	3	-	1	-	-	-	3	-	1	1	4	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 8th December, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 17th Nov., 1906.	24th Nov., 1906.	1st Dec., 1906.	8th Dec. 1906.	Rate from Diseases in Cols. 11-17. Week ended 8th Dec., 1906.	Registered during the Week ended 8th Dec. 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM	548,022	13·8	17·4	16·3	14·7	1·2	283	155	36	42	-	2	1	2	2	2	4	12	13	40	6	BIRMINGHAM.
KINGS NORTON	72,608	4·3	5·0	11·5	7·2	0·7	33	10	2	4	-	-	-	-	-	-	1	-	-	-	1	KINGS NORTON.
SMETHWICK	64,531	13·7	17·0	16·2	14·5	2·4	43	18	6	3	-	3	-	-	-	-	-	-	-	1	1	SMETHWICK.
ASTON MANOR	82,288	17·7	11·4	12·7	12·7	1·3	39	20	5	8	-	1	-	1	-	-	-	-	-	2	-	ASTON MANOR.
COVENTRY	76,374	9·6	15·7	8·2	13·0	1·4	46	19	7	7	-	-	1	1	-	-	-	1	2	4	-	COVENTRY.
LEICESTER	232,111	11·2	11·9	13·7	12·8	2·2	83	57	10	12	-	4	2	-	-	3	1	1	3	10	2	LEICESTER.
GRIMSBY	69,359	9·8	14·3	13·5	12·0	1·5	33	16	5	3	-	1	-	1	-	-	-	2	4	2	-	GRIMSBY.
NOTTINGHAM	254,563	15·4	12·3	16·2	15·2	0·4	115	74	15	27	-	-	-	2	-	-	-	3	5	19	1	NOTTINGHAM.
DERBY	123,981	20·6	23·6	14·3	15·6	0·8	65	37	6	12	-	-	-	1	1	-	-	2	3	6	-	DERBY.
STOCKPORT	99,646	18·8	18·3	14·7	18·3	1·6	53	35	6	8	-	1	-	-	-	-	2	-	3	3	-	STOCKPORT.
BIRKENHEAD	117,292	16·0	16·4	16·4	15·1	0·4	71	34	7	11	-	-	-	-	-	-	1	-	3	8	-	BIRKENHEAD.
WALLASEY	64,578	19·4	17·8	11·3	17·8	-	36	22	3	9	-	-	-	-	-	-	-	-	1	3	-	WALLASEY.
LIVERPOOL	739,180	19·2	18·1	18·3	16·6	1·6	444	236	45	61	-	11	-	2	3	1	5	9	16	82	6	LIVERPOOL.
BOOTLE	65,989	20·5	22·9	22·1	22·1	4·7	41	28	7	5	-	5	-	-	1	-	-	-	1	7	-	BOOTLE.
ST. HELENS	91,153	13·7	15·4	18·3	20·0	1·1	67	35	13	9	-	1	-	1	-	-	-	-	-	6	3	ST. HELENS.
WIGAN	87,588	19·6	25·6	18·5	24·4	1·8	59	41	10	7	-	-	1	-	1	1	-	-	1	11	-	WIGAN.
WARRINGTON	69,280	22·6	15·1	14·3	19·6	4·5	34	26	3	4	-	5	-	-	-	1	-	1	1	7	2	WARRINGTON.
BOLTON	180,502	9·5	15·9	13·9	14·2	0·3	103	49	10	14	-	-	-	-	-	-	1	2	3	6	-	BOLTON.
BURY	58,744	17·8	15·1	19·5	16·0	-	25	18	3	6	-	-	-	-	-	-	-	-	1	3	-	BURY.
MANCHESTER	637,126	19·0	19·2	21·1	20·7	2·5	346	253	48	59	-	5	11	7	-	4	4	7	16	68	3	MANCHESTER.
SALFORD	234,077	21·2	15·8	22·3	19·2	1·8	127	86	17	22	-	4	1	-	2	-	1	6	8	25	-	SALFORD.
OLDHAM	140,969	20·0	23·3	20·0	21·1	6·3	64	57	7	15	-	12	2	1	-	-	2	1	4	9	-	OLDHAM.
ROCHDALE	87,189	16·1	13·8	22·7	19·7	1·2	30	33	3	11	-	-	-	1	-	-	1	-	1	4	3	ROCHDALE.
BURNLEY	102,808	22·8	24·3	19·3	16·2	1·0	60	32	7	10	-	2	-	-	-	-	-	2	4	5	-	BURNLEY.
BLACKBURN	134,015	14·0	20·6	17·1	10·1	0·8	53	26	5	11	-	-	-	1	1	-	-	-	-	8	-	BLACKBURN.
PRESTON	116,399	20·2	20·2	15·7	19·3	2·7	54	43	15	9	-	3	-	-	2	-	1	3	4	2	-	PRESTON.
BARROW-IN-FURNESS.	60,967	13·7	11·1	14·5	14·5	-	32	17	3	2	-	-	-	-	-	-	-	-	-	2	2	BARROW-IN-FURNESS.

TABLE 1 (*contd.*).—78 GREAT TOWNS, GREATER LONDON, AND FOUR SCOTTISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 8th December, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 17th Nov., 1906.	24th Nov., 1906.	1st Dec., 1906.	8th Dec., 1906.	Rate from Diseases in Cols. 11-17. Week ended 8th Dec., 1906.	Registered during the Week ended 8th Dec., 1906. Births.	Deaths.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	19·2	20·9	14·8	17·0	0·5	41	31	2	13	-	-	-	-	1	-	-	2	3	5	-	HUDDERSFIELD.
HALIFAX - - -	109,272	15·7	11·9	16·7	19·6	1·9	41	41	5	19	-	-	-	2	-	-	2	1	3	5	-	HALIFAX.
BRADFORD - -	288,544	16·4	16·1	13·4	12·6	0·7	89	70	7	19	-	-	-	1	-	1	2	6	10	23	-	BRADFORD.
LEEDS - - -	463,495	11·7	14·8	14·7	12·3	0·8	195	109	21	29	-	1	-	3	1	1	1	3	9	25	-	LEEDS.
SHEFFIELD - -	447,951	17·0	19·4	17·2	16·3	1·4	262	140	40	33	-	4	4	1	2	-	1	6	9	24	2	SHEFFIELD.
ROTHERHAM - -	61,098	23·9	18·8	11·1	25·6	4·3	46	30	9	4	-	3	-	-	1	1	-	3	3	4	1	ROTHERHAM.
YORK - - -	83,467	11·9	14·4	15·0	10·0	-	38	16	2	7	-	-	-	-	-	-	-	1	1	2	-	YORK.
HULL - - -	262,426	14·7	17·9	15·7	17·5	3·0	129	88	19	19	2	8	1	3	-	1	-	2	4	14	-	HULL.
MIDDLESBROUGH -	100,069	19·8	20·8	18·8	19·3	2·6	68	37	6	9	-	-	-	-	2	1	2	-	2	8	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	19·8	12·9	18·8	13·9	1·0	28	14	5	5	-	-	-	-	1	-	-	-	2	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	12·1	12·8	15·6	12·1	0·7	57	17	2	5	-	-	-	1	-	-	-	1	1	3	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	18·6	20·9	17·9	21·6	2·0	94	64	17	10	-	1	-	3	-	1	1	4	4	11	3	SUNDERLAND.
SOUTH SHIELDS -	111,402	24·3	26·7	21·1	22·0	5·6	63	47	12	9	-	11	-	-	-	-	1	1	1	3	1	SOUTH SHIELDS.
GATESHEAD - -	123,191	16·5	16·1	13·5	11·9	1·3	65	28	7	5	-	-	-	2	-	-	1	2	4	1	1	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	15·7	16·9	18·6	18·0	1·9	147	93	18	20	-	1	-	4	3	-	2	1	6	16	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	20·2	13·5	26·0	11·6	1·0	37	12	2	1	-	-	-	1	-	-	-	-	1	2	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	15·5	21·1	20·4	28·1	2·8	35	40	7	18	-	3	-	-	-	-	1	2	3	10	-	NEWPORT (MON.).
CARDIFF - - -	183,823	10·8	13·9	15·0	13·9	0·3	79	49	9	13	-	-	-	-	1	-	-	4	6	12	-	CARDIFF.
RHONDDA - - -	127,684	15·1	13·9	12·3	11·4	0·8	82	28	8	9	-	-	1	-	-	1	-	1	1	1	-	RHONDDA.
MERTHYR TYDFIL -	74,961	22·3	18·1	20·2	13·9	0·7	58	20	9	1	-	-	-	-	-	-	1	-	2	2	-	MERTHYR TYDFIL.
SWANSEA - - -	96,848	19·4	12·9	26·9	16·7	2·2	53	31	5	7	-	-	-	-	3	-	1	-	-	3	-	SWANSEA.
GREATER LONDON -	7,113,561	13·7	14·7	14·5	14·8	1·0	3628	2017	390	628	-	24	15	32	26	14	28	80	189	685	5	GREATER LONDON.
OUTER RING - -	2,392,344	10·4	12·0	12·4	11·7	1·0	1290	535	129	156	-	3	3	12	8	7	13	21	52	97	1	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	10·9	13·1	13·7	12·9	1·2	595	290	66	74	-	2	3	7	5	5	6	9	31	59	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	9·8	10·9	11·0	10·5	0·8	695	245	54	82	-	1	-	5	3	2	7	12	21	38	1	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	15·3	20·9	14·2	15·9	0·6	139	104	17	46	-	1	1	-	-	-	2	4	?	28	4	EDINBURGH.
GLASGOW - - -	835,625	16·6	19·3	17·0	18·8	1·9	421	301	65	67	-	-	2	3	12	2‡	12	15	?	88	8	GLASGOW.
DUBLIN† - - -	378,994	25·6	23·8	23·8	22·4	1·2	189	163	33	41	-	2	-	-	5	-	2	1	3	69	7	DUBLIN.†
BELFAST† - - -	366,220§	20·6	17·8	18·2	19·8	2·7	185	139	21	35	-	5	1	3	1	6	3	2	4	34	-	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ In addition to the above, 5 deaths from Cerebro-spinal meningitis were registered in Glasgow.

§ Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-NINTH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2419	2489	2577	2339	2299	2374	2225	2448	2185	2462	2375·0	2338
Males - - -	1268	1244	1303	1217	1156	1250	1144	1245	1107	1310	1224·7	1215
Females - -	1151	1245	1271	1122	1143	1124	1081	1203	1078	1152	1150·3	1123
TOTAL **Deaths** -	1604	1866	1447	1957	1544	1698	1506	1669	1613	1460	1592·2	1482
Males - -	833	950	755	1012	810	859	776	878	837	760	828.5	748
Females - -	771	916	692	945	734	839	730	791	776	700	763·7	734

* The numbers in this column are the average weekly numbers in the forty-ninth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 15	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	13 Weeks.
TOTAL **Births** -	2319	2260	2374	2251	2355	2411	2474	2304	2220	2390	2532	2345	2338	30573
TOTAL **Deaths** -	1589	1548	1422	1404	1295	1232	1209	1272	1328	1391	1453	1406	1482	18031
Ages at Death: Under 1 year -	631	544	426	341	280	277	276	246	267	214	284	251	270	4337
1—5 years -	207	171	150	146	125	128	111	137	138	113	161	132	151	1870
5—20 ,, -	60	63	85	73	73	58	69	82	73	67	73	85	85	946
20—40 ,, -	151	154	179	165	156	150	162	176	170	204	184	190	166	2207
40—60 ,, -	248	255	249	293	279	270	266	273	286	315	288	286	338	3646
60 yrs. & upwds.	292	361	333	386	382	349	325	358	394	448	463	462	472	5025
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	7	9	8	6	2	5	9	15	19	10	26	21	21	158
Scarlet Fever - -	4	7	10	12	19	9	15	11	17	5	8	12	12	141
Diphtheria - -	10	18	13	12	14	11	16	23	11	16	14	20	20	198
Whooping-cough -	22	20	13	11	12	13	5	5	7	10	5	13	18	154
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	8	12	11	17	8	11	5	6	8	3	7	7	106
Pyrexia (origin uncertain).	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	455	340	207	135	93	78	55	47	44	29	24	20	15	1542
All above Diseases -	501	402	263	188	157	124	111	106	104	78	80	93	93	2300
Dis. of Resp. System	35	74	51	90	84	64	69	99	113	158	156	177	169	1339
Pneumonia - -	70	75	83	98	93	82	81	101	119	130	156	135	176	1399
Phthisis - - -	128	104	147	139	120	132	129	150	133	177	129	131	134	1753
Dis. of Circ. System -	164	144	147	176	171	169	174	183	167	214	188	170	184	2251
Violence - - -	56	41	68	48	53	50	44	51	70	53	62	56	59	711
Inquest Cases - -	130	117	127	131	115	140	103	121	163	141	133	128	137	1686
Deaths in Institutions	537	552	552	551	550	490	480	547	555	546	545	533	588	7026
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	57·6	55·8	52·0	58·4	57·6	41·2	53·0	46·8	47·3	43·0	46·2	47·3	43·8	50·0
Mean of Highest -	69·1	63·2	63·1	66·5	65·5	59·4	61·7	53·0	52·3	49·2	50·8	51·9	49·5	58·1
Mean of Lowest -	48·0	50·5	41·5	51·2	51·2	43·5	45·4	40·9	42·3	36·3	39·8	41·4	37·2	43·8
Mean Humidity of the Air.	70	80	77	83	82	81	82	88	89	85	89	84	80	82
Rain-fall (in inches) -	0·74	0·38	0·00	0·69	0·63	0·21	0·07	1·59	2·62	0·90	0·38	0·09	0·29	8·59
Registered Sunshine (in hours).	48·8	22·6	41·3	31·0	35·7	31·7	30·6	10·6	14·9	10·2	12·5	8·1	12·4	310·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3075	3164	3388	3603	3803	3923	4068	4178	4135	4150	4144	4053	4062	3827
Diphtheria - -	862	846	849	907	944	982	1030	1065	1076	1105	1113	1082	1033	992
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	116	124	140	167	186	186	197	202	203	183	165	162	168	169

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. J. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. R. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

Table 4. LONDON.—Deaths Registered in the Forty-ninth Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

Causes of Death.	Corrected Average for the 49th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1592·2	1482	270	151	85	166	338	472
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	34·9	21	6	14	1	-	-	-
Scarlet Fever	7·4	12	-	6	6	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	18·9	37	2	1	5	4	6	19
Whooping-cough	27·8	18	5	13	-	-	-	-
Diphtheria	18·9	20	3	11	5	1	-	-
Cerebro Spinal Fever	-	1	-	1	-	-	-	-
Pyrexia,† (Origin uncertain)	0·3	-	-	-	-	-	-	-
Enteric Fever	10·4	7	-	1	3	2	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	6·4	5	2	2	-	-	-	1
Diarrhœa, Dysentery	11·2	10	4	-	-	-	2	4
Tetanus	0·5	1	1	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	0·5	-	-	-	-	-	-	-
Venereal Dis.	6·9	8	8	-	-	-	-	-
Puerperal Septicæmia	2·3	2	-	-	-	2	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	0·8	-	-	-	-	-	-	-
Infective Endocarditis	3·6	6	-	-	2	3	1	-
Pneumonia: Lobar	12·5	17	1	1	1	3	8	3
Pneumonia: Broncho-	91·7	81	36	31	1	1	5	7
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	77·0	78	15	7	4	11	21	20
Erysipelas	5·1	11	2	1	-	1	1	6
Septicæmia (not Puerperal)	1·0	2	2	-	-	-	-	-
Pyæmia (not Puerperal)	1·0	-	-	-	-	-	-	-
Other Infective Processes	8·4	4	-	-	1	-	2	1
Tuberculous Phthisis	76·7	83	-	3	8	28	37	7
Phthisis"	77·2	51	-	-	5	19	18	9
Tuberculous Meningitis	17·3	21	5	10	6	-	-	-
Tuberculous Peritonitis	9·7	7	1	3	2	-	1	-
Tabes Mesenterica	2·3	-	-	-	-	-	-	-
Other Tuberculous Dis.	16·8	14	1	6	1	2	3	1
Scrofula	0·3	-	-	-	-	-	-	-
Alcoholism	9·2	14	-	-	-	4	6	4
Rheumatic Fever	4·6	8	-	-	3	3	1	1
Gout	2·8	1	-	-	-	-	-	1
Cancer, Carcinoma	53·8	69	-	-	-	2	28	39
Cancer, Sarcoma	4·6	9	-	-	1	1	2	5
Cancer (undefined)	30·8	41	-	-	-	3	23	15
Diabetes Mellitus	9·7	15	-	-	1	5	4	5
Premature Birth	51·7	45	44	1	-	-	-	-

Causes of Death.	Corrected Average for the 49th week of the 4 years 1902–1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	13·0	12	3	4	3	2	-	-
Insanity, Gen. Par. of Insane	17·3	15	-	-	1	2	4	8
Epilepsy	6·4	11	-	-	2	1	5	3
Convulsions	23·7	18	13	5	-	-	-	-
Locomotor Ataxy	1·3	3	-	-	-	-	1	2
Paraplegia, Dis. of Cord	5·4	4	-	-	-	1	2	1
Nervous Sys. (other dis.)	25·0	16	1	-	-	2	5	8
Valv. Dis., Endocarditis	53·0	43	-	-	5	7	15	16
Cerebr. Hæm. Thromb.	32·4	32	-	-	-	-	8	24
Apoplexy, Hemiplegia	26·8	11	-	-	-	-	4	7
Aneurysm	3·3	5	-	-	-	1	2	2
Embolism, Thrombosis (not cerebral)	1·5	1	-	-	-	-	-	1
Heart & Blood Vessel Dis.	100·4	92	-	2	2	10	32	46
Croup (not Spasm : nor Memb.)	0·3	-	-	-	-	-	-	-
Bronchitis	200·8	139	32	5	1	4	23	74
Asthma, Emphysema	9·2	10	-	-	-	1	2	7
Pleurisy	4·3	5	-	-	-	2	2	1
Respiratory Dis. (other)	15·0	15	5	1	-	1	4	4
Tonsillitis, Quinsy	0·8	1	-	-	-	1	-	-
Enteritis (not Epid.)	12·2	12	5	3	-	1	2	1
Gastro-Enteritis	3·8	8	6	1	-	-	-	1
Peritonitis (not Puerp.)	3·3	1	-	1	-	-	-	-
Cirrhosis of Liver	11·5	14	-	-	-	1	5	8
Liver Dis. (other)	4·6	8	-	-	1	1	1	5
Digestive Dis., Other	34·2	32	4	3	5	5	11	4
Nephritis, Acute	7·9	8	-	-	-	3	5	2
Bright's Dis., Albuminuria	31·9	33	-	-	-	3	14	16
Urinary Sys., Other Dis.	11·2	14	-	1	1	-	3	9
Generative Organs Dis.	4·8	3	-	-	-	1	1	1
Childbirth (Accid. of)	5·4	4	-	-	-	4	-	-
Old Age	59·4	53	-	-	-	-	-	53
Other Diseases	88·5	81	52	9	4	5	4	7
ACCIDENT.								
By Railways	1·0	1	-	-	-	1	-	-
By Vehicles and Horses	4·3	6	-	-	2	1	-	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	-	-	-	-	-	-	-
In Building Operations	1·5	-	-	-	-	-	-	-
In Conflagrations	0·5	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	9·7	7	1	2	1	1	1	1
By Drowning	2·0	2	-	-	-	-	1	1
By Suffocation in Bed	12·0	10	9	-	-	1	-	-
By Poisons or Poisonous Vapours	3·6	3	-	1	-	-	2	-
Other Deaths by Accident	14·3	17	1	1	-	5	4	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·3	-	-	-	-	-	-	-
Suicide	7·9	13	-	-	1	3	7	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th December, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	2338	1482	270	472	–	21	12	20	18	–	7	–	15	59	137	588
WEST DISTRICTS	805,311	341	241	47	83	–	–	4	7	4	–	2	–	3	16	23	100
NORTH DISTRICTS	1,056,070	510	304	37	98	–	1	4	1	3	–	2	–	2	10	27	113
CENTRAL DISTRICTS	209,465	110	69	20	11	–	1	–	1	3	–	–	–	–	4	6	31
EAST DISTRICTS	715,739	459	276	65	69	–	15	–	2	–	–	–	–	2	12	41	127
SOUTH DISTRICTS	1,749,844	918	554	101	198	–	4	3	7	8	–	3	–	2	17	40	179
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	38	–	13	–	–	1	2	–	–	–	–	6	–	–	38
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	38	28	5	11	–	–	1	–	–	–	–	–	–	1	1	10
St. John Paddington *H*	33,617	2	15	1	6	–	–	–	–	–	–	–	–	–	2	3	7
North-West Paddington	17,181	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H*	128,037	40	28	4	10	–	–	–	–	2	–	–	–	–	–	–	14
Brompton *2H*	48,591	10	11	–	7	–	–	–	–	–	–	–	–	–	–	–	–
North Hammersmith *2W,wH*	49,192	30	12	3	3	–	–	–	–	–	–	–	–	–	1	2	5
South Hammersmith *w,2H*	63,047	27	21	5	9	–	–	–	–	1	–	–	–	–	2	3	9
North-west Fulham *W*	45,180	55	18	6	3	–	–	–	1	–	–	–	–	1	1	2	11
North-east Fulham *F*	46,405	32	24	4	4	–	–	3	6	–	–	2	–	–	3	3	10
South Fulham *W*	45,704	25	10	3	2	–	–	–	–	1	–	–	–	1	1	1	–
Chelsea North *W,w,3H*	42,514	19	19	5	8	–	–	–	–	–	–	–	–	1	2	3	14
Chelsea South *W,2H*	31,328	15	14	6	6	–	–	–	–	–	–	–	–	–	–	2	4
Mayfair and Knightsbridge	28,743	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	19	15	–	5	–	–	–	–	–	–	–	–	–	3	3	8
St. Margaret & St. John *4H*	43,698	17	15	2	6	–	–	–	–	–	–	–	–	–	–	–	6
St. James and St. Anne *W,6H*	33,081	7	6	2	2	–	–	–	–	–	–	–	–	–	–	–	2
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	12	18	3	3	–	–	–	–	–	–	–	–	–	–	–	8
St. Mary Marylebone *W,4H*	37,948	50	12	1	5	–	–	–	–	–	–	–	–	–	2	2	5
Christchurch Marylebone *H*	39,536	11	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–
St. John Marylebone *2H*	20,426	12	7	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Hampstead *W,F,7H*	81,942	22	18	–	6	–	–	2	1	–	–	–	–	–	1	1	12
West St. Pancras *2H*	60,562	20	15	2	3	–	–	–	–	–	–	–	–	–	–	–	4
South St. Pancras‡ *w,11H*	55,707	29	15	6	3	–	–	–	–	–	–	–	–	–	–	1	8
East St. Pancras *W,2H*	60,320	30	26	4	13	–	–	–	–	–	–	–	–	–	1	2	15
North St. Pancras *2W*	58,728	26	26	2	10	–	–	–	–	–	–	–	–	–	–	1	7
Tufnell *W*	31,995	18	16	1	5	–	–	–	–	–	–	–	–	–	–	1	11
Upper Holloway *2W,w,H*	33,978	18	24	2	10	–	–	–	–	–	–	–	–	–	1	2	15
Tollington *WH*	33,922	8	12	2	5	–	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	22	9	1	3	–	–	–	–	–	–	–	–	–	–	2	–
Barnsbury	54,478	40	13	2	–	–	–	–	–	2	–	–	–	–	–	1	–
Islington South-east *F*	75,397	46	7	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Highbury *2H*	63,797	19	10	–	5	–	–	–	–	–	–	1	–	–	–	1	–
Stoke Newington *H*	51,247	21	6	2	–	–	–	–	–	–	–	–	–	–	1	1	–
North Hackney	50,560	17	6	–	4	–	–	–	–	–	–	–	–	–	–	–	–
Central Hackney *2w,F*	50,536	24	12	–	2	–	–	2	–	–	–	1	–	–	–	1	3
South-west Hackney *3H*	59,921	33	19	2	2	–	–	–	–	1	–	–	–	–	4	8	8
South-east Hackney *2W,w,H*	58,255	32	29	7	13	–	1	–	–	–	–	–	–	2	–	3	16

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December 1906, Tottenham Court sub-district and Gray's Inn Lane sub-district were united and called South St. Pancras.

B. 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 8th December, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. [illegible]es and Bloomsbury 2*W*,2*H* -	31,436	20	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Stra[illegible]d *W*,4*H* - - - - -	21,674	7	13	2	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Stra[illegible] Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holb[illegible]rn *W*,6*H* - - - - -	29,612	10	17	4	1	-	-	-	-	2	-	-	-	-	1	1	11	-
Sou[illegible] Clerkenwell - - -	28,676	20	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Nor[illegible] Clerkenwell *H* - - -	35,028	18	7	4	-	-	1	-	-	1	-	-	-	-	1	1	-	-
Fin[illegible]ury 3*H*,*L* - - - - -	36,116	32	8	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Hol[illegible]n Union Workhouse, M[illegible]ham - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
St. [illegible]olph *H* - - - -	10,299	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. [illegible]ulchre and All hallows *W*,2*H*	16,624	2	14	3	1	-	-	-	1	-	-	-	-	-	2	2	12	-
City [illegible] London Asylum, Stone -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Sho[illegible]litch South *H* - - -	46,362	25	12	3	2	-	-	-	-	-	-	-	-	-	-	3	-	-
Sho[illegible]litch North-West *W*,*w*,*H* -	36,127	28	22	2	9	-	-	-	-	-	-	-	-	-	1	2	16	-
Sho[illegible]litch North-East - - -	36,148	23	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sho[illegible]litch Union Workhouse, Wood G[illegible]n - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beth[illegible]l Green North-East 2*W*, 2*H*	65,138	28	32	7	10	-	3	-	-	-	-	-	-	-	1	2	21	1
Beth[illegible]l Green South-West *H* -	64,542	45	17	10	1	-	-	-	-	-	-	-	-	-	1	4	1	-
Spit[illegible]fields - - - - -	27,969	23	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mil[illegible]nd New Town *W*,*H* - -	28,718	20	48	9	5	-	1	-	2	-	-	-	-	-	5	10	42	-
Goo[illegible]man's Fields - - - -	22,081	9	2	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
St. [illegible]orge and St. John 2*W* - -	49,068	37	14	2	1	-	2	-	-	-	-	-	-	1	-	2	3	-
Sha[illegible]well and Ratcliff *W*,*H* - -	25,568	18	12	5	1	-	1	-	-	-	-	-	-	-	-	-	7	-
Lim[illegible]ouse *W* - - - - -	32,369	21	10	3	2	-	1	-	-	-	-	-	-	-	-	4	-	-
Mil[illegible] End Old Town South-W[illegible]ern *H* - - - -	63,698	50	16	6	6	-	2	-	-	-	-	-	-	-	1	2	-	-
Mil[illegible] End Old Town North-E[illegible]ern *W*,*w* - - -	49,129	30	20	4	7	-	1	-	-	-	-	-	-	-	-	1	10	-
Bov[illegible] *L* - - - - - - -	41,989	21	8	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Bro[illegible]ey 3*w*,*H* - - - - -	68,319	36	37	7	10	-	3	-	-	-	-	-	-	1	1	7	23	-
Pop[illegible] *W*,*w* - - - - -	58,514	45	18	5	11	-	-	-	-	-	-	-	-	-	1	2	4	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th December, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	7	17	1	2	-	-	-	-	-	-	-	-	-	3	3	13
Kent-road	21,904	13	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,091	17	10	6	-	-	-	-	-	2	-	-	-	-	-	2	4
Newington North	49,022	22	8	6	1	-	-	-	-	1	-	-	-	-	2	4	-
Newington South *W*	72,841	37	19	3	7	-	-	-	-	-	-	-	-	-	-	1	2
St. Olave *2W*	9,817	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Bermondsey *W*	82,483	40	20	4	5	-	-	-	-	1	-	-	-	-	1	4	-
Rotherhithe *W,F*	38,460	27	25	4	8	-	2	-	-	-	-	-	-	-	-	1	8
Waterloo* *2H*	27,440	32	7	3	-	-	-	-	-	-	-	-	-	-	-	-	2
Lambeth Church* *H*	27,440	15	18	5	3	-	-	-	1	-	-	-	-	-	-	-	10
Kennington* *2W*	52,518	25	33	3	16	-	-	-	-	-	-	-	-	-	2	4	21
Stockwell* *HF*	63,826	30	13	5	3	-	-	-	-	-	-	1	-	-	-	-	1
Brixton* *H*	73,673	26	22	5	7	-	-	-	1	-	-	-	-	1	-	2	4
Norwood* *WH*	56,998	25	15	1	9	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	37	9	3	3	-	-	-	-	1	-	-	-	-	-	-	-
North-west Battersea	49,656	37	11	4	1	-	-	-	-	-	-	-	-	-	1	1	-
South-west Battersea *2W,H*	47,048	24	34	4	15	-	-	-	-	-	-	-	-	-	2	2	21
Clapham *2H*	51,361	28	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	59	34	5	17	-	-	1	2	1	-	-	-	-	-	-	12
Springfield *2W,L*	27,959	22	8	4	-		-	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	33	10	1	6	-	-	-	-	-	-	-	-	-	-	1	-
Putney	24,139	13	3	-	2	-	-	-	-	-	-	-	-	-	1	1	-
Dulwich	13,359	4	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	23	-	12	-	-	-	-	-	-	-	-	-	-	-	18
Camberwell North *W,2L*	65,584	33	19	4	6		-	-	-	1	-	-	-	-	-	-	10
St George	47,331	23	13	4	3	-	1	-	-	1	-	1	-	-	-	1	-
Peckham North	48,913	27	12	2	2	-	-	-	-	-	-	-	-	-	-	1	-
Peckham South *2W,w*	43,946	15	9	2	3	-	-	-	-	-	-	-	-	-	-	-	1
Deptford North	37,613	16	14	2	6		-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	27	12	3	4	-	-	-	3	-	-	-	-	-	-	1	9
Deptford South	34,625	13	7	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	12	5	-	1	-	-	-	-	-	-	-	-	-	2	2	9
Greenwich East *2W,H*	43,859	14	25	1	7	-	-	-	-	-	-	-	-	-	-	-	15
Eltham *w,H*	7,226	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Lee *wH*	25,490	10	5	1	3	-	-	-	-	-	-	-	-	-	-	2	-
Lewisham *W w,F*	58,352	29	27	3	13	-	-	1	-	-	-	-	-	1	2	2	16
Sydenham *H*	43,653	21	10	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	13	8	2	3	-	-	1	-	-	-	-	-	-	1	1	3
Woolwich *5H*	41,625	30	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West *W*	18,063	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	28	17	2	10	-	1	-	-	-	-	1	-	-	-	2	6
Workhouse:— Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Manor	—	-	4	-	4	-	-	-	-	-	-	-	-	3	-	-	-
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Claybury	—	-	4	-	2	-	-	-	-	-	-	-	-	1	-	-	-

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-districts as above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 8th December, 1906.

Reg. Dist. No.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368 302	2,044,973	1290	535	120	156	-	3	3	12	8	7	13	21	52	97	1
30	Carshalton 2F,3H - -	12,228	32,997	23	8	1	3	-	-	-	-	-	1	-	-	-	-	-
	Epsom, *part of** W,w,2F,H -	10,423	15,548	7	3	-	1	-	-	-	-	-	-	-	-	-	1	-
37	Godstone, *part of** W,F -	2,754	2,692	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
38	Coulsdon - - - -	11,069	8,166	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	South Croydon *w* - -	4,200	49,309	13	7	-	4	-	-	-	-	-	-	-	-	-	-	-
	West Croydon 3W,F,H -	2,168	42,888	27	20	4	6	-	-	-	3	-	-	1	1	2	16	-
	North Croydon *H* - -	2,644	41,698	29	13	4	5	-	-	-	-	-	-	-	-	2	1	-
	Penge *w,H* - - - -	770	22,465	12	4	-	2	-	-	-	-	-	-	-	-	1	-	-
	Mitcham *w* - - -	11,711	30,015	25	10	3	4	-	-	-	-	-	-	1	-	-	-	-
39	Wimbledon F,3H - -	3,221	41,652	20	7	2	2	-	-	-	-	-	-	-	-	-	1	-
	Kingston 2W,H - - -	6,224	42,068	31	14	3	1	-	1	-	-	-	-	-	1	2	5	-
	Surbiton F,H - - -	3,046	15,017	8	4	2	1	-	-	-	-	-	-	-	-	-	1	-
	Esher, *part of** H -	5,402	13,100	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Hampton H,F,L - - -	4,534	23,456	11	5	2	3	-	-	-	-	-	-	1	-	-	-	1
40	Richmond W,H - - -	2,162	28,865	7	3	-	3	-	-	-	-	-	-	-	-	-	-	-
	Mortlake F - - -	2,847	20,628	15	8	1	1	-	-	-	-	-	-	-	-	1	-	-
41	Bromley F,2H - - -	4,703	27,354	16	6	-	2	-	-	-	-	-	-	-	-	-	2	-
	Beckenham H - - -	7,825	28,497	15	6	2	3	-	-	-	-	-	-	1	-	-	-	-
	Orpington *part of** W -	10,113	9,857	8	2	1	-	-	-	-	-	-	-	-	-	1	-	-
	Chislehurst 2H - - -	7,333	16,446	7	2	-	-	-	-	-	-	-	-	-	-	-	1	-
42	Bexley *w* F,H - - -	8,678	21,151	14	5	2	2	-	-	-	-	-	-	-	-	1	-	-
	Erith F,H - - - -	3,854	25,296	22	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Dartford W,F, *part of** -	—	—	-	3	-	2	-	-	-	1	-	-	-	-	-	3	-
24	Sunbury *w* - - - -	11,054	18,683	9	2	-	2	-	-	-	-	-	-	-	1	-	-	-
	Staines W,H - - -	13,277	15,178	8	6	-	5	-	-	-	1	-	-	-	-	-	1	-
25	Hillingdon W,F,H - -	6,035	13,661	8	4	1	1	-	-	-	-	-	-	1	1	1	-	-
	Uxbridge *H* - - -	12,757	8,984	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Hayes *w*2F,H - - -	8,066	16,358	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-
26	Isleworth 3W,2F,H - -	6,859	30,863	23	16	3	8	-	-	-	-	-	-	1	-	1	6	-
	Twickenham F,H - -	2,421	20,991	17	5	1	1	-	-	-	-	-	-	-	1	1	-	-
	Brentford 3F,2H - - -	4,319	48,289	25	6	1	3	-	-	-	-	-	-	-	1	1	1	-
	Chiswick H- - - -	1,249	29,809	19	5	2	2	-	-	-	-	-	-	-	-	-	-	-
	Acton *w*,F,3H - - -	6,132	48,914	46	12	1	3	-	-	-	-	-	-	-	-	-	-	-
27	Harrow F,H - - -	13,809	25,523	15	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	Edgware 2F,2H - - -	6,994	4,521	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-
	Willesden W,F,2H - -	4,384	114,811	71	31	4	9	-	-	-	-	-	-	-	2	2	6	-
	Hendon W,F - - -	8,382	22,450	14	4	-	-	-	-	-	-	-	-	-	1	1	2	-
28	South Mimms 2F,H - -	17,755	7,308	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Barnet W,2H - - -	3,324	17,970	12	5	1	2	-	-	-	-	-	-	-	-	-	1	-
	Finchley F,2H - - -	4,688	33,692	29	13	4	4	-	-	-	-	-	-	1	-	-	-	-
29	Hornsey F,H - - -	2,875	72,056	36	15	2	6	-	-	-	-	-	1	-	1	1	1	-
	Wood Green *H* - - -	1,625	34,233	22	4	1	1	-	-	-	-	-	-	-	-	2	-	-
	West Tottenham *F* - -	996	48,853	28	15	2	6	-	-	-	-	-	1	-	-	2	-	-
	East Tottenham 2H - -	2,017	53,688	43	13	4	3	-	-	-	-	-	-	1	-	3	2	-
	Edmonton *W,w*,2F - -	7,491	61,892	59	16	5	5	-	-	-	-	-	-	-	-	1	4	-
	Enfield 2W,F,H - - -	12,601	42,738	22	7	-	2	-	-	-	2	-	1	-	-	-	4	-
	Waltham Abbey *F* - -	11,017	6,549	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cheshunt F,H - - -	8,479	12,292	9	3	-	1	-	-	-	-	1	-	-	-	-	-	-
35	Hatfield, *part of** W - -	3,305	664	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
37	Bushey *H* - - - -	9,333	9,173	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Stratford *H* - - -	1,072	44,827	35	8	4	-	-	-	-	-	-	-	2	-	-	1	-
	Plaistow F,2H - - -	1,249	90,921	49	28	7	4	-	-	1	3	2	1	-	1	4	6	-
	Canning Town *H* - -	1,556	70,718	47	32	11	7	-	1	1	-	-	-	1	2	9	-	-
	Forest Gate *w* - - -	806	60,892	35	11	3	3	-	-	-	-	-	-	-	-	-	-	-
	North East Ham *w* H -	1,333	58,676	33	14	2	3	-	-	-	-	1	-	-	-	2	-	-
	South East Ham 2F - -	1,993	37,342	25	13	4	1	-	1	-	1	2	-	-	-	1	-	-
	Wanstead *F* - - -	1,679	9,179	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	South Leyton 2W - - -	631	50,467	23	11	4	4	-	-	-	-	-	-	1	-	-	2	-
1	North Leyton 2W,*w*,F - -	1,963	48,445	29	35	5	9	-	-	-	-	-	-	-	-	1	20	-
	Walthamstow 3H,L - -	6,504	108,929	68	24	5	5	-	-	-	1	-	1	-	3	4	2	-
37	Chigwell 2F,3H - - -	11,778	16,397	9	3	-	-	-	-	-	-	1	-	-	-	-	-	-
	Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	Romford, *part of** W,2F -	6,556	6,091	11	3	1	1	-	-	-	-	-	-	-	-	-	2	-
	Ilford F,L - - - -	8,496	41,234	30	13	5	3	-	-	-	-	1	-	1	1	2	1	-
	Barking Town F - -	3,803	21,547	15	4	2	-	-	-	-	-	-	-	-	3	3	-	-
	N.E. Hospital, Tottenham -	—	—	-	2	-	-	-	-	1	-	-	1	-	-	-	2	-
	Middlesex County Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	London County Asylum, Colney Hatch.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

* T[illegible] Sing[illegible] Paris [illegible] Paris [illegible] are [illegible]

parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer [illegible] as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1. Dagenham Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	[illegible]
LONDON - -	4,721,217	December 8	2338	1482	16·4	-	21	12	20	18	7	5
CALCUTTA - -	977,822	November 3	-	525	32·2	1	-	-	1	-	154‡	99
BOMBAY - -	982,000	" 20	403	673	45·1	-	-	-	-	-	99†	35
MADRAS - -	509,346	" 9	410	357	36·4	-	4	?	?	?	96	22
PARIS - - -	2,750,000	December 1	935	909	17·7	-	3	-	3	2	7	38
BRUSSELS - -	612,401	" 1	208	150	12·7	-	2	3	1	-	2	6
ANTWERP - -	297,311	" 1	118	67	11·7	-	-	-	2	-	-	8
AMSTERDAM -	560,482	November 24	262	127	11·8	-	10	-	1	1	2	5
COPENHAGEN -	425,000	December 1	225	111	13·6	-	-	-	-	2	1	7
STOCKHOLM -	324,488	November 24	145	81	13·0	-	-	-	-	-	-	3
CHRISTIANIA -	222,373	December 1	105	56	13·1	-	-	-	2	2	-	1
ST. PETERSBURG	1,424,700	November 24	-	659	24·1	1	12	25	27	3	21	57
MOSCOW - -	1,154,000	" 17	-	537	24·3	-	7	10	10	4	6	57
BERLIN - -	2,084,542	" 17	874	582	14·6	-	6	12	8	4	2	39
HAMBURG - -	819,380	" 24	367	243	15·7	-	2	1	4	3	1	21
		December 1	-	243	15·7	-	-	1	1	-	-	22
BRESLAU - -	475,000	November 24	-	185	20·3	-	-	1	5	1	1	10
MUNICH - -	544,000	December 1	-	166	16·0	-	-	-	1	2	-	23
VIENNA - -	1,956,949	" 1	911	606	16·1	-	8	6	13	3	2	31
PRAGUE - -	460,849	November 24	196	165	18·4	-	3	-	3	-	-	14
BUDA-PESTH -	859,134	" 24	370	271	17·8	-	9	2	2	1	2	8
TRIESTE - -	196,637	December 1	134	73	19·1	-	-	-	-	2	3	2
ROME - -	531,179	October 13	259	147	14·5	-	-	-	-	4	6	11
VENICE - -	171,709	" 27	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	December 1	140	110	19·7	-	-	-	-	-	2	2
NEW YORK -	4,152,860	November 24	-	-	-	-	-	-	-	-	-	-
CHICAGO - -	2,049,185	" 24	-	577	14·7	-	3	13	13	3	8	31
PHILADELPHIA -	1,469,126	" 3	-	-	-	-	-	-	-	-	-	-
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	November 4	-	256	14·6	-	-	-	-	-	8	?

* Excluding deaths from croup in the Indian Cities.
† Including 7 deaths from plague in Calcutta, 12 in Bombay, and 7 in Rio de Janeiro.
‡ Including 38 deaths from cholera in Calcutta, 17 in Bombay, and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 8th December, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	54·3	28·1	43·3	0·29	BRADFORD - -	53·6	34·4	41·1	06
BRIGHTON - -	54·9	27·9	44·1	0·14	LEEDS - - -	51·0	35·0	41·4	72
PORTSMOUTH - -	55·8	30·5	46·1	0·15	HULL - - -	51·0	34·0	41·0	36
NORWICH - -	?	?	?	?	TYNEMOUTH - -	54·0	33·0	43·2	21
PLYMOUTH - -	54·7	32·0	46·3	0·38	CARDIFF - -	53·8	28·0	43·8	74
BRISTOL - - -	53·3	29·4	43·4	0·49	EDINBURGH - -	55·3	34·9	43·8	26
BIRMINGHAM - -	52·9	32·2	43·2	0·58	GLASGOW - -	54·2	32·8	43·8	51
NOTTINGHAM - -	53·6	28·8	42·6	0·62	DUBLIN Phœnix Park.	54·0	27·9	44·3	49
LIVERPOOL OBSERVATORY.	55·0	37·0	45·3	0·77	DUBLIN Fitz-william Square.†	55·9	32·8	46·9	36
MANCHESTER -	52·6	30·4	43·3	1·58					
PRESTON - -	52·6	33·0	44·5	1·15					
HUDDERSFIELD -	52·8	32·3	42·1	1·17	BELFAST - -	54·5	33·0	44·8	52

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* foot to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period above was 0°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

[Under the Superintendence of the Astronomer Royal.]

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	2	..	30·007	51·7	33·3	18·4	44·6	+ 4·0	40·7	3·9	5·3	1·0	86	56·0	25·4	50·01	SW.	WSW. & SW.	3·1	0·0	0·3	362	+ 61	0·00	1·7
MONDAY -	3	Greatest Dec. N.	29·792	54·3	48·1	6·2	50·8	+10·0	44·1	6·7	10·8	2·3	78	64·1	41·4	49·53	WSW.	W.	14·7	0·0	1·2	646	+344	0·02	0·8
TUESDAY -	4	..	29·867	54·0	46·2	7·8	51·1	+10·0	46·2	4·9	7·6	2·3	83	58·7	41·4	49·48	W.	W., WSW. & SW.	2·9	0·0	0·5	459	+156	0·00	0·0
WEDNESDAY	5	..	29·311	52·7	38·6	14·1	43·5	+ 2·2	35·0	8·5	10·9	2·8	72	52·6	33·0	49·46	WSW. & WNW.	W. & WSW.	13·3	0·0	0·8	534	+230	0·09	0·0
THURSDAY-	6	..	29·774	46·8	37·2	9·6	41·4	+ 0·1	36·2	5·2	9·6	2·6	82	62·2	30·2	49·54	N.	N. & NNE.	5·0	0·0	0·6	403	+ 99	0·12	0·0
FRIDAY -	7	..	30·214	42·7	28·6	14·1	36·3	- 4·7	29·1	7·2	10·5	1·3	75	67·3	18·2	49·16	N. & NNE.	NE. & SW.	3·8	0·0	0·2	231	- 74	0·00	0·0
SATURDAY-	8	..	29·809	44·2	28·1	16·1	38·8	- 1·8	34·6	4·2	8·7	1·1	85	48·2	17·9	48 56	SW.	SW. & WSW.	3·8	0·0	0·4	380	+ 75	0·06	1·5
MEANS -	-		29·825	49·5	37·2	12·3	43·8	+ 2·8	38·0	5·8	9·1	1·9	80	58·4	29·6	49·39	WSW. & NNE.		..	..	..	Sum 3015	Sum +891	Sum 0·29	0·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	2	m. P. till 4h. A.M.; w. P. afterwards.	0·0	8·1
MONDAY -	3	w. P. generally.	0·7	8·1
TUESDAY -	4	w. P. throughout.	0·0	8·1
WEDNESDAY	5	w. P. till 10h. A.M.; loss of Register till 5h. P.M.; m. P. till 9h. P.M.; v. N. afterwards.	1·3	8·0
THURSDAY-	6	v. N. till 1h. A.M.; w. P. till 7h. A.M.: m. P. till 2h. P.M.; w. P. and occasional v. N. till 8h. P.M.; m. P. afterwards.	5·0	8·0
FRIDAY -	7	m. P. till 8h. A.M.; s. P. till 7h. P.M.; m. P. afterwards.	5·4	8·0
SATURDAY-	8	m. P. till 5h. P.M.; w. P. afterwards.	0·0	7·9
			Sum 12·4	Sum 56·2
No. of Col.-		27	28	29

GENERAL REMARKS.

Fine before 2h. A.M.; overcast till 2h. P.M.; very fine till 6h. P.M.; cloudy afterwards.

Generally cloudy; fine interval in afternoon; strong gusty wind prevalent after 5h. A.M. Lunar halo and paraselenæ observed shortly after 9h. P.M.

Generally overcast; slight rain after 11h. P.M. Lunar halo observed shortly after 9h. P.M.

Overcast in morning; fine and variably cloudy till 9h. P.M.; overcast afterwards with rain after 9h. 30m. P.M.; strong gusty winds prevalent at times after 5h. P.M.

Overcast with rain in early morning; very fine generally between 4h. A.M. and 2h. P.M.; cloudy and showery till 6h. P.M.; fine at night; brisk wind after 2h. 30m. P.M.

Very fine generally; partially cloudy in morning; hoar frost and slight fog at night.

Fine but foggy with hoar frost in early morning; generally overcast after 5h. A.M.; frequent rain between 10h. A.M. and 5h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·16 in. at the beginning of the week to 29·74 in. by noon on Dec. 3rd; increased to 29·92 in. by 10h. A.M. on Dec. 4th; decreased to 29·12 in. by 11h. P.M. on Dec. 5th; increased to 30·24 in by 11h. A.M. on Dec. 7th; and decreased to 29·54 in. by midnight on Dec. 8th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 1st December, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	34	5	-	1	-	-	4	1
Kensington	180,952	-	13	4	-	1	-	-	4	-
Hammersmith	120,679	-	18	3	-	1	-	-	2	-
Fulham	161,965	-	32	18	-	-	-	-	-	-
Chelsea	74,672	-	8	6	-	-	-	-	1	-
City of Westminster	173,905	-	9	4	-	-	-	-	6	-
NORTH.										
St. Marylebone	128,580	-	11	2	-	3	-	-	4	-
Hampstead	89,633	-	7	1	-	2	-	-	2	-
St. Pancras	236,455	-	11	-	-	5	-	-	7	-
Islington	344,987	-	28	15	-	5	-	-	15	1
Stoke Newington	53,217	-	8	1	-	-	-	-	1	1
Hackney	230,721	-	24	5	-	4	-	-	8	-
CENTRAL.										
Holborn	55,805	-	1	4	-	-	-	-	1	-
Finsbury	97,466	-	7	2	-	1	-	-	2	-
City of London	21,367	-	-	-	-	-	-	-	-	-
EAST										
Shoreditch	116,108	-	13	1	-	1	-	-	8	-
Bethnal Green	130,609	-	6	5	-	-	-	-	4	-
Stepney	307,176	-	15	9	-	4	-	-	6	-
Poplar	170,673	-	3	3	-	1	-	-	5	-
SOUTH.										
Southwark	209,143	-	31	3	-	2	-	-	7	-
Bermondsey	128,629	-	16	8	-	1	-	-	4	-
Lambeth	315,774	-	31	3	-	3	-	-	5	-
Battersea	179,622	-	24	8	-	2	-	-	1	-
Wandsworth	273,381	-	19	19	-	3	-	-	5	-
Camberwell	274,132	-	33	14	-	4	-	-	11	-
Deptford	115,495	-	11	14	-	1	-	-	2	-
Greenwich	105,350	-	13	14	-	-	-	-	5	-
Lewisham	148,463	-	13	8	-	1	-	-	3	-
Woolwich	127,345	-	17	6	-	3	-	-	4	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	456	185	-	49	-	-	127	3
Ages 0-1		-	4	6	-	-	-	-	3	-
" 1-5		-	123	62	-	3	-	-	2	-
" 5-		-	202	73	-	6	-	-	3	-
" 10-		-	75	29	-	6	-	-	5	-
" 15-		-	28	4	-	6	-	-	11	-
" 20-		-	15	4	-	5	-	-	8	1
" 25-		-	7	5	-	11	-	-	14	1
" 35-		-	2	2	-	10	-	-	26	1
" 45-		-	-	-	-	1	-	-	27	-
" 55-		-	-	-	-	1	-	-	17	-
" 65 and upwards		-	-	-	-	-	-	-	11	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during November, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th December, 1906.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of November.

Thirteen samples were taken in the Chelsea, West Middlesex, Grand Junction, and New River districts, and fourteen in each of the remaining four districts, making a total of 108 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Districts.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - - -	November 12th, Cab Rank, Horse Guards, Whitehall.	10·6	27·84	·170	·017	0	·213	·230	1·8	19·0
" - - - -	November 30th, Cab Rank, Victoria Street, near Christ Church.	9·2	—	·306	·030	0	—	—	—	—
West Middlesex - -	November 12th, Cab Rank, Riding House Street.	10·0	27·26	·202	·021	0	·193	·214	1·85	18·6
Southwark - - -	November 12th, Cab Rank, High Street, Peckham.	15·3	23·58	·213	·021	0	·103	·124	1·75	15·4
" - - - -	November 22nd, Cab Rank, Disraeli Road, Putney.	9·0	—	·315	·035	0	—	—	—	—
Grand Junction - -	November 12th, Cab Rank, Piccadilly, opposite Bolton Street.	9·7	26·12	·185	·021	0	·170	·191	1·75	17·1
Lambeth - - - -	November 12th, Cab Rank, Station Road, Brixton.	9·6	27·48	·207	·019	0	·208	·227	1·8	18·3
" - - - -	November 23rd, Cab Rank, Westminster Bridge Road.	9·0	—	·354	·035	·0015	—	—	—	—
Lea, Wells, Thames, etc.										
New River - - -	November 12th, Cab Rank, by St. Clement Danes Church.	9·4	31·98	·135	·010	0	·246	·256	1·8	21·5
Eastern - - - -	November 12th, Tap in Police Station, Poplar.	—	35·94	·122	·009	0	·114	·123	2·75	20·9
" - - - -	November 23rd, Cab Rank, High Street, Shoreditch.	10·2	—	·323	·037	0	·486	·523	2·2	—
Deep Wells.										
Kent - - - - -	November 12th, Cab Rank, by Woolwich Arsenal Station.	10·6	51·72	·045	·005	0	·634	·639	4·25	31·9
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4–11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the water collected in the Chelsea district, at the Horse Guards cab rank on the 12th November, had a temperature of 10·6° C.; 100,000 lbs. of it contained 27·84 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·170 lb. of carbon and ·017 lb. of nitrogen. The above quantity of water also contained ·213 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·230 lb. The above weight of water also contained 1·8 lbs. of chlorine and 19·0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 12th November were fully examined, and the organic elements were determined in four additional samples taken later in the month. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water, supplied from the several district works, was :—Kent, 0·8 ; Eastern (Nov. 12th), 2·2 ; New River, 2·5 ; Chelsea (Nov. 12th), 3·2 ; Grand Junction, 3·5 ; West Middlesex and Lambeth (Nov. 12th), 3·8 ; Southwark (Nov. 12th), 4·0 ; Chelsea (Nov. 30th), 5·7 ; Southwark (Nov. 22nd), 5·9 ; Eastern (Nov. 23rd), 6·1 ; and Lambeth (Nov. 23rd), 6·6.

The amount of organic matter in the five Thames-derived supplies was in every case higher than had been found in the six preceding months ; in the samples collected on the 12th November the increments in impurity were small and all the waters were of good quality, but samples of the Southwark, Lambeth, and Chelsea district supplies taken towards the end of the month exhibited some deterioration in respect to purity and colour.

The New River filtered water contained more organic impurity than in the previous month, but the actual amount was considerably less than in the average Thames-derived water ; the supply was clear and of good quality.

The Eastern district water, collected on the 12th November, at Poplar, was clear and of good quality, but the sample taken on the 23rd in Shoreditch, from the area partly supplied with filtered Thames water from Sunbury, was not so good, owing to its much deeper colour and the higher proportion of organic impurity which it contained.

The Kent sample was collected in the district supplied from the Plumstead pumping station ; the water was of high organic purity, but owing to its somewhat greater degree of hardness the supply was a little inferior to that furnished in other parts of the Kent district.

Seen through a stratum two feet deep the Kent water was colourless, but the samples taken in the seven remaining districts on the 12th November when viewed in the same manner had a pale yellow colour ; samples of the Chelsea, Southwark, Lambeth, and Eastern supplies collected later in the month had a deeper yellow tint.

In addition to the above analytical examination the 108 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution) ; the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained :—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albumin Ammonia		
	4 hours at 26·7° C. (60° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	an
THAMES.												
Chelsea	·145	·074	·100	·164	·082	·111	0	0	0	·012	·007	00
West Middlesex	·096	·071	·083	·105	·076	·091	0	0	0	·009	·0075	08
Southwark	·172	·087	·118	·180	·096	·136	0	0	0	·0145	·0085	1
Grand Junction	·133	·072	·094	·146	·084	·107	0	0	0	·011	·008	1
Lambeth	·166	·086	·122	·187	·093	·135	·0015	0	trace	·0155	·0085	·11
LEA, WELLS, THAMES, ETC.												
New River	·092	·024	·064	·102	·024	·071	0	0	0	·0075	·004	05
Eastern	·167	·045	·085	·185	·050	·093	0	0	0	·012	·005	08
DEEP WELLS.												
Kent	·010	·009	·010	·012	·009	·011	0	0	0	·0015	·001	01

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The above results, when compared with those obtained in the preceding months, show that the five Thames-derived supplies all contained higher average proportions of organic impurity: the increments were least in the cases of the West Middlesex and Grand Junction district supplies, and these were of good quality throughout the month. The Southwark and Lambeth waters yielded the highest amounts of organic matter; during the first fortnight in November these supplies were of good quality, but on some days towards the end of the month the quality deteriorated and fell below that of the supplies furnished by the works (West Middlesex and Grand Junction) which draw partly from the Staines reservoirs. The Chelsea district water, although it contained a regularly increasing proportion of organic matter, was of good to fair quality for a winter month.

The New River supply, obtained chiefly from the Lea, contained on the average twice as much organic impurity as was found in the previous month, but the highest proportion was little more than half that noticed in the Thames waters, and the supply was of good quality throughout the month.

With regard to the Eastern district water, all the samples taken in the areas supplied chiefly with filtered Lea water were of good quality, but two of those drawn in Shoreditch, where filtered Thames water from Sunbury is distributed, contained somewhat higher proportions of organic impurity.

All the samples of deep well water from the Kent district were, as usual, of uniform high organic purity.

All the samples taken in the West Middlesex, Grand Junction, Lambeth. and New River districts were clear, but one sample collected in the Southwark district was slightly opalescent, and a few samples drawn in the three remaining districts contained minute traces of rust-stained suspended matter.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of November, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 203 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	NOVEMBER, 1905.	NOVEMBER, 1906.	NOVEMBER, 1905.	NOVEMBER, 1906.
TOTAL SUPPLY - - -	1,038,753	1,057,125	209,065,857	214,450,437
New River - - - - - - -	206,681	209,759	40,290,978	41,858,000
Eastern - - - - - - - -	234,768	238,185	39,574,733	39,225,400
Western .. Chelsea - - - -	39,980	39,963	11,777,333	12,555,333
Western .. Grand Junction - -	80,969	84,077	16,032,693	16,712,830
Western .. West Middlesex - -	92,424	92,822	23,494,600	24,053,867
Southern .. Lambeth - - - -	138,928	142,973	30,164,663	31,206,628
Southern .. Southwark and Vauxhall	131,575	133,451	29,655,000	29,678,436
Kent - - - - - - - -	113,428	115,895	18,075,857	19,159,943

Note.—The Return for November, 1906, as compared with that for the corresponding month of 1905, shows an increase of 18,372 services, and of 5,384,580 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 50. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, DEC. 15. [Price 1½*d*.

General Register Office, Somerset House,
December 17th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·4 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 16·3, 15·8, and 15·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 22·0 in Gateshead, 23·0 in Stockport, 23·7 in Preston, 24·0 in Oldham, in Middlesbrough, and in Sunderland, 26·4 in Burnley, and 28·7 in Rochdale; from *measles*, 2·7 in Plymouth, 2·8 in Newport (Mon.), 3·2 in Bootle, 4·2 in Rochdale and in South Shields, and 5·1 in Rotherham; from *diphtheria*, 1·4 in West Hartlepool, 1·6 in Wallasey and in Bootle, 1·7 in Derby, and 2·0 in Reading and in Stockton on Tees; from *whooping-cough*, 1·0 in Stockport, 1·1 in Willesden, and 1·6 in Swansea; from "*fever*," 1·6 in Middlesbrough; and from *diarrhœa*, 1·0 in Middlesbrough, 1·2 in Wigan, and 1·4 in Merthyr Tydfil. One death from *small-pox* was registered in Hull, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2172 BIRTHS and 1628 DEATHS were registered. Allowing for increase of population, the births were 276 and the deaths 51 below the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 16·0, 15·5, and 16·4 per 1000 in the preceding three weeks rose last week to 18·0. The death-rate in the four weeks ended last Saturday averaged 16·5 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 12/06 D & S 3 26766

The 1628 deaths included 26 from measles, 15 from scarlet fever, 16 from diphtheria, 18 from whooping-cough, 15 from enteric fever, and 15 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 105 deaths were referred to these diseases in the aggregate, being 19 below the corrected average number in the 50th week of the preceding four years.

The deaths from *measles*, which had been 26, 21, and 21 in the preceding three weeks, rose to 26 last week, but were 23 below the corrected average; 13 deaths belonged to the Borough of Stepney, and 3 to Wandsworth. The deaths from *scarlet fever*, which had been 8, 12, and 12 in the preceding three weeks, were 15 last week, and were 5 above the corrected average; 4 deaths belonged to Paddington. The deaths from *diphtheria*, which had been 14, 20, and 20 in the preceding three weeks, fell to 16 last week, the corrected average being 17; 4 deaths belonged to Wandsworth and 3 to Woolwich. The deaths from *whooping-cough*, which had been 5, 13, and 18 in the preceding three weeks, were again 18 last week, but were 8 below the corrected average; 4 deaths belonged to Islington and 4 to Camberwell. The fatal cases of *enteric fever*, which had been 3, 7, and 7 in the preceding three weeks, rose to 15 last week, and were 8 above the corrected average. The deaths from *diarrhœa*, which had been 24, 20, and 15 in the preceding three weeks, were again 15 last week, the corrected average being 16; 3 deaths belonged to Southwark. Of the 15 deaths from diarrhœa, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of another death at this age. The deaths attributed directly to *influenza* numbered 54, having been 21, 43, and 37 in the preceding three weeks.

Different forms of *violence* caused 60 deaths, concerning all of which inquests were held. Of these 60 deaths, 10 were cases of suicide and 1 of homicide, while the remaining 49 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 3 to conflagrations, 8 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 11, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3986 cases of scarlet fever, 1025 of diphtheria, and 157 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 359 cases, against 467, 401, and 419; of diphtheria, 130 cases, against 161, 135, and 134; and of enteric fever, 16 cases, against 24, 30, and 23. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended December 8th, 1906.

Greater London.

In Greater London 3364 births and 2267 deaths were registered. Allowing for increase of population, these numbers are 422 and 69 below the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 5 from scarlet fever, 6 from diphtheria, 2 from "fever," and 5 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·57 inches, and that of the Thermometer 36°·5, the latter being 3°·5 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 20 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 8·6 hours; the measured rainfall amounted to 0·40 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 24th Nov., 1906.	1st Dec., 1906.	8th Dec., 1906.	15th Dec., 1906.	Rate from Diseases in Cols. 11–17. Week ended 15th Dec., 1906.	Registered during the Week ended 15th Dec., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**16·3**	**15·8**	**15·8**	**17·4**	**1·4**	**7623**	**5271**	**1111**	**1626**	**1**	**128**	**40**	**78**	**57**	**47**	**60**	**184**	**421**	**1292**	**43**	**76 Towns.**
London	4,721,217	16·0	15·5	16·4	18·0	1·2	2172	1628	296	539	-	26	15	16	18	15	15	60	162	616	3	London.
† Croydon	151,011	13·8	15·9	12·8	12·8	1·0	63	37	9	10	-	-	-	1	-	-	2	1	3	9	-	Croydon.
† Willesden	143,622	12·3	13·4	11·3	12·3	1·5	71	34	13	9	-	-	-	-	3	1	-	1	1	2	-	Willesden.
† Hornsey	86,935	5·4	6·0	9·6	10·2	1·2	29	17	2	8	-	-	-	1	-	1	-	-	-	3	-	Hornsey.
† Tottenham	119,503	11·3	14·8	14·0	15·3	1·3	66	35	12	9	-	-	-	-	2	-	1	-	3	7	-	Tottenham.
† West Ham	301,617	17·6	15·6	15·0	19·9	1·2	181	115	29	35	-	3	-	2	-	-	2	4	6	27	-	West Ham.
† East Ham	129,886	9·6	12·8	10·8	13·6	0·8	54	34	9	9	-	1	-	-	1	-	-	-	2	6	-	East Ham.
† Leyton	118,287	15·9	11·9	12·3	9·7	0·4	62	22	5	8	-	-	-	1	-	-	-	-	-	1	-	Leyton.
† Walthamstow	121,334	10·3	14·2	13·8	16·8	1·7	68	39	8	13	-	-	1	1	2	-	-	3	4	10	-	Walthamstow.
Hastings	67,144	12·4	9·3	11·6	7·8	-	18	10	-	5	-	-	-	-	-	-	-	1	1	-	-	Hastings.
Brighton	128,095	15·5	14·2	12·6	17·5	0·8	47	43	4	20	-	-	-	-	1	1	-	-	2	6	-	Brighton.
Portsmouth	205,118	11·2	10·4	13·5	17·0	1·3	111	67	17	27	-	-	-	1	2	-	2	1	7	11	-	Portsmouth.
Bournemouth	67,702	20·0	13·1	14·6	11·6	0·8	22	15	1	10	-	1	-	-	-	-	-	-	-	-	-	Bournemouth.
Southampton	117,312	10·7	13·8	9·3	12·4	0·4	49	28	6	13	-	-	-	1	-	-	-	1	1	11	-	Southampton.
Reading	78,987	15·8	15·2	9·2	12·5	2·0	37	19	2	6	-	-	-	3	-	-	-	2	2	2	1	Reading.
Northampton	93,749	10·0	5·0	12·8	13·3	1·1	37	24	2	12	-	-	-	1	-	1	-	-	-	6	-	Northampton.
Ipswich	71,809	8·7	16·7	9·4	7·3	0·7	35	10	4	3	-	-	-	-	-	-	1	-	2	-	-	Ipswich.
Great Yarmouth	52,613	19·8	10·9	20·8	19·8	-	25	20	3	10	-	-	-	-	-	-	-	-	2	3	-	Great Yarmouth.
Norwich	117,958	24·8	17·2	21·7	19·0	3·5	66	43	9	18	-	3	-	2	2	-	1	1	4	5	-	Norwich.
Plymouth	118,014	18·1	17·7	14·1	18·1	2·7	45	41	8	12	-	6	-	-	-	-	-	-	2	4	-	Plymouth.
Devonport	78,405	20·0	8·0	10·6	15·3	4·0	33	23	5	5	-	3	-	1	1	-	1	-	1	-	-	Devonport.
Bristol	363,223	18·8	15·4	13·4	14·4	0·6	151	100	15	41	-	-	2	1	-	-	1	2	12	23	-	Bristol.
Hanley	66,360	12·6	16·5	14·9	21·2	0·8	33	27	6	4	-	-	1	-	-	-	-	-	2	2	-	Hanley.
Burton-on-Trent	52,922	8·9	12·8	9·9	9·9	-	20	10	3	1	-	-	-	-	-	-	-	-	-	1	-	Burton-on-Trent.
Wolverhampton	100,729	11·4	8·3	17·1	10·9	1·0	42	21	2	6	-	-	1	-	-	-	1	-	2	5	-	Wolverhampton.
Walsall	94,577	13·2	11·0	7·7	14·9	0·6	52	27	3	12	-	-	-	1	-	-	-	-	-	8	-	Walsall.
Handsworth	63,819	13·1	9·0	19·6	7·4	-	32	9	1	5	-	-	-	-	-	-	-	-	2	-	-	Handsworth
West Bromwich	68,469	15·2	13·7	19·0	19·0	-	30	25	8	9	-	-	-	-	-	-	-	1	4	2	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 15th December, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 24th Nov., 1906.	1st Dec., 1906.	8th Dec., 1906.	15th Dec., 1906.	Rate from Diseases in Cols. 11-17. Week ended 15th Dec., 1906.	Registered during the Week ended 15th Dec. 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM	548,022	17·4	16·3	14·7	17·5	1·1	273	184	47	50	-	7	-	3	-	2	-	4	6	37	5	BIRMINGHAM.
KINGS NORTON	72,608	5·0	11·5	7·2	9·3	-	27	13	2	4	-	-	-	-	-	-	-	1	1	2	-	KINGS NORTON.
SMETHWICK	64,531	17·0	16·2	14·5	12·1	0·8	31	15	5	1	-	1	-	-	-	-	-	-	-	2	-	SMETHWICK.
ASTON MANOR	82,288	11·4	12·7	12·7	14·6	1·3	39	23	8	4	-	2	-	-	-	-	-	-	-	1	-	ASTON MANOR.
COVENTRY	76,374	15·7	8·2	13·0	21·8	0·7	39	32	6	9	-	-	1	-	-	-	-	1	1	6	1	COVENTRY.
LEICESTER	232,111	11·9	13·7	12·8	17·7	2·2	106	79	19	23	-	7	-	1	-	-	2	2	6	17	-	LEICESTER.
GRIMSBY	69,359	14·3	13·5	12·0	15·0	1·5	41	20	4	5	-	1	-	1	-	-	-	1	3	2	-	GRIMSBY.
NOTTINGHAM	254,563	12·3	16·2	15·2	17·4	1·0	103	85	24	30	-	-	-	1	1	2	1	4	7	11	1	NOTTINGHAM.
DERBY	123,981	23·6	14 3	15·6	16·4	1·7	56	39	7	9	-	-	-	4	-	-	-	2	8	7	-	DERBY.
STOCKPORT	99,646	18·3	14·7	18·3	23·0	2·1	45	44	8	10	-	1	-	-	2	1	-	2	6	11	-	STOCKPORT.
BIRKENHEAD	117,292	16·4	16·4	15·1	16·4	0·4	47	37	8	11	-	-	-	1	-	-	-	2	2	7	-	BIRKENHEAD.
WALLASEY	64,578	17·8	11·3	17·8	18·6	1·6	29	23	3	6	-	-	-	2	-	-	-	3	4	2	-	WALLASEY.
LIVERPOOL	739,180	18·1	18·3	16·6	18·3	1·8	448	260	67	64	-	5	5	2	3	5	6	7	17	84	4	LIVERPOOL.
BOOTLE	65,989	22·9	22·1	22·1	18·2	5·5	42	23	2	6	-	4	-	2	-	1	-	-	-	6	1	BOOTLE.
ST. HELENS	91,153	15·4	18·3	20·0	14·9	2·3	60	26	9	3	-	2	1	-	-	-	1	-	-	5	-	ST. HELENS.
WIGAN	87,588	25·6	18·5	24·4	12·5	1·8	52	21	8	3	-	1	-	-	-	-	2	-	-	3	1	WIGAN.
WARRINGTON	69,280	15·1	14·3	19·6	8·3	2·3	41	11	4	2	-	2	-	-	-	-	1	-	-	-	-	WARRINGTON.
BOLTON	180,502	15·9	13·9	14·2	16·2	0·6	55	56	12	25	-	-	2	-	-	-	-	1	3	5	1	BOLTON.
BURY	58,744	15·1	19·5	16·0	17·8	1·8	17	20	3	8	-	-	-	-	1	-	1	1	1	3	1	BURY.
MANCHESTER	637,126	19·2	21·1	20·7	19·6	1·1	306	239	57	63	-	3	1	4	-	3	2	10	18	66	1	MANCHESTER.
SALFORD	234,077	15·8	22·3	19·2	19·6	2·7	104	88	21	22	-	2	1	4	1	2	2	2	5	19	-	SALFORD.
OLDHAM	140,969	23·3	20·0	21·1	24·0	1·1	71	65	8	21	-	1	-	-	1	-	1	-	1	7	-	OLDHAM.
ROCHDALE	87,189	13·8	22·7	19·7	28·7	6·0	36	48	6	16	-	7	-	1	1	-	1	1	1	3	1	ROCHDALE.
BURNLEY	102,808	24·3	19·3	16·2	26·4	-	43	52	9	19	-	-	-	-	-	-	-	2	5	7	-	BURNLEY.
BLACKBURN	134,015	20·6	17·1	10·1	14·0	-	64	36	4	18	-	-	-	-	-	-	-	5	5	6	-	BLACKBURN.
PRESTON	116,399	20·2	15·7	19·3	23·7	1·3	69	53	10	17	-	2	1	-	-	-	-	3	3	8	6	PRESTON.
BARROW-IN-FURNESS	60,967	11·1	14·5	14·5	13·7	-	31	16	3	4	-	-	-	-	-	-	-	2	2	-	2	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week

TOWNS.	POPULATION estimated to the middle of the Year 1906.*	DEATH-RATES from all Causes. Week ended 24th Nov., 1906.	1st Dec., 1906.	8th Dec., 1906.	15th Dec., 1906.	Rate from Diseases in Cols. 11-17. Week ended 15th Dec., 1906.	Registered during the Week ended 15th Dec., 1906. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	20·9	14·8	17·0	15·9	-	40	29	2	11	-	-	-	-	-	-	-	3	3	4	-	HUDDERSFIELD.
HALIFAX - - -	109,272	11·9	16·7	19·6	15·7	0·5	34	33	4	20	-	-	-	-	-	-	1	-	-	13	-	HALIFAX.
BRADFORD - -	288,544	16·1	13·4	12·6	14·3	0·9	97	79	10	24	-	-	-	3	-	2	-	4	5	20	-	BRADFORD.
LEEDS - - -	463,495	14·8	14·6	12·3	16·5	1·0	204	147	35	39	-	-	2	1	4	-	2	4	12	26	-	LEEDS.
SHEFFIELD - -	447,951	19·4	17·2	16·3	16·5	0·9	253	142	36	39	-	3	2	2	-	-	1	10	17	26	3	SHEFFIELD.
ROTHERHAM - -	61,098	18·8	11·1	25·6	15·4	5·1	30	18	4	5	-	6	-	-	-	-	-	2	4	1	1	ROTHERHAM.
YORK - - -	83,467	14·4	15·0	10·0	20·0	1·9	30	32	3	13	-	-	-	1	-	1	1	1	2	4	-	YORK.
HULL - - -	262,426	17·9	15·7	17·5	19·7	3·4	128	99	18	21	1	9	1	2	2	1	1	6	9	23	-	HULL.
MIDDLESBROUGH -	100,069	20·8	18·8	19·3	24·0	3·6	67	46	11	6	-	-	-	2	-	3	2	-	2	9	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	12·9	18·8	13·9	20·8	3·0	37	21	6	6	-	-	-	2	-	1	-	2	3	6	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	12·8	15·6	12·1	18·5	2·1	40	26	4	6	-	-	1	2	-	-	-	1	2	2	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	20·9	17·9	21·6	24·0	1·4	95	71	15	22	-	-	-	1	2	1	-	3	4	13	2	SUNDERLAND.
SOUTH SHIELDS -	111,402	26·7	21·1	22·0	20·1	4·2	65	43	14	12	-	9	-	-	-	-	-	-	-	5	3	SOUTH SHIELDS.
GATESHEAD - -	123,191	16·1	13·5	11·9	22·0	1·3	69	52	18	14	-	1	-	1	-	-	1	1	2	5	5	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	16·9	18·6	18·0	16·5	1·7	162	85	27	13	-	4	1	2	2	-	-	3	8	13	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	13·5	26·0	11·6	16·4	1·0	24	17	3	5	-	-	-	-	-	1	-	2	2	3	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	21·1	20·4	28·1	19·7	2·8	43	28	8	5	-	4	-	-	-	-	-	1	2	3	-	NEWPORT (MON.).
CARDIFF - - -	183,823	13·9	15·0	13·9	17·9	0·3	86	63	18	17	-	-	-	-	-	-	1	1	1	11	-	CARDIFF.
RHONDDA - - -	127,684	13·9	12·3	11·4	16·3	1·2	83	40	10	12	-	1	-	-	1	1	-	1	1	1	-	RHONDDA.
MERTHYR TYDFIL -	74,961	18·1	20·2	13·9	20·2	3·5	49	29	9	7	-	-	1	-	1	1	2	-	2	2	-	MERTHYR TYDFIL.
SWANSEA - - -	96,848	12·9	26·9	16·7	21·5	2·2	61	40	10	14	-	-	-	-	3	-	1	5	8	5	-	SWANSEA.
GREATER LONDON -	7,113,561	14·7	14·5	14·8	16·6	1·1	3364	2267	437	762	-	31	21	28	26	19	25	82	201	726	7	GREATER LONDON.
OUTER RING - -	2,392,344	12·0	12·4	11·7	13·9	1·0	1192	639	141	223	-	5	6	12	8	4	10	22	39	110	4	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	13·1	13·7	12·9	14·8	1·2	594	333	87	101	-	4	1	6	8	2	5	9	19	65	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	10·9	11·0	10·5	13·1	0·8	598	306	54	122	-	1	5	6	-	2	5	13	20	45	4	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	20·9	14·2	15·9	19·1	0·8	117	125	20	40	-	-	-	1	1	-	3	6	?	43	5	EDINBURGH.
GLASGOW - - -	835,625	19·3	17·0	18·8	18·0	1·8	458	289	65	65	-	-	1	6	13	3‡	6	13	?	88	3	GLASGOW.
DUBLIN† - - -	378,994	23·8	23·8	22·4	22·3	1·8	198	162	33	35	-	-	-	5	4	-	4	3	7	56	12	DUBLIN.†
BELFAST† - - -	366,220§	17·8	18·2	19·8	16·8	1·0	219	118	20	26	-	-	-	1	2	-	4	1	4	20	1	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTIETH Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2555	2623	2519	2269	2527	2231	2339	2544	2446	2279	2448·4	2172
Males - - -	1342	1292	1309	1179	1295	1151	1189	1331	1215	1168	1249·4	1142
Females - -	1213	1331	1210	1090	1232	1080	1150	1213	1231	1111	1199·0	1030
TOTAL **Deaths** -	1539	1796	1423	2078	1454	1612	1682	1486	1696	1725	1679·1	1628
Males - -	789	910	734	1010	762	834	884	752	850	915	866·7	804
Females - -	750	886	689	1033	692	778	793	734	846	810	812·4	824

* The numbers in this column are the average weekly numbers in the fiftieth week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	13 Weeks.
TOTAL **Births** -	2260	2374	2251	2355	2411	2474	2304	2220	2390	2532	2345	2338	2172	30426
TOTAL **Deaths** -	1548	1422	1404	1295	1232	1209	1272	1328	1391	1453	1406	1482	1628	18070
Ages at Death: Under 1 year -	544	426	341	280	277	276	246	267	244	284	251	271	296	4003
1—5 years -	171	150	146	125	128	111	137	138	113	161	132	150	159	1821
5—20 ,, -	63	85	73	73	58	69	82	73	67	73	85	85	85	971
20—40 ,, -	154	179	165	156	150	162	176	170	204	184	190	166	202	2258
40—60 ,, -	255	249	293	279	270	266	273	286	315	288	286	338	347	3745
60 yrs. & upwds.	361	333	386	382	349	325	358	394	448	463	462	472	539	5272
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	9	8	6	2	5	9	15	19	10	26	21	21	26	177
Scarlet Fever - -	7	10	12	19	9	15	11	17	5	8	12	12	15	152
Diphtheria - -	18	13	12	14	11	16	23	11	16	14	20	20	16	204
Whooping-cough -	20	13	11	12	13	5	5	7	10	5	13	18	18	150
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	8	12	11	17	8	11	5	6	8	3	7	7	15	118
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	340	207	135	93	78	55	47	44	29	24	20	15	15	1102
All above Diseases -	402	263	188	157	124	111	106	104	78	80	93	93	105	1904
Dis. of Resp. System	74	51	90	84	64	69	99	113	158	156	177	169	216	1520
Pneumonia - -	75	83	98	93	82	81	101	119	130	156	135	176	192	1521
Phthisis - - -	104	147	139	120	132	129	150	133	177	129	131	134	156	1781
Dis. of Circ. System -	144	147	176	171	169	174	183	167	214	188	170	184	219	2306
Violence - - -	41	68	48	53	50	44	51	70	53	62	56	59	60	715
Inquest Cases - -	117	127	131	115	140	103	121	163	141	133	128	137	162	1718
Deaths in Institutions	552	552	551	550	490	480	547	555	546	545	533	588	616	7105
TEMPERATURE OF THE AIR.														
Mean- - - -	55·8°	52·0°	58·4°	57·6°	41·2°	53·0°	46·8°	47·3°	43·0°	46·2°	47·3°	43·8°	36·5°	48·4°
Mean of Highest -	63·2°	63·1°	66·5°	65·5°	59·4°	61·7°	53·0°	52·3°	49·2°	50·8°	51·9°	49·5°	41·1°	55·9°
Mean of Lowest -	50·5°	41·5°	51·2°	51·2°	43·5°	45·4°	40·9°	42·3°	36·3°	39·8°	41·4°	37·2°	31·6°	42·5°
Mean Humidity of the Air.	80	77	83	82	81	82	88	89	85	89	84	80	79	83
Rain-fall (in inches) -	0·38	0·00	0·69	0·63	0·21	0·07	1·59	2·62	0·90	0·38	0·09	0·29	0·40	8·25
Registered Sunshine (in hours).	22·6	41·3	31·0	35·7	31·7	30·6	10·6	14·9	10·2	12·5	8·1	12·4	8·6	270·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3164	3388	3603	3803	3923	4068	4178	4135	4150	4144	4053	4062	3986	3897
Diphtheria - -	846	849	907	944	982	1030	1065	1076	1105	1113	1082	1033	1025	1004
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	124	140	167	186	186	197	202	203	183	165	162	168	157	172

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTIETH Week of the Year 1906.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 50th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1679·1	1628	296	159	85	202	347	539
Small-pox*	-	-	-	-	-	-	-	-
Cow-pox	-	-	-	-	-	-	-	-
Measles (Morbilli)	48·7	26	8	17	1	-	-	-
Scarlet Fever	10·4	15	1	10	4	-	-	-
Typhus	-	-	-	-	-	-	-	-
Enteric Fever	-	-	-	-	-	-	-	-
Influenza	24·2	54	4	2	1	8	17	22
Whooping-cough	25·7	18	3	15	-	-	-	-
Diphtheria	16·6	16	1	10	4	1	-	-
Cerebro Spinal Fever	0·3	-	-	-	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	6·6	15	-	-	4	7	4	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	5·1	6	5	1	-	-	-	-
Diarrhœa, Dysentery	11·0	9	3	1	-	1	1	3
Tetanus	-	2	-	-	1	-	1	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	0·3	-	-	-	-	-	-	-
Visceral Dis.	9·9	6	3	-	-	-	3	-
Puerperal Septicæmia	4·1	2	-	-	-	2	-	-
Puerperal Pyæmia	0·3	-	-	-	-	-	-	-
Puerperal Fever	0·5	-	-	-	-	-	-	-
Infective Endocarditis	2·0	3	-	-	1	2	-	-
Pneumonia: Lobar	16·1	19	3	-	1	7	4	4
Pneumonia: Broncho-	90·2	87	30	35	-	1	4	17
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	73·9	86	14	13	7	7	27	18
Erysipelas	5·1	5	1	-	-	1	1	2
Septicæmia (not Puerperal)	1·0	3	1	-	1	-	-	1
Pyæmia (not Puerperal)	1·0	1	1	-	-	-	-	-
Other Infective Processes	7·9	7	-	-	-	2	5	-
Tuberculous Phthisis	93·8	101	2	3	8	41	41	6
"*Phthisis*"	75·0	55	-	-	4	28	21	2
Tuberculous Meningitis	21·2	15	2	7	6	-	-	-
Tuberculous Peritonitis	6·1	7	1	4	-	2	-	-
Tabes Mesenterica	3·6	2	1	1	-	-	-	-
Tuberculous Dis. (other)	16·6	20	3	5	3	6	1	2
Cancer	-	-	-	-	-	-	-	-
Alcoholism	12·5	7	-	-	-	1	4	2
Rheumatic Fever	7·1	12	-	-	6	5	1	-
Joint Disease	2·0	5	-	-	-	-	3	2
Cancer: Carcinoma	52·3	60	-	-	1	3	27	29
Cancer: Sarcoma	7·9	8	-	-	-	3	2	3
Cancer (undefined)	33·6	31	-	-	-	2	9	20
Diabetes Mellitus	10·4	7	-	-	1	2	2	2
Premature Birth	53·5	52	52	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 50th week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	14·0	7	3	2	1	1	-	-
Insanity, Gen. Par. of Insane	18·3	18	-	-	1	6	6	5
Epilepsy	5·6	8	-	-	1	2	2	3
Convulsions	21·7	16	15	1	-	-	-	-
Locomotor Ataxy	1·8	2	-	-	-	-	1	1
Paraplegia, Dis. of Cord	3·8	5	-	1	-	2	2	-
Nervous Sys. (other dis.)	21·7	27	-	-	1	4	8	14
Valv. Dis., Endocarditis	47·2	53	-	-	6	7	21	19
Cerebr. Hæm. Thromb.	34·9	41	-	-	-	-	8	33
Apoplexy, Hemiplegia	19·9	23	-	-	-	2	4	17
Aneurysm	6·9	2	-	-	-	1	-	1
Embolism, Thrombosis (not cerebral)	2·8	-	-	-	-	-	-	-
Heart & Blood Vessel Dis.	105·2	100	-	1	1	8	21	69
Croup (not Spasm : nor Memb.)	0·5	2	1	-	1	-	-	-
Bronchitis	218·6	187	48	9	2	6	25	97
Asthma, Emphysema	12·0	7	-	-	-	-	1	6
Pleurisy	3·8	6	-	1	-	-	3	2
Respiratory Dis. (other)	15·8	14	4	3	-	-	2	5
Tonsillitis, Quinsy	0·3	3	-	1	2	-	-	-
Enteritis (not Epid.)	8·9	15	7	4	-	3	-	1
Gastro-Enteritis	3·6	2	1	-	-	1	-	-
Peritonitis (not Puerp.)	4·1	2	-	-	2	-	-	-
Cirrhosis of Liver	11·2	18	-	-	-	-	16	2
Liver Dis. (other)	5·4	7	-	-	-	1	1	5
Digestive Dis., Other	41·8	30	8	2	4	5	6	5
Nephritis, Acute	7·4	9	-	-	-	2	2	5
Bright's Dis., Albuminuria	41·0	33	-	-	-	2	16	15
Urinary Sys., Other Dis.	14·5	16	-	-	-	-	1	15
Generative Organs Dis.	3·3	7	-	-	-	3	2	2
Childbirth (Accid. of)	2·5	3	-	-	-	2	1	-
Old Age	58·6	62	-	-	-	-	-	62
Other Diseases	105·8	81	55	8	3	4	3	8
ACCIDENT.								
By Railways	2·0	3	-	-	-	1	1	1
By Vehicles and Horses	5·1	4	-	-	-	1	1	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	1	-	-	-	-	-	1
In Building Operations	0·8	2	-	-	-	1	1	-
In Conflagrations	0·8	3	-	-	1	-	1	1
By Burns, Scalds, Explosions	7·6	8	1	2	4	1	-	-
By Drowning	2·3	2	-	-	1	-	1	-
By Suffocation in Bed	11·5	11	11	-	-	-	-	-
By Poisons or Poisonous Vapours	2·5	2	-	-	-	-	1	1
Other Deaths by Accident	17·6	13	2	-	-	1	5	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·5	1	1	-	-	-	-	-
Suicide	7·4	10	-	-	-	3	6	1
Execution	0·8	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th December, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.
LONDON	4,536,429	2172	1628	296	539	-	26	15	16	18	-	15	-	15	60	162
WEST DISTRICTS	805,311	334	259	38	107	-	1	-	2	3	-	2	-	2	10	24
NORTH DISTRICTS	1,056,070	470	353	62	120	-	2	6	2	5	-	4	-	2	12	35
CENTRAL DISTRICTS	209,465	110	70	16	13	-	-	-	-	1	-	-	-	-	2	3
EAST DISTRICTS	715,739	394	310	72	92	-	15	-	2	3	-	5	-	2	13	48
SOUTH DISTRICTS	1,749,844	864	582	108	187	-	8	8	10	6	-	4	-	6	23	49
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	54	-	20	-	-	1	-	-	-	-	-	3	-	3
WEST DISTRICTS.																
St. Mary Paddington *W,2H*	93,178	37	42	5	21	-	-	-	-	-	-	-	-	1	3	3
St. John Paddington *H*	33,617	6	13	-	5	-	-	-	-	-	-	-	-	-	2	2
North-West Paddington	17,181	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	54	52	7	18	-	1	-	-	1	-	-	-	-	1	5
Brompton *2H*	48,591	13	8	1	6	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,wH*	49,192	24	16	2	9	-	-	-	-	-	-	-	-	-	1	2
South Hammersmith *w,2H*	63,047	30	20	1	7	-	-	-	-	1	-	-	-	-	-	2
North-west Fulham *W*	45,180	39	17	7	4	-	-	-	-	1	-	-	-	1	1	3
North-east Fulham *F*	46,405	22	13	1	3	-	-	-	1	-	-	2	-	-	-	2
South Fulham *W*	45,704	27	10	3	2	-	-	-	-	-	-	-	-	-	1	1
Chelsea North *W,w,3H*	42,514	16	25	2	14	-	-	-	-	-	-	-	-	-	-	-
Chelsea South *W,2H*	31,328	7	11	3	7	-	-	-	-	-	-	-	-	-	-	-
Mayfair and Knightsbridge	28,743	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	15	14	1	4	-	-	-	-	-	-	-	-	-	1	2
St. Margaret & St. John *4H*	43,698	20	10	2	3	-	-	-	1	-	-	-	-	-	-	1
St. James and St. Anne *W,6H*	33,081	14	5	3	1	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																
All Souls Marylebone *8H*	35,391	9	20	3	7	-	-	-	1	-	-	-	-	-	1	1
St. Mary Marylebone *W,4H*	37,948	39	11	6	3	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H*	39,536	12	10	1	4	-	1	-	-	-	-	-	-	-	-	1
St. John Marylebone *2H*	20,426	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H*	81,942	19	19	1	9	-	-	4	-	-	-	-	-	-	-	1
West St. Pancras *2H*	60,562	23	13	2	2	-	-	-	-	-	-	-	-	-	1	2
South St. Pancras‡ *w,11H*	55,707	18	23	2	8	-	-	-	1	-	-	1	-	-	1	3
East St. Pancras *W,2H*	60,320	26	19	1	9	-	-	-	-	-	-	-	-	-	-	1
North St. Pancras *2W*	58,728	29	25	3	6	-	-	-	-	-	-	-	-	-	2	4
Tufnell *W*	31,995	10	36	9	14	-	-	-	-	-	-	-	-	1	2	3
Upper Holloway *2W,w,H*	33,978	16	30	2	9	-	-	-	-	-	-	2	-	-	3	5
Tollington *WH*	33,922	13	6	-	3	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	20	16	3	4	-	-	-	-	1	-	-	-	-	-	2
Barnsbury	54,478	26	15	3	5	-	1	-	-	1	-	-	-	-	-	1
Islington South-east *F*	75,397	37	16	5	5	-	-	-	-	1	-	-	-	-	-	2
Highbury *2H*	63,797	17	14	2	4	-	-	1	-	1	-	1	-	-	1	1
Stoke Newington *H*	51,247	18	11	2	6	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	22	12	1	7	-	-	-	-	1	-	-	-	-	-	3
Central Hackney *2w,F*	50,536	24	5	2	2	-	-	1	-	-	-	-	-	-	-	1
South-west Hackney *3H*	59,921	43	22	6	5	-	-	-	-	-	-	-	-	-	-	1
South-east Hackney *2W,w,H*	58,255	42	26	8	6	-	-	-	-	-	-	-	-	1	1	3

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December 1906, Tottenham Court sub-district and Gray's Inn Lane sub-district were united and called South St. Pancras.

BLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th December, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyræxia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
.Giles and Bloomsbury 2*W*,2*H* -	31,436	20	8	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-
rand *W*,4*H* - - - - - -	21,674	3	7	1	-	-	-	-	-	-	-	-	-	-	-	-	7	-
rand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
)lborn *W*,6*H* - - - - -	29,612	9	19	6	6	-	-	-	-	-	-	-	-	-	-	-	8	-
uth Clerkenwell - - -	28,676	15	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
)rth Clerkenwell *H* - - -	35,028	23	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
nsbury 3*H*,*L* - - - - -	36,116	32	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
)lborn *Union Workhouse, Mitcham* - - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Botolph *H* - - - - - -	10,299	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows *W*,2*H*	16,624	4	20	2	5	-	-	-	-	-	-	-	-	-	2	3	16	-
y of London Asylum, Stone -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
)reditch South *H* - - - -	46,362	18	13	3	6	-	-	-	-	1	-	-	-	-	1	2	1	-
)reditch North-West *W*,*w*,*H* -	36,127	16	30	4	13	-	-	-	-	-	-	-	-	-	1	8	19	-
)reditch North-East - - -	36,148	25	19	4	5	-	-	-	-	-	-	-	-	-	-	3	-	-
reditch Union Workhouse, Wood Green - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North-East 2*W*, *H*,	65,138	31	30	8	5	-	-	-	-	1	-	1	-	-	2	4	17	-
thnal Green South-West *H* -	64,542	43	16	7	4	-	-	-	-	-	-	-	-	-	-	2	-	1
talfields - - - - - -	27,969	9	7	1	1	-	-	-	1	-	-	1	-	-	-	1	-	-
e End New Town *W*,*H* - -	28,718	22	34	6	6	-	1	-	1	-	-	2	-	-	3	5	30	-
odman's Fields - - - -	22,081	4	4	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
George and St. John 2*W* - -	49,068	36	17	6	5	-	1	-	-	-	-	-	-	-	-	1	5	-
ıdwell and Ratcliff *W*,*H* - -	25,568	6	15	5	3	-	3	-	-	1	-	-	-	-	-	-	7	-
ıehouse *W* - - - - - -	32,369	18	7	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
e End Old Town South-Western *H* - - - -	63,698	41	22	8	2	-	5	-	-	-	-	-	-	-	-	4	-	-
e End Old Town North-Eastern *W*,*w* - - -	49,129	31	24	3	8	-	-	-	-	-	-	-	-	1	-	2	11	-
w *L* - - - - - - -	41,983	18	12	4	6	-	-	-	-	-	-	-	-	-	1	6	-	-
mley 3*w*,*H* - - - - -	68,319	42	40	6	15	-	4	-	-	-	-	1	-	-	3	5	26	-
)lar *W*,*w* - - - - - -	58,514	34	20	5	8	-	-	-	-	-	-	-	-	1	1	3	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th December, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population 1901	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.	Deaths in Public Institutions. Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	19	4	3	-	-	-	-	-	-	-	-	-	2	2	14
Kent-road	21,904	11	7	2	2	-	-	-	-	-	-	-	-	1	1	3	-
St. George the Martyr West *W,2H,L*	39,094	20	18	7	1	-	-	-	-	1	-	-	-	-	3	6	6
Newington North	49,022	30	13	3	3	-	-	-	-	-	-	-	-	2	-	-	-
Newington South *W*	72,841	48	18	5	5	-	-	-	-	-	-	-	-	-	-	1	1
St. Olave *2W*	9,817	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	51	19	5	7	-	-	-	-	-	-	-	-	-	1	2	-
Rotherhithe *W,F*	38,460	17	23	5	1	-	2	-	-	-	-	-	-	-	-	1	11
Waterloo* *2H*	27,440	25	3	2	-		-	-	-	-	-	-	-	-	-	-	3
Lambeth Church* *H*	27,440	10	26	2	5	-	-	-	-	-	-	-	-	-	3	4	17
Kennington* *2W*	52,518	28	28	3	12	-	-	-	-	-	-	1	-	-	-	1	15
Stockwell* *HF*	63,826	41	6	2	2		-	-	-	-	-	-	-	-	-	-	2
Brixton* *H*	73,673	27	19	5	11	-	-	-	-	-	-	-	-	1	-	1	2
Norwood* *WH*	56,998	20	14	2	10	-	-	-	-	-	-	-	-	-	-	2	-
East Battersea *H*	72,203	32	16	3	4		-	-	-	-	-	-	-	-	1	4	1
North-west Battersea	49,656	19	16	4	3	-	-	-	-	-	-	-	-	-	1	2	-
South-west Battersea *2W,H*	47,048	15	26	1	5		1	-	-	-	-	-	-	-	1	2	15
Clapham *2H*	51,361	22	13	1	4		-	-	-	-	-	-		-	-	-	2
Streatham *W,2w,2F,2L*	88,019	42	24	6	7		-	3	3	-	-	-	-	-	1	1	10
Springfield *2W,L*	27,959	16	10	4	2		-	-	1	-	-	1	-	-	-	-	-
Southfields *H*	40,444	24	8	2	2		2	-	-	-	-	-	-	-	-	-	1
Putney	24,139	8	7	-	2		-	-	-	-	-	-		-	1	2	-
Dulwich	13,359	4	2	-	1		-	-		-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	16	27	2	16		-	-	-	-	-	-		-	1	1	17
Camberwell North *W,2L*	65,584	35	31	6	15		-	-	-	4		-		-	2	3	16
St George	47,331	26	13	4	4	-	-	-	-	-	-	-		-	-	2	-
Peckham North	48,913	20	14	3	5		-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	18	8	1	2	-	-	-	-	-	-	-	-	-	-	-	1
Deptford North	37,613	19	11	6	1	-	1	-	-	-	-	-		2	-	1	-
Deptford Central *F*	45,481	27	16	1	4	-	-	2	3	-	-	-	-	-	-	-	5
Deptford South	34,625	11	7	2	4	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich West *2H*	23,456	7	7	1	2	-	-	-	-	-	-	-	-	-	-	1	1
Greenwich East *2W,H*	43,859	22	25	1	14	-	-	-	-	-	-	-	-	-	1	1	13
Eltham *w,H*	7,226	2	4	-	2	-	-	-	-	-	-	-	-	-	1	1	1
Lee *wH*	25,490	6	7	-	4	-	-	-	-	-	-	-	-	-	-	1	3
Lewisham *Ww,F*	58,352	35	16	3	8	-	-	1	-	1	-	1	-	-	-	-	8
Sydenham *H*	43,653	29	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *F,2H*	21,134	9	16	2	4	-	-	2	2	-	-	-	-	-	1	1	4
Woolwich *5H*	41,625	23	17	4	3	-	-	-	1	-	-	-	-	-	1	1	1
Plumstead West *W*	18,063	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	30	19	3	5	-	2	-	-	-	-	1	-	-	-	-	10
Workhouse:— Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M. A. B. Small-pox Hospitals:—																	
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Darenth	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	12	-	6	-	-	-	-	-	-	-	-	-	-	-	12
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	10	-	4	-	-	-	-	-	-	-	-	-	-	-	10
Dartford Heath	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Hanwell	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Colney Hatch	—	-	5	-	2	-	-	-	-	-	-	-	-	1	-	1	5
Claybury	—	-	10	-	4	-	-	-	-	-	-	-	-	2	-	2	10

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-districts as above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ed Saturday, 15th December, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 6 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
NDON—OUTER RING -	368,302	2,044,973	1192	639	141	223	-	5	6	12	8	4	10	22	39	110	4
Carshalton 2F,3H - -	12,228	32,997	10	5	1	1	-	-	-	-	-	-	-	-	-	-	-
Epsom, *part of** W,w,2F,H -	10,423	15,548	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Godstone, *part of** W,F -	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon - - - -	11,069	8,166	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
South Croydon w - -	4,200	49,309	24	8	2	4	-	-	-	-	-	-	-	-	-	-	-
West Croydon 3W,F,H -	2,168	42,888	20	22	5	6	-	-	-	2	-	-	2	-	1	13	-
North Croydon H - -	2,644	41,698	19	11	2	1	-	-	-	-	-	-	-	1	2	-	-
Penge w,H - - - -	770	22,465	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mitcham w - - -	11,711	30,015	32	10	6	2	-	-	-	-	-	-	1	-	-	-	-
Wimbledon F,3H - -	3,221	41,652	15	13	1	5	-	-	-	-	-	-	-	-	2	-	-
Kingston 2W,H - - -	6,224	42,068	22	18	2	10	-	-	-	-	-	-	-	1	3	9	-
Surbiton F,H - - -	3,046	15,017	8	4	1	2	-	-	-	-	-	-	-	1	1	-	-
Esher, *part of** H -	5,402	13,100	4	4	1	1	-	-	-	-	-	-	-	1	1	-	-
Hampton H,F,L - - -	4,564	23,456	11	2	-	1	-	-	-	-	-	1	-	-	-	-	-
Richmond W,H - - -	2,162	28,865	8	13	2	6	-	-	-	-	-	-	-	2	2	1	-
Mortlake F - - -	2,847	20,628	15	3	-	2	-	1	-	-	-	-	-	-	-	-	-
Bromley F,2H - - -	4,703	27,354	10	7	3	2	-	-	-	-	-	-	1	-	-	2	-
Beckenham H - - -	7,825	28,497	10	4	-	2	-	-	-	-	-	-	1	1	1	-	-
Orpington *part of** W -	10,113	9,857	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Chislehurst 2H - - -	7,333	16,446	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Bexley w F,H - - -	8,678	21,151	9	8	1	5	-	-	-	-	-	-	-	-	-	-	-
Erith F,H - - - -	3,854	25,296	18	4	1	1	-	-	-	-	-	1	-	-	2	1	-
Dartford W,F, *part of** -	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
Sunbury w - - - -	11,054	18,683	8	8	-	2	-	-	-	-	-	-	-	-	-	-	-
Staines W,H - - -	13,277	15,178	6	6	2	1	-	-	-	-	-	-	-	-	-	2	-
Hillingdon W,F,H - -	6,035	13,661	9	6	1	3	-	-	-	-	-	-	-	-	-	-	-
Uxbridge H - - -	12,767	8,984	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hayes w2 F,H - - -	8,066	16,358	17	5	1	1	-	-	-	-	-	-	-	-	-	-	-
Isleworth 3W,2F,H - -	6,859	30,863	25	11	2	4	-	-	-	-	-	-	-	-	-	4	-
Twickenham F,H - -	2,421	20,991	17	9	2	1	-	-	1	-	-	-	-	1	1	1	-
Brentford 3F,2H - - -	4,319	48,289	37	14	2	6	-	-	2	-	-	-	-	-	-	-	-
Chiswick H - - - -	1,249	29,809	12	10	1	5	-	-	-	-	-	-	-	1	1	-	-
Acton w,F,3H - - -	6,132	48,914	43	13	2	6	-	-	-	-	-	-	-	2	2	1	1
Harrow F,H - - -	13,809	25,523	13	8	2	3	-	-	-	-	-	-	-	-	-	-	-
Edgware 2F,2H - - -	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H - -	4,384	114,811	71	34	13	9	-	-	-	-	3	1	-	1	1	2	-
Hendon W,F - - -	8,382	22,450	16	5	3	-	-	-	-	-	-	-	-	-	-	1	-
South Mimms 2F,H - -	17,755	7,308	1	5	1	3	-	-	-	-	-	-	-	1	1	1	-
Barnet W,2H - - -	3,324	17,970	13	4	1	1	-	-	-	-	-	-	-	-	-	-	1
Finchley F,2H - - -	4,688	33,692	19	8	1	1	-	-	-	-	-	-	-	-	-	-	-
Hornsey F,H - - -	2,875	72,056	29	15	2	6	-	-	-	1	-	1	-	-	-	1	-
Wood Green H - - -	1,625	34,233	20	13	2	6	-	-	-	1	-	-	-	-	-	-	1
West Tottenham F - -	996	48,853	36	10	3	3	-	-	-	-	-	-	1	-	1	-	-
East Tottenham 2H - -	2,017	53,688	30	22	8	5	-	-	-	-	2	-	-	1	2	4	-
Edmonton W,w,2F - -	7,491	61,892	39	30	9	12	-	-	-	1	-	-	1	-	2	13	-
Enfield 2W,F,H - - -	12,601	42,738	25	16	-	6	-	-	1	2	-	-	-	-	-	5	1
Waltham Abbey F - -	11,017	6,549	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H - - -	8,479	12,292	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H - - - -	9,333	9,173	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H - - -	1,072	44,827	28	10	3	2	-	-	-	-	-	-	-	1	1	-	-
Plaistow F,2H - - -	1,249	90,921	65	34	10	6	-	1	-	2	-	-	-	1	2	4	-
Canning Town H - - -	1,556	70,718	60	25	9	3	-	2	-	-	-	-	1	2	3	1	-
Forest Gate w - - -	806	60,892	28	24	3	12	-	-	-	-	-	-	-	-	-	-	-
North East Ham w H -	1,333	58,676	33	15	4	5	-	-	-	-	-	-	-	-	2	1	-
South East Ham 2F - -	1,993	37,342	21	14	5	3	-	-	-	-	1	-	-	-	-	-	-
Wanstead F - - -	1,679	9,179	3	4	-	3	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W - -	631	50,467	34	22	5	12	-	1	-	-	-	-	-	-	-	14	-
North Leyton 2W,w,F -	1,963	48,445	28	31	4	13	-	-	-	1	-	-	1	-	-	18	-
Walthamstow 3H,L - -	6,504	108,929	76	28	9	9	-	-	-	1	2	-	-	3	4	1	-
Chigwell 2F,3H - - -	11,778	16,397	9	5	-	2	-	-	1	1	-	-	-	-	-	2	-
Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** W,2F -	6,556	6,091	3	3	-	3	-	-	-	-	-	-	-	-	-	1	-
Ilford F,L - - - -	8,496	41,234	20	16	1	5	-	-	-	-	-	-	-	-	-	3	-
Barking Town F - -	3,803	21,547	13	6	1	1	-	-	1	-	-	-	-	1	1	1	-
London County Asylum, Banstead.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher 11: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1. Dagenham Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN a FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	December 15	2172	1628	18·0	-	26	15	18	18	1
CALCUTTA - -	977,822	November 10	-	595	36·4	2	1	-	-	1	17
BOMBAY - -	982,000	" 27	426	624	41·8	-	2	-	-	-	8
MADRAS - -	509,346	" 16	370	375	38·2	1	2	-	-	-	10
PARIS - - -	2,750,000	December 8	924	860	16·7	-	4	2	4	7	
BRUSSELS - -	612,401	" 8	236	148	12·6	-	2	1	2	1	-
ANTWERP - -	297,311	" 8	116	76	13·3	-	-	-	1	-	
AMSTERDAM -	560,482	1	267	149	13·8	-	9	-	2	3	-
COPENHAGEN -	425,000	" 8	244	91	11·2	-	-	-	-	-	
STOCKHOLM -	324,488	" 1	161	76	12·2	-	-	-	-	-	-
CHRISTIANIA -	222,373	" 8	107	44	10·3	-	-	-	5	1	-
ST. PETERSBURG	1,424,700	" 1	744	697	25·4	-	18	26	27	5	2
MOSCOW - -	1,154,000	November 24	-	566	25·6	1	6	16	15	2	
BERLIN - -	2,086,825	" 24	922	574	14·3	-	5	12	10	6	
HAMBURG - -	819,380	December 8	-	229	14·8	-	1	1	5	1	-
BRESLAU - -	475,000	" 1	-	180	19·8	-	1	1	4	5	-
MUNICH - -	544,000	" 8	-	203	19·5	-	1	-	2	1	-
VIENNA - -	1,956,949	" 8	1002	626	16·6	-	6	1	12	1	
PRAGUE - -	460,849	" 1	166	159	17·7	-	3	-	2	-	-
BUDA-PESTH -	859,134	" 1	416	273	17·9	-	6	8	5	3	
TRIESTE - -	196,637	" 8	148	94	24·4	-	-	-	1	-	
ROME - -	531,179	October 20	222	149	14·7	-	-	-	-	-	
VENICE - -	171,709	" 27	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	December 8	156	120	21·5	-	-	1	3	1	
NEW YORK -	4,152,860	November 24 / December 1	2157 / 2155	1359 / 1244	17·1 / 15·6	- / -	5 / 7	7 / 8	43 / 32	4 / 5	20 / 20
CHICAGO - -	2,049,185	" 1	-	571	14·5	-	1	17	25	2	
PHILADELPHIA -	1,469,126	—	-	-	-	-	-	-	-	-	-
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	November 11	-	277	15·8	-	1	-	-	-	1

* Excluding deaths from croup in the Indian Cities.
† Including 7 deaths from plague in Calcutta, 15 in Bombay, and 12 in Rio de Janeiro.
‡ Including 66 deaths from cholera in Calcutta, 4 in Bombay, and 1 in Madras.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 15th December, 1906

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	46·8	26·9	36·3	0·40	BRADFORD - -	45·0	29·0	37·0	1·90
BRIGHTON - - -	49·5	26·1	38·3	0·66	LEEDS - - -	52·0	23·0	36·7	0·65
PORTSMOUTH - -	50·0	29·7	39·9	0·50	HULL - - -	42·0	27·0	34·5	1·53
NORWICH - -	44·0	26·2	34·5	0·58	TYNEMOUTH - -	41·0	27·0	33·9	1·47
PLYMOUTH - -	50·9	34·0	42·1	1·06	CARDIFF - -	50·2	28·2	33·1	0·94
BRISTOL - - -	49·0	27·0	38·9	0·50	EDINBURGH - -	40·8	28·8	33·4	0·77
BIRMINGHAM - -	44·5	28·0	35·6	0·68	GLASGOW - -	42·8	23·8	34·2	0·36
NOTTINGHAM - -	41·7	25·2	34·5	0·81	DUBLIN Phœnix Park.	49·0	26·0	37·3	1·10
LIVERPOOL OBSERVATORY.	48·0	34·0	39·7	1·08	DUBLIN Fitzwilliam Square.†	49·7	31·5	39·4	0·92
MANCHESTER - -	42·0	25·9	34·0	1·26					
PRESTON - -	43·5	30·9	36·8	1·24					
HUDDERSFIELD -	42·8	27·2	34·3	1·02	BELFAST - -	49·0	30·8	38·4	0·83

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* foot the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period above was 0°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Radiation. Highest in Sun's Rays.	Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	9	Last Quarter.	29·519	43·2	33·5	9·7	37·2	− 3·1	30·2	7·0	10·6	2·9	76	49·4	25·8	48·00	WSW. & WNW.	NNW. & NW.	12·5	0·0	0·9	486	+180	0·06	4·5
MONDAY -	10	In Equator.	29·714	35·8	28·6	7·2	32·4	− 7·5	19·9	12·5	13·1	10·9	58	52·1	18·1	47·57	NW. & NNW.	NNW., NW. & W.	2·8	0·0	0·4	326	+ 20	0·00	0·0
TUESDAY -	11	..	29·651	46·8	26·9	19·9	37·5	− 2·3	34·4	3·1	8·0	1·1	88	50·0	15·8	46·92	SW.	SW. & SSW.	1·5	0·0	0·1	241	− 66	0·04	0·0
WEDNESDAY	12	..	29·345	46·8	36·1	10·7	41·2	+ 1·3	34·2	7·0	10·3	0·0	76	67·0	30·5	46·39	WSW., SW. & SSW.	WSW.	13·0	0·0	1·1	570	+263	0·07	1·0
THURSDAY-	13	..	29·350	39·8	33·3	6·5	37·1	− 3·0	34·0	3·1	5·5	0·9	89	42·9	26·9	46·11	WSW., SW. & SSW.	SSW., WSW & W.	3·5	0·0	0·2	314	+ 6	0·09	0·0
FRIDAY -	14	..	29·501	38·7	32·6	6·1	36·4	− 3·8	30·2	6·2	7·4	0·3	78	44·8	27·3	45·82	WSW., W. & WNW.	NW., WNW. & W.	9·0	0·0	0·8	480	+172	0·14	0·0
SATURDAY -	15	Perigee. New.	29·905	36·6	30·1	6·5	34·0	− 6·3	30·1	3·9	4·9	1·0	86	36·6	24·5	45·38	NW., W. & WSW.	WSW. & S.	1·1	0·0	0·0	168	−141	0·00	0·0
MEANS -	-		29·569	41·1	31·6	9·5	36·5	− 3·5	30·4	6·1	8·5	2·4	79	49·0	24·1	46·60	NW. & SW.		..	..	..	Sum 2585	Sum +434	Sum 0·40	0·8
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. December.		Electricity (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	9	w. P. generally till noon with w.N. at 3h. A.M.; m.P. till 7h. P.M.: s. P. afterwards.	1·3	7·9
MONDAY -	10	m. P. till 5h. A.M.; s. P. afterwards.	4·4	7·9
TUESDAY -	11	s. P. till 1h. P.M.; m. P. afterwards.	0·0	7·9
WEDNESDAY	12	m. P. generally; v. P. and v. N. between 2h. and 6h. P.M.	2·5	7·8
THURSDAY-	13	m. P. till 10h. A.M.; v. P. and s. N. till 2h. P.M.; s.P. afterwards.	0·0	7·8
FRIDAY -	14	s. P. till 3h. A.M.; s. P. and s. N. till 5h. A.M.; m.P. till 3h. P.M.; s. P. afterwards.	0·4	7·8
SATURDAY-	15	m. P. till 9h. A.M.; s. P. generally afterwards.	0·0	7·8
			Sum 8·6	Sum 54·9
No. of Col.-		27	28	29

GENERAL REMARKS.

Generally cloudy; gusty wind at times; showers in early morning.

Very fine: little cloud at intervals; hoar frost in morning and at night.

Cloudless with hoar frost in early morning; generally overcast after 2h. A.M. with occasional misty rain.

Variable; occasional showers: rain, hail, and snow in afternoon; strong gusty wind prevalent after 8h. A.M.

Cloudless with hoar frost in morning; overcast between 7h. A.M. and 2h. P.M.; fine and partially cloudy afterwards; rain between 10h. 30m. A.M. and 2h. 30m. P.M.

Overcast till 11h. A.M. with snow at 3h. A.M. changing to rain between 6h. and 7h. A.M.; fine afterwards; gusty wind between 7h. A.M. and 4h. P.M.

Partially cloudy with hoar frost in morning; generally overcast with slight fog after 10h. A.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·54 in. at the beginning of the week to 29·48 in. by 10h. A.M. on the 9th; increased to 29·75 in. by 9h. P.M. on the 10th; decreased to 29·29 in. by 9h. A.M. on the 12th; increased to 29·54 in. by 3h. A.M. on the 13th; decreased to 29·29 in. by 5h. A.M. on the 14th; and increased to 29·98 in. by midnight on the 15th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 8th December, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	47	3	-	-	-	-	1	-
Kensington	180,952	-	12	3	-	1	-	-	1	-
Hammersmith	120,679	-	7	6	-	2	-	-	4	-
Fulham	161,965	-	29	13	-	2	-	-	3	-
Chelsea	74,672	-	3	2	-	-	-	-	2	-
City of Westminster	173,905	-	12	6	-	2	-	-	3	1
NORTH.										
St. Marylebone	128,580	-	8	4	-	1	-	-	6	-
Hampstead	89,633	-	7	2	-	2	-	-	1	-
St. Pancras	236,455	-	6	6	-	7	-	-	4	1
Islington	344,987	-	32	7	-	5	1	-	11	-
Stoke Newington	53,217	-	5	1	-	-	-	-	3	-
Hackney	230,721	-	18	7	-	1	-	-	7	-
CENTRAL.										
Holborn	55,805	-	3	1	-	-	-	-	3	1
Finsbury	97,466	-	8	3	-	3	-	-	5	-
City of London	21,367	-	-	-	-	-	-	-	1	-
EAST										
Shoreditch	116,108	-	9	1	-	-	-	-	8	-
Bethnal Green	130,609	-	11	7	-	-	-	-	3	-
Stepney	307,176	-	22	13	-	4	-	-	18	-
Poplar	170,673	-	8	3	-	-	-	-	6	-
SOUTH.										
Southwark	209,143	-	30	2	-	3	-	-	8	1
Bermondsey	128,629	-	23	9	-	-	-	-	7	-
Lambeth	315,774	-	17	13	-	1	-	-	1	1
Battersea	179,622	-	32	12	-	-	-	-	4	-
Wandsworth	273,381	-	16	20	-	-	-	-	5	-
Camberwell	274,132	-	30	8	-	3	-	-	6	-
Deptford	115,495	-	11	11	-	1	-	-	4	-
Greenwich	105,350	-	16	5	-	3	-	-	-	1
Lewisham	148,463	-	8	7	-	-	-	-	2	-
Woolwich	127,345	-	14	6	-	1	-	-	8	-
Port of London	—	-	-	-	-	-	-	-	1	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,721,217**	-	**444**	**181**	-	**42**	**1**	-	**136**	**6**
Ages 0-1		-	6	2	-	-	-	-	7	-
" 1-5		-	119	51	-	-	-	-	7	-
" 5-		-	195	81	-	9	-	-	8	-
" 10-		-	73	23	-	11	1	-	4	-
" 15-		-	26	7	-	5	-	-	6	-
" 20-		-	8	4	-	2	-	-	3	-
" 25-		-	12	10	-	10	-	-	29	4
" 35-		-	4	3	-	3	-	-	13	2
" 45-		-	1	-	-	-	-	-	30	-
" 55-		-	-	-	-	2	-	-	16	-
" 65 and upwards		-	-	-	-	-	-	-	12	-
Age not stated		-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 51. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, DEC. 22. [Price 1½*d.*

General Register Office, Somerset House,
December 24th, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·1 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 15·8, 15·8, and 17·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 23·2 in Wigan, 23·3 in Preston, 23·5 in Hanley, 25·1 in Stockport, 25·3 in South Shields, 25·6 in Rotherham and in Warrington, 25·7 in Stockton on Tees, 25·9 in Oldham, 26·0 in Newport (Mon.), 28·3 in Smethwick, and 30·5 in Rochdale ; from *measles*, 1·1 in Liverpool, 1·3 in Norwich and in Aston Manor, 1·4 in Newport (Mon.), 1·6 in East Ham, 2·7 in Plymouth, 2·8 in Hull and in South Shields, 2·9 in Leicester, 3·2 in Smethwick, 3·3 in Oldham, 3·8 in Warrington, 4·3 in Rotherham, and 4·8 in Wigan and in Rochdale ; from *scarlet fever*, 1·6 in Handsworth (Staffs.), and 1·7 in Rotherham ; from *diphtheria*, 1·1 in Walsall, 1·5 in Grimsby and in Warrington, 1·6 in Smethwick, and 4·6 in Reading ; from *whooping-cough*, 1·3 in Preston, 1·6 in Middlesbrough, 2·3 in South Shields, and 2·6 in Rotherham ; from "*fever*," 1·2 in Wigan ; and from *diarrhœa*, 1·5 in West Bromwich. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2503 BIRTHS and 1886 DEATHS were registered. Allowing for increase of population, the births were 256 and the deaths 295 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 15·5, 16·4, and 18·0 per 1000 in the preceding three weeks rose last week to 20·8. The death-rate in the four weeks ended last Saturday averaged 17·7 per 1000, being 0·6 per 1000 below the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 12/06 D & S 3 26847 3 E

The 1886 deaths included 24 from measles, 9 from scarlet fever, 14 from diphtheria, 32 from whooping-cough, 6 from enteric fever, and 16 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 101 deaths were referred to these diseases in the aggregate, being 26 below the corrected average number in the 51st week of the preceding four years.

The deaths from *measles*, which had been 21, 21, and 26 in the preceding three weeks, fell to 24 last week, and were 25 below the corrected average; 10 deaths belonged to the Borough of Stepney, 5 to Woolwich, and 3 to Wandsworth. The deaths from *scarlet fever*, which had been 12, 12, and 15 in the preceding three weeks, fell to 9 last week, and were 1 below the corrected average. The deaths from *diphtheria*, which had been 20, 20, and 16 in the preceding three weeks, fell to 14 last week, and were 3 below the corrected average; 3 deaths belonged to Poplar. The deaths from *whooping-cough*, which had been 13, 18, and 18 in the preceding three weeks, rose to 32 last week, and were 2 above the corrected average; 7 deaths belonged to Islington and 3 to Camberwell. The fatal cases of *enteric fever*, which had been 7, 7, and 15 in the preceding three weeks, fell to 6 last week, and were 1 below the corrected average. The deaths from *diarrhœa*, which had been 20, 15, and 15 in the preceding three weeks, were 16 last week, the corrected average being 15. Of the 16 deaths from diarrhœa, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 82, having been 43, 37, and 54 in the preceding three weeks.

Different forms of *violence* caused 57 deaths, concerning all of which inquests were held. Of these 57 deaths, 6 were cases of suicide, while the remaining 51 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 15 to burns or scalds, 3 to drowning, and 7, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3807 cases of scarlet fever, 955 of diphtheria, and 149 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 334 cases, against 401, 419, and 359; of diphtheria, 123 cases, against 135, 134, and 131; and of enteric fever, 17 cases, against 30, 23, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended December 15th, 1906.

Greater London.

In Greater London 3877 births and 2571 deaths were registered. Allowing for increase of population, these numbers are 412 and 351 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 3 from scarlet fever, 4 from diphtheria, 5 from whooping-cough, and 2 from "fever" were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·28 inches, and that of the Thermometer 39°·2, the latter being 0°·2 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 39 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 1·6 hours; the measured rainfall amounted to 0·50 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE I.—[illegible] Population, Death-Rates, and Death-Rates in each of the preceding three Weeks.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 1st Dec., 1906.	8th Dec., 1906.	15th Dec., 1906.	22nd Dec., 1906.	Rate from Diseases in Cols. 11–17. Week ended 22nd Dec., 1906.	Registered during the Week ended 22nd Dec., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**15·8**	**15·8**	**17·4**	**19·1**	**1·4**	**8707**	**5780**	**1113**	**1919**	**-**	**166**	**42**	**62**	**76**	**33**	**46**	**193**	**449**	**1437**	**51**	**76 Towns.**
London - - -	4,721,217	15·5	16·4	18·0	20·8	1·1	2503	1886	328	682	-	24	9	14	32	6	16	57	159	718	-	London.
† Croydon - -	151,011	15·9	12·8	12·8	13·5	1·0	69	39	-	23	-	-	-	2	-	-	1	3	5	12	-	Croydon.
† Willesden - -	143,622	13·4	11·3	12·3	12·0	1·1	72	33	10	8	-	-	1	-	1	-	1	1	3	6	-	Willesden.
† Hornsey - -	86,935	6·0	9·6	10·2	7·8	-	20	13	1	9	-	-	-	-	-	-	-	-	-	-	-	Hornsey.
† Tottenham - -	119,503	14·8	14·0	15·3	17·5	1·7	76	40	8	12	-	-	-	2	1	-	1	-	1	5	-	Tottenham.
† West Ham - -	301,617	15·6	15·0	19·9	19·2	1·9	213	111	31	29	-	5	1	2	2	-	1	8	16	24	-	West Ham.
† East Ham - -	129,886	12·8	10·8	13·6	14·5	3·2	79	36	11	9	-	4	-	-	2	1	1	2	3	10	-	East Ham.
† Leyton - - -	118,287	11·9	12·3	9·7	16·3	0·4	74	37	5	11	-	-	-	1	-	-	-	-	1	6	-	Leyton.
† Walthamstow -	121,334	14·2	13·8	16·8	21·1	0·9	70	49	8	17	-	-	1	-	-	1	-	2	3	8	-	Walthamstow.
Hastings - - -	67,144	9·3	11·6	7·8	13·2	0·8	21	17	1	6	-	-	1	-	-	-	-	1	2	8	-	Hastings.
Brighton - -	128,095	14·2	12·6	17·5	19·9	0·8	45	49	3	25	-	1	-	1	-	-	-	3	5	14	-	Brighton.
Portsmouth - -	205,118	10·4	13·5	17·0	16·5	1·0	121	65	15	20	-	-	1	1	1	1	-	2	7	10	2	Portsmouth.
Bournemouth -	67,702	13·1	14·6	11·6	14·6	0·8	28	19	2	8	-	1	-	-	-	-	-	1	3	5	-	Bournemouth.
Southampton -	117,312	13·8	9·3	12·4	15·6	0·9	47	35	3	16	-	-	-	-	-	-	2	4	8	2	-	Southampton.
Reading - - -	78,987	15·2	9·2	12·5	19·1	4·6	39	29	6	9	-	-	-	7	-	-	-	2	2	4	-	Reading.
Northampton -	93,749	5·0	12·8	13·3	6·7	-	33	12	3	4	-	-	-	-	-	-	-	2	3	1	-	Northampton.
Ipswich - - -	71,809	16·7	9·4	7·3	20·3	0·7	38	28	4	15	-	-	-	-	-	-	1	-	2	3	-	Ipswich.
Great Yarmouth -	52,613	10·9	20·8	19·8	16·8	2·0	28	17	2	11	-	-	-	1	-	-	1	-	2	1	-	Great Yarmouth.
Norwich - -	117,958	17·2	21·7	19·0	18·6	2·7	55	42	6	13	-	3	-	1	1	1	-	1	1	8	1	Norwich.
Plymouth - -	118,014	17·7	14·1	18·1	21·2	3·1	69	48	8	18	-	6	1	-	-	-	-	-	4	6	-	Plymouth.
Devonport - -	78,405	8·0	10·6	15·3	10·0	0·7	42	15	3	6	-	-	-	-	-	-	1	-	2	2	-	Devonport.
Bristol - - -	363,223	15·4	13·4	14·4	12·9	0·9	177	90	15	37	-	-	-	2	2	1	1	6	15	17	1	Bristol.
Hanley - - -	66,360	16·5	14·9	21·2	23·6	0·8	59	30	5	8	-	-	1	-	-	-	-	-	4	3	1	Hanley.
Burton-on-Trent	52,922	12·8	9·9	9·9	22·7	-	30	23	4	5	-	-	-	-	-	-	-	-	2	6	-	Burton-on-Trent.
Wolverhampton -	100,729	8·3	17·1	10·9	16·6	0·5	56	32	9	9	-	-	-	1	-	-	-	1	3	4	1	Wolverhampton.
Walsall - - -	94,577	11·0	7·7	14·9	18·2	1·1	38	33	3	12	-	-	-	2	-	-	-	1	3	3	-	Walsall.
Handsworth -	63,819	9·0	19·6	7·4	13·1	2·5	35	16	3	8	-	1	2	-	-	-	-	1	1	3	-	Handsworth
West Bromwich -	68,469	13·7	19·0	19·0	16·0	3·0	43	21	6	8	-	1	-	-	-	1	2	-	1	3	-	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 22nd December, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from 11 Causes. Week ended 1st Dec., 1906.	8th Dec., 1906.	15th Dec., 1906.	22nd Dec., 1906.	Rate from Diseases in Cols. 11-17. Week ended 22nd Dec., 1906.	Registered during the Week ended 22nd Dec. 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM - -	548,022	16·3	14·7	17·5	18·8	1·3	306	198	37	62	-	7	-	2	1	2	2	3	5	51	5	BIRMINGHAM.
KINGS NORTON -	72,608	11·5	7·2	9·3	5·7	-	39	8	-	4	-	-	-	-	-	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK - -	64,531	16·2	14·5	12·1	28·3	4·8	42	35	8	10	-	4	-	2	-	-	-	4	6	3	-	SMETHWICK.
ASTON MANOR -	82,288	12·7	12·7	14·6	14·6	1·3	41	23	5	10	-	2	-	-	-	-	-	-	1	3	1	ASTON MANOR.
COVENTRY - -	76,374	8·2	13·0	21·8	17·8	-	57	26	5	11	-	-	-	-	-	-	-	-	-	2	1	COVENTRY.
LEICESTER - -	232,111	13·7	12·8	17·7	21·6	4·3	131	96	23	29	-	13	3	-	-	-	3	-	12	19	-	LEICESTER.
GRIMSBY - - -	69,359	13·5	12·0	15·0	17·3	2·3	37	23	6	6	-	-	-	2	-	1	-	2	4	3	1	GRIMSBY.
NOTTINGHAM - -	254,563	16·2	15·2	17·4	17·2	0·6	106	84	22	30	-	-	1	-	-	1	1	3	4	17	1	NOTTINGHAM.
DERBY - - -	123,981	14·3	15·6	16·4	17·2	0·8	64	41	6	12	-	-	-	1	-	1	-	3	7	9	-	DERBY.
STOCKPORT - -	99,646	14·7	18·3	23·0	25·1	1·6	53	48	7	17	-	2	-	-	1	-	-	-	-	8	-	STOCKPORT.
BIRKENHEAD - -	117,292	16·4	15·1	16·4	15·1	1·3	74	34	4	12	-	2	1	-	-	-	-	1	1	12	-	BIRKENHEAD.
WALLASEY - -	64,578	11·3	17·8	18·6	11·3	0·8	31	14	2	6	-	-	-	-	1	-	-	1	3	1	-	WALLASEY.
LIVERPOOL - -	739,180	18·3	16·6	18·3	20·7	2·0	484	294	60	77	-	16	4	-	1	3	4	7	17	86	9	LIVERPOOL.
BOOTLE - - -	65,989	22·1	22·1	18·2	22·1	0·8	47	28	9	7	-	1	-	-	-	-	-	1	1	5	-	BOOTLE.
ST. HELENS - -	91,153	18·3	20·0	14·9	12·2	1·1	60	23	6	9	-	1	-	1	-	-	-	-	-	3	2	ST. HELENS.
WIGAN - - -	87,588	18·5	24·4	12·5	23·2	6·0	56	39	8	8	-	8	-	-	-	2	-	-	1	5	-	WIGAN.
WARRINGTON -	69,280	14·3	19·6	8·3	25·6	5·3	29	34	8	4	-	5	-	2	-	-	-	1	1	7	4	WARRINGTON.
BOLTON - - -	180,502	13·9	14·2	16·2	17·0	0·6	76	59	11	21	-	-	-	1	-	1	-	5	5	11	-	BOLTON.
BURY - - -	58,744	19·5	16·0	17·8	20·4	0·9	24	23	5	7	-	-	-	-	-	1	-	-	1	2	-	BURY.
MANCHESTER - -	637,126	21·1	20·8	19·6	21·5	0·9	409	263	59	78	-	1	6	2	1	-	1	10	25	59	-	MANCHESTER.
SALFORD - - -	234,077	22·3	19·2	19·6	19·8	1·6	148	89	19	26	-	4	-	1	1	1	-	4	5	14	-	SALFORD.
OLDHAM - - -	140,969	20·0	21·1	24·0	25·9	3·7	93	70	8	23	-	9	1	-	-	-	-	1	3	7	-	OLDHAM.
ROCHDALE - -	87,189	22·7	19·7	28·7	30·5	4·8	44	51	10	14	-	8	-	-	-	-	-	-	-	4	1	ROCHDALE.
BURNLEY - - -	102,808	19·3	16·2	26·4	18·3	1·5	66	36	5	10	-	1	1	-	-	1	-	2	2	6	-	BURNLEY.
BLACKBURN - -	134,015	17·1	10·1	14·0	14·8	-	81	38	11	11	-	-	-	-	-	-	-	5	6	6	-	BLACKBURN.
PRESTON - - -	116,399	15·7	19·3	23·7	23·3	2·7	57	52	13	16	-	2	1	-	3	-	-	-	1	6	1	PRESTON.
BARROW-IN-FURNESS.	60,967	14·5	14·5	13·7	15·4	-	30	18	2	6	-	-	-	-	-	-	-	1	1	2	1	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 22nd December, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 1st Dec., 1906.	8th Dec., 1906.	15th Dec., 1906.	22nd Dec., 1906.	Rate from Diseases in Cols. 11-17. Week ended 22nd Dec., 1906.	Registered during the Week ended 22nd Dec., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD -	94,851	14·8	17·0	15·9	20·9	1·6	40	38	8	17	-	1	-	-	2	-	-	-	-	10	-	HUDDERSFIELD.
HALIFAX - - -	109,272	16·7	19·6	15·7	13·4	0·5	38	28	7	12	-	1	-	-	-	-	-	1	3	9	1	HALIFAX.
BRADFORD - -	288,544	13·4	12·6	14·3	19·0	0·7	119	105	17	48	-	1	-	-	3	-	-	1	8	19	1	BRADFORD.
LEEDS - - -	463,495	14·6	12·3	16·5	16·2	0·6	236	144	25	53	-	-	-	1	2	2	-	6	14	28	-	LEEDS.
SHEFFIELD - -	447,951	17·2	16·3	16·5	18·3	0·8	257	157	35	48	-	-	4	2	1	-	-	2	5	27	3	SHEFFIELD.
ROTHERHAM - -	61,098	11·1	25·6	15·4	25·6	9·4	44	30	8	1	-	5	2	1	3	-	-	1	1	3	2	ROTHERHAM.
YORK - - -	83,467	15·0	10·0	20·0	13·1		44	21	5	7	-	-	-	-	-	-	-	-	-	5	-	YORK.
HULL - - -	262,426	15·7	17·5	19·7	19·9	4·0	147	100	22	29	-	14	-	3	2	1	-	4	7	19	1	HULL.
MIDDLESBROUGH -	100,069	18·8	19·3	24·0	19·3	1·6	52	37	7	9	-	-	-	-	3	-	-	1	2	9	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	18·8	13·9	20·8	25·7	-	33	26	9	7	-	-	-	-	-	-	-	4	4	3	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	15·6	12·1	18·5	17·8	1·4	36	25	10	3	-	-	-	1	1	-	-	1	2	4	-	WEST HARTLEPOOL.
SUNDERLAND - -	154,385	17·9	21·6	24·0	22·3	1·0	112	66	16	21	-	1	-	-	1	1	-	1	2	7	3	SUNDERLAND.
SOUTH SHIELDS -	111,402	21·1	22·0	20·1	25·3	7·0	70	54	12	11	-	6	-	1	5	1	2	1	2	6	2	SOUTH SHIELDS.
GATESHEAD - -	123,191	13·5	11·9	22·0	16·5	0·8	65	39	10	8	-	1	-	1	-	-	-	1	1	2	2	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	18·6	18·0	16·5	18·0	1·0	166	93	21	21	-	2	-	-	-	1	2	2	9	14	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH - -	54,138	26·0	11·6	16·4	9·6	-	42	10	4	2	-	-	-	-	-	-	-	1	1	3	-	TYNEMOUTH.
NEWPORT (MON.) -	74,227	20·4	28·1	19·7	26·0	1·4	46	37	6	11	-	2	-	-	-	-	-	2	4	5	1	NEWPORT (MON.).
CARDIFF - - -	183,823	15·0	13·9	17·9	16·5	0·3	96	58	11	14	-	-	-	-	-	-	1	3	3	7	-	CARDIFF.
RHONDDA - - -	127,684	12·3	11·4	16·3	15·9	1·6	91	39	9	7	-	-	-	1	1	1	1	3	2	1	-	RHONDDA.
MERTHYR TYDFIL -	74,961	20·2	13·9	20·2	16·0	-	45	23	3	8	-	-	-	-	-	-	-	2	2	4	-	MERTHYR TYDFIL.
SWANSEA - - -	96,848	26·9	16·7	21·5	20·5	0·5	63	38	6	18	-	-	-	-	1	-	-	4	4	8	-	SWANSEA.
GREATER LONDON -	7,113,561	14·5	14·8	16·6	18·8	1·1	3877	2571	465	914	-	34	15	25	43	10	21	89	216	837	-	GREATER LONDON.
OUTER RING - -	2,392,344	12·4	11·7	14·0	14·9	1·0	1374	685	137	232	-	10	6	11	11	4	5	32	57	119	-	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	13·7	12·9	14·8	15·9	1·4	673	358	74	118	-	9	3	7	6	2	5	16	32	71	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	11·0	10·5	13·2	14·0	0·6	701	327	63	114	-	1	3	4	5	2	-	16	25	48	-	REMAINDER OF OUTER RING.
EDINBURGH - -	341,035	14·2	15·9	19·1	17·9	0·9	115	117	14	41	-	1	1	1	-	-	3	1	?	35	9	EDINBURGH.
GLASGOW - - -	835,625	17·0	18·8	18·0	20·6	2·0	452	330	60	77	-	-	2	5	14	2‡	9	19	?	88	13	GLASGOW.
DUBLIN† - - -	378,994	23·8	22·4	22·3	28·8	1·2	189	209	39	65	-	2	-	2	2	1	2	5	8	87	8	DUBLIN.†
BELFAST† - - -	366,220§	18·2	19·8	16·8	18·1	1·0	178	127	25	32	-	2	1	1	1	1	1	2	5	38	1	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

‡ In addition to the above, 5 deaths from Cerebro-spinal meningitis were registered in Glasgow.

§ Revised population.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTY-FIRST Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902–1905.*	1906
TOTAL **Births** -	2522	2106	2422	2585	2436	2493	2407	1802	2122	2488	2247·4	2503
Males - - -	1285	1059	1232	1348	1282	1262	1259	909	1117	1217	1147·3	1307
Females - -	1237	1047	1190	1237	1154	1231	1148	893	1005	1271	1100·1	1196
TOTAL **Deaths** -	1459	1555	1470	2607	1382	1625	1720	1204	1572	1746	1590·7	1886
Males - -	719	764	774	1304	752	844	890	586	815	860	803·0	957
Females - -	740	791	696	1303	630	781	830	618	757	886	787·7	929

* The numbers in this column are the average weekly numbers in the fifty-first week of the four years 1902–1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	13 Weeks.
TOTAL **Births** -	2374	2251	2355	2411	2474	2304	2220	2390	2532	2345	2338	2172	2503	30669
TOTAL **Deaths** -	1422	1404	1295	1232	1209	1272	1328	1391	1453	1406	1482	1628	1886	18408
Ages at Death: Under 1 year -	426	341	280	277	276	246	267	244	284	251	271	296	328	3787
1—5 years -	150	146	125	128	111	137	138	113	161	132	150	159	180	1830
5—20 ,, -	85	73	73	58	69	82	73	67	73	85	85	85	99	1007
20—40 ,, -	179	165	156	150	162	176	170	204	184	190	166	202	221	2325
40—60 ,, -	249	293	279	270	266	273	286	315	288	286	338	347	376	2866
60 yrs. & upwds.	333	386	382	349	325	358	394	448	463	462	472	539	682	5593
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	8	6	2	5	9	15	19	10	26	21	21	26	24	192
Scarlet Fever - -	10	12	19	9	15	11	17	5	8	12	12	15	9	154
Diphtheria - -	13	12	14	11	16	23	11	16	14	20	20	16	14	200
Whooping-cough -	13	11	12	13	5	5	7	10	5	13	18	18	32	162
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	12	11	17	8	11	5	6	8	3	7	7	15	6	116
Pyrexia (origin uncertain).	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	207	135	93	78	55	47	44	29	24	20	15	15	16	778
All above Diseases -	263	188	157	124	111	106	104	78	80	93	93	105	101	1603
Dis. of Resp. System	51	90	84	64	69	99	113	158	156	177	169	216	297	1743
Pneumonia - -	83	98	93	82	81	101	119	130	156	135	176	192	244	1690
Phthisis - - -	147	139	120	132	129	150	133	177	129	131	134	156	204	1881
Dis. of Circ. System -	147	176	171	169	174	183	167	214	188	170	184	219	247	2109
Violence - - -	68	48	53	50	44	51	70	53	62	56	59	60	57	731
Inquest Cases - -	127	131	115	140	103	121	163	141	133	128	137	162	159	1760
Deaths in Institutions	552	551	550	490	480	547	555	546	545	533	588	616	718	7271
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	52·0	58·4	57·6	41·2	53·0	46·8	47·3	43·0	46·2	47·3	43·8	36·5	39·2	47·1
Mean of Highest -	63·1	66·5	65·5	59·4	61·7	53·0	52·3	49·2	50·8	51·9	49·5	41·1	42·8	54·4
Mean of Lowest -	41·5	51·2	51·2	43 5	45·4	40·9	42·3	36·3	39·8	41·4	37·2	31·6	34·7	41·3
Mean Humidity of the Air.	77	83	82	81	82	88	89	85	89	84	80	79	91	84
Rain-fall (in inches) -	0·00	0·69	0·63	0·21	0·07	1·59	2·62	0·90	0·38	0·09	0·29	0·40	0·50	8·37
Registered Sunshine (in hours).	41·3	31·0	35·7	31·7	30·6	10·6	14·9	10·2	12·5	8·1	12·4	8·6	1·6	249·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3388	3603	3803	3923	4068	4178	4135	4150	4144	4053	4062	3986	3807	3946
Diphtheria - -	849	907	944	982	1030	1065	1076	1105	1113	1082	1033	1025	955	1013
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	140	167	186	186	197	202	203	183	165	162	168	157	149	174

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E, Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

Table 4. LONDON.—Deaths Registered in the Fifty-first Week of the Year 1906.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

Causes of Death.	Corrected Average for the 51st week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1590·7	1886	328	180	99	221	376	682
Small-pox*	0·3	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	49·2	24	4	17	3	-	-	-
Scarlet Fever	9·9	9	-	4	5	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	24·0	82	4	-	3	6	15	54
Whooping-cough	29·6	32	10	21	1	-	-	-
Diphtheria	16·6	14	3	7	4	-	-	-
Cerebro Spinal Fever	0·3	1	-	-	1	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	6·9	6	-	-	2	3	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	6·9	7	6	-	-	-	1	-
Diarrhœa, Dysentery	7·9	9	3	1	-	2	-	3
Tetanus	0·8	2	1	-	-	1	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	0·3	-	-	-	-	-	-	-
Venereal Dis.	9·7	8	5	1	-	1	1	-
Puerperal Septicæmia	2·3	5	-	-	-	5	-	-
Puerperal Pyæmia	0·3	-	-	-	-	-	-	-
Puerperal Fever	0·5	-	-	-	-	-	-	-
Infective Endocarditis	1·5	5	-	1	1	1	2	-
Pneumonia: Lobar	15·0	22	1	4	-	2	9	6
Pneumonia: Broncho-	91·5	126	46	43	4	5	11	17
Pneumonia: Epidemic	0·3	-	-	-	-	-	-	-
Pneumonia: Not defined	76·2	96	19	18	3	9	16	31
Erysipelas	4·8	5	-	-	-	1	2	2
Septicæmia (not Puerperal)	1·0	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	1·8	2	-	-	-	-	2	-
Other Infective Processes	6·9	5	-	-	1	-	2	2
Tuberculous Phthisis	87·9	141	3	2	6	56	64	10
"*Phthisis*"	70·4	63	-	-	7	25	21	10
Tuberculous Meningitis	18·9	17	1	8	5	3	-	-
Tuberculous Peritonitis	6·1	7	2	4	-	1	-	-
Tabes Mesenterica	3·6	1	1	-	-	-	-	-
Tuberculous Dis. (other)	15·3	15	1	3	4	5	-	2
Scrofula	0·5	-	-	-	-	-	-	-
Alcoholism	9·7	14	-	-	-	3	10	1
Rheumatic Fever	4·3	6	-	-	4	2	-	-
Gout	1·8	6	-	-	-	-	-	6
Carcinoma	52·5	58	-	-	-	2	29	27
Sarcoma	4·1	6	-	2	1	-	-	3
Cancer (undefined)	30·3	29	-	-	-	3	14	12
Diabetes Mellitus	7·9	14	-	-	-	1	2	11
Premature Birth	50·7	41	41	-	-	-	-	-

Causes of Death.	Corrected Average for the 51st week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	14·0	17	7	9	1	-	-	-
Insanity, Gen. Par. of Insane	15·3	20	-	-	-	6	8	6
Epilepsy	7·6	9	-	-	1	3	3	2
Convulsions	22·7	19	17	2	-	-	-	-
Locomotor Ataxy	2·0	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord	4·1	3	-	-	-	-	1	2
Nervous Sys. (other dis.)	24·0	25	1	-	-	6	7	11
Valv. Dis., Endocarditis	40·3	60	-	-	9	13	16	22
Cerebr. Hæm. Thromb.	33·1	47	-	-	-	1	13	33
Apoplexy, Hemiplegia	19·6	19	-	-	-	1	1	17
Aneurysm	4·8	6	-	-	-	3	2	1
Embolism, Thrombosis (not cerebral)	0·5	2	-	1	-	1	-	-
Heart & Blood Vessel Dis.	101·7	113	-	-	3	11	32	67
Croup (not Spasm: nor Memb.)	0·3	-	-	-	-	-	-	-
Bronchitis	196·7	261	53	11	2	1	33	161
Asthma, Emphysema	10·5	7	-	-	1	-	3	3
Pleurisy	6·1	5	-	1	1	2	-	1
Respiratory Dis. (other)	14·3	24	2	4	2	-	2	14
Tonsillitis, Quinsy	0·8	1	-	-	1	-	-	-
Enteritis (not Epid.)	9·4	6	3	-	-	-	1	2
Gastro-Enteritis	3·8	5	4	-	-	-	1	-
Peritonitis (not Puerp.)	3·1	4	-	1	1	1	1	-
Cirrhosis of Liver	13·5	17	-	-	-	1	9	7
Liver Dis. (other)	4·8	4	-	-	-	-	2	2
Digestive Dis., Other	40·8	35	10	1	4	7	3	10
Nephritis, Acute	6·6	7	-	-	-	1	5	1
Bright's Dis., Albuminuria	33·4	45	-	-	1	7	13	24
Urinary Sys., Other Dis.	11·0	11	-	-	1	-	2	8
Generative Organs Dis.	4·3	5	-	1	-	2	1	1
Childbirth (Accid. of)	3·6	3	-	-	-	3	-	-
Old Age	53·8	66	-	-	-	-	-	66
Other Diseases	95·3	105	68	6	8	6	5	12
Accident.								
By Railways	0·8	1	-	-	-	-	-	1
By Vehicles and Horses	5·6	4	-	-	1	1	2	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·3	1	-	-	-	-	1	-
In Building Operations	1·0	-	-	-	-	-	-	-
In Conflagrations	1·0	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	9·4	15	1	7	3	1	2	1
By Drowning	2·3	3	-	-	-	-	1	2
By Suffocation in Bed	12·2	7	7	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	1	-	-	-	-	-	1
Other Deaths by Accident	18·1	19	4	-	4	2	2	7
Violence other than Accidental.								
Homicide	0·5	-	-	-	-	-	-	-
Suicide	7·1	6	-	-	-	4	2	-
Execution	0·3	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd December, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include, Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	*Pyrexiat* Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,536,429	2503	1886	628	682	-	24	9	14	32	-	6	-	16	57	159
WEST DISTRICTS - - -	805,311	342	312	52	129	-	-	2	4	3	-	-	-	6	9	26
NORTH DISTRICTS - - -	1,056,070	548	419	62	172	-	-	1	-	7	-	2	-	1	18	31
CENTRAL DISTRICTS - - -	209,465	100	113	25	32	-	1	-	-	4	-	1	-	-	3	11
EAST DISTRICTS - - - -	715,739	491	297	66	85	-	14	-	1	5	-	-	-	2	10	33
SOUTH DISTRICTS - - -	1,749,844	1022	693	123	249	-	9	5	9	13	-	3	-	4	17	58
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	52	-	15	-	-	1	-	-	-	-	-	3	-	-
WEST DISTRICTS.																
St. Mary Paddington *W,2H* - -	93,178	41	26	6	11	-	-	-	-	-	-	-	-	2	-	1
St. John Paddington *H* - - -	33,617	9	15	2	5	-	-	-	-	-	-	-	-	-	-	-
North-West Paddington - - -	17,181	7	4	1	-	-	-	-	1	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* - -	128,037	42	61	8	29	-	-	-	-	-	-	-	-	1	-	5
Brompton *2H* - - - - -	48,591	7	15	2	10	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,wH* -	49,192	30	16	1	12	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith *w,2H* - -	63,047	29	20	5	5	-	-	-	-	-	-	-	-	-	2	3
North-west Fulham *W* - - -	45,180	44	25	7	10	-	-	-	-	-	-	-	-	1	3	4
North-east Fulham *F* - - -	46,405	31	28	10	8	-	-	2	3	1	-	-	-	-	1	4
South Fulham *W* - - - -	45,704	26	13	2	6	-	-	-	-	-	-	-	-	-	-	1
Chelsea North *W,w,3H* - - -	42,514	17	31	1	11	-	-	-	-	-	-	-	-	1	1	2
Chelsea South *W,2H* - - -	31,328	10	11	2	5	-	-	-	-	-	-	-	-	1	1	4
Mayfair and Knightsbridge - -	28,743	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H* - - - -	55,815	20	16	2	4	-	-	-	-	2	-	-	-	-	-	-
St. Margaret & St. John *5H* - -	43,698	14	24	3	9	-	-	-	-	-	-	-	-	-	1	2
St. James and St. Anne *W,6H* -	33,081	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone *8H* - -	35,391	11	12	-	5	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *W,4H* -	37,948	40	14	2	10	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - -	39,536	16	12	3	3	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H* - -	20,426	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,7H* - - -	81,942	32	25	2	10	-	-	-	-	-	-	-	-	-	1	1
West St. Pancras *2H* - - -	60,562	30	32	6	12	-	-	-	-	1	-	-	-	-	3	4
South St. Pancras‡ *w,11H* - -	55,707	21	27	3	8	-	-	-	-	1	-	1	-	-	2	3
East St. Pancras *W,2H* - - -	60,320	31	28	5	13	-	-	-	-	-	-	-	-	-	2	4
North St. Pancras *2W* - - -	58,728	24	37	7	13	-	-	-	-	-	-	-	-	-	-	2
Tufnell *W* - - - -	31,995	21	38	6	15	-	-	-	-	2	-	-	-	-	-	-
Upper Holloway *2W,w,H* - -	33,978	25	25	4	15	-	-	-	-	-	-	-	-	-	1	1
Tollington *WH* - - - -	33,922	18	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - -	41,424	19	11	3	3	-	-	-	-	-	-	-	-	-	1	2
Barnsbury - - - - - -	54,478	38	17	3	4	-	-	-	-	1	-	-	-	-	-	-
Islington South-east *F* - - -	75,397	35	22	3	11	-	-	-	-	1	-	-	-	-	1	4
Highbury *2H* - - - -	63,797	28	17	2	6	-	-	-	-	1	-	-	-	-	-	-
Stoke Newington *H* - - -	51,247	29	11	2	6	-	-	-	-	-	-	-	-	1	-	-
North Hackney - - - - -	50,560	24	18	1	10	-	-	-	-	-	-	-	-	-	1	3
Central Hackney *2w,F* - - -	50,536	26	18	4	3	-	-	1	-	-	-	1	-	-	1	2
South-west Hackney *3H* - -	59,921	38	14	2	7	-	-	-	-	-	-	-	-	-	1	1
South-east Hackney *2W,w,H* - -	58,255	36	34	4	17	-	-	-	-	-	-	-	-	-	4	4

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a Sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December 1906, Tottenham Court sub-district and Gray's Inn Lane sub-district were united and called South Pancras.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd December, 1906—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
St[illegible]les and Bloomsbury 2*W*,2*H* -	31,436	18	14	2	8	-	-	-	-	-	-	-	-	-	-	-	4	-
St[illegible]d *W*,4*H* - - - - - -	21,674	3	9	2	1	-	-	-	-	-	-	-	-	-	-	-	9	-
St[illegible]d Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
H[illegible]orn *W*,6*H* - - - - - -	29,612	12	22	3	6	-	-	-	-	3	-	-	-	-	-	-	13	-
So[illegible] Clerkenwell - - -	28,676	15	9	5	-	-	1	-	-	1	-	-	-	-	-	-	-	-
No[illegible] Clerkenwell *H* - - -	35,028	20	21	7	6	-	-	-	-	-	-	-	-	-	1	3	-	-
Fi[illegible]ury 3*H*,*L* - - - - -	36,116	27	14	4	3	-	-	-	-	-	-	-	-	-	1	4	3	-
H[illegible]orn Union Workhouse, [illegible]cham - - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
St. [illegible]tolph *H* - - - - - -	10,299	1	5	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-
St. [illegible]pulchre and Allhallows *W*,2*H*	16,624	4	15	2	1	-	-	-	-	-	-	1	-	-	1	2	14	-
Ci[illegible]f London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Sh[illegible]litch South *H* - - -	46,362	36	12	2	4	-	-	-	-	-	-	-	-	1	-	1	-	-
Sh[illegible]litch North-West *W*,*w*,*H* -	36,127	29	25	5	6	-	-	-	-	1	-	-	-	-	1	4	16	-
Sh[illegible]litch North-East - - -	36,148	30	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Sh[illegible]itch Union Workhouse, Wood G[illegible]n - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bet[illegible]al Green North-East 2*W*, 2*H*	65,138	51	36	12	9	-	1	-	-	1	-	-	-	-	-	3	20	-
Bet[illegible]al Green South-West *H* -	64,542	41	18	5	4	-	1	-	-	-	-	-	-	-	1	1	1	-
Spi[illegible]fields - - - - - -	27,969	18	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile[illegible]nd New Town *W*,*H* - -	28,718	30	43	10	3	-	1	-	-	-	-	-	-	-	4	8	40	-
Roo[illegible]an's Fields - - - -	22,081	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. [illegible]rge and St. John 2*W* - -	49,068	26	13	2	2	-	-	-	-	2	-	-	-	-	-	1	3	-
Sha[illegible]ell and Ratcliff *W*,*H* - -	25,568	11	17	3	5	-	1	-	-	1	-	-	-	-	-	-	7	-
Sim[illegible]ouse *W* - - - - - -	32,369	21	9	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H* - - - -	63,698	62	13	5	4	-	3	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town North-Eastern *W*,*w* - - -	49,129	34	27	3	16	-	1	-	-	-	-	-	-	-	2	3	15	-
Bow, *L* - - - - - - -	41,939	26	13	4	6	-	-	-	1	-	-	-	-	-	-	1	-	-
Bro[illegible]y 3*w*,*H* - - - - -	68,319	40	37	4	13	-	2	-	-	-	-	-	-	1	1	7	24	-
Top[illegible] *W*,*w* - - - - - -	58,514	31	18	3	7	-	1	-	-	-	-	-	-	-	1	2	2	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd December, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population 1901	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch and St. Saviour Southwark *W,2H*	23,319	13	22	4	6	-	-	-	-	-	-	-	-	-	1	4
Kent-road	21,904	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	23	10	3	1	-	-	-	-	1	-	-	-	-	-	-
Newington North	49,022	30	13	6	2	-	-	-	-	-	-	-	-	-	-	1
Newington South *W*	72,841	42	18	3	8	-	-	-	-	1	-	-	-	-	-	1
St. Olave *2W*	9,817	4	3	-	2	-	-	-	-	-	-	-	-	-	1	1
Bermondsey *W*	82,483	63	32	10	6	-	-	-	1	-	-	-	-	2	-	6
Rotherhithe *W,F*	38,460	19	32	4	8	-	1	-	-	-	-	-	-	-	1	4
Waterloo* *2H*	27,440	26	10	2	1	-	-	-	-	-	-	-	-	1	1	2
Lambeth Church* *H*	27,440	7	18	1	2	-	-	-	-	1	-	-	-	-	4	4
Kennington* *2W*	52,518	30	43	7	16	-	-	-	-	-	-	-	-	-	1	3
Stockwell* *HF*	63,826	57	21	2	8	-	-	1	1	1	-	-	-	-	-	2
Brixton* *H*	73,673	37	12	5	3	-	-	-	-	-	-	-	-	-	-	2
Norwood* *WH*	56,998	22	18	3	7	-	-	-	-	-	-	-	-	-	-	1
East Battersea *H*	72,203	39	14	5	2	-	-	-	-	1	-	-	-	-	1	3
North-west Battersea	49,656	33	12	-	7	-	-	-	-	1	-	-	-	-	1	1
South-west Battersea *2W,H*	47,048	27	21	5	10	-	1	-	-	-	-	-	-	-	-	-
Clapham *2H*	51,361	23	18	4	8	-	-	-	-	-	-	-	-	1	-	2
Streatham *W,2w,2F,2L*	88,019	58	41	6	17	-	-	2	1	2	-	1	-	-	-	2
Springfield *2W,L*	27,959	34	6	2	1	-	1	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	18	9	2	2	-	1	-	-	-	-	-	-	-	-	-
Putney	24,139	10	7	1	4	-	-	-	-	-	-	-	-	-	-	1
Dulwich	13,359	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	15	36	2	22	-	-	-	-	1	-	-	-	-	-	2
Camberwell North *W,2L*	65,584	42	44	4	21	-	-	-	-	1	-	1	-	-	2	3
St George	47,331	28	19	8	1	-	-	-	1	1	-	-	-	-	-	1
Peckham North	48,913	32	17	3	8	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	20	10	3	3	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	34	12	5	1	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	32	10	3	2	-	-	1	2	-	-	1	-	-	-	-
Deptford South	34,625	7	10	2	4	-	-	-	-	1	-	-	-	-	-	2
Greenwich West *2H*	23,456	13	8	2	5	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	30	32	2	13	-	-	-	-	-	-	-	-	-	2	3
Eltham *w,H*	7,226	8	3	-	2	-	-	-	-	-	-	-	-	-	-	1
Lee *wH*	25,490	13	5	2	2	-	-	-	-	-	-	-	-	-	1	1
Lewisham *Ww,F*	58,352	34	41	6	14	-	-	1	3	1	-	-	-	-	-	1
Sydenham *H*	43,653	16	6	-	6	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	8	6	1	3	-	-	-	-	-	-	-	-	-	-	1
Woolwich *5H*	41,625	21	17	2	5	-	2	-	-	-	-	-	-	-	1	2
Plumstead West *W*	18,063	13	6	-	2	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	28	27	3	11	-	3	-	-	-	-	-	-	-	-	1
Workhouse:—																
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																
Belmont	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																
Banstead	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Cane Hill	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	10	-	3	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury	—	-	8	-	4	-	-	-	-	-	-	-	-	2	-	-

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-districts as above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 22nd December, 1906.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
ONDON—OUTER RING -	368,302	2,044,973	1374	685	137	232	-	10	6	11	11	4	5	32	57	119	-
30 Carshalton 2F,3H - -	12,228	32,997	14	5	1	1	-	-	-	-	-	-	-	-	-	1	-
Epsom, *part of** W,w,2F,H -	10,423	15,548	6	5	-	2	-	-	-	-	-	-	-	2	2	1	-
37 Godstone, *part of** W,F -	2,754	2,692	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
38 Coulsdon - - - -	11,069	8,166	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-
South Croydon w - -	4,200	49,309	16	9	-	6	-	-	-	-	-	-	-	-	-	-	-
West Croydon 3W,F,H -	2,168	42,888	25	22	1	11	-	-	-	2	-	-	-	2	4	12	-
North Croydon H - -	2,644	41,698	28	8	-	6	-	-	-	-	-	-	1	2	2	-	-
Penge w,H - - - -	770	22,465	4	8	-	5	-	-	-	-	-	-	-	-	-	-	-
Mitcham w - - - -	11,711	30,015	30	9	2	1	-	-	-	-	-	-	-	1	2	-	-
39 Wimbledon F,3H - -	3,221	41,652	21	15	1	6	-	-	-	1	1	-	-	-	2	-	-
Kingston 2W,H - - -	6,224	42,068	24	13	1	5	-	-	-	-	-	-	-	1	1	4	-
Surbiton F,H - - -	3,046	15,017	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** H -	5,402	13,100	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Hampton H,F,L - - -	4,534	23,458	10	9	-	5	-	-	-	-	-	-	-	-	-	1	-
40 Richmond W,H - - -	2,162	28,865	4	6	-	5	-	-	-	-	-	-	-	-	-	-	-
Mortlake F - - -	2,847	20,628	12	8	2	2	-	-	-	3	-	-	-	1	1	3	-
41 Bromley F,2H - - -	4,703	27,354	19	14	5	1	-	-	-	-	1	-	-	1	2	1	-
Beckenham H - - -	7,825	28,497	22	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Orpington *part of** W -	10,113	9,857	6	8	-	5	-	-	-	-	-	-	-	-	-	6	-
Chislehurst 2H - - -	7,333	16,446	6	5	1	2	-	-	-	-	-	-	-	-	-	1	-
42 Bexley w F,H - - -	8,678	21,151	11	5	1	1	-	1	-	-	-	-	-	-	-	-	-
Erith F,H - - - -	3,854	25,296	20	4	2	1	-	-	-	-	-	1	-	-	1	1	-
Dartford W,F, *part of** -	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
24 Sunbury w - - - -	11,054	18,683	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Staines W,H - - -	13,277	15,178	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
35 Hillingdon W,F,H - -	6,035	13,661	7	11	1	7	-	-	-	-	-	-	-	-	-	7	-
Uxbridge H - - -	12,757	8,984	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes w2F,H - - -	8,066	16,358	12	6	2	1	-	-	-	-	-	-	-	1	1	-	-
36 Isleworth 3W,2F,H - -	6,859	30,863	22	16	3	6	-	-	-	-	-	-	-	1	1	7	-
Twickenham F,H - -	2,421	20,991	18	4	1	1	-	-	-	-	-	-	-	-	-	1	-
Brentford 3F,2H - - -	4,319	48,289	26	18	3	7	-	-	-	-	-	-	-	2	2	3	-
Chiswick H - - - -	1,249	29,809	17	5	1	1	-	-	-	-	-	-	-	-	-	-	-
Acton w,F,3H - - -	6,132	48,914	45	17	4	5	-	-	1	-	1	-	-	1	1	3	-
37 Harrow F,H - - -	13,809	25,523	25	7	2	3	-	-	-	-	-	-	-	-	1	-	-
Edgware 2F,2H - - -	6,994	4,521	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H - -	4,384	114,811	72	33	10	8	-	-	1	-	1	-	1	1	3	6	-
Hendon W,F - - -	8,382	22,450	14	9	3	5	-	-	-	-	-	-	-	-	-	-	-
38 South Mimms 2F,H - -	17,755	7,308	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H - - -	3,324	17,970	7	5	1	3	-	-	-	-	-	-	-	-	-	-	-
Finchley F,2H - - -	4,688	33,692	23	11	4	2	-	-	-	-	-	-	-	-	-	-	-
10 Hornsey F,H - - -	2,875	72,056	20	13	1	9	-	-	-	-	-	-	-	-	-	-	-
Wood Green H - - -	1,625	34,233	24	11	3	2	-	-	1	-	-	-	-	-	-	1	-
West Tottenham F - -	996	48,853	38	14	3	2	-	-	-	-	-	-	1	-	1	-	-
East Tottenham 2H - -	2,017	53,688	38	23	5	9	-	-	-	-	1	-	-	-	-	2	-
Edmonton W,w,2F - -	7,491	61,892	59	20	5	5	-	-	-	-	1	-	-	3	5	4	-
Enfield 2W,F,H - - -	12,601	42,738	37	15	2	4	-	-	-	-	-	1	-	-	-	1	-
Waltham Abbey F - -	11,017	6,549	5	2	-	1	-	-	1	-	-	-	-	-	-	1	-
Cheshunt F,H - - -	8,479	12,292	10	5	2	-	-	-	-	-	1	-	-	-	-	-	-
35 Hatfield, *part of** W -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 Bushey H - - - -	9,333	9,173	5	2	-	1	-	-	-	-	-	-	-	-	1	-	-
38 Watford W,2F *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H - - -	1,072	44,827	25	14	4	1	-	-	-	-	-	-	-	3	4	2	-
Plaistow F,2H - - -	1,249	90,921	85	42	13	12	-	3	1	1	-	-	-	3	6	6	-
Canning Town H - -	1,556	70,718	80	23	9	1	-	2	-	1	1	-	-	-	3	-	-
Forest Gate w - - -	806	60,892	23	16	4	7	-	-	-	-	-	-	-	1	2	-	-
North East Ham w H -	1,333	58,676	38	13	7	2	-	-	-	-	2	-	-	1	1	1	-
South East Ham 2F - -	1,993	37,342	41	14	3	5	-	4	-	-	-	-	-	1	2	-	-
Wanstead F - - -	1,679	9,179	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W - -	631	50,467	28	19	1	7	-	-	-	1	-	-	-	-	-	8	-
North Leyton 2W,w,F -	1,963	48,445	46	46	6	12	-	-	-	-	1	1	2	1	2	26	-
Walthamstow 3H,L - -	6,504	108,929	79	46	8	18	-	-	-	-	-	1	-	2	3	1	-
37 Chigwell 2F,3H - - -	11,778	16,397	9	2	-	1	-	-	1	-	-	-	-	-	-	1	-
38 Epping W,F, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Romford, *part of** W,2F -	6,556	6,091	1	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Ilford F,L - - - -	8,496	41,234	50	16	4	4	-	-	-	-	-	-	-	1	1	3	-
Barking Town F - -	3,803	21,547	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-
N.E. Hospital, Tottenham -	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

* T parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1. Dagenham Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.
LONDON - -	4,721,217	December 22	2503	1886	20·8	-	24	9	14	32	6
CALCUTTA - -	977,822	November 17	-	631	38·7	2	1	-	2	-	162†
BOMBAY - -	982,000	December 4	399	614	41·1	-	1	-	1	-	79†
MADRAS - -	509,316	November 23	359	349	35·6	-	2	-	-	-	77
PARIS - - -	2,750,000	December 15	945	870	16·9	-	2	6	3	4	5
BRUSSELS - -	612,401	" 15	197	203	17·2	-	5	1	2	2	1
ANTWERP - -	297,311	" 15	148	79	13·8	-	1	-	2	-	1
AMSTERDAM -	560,482	" 8	246	130	12·0	-	8	4	1	-	-
COPENHAGEN -	425,000	" 15	259	127	15·6	-	-	-	-	1	2
STOCKHOLM -	324,488	" 8	147	86	13·8	-	-	-	-	-	2
CHRISTIANIA -	222,373	" 15	138	50	11·7	-	1	-	3	-	-
ST. PETERSBURG	1,424,700	" 8	-	667	24·4	1	22	28	25	6	23
MOSCOW - -	1,154,000	" 1	-	596	26·9	-	11	12	16	7	6
BERLIN - -	2,088,907	" 1	916	549	13·7	-	1	6	10	4	5
HAMBURG - -	819,380	" 15	-	238	15·4	-	-	1	2	4	-
BRESLAU - -	475,000	" 8	-	188	20·6	-	2	-	1	1	-
MUNICH - -	544,000	" 15	-	194	18·7	-	-	-	5	1	-
VIENNA - -	1,956,949	" 15	848	639	17·0	-	10	7	9	5	2
PRAGUE - -	460,849	" 15	170	174	19·4	-	3	-	1	-	-
BUDA-PESTH -	859,134	" 8	376	284	18·7	-	4	5	5	-	1
TRIESTE - -	196,637	" 15	123	93	24·4	-	-	-	-	1	-
ROME - -	531,179	October 27	206	152	14·9	-	-	-	-	-	5§
VENICE - -	171,709	" 27	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	December 15	132	119	21·3	-	-	1	3	-	2
NEW YORK -	4,152,860	" 8	2344	1368	17·2	-	5	9	32	10	15
CHICAGO - -	2,049,185	" 8	-	584	14·9	-	4	12	19	2	6
PHILADELPHIA -	1,469,126	November 3	-	436	15·4	-	1	1	10	3	9
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	November 18	-	265	15·1	-	-	-	1	2	4

* Excluding deaths from croup in the Indian Cities.
† Including 14 deaths from plague in Calcutta, 10 in Bombay, and 3 in Rio de Janeiro.
‡ Including 86 deaths from cholera in Calcutta, 3 in Bombay, and 2 in Madras.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 22nd December, 1906.

TOWNS	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°	
LONDON (Greenwich)	49·4	27·6	38·7	0·50
BRIGHTON - -	50·1	30·3	40·0	0·21
PORTSMOUTH - -	51·4	30·1	41·3	0·09
NORWICH - -	46·6	25·8	36·5	0·17
PLYMOUTH - -	?	?	?	?
BRISTOL - - -	53·0	27·3	41·9	0·01
BIRMINGHAM - -	50 9	30·9	41·1	0·02
NOTTINGHAM - -	47·5	29·9	39·4	0·26
LIVERPOOL OBSERVATORY	51·0	30·0	42·2	0·03
MANCHESTER -	48 8	26 8	40 7	0·13
PRESTON - -	49·3	30·5	41 2	0·13
HUDDERSFIELD -	49·0	28 2	39 4	0·08

TOWNS.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°	
BRADFORD - -	51·8	31·0	42 3	10
LEEDS - - -	51·0	32·0	40·6	20
HULL - - -	49·0	27·0	39 2	21
TYNEMOUTH - -	52·0	27·0	40·0	18
CARDIFF - -	52·7	28·7	41 7	02
EDINBURGH - -	53·4	30·0	44 7	01
GLASGOW - -	53 2	32·8	44·9	09
DUBLIN Phœnix Park.	53·2	33 1	45 5	00
DUBLIN Fitzwilliam Square.†	54 8	38·4	47·9	00
BELFAST - -	53·8	33 5	45·6	94

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* footno to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period the above was 0°·0 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 29th December, 1906.

(Under the Superintendence of the Astronomer Royal.)

1906. Month and Day	Phases of the Moon.	Meter. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Gauge collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY - 16	Greatest Dec. S.	30·039	44·0	31·4	12·6	39·7	− 0·5	38·8	0·9	1·8	0·0	97	45·5	30·3	45·05	SW., SE. & S.	S. & SSW.	1·5	0·6	0·1	192	−117	0·47	0·0
MONDAY - 17	..	30·224	47·4	43·1	4·3	46·1	+ 6·1	43·5	2·6	4·6	0·0	91	47·0	41·5	44·67	S., SSW. & SW.	SW.	0·1	0·0	0·0	147	−163	0·01	0·5
TUESDAY - 18	..	30·235	49·4	43·4	6·0	46·2	+ 6·5	44·9	1·3	3·4	0·2	95	49·3	34·3	44·73	SW. & WSW.	NE. & ENE.	0·3	0·0	0·0	142	−168	0·02	1·5
WEDNESDAY 19	..	30·379	43·4	34·4	9·0	39·5	+ 0·2	37·9	1·6	3·5	0·0	94	46·7	33·3	45·12	E. & ENE	SE., E. & ESE.	0·5	0·0	0·0	104	−206	0·00	0·0
THURSDAY- 20	..	30·438	39·6	33·3	6·3	36·4	− 2·6	33·2	3·2	4·1	2·9	88	41·7	32·0	45·26	E. & NE.	E., NE. & ENE.	1·1	0·0	0·0	158	−151	0·00	0·5
FRIDAY - 21	..	30·408	39·1	29·5	9·6	33·7	− 5·1	30·6	3·1	5·2	1·0	89	39·0	18·4	45·23	ENE.	E., ENE. & NE.	3·0	0·0	0·4	322	+ 15	0·00	1·5
SATURDAY- 22	First Quarter.	30·237	36·8	27·6	9·2	32·7	− 5·9	28·0	4·7	9·2	0·4	82	46·9	17·4	45·05	N. & NE.	ENE., ESE. & SE.	2·6	0·0	0·2	257	− 48	0·00	0·0
MEANS - -		30·280	42·8	34·7	8·1	39·2	− 0·2	36·7	2·5	4·5	0·6	91	45·2	29·6	45·02	SW. & ENE.		..	..	..	Sum 1322	Sum −838	Sum 0·50	0·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.	Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 16	Loss of Register till 11h. A.M.; m.P. generally afterwards.	0·0	7·8	Overcast; continuous rain after 3h. A.M.
MONDAY - 17	w. P. generally till noon; m. P. afterwards.	0·0	7·8	Overcast; small rain in early morning followed by slight fog till afternoon; very mild.
TUESDAY - 18	w. P. generally.	0·0	7·8	Generally overcast; occasional misty rain; slight fog prevalent between 6h. A.M. and noon; very mild.
WEDNESDAY 19	w.P. generally; m. P. in evening.	0·0	7·8	Overcast; slight fog in forenoon.
THURSDAY- 20	w. P. till 7h. A.M.; m.P. generally afterwards.	0·0	7·8	Overcast.
FRIDAY - 21	w. P. till 1h. P.M.; m. P. till 6h. P.M.; s. P. afterwards.	0·0	7·8	Overcast till 2h. P.M.; fine and variably cloudy till evening; cloudless with hoar frost at night.
SATURDAY- 22	m. P. till 9h. A.M.; s. P. till 1h. P.M.; m. P. principally afterwards.	1·6	7·8	Generally cloudless till 10h. 30m. A.M.; partially cloudy till evening; overcast at night; much hoar frost in morning.
		Sum 1·6	Sum 54·6	
No. of Col -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·98 in. at the beginning of the week to 30·47 in. by 11h. A.M. on the 20th; decreased to 30·18 in. by 6h. P.M. on the 22nd; and was 30·21 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 15th December, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	26	-	-	1	-	-	4	1
Kensington	180,952	-	8	3	-	2	-	-	2	2
Hammersmith	120,679	-	6	-	-	1	-	-	2	-
Fulham	161,965	-	14	7	-	2	-	-	8	-
Chelsea	74,672	-	8	2	-	-	-	-	-	-
City of Westminster	173,905	-	6	3	-	1	-	-	4	-
NORTH.										
St. Marylebone	128,580	-	10	1	-	3	-	-	2	-
Hampstead	89,633	-	10	2	-	-	-	-	-	-
St. Pancras	236,455	-	8	3	-	3	-	-	5	-
Islington	344,987	-	28	9	-	1	-	-	8	1
Stoke Newington	53,217	-	5	-	-	-	-	-	1	-
Hackney	230,721	-	22	8	-	2	-	-	4	1
CENTRAL.										
Holborn	55,805	-	3	1	-	-	-	-	1	-
Finsbury	97,466	-	3	-	-	1	-	-	2	-
City of London	21,367	-	1	-	-	-	-	-	-	-
EAST										
Shoreditch	116,108	-	7	2	-	1	-	-	1	-
Bethnal Green	130,609	-	7	8	-	3	-	-	4	-
Stepney	307,176	-	22	16	-	6	-	-	8	-
Poplar	170,673	-	6	4	-	1	-	-	6	-
SOUTH.										
Southwark	209,143	-	24	8	-	4	-	-	3	-
Bermondsey	128,629	-	19	5	-	1	-	-	4	-
Lambeth	315,774	-	28	7	-	1	-	-	12	1
Battersea	179,622	-	24	12	-	3	-	-	3	-
Wandsworth	273,381	-	21	14	-	-	-	-	3	-
Camberwell	274,132	-	38	9	-	4	-	-	7	-
Deptford	115,495	-	10	8	-	-	-	-	3	-
Greenwich	105,350	-	11	9	-	-	-	-	7	-
Lewisham	148,463	-	10	6	-	-	-	-	1	-
Woolwich	127,345	-	13	5	-	1	-	-	3	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	398	152	-	42	-	-	108	6
Ages 0-1		-	5	3	-	-	-	-	2	-
" 1-5		-	104	60	-	-	-	-	7	-
" 5-		-	170	41	-	6	-	-	5	-
" 10-		-	65	24	-	8	-	-	5	-
" 15-		-	22	5	-	4	-	-	7	1
" 20-		-	21	8	-	7	-	-	5	-
" 25-		-	10	7	-	6	-	-	13	5
" 35-		-	-	2	-	5	-	-	17	-
" 45-		-	1	2	-	5	-	-	28	-
" 55-		-	-	-	-	-	-	-	11	-
" 65 and upwards		-	-	-	-	1	-	-	8	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 52. 1906. VOL. LXVII.] WEEK ENDED SATURDAY, DEC. 29. [Price 1½*d*.

General Register Office, Somerset House,
December 31*st*, 1906.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·7 per 1000 of their aggregate population, which is estimated† at 15,818,360 persons in the middle of this year. In the preceding three weeks the rates had been 15·8, 17·4, and 19·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 27·4 in Oldham and in Sunderland, 28·1 in South Shields, 28·3 in Norwich, 28·8 in Newport (Mon.), 29·0 in Rotherham, 29·9 in Merthyr Tydfil, and 31·7 in Rochdale; from *measles*, 1·8 in Plymouth, 1·9 in South Shields, 2·4 in Wigan and in Rochdale, 2·6 in Oldham, and 4·4 in Hull; from *diphtheria*, 1·0 in Wolverhampton, 1·2 in Blackburn and in Rhondda, and 1·3 in Walthamstow; from *whooping-cough*, 1·2 in East Ham, 1·3 in Norwich, and 1·5 in Willesden; from "*fever*," 1·2 in Rhondda; and from *diarrhœa*, 2·8 in Merthyr Tydfil. One death from *small-pox* was registered in Hull, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 1694 BIRTHS and 1850 DEATHS were registered. Allowing for increase of population, the births were 499 below and the deaths 119 above the average numbers in the corresponding weeks of the previous four years. The annual death-rate from all causes, which had been 16·4, 18·0, and 20·8 per 1000 in the preceding three weeks was 20·4 last week. The death-rate in the four weeks ended last Saturday averaged 18·9 per 1000, being 0·7 per 1000 above the mean rate in the corresponding periods of the four years 1902–5.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 73 1/07 D & S 3 26885

The 1850 deaths included 29 from measles, 8 from scarlet fever, 26 from diphtheria, 31 from whooping-cough, 4 from enteric fever, and 21 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 119 deaths were referred to these diseases in the aggregate, being 27 below the corrected average number in the 52nd week of the preceding four years.

The deaths from *measles*, which had been 21, 26, and 24 in the preceding three weeks, rose to 29 last week, but were 23 below the corrected average; 9 deaths belonged to the Borough of Stepney, 7 to Woolwich, and 3 each to Bethnal Green and Bermondsey. The deaths from *scarlet fever*, which had been 12, 15, and 9 in the preceding three weeks, were 8 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 20, 16, and 14 in the preceding three weeks, rose to 26 last week, and were 5 above the corrected average; 3 deaths belonged to Shoreditch and 3 to Lewisham. The deaths from *whooping-cough*, which had been 18, 18, and 32 in the preceding three weeks, were 31 last week, the corrected average being 32; 4 deaths belonged to Finsbury, and 3 each to Bethnal Green and Camberwell. The fatal cases of *enteric fever*, which had been 7, 15, and 6 in the preceding three weeks, fell to 4 last week, and were 5 below the corrected average. The deaths from *diarrhœa*, which had been 15, 15, and 16 in the preceding three weeks, rose to 21 last week, and were 2 above the corrected average; 3 deaths belonged to Fulham and 3 to Camberwell. Of the 21 deaths from diarrhœa, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 other deaths at this age. The deaths attributed directly to *influenza* numbered 55, having been 37, 54, and 82 in the preceding three weeks.

Different forms of *violence* caused 82 deaths, concerning all of which inquests were held. Of these 82 deaths, 6 were cases of suicide, while the remaining 76 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, 13 to burns or scalds, 1 to a conflagration, 5 to drowning, and 15, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3846 cases of scarlet fever, 1000 of diphtheria, 135 of enteric fever, and 2 of typhus under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 237 cases, against 419, 359, and 334; of diphtheria, 126 cases, against 134, 131, and 123; and of enteric fever, 14 cases, against 23, 16, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended December 22nd, 1906.

Greater London.

In Greater London 2527 births and 2615 deaths were registered. Allowing for increase of population, these numbers are 769 below and 166 above the respective averages in the corresponding weeks of the previous four years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from scarlet fever, 1 from diphtheria, 2 from whooping-cough, 3 from "fever," and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·54 inches, and that of the Thermometer 31°·4, the latter being 7°·1 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 6 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 3·2 hours; rain or melted snow was measured to the amount of 0·68 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Towns.	Population estimated to the middle of the Year 1906.*	Death-Rates from all Causes. Week ended 8th Dec., 1906.	15th Dec., 1906.	22nd Dec., 1906.	29th Dec., 1906.	Rate from Diseases in Cols. 11–17. Week ended 29th Dec., 1906.	Registered during the Week ended 29th Dec., 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 Towns	**15,818,360**	**15·8**	**17·4**	**19·1**	**19·7**	**1·4**	**5721**	**5988**	**1294**	**1918**	**1**	**136**	**40**	**84**	**89**	**27**	**53**	**232**	**519**	**1337**	**88**	**76 Towns.**
London	4,721,217	16·4	18·0	20·8	20·4	1·3	1694	1850	375	582	-	29	8	26	31	4	21	82	187	640	1	London.
† Croydon	151,011	12·8	12·8	13·5	15·5	0·3	50	45	9	20	-	-	-	1	-	-	-	-	4	9	-	Croydon.
† Willesden	143,622	11·3	12·3	12·0	11·6	1·5	49	32	10	12	-	-	-	-	4	-	-	-	-	4	-	Willesden.
† Hornsey	86,935	9·6	10·2	7·8	13·2	-	27	22	4	12	-	-	-	-	-	-	-	-	-	-	-	Hornsey.
† Tottenham	119,503	14·0	15·3	17·5	19·6	0·9	43	45	10	9	-	-	-	-	2	-	-	1	3	5	-	Tottenham.
† West Ham	301,617	15·0	19·9	19·2	20·9	1·7	91	121	35	34	-	3	3	1	-	1	2	4	9	38	-	West Ham.
† East Ham	129,886	10·8	13·6	14·5	16·5	2·8	52	41	12	9	-	2	-	1	3	1	-	-	1	5	-	East Ham.
† Leyton	118,287	12·3	9·7	16·3	18·1	1·3	40	41	8	15	-	-	-	1	2	-	-	2	2	5	-	Leyton.
† Walthamstow	121,334	13·8	16·8	21·1	19·8	2·1	41	46	16	12	-	-	-	3	2	-	-	2	4	8	-	Walthamstow.
Hastings	67,144	11·6	7·8	13·2	16·3	0·8	23	21	2	11	-	-	-	1	-	-	-	-	1	2	-	Hastings.
Brighton	128,095	12·6	17·5	19·9	18·7	2·0	32	46	3	27	-	1	-	1	2	1	-	-	5	10	-	Brighton.
Portsmouth	205,118	13·5	17·0	16·5	20·3	1·0	79	80	12	36	-	-	-	3	1	-	-	-	4	24	-	Portsmouth.
Bournemouth	67,702	14·6	11·6	14·6	18·5	-	12	24	-	12	-	-	-	-	-	-	-	1	1	4	-	Bournemouth.
Southampton	117,312	9·3	12·4	15·6	17·3	0·4	47	39	6	23	-	-	-	-	1	-	-	1	6	6	-	Southampton.
Reading	78,987	9·2	12·5	19·1	13·9	0·7	23	21	2	7	-	-	-	1	-	-	-	1	3	1	-	Reading.
Northampton	93,749	12·8	13·3	6·7	15·6	-	31	28	1	17	-	-	-	-	-	-	-	-	2	5	1	Northampton.
Ipswich	71,809	9·4	7·3	20·3	23·2	1·5	29	32	6	12	-	-	-	-	-	1	1	1	1	4	1	Ipswich.
Great Yarmouth	52,613	20·8	19·8	16·8	18·8	1·0	13	19	3	12	-	-	-	-	1	-	-	-	2	2	-	Great Yarmouth.
Norwich	117,958	21·7	19·0	18·6	28·3	4·0	40	64	8	28	-	3	-	1	3	2	-	-	5	8	-	Norwich.
Plymouth	118,014	14·1	18·1	21·2	15·5	2·7	30	35	6	12	-	4	-	2	-	-	-	-	1	3	-	Plymouth.
Devonport	78,405	10·6	15·3	10·0	10·6	0·7	22	16	6	5	-	1	-	-	-	-	-	2	4	1	-	Devonport.
Bristol	363,223	13·4	14·4	12·9	14·9	0·4	126	104	21	42	-	-	-	2	-	-	1	3	15	17	-	Bristol.
Hanley	66,300	14·9	21·2	23·6	25·1	-	20	32	10	9	-	-	-	-	-	-	-	-	2	7	-	Hanley.
Burton-on-Trent	52,922	9·9	9·9	22·7	11·8	-	15	12	4	5	-	-	-	-	-	-	-	-	2	1	-	Burton-on-Trent.
Wolverhampton	100,729	17·1	10·9	16·6	19·2	2·1	37	37	7	17	-	-	-	2	1	1	-	4	6	5	-	Wolverhampton.
Walsall	94,577	7·7	14·9	18·2	13·2	1·7	28	24	7	9	-	-	-	-	1	1	1	1	3	5	-	Walsall.
Handsworth	63,819	19·6	7·4	13·1	9·8	0·8	20	12	5	1	-	-	-	1	-	-	-	1	1	-	-	Handsworth
West Bromwich	68,469	19·0	19·0	16·0	16·8	-	34	22	7	7	-	-	-	-	-	-	-	1	2	4	1	West Bromwich.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 29th December, 1906, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1906.*	Death-Rates from 11 Causes. Week ended 8th Dec., 1906.	15th Dec., 1906.	22nd Dec., 1906.	29th Dec., 1906.	Rate from Diseases in Cols. 11-17. Week ended 29th Dec., 1906.	Registered during the Week ended 29th Dec. 1906. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM	548,022	14·7	17·5	18·8	18·3	1·0	189	192	53	49	-	5	1	3	-	1	-	8	10	40	18	BIRMINGHAM.
KINGS NORTON	72,608	7·2	9·3	5·7	12·9	-	14	18	5	10	-	-	-	-	-	-	-	-	-	1	3	KINGS NORTON.
SMETHWICK	64,531	14·5	12·1	28·3	22·6	0·8	33	28	8	8	-	1	-	-	-	-	-	1	2	-	-	SMETHWICK.
ASTON MANOR	82,288	12·7	14·6	14·6	17·7	-	35	28	10	5	-	-	-	-	-	-	-	-	1	1	-	ASTON MANOR.
COVENTRY	76,374	13·0	21·8	17·8	15·7	1·4	32	23	5	7	-	-	-	-	1	-	1	1	3	2	1	COVENTRY.
LEICESTER	232,111	12·8	17·7	21·6	15·3	1·8	88	68	14	18	-	6	-	-	1	-	1	4	9	7	2	LEICESTER.
GRIMSBY	69,359	12·0	15·0	17·3	11·3	1·5	30	15	5	2	-	1	-	-	-	-	1	-	-	-	1	GRIMSBY.
NOTTINGHAM	254,563	15·2	17·4	17·2	23·1	2·0	100	113	28	42	-	1	2	1	2	2	2	7	15	21	-	NOTTINGHAM.
DERBY	123,981	15·6	16·4	17·2	14·7	0·8	37	35	4	16	-	-	-	1	-	-	1	2	4	6	-	DERBY.
STOCKPORT	99,646	18·3	23·0	25·1	16·2	-	25	31	4	9	-	-	-	-	-	-	-	-	3	3	-	STOCKPORT.
BIRKENHEAD	117,292	15·1	16·4	15·1	19·1	2·7	52	43	7	17	-	3	1	1	-	1	-	1	1	4	-	BIRKENHEAD.
WALLASEY	64,578	17·8	18·6	11·3	14·5	0·8	23	18	2	11	-	-	1	-	-	-	-	-	1	3	1	WALLASEY.
LIVERPOOL	739,180	16·6	18·3	20·7	21·4	1·6	309	304	82	76	-	10	4	5	3	-	1	9	17	63	23	LIVERPOOL.
BOOTLE	65,989	22·1	18·2	22·1	17·4	0·8	26	22	4	6	-	1	-	-	-	-	-	1	1	2	2	BOOTLE.
ST. HELENS	91,153	20·0	14·9	12·2	12·0	0·6	34	21	5	2	-	1	-	-	-	-	-	-	-	4	2	ST. HELENS.
WIGAN	87,588	24·4	12·5	23·2	21·4	3·6	34	36	9	10	-	4	-	-	1	1	-	-	4	4	-	WIGAN.
WARRINGTON	69,280	19·6	8·3	25·6	21·1	0·8	21	28	6	7	-	-	-	1	-	-	-	1	1	5	1	WARRINGTON.
BOLTON	180,502	14·2	16·2	17·0	17·0	1·4	61	59	4	18	-	-	1	-	-	2	2	2	4	9	-	BOLTON.
BURY	58,744	16·0	17·8	20·4	18·6	-	19	21	5	11	-	-	-	-	-	-	-	2	2	5	-	BURY.
MANCHESTER	637,126	20·8	19·6	21·5	23·2	1·7	179	284	62	72	-	1	4	4	6	1	5	15	29	88	3	MANCHESTER.
SALFORD	234,077	19·2	19·6	19·8	20·7	1·3	82	93	18	24	-	1	2	-	1	2	-	7	13	27	-	SALFORD.
OLDHAM	140,969	21·1	24·0	25·9	27·4	4·1	46	74	14	21	-	7	-	-	2	-	2	2	4	11	-	OLDHAM.
ROCHDALE	87,189	19·7	28·7	30·5	31·7	2·4	37	53	7	24	-	4	-	-	-	-	-	3	4	7	1	ROCHDALE.
BURNLEY	102,808	16·2	26·4	18·3	17·8	-	35	35	5	15	-	-	-	-	-	-	-	7	9	7	-	BURNLEY.
BLACKBURN	134,015	10·1	14·0	14·8	17·5	1·9	39	45	4	11	-	-	-	3	-	1	1	1	3	4	1	BLACKBURN.
PRESTON	116,399	19·3	23·7	23·3	23·7	1·3	39	53	14	18	-	-	-	1	1	-	1	1	1	7	2	PRESTON.

TOWNS.	Population estimated to the middle of the Year 1906.*	Week ended 8th Dec., 1906.	Week ended 15th Dec., 1906.	Week ended 22nd Dec., 1906.	Week ended 29th Dec., 1906.	Week ended 29th Dec., 1906.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD	94,851	17·0	15·9	20·9	16·5	2·2	36	30	5	9	-	3	1	-	-	-	-	1	2	3	-	HUDDERSFIELD.
HALIFAX	109,272	19·6	15·7	13·4	14·8	0·5	23	31	3	16	-	-	-	1	-	-	-	1	4	5	-	HALIFAX.
BRADFORD	288,544	12·6	14·3	19·0	18·1	0·9	62	100	16	37	-	-	1	2	1	-	1	5	14	14	1	BRADFORD.
LEEDS	463,495	12·3	16·5	16·2	18·2	0·6	173	162	31	64	-	-	2	-	3	-	-	8	21	19	-	LEEDS.
SHEFFIELD	447,951	16·3	16·5	18·3	19·6	2·1	190	168	35	58	-	10	5	2	1	-	-	6	10	28	6	SHEFFIELD.
ROTHERHAM	61,098	25·6	15·4	25·6	29·0	2·6	29	34	9	10	-	2	-	-	1	-	-	-	-	7	2	ROTHERHAM.
YORK	83,467	10·0	20·0	13·1	16·2	-	31	26	6	14	-	-	-	-	-	-	-	-	1	4	-	YORK.
HULL	262,426	17·5	19·7	19·9	24·0	6·0	109	121	23	30	1	22	-	3	3	-	1	8	14	19	-	HULL.
MIDDLESBROUGH	100,069	19·3	24·0	19·3	26·0	0·5	45	50	17	11	-	-	-	-	-	-	1	1	2	10	2	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,664	13·9	20·8	25·7	20·8	-	27	21	4	8	-	-	-	-	-	-	-	3	3	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	73,387	12·1	18·5	17·8	12·8	-	39	18	5	4	-	-	-	-	-	-	-	1	2	2	1	WEST HARTLEPOOL.
SUNDERLAND	154,385	21·6	24·0	22·3	27·4	1·0	79	81	21	21	-	-	-	2	1	-	-	2	2	15	5	SUNDERLAND.
SOUTH SHIELDS	111,402	22·0	20·1	25·3	28·1	2·8	54	60	15	16	-	4	1	-	1	-	-	5	5	10	1	SOUTH SHIELDS.
GATESHEAD	123,191	11·9	22·0	16·5	19·0	0·4	44	45	10	13	-	1	-	-	-	-	-	1	1	8	-	GATESHEAD.
NEWCASTLE-ON-TYNE	268,721	18·0	16·5	18·0	18·2	1·2	103	94	25	34	-	3	-	2	1	-	-	1	4	10	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	54,138	11·6	16·4	9·6	22·2	1·0	26	23	6	6	-	-	1	-	-	-	-	-	-	2	2	TYNEMOUTH.
NEWPORT (MON.)	74,227	28·1	19·7	26·0	28·8	2·1	30	41	18	7	-	1	-	1	1	-	-	-	-	1	1	NEWPORT (MON.).
CARDIFF	183,823	13·9	17·9	16·5	19·3	1·4	68	68	13	22	-	-	1	1	3	-	-	3	7	10	-	CARDIFF.
RHONDDA	127,684	11·4	16·3	15·9	20·8	3·3	72	51	22	6	-	1	-	3	-	3	1	-	-	2	1	RHONDDA.
MERTHYR TYDFIL	74,961	13·9	20·2	16·0	29·9	3·5	42	43	15	8	-	-	-	-	-	1	4	1	2	5	-	MERTHYR TYDFIL.
SWANSEA	96,848	16·7	21·5	20·5	23·2	0·5	33	43	7	12	-	-	-	-	-	-	1	2	7	4	-	SWANSEA.
GREATER LONDON	7,113,561	14·8	16·6	18·8	19·2	1·2	2527	2615	548	863	-	34	14	34	46	9	25	106	240	778	7	GREATER LONDON.
OUTER RING	2,392,344	11·7	14·0	14·9	16·7	0·9	833	765	173	281	-	5	6	8	15	5	4	21	53	138	6	OUTER RING.
8 TOWNS IN OUTER RING	1,172,195	12·9	14·8	15·9	17·5	1·4	393	393	104	123	-	5	3	7	13	2	2	9	23	74	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,220,149	10·5	13·2	14·0	15·9	0·5	440	372	69	158	-	-	3	1	2	3	2	15	30	64	6	REMAINDER OF OUTER RING.
EDINBURGH	341,035	15·9	19·1	17·9	17·7	0·8	135	116	19	39	-	-	-	-	-	-	5	8	?	40	2	EDINBURGH.
GLASGOW	835,625	18·8	18·0	20·6	19·8	1·8	471	318	67	79	-	-	3	1	16	5‡	4	14	?	94	8	GLASGOW.
DUBLIN†	378,994	22·4	22·3	28·8	22·8	1·5	224	166	29	37	-	2	1	1	3	2	2	5	8	58	12	DUBLIN.†
BELFAST†	366,220§	19·8	16·8	18·1	18·4	0·7	155	129	19	36	-	-	-	1	2	-	2	-	4	32	1	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 4 deaths from Cerebro-spinal meningitis were registered in Glasgow. § Revised population.

TABLE 2. LONDON.—**Births and Deaths** Registered in the FIFTY-SECOND Week of each of the Eleven Years, 1896–1906.

	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Corrected Weekly Average in 4 Years 1902-1905.*	190
TOTAL **Births** -	1829	2363	2215	1880	1591	1668	1651	2828	2320	1807	2193·1	169
Males - - -	904	1197	1154	950	842	881	868	1454	1200	937	1136·3	87
Females - -	925	1166	1061	930	749	787	783	1374	1120	870	1056·8	82
TOTAL **Deaths** -	1279	2360	1593	3067	1466	1791	1458	1366	1868	1602	1731·3	185
Males - -	648	1195	828	1485	751	918	735	957	939	796	873·3	90
Females - -	631	1165	765	1582	715	873	723	909	929	806	858·0	94

* The numbers in this column are the average weekly numbers in the fifty-second week of the four years 1902-1905, raised by 1·933 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15	Dec. 22.	Dec. 29.	13 Week
TOTAL **Births** -	2251	2355	2411	2474	2304	2220	2390	2532	2345	2338	2172	2503	1694	2998
TOTAL **Deaths** -	1404	1295	1232	1209	1272	1328	1391	1453	1406	1482	1628	1886	1850	1883
Ages at Death: Under 1 year -	341	280	277	276	246	267	214	284	251	271	296	328	375	373
1—5 years -	146	125	128	111	137	138	113	161	132	150	159	180	223	190
5—20 ,, -	73	73	58	69	82	73	67	73	85	85	85	99	96	101
20—40 ,, -	165	156	150	162	176	170	204	184	190	166	202	221	186	233
40—60 ,, -	293	279	270	266	273	286	315	288	286	338	347	376	388	400
60 yrs. & upwds.	386	382	349	325	358	394	448	463	462	472	539	682	582	584
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	6	2	5	9	15	19	10	26	21	21	26	24	29	21
Scarlet Fever - -	12	19	9	15	11	17	5	8	12	12	15	9	8	15
Diphtheria - -	12	14	11	16	23	11	16	14	20	20	16	14	26	21
Whooping-cough -	11	12	13	5	5	7	10	5	13	18	18	32	31	18
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	11	17	8	11	5	6	8	3	7	7	15	6	4	10
Pyrexia (origin uncertain).	1	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhœa, Dysentery	135	93	78	55	47	44	29	24	20	15	15	16	21	59
All above Diseases -	188	157	124	111	106	104	78	80	93	93	105	101	119	145
Dis. of Resp. System	90	84	64	69	99	113	158	156	177	169	216	297	309	200
Pneumonia - -	98	93	82	81	101	119	130	156	135	176	192	244	252	185
Phthisis - - -	139	120	132	129	150	133	177	129	131	134	156	204	181	191
Dis. of Circ. System -	176	171	169	174	183	167	214	188	170	184	219	247	218	218
Violence - - -	48	53	50	44	51	70	53	62	56	59	60	57	82	74
Inquest Cases - -	131	115	140	103	121	163	141	133	128	137	162	159	187	182
Deaths in Institutions	551	550	490	480	547	555	546	545	533	588	616	719	610	736
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	58·4	57·6	41·2	53·0	46·8	47·3	43·0	46·2	47·3	43·8	36·5	39·2	31·4	45
Mean of Highest -	66·5	65·5	59·4	61·7	53·0	52·3	49·2	50·8	51·9	49·5	41·1	42·8	36·4	52
Mean of Lowest -	51·2	51·2	43·5	45·4	40·9	42·3	36·3	39·8	41·4	37·2	31·6	34·7	25·9	40
Mean Humidity of the Air.	83	82	81	82	88	89	85	89	84	80	79	91	77	8
Rain-fall (in inches) -	0·69	0·63	0·21	0·07	1·59	2·62	0·90	0·38	0·09	0·29	0·40	0·50	0·68	9·0
Registered Sunshine (in hours).	31·0	35·7	31·7	30·6	10·6	14·9	10·2	12·5	8·1	12·4	8·6	1·6	3·2	211
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mean
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3603	3803	3923	4068	4178	4135	4150	4144	4053	4062	3986	3807	3846	398
Diphtheria - -	907	944	982	1030	1065	1076	1105	1113	1082	1033	1025	955	1000	102
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	
Enteric Fever - -	167	186	186	197	202	203	183	165	162	168	157	149	135	17

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindl placed their meteorological observations at the disposal of the Registrar-General, and the result have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth R. S. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq. M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTY-SECOND Week of the Year 1906.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 52nd week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1731·3	1850	375	223	96	186	388	582
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	52·0	29	4	24	1	-	-	-
Scarlet Fever	12·2	8	-	7	1	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	0·3	-	-	-	-	-	-	-
Influenza	19·6	55	1	5	2	4	16	27
Whooping-cough	32·1	31	12	17	2	-	-	-
Diphtheria	21·2	26	3	15	7	1	-	-
Cerebro Spinal Fever	-	1	-	1	-	-	-	-
Pyrexia,† (Origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	8·7	4	-	1	2	1	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa (Infective Enteritis)	4·8	8	5	2	-	1	-	-
Diarrhœa, Dysentery	14·5	13	5	-	-	1	2	5
Tetanus	-	-	-	-	-	-	-	-
Rabies, *Hydrophobia*	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	8·2	6	4	-	-	-	1	1
Puerperal Septicæmia	5·4	5	-	-	-	5	-	-
Puerperal Pyæmia	0·3	1	-	-	-	1	-	-
Puerperal Fever	0·3	1	-	-	-	1	-	-
Infective Endocarditis	2·8	2	-	-	-	2	-	-
Pneumonia: Lobar	12·5	14	2	3	-	2	6	1
Pneumonia: Broncho-	81·3	149	66	51	4	4	7	17
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	76·5	89	22	15	8	6	19	19
Erysipelas	6·9	6	2	-	1	-	2	1
Septicæmia (not Puerperal)	0·8	2	-	1	-	1	-	-
Pyæmia (not Puerperal)	0·8	-	-	-	-	-	-	-
Other Infective Processes	9·7	3	-	-	-	-	1	2
Tuberculous Phthisis	84·1	113	1	4	5	40	58	5
"*Phthisis*"	83·9	68	-	1	1	31	28	7
Tuberculous Meningitis	21·9	22	6	8	7	1	-	-
Tuberculous Peritonitis	7·1	8	4	3	1	-	-	-
Tabes Mesenterica	5·1	3	1	2	-	-	-	-
Tuberculous Dis. (other)	14·8	9	-	1	2	4	1	1
Scrofula	0·5	-	-	-	-	-	-	-
Alcoholism	14·3	10	-	-	-	-	7	3
Rheumatic Fever	5·4	6	-	-	5	1	-	-
Gout	2·5	3	-	-	-	-	1	2
Carcinoma	52·5	46	-	-	-	2	20	24
Sarcoma	3·8	5	-	-	2	1	1	1
Cancer (undefined)	34·9	31	-	-	-	-	15	16
Diabetes Mellitus	7·4	8	-	-	1	2	1	4
Premature Birth	56·3	56	56	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 52nd week of the 4 years 1902-1905.	1906—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	14·3	16	4	6	4	1	1	-
Insanity, Gen. Par. of Insane	20·4	20	-	-	1	4	6	9
Epilepsy	11·0	10	-	-	2	5	1	2
Convulsions	27·8	12	11	1	-	-	-	-
Locomotor Ataxy	1·0	1	-	-	-	-	-	1
Paraplegia, Dis. of Cord	6·1	9	-	-	-	1	2	6
Nervous Sys. (other dis.)	24·7	26	1	-	1	2	6	16
Valv. Dis., Endocarditis	51·2	60	-	-	7	10	17	26
Cerebr. Hæm. Thromb.	40·8	38	-	1	1	1	10	25
Apoplexy, Hemiplegia	14·8	28	-	-	-	2	9	17
Aneurysm	3·6	3	-	-	-	1	2	-
Embolism, Thrombosis (not cerebral)	0·8	1	-	-	-	-	1	-
Heart & Blood Vessel Dis.	104·0	88	-	1	4	2	33	48
Croup (not Spasm: nor Memb.)	0·5	-	-	-	-	-	-	-
Bronchitis	230·4	288	71	21	2	9	34	151
Asthma, Emphysema	8·4	6	-	-	-	-	2	4
Pleurisy	5·1	3	-	-	-	1	-	2
Respiratory Dis. (other)	17·6	12	1	5	1	1	3	1
Tonsillitis, Quinsy	1·0	3	-	-	2	1	-	-
Enteritis (not Epid.)	11·7	11	4	-	-	3	3	1
Gastro-Enteritis	4·3	5	2	-	1	1	-	1
Peritonitis (not Puerp.)	2·3	3	-	-	2	1	-	-
Cirrhosis of Liver	14·5	13	-	-	-	1	8	4
Liver Dis. (other)	7·4	5	-	-	-	1	-	4
Digestive Dis., Other	41·5	38	5	2	5	5	10	11
Nephritis, Acute	6·1	2	-	-	1	-	1	-
Bright's Dis., Albuminuria	41·0	41	-	-	2	4	19	16
Urinary Sys., Other Dis.	12·5	8	1	-	-	1	1	5
Generative Organs Dis.	3·3	3	1	-	-	1	1	-
Childbirth (Accid. of)	4·3	3	-	-	-	3	-	-
Old Age	66·0	77	-	-	-	-	-	77
Other Diseases	101·8	94	62	14	2	4	7	5
ACCIDENT.								
By Railways	0·5	-	-	-	-	-	-	-
By Vehicles and Horses	6·1	10	-	-	1	1	6	2
In Ships, Boats, Docks, (exclusive of Drowning)	-	1	-	-	-	-	1	-
In Building Operations	0·5	1	-	-	-	-	-	1
In Conflagrations	0·3	1	-	-	1	-	-	-
By Burns, Scalds, Explosions	7·1	13	-	9	1	-	1	2
By Drowning	3·6	5	-	-	1	1	3	-
By Suffocation in Bed	15·8	15	15	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	1	-	-	-	1	-	-
Other Deaths by Accident	19·6	29	3	2	2	2	11	9
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	-	-	-	-	-	-	-
Suicide	9·4	6	-	-	-	3	3	-
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th December, 1906.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include. Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,429	1694	1850	375	582	-	29	8	26	31	-	4	-	21	82	187	640
WEST DISTRICTS	805,311	236	286	42	107	-	-	-	2	4	-	-	-	7	8	25	102
NORTH DISTRICTS	1,056,070	407	423	102	130	-	4	-	9	6	-	1	-	2	19	43	145
CENTRAL DISTRICTS	209,465	74	93	19	28	-	-	-	1	5	-	-	-	1	7	18	27
EAST DISTRICTS	715,739	311	314	66	97	-	13	-	2	5	-	1	-	4	19	43	131
SOUTH DISTRICTS	1,749,844	666	693	146	207	-	12	7	12	11	-	2	-	6	29	58	194
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	41	-	13	-	-	1	-	-	-	-	-	1	-	-	41
WEST DISTRICTS.																	
St. Mary Paddington *W,2H*	93,178	17	32	6	11	-	-	-	-	-	-	-	-	2	3	6	9
St. John Paddington *H*	33,617	5	14	1	7	-	-	-	-	-	-	-	-	-	1	1	7
North-West Paddington	17,181	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H*	128,037	46	63	8	23	-	-	-	1	1	-	-	-	2	2	7	32
Brompton *2H*	48,591	5	18	1	7	-	-	-	-	-	-	-	-	-	-	1	3
North Hammersmith *2W,wH*	49,192	25	13	-	5	-	-	-	-	1	-	-	-	-	-	2	2
South Hammersmith *w,2H*	63,047	22	16	4	5	-	-	-	-	-	-	-	-	-	-	1	6
North-west Fulham *W*	45,180	25	26	6	9	-	-	-	-	-	-	-	-	1	-	-	17
North-east Fulham *F*	46,405	15	13	3	5	-	-	-	1	-	-	-	-	2	-	1	1
South Fulham *W*	45,704	10	16	2	6	-	-	-	-	-	-	-	-	-	1	3	-
Chelsea North *W,w,3H*	42,514	10	23	1	15	-	-	-	-	-	-	-	-	-	-	-	17
Chelsea South *W,2H*	31,328	5	8	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Mayfair and Knightsbridge	28,743	2	6	1	3	-	-	-	-	1	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	20	14	1	5	-	-	-	-	-	-	-	-	-	1	3	4
St. Margaret & St. John *5H*	43,698	15	16	4	-	-	-	-	-	1	-	-	-	-	-	-	4
St. James and St. Anne *W,6H*	33,081	10	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *8H*	35,391	6	19	4	3	-	-	-	-	-	-	-	-	-	-	-	13
St. Mary Marylebone *W,4H*	37,948	47	12	2	2	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone	39,536	10	9	1	3	-	1	-	-	-	-	-	-	-	2	3	-
St. John Marylebone *2H*	20,426	4	3	-	1	-	-	-	1	-	-	-	-	-	-	-	1
Hampstead *W,F,7H*	81,942	19	30	4	4	-	-	-	5	1	-	-	-	-	-	-	16
West St. Pancras *2H*	60,562	21	18	7	5	-	-	-	-	-	-	-	-	1	1	3	1
South St. Pancras‡ *w,11H*	55,707	17	22	4	4	-	-	-	-	-	-	-	-	-	-	4	11
East St. Pancras *W,2H*	60,320	21	20	3	8	-	-	-	-	-	-	-	-	-	-	-	10
North St. Pancras *2W*	58,728	22	35	6	15	-	-	-	-	2	-	-	-	-	-	-	18
Tufnell *W*	31,995	12	39	5	19	-	-	-	-	-	-	-	-	-	-	1	28
Upper Holloway *2W,w,H*	33,978	10	28	5	9	-	-	-	-	-	-	-	-	-	5	6	20
Tollington *WH*	33,922	7	9	5	1	-	-	-	-	1	-	1	-	-	-	-	-
Lower Holloway	41,424	15	18	8	2	-	-	-	-	-	-	-	-	-	2	3	-
Barnsbury	54,478	31	38	17	10	-	1	-	-	-	-	-	-	-	3	6	-
Islington South-east *F*	75,397	27	21	10	3	-	-	-	-	-	-	-	-	-	1	7	-
Highbury *2H*	63,797	20	18	4	7	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	17	12	-	5	-	-	-	-	1	-	-	-	-	-	-	-
North Hackney	50,560	8	6	2	4	-	-	-	-	1	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	24	11	4	1	-	-	-	3	-	-	-	-	-	1	2	3
South-west Hackney *3H*	59,921	42	26	6	8	-	2	-	-	-	-	-	-	-	1	4	8
South-east Hackney *2W,w,H*	58,255	27	29	5	16	-	-	-	-	-	-	-	-	1	3	4	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

‡ On 1st December 1906, Tottenham Court sub-district and Gray's Inn Lane sub-district were united and called South St. Pancras.

5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered ach SUB-DISTRICT during the Week ended Saturday, 29th December, 1906—*continued.*

TRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyræmia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
ENTRAL DISTRICTS.																		
and Bloomsbury 2*W*,2*H* -	31,436	15	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
W,4*H* - - - - -	21,674	1	8	-	3	-	-	-	-	-	-	-	-	-	1	1	4	-
Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
W,6*H* - - - - -	29,612	13	22	5	3	-	-	-	-	2	-	-	-	-	1	4	9	-
lerkenwell - - -	28,676	5	10	3	1	-	-	-	-	1	-	-	-	-	1	2	-	-
lerkenwell *H* - - -	35,028	16	17	6	4	-	-	-	-	2	-	-	-	-	-	-	-	-
y 3*H*,*L* - - - -	36,116	21	9	3	4	-	-	-	-	-	-	-	-	1	-	2	-	-
Union Workhouse, m - - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
lph *H* - - - - -	10,299	2	5	-	3	-	-	-	-	-	-	-	-	-	-	4	-	-
dchre and Allhallows *W*,2*H*	16,624	1	14	2	5	-	-	-	1	-	-	-	-	-	3	4	9	-
London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
tch South *H* - - -	46,362	12	14	6	5	-	-	-	-	-	-	-	-	-	1	3	-	-
tch North-West *W*,*w*,*H* -	36,127	16	34	6	12	-	-	-	-	1	-	-	-	1	3	5	21	-
tch North-East - - -	36,148	21	10	2	3	-	1	-	-	-	-	-	-	1	-	1	-	-
ch Union Workhouse, Wood - - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
l Green North-East 2*W*,	65,138	20	35	8	17	-	1	-	-	1	-	-	-	-	1	2	20	-
l Green South-West *H* -	64,542	36	19	3	1	-	2	-	-	2	-	-	-	1	-	1	2	-
elds - - - - - -	27,969	10	4	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-
d New Town *W*,*H* - -	28,718	9	36	3	5	-	-	-	1	-	-	-	-	-	4	4	34	-
an's Fields - - - -	22,081	10	4	1	1	-	1	-	-	-	-	-	-	-	-	2	-	-
rge and St. John 2*W* - -	49,068	26	17	6	6	-	1	-	-	-	-	-	-	-	1	2	6	-
ell and Ratcliff *W*,*H* - -	25,568	4	8	1	-	-	-	-	-	1	-	-	-	-	-	1	4	-
use *W* - - - - -	32,369	14	12	3	4	-	-	-	-	-	-	-	-	-	-	1	-	-
End Old Town Southern *H* - - - -	63,698	40	13	4	4	-	3	-	1	-	-	-	-	-	1	1	-	-
End Old Town Northern *W*,*w* - - -	49,129	19	27	4	14	-	-	-	-	-	-	1	-	-	-	-	19	-
L - - - - - - -	41,939	20	14	6	3	-	-	-	-	-	-	-	-	-	1	4	-	-
y 3*w*,*H* - - - - -	68,319	26	48	9	14	-	3	-	-	-	-	-	-	1	6	9	24	-
W,*w* - - - - -	58,514	28	19	4	5	-	-	-	-	-	-	-	-	-	1	6	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMAL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., reg in each SUB-DISTRICT during the Week ended Saturday, 29th December, 1906—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	13	-	2	-	-	-	-	-	-	-	-	-	4	5
Kent-road	21,904	10	8	5	1	-	-	-	-	1	-	-	-	-	2	3
St. George the Martyr West *W,2H,L*	39,094	16	15	6	1	-	-	-	-	-	-	-	-	-	3	4
Newington North	49,022	16	19	3	6	-	-	-	-	-	-	1	-	-	2	4
Newington South *W*	72,841	35	27	7	12	-	-	-	-	1	-	-	-	-	-	2
St. Olave *2W*	9,817	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	31	24	8	8	-	-	-	-	1	-	-	-	-	1	1
Rotherhithe *W,F*	38,460	11	14	2	6	-	3	-	-	-	-	-	-	-	-	1
Waterloo* *2H*	27,440	11	15	3	3	-	-	-	-	-	-	-	-	-	-	2
Lambeth Church* *H*	27,440	11	26	7	4	-	-	-	-	-	-	-	-	-	1	1
Kennington* *2W*	52,518	31	34	7	11	-	-	-	-	-	-	-	-	-	-	1
Stockwell* *HF*	63,826	27	21	4	4	-	-	1	3	1	-	-	-	-	-	-
Brixton* *H*	73,673	20	26	8	10	-	-	-	-	-	-	-	-	-	-	2
Norwood* *WH*	56,998	20	19	2	9	-	1	-	-	-	-	-	-	-	-	1
East Battersea *H*	72,203	31	33	10	7	-	-	-	-	2	-	-	-	1	1	2
North-west Battersea	49,656	19	15	5	4	-	-	-	-	-	-	-	-	-	-	1
South-west Battersea *2W,H*	47,048	16	32	1	9	-	-	-	-	-	-	-	-	1	4	6
Clapham *2H*	51,361	17	17	4	3		-	-	-	-	-	-	-	-	1	1
Streatham *W,2w,2F,2L*	88,019	41	47	9	20		-	3	1	2	-	1	-	-	1	2
Springfield *2W,L*	27,959	8	12	5	1		1	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	18	12	3	4		-	-	-	-		-	-	1	1	3
Putney	24,139	5	4	-	2		-		-	-		-	-	-	-	-
Dulwich	13,359	1	1	-	-		-			-	-		-	-	-	-
Camberwell South *W,w*	40,206	14	20	-	10		-	-	-	-	-	-	-	2	1	2
Camberwell North *W,2L*	65,584	27	43	7	13		-	-	1	2		-	-	-	-	2
St George	47,331	18	6	2	1	-	-	-	-	-		-	-	-	-	-
Peckham North	48,913	17	13	2	3		-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	21	13	5	6	-	-	-	-	1	-	-	-	-	-	-
Deptford North	37,613	11	13	2	3		-		-	-	-	-	-	-	1	1
Deptford Central *F*	45,481	20	13	4	3		-	-	3	-		-	-	-	-	-
Deptford South	34,625	12	8	-	4	-	-		-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	23	27	5	12		-	-	1	-	-	-	-	-	1	2
Eltham *w,H*	7,226	3	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Lee *wH*	25,490	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Lewisham *W-w,F*	58,352	25	37	9	9	-	-	2	2	-	-	-	-	-	3	4
Sydenham *H*	43,653	20	10	1	4	-	-	-	1	-	-	-		-	-	1
Charlton *F,2H*	21,134	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich *5H*	41,625	14	6	1	1	-	-	-	-	-	-	-	-	-	1	1
Plumstead West *W*	18,063	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W,H*	50,264	11	37	7	7	-	7	1	-	-	-	-	-	1	1	2
Workhouse:—																
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																
Belmont	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Leavesden	—	-	4	-	1	-	-	-	-	-	-	-	-	1	-	4
London County Lunatic Asylums:—																
Banstead	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	7	-	1	-	-	-	-	-	-	-	-	-	-	7
Hanwell	—	-	9	-	4	-	-	-	-	-	-	-	-	-	-	9
Colney Hatch	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	5
Claybury	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1

* On 1st October, 1906, the seven sub-districts of Lambeth registration district were re-divided into six sub-dist above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nded Saturday, 29th December, 1906.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,302	2,044,973	833	765	173	281	–	5	6	8	15	5	4	24	53	138	6
1	Carshalton 2F,3H - -	12,228	32,997	11	12	1	1	–	–	1	–	–	–	–	1	2	1	–
2	Epsom, *part of** W,w,2F,H-	10,423	15,548	3	5	–	5	–	–	–	–	–	–	–	–	–	5	–
1	Godstone, *part of** W,F -	2,754	3,692	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Coulsdon - - - -	11,069	8,166	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
2	South Croydon w - -	4,300	49,309	10	9	2	2	–	–	–	–	–	–	–	–	2	1	–
3	West Croydon 3W,F,H -	2,168	42,888	23	31	5	15	–	–	–	1	–	–	–	–	2	14	–
4	North Croydon H - -	2,644	41,698	17	12	3	4	–	–	–	–	–	–	–	–	–	1	–
5	Penge w,H - - - -	770	22,465	8	9	–	5	–	–	–	–	–	–	–	–	–	–	–
6	Mitcham w - - -	11,711	30,015	6	8	1	5	–	–	–	–	–	–	–	2	4	–	–
1	Wimbledon F,3H - -	3,221	41,652	12	12	2	6	–	–	–	–	–	1	–	1	1	1	–
2	Kingston 2W,H - - -	6,224	42,068	20	20	5	13	–	–	–	–	–	–	–	–	1	3	–
3	Surbiton F,H - - -	3,046	15,017	7	4	–	4	–	–	–	–	–	–	–	–	–	–	–
4	Esher, *part of** H -	5,402	13,100	5	5	3	1	–	–	–	–	–	–	–	–	–	1	–
5	Hampton H,F,L - - -	4,534	23,456	13	7	1	2	–	–	–	–	–	–	–	1	2	1	–
1	Richmond W,H - - -	2,162	28,865	7	7	2	3	–	–	–	–	–	–	–	–	–	1	–
2	Mortlake F - - -	2,847	20,628	17	1	–	1	–	–	–	–	–	–	–	–	–	–	–
1	Bromley F,2H - - -	4,703	27,354	5	11	5	3	–	–	–	–	–	–	–	3	3	1	–
2	Beckenham H - - -	7,825	28,497	7	10	3	5	–	–	–	–	–	–	1	–	–	–	–
3	Orpington *part of** W -	10,113	9,857	6	6	1	3	–	–	–	–	–	–	–	–	–	3	–
4	Chislehurst 2H - - -	7,333	16,446	3	6	–	4	–	–	–	–	–	–	–	–	–	–	–
1	Bexley w F,H - - -	8,678	21,151	10	8	1	2	–	–	–	–	–	–	–	1	2	–	–
2	Erith F,H - - - -	3,854	25,296	13	6	–	3	–	–	–	–	–	1	–	–	–	1	1
3	Dartford W,F, *part of** -	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
1	Sunbury w - - - -	11,054	18,683	7	5	2	1	–	–	–	–	–	–	–	–	–	–	1
2	Staines W,H - - -	13,277	15,178	4	6	2	1	–	–	–	–	–	–	–	–	–	–	–
1	Hillingdon W,F,H - -	6,035	13,661	3	3	–	1	–	–	–	–	–	–	–	–	–	–	1
2	Uxbridge H - - -	12,757	8,984	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes w2F,H - - -	8,066	16,358	17	3	1	1	–	–	–	–	–	–	–	–	–	–	–
1	Isleworth 3W,2F,H - -	6,859	30,863	18	18	5	7	–	–	–	–	–	–	–	–	–	12	–
2	Twickenham F,H - -	2,421	20,991	10	10	3	4	–	–	–	1	–	–	–	–	1	1	–
3	Brentford 3F,2H - - -	4,319	48,289	28	19	2	10	–	–	–	–	–	–	–	3	3	2	1
4	Chiswick H- - - -	1,249	29,809	10	10	1	7	–	–	–	–	–	–	–	–	–	–	–
5	Acton w,F,3H - - -	6,132	48,914	25	18	8	3	–	–	–	–	1	–	–	1	1	–	1
1	Harrow F,H - - -	13,809	25,523	21	6	–	3	–	–	–	–	–	–	–	–	–	–	–
2	Edgware 2F,2H - - -	6,994	4,521	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Willesden W,F,2H - -	4,384	114,811	49	33	10	12	–	–	–	–	4	–	–	–	–	5	–
4	Hendon W,F - - -	8,382	22,450	5	7	1	3	–	–	–	–	–	–	–	–	1	1	–
1	South Mimms 2F,H - -	17,755	7,308	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
2	Barnet W,2H - - -	3,324	17,970	5	5	1	2	–	–	–	–	–	–	–	1	1	1	–
3	Finchley F,2H - - -	4,688	33,692	12	16	1	8	–	–	–	–	–	–	–	–	1	–	–
1	Hornsey F,H - - -	2,875	72,056	27	22	4	12	–	–	–	–	–	–	–	–	–	–	–
2	Wood Green H - - -	1,625	34,233	12	5	1	1	–	–	–	–	–	–	–	–	–	1	–
3	West Tottenham F - -	996	48,853	19	16	4	2	–	–	–	–	2	–	1	–	–	–	–
4	East Tottenham 2H - -	2,017	53,688	24	26	6	6	–	–	–	–	–	–	–	1	3	2	–
5	Edmonton W,w,2F - -	7,491	61,892	36	20	1	5	–	–	–	–	1	–	–	1	5	5	–
6	Enfield 2W,F,H - - -	12,601	42,738	18	13	2	6	–	–	1	–	–	1	–	–	–	4	–
7	Waltham Abbey F - -	11,017	6,549	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
8	Cheshunt F,H - - -	8,479	12,292	3	5	–	4	–	–	–	–	–	–	–	–	–	–	1
1	Hatfield, *part of** W - -	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Bushey H - - - -	9,333	9,173	3	1	1	–	–	–	–	–	–	–	–	–	1	–	–
2	Watford W,2F *part of** -	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
1	Stratford H - - -	1,072	44,827	21	13	7	2	–	–	–	–	–	–	–	2	4	1	–
2	Plaistow F,2H - - -	1,249	90,921	29	35	13	4	–	–	2	1	–	1	1	–	3	6	–
3	Canning Town H - - -	1,556	70,718	30	28	7	5	–	3	–	–	–	–	–	2	2	2	–
4	Forest Gate w - - -	806	60,892	11	16	6	6	–	–	–	–	–	–	–	–	–	–	–
5	North East Ham w H -	1,333	58,676	23	16	3	4	–	–	–	–	2	1	–	–	1	–	–
6	South East Ham 2F - -	1,993	37,342	29	21	9	2	–	2	–	1	1	–	–	–	–	1	–
7	Wanstead F - - -	1,679	9,179	4	7	3	2	–	–	–	–	–	–	–	–	–	–	–
8	South Leyton 2W - -	631	50,467	16	32	4	20	–	–	–	–	1	–	–	–	–	14	–
9	North Leyton 2W,w,F -	1,963	48,445	24	44	7	15	–	–	–	1	1	–	1	2	2	26	–
10	Walthamstow 3H,L - -	6,504	108,929	42	44	17	10	–	–	–	2	2	–	–	2	5	1	–
7:1	Chigwell 2F,3H - - -	11,778	16,397	3	5	–	2	–	–	–	1	–	–	–	–	–	1	–
2	Epping W,F, *part of** - -	—	—	–	3	–	3	–	–	–	–	–	–	–	–	–	3	–
9:1	Romford, *part of** W,2F -	6,556	6,091	1	6	–	3	–	–	–	–	–	–	–	–	–	4	–
2	Ilford F,L - - - -	8,498	41,234	20	20	3	8	–	–	–	–	–	–	–	–	–	4	–
3	Barking Town F - -	3,803	21,547	17	4	2	1	–	–	1	–	–	–	–	–	–	–	–
	Eastern Hosp., Hackney -	—	—	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–
	N.E. Hospital, Tottenham -	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	Middlesex County Asylum, Wandsworth.	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	London County Asylum, Banstead.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	London County Asylum, Colney Hatch.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

*The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer ing are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher arish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1. Dagenham arish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœa.
LONDON - -	4,721,217	December 29	1694	1850	20·4	-	29	8	26	31	4	
CALCUTTA - -	977,822	November 24	-	579	35·5	1	1	-	-	3	171†	
BOMBAY - -	982,000	December 11	400	621	41·6	-	-	-	-	-	87†	
MADRAS - -	509,346	November 30	363	343	35·0	1	2	?	?	?	84	
PARIS - - -	2,750,000	December 22	811	1000	19·5	1	7	3	6	2	8	
BRUSSELS - -	612,401	" 22	215	190	16·1	-	2	-	4	2	3	
ANTWERP - -	297,311	" 22	114	76	13·3	-	-	-	-	1	-	
AMSTERDAM -	560,482	" 15	269	154	14·2	-	8	5	3	8	-	
COPENHAGEN -	425,000	" 22	188	112	13·7	-	-	-	1	-	-	
STOCKHOLM -	324,488	" 15	187	96	15·4	-	-	1	-	-	-	
CHRISTIANIA -	222,373	" 22	94	55	12·9	-	3	-	2	1	-	
ST. PETERSBURG	1,424,700	" 15	577	675	24·6	3	12	14	20	10	34	
MOSCOW - -	1,154,000	" 8	-	611	-	-	8	12	15	5	9	
BERLIN - -	2,089,762	" 8	952	582	14·5	-	5	4	7	6	1	
HAMBURG - -	819,380	" 22	-	242	15·7	-	2	-	1	1	1	
BRESLAU - -	475,000	" 15	-	174	19·1	-	2	1	5	1	-	
MUNICH - -	544,000	" 22	-	-	-	-	-	-	-	-	-	
VIENNA - -	1,956,949	" 22	853	684	18·2	-	11	5	6	3	2	
PRAGUE - -	460,849	" 22	-	-	-	-	-	-	-	-	-	
BUDA-PESTH -	859,134	" 15	425	263	17·3	-	9	3	5	1	2	
TRIESTE - -	196,637	" 22	99	108	28·3	-	-	-	-	-	1	
ROME - -	531,179	November 3	203	172	16·9	-	2	-	-	-	8§	
VENICE - -	171,709	October 27	-	-	-	-	-	-	-	-	-	
BUCHAREST -	291,138	December 22	150	119	21·3	-	-	-	-	-	1	
NEW YORK -	4,152,860	" 15	2098	1461	18·3	-	8	11	42	9	15	
CHICAGO - -	2,049,185	" 15	-	598	15·2	-	3	12	25	5	7	
PHILADELPHIA -	1,469,126	November 10	-	474	16·8	-	4	-	19	3	16	
BOSTON - -	617,950	—	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	November 25	-	262	15·0	-	1	-	-	2	4‡	

* Excluding deaths from croup in the Indian Cities.
† Including 19 deaths from plague in Calcutta, 8 in Bombay, and 4 in Rio de Janeiro.
‡ Including 73 deaths from cholera in Calcutta, 10 in Bombay, and 2 in Madras.
§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 29th December, 1906.

Towns	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	42·9	22·3	31·2	0·68	BRADFORD - -	46·2	23·0	33·0	0·7
BRIGHTON - -	42·9	25·7	33·6	0·61	LEEDS - - -	46·0	23·0	32·7	0·6
PORTSMOUTH - -	45·7	28·0	35·0	0·45	HULL - - -	43·0	23·0	32·2	0·6
NORWICH - -	41·0	15·8	30·3	1·56	TYNEMOUTH - -	44·0	23·0	31·0	1·4
PLYMOUTH - -	48·7	25·8	36·1	1·28	CARDIFF - -	46·3	25·0	33·7	0·4
BRISTOL - - -	45·0	23·2	33·0	0·34	EDINBURGH - -	42·5	22·7	31·7	0·0
BIRMINGHAM - -	43·7	21·2	30·8	0·69	GLASGOW - -	45·8	17·9	32·3	0·3
NOTTINGHAM - -	44·1	16·6	31·5	0·72	DUBLIN Phœnix Park.	46·1	20·9	31·8	0·3
LIVERPOOL OBSERVATORY.	45·0	26·0	33·6	0·45	DUBLIN Fitz-william Square.†	47·1	24·8	34·7	0·4
MANCHESTER -	43·7	20·4	32·1	1·02					
PRESTON - -	?	?	?	?					
HUDDERSFIELD -	43·5	22·7	31·2	0·84	BELFAST - -	47·0	27·0	35·2	0·7

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. T correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to t above was 0°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin

1906. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles	in.	
SUNDAY -	23	In Equator.	30·189	30·0	26·3	3·7	28·0	−10·4	19·8	8·2	12·1	4·5	70	31·4	16·9	44·56	SE. & N.	N., WSW. & W.	2·0	0·0	0·1	158	−145	0·00	0·0
MONDAY -	24	..	29·944	42·9	24·8	18·1	35·0	− 3·3	33·2	1·8	3·7	0·0	93	45·0	19·1	44·22	WSW. & SW.	WSW. & SW.	3·0	0·0	0·3	341	+ 40	0·05	0·0
TUESDAY -	25	..	29·695	42·7	30·8	11·9	33·9	− 4·4	24·7	9·2	12·4	5·6	68	47·0	22·0	43·72	N. & NW.	NNW., W. & SW.	4·8	0·0	0·3	297	− 3	0·00	0·2
WEDNESDAY	26	..	28·889	34·3	22·3	12·0	28·8	− 9·6	23·6	5·2	16·9	0·8	80	38·9	16·4	43·38	SE., variable & N.	N., NNW. & WSW.	5·1	0·0	0·5	390	+ 90	0·29	0·8
THURSDAY -	27	..	29·167	34·6	23·7	10·9	29·8	− 8·6	19·2	10·6	13·7	5·3	63	46·1	15·6	43·04	WSW., NW. & NNW.	WNW., WSW. & SW.	5·7	0·0	0·5	415	+114	0·07	0·0
FRIDAY -	28	Apogee	29·267	35·4	26·3	9·1	32·4	− 6·1	25·4	7·0	9·6	3·9	75	41·2	18·0	42·74	WSW. & W.	W., WNW. & NNW.	3·2	0·0	0·3	377	+ 75	0·24	0·0
SATURDAY -	29	..	29·641	35·2	26·9	8·3	31·6	− 7·0	29·9	1·7	3·1	1·4	93	41·0	19·5	42·43	N.	N. & SW.	5·7	0·0	0·4	266	− 38	0·03	0·0
MEANS -	-		29·542	36·4	25·9	10·6	31·4	− 7·1	25·1	6·2	10·2	3·0	77	41·5	18·2	43·44	WSW. & NNW.		..	..	..	Sum 2244	Sum +133	Sum 0·68	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. December.		Electricity. (For explanation of symbols, *see* Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	23	w.P. till 7h. A.M.; s.P. generally afterwards.	0·0	7·8
MONDAY -	24	s. P. till 3h. A.M.; m. P. till 9h. A.M.; s. P. generally till 8h. P.M.; v. P. and v. N. afterwards.	0·0	7·8
TUESDAY -	25	m.P. till 7h. A.M.; s. P. afterwards.	1·7	7·8
WEDNESDAY	26	s. P. and s. N. till 7h. A.M.; w.P. till 2h. P.M.; m. P. till 5h. P.M.; s. P. till 10h. P.M.; s. N. afterwards.	0·5	7·8
THURSDAY -	27	w.P. till 6h. A.M.; m. P. till 9h. A.M.; s. P. afterwards.	1·0	7·8
FRIDAY -	28	v.P. and s.N. till 4h. A.M.; m.P till 9h. A.M.; s. P. till 3h. P.M.; v. P. afterwards.	0·0	7·8
SATURDAY -	29	v.P. with occasional s. N. till 2h. P.M.; s. P. till 9h. P.M.; m. P. afterwards.	0·0	7·8
			Sum 3·2	Sum 54·6
No. of Col. -		27	28	29

GENERAL REMARKS.

Generally overcast.

Cloudless with hoar frost in early morning; generally overcast after 3h. 30m. A.M. with occasional light showers.

Generally overcast till 8h. A.M.; fine and partially cloudy afterwards. Faint lunar halo at night.

Overcast till 2h. P.M. with heavy snow in early morning; very fine till 11h. P.M.; overcast with occasional snow afterwards.

Overcast with occasional slight snow in morning; very fine generally after 9h. A.M., and cloudless at night.

Generally overcast; occasional snow; fine sleet falling at night.

Generally overcast till 11h. A.M. with snow between 9h. 15m. and 10h. 15m. A.M.; fine till evening; fog and hoar frost at night.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·21 in. at the beginning of the week to 28·77 in. by 9h. A.M. on the 26th; increased to 29·05 in. by 8h. P.M. on the same day; decreased to 28·96 in. by 1h. A.M. on the 27th; increased to 29·70 in. by 9h. P.M. on the 29th; and was 29·69 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 22nd December, 1906.*

BOROUGHS	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,913	-	23	4	-	1	-	-	7	-
Kensington	180,952	-	2	4	-	1	-	-	4	-
Hammersmith	120,679	-	4	4	-	-	-	-	2	-
Fulham	161,965	-	23	9	-	-	-	-	6	2
Chelsea	74,672	-	4	-	-	1	-	-	2	1
City of Westminster	173,905	-	4	1	-	1	-	-	3	-
NORTH.										
St. Marylebone	128,580	-	4	8	-	-	-	-	-	-
Hampstead	89,633	-	13	6	-	-	-	-	1	-
St. Pancras	236,455	-	8	2	-	1	-	-	8	1
Islington	344,987	-	15	7	-	1	-	-	8	-
Stoke Newington	53,217	-	1	1	-	-	-	-	2	-
Hackney	230,721	-	24	3	-	1	-	-	4	-
CENTRAL.										
Holborn	55,805	-	-	1	-	-	-	-	1	-
Finsbury	97,466	-	3	-	-	-	-	-	7	-
City of London	21,367	-	-	-	-	1	-	-	-	-
EAST										
Shoreditch	116,108	-	15	4	-	1	-	-	4	-
Bethnal Green	130,609	-	14	4	-	1	-	-	6	-
Stepney	307,176	-	19	8	-	3	-	-	10	-
Poplar	170,673	-	9	2	-	1	-	-	5	-
SOUTH.										
Southwark	209,143	-	15	3	-	-	-	-	3	-
Bermondsey	128,629	-	12	3	-	1	-	-	6	-
Lambeth	315,774	-	29	7	-	2	-	-	5	-
Battersea	179,622	-	15	17	-	-	-	-	6	1
Wandsworth	273,381	-	17	14	-	1	-	-	11	1
Camberwell	274,132	-	38	11	-	3	-	-	9	1
Deptford	115,495	-	10	10	-	1	-	-	5	-
Greenwich	105,350	-	7	3	-	-	-	-	1	-
Lewisham	148,463	-	13	10	-	1	-	-	4	-
Woolwich	127,345	-	22	4	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,721,217	-	363	150	-	23	-	-	131	7
Ages 0-1		-	1	4	-	-	-	-	2	-
" 1-5		-	111	52	-	-	-	-	8	-
" 5-		-	137	58	-	4	-	-	6	-
" 10-		-	68	16	-	1	-	-	6	-
" 15-		-	21	7	-	3	-	-	9	-
" 20-		-	7	6	-	3	-	-	5	-
" 25-		-	14	3	-	4	-	-	20	5
" 35-		-	4	2	-	6	-	-	27	2
" 45-		-	-	1	-	2	-	-	22	-
" 55-		-	-	-	-	-	-	-	9	-
" 65 and upwards		-	-	1	-	-	-	-	17	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.